

Computer algebra independent integration tests

4-Trig-functions/4.5-Secant/4.5.3.1-a+b-sec^m-d-secⁿ-A+B-sec-

Nasser M. Abbasi

May 23, 2020

Compiled on May 23, 2020 at 3:47am

Contents

1	Introduction	25
1.1	Listing of CAS systems tested	25
1.2	Results	26
1.3	Performance	29
1.4	list of integrals that has no closed form antiderivative	30
1.5	list of integrals solved by CAS but has no known antiderivative	30
1.6	list of integrals solved by CAS but failed verification	30
1.7	Timing	31
1.8	Verification	31
1.9	Important notes about some of the results	31
1.10	Design of the test system	33
2	detailed summary tables of results	35
2.1	List of integrals sorted by grade for each CAS	35
2.2	Detailed conclusion table per each integral for all CAS systems	41
2.3	Detailed conclusion table specific for Rubi results	168
3	Listing of integrals	189
3.1	$\int (b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx$	189
3.2	$\int (b \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx$	194
3.3	$\int \sqrt{b \sec(c + dx)} (A + B \sec(c + dx)) dx$	198
3.4	$\int \frac{A+B \sec(c+dx)}{\sqrt{b \sec(c+dx)}} dx$	202

3.5	$\int \frac{A+B \sec(c+dx)}{(b \sec(c+dx))^{3/2}} dx$	206
3.6	$\int \frac{A+B \sec(c+dx)}{(b \sec(c+dx))^{5/2}} dx$	210
3.7	$\int \sec^2(c+dx)(b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$	214
3.8	$\int \sec(c+dx)(b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$	218
3.9	$\int (b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$	222
3.10	$\int \cos(c+dx)(b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$	226
3.11	$\int \cos^2(c+dx)(b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$	230
3.12	$\int \sec^2(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$	234
3.13	$\int \sec(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$	238
3.14	$\int (b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$	242
3.15	$\int \cos(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$	246
3.16	$\int \cos^2(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$	250
3.17	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	254
3.18	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	258
3.19	$\int \frac{A+B \sec(c+dx)}{(b \sec(c+dx))^{2/3}} dx$	262
3.20	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	266
3.21	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	270
3.22	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	274
3.23	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	278
3.24	$\int \frac{A+B \sec(c+dx)}{(b \sec(c+dx))^{4/3}} dx$	282
3.25	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	286
3.26	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	290
3.27	$\int \sec^m(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$	294
3.28	$\int \sec^m(c+dx)(b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$	298
3.29	$\int \sec^m(c+dx)\sqrt[3]{b \sec(c+dx)}(A+B \sec(c+dx)) dx$	302
3.30	$\int \frac{\sec^m(c+dx)(A+B \sec(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$	306
3.31	$\int \frac{\sec^m(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$	310
3.32	$\int \frac{\sec^m(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$	314
3.33	$\int \sec^m(c+dx)(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$	318
3.34	$\int \sec^2(c+dx)(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$	322
3.35	$\int \sec(c+dx)(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$	326
3.36	$\int (b \sec(c+dx))^n(A+B \sec(c+dx)) dx$	330
3.37	$\int \cos(c+dx)(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$	334
3.38	$\int \cos^2(c+dx)(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$	338
3.39	$\int \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$	342

3.40	$\int \sqrt{\sec(c+dx)}(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$	346
3.41	$\int \frac{(b \sec(c+dx))^n(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$	350
3.42	$\int \frac{(b \sec(c+dx))^n(A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$	354
3.43	$\int \sec^4(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	358
3.44	$\int \sec^3(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	363
3.45	$\int \sec^2(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	367
3.46	$\int \sec(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	371
3.47	$\int (a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	375
3.48	$\int \cos(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	379
3.49	$\int \cos^2(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	383
3.50	$\int \cos^3(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	387
3.51	$\int \cos^4(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	391
3.52	$\int \cos^5(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	395
3.53	$\int \sec^3(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	399
3.54	$\int \sec^2(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	404
3.55	$\int \sec(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	409
3.56	$\int (a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	414
3.57	$\int \cos(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	418
3.58	$\int \cos^2(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	422
3.59	$\int \cos^3(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	426
3.60	$\int \cos^4(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	430
3.61	$\int \cos^5(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	435
3.62	$\int \sec^3(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	440
3.63	$\int \sec^2(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	446
3.64	$\int \sec(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	451
3.65	$\int (a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	456
3.66	$\int \cos(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	461
3.67	$\int \cos^2(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	465
3.68	$\int \cos^3(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	470
3.69	$\int \cos^4(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	474
3.70	$\int \cos^5(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	479
3.71	$\int \cos^6(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	484
3.72	$\int \sec^2(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$	489
3.73	$\int \sec(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$	495
3.74	$\int (a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$	500
3.75	$\int \cos(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$	505
3.76	$\int \cos^2(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$	510
3.77	$\int \cos^3(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$	515
3.78	$\int \cos^4(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$	520
3.79	$\int \cos^5(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$	524

3.80	$\int \cos^6(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$	529
3.81	$\int \cos^7(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$	534
3.82	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$	539
3.83	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$	544
3.84	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$	549
3.85	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$	553
3.86	$\int \frac{A+B \sec(c+dx)}{a+a \sec(c+dx)} dx$	557
3.87	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$	561
3.88	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$	565
3.89	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$	570
3.90	$\int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$	575
3.91	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$	580
3.92	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$	585
3.93	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$	590
3.94	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$	594
3.95	$\int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^2} dx$	598
3.96	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$	602
3.97	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$	606
3.98	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$	611
3.99	$\int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$	616
3.100	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$	622
3.101	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$	628
3.102	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$	633
3.103	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$	637
3.104	$\int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^3} dx$	641
3.105	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$	645
3.106	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$	650
3.107	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$	655
3.108	$\int \frac{\sec^6(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	661
3.109	$\int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	667

3.110	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	673
3.111	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	678
3.112	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	683
3.113	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	687
3.114	$\int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^4} dx$	691
3.115	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	696
3.116	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	701
3.117	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$	706
3.118	$\int \sec^4(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	712
3.119	$\int \sec^3(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	717
3.120	$\int \sec^2(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	721
3.121	$\int \sec(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	725
3.122	$\int \sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	729
3.123	$\int \cos(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	733
3.124	$\int \cos^2(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	738
3.125	$\int \cos^3(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	744
3.126	$\int \cos^4(c+dx)\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx)) dx$	751
3.127	$\int \sec^3(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx$	762
3.128	$\int \sec^2(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx$	767
3.129	$\int \sec(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx$	771
3.130	$\int (a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx$	775
3.131	$\int \cos(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx$	780
3.132	$\int \cos^2(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx$	786
3.133	$\int \cos^3(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx$	791
3.134	$\int \cos^4(c+dx)(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx$	797
3.135	$\int \sec^3(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	803
3.136	$\int \sec^2(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	808
3.137	$\int \sec(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	813
3.138	$\int (a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	817
3.139	$\int \cos(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	823
3.140	$\int \cos^2(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	830
3.141	$\int \cos^3(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	836
3.142	$\int \cos^4(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	841
3.143	$\int \cos^5(c+dx)(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx$	847
3.144	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$	854
3.145	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$	860

3.146	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$	866
3.147	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$	871
3.148	$\int \frac{A+B \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx$	875
3.149	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$	879
3.150	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$	884
3.151	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$	890
3.152	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$	896
3.153	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$	902
3.154	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$	908
3.155	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$	913
3.156	$\int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx$	918
3.157	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$	923
3.158	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$	928
3.159	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$	934
3.160	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	940
3.161	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	946
3.162	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	952
3.163	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	957
3.164	$\int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx$	962
3.165	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	967
3.166	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$	973
3.167	$\int \frac{A+A \sec(c+dx)}{\sqrt{a-a \sec(c+dx)}} dx$	979
3.168	$\int \frac{\cos(c+dx)(A+A \sec(c+dx))}{\sqrt{a-a \sec(c+dx)}} dx$	984
3.169	$\int \frac{\cos^2(c+dx)(A+A \sec(c+dx))}{\sqrt{a-a \sec(c+dx)}} dx$	989
3.170	$\int \frac{\cos^3(c+dx)(A+A \sec(c+dx))}{\sqrt{a-a \sec(c+dx)}} dx$	994
3.171	$\int \frac{A+A \sec(c+dx)}{(a-a \sec(c+dx))^{3/2}} dx$	1000
3.172	$\int \frac{\cos(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{3/2}} dx$	1006
3.173	$\int \frac{\cos^2(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{3/2}} dx$	1012
3.174	$\int \frac{\cos^3(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{3/2}} dx$	1018

3.175	$\int \frac{A+A \sec(c+dx)}{(a-a \sec(c+dx))^{5/2}} dx$	1024
3.176	$\int \frac{\cos(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{5/2}} dx$	1030
3.177	$\int \frac{\cos^2(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{5/2}} dx$	1036
3.178	$\int \frac{\cos^3(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{5/2}} dx$	1043
3.179	$\int \sec^2(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	1050
3.180	$\int \sec^3(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	1055
3.181	$\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	1060
3.182	$\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$	1064
3.183	$\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sec^3(c+dx)} dx$	1068
3.184	$\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sec^5(c+dx)} dx$	1072
3.185	$\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sec^7(c+dx)} dx$	1077
3.186	$\int \sec^3(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	1082
3.187	$\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$	1087
3.188	$\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$	1092
3.189	$\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^3(c+dx)} dx$	1097
3.190	$\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^5(c+dx)} dx$	1102
3.191	$\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^7(c+dx)} dx$	1107
3.192	$\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^9(c+dx)} dx$	1112
3.193	$\int \sec^3(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	1117
3.194	$\int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$	1123
3.195	$\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$	1129
3.196	$\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^3(c+dx)} dx$	1135
3.197	$\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^5(c+dx)} dx$	1140
3.198	$\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^7(c+dx)} dx$	1145
3.199	$\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^9(c+dx)} dx$	1150
3.200	$\int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^{11}(c+dx)} dx$	1155

3.201	$\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$.1160
3.202	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$.1166
3.203	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$.1171
3.204	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$.1176
3.205	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx$.1180
3.206	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx$.1185
3.207	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx$.1190
3.208	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))} dx$.1195
3.209	$\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$.1200
3.210	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$.1206
3.211	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$.1211
3.212	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$.1216
3.213	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx$.1221
3.214	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$.1226
3.215	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$.1232
3.216	$\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$.1238
3.217	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$.1244
3.218	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$.1250
3.219	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$.1256
3.220	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$.1262
3.221	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3} dx$.1268
3.222	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$.1273
3.223	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$.1278
3.224	$\int \sec^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$.1284

3.225	$\int \sec^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$.1291
3.226	$\int \sqrt{\sec(c+dx)} \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$.1297
3.227	$\int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$.1302
3.228	$\int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.1306
3.229	$\int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.1310
3.230	$\int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$.1314
3.231	$\int \sec^{\frac{5}{2}}(c+dx) (a+a \sec(c+dx))^{\frac{3}{2}} (A+B \sec(c+dx)) dx$.1319
3.232	$\int \sec^{\frac{3}{2}}(c+dx) (a+a \sec(c+dx))^{\frac{3}{2}} (A+B \sec(c+dx)) dx$.1328
3.233	$\int \sqrt{\sec(c+dx)} (a+a \sec(c+dx))^{\frac{3}{2}} (A+B \sec(c+dx)) dx$.1337
3.234	$\int \frac{(a+a \sec(c+dx))^{\frac{3}{2}} (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$.1344
3.235	$\int \frac{(a+a \sec(c+dx))^{\frac{3}{2}} (A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.1350
3.236	$\int \frac{(a+a \sec(c+dx))^{\frac{3}{2}} (A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.1355
3.237	$\int \frac{(a+a \sec(c+dx))^{\frac{3}{2}} (A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$.1359
3.238	$\int \frac{(a+a \sec(c+dx))^{\frac{3}{2}} (A+B \sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$.1364
3.239	$\int \sec^{\frac{5}{2}}(c+dx) (a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx)) dx$.1369
3.240	$\int \sec^{\frac{3}{2}}(c+dx) (a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx)) dx$.1380
3.241	$\int \sqrt{\sec(c+dx)} (a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx)) dx$.1390
3.242	$\int \frac{(a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$.1399
3.243	$\int \frac{(a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.1404
3.244	$\int \frac{(a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.1409
3.245	$\int \frac{(a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$.1414
3.246	$\int \frac{(a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$.1418
3.247	$\int \frac{(a+a \sec(c+dx))^{\frac{5}{2}} (A+B \sec(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$.1423
3.248	$\int \frac{\sec^{\frac{5}{2}}(c+dx) (A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1429
3.249	$\int \frac{\sec^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$.1436

3.250	$\int \frac{\sqrt{\sec(c+dx)(A+B \sec(c+dx))}}{\sqrt{a+a \sec(c+dx)}} dx$.1442
3.251	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$.1447
3.252	$\int \frac{A+B \sec(c+dx)}{\sec^3(c+dx)\sqrt{a+a \sec(c+dx)}} dx$.1451
3.253	$\int \frac{A+B \sec(c+dx)}{\sec^5(c+dx)\sqrt{a+a \sec(c+dx)}} dx$.1456
3.254	$\int \frac{A+B \sec(c+dx)}{\sec^7(c+dx)\sqrt{a+a \sec(c+dx)}} dx$.1461
3.255	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$.1467
3.256	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$.1473
3.257	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$.1483
3.258	$\int \frac{\sqrt{\sec(c+dx)(A+B \sec(c+dx))}}{(a+a \sec(c+dx))^{3/2}} dx$.1488
3.259	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2}} dx$.1492
3.260	$\int \frac{A+B \sec(c+dx)}{\sec^3(c+dx)(a+a \sec(c+dx))^{3/2}} dx$.1502
3.261	$\int \frac{A+B \sec(c+dx)}{\sec^5(c+dx)(a+a \sec(c+dx))^{3/2}} dx$.1507
3.262	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$.1513
3.263	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$.1519
3.264	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$.1525
3.265	$\int \frac{\sqrt{\sec(c+dx)(A+B \sec(c+dx))}}{(a+a \sec(c+dx))^{5/2}} dx$.1530
3.266	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{5/2}} dx$.1539
3.267	$\int \frac{A+B \sec(c+dx)}{\sec^3(c+dx)(a+a \sec(c+dx))^{5/2}} dx$.1544
3.268	$\int \frac{A+B \sec(c+dx)}{\sec^5(c+dx)(a+a \sec(c+dx))^{5/2}} dx$.1549
3.269	$\int (a + a \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx$.1555
3.270	$\int \frac{A+B \sec(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx$.1563
3.271	$\int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^{4/3}} dx$.1570
3.272	$\int (a + a \sec(c + dx))^{4/3} (A + B \sec(c + dx)) dx$.1577
3.273	$\int \sqrt[3]{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$.1586
3.274	$\int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^{2/3}} dx$.1592
3.275	$\int (c \sec(e + fx))^n (a + a \sec(e + fx))^m (A + B \sec(e + fx)) dx$.1601
3.276	$\int \sec^{-1-n}(c + dx) (a + a \sec(c + dx))^n (A + B \sec(c + dx)) dx$.1608

3.277	$\int \sec^3(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)) dx$.1612
3.278	$\int \sec^2(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)) dx$.1616
3.279	$\int \sec(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)) dx$.1620
3.280	$\int (a+b\sec(c+dx))(A+B\sec(c+dx)) dx$.1624
3.281	$\int \cos(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)) dx$.1628
3.282	$\int \cos^2(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)) dx$.1632
3.283	$\int \cos^3(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)) dx$.1636
3.284	$\int \cos^4(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx)) dx$.1640
3.285	$\int \sec^3(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1644
3.286	$\int \sec^2(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1649
3.287	$\int \sec(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1654
3.288	$\int (a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1659
3.289	$\int \cos(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1663
3.290	$\int \cos^2(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1667
3.291	$\int \cos^3(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1671
3.292	$\int \cos^4(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1675
3.293	$\int \cos^5(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx)) dx$.1680
3.294	$\int \sec^2(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)) dx$.1685
3.295	$\int \sec(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)) dx$.1691
3.296	$\int (a+b\sec(c+dx))^3(A+B\sec(c+dx)) dx$.1696
3.297	$\int \cos(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)) dx$.1701
3.298	$\int \cos^2(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)) dx$.1706
3.299	$\int \cos^3(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)) dx$.1711
3.300	$\int \cos^4(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)) dx$.1716
3.301	$\int \cos^5(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx)) dx$.1721
3.302	$\int \sec^2(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1726
3.303	$\int \sec(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1732
3.304	$\int (a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1738
3.305	$\int \cos(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1743
3.306	$\int \cos^2(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1749
3.307	$\int \cos^3(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1754
3.308	$\int \cos^4(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1759
3.309	$\int \cos^5(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1764
3.310	$\int \cos^6(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx)) dx$.1770
3.311	$\int \frac{\sec^4(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx$.1776
3.312	$\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx$.1782
3.313	$\int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx$.1788
3.314	$\int \frac{\sec(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx$.1793
3.315	$\int \frac{A+B\sec(c+dx)}{a+b\sec(c+dx)} dx$.1797

3.316	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$	1801
3.317	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$	1806
3.318	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$	1811
3.319	$\int \frac{\cos^4(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$	1817
3.320	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	1823
3.321	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	1830
3.322	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	1836
3.323	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	1842
3.324	$\int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^2} dx$	1847
3.325	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	1852
3.326	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	1858
3.327	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	1864
3.328	$\int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	1870
3.329	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	1879
3.330	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	1886
3.331	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	1893
3.332	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	1899
3.333	$\int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^3} dx$	1905
3.334	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	1911
3.335	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	1918
3.336	$\int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$	1927
3.337	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$	1935
3.338	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$	1944
3.339	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$	1950
3.340	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$	1956
3.341	$\int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^4} dx$	1962
3.342	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$	1970
3.343	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$	1980
3.344	$\int \frac{\frac{bB}{a} + B \sec(c+dx)}{a+b \sec(c+dx)} dx$	1990

3.345	$\int \frac{\frac{aB}{b} + B \sec(c+dx)}{a+b \sec(c+dx)} dx$	1994
3.346	$\int \frac{a+b \sec(c+dx)}{(b+a \sec(c+dx))^2} dx$	1997
3.347	$\int \frac{3+\sec(c+dx)}{2-\sec(c+dx)} dx$	2002
3.348	$\int \sec^4(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	2006
3.349	$\int \sec^3(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	2016
3.350	$\int \sec^2(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	2024
3.351	$\int \sec(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	2030
3.352	$\int \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	2035
3.353	$\int \cos(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	2041
3.354	$\int \cos^2(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	2047
3.355	$\int \cos^3(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	2054
3.356	$\int \sec^3(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	2062
3.357	$\int \sec^2(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	2071
3.358	$\int \sec(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	2079
3.359	$\int (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	2085
3.360	$\int \cos(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	2091
3.361	$\int \cos^2(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	2097
3.362	$\int \cos^3(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	2104
3.363	$\int \sec^3(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	2112
3.364	$\int \sec^2(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	2120
3.365	$\int \sec(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	2129
3.366	$\int (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	2137
3.367	$\int \cos(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	2144
3.368	$\int \cos^2(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	2151
3.369	$\int \cos^3(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	2158
3.370	$\int \cos^4(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	2166
3.371	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	2174
3.372	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	2182
3.373	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	2187
3.374	$\int \frac{A+B \sec(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$	2192
3.375	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	2196
3.376	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	2202
3.377	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	2209
3.378	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	2217
3.379	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	2225

3.380	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$2231
3.381	$\int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$2236
3.382	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$2242
3.383	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$2249
3.384	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$2258
3.385	$\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$2265
3.386	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$2272
3.387	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$2279
3.388	$\int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$2286
3.389	$\int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$2295
3.390	$\int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$2301
3.391	$\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$2308
3.392	$\int \frac{\sec(e+fx)(A+A \sec(e+fx))}{\sqrt{a+b \sec(e+fx)}} dx$2315
3.393	$\int \frac{\sec(e+fx)(A-A \sec(e+fx))}{\sqrt{a+b \sec(e+fx)}} dx$2319
3.394	$\int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)) dx$2323
3.395	$\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))(A+B \sec(c+dx)) dx$2328
3.396	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$2333
3.397	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$2337
3.398	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$2341
3.399	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$2346
3.400	$\int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx$2351
3.401	$\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx$2356
3.402	$\int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$2361
3.403	$\int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$2366
3.404	$\int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$2371
3.405	$\int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$2376
3.406	$\int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$2381
3.407	$\int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3(A+B \sec(c+dx)) dx$2386

3.408	$\int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^3(A+B \sec(c+dx)) dx$.2392
3.409	$\int \frac{(a+b \sec(c+dx))^3(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$.2398
3.410	$\int \frac{(a+b \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$.2403
3.411	$\int \frac{(a+b \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$.2409
3.412	$\int \frac{(a+b \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$.2414
3.413	$\int \frac{(a+b \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$.2419
3.414	$\int \frac{(a+b \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$.2425
3.415	$\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$.2431
3.416	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$.2437
3.417	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$.2442
3.418	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$.2447
3.419	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))} dx$.2451
3.420	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))} dx$.2456
3.421	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))} dx$.2461
3.422	$\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$.2467
3.423	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$.2474
3.424	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$.2481
3.425	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$.2487
3.426	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^2} dx$.2493
3.427	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2} dx$.2499
3.428	$\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$.2506
3.429	$\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$.2514
3.430	$\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$.2522
3.431	$\int \frac{\sec^{\frac{1}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$.2529

3.432	$\int \frac{\sqrt{\sec(c+dx)(A+B \sec(c+dx))}}{(a+b \sec(c+dx))^3} dx$ 2536
3.433	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)(a+b \sec(c+dx))^3}} dx$ 2543
3.434	$\int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$ 2550
3.435	$\int \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$ 2558
3.436	$\int \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$ 2566
3.437	$\int \frac{\sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$ 2573
3.438	$\int \frac{\sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$ 2580
3.439	$\int \frac{\sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$ 2586
3.440	$\int \frac{\sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$ 2593
3.441	$\int \sec^{\frac{3}{2}}(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$ 2601
3.442	$\int \sqrt{\sec(c+dx)} (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$ 2610
3.443	$\int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$ 2618
3.444	$\int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$ 2626
3.445	$\int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$ 2633
3.446	$\int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$ 2640
3.447	$\int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$ 2648
3.448	$\int \sec^{\frac{3}{2}}(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$ 2657
3.449	$\int \sqrt{\sec(c+dx)} (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$ 2664
3.450	$\int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$ 2673
3.451	$\int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$ 2682
3.452	$\int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$ 2691
3.453	$\int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$ 2700
3.454	$\int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx$ 2708
3.455	$\int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx$ 2717
3.456	$\int \frac{\sec^{\frac{5}{2}}(c+dx) (A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$ 2723

3.457	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	2731
3.458	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	2738
3.459	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}} dx$	2743
3.460	$\int \frac{A+B \sec(c+dx)}{\sec^3(c+dx)\sqrt{a+b \sec(c+dx)}} dx$	2748
3.461	$\int \frac{A+B \sec(c+dx)}{\sec^5(c+dx)\sqrt{a+b \sec(c+dx)}} dx$	2754
3.462	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	2761
3.463	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	2769
3.464	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	2776
3.465	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{3/2}} dx$	2782
3.466	$\int \frac{A+B \sec(c+dx)}{\sec^3(c+dx)(a+b \sec(c+dx))^{3/2}} dx$	2788
3.467	$\int \frac{A+B \sec(c+dx)}{\sec^5(c+dx)(a+b \sec(c+dx))^{3/2}} dx$	2795
3.468	$\int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	2803
3.469	$\int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	2810
3.470	$\int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	2818
3.471	$\int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{5/2}} dx$	2826
3.472	$\int \frac{A+B \sec(c+dx)}{\sec^3(c+dx)(a+b \sec(c+dx))^{5/2}} dx$	2832
3.473	$\int \frac{A+B \sec(c+dx)}{\sec^5(c+dx)(a+b \sec(c+dx))^{5/2}} dx$	2838
3.474	$\int (a+b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$	2844
3.475	$\int \sqrt[3]{a+b \sec(c+dx)}(A+B \sec(c+dx)) dx$	2848
3.476	$\int \frac{A+B \sec(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx$	2851
3.477	$\int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx$	2855
3.478	$\int (c \sec(e+fx))^n(a+b \sec(e+fx))^m(A+B \sec(e+fx)) dx$	2859
3.479	$\int \sec^m(c+dx)(a+b \sec(c+dx))^4(A+B \sec(c+dx)) dx$	2862
3.480	$\int \sec^m(c+dx)(a+b \sec(c+dx))^3(A+B \sec(c+dx)) dx$	2868
3.481	$\int \sec^m(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx$	2873
3.482	$\int \sec^m(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)) dx$	2878
3.483	$\int \cos^7(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	2882
3.484	$\int \cos^5(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$	2888

3.485	$\int \cos^3(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$.2894
3.486	$\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$.2899
3.487	$\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$.2904
3.488	$\int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\cos^3(c+dx)} dx$.2910
3.489	$\int \cos^9(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$.2916
3.490	$\int \cos^7(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$.2922
3.491	$\int \cos^5(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$.2928
3.492	$\int \cos^3(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$.2934
3.493	$\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$.2940
3.494	$\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$.2946
3.495	$\int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\cos^3(c+dx)} dx$.2952
3.496	$\int \frac{\cos^5(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$.2958
3.497	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$.2964
3.498	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$.2970
3.499	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))} dx$.2975
3.500	$\int \frac{A+B \sec(c+dx)}{\cos^3(c+dx)(a+a \sec(c+dx))} dx$.2980
3.501	$\int \frac{A+B \sec(c+dx)}{\cos^5(c+dx)(a+a \sec(c+dx))} dx$.2986
3.502	$\int \frac{\cos^5(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$.2992
3.503	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$.2998
3.504	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$.3004
3.505	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^2} dx$.3009
3.506	$\int \frac{A+B \sec(c+dx)}{\cos^3(c+dx)(a+a \sec(c+dx))^2} dx$.3014
3.507	$\int \frac{A+B \sec(c+dx)}{\cos^5(c+dx)(a+a \sec(c+dx))^2} dx$.3019
3.508	$\int \frac{A+B \sec(c+dx)}{\cos^7(c+dx)(a+a \sec(c+dx))^2} dx$.3025
3.509	$\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$.3031
3.510	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$.3037
3.511	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^3} dx$.3043

3.512	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$	3049
3.513	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$	3055
3.514	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$	3061
3.515	$\int \cos^{\frac{9}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$	3067
3.516	$\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$	3072
3.517	$\int \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$	3077
3.518	$\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$	3081
3.519	$\int \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$	3085
3.520	$\int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$	3090
3.521	$\int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	3095
3.522	$\int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	3102
3.523	$\int \cos^{\frac{11}{2}}(c+dx) (a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3110
3.524	$\int \cos^{\frac{9}{2}}(c+dx) (a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3116
3.525	$\int \cos^{\frac{7}{2}}(c+dx) (a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3121
3.526	$\int \cos^{\frac{5}{2}}(c+dx) (a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3126
3.527	$\int \cos^{\frac{3}{2}}(c+dx) (a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3130
3.528	$\int \sqrt{\cos(c+dx)} (a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3136
3.529	$\int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$	3142
3.530	$\int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	3150
3.531	$\int \frac{(a+a \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$	3159
3.532	$\int \cos^{\frac{11}{2}}(c+dx) (a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3168
3.533	$\int \cos^{\frac{9}{2}}(c+dx) (a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3174
3.534	$\int \cos^{\frac{7}{2}}(c+dx) (a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3179
3.535	$\int \cos^{\frac{5}{2}}(c+dx) (a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3184
3.536	$\int \cos^{\frac{3}{2}}(c+dx) (a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3190
3.537	$\int \sqrt{\cos(c+dx)} (a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3197
3.538	$\int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$	3202
3.539	$\int \frac{(a+a \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	3212

- 3.540 $\int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\cos^2(c+dx)} dx \dots\dots\dots .3222$
- 3.541 $\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots .3233$
- 3.542 $\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots .3239$
- 3.543 $\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots .3245$
- 3.544 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots .3251$
- 3.545 $\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots .3256$
- 3.546 $\int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots .3262$
- 3.547 $\int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)\sqrt{a+a \sec(c+dx)}} dx \dots\dots\dots .3268$
- 3.548 $\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots .3275$
- 3.549 $\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots .3281$
- 3.550 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots .3286$
- 3.551 $\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots .3297$
- 3.552 $\int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots .3303$
- 3.553 $\int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots .3308$
- 3.554 $\int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx \dots\dots\dots .3319$
- 3.555 $\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3325$
- 3.556 $\int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3331$
- 3.557 $\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3337$
- 3.558 $\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3343$
- 3.559 $\int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3352$
- 3.560 $\int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3361$
- 3.561 $\int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx \dots\dots\dots .3367$
- 3.562 $\int \cos^2(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)) dx \dots\dots\dots .3375$
- 3.563 $\int \cos^2(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)) dx \dots\dots\dots .3380$

3.564	$\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)) dx$	3385
3.565	$\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))(A+B \sec(c+dx)) dx$	3389
3.566	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$	3393
3.567	$\int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	3398
3.568	$\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx$	3403
3.569	$\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx$	3408
3.570	$\int \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx$	3413
3.571	$\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx$	3418
3.572	$\int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$	3423
3.573	$\int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	3428
3.574	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$	3433
3.575	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$	3439
3.576	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$	3444
3.577	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))} dx$	3449
3.578	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))} dx$	3453
3.579	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))}{A+B \sec(c+dx)} dx$	3458
3.580	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))}{A+B \sec(c+dx)} dx$	3464
3.581	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	3470
3.582	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$	3477
3.583	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^2} dx$	3483
3.584	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2} dx$	3488
3.585	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^2}{A+B \sec(c+dx)} dx$	3493
3.586	$\int \frac{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^2}{A+B \sec(c+dx)} dx$	3499
3.587	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	3506
3.588	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$	3513
3.589	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^3} dx$	3520

3.590	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$	3527
3.591	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$	3534
3.592	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$	3541
3.593	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$	3548
3.594	$\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	3555
3.595	$\int \cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	3562
3.596	$\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	3569
3.597	$\int \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx$	3575
3.598	$\int \frac{\sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$	3581
3.599	$\int \frac{\sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	3587
3.600	$\int \cos^{\frac{9}{2}}(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3595
3.601	$\int \cos^{\frac{7}{2}}(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3603
3.602	$\int \cos^{\frac{5}{2}}(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3610
3.603	$\int \cos^{\frac{3}{2}}(c+dx) (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3617
3.604	$\int \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx)) dx$	3624
3.605	$\int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$	3631
3.606	$\int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	3639
3.607	$\int \cos^{\frac{11}{2}}(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3647
3.608	$\int \cos^{\frac{9}{2}}(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3656
3.609	$\int \cos^{\frac{7}{2}}(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3664
3.610	$\int \cos^{\frac{5}{2}}(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3672
3.611	$\int \cos^{\frac{3}{2}}(c+dx) (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3680
3.612	$\int \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx)) dx$	3688
3.613	$\int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$	3696
3.614	$\int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$	3704
3.615	$\int \frac{\cos^{\frac{5}{2}}(c+dx) (A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	3713
3.616	$\int \frac{\cos^{\frac{3}{2}}(c+dx) (A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	3720
3.617	$\int \frac{\sqrt{\cos(c+dx)} (A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$	3726

3.618	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} dx$	3731
3.619	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} dx$	3736
3.620	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} dx$	3742
3.621	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	3750
3.622	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	3757
3.623	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$	3764
3.624	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2}} dx$	3770
3.625	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} dx$	3776
3.626	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} dx$	3782
3.627	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} dx$	3790
3.628	$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	3798
3.629	$\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	3807
3.630	$\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$	3816
3.631	$\int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2}} dx$	3824
3.632	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$	3832
3.633	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$	3839
3.634	$\int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$	3848

4 Listing of Grading functions

3855

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [634]. This is test number [123].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. (634)	% 0. (0)
Mathematica	% 100. (634)	% 0. (0)
Maple	% 92.43 (586)	% 7.57 (48)
Maxima	% 30.44 (193)	% 69.56 (441)
Fricas	% 47.16 (299)	% 52.84 (335)
Sympy	% 1.1 (7)	% 98.9 (627)
Giac	% 32.18 (204)	% 67.82 (430)


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	59.46	14.98	25.55	0.
Maple	34.07	51.42	6.94	7.57
Maxima	15.3	15.14	0.	69.56
Fricas	41.64	5.52	0.	52.84
Sympy	1.1	0.	0.	98.9
Giac	18.3	13.25	0.63	67.82

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.56	217.71	0.99	187.	1.
Mathematica	5.49	3124.54	9.61	224.	1.16
Maple	1.31	1002.6	3.55	435.	2.62
Maxima	1.87	1476.83	8.37	375.	2.48
Fricas	2.82	951.4	5.43	797.	5.17
Sympy	4.23	20.71	0.68	0.	0.
Giac	2.7	441.69	2.7	307.	2.3

1.4 list of integrals that has no closed form antiderivative

{474, 475, 476, 477, 478}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {10, 11, 15, 16, 37, 38, 82, 99, 149, 156, 157, 164, 165, 193, 220, 223, 234, 235, 242, 243, 244, 251, 252, 259, 260, 266, 267, 269, 270, 271, 272, 273, 274, 275, 320, 329, 348, 349, 350, 351, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 375, 377, 378, 379, 380, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 415, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 441, 443, 444, 448, 449, 450, 451, 452, 456, 468, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 527, 535, 536, 548, 549, 550, 553, 554, 555, 556, 557, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AboluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive

response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: `NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and X-CAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via `sagemath`) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in>

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntx.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507,

508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 58, 59, 60, 61, 62, 63, 68, 69, 70, 71, 72, 73, 78, 79, 80, 81, 87, 94, 101, 102, 103, 110, 111, 112, 113, 118, 119, 120, 121, 122, 123, 127, 128, 129, 130, 131, 132, 133, 134, 136, 137, 138, 139, 140, 144, 145, 146, 147, 148, 150, 151, 152, 153, 154, 155, 160, 161, 162, 179, 180, 181, 182, 183, 184, 185, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 256, 257, 258, 259, 260, 261, 264, 265, 266, 267, 268, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 298, 299, 300, 301, 302, 303, 304, 306, 307, 308, 309, 310, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 344, 345, 346, 347, 350, 351, 358, 372, 373, 374, 379, 380, 391, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 416, 417, 418, 419, 420, 422, 427, 428, 429, 430, 433, 434, 437, 438, 439, 440, 445, 446, 447, 453, 454, 455, 458, 459, 460, 461, 464, 465, 466, 467, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593 }

B grade: { 55, 56, 57, 64, 65, 66, 67, 74, 75, 76, 77, 82, 83, 84, 85, 86, 88, 89, 90, 91, 92, 93, 95, 96, 97, 98, 99, 100, 104, 105, 106, 107, 108, 109, 114, 115, 116, 117, 135, 255, 262, 263, 269, 270, 271, 272, 273, 274, 275, 297, 305, 311, 312, 341, 342, 343, 348, 349, 354, 355, 356, 357, 359, 360, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 377, 378, 382, 384, 385, 386, 387, 388, 390, 392, 415, 421, 423, 424, 425, 426, 431, 432, 560, 561, 578 }

C grade: { 124, 125, 126, 141, 142, 143, 149, 156, 157, 158, 159, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 352, 353, 361, 375, 376, 381, 383, 389, 435, 436, 441, 442, 443, 444, 448, 449, 450, 451, 452, 456, 457, 462, 463, 468, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495,

496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634 }

F grade: { }

2.1.3 Maple

A grade: { 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 85, 86, 87, 92, 93, 94, 95, 96, 97, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 127, 128, 129, 135, 136, 137, 167, 168, 182, 185, 190, 191, 192, 198, 199, 200, 203, 204, 205, 206, 207, 208, 211, 212, 213, 214, 215, 218, 219, 220, 221, 222, 223, 228, 229, 230, 235, 236, 237, 238, 244, 245, 246, 247, 251, 252, 253, 254, 260, 261, 268, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 314, 315, 323, 331, 332, 338, 339, 340, 345, 347, 374, 396, 399, 416, 417, 418, 419, 474, 475, 476, 477, 478, 489, 490, 496, 497, 498, 499, 500, 502, 509, 515, 516, 517, 518, 523, 524, 525, 526, 527, 532, 533, 534, 535, 541, 542, 543, 544, 545, 548, 549, 550, 551, 552, 555, 556, 557, 558, 576, 577 }

B grade: { 82, 83, 84, 88, 89, 90, 91, 98, 122, 123, 124, 125, 126, 130, 131, 132, 133, 134, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 183, 184, 186, 187, 188, 189, 193, 194, 195, 196, 197, 201, 202, 209, 210, 216, 217, 224, 225, 226, 227, 231, 232, 233, 234, 239, 240, 241, 242, 243, 248, 249, 250, 255, 256, 257, 258, 259, 262, 263, 264, 265, 266, 267, 311, 312, 313, 316, 317, 318, 319, 320, 321, 322, 324, 325, 326, 327, 328, 329, 330, 333, 334, 335, 336, 337, 341, 342, 343, 344, 346, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 397, 398, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 438, 439, 440, 445, 446, 447, 453, 454, 455, 459, 460, 461, 464, 465, 466, 467, 469, 470, 471, 472, 473, 483, 484, 485, 486, 487, 488, 491, 492, 493, 494, 495, 501, 503, 504, 505, 506, 507, 508, 510, 511, 512, 513, 514, 519, 520, 521, 522, 528, 529, 530, 531, 536, 537, 538, 539, 540, 546, 547, 553, 554, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 600, 601, 602, 607, 608, 609, 615, 616, 617, 621, 622, 623, 624, 628, 629, 630, 631, 632 }

C grade: { 1, 2, 3, 4, 5, 6, 435, 436, 437, 441, 442, 443, 444, 448, 449, 450, 451, 452, 456, 457, 458, 462, 463, 468, 597, 598, 599, 603, 604, 605, 606, 610, 611, 612, 613, 614, 618, 619, 620, 625, 626, 627, 633, 634 }

F grade: { 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 269, 270, 271, 272, 273, 274, 275, 276, 479, 480, 481, 482 }

2.1.4 Maxima

A grade: { 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 65, 66, 67, 68, 69, 70, 71, 75, 76, 77, 78, 79, 80, 81, 93, 94, 95, 99, 100, 101, 102, 103, 104, 105, 106, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 228, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 347, 474, 475, 476, 477, 478, 518, 544 }

B grade: { 62, 63, 64, 72, 73, 74, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 96, 97, 98, 107, 122, 123, 124, 125, 126, 130, 131, 138, 139, 224, 225, 226, 227, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 256, 259, 265, 515, 516, 517, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 538, 539, 540, 541, 542, 543, 545, 546, 547, 550, 551, 553, 558, 559 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 118, 119, 120, 121, 127, 128, 129, 132, 133, 134, 135, 136, 137, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 242, 243, 255, 257, 258, 260, 261, 262, 263, 264, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 537, 548, 549, 552, 554, 555, 556, 557, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634 }

2.1.5 FriCAS

A grade: { 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 157, 158, 159, 160, 161, 162, }

163, 165, 166, 167, 168, 169, 170, 172, 173, 174, 176, 177, 178, 224, 225, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 258, 259, 260, 261, 262, 264, 265, 266, 267, 268, 277, 278, 279, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 314, 315, 316, 317, 318, 319, 323, 326, 327, 344, 345, 346, 347, 478, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561 }

B grade: { 47, 84, 155, 156, 164, 171, 175, 226, 227, 257, 263, 280, 311, 312, 313, 320, 321, 322, 324, 325, 328, 329, 330, 331, 332, 333, 334, 335, 337, 338, 339, 340, 341, 342, 343 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 269, 270, 271, 272, 273, 274, 275, 276, 336, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634 }

2.1.6 Sympy

A grade: { 47, 280, 345, 474, 475, 476, 477 }

B grade: { }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193,

194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634 }

2.1.7 Giac

A grade: { 43, 44, 45, 50, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 127, 128, 129, 135, 136, 137, 144, 145, 146, 152, 153, 154, 160, 161, 162, 163, 171, 173, 174, 175, 176, 177, 178, 298, 307, 313, 314, 315, 316, 317, 320, 322, 323, 324, 326, 327, 334, 346, 347, 474, 475, 476, 477, 478 }

B grade: { 46, 47, 48, 49, 56, 57, 121, 123, 124, 125, 126, 131, 132, 133, 134, 139, 140, 141, 142, 143, 147, 148, 149, 150, 151, 155, 156, 164, 172, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 299, 300, 301, 302, 303, 304, 305, 306, 308, 309, 310, 311, 312, 318, 319, 321, 325, 328, 329, 330, 331, 332, 333, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345 }

C grade: { 167, 168, 169, 170 }

F grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 122, 130, 138, 157, 158, 159, 165, 166, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264,

265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634 }
}

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	99	518	0	0	0	0
normalized size	1	1.	0.58	3.03	0.	0.	0.	0.
time (sec)	N/A	0.119	0.476	0.275	0.	0.	0.	0.

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	87	500	0	0	0	0
normalized size	1	1.	0.64	3.68	0.	0.	0.	0.
time (sec)	N/A	0.101	0.275	0.252	0.	0.	0.	0.

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	73	453	0	0	0	0
normalized size	1	1.	0.7	4.36	0.	0.	0.	0.
time (sec)	N/A	0.082	0.12	0.287	0.	0.	0.	0.

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	54	445	0	0	0	0
normalized size	1	1.	0.66	5.43	0.	0.	0.	0.
time (sec)	N/A	0.068	0.088	0.238	0.	0.	0.	0.

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	86	470	0	0	0	0
normalized size	1	1.	0.74	4.05	0.	0.	0.	0.
time (sec)	N/A	0.091	0.181	0.216	0.	0.	0.	0.

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	88	482	0	0	0	0
normalized size	1	1.	0.6	3.28	0.	0.	0.	0.
time (sec)	N/A	0.104	0.508	0.198	0.	0.	0.	0.

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	90	0	0	0	0	0
normalized size	1	1.	0.76	0.	0.	0.	0.	0.
time (sec)	N/A	0.098	0.256	0.117	0.	0.	0.	0.

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	91	0	0	0	0	0
normalized size	1	1.	0.78	0.	0.	0.	0.	0.
time (sec)	N/A	0.098	0.118	0.105	0.	0.	0.	0.

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	88	0	0	0	0	0
normalized size	1	1.	0.79	0.	0.	0.	0.	0.
time (sec)	N/A	0.086	0.087	0.107	0.	0.	0.	0.

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	115	115	88	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.104	0.093	0.237	0.	0.	0.	0.

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	119	119	88	0	0	0	0	0
normalized size	1	1.	0.74	0.	0.	0.	0.	0.
time (sec)	N/A	0.121	0.138	0.358	0.	0.	0.	0.

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	90	0	0	0	0	0
normalized size	1	1.	0.76	0.	0.	0.	0.	0.
time (sec)	N/A	0.101	0.303	0.118	0.	0.	0.	0.

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	91	0	0	0	0	0
normalized size	1	1.	0.78	0.	0.	0.	0.	0.
time (sec)	N/A	0.099	0.149	0.105	0.	0.	0.	0.

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	88	0	0	0	0	0
normalized size	1	1.	0.79	0.	0.	0.	0.	0.
time (sec)	N/A	0.088	0.111	0.107	0.	0.	0.	0.

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	115	115	87	0	0	0	0	0
normalized size	1	1.	0.76	0.	0.	0.	0.	0.
time (sec)	N/A	0.105	0.112	0.177	0.	0.	0.	0.

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	119	119	88	0	0	0	0	0
normalized size	1	1.	0.74	0.	0.	0.	0.	0.
time (sec)	N/A	0.123	0.096	0.412	0.	0.	0.	0.

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	90	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.097	0.253	0.117	0.	0.	0.	0.

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	90	0	0	0	0	0
normalized size	1	1.	0.79	0.	0.	0.	0.	0.
time (sec)	N/A	0.093	0.114	0.108	0.	0.	0.	0.

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	87	0	0	0	0	0
normalized size	1	1.	0.76	0.	0.	0.	0.	0.
time (sec)	N/A	0.087	0.093	0.15	0.	0.	0.	0.

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	90	0	0	0	0	0
normalized size	1	1.	0.79	0.	0.	0.	0.	0.
time (sec)	N/A	0.093	0.026	0.007	0.	0.	0.	0.

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	90	0	0	0	0	0
normalized size	1	1.	0.77	0.	0.	0.	0.	0.
time (sec)	N/A	0.098	0.023	0.006	0.	0.	0.	0.

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	91	0	0	0	0	0
normalized size	1	1.	0.78	0.	0.	0.	0.	0.
time (sec)	N/A	0.097	0.236	0.121	0.	0.	0.	0.

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	91	0	0	0	0	0
normalized size	1	1.	0.8	0.	0.	0.	0.	0.
time (sec)	N/A	0.093	0.099	0.137	0.	0.	0.	0.

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	87	0	0	0	0	0
normalized size	1	1.	0.76	0.	0.	0.	0.	0.
time (sec)	N/A	0.089	0.145	0.109	0.	0.	0.	0.

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	91	0	0	0	0	0
normalized size	1	1.	0.8	0.	0.	0.	0.	0.
time (sec)	N/A	0.093	0.076	0.004	0.	0.	0.	0.

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	91	0	0	0	0	0
normalized size	1	1.	0.78	0.	0.	0.	0.	0.
time (sec)	N/A	0.097	0.172	0.008	0.	0.	0.	0.

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	167	167	140	0	0	0	0	0
normalized size	1	1.	0.84	0.	0.	0.	0.	0.
time (sec)	N/A	0.12	0.382	0.15	0.	0.	0.	0.

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	140	0	0	0	0	0
normalized size	1	1.	0.85	0.	0.	0.	0.	0.
time (sec)	N/A	0.117	0.215	0.143	0.	0.	0.	0.

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	140	0	0	0	0	0
normalized size	1	1.	0.85	0.	0.	0.	0.	0.
time (sec)	N/A	0.112	0.267	0.142	0.	0.	0.	0.

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	140	0	0	0	0	0
normalized size	1	1.	0.85	0.	0.	0.	0.	0.
time (sec)	N/A	0.109	0.245	0.138	0.	0.	0.	0.

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	140	0	0	0	0	0
normalized size	1	1.	0.85	0.	0.	0.	0.	0.
time (sec)	N/A	0.115	0.233	0.138	0.	0.	0.	0.

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	173	173	140	0	0	0	0	0
normalized size	1	1.	0.81	0.	0.	0.	0.	0.
time (sec)	N/A	0.12	0.334	0.131	0.	0.	0.	0.

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	126	0	0	0	0	0
normalized size	1	1.	0.73	0.	0.	0.	0.	0.
time (sec)	N/A	0.111	0.213	0.995	0.	0.	0.	0.

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	119	0	0	0	0	0
normalized size	1	1.	0.83	0.	0.	0.	0.	0.
time (sec)	N/A	0.127	0.221	0.924	0.	0.	0.	0.

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	119	0	0	0	0	0
normalized size	1	1.	0.88	0.	0.	0.	0.	0.
time (sec)	N/A	0.115	0.248	0.842	0.	0.	0.	0.

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	107	0	0	0	0	0
normalized size	1	1.	0.78	0.	0.	0.	0.	0.
time (sec)	N/A	0.096	0.15	0.605	0.	0.	0.	0.

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	151	151	107	0	0	0	0	0
normalized size	1	1.	0.71	0.	0.	0.	0.	0.
time (sec)	N/A	0.127	0.158	0.897	0.	0.	0.	0.

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	153	153	114	0	0	0	0	0
normalized size	1	1.	0.75	0.	0.	0.	0.	0.
time (sec)	N/A	0.142	0.316	0.894	0.	0.	0.	0.

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	140	0	0	0	0	0
normalized size	1	1.	0.86	0.	0.	0.	0.	0.
time (sec)	N/A	0.116	0.27	0.186	0.	0.	0.	0.

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	140	0	0	0	0	0
normalized size	1	1.	0.86	0.	0.	0.	0.	0.
time (sec)	N/A	0.111	0.233	0.179	0.	0.	0.	0.

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	135	0	0	0	0	0
normalized size	1	1.	0.83	0.	0.	0.	0.	0.
time (sec)	N/A	0.113	0.353	0.188	0.	0.	0.	0.

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	140	0	0	0	0	0
normalized size	1	1.	0.86	0.	0.	0.	0.	0.
time (sec)	N/A	0.113	0.315	0.177	0.	0.	0.	0.

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	87	213	270	381	0	289
normalized size	1	1.	0.65	1.59	2.01	2.84	0.	2.16
time (sec)	N/A	0.141	0.744	0.045	0.985	0.497	0.	1.367

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	106	106	77	171	220	339	0	254
normalized size	1	1.	0.73	1.61	2.08	3.2	0.	2.4
time (sec)	N/A	0.123	0.389	0.041	0.982	0.492	0.	1.285

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	56	128	171	288	0	208
normalized size	1	1.	0.65	1.49	1.99	3.35	0.	2.42
time (sec)	N/A	0.115	0.325	0.039	0.967	0.485	0.	1.261

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	56	56	75	86	119	239	0	167
normalized size	1	1.	1.34	1.54	2.12	4.27	0.	2.98
time (sec)	N/A	0.067	0.026	0.035	0.965	0.48	0.	1.345

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	43	65	76	220	71	113
normalized size	1	1.	1.34	2.03	2.38	6.88	2.22	3.53
time (sec)	N/A	0.033	0.016	0.032	1.	0.489	13.457	1.257

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	46	56	78	139	0	107
normalized size	1	1.	1.44	1.75	2.44	4.34	0.	3.34
time (sec)	N/A	0.047	0.027	0.064	1.022	0.487	0.	1.241

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	47	47	44	57	74	99	0	126
normalized size	1	1.	0.94	1.21	1.57	2.11	0.	2.68
time (sec)	N/A	0.086	0.096	0.065	0.98	0.459	0.	1.27

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	65	85	107	146	0	167
normalized size	1	1.	0.84	1.1	1.39	1.9	0.	2.17
time (sec)	N/A	0.108	0.169	0.074	0.982	0.465	0.	1.445

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	75	107	136	193	0	211
normalized size	1	1.	0.77	1.1	1.4	1.99	0.	2.18
time (sec)	N/A	0.119	0.237	0.081	0.978	0.474	0.	1.279

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	77	128	167	239	0	248
normalized size	1	1.	0.62	1.02	1.34	1.91	0.	1.98
time (sec)	N/A	0.134	0.243	0.094	0.988	0.479	0.	1.242

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	280	235	375	421	0	332
normalized size	1	1.	1.66	1.39	2.22	2.49	0.	1.96
time (sec)	N/A	0.244	1.333	0.05	1.003	0.496	0.	1.347

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	262	187	311	362	0	286
normalized size	1	1.	1.9	1.36	2.25	2.62	0.	2.07
time (sec)	N/A	0.228	1.172	0.043	1.009	0.494	0.	1.364

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	481	141	225	315	0	240
normalized size	1	1.	4.67	1.37	2.18	3.06	0.	2.33
time (sec)	N/A	0.113	6.109	0.039	0.996	0.494	0.	1.25

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	307	113	173	297	0	208
normalized size	1	1.	3.74	1.38	2.11	3.62	0.	2.54
time (sec)	N/A	0.084	1.255	0.038	0.98	0.496	0.	1.435

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	73	73	258	107	142	278	0	212
normalized size	1	1.	3.53	1.47	1.95	3.81	0.	2.9
time (sec)	N/A	0.13	1.605	0.062	1.026	0.495	0.	1.268

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	96	108	136	194	0	196
normalized size	1	1.	1.09	1.23	1.55	2.2	0.	2.23
time (sec)	N/A	0.145	0.159	0.076	0.994	0.496	0.	1.354

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	61	116	149	165	0	192
normalized size	1	1.	0.6	1.14	1.46	1.62	0.	1.88
time (sec)	N/A	0.153	0.172	0.078	1.013	0.463	0.	1.403

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	86	154	194	213	0	238
normalized size	1	1.	0.64	1.14	1.44	1.58	0.	1.76
time (sec)	N/A	0.231	0.355	0.087	1.01	0.474	0.	1.212

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	108	186	240	271	0	284
normalized size	1	1.	0.68	1.16	1.5	1.69	0.	1.78
time (sec)	N/A	0.252	0.476	0.094	1.014	0.48	0.	1.303

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	210	210	346	281	547	485	0	378
normalized size	1	1.	1.65	1.34	2.6	2.31	0.	1.8
time (sec)	N/A	0.399	2.041	0.057	1.029	0.507	0.	1.395

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	294	234	455	431	0	332
normalized size	1	1.	1.8	1.44	2.79	2.64	0.	2.04
time (sec)	N/A	0.268	1.474	0.049	1.017	0.501	0.	1.341

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	273	188	354	366	0	286
normalized size	1	1.	2.18	1.5	2.83	2.93	0.	2.29
time (sec)	N/A	0.143	1.293	0.048	1.	0.492	0.	1.355

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	1056	158	267	356	0	255
normalized size	1	1.	9.51	1.42	2.41	3.21	0.	2.3
time (sec)	N/A	0.144	6.387	0.046	0.995	0.502	0.	1.327

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	335	144	223	342	0	259
normalized size	1	1.	3.1	1.33	2.06	3.17	0.	2.4
time (sec)	N/A	0.238	2.526	0.073	0.989	0.504	0.	1.384

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	302	145	189	323	0	259
normalized size	1	1.	2.58	1.24	1.62	2.76	0.	2.21
time (sec)	N/A	0.264	4.602	0.078	1.001	0.503	0.	1.424

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	113	153	200	254	0	243
normalized size	1	1.	0.9	1.22	1.6	2.03	0.	1.94
time (sec)	N/A	0.271	0.239	0.084	1.025	0.501	0.	1.375

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	86	176	225	216	0	238
normalized size	1	1.	0.69	1.42	1.81	1.74	0.	1.92
time (sec)	N/A	0.17	0.27	0.086	1.	0.482	0.	1.346

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	176	176	108	223	288	278	0	284
normalized size	1	1.	0.61	1.27	1.64	1.58	0.	1.61
time (sec)	N/A	0.372	0.433	0.096	1.034	0.484	0.	1.296

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	134	266	354	332	0	329
normalized size	1	1.	0.67	1.32	1.76	1.65	0.	1.64
time (sec)	N/A	0.41	0.536	0.1	1.003	0.491	0.	1.451

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	358	280	626	481	0	378
normalized size	1	1.	1.85	1.44	3.23	2.48	0.	1.95
time (sec)	N/A	0.318	2.234	0.054	1.005	0.512	0.	1.363

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	306	234	498	431	0	332
normalized size	1	1.	1.92	1.47	3.13	2.71	0.	2.09
time (sec)	N/A	0.179	1.615	0.056	1.032	0.499	0.	1.249

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	326	204	396	408	0	301
normalized size	1	1.	2.16	1.35	2.62	2.7	0.	1.99
time (sec)	N/A	0.214	1.757	0.055	1.042	0.512	0.	1.34

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	1202	189	317	405	0	306
normalized size	1	1.	7.96	1.25	2.1	2.68	0.	2.03
time (sec)	N/A	0.368	6.45	0.084	1.013	0.51	0.	1.342

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	373	182	269	390	0	311
normalized size	1	1.	2.33	1.14	1.68	2.44	0.	1.94
time (sec)	N/A	0.39	4.835	0.086	1.032	0.513	0.	1.4

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	342	190	252	383	0	305
normalized size	1	1.	2.07	1.15	1.53	2.32	0.	1.85
time (sec)	N/A	0.41	1.85	0.081	1.043	0.514	0.	1.304

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	173	173	138	199	277	306	0	289
normalized size	1	1.	0.8	1.15	1.6	1.77	0.	1.67
time (sec)	N/A	0.403	0.34	0.091	1.03	0.511	0.	1.318

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	108	248	319	279	0	284
normalized size	1	1.	0.68	1.57	2.02	1.77	0.	1.8
time (sec)	N/A	0.202	0.326	0.095	1.027	0.486	0.	1.331

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	134	306	401	329	0	329
normalized size	1	1.	0.61	1.39	1.82	1.5	0.	1.5
time (sec)	N/A	0.532	0.585	0.107	1.016	0.492	0.	1.401

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	241	241	156	358	481	396	0	375
normalized size	1	1.	0.65	1.49	2.	1.64	0.	1.56
time (sec)	N/A	0.567	0.696	0.116	1.032	0.504	0.	1.444

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	131	131	489	340	497	417	0	246
normalized size	1	1.	3.73	2.6	3.79	3.18	0.	1.88
time (sec)	N/A	0.171	5.953	0.06	1.051	0.493	0.	1.349

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	311	252	381	386	0	211
normalized size	1	1.	2.88	2.33	3.53	3.57	0.	1.95
time (sec)	N/A	0.163	3.518	0.055	1.009	0.49	0.	1.334

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	224	163	265	319	0	147
normalized size	1	1.	3.61	2.63	4.27	5.15	0.	2.37
time (sec)	N/A	0.117	1.195	0.044	1.01	0.482	0.	1.326

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	43	43	109	78	134	197	0	95
normalized size	1	1.	2.53	1.81	3.12	4.58	0.	2.21
time (sec)	N/A	0.082	0.252	0.044	0.98	0.47	0.	1.333

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	72	56	99	105	0	59
normalized size	1	1.	2.06	1.6	2.83	3.	0.	1.69
time (sec)	N/A	0.059	0.138	0.05	1.469	0.451	0.	1.185

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	76	108	193	149	0	107
normalized size	1	1.	1.27	1.8	3.22	2.48	0.	1.78
time (sec)	N/A	0.109	0.37	0.076	1.493	0.46	0.	1.282

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	197	211	304	203	0	166
normalized size	1	1.	2.01	2.15	3.1	2.07	0.	1.69
time (sec)	N/A	0.15	0.444	0.082	1.448	0.466	0.	1.297

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	122	122	249	281	419	243	0	204
normalized size	1	1.	2.04	2.3	3.43	1.99	0.	1.67
time (sec)	N/A	0.159	0.668	0.083	1.669	0.472	0.	1.221

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	179	179	764	382	574	616	0	305
normalized size	1	1.	4.27	2.13	3.21	3.44	0.	1.7
time (sec)	N/A	0.321	6.352	0.065	1.013	0.506	0.	1.351

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	496	294	454	566	0	267
normalized size	1	1.	3.18	1.88	2.91	3.63	0.	1.71
time (sec)	N/A	0.306	4.057	0.063	1.017	0.496	0.	1.415

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	292	205	329	501	0	204
normalized size	1	1.	2.7	1.9	3.05	4.64	0.	1.89
time (sec)	N/A	0.257	1.684	0.053	1.022	0.491	0.	1.37

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	169	119	196	338	0	151
normalized size	1	1.	2.14	1.51	2.48	4.28	0.	1.91
time (sec)	N/A	0.187	0.532	0.051	0.984	0.478	0.	1.302

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	65	65	76	60	126	144	0	81
normalized size	1	1.	1.17	0.92	1.94	2.22	0.	1.25
time (sec)	N/A	0.08	0.199	0.049	0.978	0.438	0.	1.239

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	153	97	162	228	0	115
normalized size	1	1.	2.19	1.39	2.31	3.26	0.	1.64
time (sec)	N/A	0.112	0.349	0.057	1.474	0.451	0.	1.242

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	245	149	258	296	0	163
normalized size	1	1.	2.5	1.52	2.63	3.02	0.	1.66
time (sec)	N/A	0.23	0.586	0.082	1.491	0.465	0.	1.208

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	315	252	382	342	0	221
normalized size	1	1.	2.2	1.76	2.67	2.39	0.	1.55
time (sec)	N/A	0.3	0.741	0.091	1.513	0.472	0.	1.266

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	369	322	502	389	0	259
normalized size	1	1.	2.17	1.89	2.95	2.29	0.	1.52
time (sec)	N/A	0.319	0.714	0.11	1.53	0.481	0.	1.299

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	202	202	610	334	509	757	0	315
normalized size	1	1.	3.02	1.65	2.52	3.75	0.	1.56
time (sec)	N/A	0.475	6.161	0.075	1.07	0.506	0.	1.345

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	480	245	386	668	0	251
normalized size	1	1.	3.08	1.57	2.47	4.28	0.	1.61
time (sec)	N/A	0.429	3.979	0.057	1.027	0.498	0.	1.363

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	125	125	197	159	252	481	0	198
normalized size	1	1.	1.58	1.27	2.02	3.85	0.	1.58
time (sec)	N/A	0.315	0.894	0.054	1.03	0.486	0.	1.386

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	96	64	155	227	0	101
normalized size	1	1.	0.94	0.63	1.52	2.23	0.	0.99
time (sec)	N/A	0.203	0.291	0.052	1.062	0.439	0.	1.212

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	135	64	155	227	0	101
normalized size	1	1.	1.32	0.63	1.52	2.23	0.	0.99
time (sec)	N/A	0.114	0.324	0.061	1.012	0.445	0.	1.321

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	241	137	216	351	0	163
normalized size	1	1.	2.23	1.27	2.	3.25	0.	1.51
time (sec)	N/A	0.186	0.567	0.065	1.468	0.461	0.	1.299

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	365	189	312	431	0	212
normalized size	1	1.	2.68	1.39	2.29	3.17	0.	1.56
time (sec)	N/A	0.367	1.029	0.093	1.49	0.475	0.	1.423

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	435	292	435	495	0	270
normalized size	1	1.	2.33	1.56	2.33	2.65	0.	1.44
time (sec)	N/A	0.47	0.787	0.101	1.507	0.484	0.	1.275

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	B	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	218	218	491	362	556	540	0	308
normalized size	1	1.	2.25	1.66	2.55	2.48	0.	1.41
time (sec)	N/A	0.495	1.043	0.099	1.51	0.498	0.	1.342

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	238	238	880	374	566	940	0	360
normalized size	1	1.	3.7	1.57	2.38	3.95	0.	1.51
time (sec)	N/A	0.656	6.473	0.069	0.999	0.516	0.	1.391

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	754	285	440	837	0	297
normalized size	1	1.	3.89	1.47	2.27	4.31	0.	1.53
time (sec)	N/A	0.616	6.386	0.062	1.02	0.504	0.	1.331

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	163	163	239	199	308	624	0	244
normalized size	1	1.	1.47	1.22	1.89	3.83	0.	1.5
time (sec)	N/A	0.475	1.404	0.06	1.021	0.491	0.	1.241

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	109	88	236	311	0	158
normalized size	1	1.	0.75	0.6	1.62	2.13	0.	1.08
time (sec)	N/A	0.229	0.34	0.058	1.001	0.445	0.	1.382

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	163	88	235	309	0	158
normalized size	1	1.	1.18	0.64	1.7	2.24	0.	1.14
time (sec)	N/A	0.265	0.377	0.057	1.007	0.451	0.	1.364

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	193	90	236	308	0	158
normalized size	1	1.	1.4	0.65	1.71	2.23	0.	1.14
time (sec)	N/A	0.151	0.444	0.059	1.001	0.451	0.	1.276

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	329	177	271	475	0	208
normalized size	1	1.	2.38	1.28	1.96	3.44	0.	1.51
time (sec)	N/A	0.268	0.755	0.068	1.477	0.471	0.	1.206

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	166	166	485	229	366	574	0	257
normalized size	1	1.	2.92	1.38	2.2	3.46	0.	1.55
time (sec)	N/A	0.573	1.039	0.1	1.527	0.486	0.	1.322

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	555	332	491	645	0	315
normalized size	1	1.	2.49	1.49	2.2	2.89	0.	1.41
time (sec)	N/A	0.649	1.111	0.1	1.525	0.499	0.	1.48

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	256	256	611	402	610	701	0	352
normalized size	1	1.	2.39	1.57	2.38	2.74	0.	1.38
time (sec)	N/A	0.705	1.628	0.111	1.641	0.509	0.	1.251

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	98	138	0	308	0	362
normalized size	1	1.	0.52	0.74	0.	1.65	0.	1.94
time (sec)	N/A	0.338	0.538	0.324	0.	0.474	0.	4.95

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	81	116	0	265	0	300
normalized size	1	1.	0.56	0.81	0.	1.84	0.	2.08
time (sec)	N/A	0.277	0.265	0.28	0.	0.471	0.	4.882

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	80	94	0	217	0	238
normalized size	1	1.	0.79	0.93	0.	2.15	0.	2.36
time (sec)	N/A	0.228	0.278	0.331	0.	0.464	0.	4.817

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	53	70	0	169	0	174
normalized size	1	1.	0.85	1.13	0.	2.73	0.	2.81
time (sec)	N/A	0.094	0.158	0.273	0.	0.462	0.	4.606

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	76	118	198	620	0	0
normalized size	1	1.	1.15	1.79	3.	9.39	0.	0.
time (sec)	N/A	0.088	0.301	0.253	1.664	0.512	0.	0.

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	93	198	1268	694	0	450
normalized size	1	1.	1.37	2.91	18.65	10.21	0.	6.62
time (sec)	N/A	0.106	0.235	0.292	2.001	0.607	0.	6.473

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	117	398	2499	801	0	851
normalized size	1	1.	1.	3.4	21.36	6.85	0.	7.27
time (sec)	N/A	0.177	0.388	0.34	2.339	0.618	0.	6.802

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	70	580	4024	898	0	1156
normalized size	1	1.	0.44	3.62	25.15	5.61	0.	7.22
time (sec)	N/A	0.242	0.173	0.405	2.886	0.633	0.	7.136

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	203	203	70	762	11557	995	0	1458
normalized size	1	1.	0.34	3.75	56.93	4.9	0.	7.18
time (sec)	N/A	0.298	0.171	0.343	4.102	0.715	0.	7.293

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	189	189	100	139	0	329	0	362
normalized size	1	1.	0.53	0.74	0.	1.74	0.	1.92
time (sec)	N/A	0.461	0.735	0.282	0.	0.486	0.	5.126

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	82	117	0	279	0	300
normalized size	1	1.	0.59	0.85	0.	2.02	0.	2.17
time (sec)	N/A	0.297	0.38	0.241	0.	0.476	0.	5.009

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	70	95	0	225	0	238
normalized size	1	1.	0.69	0.94	0.	2.23	0.	2.36
time (sec)	N/A	0.14	0.285	0.227	0.	0.468	0.	5.318

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	102	237	1347	814	0	0
normalized size	1	1.	0.97	2.26	12.83	7.75	0.	0.
time (sec)	N/A	0.146	0.571	0.25	1.952	0.528	0.	0.

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	97	212	2431	755	0	544
normalized size	1	1.	0.94	2.06	23.6	7.33	0.	5.28
time (sec)	N/A	0.241	0.423	0.278	2.303	0.616	0.	6.778

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	111	399	0	833	0	863
normalized size	1	1.	0.93	3.35	0.	7.	0.	7.25
time (sec)	N/A	0.273	0.597	0.296	0.	0.617	0.	7.109

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	137	581	0	949	0	1166
normalized size	1	1.	0.84	3.54	0.	5.79	0.	7.11
time (sec)	N/A	0.365	0.998	0.365	0.	0.627	0.	7.227

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	154	763	0	1049	0	1469
normalized size	1	1.	0.74	3.65	0.	5.02	0.	7.03
time (sec)	N/A	0.449	1.301	0.294	0.	0.717	0.	7.8

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	487	163	0	409	0	424
normalized size	1	1.	2.05	0.69	0.	1.73	0.	1.79
time (sec)	N/A	0.657	6.166	0.276	0.	0.493	0.	5.738

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	96	141	0	346	0	362
normalized size	1	1.	0.55	0.81	0.	1.98	0.	2.07
time (sec)	N/A	0.353	0.643	0.254	0.	0.487	0.	5.284

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	89	119	0	292	0	300
normalized size	1	1.	0.64	0.86	0.	2.12	0.	2.17
time (sec)	N/A	0.184	0.476	0.231	0.	0.48	0.	5.074

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	128	341	1885	954	0	0
normalized size	1	1.	0.9	2.4	13.27	6.72	0.	0.
time (sec)	N/A	0.223	1.043	0.262	2.086	0.54	0.	0.

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	126	256	3753	968	0	644
normalized size	1	1.	0.88	1.79	26.24	6.77	0.	4.5
time (sec)	N/A	0.411	0.837	0.292	2.521	0.628	0.	7.159

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	116	410	0	890	0	957
normalized size	1	1.	0.75	2.66	0.	5.78	0.	6.21
time (sec)	N/A	0.419	0.807	0.325	0.	0.632	0.	7.373

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	312	583	0	976	0	1177
normalized size	1	1.	1.9	3.55	0.	5.95	0.	7.18
time (sec)	N/A	0.456	1.045	0.342	0.	0.636	0.	7.649

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	366	765	0	1103	0	1480
normalized size	1	1.	1.75	3.66	0.	5.28	0.	7.08
time (sec)	N/A	0.58	1.292	0.285	0.	0.72	0.	8.437

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	254	254	416	947	0	1227	0	1782
normalized size	1	1.	1.64	3.73	0.	4.83	0.	7.02
time (sec)	N/A	0.654	1.786	0.323	0.	0.737	0.	8.601

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	202	202	140	785	0	1116	0	387
normalized size	1	1.	0.69	3.89	0.	5.52	0.	1.92
time (sec)	N/A	0.606	0.526	0.34	0.	0.598	0.	9.475

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	123	595	0	1019	0	366
normalized size	1	1.	0.77	3.74	0.	6.41	0.	2.3
time (sec)	N/A	0.42	0.374	0.306	0.	0.58	0.	9.607

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	106	405	0	917	0	251
normalized size	1	1.	0.9	3.43	0.	7.77	0.	2.13
time (sec)	N/A	0.257	0.293	0.293	0.	0.576	0.	9.417

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	88	200	0	751	0	194
normalized size	1	1.	1.13	2.56	0.	9.63	0.	2.49
time (sec)	N/A	0.107	0.166	0.24	0.	0.566	0.	9.196

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	92	194	0	814	0	302
normalized size	1	1.	1.01	2.13	0.	8.95	0.	3.32
time (sec)	N/A	0.107	0.281	0.236	0.	2.455	0.	11.281

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	119	119	10104	353	0	1214	0	531
normalized size	1	1.	84.91	2.97	0.	10.2	0.	4.46
time (sec)	N/A	0.229	26.457	0.299	0.	3.143	0.	11.284

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	135	717	0	1323	0	876
normalized size	1	1.	0.82	4.35	0.	8.02	0.	5.31
time (sec)	N/A	0.369	0.415	0.374	0.	5.703	0.	11.575

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	206	206	150	1067	0	1426	0	1142
normalized size	1	1.	0.73	5.18	0.	6.92	0.	5.54
time (sec)	N/A	0.555	0.675	0.312	0.	5.722	0.	11.901

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	160	793	0	1315	0	421
normalized size	1	1.	0.74	3.67	0.	6.09	0.	1.95
time (sec)	N/A	0.633	2.372	0.299	0.	0.61	0.	9.688

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	141	603	0	1189	0	400
normalized size	1	1.	0.82	3.53	0.	6.95	0.	2.34
time (sec)	N/A	0.461	1.366	0.26	0.	0.592	0.	9.465

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	125	405	0	1003	0	257
normalized size	1	1.	1.06	3.43	0.	8.5	0.	2.18
time (sec)	N/A	0.259	0.75	0.241	0.	0.576	0.	9.311

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	127	402	0	957	0	208
normalized size	1	1.	1.46	4.62	0.	11.	0.	2.39
time (sec)	N/A	0.122	0.799	0.19	0.	0.572	0.	9.226

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	127	127	10115	554	0	1416	0	417
normalized size	1	1.	79.65	4.36	0.	11.15	0.	3.28
time (sec)	N/A	0.181	26.548	0.201	0.	7.627	0.	11.323

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	170	170	10898	713	0	1575	0	0
normalized size	1	1.	64.11	4.19	0.	9.26	0.	0.
time (sec)	N/A	0.405	26.727	0.279	0.	9.971	0.	0.

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	395	1075	0	1673	0	0
normalized size	1	1.	1.79	4.86	0.	7.57	0.	0.
time (sec)	N/A	0.583	2.286	0.333	0.	14.673	0.	0.

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	268	268	502	1425	0	1789	0	0
normalized size	1	1.	1.87	5.32	0.	6.68	0.	0.
time (sec)	N/A	0.78	6.143	0.292	0.	14.712	0.	0.

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	161	795	0	1474	0	420
normalized size	1	1.	0.75	3.68	0.	6.82	0.	1.94
time (sec)	N/A	0.655	2.571	0.275	0.	0.614	0.	10.154

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	144	597	0	1273	0	390
normalized size	1	1.	0.85	3.53	0.	7.53	0.	2.31
time (sec)	N/A	0.455	1.503	0.259	0.	0.592	0.	9.935

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	131	602	0	1233	0	258
normalized size	1	1.	1.04	4.78	0.	9.79	0.	2.05
time (sec)	N/A	0.276	1.574	0.244	0.	0.582	0.	9.836

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	206	594	0	1219	0	258
normalized size	1	1.	1.63	4.71	0.	9.67	0.	2.05
time (sec)	N/A	0.165	1.506	0.191	0.	0.589	0.	9.396

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F(-1)	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	164	164	10177	824	0	1754	0	471
normalized size	1	1.	62.05	5.02	0.	10.7	0.	2.87
time (sec)	N/A	0.254	26.677	0.204	0.	16.161	0.	11.376

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	F(-2)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	207	207	10956	1065	0	1948	0	0
normalized size	1	1.	52.93	5.14	0.	9.41	0.	0.
time (sec)	N/A	0.558	26.939	0.303	0.	21.255	0.	0.

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	264	264	512	1427	0	2059	0	0
normalized size	1	1.	1.94	5.41	0.	7.8	0.	0.
time (sec)	N/A	0.79	6.164	0.388	0.	28.205	0.	0.

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	140	120	0	780	0	225
normalized size	1	1.	1.57	1.35	0.	8.76	0.	2.53
time (sec)	N/A	0.146	0.538	0.243	0.	0.506	0.	1.884

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	269	155	0	1112	0	346
normalized size	1	1.	2.34	1.35	0.	9.67	0.	3.01
time (sec)	N/A	0.221	1.5	0.299	0.	0.528	0.	1.92

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	297	367	0	1188	0	379
normalized size	1	1.	1.92	2.37	0.	7.66	0.	2.45
time (sec)	N/A	0.362	1.629	0.345	0.	0.539	0.	2.019

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	330	625	0	1258	0	412
normalized size	1	1.	1.72	3.26	0.	6.55	0.	2.15
time (sec)	N/A	0.524	1.888	0.404	0.	0.548	0.	2.217

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	133	322	298	0	1285	0	262
normalized size	1	1.15	2.78	2.57	0.	11.08	0.	2.26
time (sec)	N/A	0.2	6.595	0.23	0.	0.531	0.	1.876

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	146	146	361	462	0	1345	0	344
normalized size	1	1.	2.47	3.16	0.	9.21	0.	2.36
time (sec)	N/A	0.355	6.617	0.283	0.	0.541	0.	2.069

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	408	883	0	1415	0	393
normalized size	1	1.	2.1	4.55	0.	7.29	0.	2.03
time (sec)	N/A	0.529	6.665	0.351	0.	0.556	0.	2.174

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	452	1104	0	1490	0	425
normalized size	1	1.	1.92	4.68	0.	6.31	0.	1.8
time (sec)	N/A	0.701	6.687	0.326	0.	0.572	0.	2.231

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	185	387	695	0	1544	0	296
normalized size	1	1.22	2.55	4.57	0.	10.16	0.	1.95
time (sec)	N/A	0.206	6.739	0.257	0.	0.543	0.	2.031

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	184	184	423	788	0	1609	0	393
normalized size	1	1.	2.3	4.28	0.	8.74	0.	2.14
time (sec)	N/A	0.505	6.791	0.342	0.	0.556	0.	2.26

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	458	1475	0	1671	0	409
normalized size	1	1.	1.94	6.25	0.	7.08	0.	1.73
time (sec)	N/A	0.731	6.815	0.34	0.	0.575	0.	3.159

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	280	280	514	1964	0	1744	0	459
normalized size	1	1.	1.84	7.01	0.	6.23	0.	1.64
time (sec)	N/A	0.906	6.84	0.44	0.	0.613	0.	3.049

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	200	691	0	0	0	0
normalized size	1	1.	1.01	3.47	0.	0.	0.	0.
time (sec)	N/A	0.179	0.74	5.554	0.	0.	0.	0.

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	168	662	0	0	0	0
normalized size	1	1.	0.98	3.85	0.	0.	0.	0.
time (sec)	N/A	0.165	0.643	5.197	0.	0.	0.	0.

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	94	427	0	0	0	0
normalized size	1	1.	0.7	3.16	0.	0.	0.	0.
time (sec)	N/A	0.144	0.516	4.205	0.	0.	0.	0.

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	106	106	77	240	0	0	0	0
normalized size	1	1.	0.73	2.26	0.	0.	0.	0.
time (sec)	N/A	0.134	0.299	1.761	0.	0.	0.	0.

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	110	110	83	321	0	0	0	0
normalized size	1	1.	0.75	2.92	0.	0.	0.	0.
time (sec)	N/A	0.13	0.307	1.844	0.	0.	0.	0.

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	99	355	0	0	0	0
normalized size	1	1.	0.7	2.52	0.	0.	0.	0.
time (sec)	N/A	0.153	0.563	1.652	0.	0.	0.	0.

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	113	383	0	0	0	0
normalized size	1	1.	0.66	2.23	0.	0.	0.	0.
time (sec)	N/A	0.161	0.969	1.702	0.	0.	0.	0.

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	463	852	0	0	0	0
normalized size	1	1.	1.98	3.64	0.	0.	0.	0.
time (sec)	N/A	0.342	4.459	6.524	0.	0.	0.	0.

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	321	743	0	0	0	0
normalized size	1	1.	1.61	3.73	0.	0.	0.	0.
time (sec)	N/A	0.299	6.285	5.715	0.	0.	0.	0.

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	310	513	0	0	0	0
normalized size	1	1.	1.94	3.21	0.	0.	0.	0.
time (sec)	N/A	0.278	3.08	2.067	0.	0.	0.	0.

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	320	388	0	0	0	0
normalized size	1	1.	2.03	2.46	0.	0.	0.	0.
time (sec)	N/A	0.256	2.406	1.832	0.	0.	0.	0.

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	166	166	153	357	0	0	0	0
normalized size	1	1.	0.92	2.15	0.	0.	0.	0.
time (sec)	N/A	0.26	1.786	1.663	0.	0.	0.	0.

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	193	385	0	0	0	0
normalized size	1	1.	0.96	1.92	0.	0.	0.	0.
time (sec)	N/A	0.29	2.351	1.915	0.	0.	0.	0.

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	217	413	0	0	0	0
normalized size	1	1.	0.93	1.76	0.	0.	0.	0.
time (sec)	N/A	0.32	2.944	1.755	0.	0.	0.	0.

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	277	277	793	1180	0	0	0	0
normalized size	1	1.	2.86	4.26	0.	0.	0.	0.
time (sec)	N/A	0.541	6.806	8.211	0.	0.	0.	0.

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	465	931	0	0	0	0
normalized size	1	1.	1.91	3.82	0.	0.	0.	0.
time (sec)	N/A	0.439	5.137	6.857	0.	0.	0.	0.

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	244	916	0	0	0	0
normalized size	1	1.	1.16	4.34	0.	0.	0.	0.
time (sec)	N/A	0.416	2.319	5.977	0.	0.	0.	0.

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	199	199	202	654	0	0	0	0
normalized size	1	1.	1.02	3.29	0.	0.	0.	0.
time (sec)	N/A	0.409	1.945	2.202	0.	0.	0.	0.

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	207	519	0	0	0	0
normalized size	1	1.	0.98	2.46	0.	0.	0.	0.
time (sec)	N/A	0.413	1.695	1.976	0.	0.	0.	0.

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	194	385	0	0	0	0
normalized size	1	1.	0.92	1.82	0.	0.	0.	0.
time (sec)	N/A	0.437	2.52	1.741	0.	0.	0.	0.

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	196	413	0	0	0	0
normalized size	1	1.	0.8	1.69	0.	0.	0.	0.
time (sec)	N/A	0.477	2.785	1.717	0.	0.	0.	0.

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	277	277	239	441	0	0	0	0
normalized size	1	1.	0.86	1.59	0.	0.	0.	0.
time (sec)	N/A	0.51	3.492	1.659	0.	0.	0.	0.

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	814	806	0	0	0	0
normalized size	1	1.	3.55	3.52	0.	0.	0.	0.
time (sec)	N/A	0.248	7.512	6.423	0.	0.	0.	0.

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	192	192	372	493	0	0	0	0
normalized size	1	1.	1.94	2.57	0.	0.	0.	0.
time (sec)	N/A	0.227	3.299	5.281	0.	0.	0.	0.

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	420	318	0	0	0	0
normalized size	1	1.	2.75	2.08	0.	0.	0.	0.
time (sec)	N/A	0.186	4.372	3.819	0.	0.	0.	0.

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	200	243	0	0	0	0
normalized size	1	1.	1.63	1.98	0.	0.	0.	0.
time (sec)	N/A	0.171	1.128	1.793	0.	0.	0.	0.

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	128	128	445	244	0	0	0	0
normalized size	1	1.	3.48	1.91	0.	0.	0.	0.
time (sec)	N/A	0.178	2.631	1.739	0.	0.	0.	0.

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	232	262	0	0	0	0
normalized size	1	1.	1.41	1.6	0.	0.	0.	0.
time (sec)	N/A	0.194	2.363	1.688	0.	0.	0.	0.

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	540	282	0	0	0	0
normalized size	1	1.	2.74	1.43	0.	0.	0.	0.
time (sec)	N/A	0.213	3.755	1.807	0.	0.	0.	0.

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	230	230	568	300	0	0	0	0
normalized size	1	1.	2.47	1.3	0.	0.	0.	0.
time (sec)	N/A	0.23	3.938	1.687	0.	0.	0.	0.

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	865	750	0	0	0	0
normalized size	1	1.	3.65	3.16	0.	0.	0.	0.
time (sec)	N/A	0.371	7.809	6.082	0.	0.	0.	0.

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	204	204	455	492	0	0	0	0
normalized size	1	1.	2.23	2.41	0.	0.	0.	0.
time (sec)	N/A	0.345	6.64	2.295	0.	0.	0.	0.

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	256	350	0	0	0	0
normalized size	1	1.	1.59	2.17	0.	0.	0.	0.
time (sec)	N/A	0.303	2.604	1.937	0.	0.	0.	0.

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	256	350	0	0	0	0
normalized size	1	1.	1.52	2.08	0.	0.	0.	0.
time (sec)	N/A	0.31	3.242	1.894	0.	0.	0.	0.

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	177	177	854	421	0	0	0	0
normalized size	1	1.	4.82	2.38	0.	0.	0.	0.
time (sec)	N/A	0.326	6.752	2.047	0.	0.	0.	0.

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	899	435	0	0	0	0
normalized size	1	1.	4.26	2.06	0.	0.	0.	0.
time (sec)	N/A	0.357	6.801	1.951	0.	0.	0.	0.

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	946	465	0	0	0	0
normalized size	1	1.	3.88	1.91	0.	0.	0.	0.
time (sec)	N/A	0.382	6.907	2.023	0.	0.	0.	0.

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	292	292	953	876	0	0	0	0
normalized size	1	1.	3.26	3.	0.	0.	0.	0.
time (sec)	N/A	0.56	7.963	2.949	0.	0.	0.	0.

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	924	685	0	0	0	0
normalized size	1	1.	3.54	2.62	0.	0.	0.	0.
time (sec)	N/A	0.536	7.248	2.524	0.	0.	0.	0.

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	919	451	0	0	0	0
normalized size	1	1.	4.18	2.05	0.	0.	0.	0.
time (sec)	N/A	0.49	6.885	2.099	0.	0.	0.	0.

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	918	451	0	0	0	0
normalized size	1	1.	4.25	2.09	0.	0.	0.	0.
time (sec)	N/A	0.484	6.868	2.077	0.	0.	0.	0.

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	222	222	919	451	0	0	0	0
normalized size	1	1.	4.14	2.03	0.	0.	0.	0.
time (sec)	N/A	0.489	6.96	1.961	0.	0.	0.	0.

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	364	451	0	0	0	0
normalized size	1	1.	1.6	1.98	0.	0.	0.	0.
time (sec)	N/A	0.499	6.518	1.895	0.	0.	0.	0.

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-2)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	377	465	0	0	0	0
normalized size	1	1.	1.44	1.78	0.	0.	0.	0.
time (sec)	N/A	0.553	6.899	2.198	0.	0.	0.	0.

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	294	294	1032	493	0	0	0	0
normalized size	1	1.	3.51	1.68	0.	0.	0.	0.
time (sec)	N/A	0.57	7.362	2.108	0.	0.	0.	0.

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	176	176	131	408	4512	1152	0	0
normalized size	1	1.	0.74	2.32	25.64	6.55	0.	0.
time (sec)	N/A	0.288	1.382	0.355	2.734	0.761	0.	0.

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	106	344	2601	1045	0	0
normalized size	1	1.	0.81	2.63	19.85	7.98	0.	0.
time (sec)	N/A	0.237	0.488	0.363	2.45	0.756	0.	0.

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	89	278	1222	863	0	0
normalized size	1	1.	1.14	3.56	15.67	11.06	0.	0.
time (sec)	N/A	0.16	0.263	0.328	2.359	0.744	0.	0.

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	83	177	354	819	0	0
normalized size	1	1.	1.09	2.33	4.66	10.78	0.	0.
time (sec)	N/A	0.157	0.378	0.286	2.061	0.57	0.	0.

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	56	75	181	197	0	0
normalized size	1	1.	0.68	0.91	2.21	2.4	0.	0.
time (sec)	N/A	0.158	0.219	0.307	2.01	0.46	0.	0.

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	130	130	71	96	428	243	0	0
normalized size	1	1.	0.55	0.74	3.29	1.87	0.	0.
time (sec)	N/A	0.222	0.286	0.314	2.128	0.461	0.	0.

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	91	118	672	290	0	0
normalized size	1	1.	0.52	0.67	3.84	1.66	0.	0.
time (sec)	N/A	0.288	0.311	0.349	2.158	0.467	0.	0.

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	227	227	153	479	7937	1297	0	0
normalized size	1	1.	0.67	2.11	34.96	5.71	0.	0.
time (sec)	N/A	0.547	1.37	0.314	3.926	1.004	0.	0.

Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	134	415	6218	1197	0	0
normalized size	1	1.	0.74	2.31	34.54	6.65	0.	0.
time (sec)	N/A	0.419	1.187	0.309	2.966	0.765	0.	0.

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	133	133	107	355	4575	1072	0	0
normalized size	1	1.	0.8	2.67	34.4	8.06	0.	0.
time (sec)	N/A	0.336	0.67	0.332	2.61	0.758	0.	0.

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	124	124	107	346	1913	957	0	0
normalized size	1	1.	0.86	2.79	15.43	7.72	0.	0.
time (sec)	N/A	0.314	1.521	0.34	2.275	0.76	0.	0.

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	125	125	109	211	424	971	0	0
normalized size	1	1.	0.87	1.69	3.39	7.77	0.	0.
time (sec)	N/A	0.339	0.586	0.311	2.087	0.576	0.	0.

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	73	97	338	251	0	0
normalized size	1	1.	0.56	0.74	2.58	1.92	0.	0.
time (sec)	N/A	0.256	0.473	0.302	2.012	0.464	0.	0.

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	92	119	694	305	0	0
normalized size	1	1.	0.51	0.66	3.83	1.69	0.	0.
time (sec)	N/A	0.438	0.457	0.304	2.178	0.47	0.	0.

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	110	141	945	355	0	0
normalized size	1	1.	0.48	0.62	4.14	1.56	0.	0.
time (sec)	N/A	0.508	0.659	0.316	2.235	0.477	0.	0.

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	274	274	178	543	12477	1476	0	0
normalized size	1	1.	0.65	1.98	45.54	5.39	0.	0.
time (sec)	N/A	0.693	2.098	0.333	6.935	1.023	0.	0.

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	227	227	154	479	9897	1351	0	0
normalized size	1	1.	0.68	2.11	43.6	5.95	0.	0.
time (sec)	N/A	0.595	1.409	0.329	4.424	1.014	0.	0.

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	133	419	8501	1224	0	0
normalized size	1	1.	0.74	2.33	47.23	6.8	0.	0.
time (sec)	N/A	0.513	1.248	0.306	22.095	0.772	0.	0.

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	180	180	137	386	0	1169	0	0
normalized size	1	1.	0.76	2.14	0.	6.49	0.	0.
time (sec)	N/A	0.504	1.811	0.367	0.	0.769	0.	0.

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	177	177	133	376	0	1085	0	0
normalized size	1	1.	0.75	2.12	0.	6.13	0.	0.
time (sec)	N/A	0.505	0.966	0.348	0.	0.773	0.	0.

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	172	172	127	235	884	1100	0	0
normalized size	1	1.	0.74	1.37	5.14	6.4	0.	0.
time (sec)	N/A	0.489	1.864	0.333	2.226	0.588	0.	0.

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	91	121	520	317	0	0
normalized size	1	1.	0.51	0.68	2.92	1.78	0.	0.
time (sec)	N/A	0.317	0.551	0.309	2.116	0.468	0.	0.

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	108	143	1007	371	0	0
normalized size	1	1.	0.47	0.63	4.42	1.63	0.	0.
time (sec)	N/A	0.632	0.764	0.306	2.202	0.479	0.	0.

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	275	275	127	165	1276	435	0	0
normalized size	1	1.	0.46	0.6	4.64	1.58	0.	0.
time (sec)	N/A	0.699	4.273	0.329	2.265	0.488	0.	0.

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	190	190	125	423	3407	1620	0	0
normalized size	1	1.	0.66	2.23	17.93	8.53	0.	0.
time (sec)	N/A	0.573	0.867	0.385	2.529	0.862	0.	0.

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	141	141	106	353	1827	1401	0	0
normalized size	1	1.	0.75	2.5	12.96	9.94	0.	0.
time (sec)	N/A	0.387	0.409	0.36	2.424	0.846	0.	0.

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	100	100	95	210	765	965	0	0
normalized size	1	1.	0.95	2.1	7.65	9.65	0.	0.
time (sec)	N/A	0.232	0.191	0.322	2.395	0.616	0.	0.

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	99	99	114	150	263	813	0	0
normalized size	1	1.	1.15	1.52	2.66	8.21	0.	0.
time (sec)	N/A	0.185	0.276	0.271	2.027	0.512	0.	0.

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	142	142	132	183	522	940	0	0
normalized size	1	1.	0.93	1.29	3.68	6.62	0.	0.
time (sec)	N/A	0.331	0.374	0.33	2.15	0.518	0.	0.

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	133	205	864	1030	0	0
normalized size	1	1.	0.71	1.1	4.62	5.51	0.	0.
time (sec)	N/A	0.507	1.097	0.347	2.26	0.522	0.	0.

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	230	230	152	227	1087	1129	0	0
normalized size	1	1.	0.66	0.99	4.73	4.91	0.	0.
time (sec)	N/A	0.689	1.6	0.38	2.3	0.532	0.	0.

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	497	541	0	1993	0	0
normalized size	1	1.	2.01	2.19	0.	8.07	0.	0.
time (sec)	N/A	0.783	4.446	0.308	0.	1.002	0.	0.

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	132	477	9527	1750	0	0
normalized size	1	1.	0.67	2.42	48.36	8.88	0.	0.
time (sec)	N/A	0.601	1.75	0.328	3.607	0.987	0.	0.

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	113	316	0	1597	0	0
normalized size	1	1.	0.78	2.18	0.	11.01	0.	0.
time (sec)	N/A	0.395	0.799	0.302	0.	0.669	0.	0.

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	84	219	0	995	0	0
normalized size	1	1.	0.79	2.05	0.	9.3	0.	0.
time (sec)	N/A	0.195	0.219	0.292	0.	0.513	0.	0.

Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	156	156	174	287	11081	1114	0	0
normalized size	1	1.	1.12	1.84	71.03	7.14	0.	0.
time (sec)	N/A	0.362	1.429	0.3	2.445	0.527	0.	0.

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	203	203	173	317	0	1218	0	0
normalized size	1	1.	0.85	1.56	0.	6.	0.	0.
time (sec)	N/A	0.553	1.725	0.312	0.	0.529	0.	0.

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	171	339	0	1328	0	0
normalized size	1	1.	0.68	1.36	0.	5.31	0.	0.
time (sec)	N/A	0.734	1.406	0.324	0.	0.543	0.	0.

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	246	246	941	831	0	2122	0	0
normalized size	1	1.	3.83	3.38	0.	8.63	0.	0.
time (sec)	N/A	0.82	6.165	0.335	0.	1.114	0.	0.

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	194	194	570	550	0	1972	0	0
normalized size	1	1.	2.94	2.84	0.	10.16	0.	0.
time (sec)	N/A	0.588	5.668	0.309	0.	0.714	0.	0.

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	106	349	0	1289	0	0
normalized size	1	1.	0.68	2.24	0.	8.26	0.	0.
time (sec)	N/A	0.272	0.678	0.302	0.	0.517	0.	0.

Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	203	103	347	7997	1303	0	0
normalized size	1	1.3	0.66	2.22	51.26	8.35	0.	0.
time (sec)	N/A	0.572	1.053	0.309	5.064	0.52	0.	0.

Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	203	203	206	419	0	1384	0	0
normalized size	1	1.	1.01	2.06	0.	6.82	0.	0.
time (sec)	N/A	0.571	2.302	0.315	0.	0.535	0.	0.

Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	250	250	193	449	0	1503	0	0
normalized size	1	1.	0.77	1.8	0.	6.01	0.	0.
time (sec)	N/A	0.761	1.735	0.323	0.	0.544	0.	0.

Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	297	297	196	471	0	1611	0	0
normalized size	1	1.	0.66	1.59	0.	5.42	0.	0.
time (sec)	N/A	0.956	2.13	0.348	0.	0.557	0.	0.

Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	406	406	4445	0	0	0	0	0
normalized size	1	1.	10.95	0.	0.	0.	0.	0.
time (sec)	N/A	0.632	20.04	0.145	0.	0.	0.	0.

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	354	354	2709	0	0	0	0	0
normalized size	1	1.	7.65	0.	0.	0.	0.	0.
time (sec)	N/A	0.366	19.124	0.176	0.	0.	0.	0.

Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	415	415	2901	0	0	0	0	0
normalized size	1	1.	6.99	0.	0.	0.	0.	0.
time (sec)	N/A	0.433	19.222	0.144	0.	0.	0.	0.

Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	787	787	4110	0	0	0	0	0
normalized size	1	1.	5.22	0.	0.	0.	0.	0.
time (sec)	N/A	0.839	19.299	0.141	0.	0.	0.	0.

Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	739	739	5094	0	0	0	0	0
normalized size	1	1.	6.89	0.	0.	0.	0.	0.
time (sec)	N/A	0.702	21.178	0.144	0.	0.	0.	0.

Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	764	764	4066	0	0	0	0	0
normalized size	1	1.	5.32	0.	0.	0.	0.	0.
time (sec)	N/A	0.733	19.17	0.147	0.	0.	0.	0.

Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	197	197	4897	0	0	0	0	0
normalized size	1	1.	24.86	0.	0.	0.	0.	0.
time (sec)	N/A	0.361	22.405	1.236	0.	0.	0.	0.

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	111	0	0	0	0	0
normalized size	1	1.	0.68	0.	0.	0.	0.	0.
time (sec)	N/A	0.255	1.077	1.14	0.	0.	0.	0.

Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	85	171	220	352	0	410
normalized size	1	1.	0.75	1.5	1.93	3.09	0.	3.6
time (sec)	N/A	0.145	0.618	0.033	0.981	0.826	0.	1.269

Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	67	128	171	298	0	284
normalized size	1	1.	0.72	1.38	1.84	3.2	0.	3.05
time (sec)	N/A	0.133	0.269	0.027	0.975	0.98	0.	1.249

Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	75	86	119	247	0	207
normalized size	1	1.	1.23	1.41	1.95	4.05	0.	3.39
time (sec)	N/A	0.078	0.022	0.029	0.963	0.808	0.	1.241

Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	43	65	76	225	71	113
normalized size	1	1.	1.23	1.86	2.17	6.43	2.03	3.23
time (sec)	N/A	0.035	0.01	0.029	0.983	0.503	10.113	1.214

Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	46	56	78	142	0	107
normalized size	1	1.	1.31	1.6	2.23	4.06	0.	3.06
time (sec)	N/A	0.055	0.028	0.047	0.964	0.494	0.	1.22

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	52	52	51	57	74	104	0	163
normalized size	1	1.	0.98	1.1	1.42	2.	0.	3.13
time (sec)	N/A	0.096	0.082	0.051	0.96	0.468	0.	1.169

Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	75	85	107	149	0	243
normalized size	1	1.	0.89	1.01	1.27	1.77	0.	2.89
time (sec)	N/A	0.125	0.156	0.059	0.964	0.474	0.	1.161

Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	91	107	136	205	0	367
normalized size	1	1.	0.87	1.02	1.3	1.95	0.	3.5
time (sec)	N/A	0.139	0.235	0.063	0.961	0.476	0.	1.232

Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	150	312	373	521	0	713
normalized size	1	1.	0.76	1.58	1.88	2.63	0.	3.6
time (sec)	N/A	0.291	1.514	0.042	0.979	0.526	0.	1.257

Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	179	179	120	241	308	443	0	645
normalized size	1	1.	0.67	1.35	1.72	2.47	0.	3.6
time (sec)	N/A	0.322	0.735	0.038	1.031	0.52	0.	1.223

Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	92	174	223	371	0	397
normalized size	1	1.	0.79	1.5	1.92	3.2	0.	3.42
time (sec)	N/A	0.18	0.466	0.035	1.003	0.504	0.	1.202

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	67	133	170	335	0	259
normalized size	1	1.	0.78	1.55	1.98	3.9	0.	3.01
time (sec)	N/A	0.081	0.263	0.032	0.965	0.506	0.	1.202

Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	109	104	139	294	0	208
normalized size	1	1.	1.82	1.73	2.32	4.9	0.	3.47
time (sec)	N/A	0.102	0.479	0.045	0.989	0.503	0.	1.24

Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	120	120	134	213	0	240
normalized size	1	1.	1.5	1.5	1.68	2.66	0.	3.
time (sec)	N/A	0.174	0.212	0.054	0.96	0.51	0.	1.194

Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	90	114	146	201	0	343
normalized size	1	1.	0.84	1.07	1.36	1.88	0.	3.21
time (sec)	N/A	0.216	0.224	0.059	0.968	0.48	0.	1.23

Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	118	152	192	274	0	590
normalized size	1	1.	0.87	1.12	1.41	2.01	0.	4.34
time (sec)	N/A	0.26	0.448	0.068	0.992	0.493	0.	1.195

Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	146	184	238	350	0	657
normalized size	1	1.	0.81	1.02	1.32	1.94	0.	3.65
time (sec)	N/A	0.268	0.545	0.068	0.963	0.502	0.	1.193

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	252	252	181	382	460	612	0	975
normalized size	1	1.	0.72	1.52	1.83	2.43	0.	3.87
time (sec)	N/A	0.479	3.341	0.042	1.004	0.546	0.	1.264

Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	140	290	359	510	0	791
normalized size	1	1.	0.78	1.61	1.99	2.83	0.	4.39
time (sec)	N/A	0.333	0.95	0.041	0.99	0.528	0.	1.254

Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	108	223	273	458	0	454
normalized size	1	1.	0.79	1.63	1.99	3.34	0.	3.31
time (sec)	N/A	0.19	0.572	0.04	0.975	0.55	0.	1.265

Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	131	399	172	228	401	0	325
normalized size	1	1.1	3.35	1.45	1.92	3.37	0.	2.73
time (sec)	N/A	0.223	0.963	0.054	0.983	0.562	0.	1.225

Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	217	168	194	369	0	316
normalized size	1	1.	1.75	1.35	1.56	2.98	0.	2.55
time (sec)	N/A	0.333	0.681	0.056	0.98	0.53	0.	1.291

Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	159	207	205	317	0	424
normalized size	1	1.	1.1	1.43	1.41	2.19	0.	2.92
time (sec)	N/A	0.347	0.355	0.06	0.963	0.542	0.	1.267

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	179	179	140	180	231	321	0	724
normalized size	1	1.	0.78	1.01	1.29	1.79	0.	4.04
time (sec)	N/A	0.423	0.408	0.063	0.967	0.525	0.	1.224

Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	176	227	293	423	0	907
normalized size	1	1.	0.8	1.03	1.33	1.91	0.	4.1
time (sec)	N/A	0.494	0.698	0.071	0.972	0.549	0.	1.252

Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	334	334	244	550	640	797	0	1601
normalized size	1	1.	0.73	1.65	1.92	2.39	0.	4.79
time (sec)	N/A	0.711	2.864	0.047	0.997	0.702	0.	1.284

Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	198	431	512	687	0	1148
normalized size	1	1.	0.79	1.72	2.05	2.75	0.	4.59
time (sec)	N/A	0.52	3.914	0.049	0.983	0.594	0.	1.277

Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	160	338	409	603	0	857
normalized size	1	1.	0.8	1.69	2.04	3.02	0.	4.28
time (sec)	N/A	0.327	1.027	0.049	0.98	0.605	0.	1.315

Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	1051	262	331	524	0	522
normalized size	1	1.	5.39	1.34	1.7	2.69	0.	2.68
time (sec)	N/A	0.368	6.288	0.063	0.99	0.574	0.	1.245

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	310	236	282	479	0	713
normalized size	1	1.	1.48	1.13	1.35	2.29	0.	3.41
time (sec)	N/A	0.463	1.898	0.064	0.981	0.606	0.	1.304

Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	198	198	257	255	266	471	0	501
normalized size	1	1.	1.3	1.29	1.34	2.38	0.	2.53
time (sec)	N/A	0.591	1.075	0.063	0.989	0.593	0.	1.288

Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	210	319	290	447	0	814
normalized size	1	1.	0.97	1.48	1.34	2.07	0.	3.77
time (sec)	N/A	0.609	0.601	0.071	0.983	0.595	0.	1.303

Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	258	258	263	258	332	478	0	1068
normalized size	1	1.	1.02	1.	1.29	1.85	0.	4.14
time (sec)	N/A	0.691	0.633	0.073	0.985	0.594	0.	1.313

Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	309	309	333	316	414	587	0	1521
normalized size	1	1.	1.08	1.02	1.34	1.9	0.	4.92
time (sec)	N/A	0.82	1.228	0.079	0.987	0.609	0.	1.284

Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	187	187	422	688	0	1650	0	556
normalized size	1	1.	2.26	3.68	0.	8.82	0.	2.97
time (sec)	N/A	0.676	2.366	0.083	0.	2.357	0.	1.263

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	300	410	0	1353	0	363
normalized size	1	1.	2.1	2.87	0.	9.46	0.	2.54
time (sec)	N/A	0.395	1.775	0.074	0.	11.326	0.	1.309

Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	130	228	0	1065	0	238
normalized size	1	1.	1.33	2.33	0.	10.87	0.	2.43
time (sec)	N/A	0.229	0.573	0.061	0.	0.876	0.	1.227

Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	112	135	0	707	0	171
normalized size	1	1.	1.47	1.78	0.	9.3	0.	2.25
time (sec)	N/A	0.126	0.179	0.063	0.	1.919	0.	1.232

Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	68	113	0	540	0	136
normalized size	1	1.	1.01	1.69	0.	8.06	0.	2.03
time (sec)	N/A	0.099	0.123	0.072	0.	0.521	0.	1.2

Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	85	172	0	702	0	190
normalized size	1	1.	0.94	1.91	0.	7.8	0.	2.11
time (sec)	N/A	0.149	0.208	0.097	0.	0.543	0.	1.173

Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	121	367	0	934	0	306
normalized size	1	1.	0.9	2.74	0.	6.97	0.	2.28
time (sec)	N/A	0.403	0.329	0.099	0.	0.566	0.	1.214

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	152	641	0	1177	0	486
normalized size	1	1.	0.85	3.6	0.	6.61	0.	2.73
time (sec)	N/A	0.642	0.487	0.102	0.	0.584	0.	1.223

Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	240	240	202	1212	0	1504	0	867
normalized size	1	1.	0.84	5.05	0.	6.27	0.	3.61
time (sec)	N/A	0.982	0.64	0.108	0.	0.669	0.	1.2

Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	272	272	438	698	0	2969	0	518
normalized size	1	1.	1.61	2.57	0.	10.92	0.	1.9
time (sec)	N/A	0.866	6.272	0.098	0.	49.393	0.	1.253

Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	240	510	0	2433	0	545
normalized size	1	1.	1.46	3.11	0.	14.84	0.	3.32
time (sec)	N/A	0.578	2.084	0.085	0.	31.363	0.	1.269

Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	191	350	0	1551	0	312
normalized size	1	1.	1.46	2.67	0.	11.84	0.	2.38
time (sec)	N/A	0.301	0.697	0.079	0.	9.579	0.	1.262

Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	100	100	97	132	0	861	0	232
normalized size	1	1.	0.97	1.32	0.	8.61	0.	2.32
time (sec)	N/A	0.134	0.346	0.078	0.	0.55	0.	1.22

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	155	328	0	1226	0	271
normalized size	1	1.	1.25	2.65	0.	9.89	0.	2.19
time (sec)	N/A	0.207	0.656	0.091	0.	0.585	0.	1.215

Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	221	453	0	1715	0	505
normalized size	1	1.	1.23	2.52	0.	9.53	0.	2.81
time (sec)	N/A	0.569	1.093	0.116	0.	0.66	0.	1.398

Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	184	651	0	2136	0	459
normalized size	1	1.	0.7	2.49	0.	8.18	0.	1.76
time (sec)	N/A	0.891	1.074	0.114	0.	0.741	0.	1.506

Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	346	346	224	926	0	2592	0	639
normalized size	1	1.	0.65	2.68	0.	7.49	0.	1.85
time (sec)	N/A	1.275	1.374	0.12	0.	0.815	0.	1.49

Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	407	407	507	1599	0	5414	0	1878
normalized size	1	1.	1.25	3.93	0.	13.3	0.	4.61
time (sec)	N/A	1.959	2.947	0.106	0.	171.058	0.	1.709

Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	289	289	418	1406	0	4591	0	784
normalized size	1	1.	1.45	4.87	0.	15.89	0.	2.71
time (sec)	N/A	1.424	6.47	0.097	0.	114.913	0.	1.584

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	270	1085	0	3051	0	656
normalized size	1	1.	1.23	4.93	0.	13.87	0.	2.98
time (sec)	N/A	0.686	1.827	0.095	0.	43.553	0.	1.519

Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	157	238	0	1631	0	540
normalized size	1	1.	0.87	1.32	0.	9.06	0.	3.
time (sec)	N/A	0.336	0.678	0.084	0.	0.656	0.	1.443

Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	172	236	0	1631	0	539
normalized size	1	1.	1.05	1.44	0.	9.95	0.	3.29
time (sec)	N/A	0.264	0.856	0.084	0.	0.665	0.	1.48

Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	205	205	267	1063	0	2479	0	617
normalized size	1	1.	1.3	5.19	0.	12.09	0.	3.01
time (sec)	N/A	0.536	1.417	0.099	0.	0.751	0.	1.44

Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	290	290	306	1349	0	3394	0	737
normalized size	1	1.	1.06	4.65	0.	11.7	0.	2.54
time (sec)	N/A	1.535	1.969	0.123	0.	0.916	0.	1.469

Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	393	393	734	1552	0	4018	0	1827
normalized size	1	1.	1.87	3.95	0.	10.22	0.	4.65
time (sec)	N/A	1.999	4.256	0.134	0.	1.111	0.	1.537

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	418	418	548	2948	0	0	0	1357
normalized size	1	1.	1.31	7.05	0.	0.	0.	3.25
time (sec)	N/A	5.273	3.	0.108	0.	0.	0.	1.614

Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	310	310	369	2264	0	5023	0	1139
normalized size	1	1.	1.19	7.3	0.	16.2	0.	3.67
time (sec)	N/A	1.366	1.81	0.122	0.	116.544	0.	1.659

Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	274	274	226	375	0	2707	0	936
normalized size	1	1.	0.82	1.37	0.	9.88	0.	3.42
time (sec)	N/A	0.7	2.232	0.094	0.	0.799	0.	1.555

Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	263	263	252	388	0	2715	0	980
normalized size	1	1.	0.96	1.48	0.	10.32	0.	3.73
time (sec)	N/A	0.615	1.157	0.089	0.	0.845	0.	1.589

Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	404	376	0	2707	0	936
normalized size	1	1.	1.7	1.59	0.	11.42	0.	3.95
time (sec)	N/A	0.51	1.05	0.096	0.	0.84	0.	1.545

Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	292	292	769	2242	0	4111	0	1099
normalized size	1	1.	2.63	7.68	0.	14.08	0.	3.76
time (sec)	N/A	1.068	3.38	0.108	0.	1.044	0.	1.471

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	411	411	1205	2891	0	5736	0	1304
normalized size	1	1.	2.93	7.03	0.	13.96	0.	3.17
time (sec)	N/A	5.595	6.084	0.144	0.	1.361	0.	1.563

Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	538	538	1452	3099	0	6657	0	1420
normalized size	1	1.	2.7	5.76	0.	12.37	0.	2.64
time (sec)	N/A	6.844	5.824	0.148	0.	1.56	0.	1.634

Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	61	116	0	454	0	143
normalized size	1	1.	1.	1.9	0.	7.44	0.	2.34
time (sec)	N/A	0.115	0.144	0.077	0.	0.536	0.	1.313

Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	6	6	6	7	0	9	3	18
normalized size	1	1.	1.	1.17	0.	1.5	0.5	3.
time (sec)	N/A	0.001	0.001	0.007	0.	0.43	6.069	1.385

Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	97	163	0	670	0	188
normalized size	1	1.	1.13	1.9	0.	7.79	0.	2.19
time (sec)	N/A	0.18	0.355	0.092	0.	0.551	0.	1.373

Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	39	39	108	225	0	78
normalized size	1	1.	0.45	0.45	1.24	2.59	0.	0.9
time (sec)	N/A	0.074	0.069	0.074	1.429	0.497	0.	1.395

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	485	485	3734	4394	0	0	0	0
normalized size	1	1.	7.7	9.06	0.	0.	0.	0.
time (sec)	N/A	1.437	25.544	1.664	0.	0.	0.	0.

Problem 349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	397	397	3330	3438	0	0	0	0
normalized size	1	1.	8.39	8.66	0.	0.	0.	0.
time (sec)	N/A	0.933	24.424	1.091	0.	0.	0.	0.

Problem 350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	314	314	434	2498	0	0	0	0
normalized size	1	1.	1.38	7.96	0.	0.	0.	0.
time (sec)	N/A	0.598	18.454	0.718	0.	0.	0.	0.

Problem 351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	256	256	408	1752	0	0	0	0
normalized size	1	1.	1.59	6.84	0.	0.	0.	0.
time (sec)	N/A	0.34	14.937	0.49	0.	0.	0.	0.

Problem 352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	320	320	913	1372	0	0	0	0
normalized size	1	1.	2.85	4.29	0.	0.	0.	0.
time (sec)	N/A	0.29	17.887	0.403	0.	0.	0.	0.

Problem 353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	344	344	1107	1389	0	0	0	0
normalized size	1	1.	3.22	4.04	0.	0.	0.	0.
time (sec)	N/A	0.369	17.92	0.385	0.	0.	0.	0.

Problem 354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	429	429	1161	2065	0	0	0	0
normalized size	1	1.	2.71	4.81	0.	0.	0.	0.
time (sec)	N/A	0.733	18.83	0.379	0.	0.	0.	0.

Problem 355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	509	509	1565	2954	0	0	0	0
normalized size	1	1.	3.07	5.8	0.	0.	0.	0.
time (sec)	N/A	1.129	20.186	0.453	0.	0.	0.	0.

Problem 356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	475	475	3766	4394	0	0	0	0
normalized size	1	1.	7.93	9.25	0.	0.	0.	0.
time (sec)	N/A	1.225	25.765	1.639	0.	0.	0.	0.

Problem 357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	388	388	3342	3424	0	0	0	0
normalized size	1	1.	8.61	8.82	0.	0.	0.	0.
time (sec)	N/A	0.829	24.546	1.07	0.	0.	0.	0.

Problem 358	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	312	312	502	2683	0	0	0	0
normalized size	1	1.	1.61	8.6	0.	0.	0.	0.
time (sec)	N/A	0.57	18.755	0.71	0.	0.	0.	0.

Problem 359	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	381	381	6093	2340	0	0	0	0
normalized size	1	1.	15.99	6.14	0.	0.	0.	0.
time (sec)	N/A	0.465	24.118	0.476	0.	0.	0.	0.

Problem 360	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	361	361	979	2199	0	0	0	0
normalized size	1	1.	2.71	6.09	0.	0.	0.	0.
time (sec)	N/A	0.451	18.375	0.464	0.	0.	0.	0.

Problem 361	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	428	428	1598	2439	0	0	0	0
normalized size	1	1.	3.73	5.7	0.	0.	0.	0.
time (sec)	N/A	0.792	19.438	0.379	0.	0.	0.	0.

Problem 362	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	520	520	1551	3142	0	0	0	0
normalized size	1	1.	2.98	6.04	0.	0.	0.	0.
time (sec)	N/A	1.275	19.034	0.448	0.	0.	0.	0.

Problem 363	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	566	566	4227	5368	0	0	0	0
normalized size	1	1.	7.47	9.48	0.	0.	0.	0.
time (sec)	N/A	1.784	26.593	2.49	0.	0.	0.	0.

Problem 364	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	469	469	3781	4395	0	0	0	0
normalized size	1	1.	8.06	9.37	0.	0.	0.	0.
time (sec)	N/A	1.183	26.294	1.639	0.	0.	0.	0.

Problem 365	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	384	384	2957	3637	0	0	0	0
normalized size	1	1.	7.7	9.47	0.	0.	0.	0.
time (sec)	N/A	0.807	23.279	1.082	0.	0.	0.	0.

Problem 366	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	442	442	7168	3285	0	0	0	0
normalized size	1	1.	16.22	7.43	0.	0.	0.	0.
time (sec)	N/A	0.656	25.207	0.749	0.	0.	0.	0.

Problem 367	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	433	433	1146	3215	0	0	0	0
normalized size	1	1.	2.65	7.42	0.	0.	0.	0.
time (sec)	N/A	0.703	19.289	0.639	0.	0.	0.	0.

Problem 368	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	450	450	1338	3271	0	0	0	0
normalized size	1	1.	2.97	7.27	0.	0.	0.	0.
time (sec)	N/A	0.835	19.344	0.648	0.	0.	0.	0.

Problem 369	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	518	518	1567	3511	0	0	0	0
normalized size	1	1.	3.03	6.78	0.	0.	0.	0.
time (sec)	N/A	1.365	19.486	0.489	0.	0.	0.	0.

Problem 370	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	617	617	5186	4231	0	0	0	0
normalized size	1	1.	8.41	6.86	0.	0.	0.	0.
time (sec)	N/A	1.832	24.539	0.612	0.	0.	0.	0.

Problem 371	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	329	329	3000	2499	0	0	0	0
normalized size	1	1.	9.12	7.6	0.	0.	0.	0.
time (sec)	N/A	0.618	23.224	0.756	0.	0.	0.	0.

Problem 372	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	261	261	372	1567	0	0	0	0
normalized size	1	1.	1.43	6.	0.	0.	0.	0.
time (sec)	N/A	0.397	16.407	0.495	0.	0.	0.	0.

Problem 373	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	210	210	356	829	0	0	0	0
normalized size	1	1.	1.7	3.95	0.	0.	0.	0.
time (sec)	N/A	0.206	14.516	0.403	0.	0.	0.	0.

Problem 374	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	147	215	0	0	0	0
normalized size	1	1.	0.71	1.03	0.	0.	0.	0.
time (sec)	N/A	0.124	2.232	0.347	0.	0.	0.	0.

Problem 375	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	348	348	1027	1028	0	0	0	0
normalized size	1	1.	2.95	2.95	0.	0.	0.	0.
time (sec)	N/A	0.405	17.024	0.39	0.	0.	0.	0.

Problem 376	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	435	435	1639	1885	0	0	0	0
normalized size	1	1.	3.77	4.33	0.	0.	0.	0.
time (sec)	N/A	0.724	15.906	0.388	0.	0.	0.	0.

Problem 377	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	525	525	1585	2954	0	0	0	0
normalized size	1	1.	3.02	5.63	0.	0.	0.	0.
time (sec)	N/A	1.168	19.87	0.471	0.	0.	0.	0.

Problem 378	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	329	329	3460	3333	0	0	0	0
normalized size	1	1.	10.52	10.13	0.	0.	0.	0.
time (sec)	N/A	0.72	24.791	0.743	0.	0.	0.	0.

Problem 379	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	275	275	467	2276	0	0	0	0
normalized size	1	1.	1.7	8.28	0.	0.	0.	0.
time (sec)	N/A	0.464	18.717	0.469	0.	0.	0.	0.

Problem 380	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	254	254	468	1634	0	0	0	0
normalized size	1	1.	1.84	6.43	0.	0.	0.	0.
time (sec)	N/A	0.348	15.577	0.381	0.	0.	0.	0.

Problem 381	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	376	376	1491	2009	0	0	0	0
normalized size	1	1.	3.97	5.34	0.	0.	0.	0.
time (sec)	N/A	0.433	14.712	0.385	0.	0.	0.	0.

Problem 382	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	427	427	1613	2871	0	0	0	0
normalized size	1	1.	3.78	6.72	0.	0.	0.	0.
time (sec)	N/A	0.701	19.701	0.372	0.	0.	0.	0.

Problem 383	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	531	531	2667	3980	0	0	0	0
normalized size	1	1.	5.02	7.5	0.	0.	0.	0.
time (sec)	N/A	1.139	18.56	0.525	0.	0.	0.	0.

Problem 384	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	630	630	2343	5086	0	0	0	0
normalized size	1	1.	3.72	8.07	0.	0.	0.	0.
time (sec)	N/A	1.669	22.385	0.717	0.	0.	0.	0.

Problem 385	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	510	510	4342	8044	0	0	0	0
normalized size	1	1.	8.51	15.77	0.	0.	0.	0.
time (sec)	N/A	1.588	26.921	1.589	0.	0.	0.	0.

Problem 386	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	417	417	3920	6455	0	0	0	0
normalized size	1	1.	9.4	15.48	0.	0.	0.	0.
time (sec)	N/A	1.016	26.453	0.794	0.	0.	0.	0.

Problem 387	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	387	387	3514	5170	0	0	0	0
normalized size	1	1.	9.08	13.36	0.	0.	0.	0.
time (sec)	N/A	0.694	24.887	0.42	0.	0.	0.	0.

Problem 388	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	353	353	3225	4213	0	0	0	0
normalized size	1	1.	9.14	11.93	0.	0.	0.	0.
time (sec)	N/A	0.598	22.685	0.387	0.	0.	0.	0.

Problem 389	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	495	495	2083	5710	0	0	0	0
normalized size	1	1.	4.21	11.54	0.	0.	0.	0.
time (sec)	N/A	0.767	17.16	0.414	0.	0.	0.	0.

Problem 390	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	582	582	2390	8545	0	0	0	0
normalized size	1	1.	4.11	14.68	0.	0.	0.	0.
time (sec)	N/A	1.214	22.046	0.677	0.	0.	0.	0.

Problem 391	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	686	686	823	10322	0	0	0	0
normalized size	1	1.	1.2	15.05	0.	0.	0.	0.
time (sec)	N/A	2.05	14.717	0.957	0.	0.	0.	0.

Problem 392	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	105	105	248	642	0	0	0	0
normalized size	1	1.	2.36	6.11	0.	0.	0.	0.
time (sec)	N/A	0.081	10.552	0.432	0.	0.	0.	0.

Problem 393	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	107	107	211	457	0	0	0	0
normalized size	1	1.	1.97	4.27	0.	0.	0.	0.
time (sec)	N/A	0.085	8.097	0.427	0.	0.	0.	0.

Problem 394	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	132	663	0	0	0	0
normalized size	1	1.	0.73	3.68	0.	0.	0.	0.
time (sec)	N/A	0.183	1.871	5.766	0.	0.	0.	0.

Problem 395	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	104	428	0	0	0	0
normalized size	1	1.	0.73	2.99	0.	0.	0.	0.
time (sec)	N/A	0.147	0.913	4.188	0.	0.	0.	0.

Problem 396	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	84	244	0	0	0	0
normalized size	1	1.	0.76	2.2	0.	0.	0.	0.
time (sec)	N/A	0.139	0.295	1.928	0.	0.	0.	0.

Problem 397	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	90	326	0	0	0	0
normalized size	1	1.	0.78	2.83	0.	0.	0.	0.
time (sec)	N/A	0.147	0.255	1.785	0.	0.	0.	0.

Problem 398	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	108	371	0	0	0	0
normalized size	1	1.	0.73	2.51	0.	0.	0.	0.
time (sec)	N/A	0.163	0.604	1.806	0.	0.	0.	0.

Problem 399	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	125	413	0	0	0	0
normalized size	1	1.	0.69	2.29	0.	0.	0.	0.
time (sec)	N/A	0.181	1.055	1.948	0.	0.	0.	0.

Problem 400	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	263	263	221	859	0	0	0	0
normalized size	1	1.	0.84	3.27	0.	0.	0.	0.
time (sec)	N/A	0.373	4.602	7.429	0.	0.	0.	0.

Problem 401	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	171	750	0	0	0	0
normalized size	1	1.	0.77	3.39	0.	0.	0.	0.
time (sec)	N/A	0.315	2.69	6.353	0.	0.	0.	0.

Problem 402	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	177	177	125	677	0	0	0	0
normalized size	1	1.	0.71	3.82	0.	0.	0.	0.
time (sec)	N/A	0.27	1.263	4.855	0.	0.	0.	0.

Problem 403	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	124	404	0	0	0	0
normalized size	1	1.	0.77	2.51	0.	0.	0.	0.
time (sec)	N/A	0.248	0.757	2.187	0.	0.	0.	0.

Problem 404	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	171	171	128	487	0	0	0	0
normalized size	1	1.	0.75	2.85	0.	0.	0.	0.
time (sec)	N/A	0.26	0.972	1.87	0.	0.	0.	0.

Problem 405	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	161	548	0	0	0	0
normalized size	1	1.	0.76	2.57	0.	0.	0.	0.
time (sec)	N/A	0.289	1.448	2.148	0.	0.	0.	0.

Problem 406	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	254	254	189	610	0	0	0	0
normalized size	1	1.	0.74	2.4	0.	0.	0.	0.
time (sec)	N/A	0.337	1.94	1.985	0.	0.	0.	0.

Problem 407	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	345	345	452	1193	0	0	0	0
normalized size	1	1.	1.31	3.46	0.	0.	0.	0.
time (sec)	N/A	0.572	6.553	9.93	0.	0.	0.	0.

Problem 408	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	295	295	225	944	0	0	0	0
normalized size	1	1.	0.76	3.2	0.	0.	0.	0.
time (sec)	N/A	0.504	3.88	8.33	0.	0.	0.	0.

Problem 409	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	190	997	0	0	0	0
normalized size	1	1.	0.78	4.09	0.	0.	0.	0.
time (sec)	N/A	0.483	2.456	6.648	0.	0.	0.	0.

Problem 410	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	239	239	166	1212	0	0	0	0
normalized size	1	1.	0.69	5.07	0.	0.	0.	0.
time (sec)	N/A	0.51	1.986	5.698	0.	0.	0.	0.

Problem 411	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	172	867	0	0	0	0
normalized size	1	1.	0.73	3.67	0.	0.	0.	0.
time (sec)	N/A	0.461	1.586	2.298	0.	0.	0.	0.

Problem 412	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	245	245	180	664	0	0	0	0
normalized size	1	1.	0.73	2.71	0.	0.	0.	0.
time (sec)	N/A	0.467	1.358	2.01	0.	0.	0.	0.

Problem 413	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	295	295	219	745	0	0	0	0
normalized size	1	1.	0.74	2.53	0.	0.	0.	0.
time (sec)	N/A	0.538	2.096	2.046	0.	0.	0.	0.

Problem 414	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	345	345	256	825	0	0	0	0
normalized size	1	1.	0.74	2.39	0.	0.	0.	0.
time (sec)	N/A	0.574	3.096	1.988	0.	0.	0.	0.

Problem 415	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	277	277	669	785	0	0	0	0
normalized size	1	1.	2.42	2.83	0.	0.	0.	0.
time (sec)	N/A	1.014	6.962	6.75	0.	0.	0.	0.

Problem 416	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	210	210	229	466	0	0	0	0
normalized size	1	1.	1.09	2.22	0.	0.	0.	0.
time (sec)	N/A	0.713	3.659	5.356	0.	0.	0.	0.

Problem 417	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	125	325	0	0	0	0
normalized size	1	1.	0.99	2.58	0.	0.	0.	0.
time (sec)	N/A	0.401	1.336	3.801	0.	0.	0.	0.

Problem 418	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	78	217	0	0	0	0
normalized size	1	1.	0.77	2.15	0.	0.	0.	0.
time (sec)	N/A	0.198	0.581	2.02	0.	0.	0.	0.

Problem 419	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	224	295	0	0	0	0
normalized size	1	1.	1.5	1.98	0.	0.	0.	0.
time (sec)	N/A	0.257	6.941	2.069	0.	0.	0.	0.

Problem 420	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	282	786	0	0	0	0
normalized size	1	1.	1.44	4.01	0.	0.	0.	0.
time (sec)	N/A	0.467	6.524	2.248	0.	0.	0.	0.

Problem 421	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	242	242	617	1074	0	0	0	0
normalized size	1	1.	2.55	4.44	0.	0.	0.	0.
time (sec)	N/A	0.755	6.939	2.22	0.	0.	0.	0.

Problem 422	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	406	406	738	1024	0	0	0	0
normalized size	1	1.	1.82	2.52	0.	0.	0.	0.
time (sec)	N/A	1.162	7.145	9.448	0.	0.	0.	0.

Problem 423	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	315	315	685	877	0	0	0	0
normalized size	1	1.	2.17	2.78	0.	0.	0.	0.
time (sec)	N/A	0.837	6.984	6.326	0.	0.	0.	0.

Problem 424	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	257	257	643	715	0	0	0	0
normalized size	1	1.	2.5	2.78	0.	0.	0.	0.
time (sec)	N/A	0.527	6.889	5.18	0.	0.	0.	0.

Problem 425	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	263	263	727	802	0	0	0	0
normalized size	1	1.	2.76	3.05	0.	0.	0.	0.
time (sec)	N/A	0.506	6.905	5.786	0.	0.	0.	0.

Problem 426	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	283	283	657	843	0	0	0	0
normalized size	1	1.	2.32	2.98	0.	0.	0.	0.
time (sec)	N/A	0.569	6.975	6.439	0.	0.	0.	0.

Problem 427	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	365	365	704	1059	0	0	0	0
normalized size	1	1.	1.93	2.9	0.	0.	0.	0.
time (sec)	N/A	0.859	7.146	7.161	0.	0.	0.	0.

Problem 428	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	583	583	902	2178	0	0	0	0
normalized size	1	1.	1.55	3.74	0.	0.	0.	0.
time (sec)	N/A	1.779	7.455	15.662	0.	0.	0.	0.

Problem 429	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	480	480	847	2024	0	0	0	0
normalized size	1	1.	1.76	4.22	0.	0.	0.	0.
time (sec)	N/A	1.378	7.271	10.555	0.	0.	0.	0.

Problem 430	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	402	402	800	1768	0	0	0	0
normalized size	1	1.	1.99	4.4	0.	0.	0.	0.
time (sec)	N/A	0.914	7.017	8.45	0.	0.	0.	0.

Problem 431	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	402	402	887	1872	0	0	0	0
normalized size	1	1.	2.21	4.66	0.	0.	0.	0.
time (sec)	N/A	0.914	7.015	8.338	0.	0.	0.	0.

Problem 432	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	402	402	890	1959	0	0	0	0
normalized size	1	1.	2.21	4.87	0.	0.	0.	0.
time (sec)	N/A	0.865	6.986	8.849	0.	0.	0.	0.

Problem 433	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	427	427	823	2000	0	0	0	0
normalized size	1	1.	1.93	4.68	0.	0.	0.	0.
time (sec)	N/A	0.998	7.388	9.803	0.	0.	0.	0.

Problem 434	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	521	521	868	2216	0	0	0	0
normalized size	1	1.	1.67	4.25	0.	0.	0.	0.
time (sec)	N/A	1.444	7.353	11.085	0.	0.	0.	0.

Problem 435	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	336	336	422	2521	0	0	0	0
normalized size	1	1.	1.26	7.5	0.	0.	0.	0.
time (sec)	N/A	1.108	5.34	0.492	0.	0.	0.	0.

Problem 436	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	377	1431	0	0	0	0
normalized size	1	1.	1.49	5.66	0.	0.	0.	0.
time (sec)	N/A	0.783	6.096	0.503	0.	0.	0.	0.

Problem 437	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	208	208	122	1549	0	0	0	0
normalized size	1	1.	0.59	7.45	0.	0.	0.	0.
time (sec)	N/A	0.543	2.549	0.491	0.	0.	0.	0.

Problem 438	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	201	201	165	1926	0	0	0	0
normalized size	1	1.	0.82	9.58	0.	0.	0.	0.
time (sec)	N/A	0.479	0.754	0.36	0.	0.	0.	0.

Problem 439	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	267	267	200	2739	0	0	0	0
normalized size	1	1.	0.75	10.26	0.	0.	0.	0.
time (sec)	N/A	0.748	1.181	0.494	0.	0.	0.	0.

Problem 440	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	343	343	208	3778	0	0	0	0
normalized size	1	1.	0.61	11.01	0.	0.	0.	0.
time (sec)	N/A	1.035	1.311	0.582	0.	0.	0.	0.

Problem 441	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	421	421	673	4051	0	0	0	0
normalized size	1	1.	1.6	9.62	0.	0.	0.	0.
time (sec)	N/A	1.597	6.783	0.575	0.	0.	0.	0.

Problem 442	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	339	339	595	2947	0	0	0	0
normalized size	1	1.	1.76	8.69	0.	0.	0.	0.
time (sec)	N/A	1.207	6.72	0.402	0.	0.	0.	0.

Problem 443	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	272	272	554	2595	0	0	0	0
normalized size	1	1.	2.04	9.54	0.	0.	0.	0.
time (sec)	N/A	0.868	6.685	0.502	0.	0.	0.	0.

Problem 444	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	276	276	437	2552	0	0	0	0
normalized size	1	1.	1.58	9.25	0.	0.	0.	0.
time (sec)	N/A	0.918	4.431	0.391	0.	0.	0.	0.

Problem 445	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	266	266	201	2915	0	0	0	0
normalized size	1	1.	0.76	10.96	0.	0.	0.	0.
time (sec)	N/A	0.792	1.578	0.441	0.	0.	0.	0.

Problem 446	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	342	342	255	3752	0	0	0	0
normalized size	1	1.	0.75	10.97	0.	0.	0.	0.
time (sec)	N/A	1.129	1.935	0.568	0.	0.	0.	0.

Problem 447	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	427	427	313	4846	0	0	0	0
normalized size	1	1.	0.73	11.35	0.	0.	0.	0.
time (sec)	N/A	1.495	2.072	0.763	0.	0.	0.	0.

Problem 448	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	513	513	768	5392	0	0	0	0
normalized size	1	1.	1.5	10.51	0.	0.	0.	0.
time (sec)	N/A	1.998	6.91	0.791	0.	0.	0.	0.

Problem 449	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	422	422	678	4258	0	0	0	0
normalized size	1	1.	1.61	10.09	0.	0.	0.	0.
time (sec)	N/A	1.594	6.923	0.515	0.	0.	0.	0.

Problem 450	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	359	359	628	3939	0	0	0	0
normalized size	1	1.	1.75	10.97	0.	0.	0.	0.
time (sec)	N/A	1.249	7.002	0.523	0.	0.	0.	0.

Problem 451	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	349	349	599	3663	0	0	0	0
normalized size	1	1.	1.72	10.5	0.	0.	0.	0.
time (sec)	N/A	1.25	6.95	0.412	0.	0.	0.	0.

Problem 452	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	342	342	616	3564	0	0	0	0
normalized size	1	1.	1.8	10.42	0.	0.	0.	0.
time (sec)	N/A	1.223	6.966	0.466	0.	0.	0.	0.

Problem 453	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	340	340	257	3980	0	0	0	0
normalized size	1	1.	0.76	11.71	0.	0.	0.	0.
time (sec)	N/A	1.155	1.791	0.557	0.	0.	0.	0.

Problem 454	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	425	425	313	4847	0	0	0	0
normalized size	1	1.	0.74	11.4	0.	0.	0.	0.
time (sec)	N/A	1.518	2.497	0.744	0.	0.	0.	0.

Problem 455	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	519	519	380	5946	0	0	0	0
normalized size	1	1.	0.73	11.46	0.	0.	0.	0.
time (sec)	N/A	1.96	3.553	1.022	0.	0.	0.	0.

Problem 456	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	344	344	451	2737	0	0	0	0
normalized size	1	1.	1.31	7.96	0.	0.	0.	0.
time (sec)	N/A	1.111	3.992	0.46	0.	0.	0.	0.

Problem 457	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	256	256	339	1440	0	0	0	0
normalized size	1	1.	1.32	5.62	0.	0.	0.	0.
time (sec)	N/A	0.731	6.754	0.43	0.	0.	0.	0.

Problem 458	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	138	138	91	283	0	0	0	0
normalized size	1	1.	0.66	2.05	0.	0.	0.	0.
time (sec)	N/A	0.392	0.258	0.395	0.	0.	0.	0.

Problem 459	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	150	150	103	940	0	0	0	0
normalized size	1	1.	0.69	6.27	0.	0.	0.	0.
time (sec)	N/A	0.31	3.651	0.382	0.	0.	0.	0.

Problem 460	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	212	212	161	1731	0	0	0	0
normalized size	1	1.	0.76	8.17	0.	0.	0.	0.
time (sec)	N/A	0.48	0.878	0.401	0.	0.	0.	0.

Problem 461	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	280	280	198	2739	0	0	0	0
normalized size	1	1.	0.71	9.78	0.	0.	0.	0.
time (sec)	N/A	0.75	1.259	0.46	0.	0.	0.	0.

Problem 462	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	371	371	518	2655	0	0	0	0
normalized size	1	1.	1.4	7.16	0.	0.	0.	0.
time (sec)	N/A	1.269	5.746	0.359	0.	0.	0.	0.

Problem 463	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	464	1585	0	0	0	0
normalized size	1	1.	2.11	7.2	0.	0.	0.	0.
time (sec)	N/A	0.625	4.584	0.405	0.	0.	0.	0.

Problem 464	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	215	215	161	941	0	0	0	0
normalized size	1	1.	0.75	4.38	0.	0.	0.	0.
time (sec)	N/A	0.572	0.695	0.392	0.	0.	0.	0.

Problem 465	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	235	235	178	1452	0	0	0	0
normalized size	1	1.	0.76	6.18	0.	0.	0.	0.
time (sec)	N/A	0.579	1.001	0.421	0.	0.	0.	0.

Problem 466	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	326	326	252	2285	0	0	0	0
normalized size	1	1.	0.77	7.01	0.	0.	0.	0.
time (sec)	N/A	0.836	1.576	0.37	0.	0.	0.	0.

Problem 467	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	423	423	316	3156	0	0	0	0
normalized size	1	1.	0.75	7.46	0.	0.	0.	0.
time (sec)	N/A	1.222	2.173	0.458	0.	0.	0.	0.

Problem 468	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	399	399	726	5195	0	0	0	0
normalized size	1	1.	1.82	13.02	0.	0.	0.	0.
time (sec)	N/A	1.374	6.827	0.408	0.	0.	0.	0.

Problem 469	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	329	329	217	3138	0	0	0	0
normalized size	1	1.	0.66	9.54	0.	0.	0.	0.
time (sec)	N/A	0.842	2.245	0.401	0.	0.	0.	0.

Problem 470	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	346	346	245	3865	0	0	0	0
normalized size	1	1.	0.71	11.17	0.	0.	0.	0.
time (sec)	N/A	0.822	2.042	0.411	0.	0.	0.	0.

Problem 471	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	368	368	297	5169	0	0	0	0
normalized size	1	1.	0.81	14.05	0.	0.	0.	0.
time (sec)	N/A	0.937	2.352	0.464	0.	0.	0.	0.

Problem 472	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	472	472	353	6745	0	0	0	0
normalized size	1	1.	0.75	14.29	0.	0.	0.	0.
time (sec)	N/A	1.409	2.909	0.541	0.	0.	0.	0.

Problem 473	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	588	588	392	8251	0	0	0	0
normalized size	1	1.	0.67	14.03	0.	0.	0.	0.
time (sec)	N/A	1.879	3.742	0.81	0.	0.	0.	0.

Problem 474	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	125	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.158	21.182	0.145	0.	0.	0.	0.

Problem 475	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	125	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.146	17.829	0.139	0.	0.	0.	0.

Problem 476	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	125	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.176	3.338	0.165	0.	0.	0.	0.

Problem 477	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	125	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.162	3.33	0.181	0.	0.	0.	0.

Problem 478	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	35	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.093	4.27	1.197	0.	0.	0.	0.

Problem 479	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	544	544	365	0	0	0	0	0
normalized size	1	1.	0.67	0.	0.	0.	0.	0.
time (sec)	N/A	1.63	4.423	0.804	0.	0.	0.	0.

Problem 480	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	366	366	307	0	0	0	0	0
normalized size	1	1.	0.84	0.	0.	0.	0.	0.
time (sec)	N/A	0.786	2.208	0.623	0.	0.	0.	0.

Problem 481	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	261	261	239	0	0	0	0	0
normalized size	1	1.	0.92	0.	0.	0.	0.	0.
time (sec)	N/A	0.406	0.964	1.058	0.	0.	0.	0.

Problem 482	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	177	177	168	0	0	0	0	0
normalized size	1	1.	0.95	0.	0.	0.	0.	0.
time (sec)	N/A	0.201	0.387	0.559	0.	0.	0.	0.

Problem 483	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	132	132	872	383	0	0	0	0
normalized size	1	1.	6.61	2.9	0.	0.	0.	0.
time (sec)	N/A	0.229	6.284	1.923	0.	0.	0.	0.

Problem 484	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	101	101	830	355	0	0	0	0
normalized size	1	1.	8.22	3.51	0.	0.	0.	0.
time (sec)	N/A	0.21	6.204	2.14	0.	0.	0.	0.

Problem 485	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	70	70	309	321	0	0	0	0
normalized size	1	1.	4.41	4.59	0.	0.	0.	0.
time (sec)	N/A	0.186	5.918	2.037	0.	0.	0.	0.

Problem 486	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	66	66	252	240	0	0	0	0
normalized size	1	1.	3.82	3.64	0.	0.	0.	0.
time (sec)	N/A	0.194	6.074	2.013	0.	0.	0.	0.

Problem 487	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	95	95	813	426	0	0	0	0
normalized size	1	1.	8.56	4.48	0.	0.	0.	0.
time (sec)	N/A	0.217	6.338	4.806	0.	0.	0.	0.

Problem 488	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	132	132	865	661	0	0	0	0
normalized size	1	1.	6.55	5.01	0.	0.	0.	0.
time (sec)	N/A	0.232	6.387	5.993	0.	0.	0.	0.

Problem 489	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	194	194	1086	413	0	0	0	0
normalized size	1	1.	5.6	2.13	0.	0.	0.	0.
time (sec)	N/A	0.404	6.341	1.789	0.	0.	0.	0.

Problem 490	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	161	161	1040	385	0	0	0	0
normalized size	1	1.	6.46	2.39	0.	0.	0.	0.
time (sec)	N/A	0.362	6.249	1.744	0.	0.	0.	0.

Problem 491	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	126	126	994	357	0	0	0	0
normalized size	1	1.	7.89	2.83	0.	0.	0.	0.
time (sec)	N/A	0.347	6.301	1.776	0.	0.	0.	0.

Problem 492	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	116	116	735	388	0	0	0	0
normalized size	1	1.	6.34	3.34	0.	0.	0.	0.
time (sec)	N/A	0.337	6.374	1.988	0.	0.	0.	0.

Problem 493	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	120	120	736	513	0	0	0	0
normalized size	1	1.	6.13	4.28	0.	0.	0.	0.
time (sec)	N/A	0.35	6.426	2.253	0.	0.	0.	0.

Problem 494	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	159	159	1025	741	0	0	0	0
normalized size	1	1.	6.45	4.66	0.	0.	0.	0.
time (sec)	N/A	0.381	6.52	6.256	0.	0.	0.	0.

Problem 495	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	194	194	1067	851	0	0	0	0
normalized size	1	1.	5.5	4.39	0.	0.	0.	0.
time (sec)	N/A	0.415	6.555	7.114	0.	0.	0.	0.

Problem 496	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	157	157	1292	282	0	0	0	0
normalized size	1	1.	8.23	1.8	0.	0.	0.	0.
time (sec)	N/A	0.265	6.601	1.886	0.	0.	0.	0.

Problem 497	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	124	124	1239	262	0	0	0	0
normalized size	1	1.	9.99	2.11	0.	0.	0.	0.
time (sec)	N/A	0.244	6.533	2.127	0.	0.	0.	0.

Problem 498	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	1208	244	0	0	0	0
normalized size	1	1.	13.73	2.77	0.	0.	0.	0.
time (sec)	N/A	0.22	6.476	1.775	0.	0.	0.	0.

Problem 499	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	1204	243	0	0	0	0
normalized size	1	1.	14.51	2.93	0.	0.	0.	0.
time (sec)	N/A	0.222	6.451	1.912	0.	0.	0.	0.

Problem 500	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	113	113	1240	318	0	0	0	0
normalized size	1	1.	10.97	2.81	0.	0.	0.	0.
time (sec)	N/A	0.24	6.663	4.232	0.	0.	0.	0.

Problem 501	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	1277	493	0	0	0	0
normalized size	1	1.	8.4	3.24	0.	0.	0.	0.
time (sec)	N/A	0.26	6.987	5.406	0.	0.	0.	0.

Problem 502	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	204	204	1396	465	0	0	0	0
normalized size	1	1.	6.84	2.28	0.	0.	0.	0.
time (sec)	N/A	0.419	6.833	2.219	0.	0.	0.	0.

Problem 503	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	171	171	1352	435	0	0	0	0
normalized size	1	1.	7.91	2.54	0.	0.	0.	0.
time (sec)	N/A	0.401	6.718	2.084	0.	0.	0.	0.

Problem 504	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	137	137	1318	421	0	0	0	0
normalized size	1	1.	9.62	3.07	0.	0.	0.	0.
time (sec)	N/A	0.375	6.632	1.839	0.	0.	0.	0.

Problem 505	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	121	121	921	350	0	0	0	0
normalized size	1	1.	7.61	2.89	0.	0.	0.	0.
time (sec)	N/A	0.346	6.518	2.116	0.	0.	0.	0.

Problem 506	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	121	121	921	350	0	0	0	0
normalized size	1	1.	7.61	2.89	0.	0.	0.	0.
time (sec)	N/A	0.355	6.513	1.891	0.	0.	0.	0.

Problem 507	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	164	164	1351	492	0	0	0	0
normalized size	1	1.	8.24	3.	0.	0.	0.	0.
time (sec)	N/A	0.397	6.727	2.314	0.	0.	0.	0.

Problem 508	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	197	197	1392	750	0	0	0	0
normalized size	1	1.	7.07	3.81	0.	0.	0.	0.
time (sec)	N/A	0.428	7.232	6.874	0.	0.	0.	0.

Problem 509	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	221	221	1448	465	0	0	0	0
normalized size	1	1.	6.55	2.1	0.	0.	0.	0.
time (sec)	N/A	0.582	6.906	2.1	0.	0.	0.	0.

Problem 510	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	188	188	1415	451	0	0	0	0
normalized size	1	1.	7.53	2.4	0.	0.	0.	0.
time (sec)	N/A	0.548	6.824	2.265	0.	0.	0.	0.

Problem 511	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	182	182	1407	451	0	0	0	0
normalized size	1	1.	7.73	2.48	0.	0.	0.	0.
time (sec)	N/A	0.539	6.746	2.089	0.	0.	0.	0.

Problem 512	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	178	178	1406	451	0	0	0	0
normalized size	1	1.	7.9	2.53	0.	0.	0.	0.
time (sec)	N/A	0.522	6.655	2.285	0.	0.	0.	0.

Problem 513	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	180	180	1407	451	0	0	0	0
normalized size	1	1.	7.82	2.51	0.	0.	0.	0.
time (sec)	N/A	0.533	6.705	2.002	0.	0.	0.	0.

Problem 514	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	221	221	1447	685	0	0	0	0
normalized size	1	1.	6.55	3.1	0.	0.	0.	0.
time (sec)	N/A	0.577	6.973	2.533	0.	0.	0.	0.

Problem 515	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	220	220	119	130	738	309	0	0
normalized size	1	1.	0.54	0.59	3.35	1.4	0.	0.
time (sec)	N/A	0.476	0.485	0.34	2.067	0.486	0.	0.

Problem 516	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	96	108	564	265	0	0
normalized size	1	1.	0.55	0.62	3.22	1.51	0.	0.
time (sec)	N/A	0.403	0.339	0.276	2.026	0.48	0.	0.

Problem 517	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	130	130	79	86	400	216	0	0
normalized size	1	1.	0.61	0.66	3.08	1.66	0.	0.
time (sec)	N/A	0.332	0.165	0.3	1.988	0.473	0.	0.

Problem 518	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	56	65	190	171	0	0
normalized size	1	1.	0.68	0.79	2.32	2.09	0.	0.
time (sec)	N/A	0.262	0.175	0.265	1.942	0.471	0.	0.

Problem 519	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	96	96	94	169	354	799	0	0
normalized size	1	1.	0.98	1.76	3.69	8.32	0.	0.
time (sec)	N/A	0.259	0.312	0.301	1.913	0.552	0.	0.

Problem 520	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	89	275	1222	929	0	0
normalized size	1	1.	0.91	2.81	12.47	9.48	0.	0.
time (sec)	N/A	0.257	0.377	0.297	2.124	0.675	0.	0.

Problem 521	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	106	342	2601	1035	0	0
normalized size	1	1.	0.7	2.26	17.23	6.85	0.	0.
time (sec)	N/A	0.331	0.623	0.344	2.272	0.681	0.	0.

Problem 522	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	196	196	131	404	4512	1131	0	0
normalized size	1	1.	0.67	2.06	23.02	5.77	0.	0.
time (sec)	N/A	0.396	1.047	0.353	2.606	0.688	0.	0.

Problem 523	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	275	275	131	153	949	397	0	0
normalized size	1	1.	0.48	0.56	3.45	1.44	0.	0.
time (sec)	N/A	0.714	0.548	0.303	2.132	0.494	0.	0.

Problem 524	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	118	131	753	332	0	0
normalized size	1	1.	0.52	0.57	3.3	1.46	0.	0.
time (sec)	N/A	0.686	0.422	0.315	2.094	0.485	0.	0.

Problem 525	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	100	109	609	282	0	0
normalized size	1	1.	0.55	0.6	3.36	1.56	0.	0.
time (sec)	N/A	0.617	0.316	0.273	2.063	0.482	0.	0.

Problem 526	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	80	87	373	228	0	0
normalized size	1	1.	0.61	0.66	2.85	1.74	0.	0.
time (sec)	N/A	0.383	0.267	0.272	2.003	0.475	0.	0.

Problem 527	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	145	145	101	201	787	910	0	0
normalized size	1	1.	0.7	1.39	5.43	6.28	0.	0.
time (sec)	N/A	0.444	0.43	0.296	2.056	0.561	0.	0.

Problem 528	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	133	306	1913	1018	0	0
normalized size	1	1.	0.92	2.12	13.28	7.07	0.	0.
time (sec)	N/A	0.433	0.766	0.309	2.16	0.682	0.	0.

Problem 529	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	107	343	4575	1062	0	0
normalized size	1	1.	0.7	2.24	29.9	6.94	0.	0.
time (sec)	N/A	0.454	0.837	0.312	2.457	0.681	0.	0.

Problem 530	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	134	405	6218	1177	0	0
normalized size	1	1.	0.67	2.02	31.09	5.88	0.	0.
time (sec)	N/A	0.54	1.282	0.289	2.832	0.69	0.	0.

Problem 531	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	153	467	7937	1277	0	0
normalized size	1	1.	0.62	1.89	32.13	5.17	0.	0.
time (sec)	N/A	0.634	1.849	0.33	3.813	0.83	0.	0.

Problem 532	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	275	275	137	155	1018	412	0	0
normalized size	1	1.	0.5	0.56	3.7	1.5	0.	0.
time (sec)	N/A	0.831	0.584	0.34	2.163	0.495	0.	0.

Problem 533	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	228	228	116	133	805	348	0	0
normalized size	1	1.	0.51	0.58	3.53	1.53	0.	0.
time (sec)	N/A	0.758	0.457	0.293	2.101	0.487	0.	0.

Problem 534	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	178	178	99	111	651	294	0	0
normalized size	1	1.	0.56	0.62	3.66	1.65	0.	0.
time (sec)	N/A	0.458	0.351	0.274	2.068	0.482	0.	0.

Problem 535	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	192	192	118	225	475	1040	0	0
normalized size	1	1.	0.61	1.17	2.47	5.42	0.	0.
time (sec)	N/A	0.619	0.635	0.311	2.002	0.572	0.	0.

Problem 536	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	197	197	117	368	3495	1146	0	0
normalized size	1	1.	0.59	1.87	17.74	5.82	0.	0.
time (sec)	N/A	0.626	0.662	0.332	2.387	0.695	0.	0.

Problem 537	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	173	376	0	1160	0	0
normalized size	1	1.	0.86	1.88	0.	5.8	0.	0.
time (sec)	N/A	0.627	0.923	0.338	0.	0.693	0.	0.

Problem 538	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	200	200	133	407	8501	1204	0	0
normalized size	1	1.	0.66	2.04	42.5	6.02	0.	0.
time (sec)	N/A	0.651	1.3	0.289	21.4	0.695	0.	0.

Problem 539	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	154	469	9897	1331	0	0
normalized size	1	1.	0.62	1.9	40.07	5.39	0.	0.
time (sec)	N/A	0.766	1.902	0.302	4.215	0.833	0.	0.

Problem 540	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	294	294	178	531	12477	1455	0	0
normalized size	1	1.	0.61	1.81	42.44	4.95	0.	0.
time (sec)	N/A	0.857	2.821	0.323	6.729	0.848	0.	0.

Problem 541	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	170	217	1011	1081	0	0
normalized size	1	1.	0.68	0.87	4.04	4.32	0.	0.
time (sec)	N/A	0.843	1.138	0.289	2.201	0.539	0.	0.

Problem 542	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	207	207	154	195	784	983	0	0
normalized size	1	1.	0.74	0.94	3.79	4.75	0.	0.
time (sec)	N/A	0.632	0.751	0.415	2.147	0.534	0.	0.

Problem 543	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	124	173	645	892	0	0
normalized size	1	1.	0.77	1.07	3.98	5.51	0.	0.
time (sec)	N/A	0.447	0.326	0.335	2.09	0.524	0.	0.

Problem 544	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	140	142	263	813	0	0
normalized size	1	1.	1.18	1.19	2.21	6.83	0.	0.
time (sec)	N/A	0.286	0.298	0.323	1.967	0.516	0.	0.

Problem 545	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	115	201	944	945	0	0
normalized size	1	1.	0.82	1.44	6.74	6.75	0.	0.
time (sec)	N/A	0.343	0.214	0.311	2.08	0.59	0.	0.

Problem 546	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	181	181	114	342	2037	1507	0	0
normalized size	1	1.	0.63	1.89	11.25	8.33	0.	0.
time (sec)	N/A	0.503	0.529	0.319	2.285	0.753	0.	0.

Problem 547	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	230	230	137	413	3650	1615	0	0
normalized size	1	1.	0.6	1.8	15.87	7.02	0.	0.
time (sec)	N/A	0.7	1.023	0.354	2.448	0.766	0.	0.

Problem 548	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	270	270	178	329	0	1283	0	0
normalized size	1	1.	0.66	1.22	0.	4.75	0.	0.
time (sec)	N/A	0.866	1.292	0.403	0.	0.547	0.	0.

Problem 549	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	223	223	155	307	0	1172	0	0
normalized size	1	1.	0.7	1.38	0.	5.26	0.	0.
time (sec)	N/A	0.687	1.232	0.315	0.	0.542	0.	0.

Problem 550	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	176	176	198	235	11081	1068	0	0
normalized size	1	1.	1.12	1.34	62.96	6.07	0.	0.
time (sec)	N/A	0.49	1.876	0.385	2.425	0.53	0.	0.

Problem 551	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	86	209	2924	995	0	0
normalized size	1	1.	0.68	1.65	23.02	7.83	0.	0.
time (sec)	N/A	0.317	0.505	0.287	2.182	0.521	0.	0.

Problem 552	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	185	185	113	303	0	1577	0	0
normalized size	1	1.	0.61	1.64	0.	8.52	0.	0.
time (sec)	N/A	0.531	0.924	0.298	0.	0.655	0.	0.

Problem 553	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	237	237	288	467	9527	1862	0	0
normalized size	1	1.	1.22	1.97	40.2	7.86	0.	0.
time (sec)	N/A	0.744	2.17	0.321	3.479	0.841	0.	0.

Problem 554	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	287	287	328	531	0	1989	0	0
normalized size	1	1.	1.14	1.85	0.	6.93	0.	0.
time (sec)	N/A	0.947	3.301	0.291	0.	0.862	0.	0.

Problem 555	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	317	317	207	461	0	1565	0	0
normalized size	1	1.	0.65	1.45	0.	4.94	0.	0.
time (sec)	N/A	1.123	2.095	0.325	0.	0.567	0.	0.

Problem 556	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	270	270	183	439	0	1457	0	0
normalized size	1	1.	0.68	1.63	0.	5.4	0.	0.
time (sec)	N/A	0.91	1.665	0.325	0.	0.558	0.	0.

Problem 557	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-1)	A	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	223	223	228	365	0	1338	0	0
normalized size	1	1.	1.02	1.64	0.	6.	0.	0.
time (sec)	N/A	0.7	2.461	0.444	0.	0.546	0.	0.

Problem 558	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	108	339	7997	1257	0	0
normalized size	1	1.	0.48	1.52	35.86	5.64	0.	0.
time (sec)	N/A	0.712	0.988	0.324	4.878	0.53	0.	0.

Problem 559	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	176	176	108	340	7231	1243	0	0
normalized size	1	1.	0.61	1.93	41.09	7.06	0.	0.
time (sec)	N/A	0.403	0.808	0.338	4.138	0.528	0.	0.

Problem 560	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	965	540	0	1906	0	0
normalized size	1	1.	4.12	2.31	0.	8.15	0.	0.
time (sec)	N/A	0.714	6.156	0.321	0.	0.688	0.	0.

Problem 561	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	286	286	1061	821	0	2234	0	0
normalized size	1	1.	3.71	2.87	0.	7.81	0.	0.
time (sec)	N/A	0.958	6.172	0.333	0.	0.925	0.	0.

Problem 562	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	103	413	0	0	0	0
normalized size	1	1.	0.74	2.95	0.	0.	0.	0.
time (sec)	N/A	0.231	0.893	1.888	0.	0.	0.	0.

Problem 563	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	108	108	86	371	0	0	0	0
normalized size	1	1.	0.8	3.44	0.	0.	0.	0.
time (sec)	N/A	0.214	0.441	1.894	0.	0.	0.	0.

Problem 564	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	67	326	0	0	0	0
normalized size	1	1.	0.89	4.35	0.	0.	0.	0.
time (sec)	N/A	0.193	0.259	1.946	0.	0.	0.	0.

Problem 565	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	64	244	0	0	0	0
normalized size	1	1.	0.9	3.44	0.	0.	0.	0.
time (sec)	N/A	0.193	0.369	2.018	0.	0.	0.	0.

Problem 566	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	107	428	0	0	0	0
normalized size	1	1.	1.04	4.16	0.	0.	0.	0.
time (sec)	N/A	0.212	0.49	4.615	0.	0.	0.	0.

Problem 567	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	134	663	0	0	0	0
normalized size	1	1.	0.96	4.74	0.	0.	0.	0.
time (sec)	N/A	0.231	0.842	5.971	0.	0.	0.	0.

Problem 568	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	139	548	0	0	0	0
normalized size	1	1.	0.76	3.01	0.	0.	0.	0.
time (sec)	N/A	0.368	1.216	1.966	0.	0.	0.	0.

Problem 569	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	106	487	0	0	0	0
normalized size	1	1.	0.76	3.48	0.	0.	0.	0.
time (sec)	N/A	0.332	0.622	2.096	0.	0.	0.	0.

Problem 570	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	121	121	102	404	0	0	0	0
normalized size	1	1.	0.84	3.34	0.	0.	0.	0.
time (sec)	N/A	0.318	0.663	2.04	0.	0.	0.	0.

Problem 571	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	126	105	677	0	0	0	0
normalized size	1	1.	0.83	5.37	0.	0.	0.	0.
time (sec)	N/A	0.335	1.197	4.912	0.	0.	0.	0.

Problem 572	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	175	750	0	0	0	0
normalized size	1	1.	1.02	4.36	0.	0.	0.	0.
time (sec)	N/A	0.375	1.128	6.644	0.	0.	0.	0.

Problem 573	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	191	859	0	0	0	0
normalized size	1	1.	0.89	4.01	0.	0.	0.	0.
time (sec)	N/A	0.396	4.61	8.288	0.	0.	0.	0.

Problem 574	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	263	1074	0	0	0	0
normalized size	1	1.	1.45	5.9	0.	0.	0.	0.
time (sec)	N/A	0.855	2.543	2.38	0.	0.	0.	0.

Problem 575	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	136	136	210	786	0	0	0	0
normalized size	1	1.	1.54	5.78	0.	0.	0.	0.
time (sec)	N/A	0.586	1.208	2.597	0.	0.	0.	0.

Problem 576	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	131	295	0	0	0	0
normalized size	1	1.	1.47	3.31	0.	0.	0.	0.
time (sec)	N/A	0.276	0.964	2.124	0.	0.	0.	0.

Problem 577	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	58	217	0	0	0	0
normalized size	1	1.	0.95	3.56	0.	0.	0.	0.
time (sec)	N/A	0.219	0.222	1.973	0.	0.	0.	0.

Problem 578	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	208	325	0	0	0	0
normalized size	1	1.	2.42	3.78	0.	0.	0.	0.
time (sec)	N/A	0.393	2.5	4.391	0.	0.	0.	0.

Problem 579	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	150	150	263	466	0	0	0	0
normalized size	1	1.	1.75	3.11	0.	0.	0.	0.
time (sec)	N/A	0.836	2.319	5.868	0.	0.	0.	0.

Problem 580	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	217	217	328	785	0	0	0	0
normalized size	1	1.	1.51	3.62	0.	0.	0.	0.
time (sec)	N/A	1.188	4.583	7.738	0.	0.	0.	0.

Problem 581	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	305	305	320	1059	0	0	0	0
normalized size	1	1.	1.05	3.47	0.	0.	0.	0.
time (sec)	N/A	1.018	3.4	7.568	0.	0.	0.	0.

Problem 582	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	283	843	0	0	0	0
normalized size	1	1.	1.27	3.78	0.	0.	0.	0.
time (sec)	N/A	0.702	2.813	6.337	0.	0.	0.	0.

Problem 583	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	203	203	263	802	0	0	0	0
normalized size	1	1.	1.3	3.95	0.	0.	0.	0.
time (sec)	N/A	0.614	2.506	5.03	0.	0.	0.	0.

Problem 584	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	197	197	276	715	0	0	0	0
normalized size	1	1.	1.4	3.63	0.	0.	0.	0.
time (sec)	N/A	0.667	2.721	4.72	0.	0.	0.	0.

Problem 585	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	255	255	319	877	0	0	0	0
normalized size	1	1.	1.25	3.44	0.	0.	0.	0.
time (sec)	N/A	0.944	4.374	6.725	0.	0.	0.	0.

Problem 586	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	346	346	429	1024	0	0	0	0
normalized size	1	1.	1.24	2.96	0.	0.	0.	0.
time (sec)	N/A	1.311	6.907	9.885	0.	0.	0.	0.

Problem 587	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	461	461	463	2216	0	0	0	0
normalized size	1	1.	1.	4.81	0.	0.	0.	0.
time (sec)	N/A	1.585	6.011	12.205	0.	0.	0.	0.

Problem 588	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	367	367	394	2000	0	0	0	0
normalized size	1	1.	1.07	5.45	0.	0.	0.	0.
time (sec)	N/A	1.108	4.701	10.316	0.	0.	0.	0.

Problem 589	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	346	346	361	1959	0	0	0	0
normalized size	1	1.	1.04	5.66	0.	0.	0.	0.
time (sec)	N/A	1.102	4.496	8.999	0.	0.	0.	0.

Problem 590	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	338	338	368	1872	0	0	0	0
normalized size	1	1.	1.09	5.54	0.	0.	0.	0.
time (sec)	N/A	1.006	4.719	8.612	0.	0.	0.	0.

Problem 591	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	342	342	387	1768	0	0	0	0
normalized size	1	1.	1.13	5.17	0.	0.	0.	0.
time (sec)	N/A	1.096	4.893	8.816	0.	0.	0.	0.

Problem 592	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	420	420	463	2024	0	0	0	0
normalized size	1	1.	1.1	4.82	0.	0.	0.	0.
time (sec)	N/A	1.478	5.698	10.895	0.	0.	0.	0.

Problem 593	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	523	523	572	2178	0	0	0	0
normalized size	1	1.	1.09	4.16	0.	0.	0.	0.
time (sec)	N/A	1.98	7.301	16.947	0.	0.	0.	0.

Problem 594	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	343	343	455	2364	0	0	0	0
normalized size	1	1.	1.33	6.89	0.	0.	0.	0.
time (sec)	N/A	1.219	17.282	0.603	0.	0.	0.	0.

Problem 595	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	267	267	353	1701	0	0	0	0
normalized size	1	1.	1.32	6.37	0.	0.	0.	0.
time (sec)	N/A	0.914	14.752	0.487	0.	0.	0.	0.

Problem 596	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	201	201	305	1162	0	0	0	0
normalized size	1	1.	1.52	5.78	0.	0.	0.	0.
time (sec)	N/A	0.62	9.013	0.38	0.	0.	0.	0.

Problem 597	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	208	208	25347	822	0	0	0	0
normalized size	1	1.	121.86	3.95	0.	0.	0.	0.
time (sec)	N/A	0.683	29.407	0.389	0.	0.	0.	0.

Problem 598	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	253	253	52603	789	0	0	0	0
normalized size	1	1.	207.92	3.12	0.	0.	0.	0.
time (sec)	N/A	0.935	32.289	0.421	0.	0.	0.	0.

Problem 599	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	336	336	77879	1475	0	0	0	0
normalized size	1	1.	231.78	4.39	0.	0.	0.	0.
time (sec)	N/A	1.262	32.981	0.417	0.	0.	0.	0.

Problem 600	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	427	427	540	3068	0	0	0	0
normalized size	1	1.	1.26	7.19	0.	0.	0.	0.
time (sec)	N/A	1.708	18.385	0.702	0.	0.	0.	0.

Problem 601	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	342	342	466	2326	0	0	0	0
normalized size	1	1.	1.36	6.8	0.	0.	0.	0.
time (sec)	N/A	1.304	16.942	0.493	0.	0.	0.	0.

Problem 602	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	266	266	369	1749	0	0	0	0
normalized size	1	1.	1.39	6.58	0.	0.	0.	0.
time (sec)	N/A	0.97	14.26	0.481	0.	0.	0.	0.

Problem 603	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	276	276	45958	1429	0	0	0	0
normalized size	1	1.	166.51	5.18	0.	0.	0.	0.
time (sec)	N/A	1.093	33.895	0.364	0.	0.	0.	0.

Problem 604	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	272	272	66581	1410	0	0	0	0
normalized size	1	1.	244.78	5.18	0.	0.	0.	0.
time (sec)	N/A	1.023	32.949	0.439	0.	0.	0.	0.

Problem 605	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	339	339	79375	1659	0	0	0	0
normalized size	1	1.	234.14	4.89	0.	0.	0.	0.
time (sec)	N/A	1.418	32.955	0.414	0.	0.	0.	0.

Problem 606	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	421	421	104716	2351	0	0	0	0
normalized size	1	1.	248.73	5.58	0.	0.	0.	0.
time (sec)	N/A	1.802	33.385	0.508	0.	0.	0.	0.

Problem 607	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	519	519	626	3816	0	0	0	0
normalized size	1	1.	1.21	7.35	0.	0.	0.	0.
time (sec)	N/A	2.174	19.966	1.01	0.	0.	0.	0.

Problem 608	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	425	425	542	3069	0	0	0	0
normalized size	1	1.	1.28	7.22	0.	0.	0.	0.
time (sec)	N/A	1.716	18.308	0.689	0.	0.	0.	0.

Problem 609	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	340	340	470	2450	0	0	0	0
normalized size	1	1.	1.38	7.21	0.	0.	0.	0.
time (sec)	N/A	1.322	17.262	0.597	0.	0.	0.	0.

Problem 610	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	342	342	49609	2052	0	0	0	0
normalized size	1	1.	145.06	6.	0.	0.	0.	0.
time (sec)	N/A	1.393	34.447	0.43	0.	0.	0.	0.

Problem 611	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	349	349	73332	2073	0	0	0	0
normalized size	1	1.	210.12	5.94	0.	0.	0.	0.
time (sec)	N/A	1.426	33.574	0.444	0.	0.	0.	0.

Problem 612	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	359	359	97208	2216	0	0	0	0
normalized size	1	1.	270.77	6.17	0.	0.	0.	0.
time (sec)	N/A	1.429	33.906	0.605	0.	0.	0.	0.

Problem 613	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	422	422	106199	2441	0	0	0	0
normalized size	1	1.	251.66	5.78	0.	0.	0.	0.
time (sec)	N/A	1.795	33.62	0.528	0.	0.	0.	0.

Problem 614	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	513	513	131553	3175	0	0	0	0
normalized size	1	1.	256.44	6.19	0.	0.	0.	0.
time (sec)	N/A	2.248	34.253	0.724	0.	0.	0.	0.

Problem 615	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	280	280	363	1701	0	0	0	0
normalized size	1	1.	1.3	6.08	0.	0.	0.	0.
time (sec)	N/A	0.916	14.789	0.445	0.	0.	0.	0.

Problem 616	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	212	212	311	1080	0	0	0	0
normalized size	1	1.	1.47	5.09	0.	0.	0.	0.
time (sec)	N/A	0.632	8.965	0.384	0.	0.	0.	0.

Problem 617	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	150	150	260	564	0	0	0	0
normalized size	1	1.	1.73	3.76	0.	0.	0.	0.
time (sec)	N/A	0.435	6.739	0.382	0.	0.	0.	0.

Problem 618	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	138	138	16611	257	0	0	0	0
normalized size	1	1.	120.37	1.86	0.	0.	0.	0.
time (sec)	N/A	0.526	28.334	0.361	0.	0.	0.	0.

Problem 619	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	256	256	51168	776	0	0	0	0
normalized size	1	1.	199.88	3.03	0.	0.	0.	0.
time (sec)	N/A	0.889	32.261	0.376	0.	0.	0.	0.

Problem 620	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	344	344	77909	1568	0	0	0	0
normalized size	1	1.	226.48	4.56	0.	0.	0.	0.
time (sec)	N/A	1.281	32.654	0.409	0.	0.	0.	0.

Problem 621	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	423	423	533	2084	0	0	0	0
normalized size	1	1.	1.26	4.93	0.	0.	0.	0.
time (sec)	N/A	1.404	18.958	0.435	0.	0.	0.	0.

Problem 622	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	326	326	417	1460	0	0	0	0
normalized size	1	1.	1.28	4.48	0.	0.	0.	0.
time (sec)	N/A	1.032	17.014	0.342	0.	0.	0.	0.

Problem 623	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	235	235	365	889	0	0	0	0
normalized size	1	1.	1.55	3.78	0.	0.	0.	0.
time (sec)	N/A	0.72	15.146	0.407	0.	0.	0.	0.

Problem 624	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	215	215	328	564	0	0	0	0
normalized size	1	1.	1.53	2.62	0.	0.	0.	0.
time (sec)	N/A	0.665	10.363	0.386	0.	0.	0.	0.

Problem 625	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	220	220	50122	840	0	0	0	0
normalized size	1	1.	227.83	3.82	0.	0.	0.	0.
time (sec)	N/A	0.788	32.167	0.336	0.	0.	0.	0.

Problem 626	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	371	371	95694	1441	0	0	0	0
normalized size	1	1.	257.94	3.88	0.	0.	0.	0.
time (sec)	N/A	1.446	33.481	0.367	0.	0.	0.	0.

Problem 627	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	487	487	140027	2295	0	0	0	0
normalized size	1	1.	287.53	4.71	0.	0.	0.	0.
time (sec)	N/A	1.859	34.871	0.449	0.	0.	0.	0.

Problem 628	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	588	588	4179	5675	0	0	0	0
normalized size	1	1.	7.11	9.65	0.	0.	0.	0.
time (sec)	N/A	2.067	24.638	0.734	0.	0.	0.	0.

Problem 629	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	472	472	626	4480	0	0	0	0
normalized size	1	1.	1.33	9.49	0.	0.	0.	0.
time (sec)	N/A	1.54	20.078	0.548	0.	0.	0.	0.

Problem 630	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	368	368	621	3337	0	0	0	0
normalized size	1	1.	1.69	9.07	0.	0.	0.	0.
time (sec)	N/A	1.105	18.54	0.677	0.	0.	0.	0.

Problem 631	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	346	346	463	2416	0	0	0	0
normalized size	1	1.	1.34	6.98	0.	0.	0.	0.
time (sec)	N/A	1.008	16.369	0.495	0.	0.	0.	0.

Problem 632	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	329	329	487	1921	0	0	0	0
normalized size	1	1.	1.48	5.84	0.	0.	0.	0.
time (sec)	N/A	1.043	16.032	0.454	0.	0.	0.	0.

Problem 633	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	399	399	97528	3159	0	0	0	0
normalized size	1	1.	244.43	7.92	0.	0.	0.	0.
time (sec)	N/A	1.5	33.595	0.535	0.	0.	0.	0.

Problem 634	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	C	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	526	526	184379	5358	0	0	0	0
normalized size	1	1.	350.53	10.19	0.	0.	0.	0.
time (sec)	N/A	1.99	35.973	0.714	0.	0.	0.	0.

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [272] had the largest ratio of [0.44]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	8	5	1.	23	0.217
2	A	7	5	1.	23	0.217
3	A	6	5	1.	23	0.217
4	A	5	4	1.	23	0.174
5	A	6	5	1.	23	0.217
6	A	7	5	1.	23	0.217
7	A	6	4	1.	31	0.129
8	A	6	4	1.	29	0.138

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
9	A	5	3	1.	23	0.13
10	A	6	4	1.	29	0.138
11	A	6	4	1.	31	0.129
12	A	6	4	1.	31	0.129
13	A	6	4	1.	29	0.138
14	A	5	3	1.	23	0.13
15	A	6	4	1.	29	0.138
16	A	6	4	1.	31	0.129
17	A	6	4	1.	31	0.129
18	A	6	4	1.	29	0.138
19	A	5	3	1.	23	0.13
20	A	6	4	1.	29	0.138
21	A	6	4	1.	31	0.129
22	A	6	4	1.	31	0.129
23	A	6	4	1.	29	0.138
24	A	5	3	1.	23	0.13
25	A	6	4	1.	29	0.138
26	A	6	4	1.	31	0.129
27	A	6	4	1.	31	0.129
28	A	6	4	1.	31	0.129
29	A	6	4	1.	31	0.129
30	A	6	4	1.	31	0.129
31	A	6	4	1.	31	0.129
32	A	6	4	1.	31	0.129
33	A	6	4	1.	29	0.138
34	A	6	4	1.	29	0.138
35	A	6	4	1.	27	0.148
36	A	5	3	1.	21	0.143
37	A	6	4	1.	27	0.148
38	A	6	4	1.	29	0.138
39	A	6	4	1.	31	0.129
40	A	6	4	1.	31	0.129

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
41	A	6	4	1.	31	0.129
42	A	6	4	1.	31	0.129
43	A	7	5	1.	29	0.172
44	A	6	5	1.	29	0.172
45	A	6	6	1.	29	0.207
46	A	5	5	1.	27	0.185
47	A	4	4	1.	21	0.19
48	A	3	2	1.	27	0.074
49	A	4	4	1.	29	0.138
50	A	5	5	1.	29	0.172
51	A	6	5	1.	29	0.172
52	A	7	5	1.	29	0.172
53	A	7	6	1.	31	0.194
54	A	7	7	1.	31	0.226
55	A	6	6	1.	29	0.207
56	A	5	5	1.	23	0.217
57	A	4	3	1.	29	0.103
58	A	4	3	1.	31	0.097
59	A	5	5	1.	31	0.161
60	A	6	6	1.	31	0.194
61	A	7	6	1.	31	0.194
62	A	8	6	1.	31	0.194
63	A	11	7	1.	31	0.226
64	A	10	6	1.	29	0.207
65	A	6	5	1.	23	0.217
66	A	5	3	1.	29	0.103
67	A	5	4	1.	31	0.129
68	A	5	3	1.	31	0.097
69	A	8	6	1.	31	0.194
70	A	7	6	1.	31	0.194
71	A	8	6	1.	31	0.194
72	A	14	7	1.	31	0.226

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
73	A	13	6	1.	29	0.207
74	A	7	5	1.	23	0.217
75	A	6	3	1.	29	0.103
76	A	6	4	1.	31	0.129
77	A	6	4	1.	31	0.129
78	A	6	3	1.	31	0.097
79	A	11	6	1.	31	0.194
80	A	8	6	1.	31	0.194
81	A	9	6	1.	31	0.194
82	A	6	5	1.	31	0.161
83	A	6	6	1.	31	0.194
84	A	5	5	1.	31	0.161
85	A	3	3	1.	29	0.103
86	A	2	2	1.	23	0.087
87	A	4	4	1.	29	0.138
88	A	5	5	1.	31	0.161
89	A	6	5	1.	31	0.161
90	A	7	5	1.	31	0.161
91	A	7	6	1.	31	0.194
92	A	6	6	1.	31	0.194
93	A	4	4	1.	31	0.129
94	A	2	2	1.	29	0.069
95	A	3	3	1.	23	0.13
96	A	5	4	1.	29	0.138
97	A	6	5	1.	31	0.161
98	A	7	5	1.	31	0.161
99	A	8	6	1.	31	0.194
100	A	7	6	1.	31	0.194
101	A	5	5	1.	31	0.161
102	A	3	3	1.	31	0.097
103	A	3	3	1.	29	0.103
104	A	4	3	1.	23	0.13

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
105	A	6	4	1.	29	0.138
106	A	7	5	1.	31	0.161
107	A	8	5	1.	31	0.161
108	A	9	6	1.	31	0.194
109	A	8	6	1.	31	0.194
110	A	6	5	1.	31	0.161
111	A	4	4	1.	31	0.129
112	A	4	4	1.	31	0.129
113	A	4	3	1.	29	0.103
114	A	5	3	1.	23	0.13
115	A	7	4	1.	29	0.138
116	A	8	5	1.	31	0.161
117	A	9	5	1.	31	0.161
118	A	5	5	1.	33	0.152
119	A	4	4	1.	33	0.121
120	A	3	3	1.	33	0.091
121	A	2	2	1.	31	0.065
122	A	4	4	1.	25	0.16
123	A	3	3	1.	31	0.097
124	A	4	4	1.	33	0.121
125	A	5	4	1.	33	0.121
126	A	6	4	1.	33	0.121
127	A	5	5	1.	33	0.152
128	A	4	4	1.	33	0.121
129	A	3	3	1.	31	0.097
130	A	5	5	1.	25	0.2
131	A	4	4	1.	31	0.129
132	A	4	4	1.	33	0.121
133	A	5	5	1.	33	0.152
134	A	6	5	1.	33	0.152
135	A	6	5	1.	33	0.152
136	A	5	4	1.	33	0.121

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
137	A	4	3	1.	31	0.097
138	A	6	5	1.	25	0.2
139	A	5	4	1.	31	0.129
140	A	5	5	1.	33	0.152
141	A	5	4	1.	33	0.121
142	A	6	5	1.	33	0.152
143	A	7	5	1.	33	0.152
144	A	6	5	1.	33	0.152
145	A	5	5	1.	33	0.152
146	A	4	4	1.	33	0.121
147	A	3	3	1.	31	0.097
148	A	5	4	1.	25	0.16
149	A	6	5	1.	31	0.161
150	A	7	5	1.	33	0.152
151	A	8	5	1.	33	0.152
152	A	6	6	1.	33	0.182
153	A	5	5	1.	33	0.152
154	A	4	4	1.	33	0.121
155	A	3	3	1.	31	0.097
156	A	6	5	1.	25	0.2
157	A	7	6	1.	31	0.194
158	A	8	6	1.	33	0.182
159	A	9	6	1.	33	0.182
160	A	6	5	1.	33	0.152
161	A	5	5	1.	33	0.152
162	A	4	4	1.	33	0.121
163	A	4	4	1.	31	0.129
164	A	7	5	1.	25	0.2
165	A	8	6	1.	31	0.194
166	A	9	6	1.	33	0.182
167	A	5	4	1.	26	0.154
168	A	6	5	1.	32	0.156

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
169	A	7	5	1.	34	0.147
170	A	8	5	1.	34	0.147
171	A	6	5	1.15	26	0.192
172	A	7	6	1.	32	0.188
173	A	8	6	1.	34	0.176
174	A	9	6	1.	34	0.176
175	A	7	6	1.22	26	0.231
176	A	8	6	1.	32	0.188
177	A	9	6	1.	34	0.176
178	A	10	6	1.	34	0.176
179	A	9	6	1.	31	0.194
180	A	8	6	1.	31	0.194
181	A	7	6	1.	31	0.194
182	A	6	5	1.	31	0.161
183	A	6	5	1.	31	0.161
184	A	7	6	1.	31	0.194
185	A	8	6	1.	31	0.194
186	A	9	7	1.	33	0.212
187	A	8	7	1.	33	0.212
188	A	7	6	1.	33	0.182
189	A	7	6	1.	33	0.182
190	A	7	6	1.	33	0.182
191	A	8	7	1.	33	0.212
192	A	9	7	1.	33	0.212
193	A	10	7	1.	33	0.212
194	A	9	7	1.	33	0.212
195	A	8	6	1.	33	0.182
196	A	8	7	1.	33	0.212
197	A	8	6	1.	33	0.182
198	A	8	6	1.	33	0.182
199	A	9	7	1.	33	0.212
200	A	10	7	1.	33	0.212

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
201	A	9	6	1.	33	0.182
202	A	8	6	1.	33	0.182
203	A	7	6	1.	33	0.182
204	A	6	5	1.	33	0.152
205	A	6	5	1.	33	0.152
206	A	7	6	1.	33	0.182
207	A	8	6	1.	33	0.182
208	A	9	6	1.	33	0.182
209	A	9	6	1.	33	0.182
210	A	8	6	1.	33	0.182
211	A	7	5	1.	33	0.152
212	A	7	6	1.	33	0.182
213	A	7	5	1.	33	0.152
214	A	8	6	1.	33	0.182
215	A	9	6	1.	33	0.182
216	A	10	6	1.	33	0.182
217	A	9	6	1.	33	0.182
218	A	8	5	1.	33	0.152
219	A	8	6	1.	33	0.182
220	A	8	6	1.	33	0.182
221	A	8	5	1.	33	0.152
222	A	9	6	1.	33	0.182
223	A	10	6	1.	33	0.182
224	A	5	4	1.	35	0.114
225	A	4	4	1.	35	0.114
226	A	3	3	1.	35	0.086
227	A	3	3	1.	35	0.086
228	A	2	2	1.	35	0.057
229	A	3	3	1.	35	0.086
230	A	4	3	1.	35	0.086
231	A	6	5	1.	35	0.143
232	A	5	5	1.	35	0.143

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
233	A	4	4	1.	35	0.114
234	A	4	4	1.	35	0.114
235	A	4	4	1.	35	0.114
236	A	3	3	1.	35	0.086
237	A	4	4	1.	35	0.114
238	A	5	4	1.	35	0.114
239	A	7	5	1.	35	0.143
240	A	6	5	1.	35	0.143
241	A	5	4	1.	35	0.114
242	A	5	4	1.	35	0.114
243	A	5	5	1.	35	0.143
244	A	5	4	1.	35	0.114
245	A	4	3	1.	35	0.086
246	A	5	4	1.	35	0.114
247	A	6	4	1.	35	0.114
248	A	7	6	1.	35	0.171
249	A	6	6	1.	35	0.171
250	A	5	5	1.	35	0.143
251	A	3	3	1.	35	0.086
252	A	4	4	1.	35	0.114
253	A	5	4	1.	35	0.114
254	A	6	4	1.	35	0.114
255	A	8	7	1.	35	0.2
256	A	7	7	1.	35	0.2
257	A	6	6	1.	35	0.171
258	A	3	3	1.	35	0.086
259	A	4	4	1.	35	0.114
260	A	5	5	1.	35	0.143
261	A	6	5	1.	35	0.143
262	A	8	7	1.	35	0.2
263	A	7	6	1.	35	0.171
264	A	4	4	1.	35	0.114

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
265	A	5	5	1.3	35	0.143
266	A	5	4	1.	35	0.114
267	A	6	5	1.	35	0.143
268	A	7	5	1.	35	0.143
269	A	9	9	1.	25	0.36
270	A	8	8	1.	25	0.32
271	A	9	9	1.	25	0.36
272	A	11	11	1.	25	0.44
273	A	10	10	1.	25	0.4
274	A	11	11	1.	25	0.44
275	A	7	4	1.	33	0.121
276	A	4	4	1.	35	0.114
277	A	6	5	1.	29	0.172
278	A	6	6	1.	29	0.207
279	A	5	5	1.	27	0.185
280	A	4	4	1.	21	0.19
281	A	3	2	1.	27	0.074
282	A	4	4	1.	29	0.138
283	A	5	5	1.	29	0.172
284	A	6	5	1.	29	0.172
285	A	7	6	1.	31	0.194
286	A	7	7	1.	31	0.226
287	A	6	6	1.	29	0.207
288	A	5	4	1.	23	0.174
289	A	5	4	1.	29	0.138
290	A	5	5	1.	31	0.161
291	A	5	5	1.	31	0.161
292	A	7	6	1.	31	0.194
293	A	7	6	1.	31	0.194
294	A	8	7	1.	31	0.226
295	A	7	6	1.	29	0.207
296	A	6	5	1.	23	0.217

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
297	A	6	5	1.1	29	0.172
298	A	6	6	1.	31	0.194
299	A	6	6	1.	31	0.194
300	A	6	6	1.	31	0.194
301	A	8	7	1.	31	0.226
302	A	9	7	1.	31	0.226
303	A	8	6	1.	29	0.207
304	A	7	6	1.	23	0.261
305	A	7	6	1.	29	0.207
306	A	7	6	1.	31	0.194
307	A	7	7	1.	31	0.226
308	A	7	7	1.	31	0.226
309	A	7	7	1.	31	0.226
310	A	9	8	1.	31	0.258
311	A	8	8	1.	31	0.258
312	A	7	7	1.	31	0.226
313	A	7	7	1.	31	0.226
314	A	5	5	1.	29	0.172
315	A	4	4	1.	23	0.174
316	A	5	5	1.	29	0.172
317	A	6	6	1.	31	0.194
318	A	7	6	1.	31	0.194
319	A	8	6	1.	31	0.194
320	A	8	8	1.	31	0.258
321	A	7	7	1.	31	0.226
322	A	6	6	1.	31	0.194
323	A	5	5	1.	29	0.172
324	A	5	5	1.	23	0.217
325	A	6	6	1.	29	0.207
326	A	7	6	1.	31	0.194
327	A	8	6	1.	31	0.194
328	A	9	9	1.	31	0.29

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
329	A	8	8	1.	31	0.258
330	A	7	7	1.	31	0.226
331	A	6	6	1.	31	0.194
332	A	6	5	1.	29	0.172
333	A	6	6	1.	23	0.261
334	A	7	7	1.	29	0.241
335	A	8	7	1.	31	0.226
336	A	9	9	1.	31	0.29
337	A	8	8	1.	31	0.258
338	A	7	7	1.	31	0.226
339	A	7	6	1.	31	0.194
340	A	7	5	1.	29	0.172
341	A	7	6	1.	23	0.261
342	A	8	7	1.	29	0.241
343	A	9	7	1.	31	0.226
344	A	4	4	1.	28	0.143
345	A	2	2	1.	28	0.071
346	A	5	5	1.	23	0.217
347	A	4	4	1.	21	0.19
348	A	7	7	1.	33	0.212
349	A	6	6	1.	33	0.182
350	A	5	5	1.	33	0.152
351	A	4	4	1.	31	0.129
352	A	5	5	1.	25	0.2
353	A	6	6	1.	31	0.194
354	A	7	7	1.	33	0.212
355	A	8	7	1.	33	0.212
356	A	7	6	1.	33	0.182
357	A	6	5	1.	33	0.152
358	A	5	4	1.	31	0.129
359	A	6	6	1.	25	0.24
360	A	6	6	1.	31	0.194

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
361	A	7	7	1.	33	0.212
362	A	8	7	1.	33	0.212
363	A	8	6	1.	33	0.182
364	A	7	5	1.	33	0.152
365	A	6	4	1.	31	0.129
366	A	7	7	1.	25	0.28
367	A	7	7	1.	31	0.226
368	A	7	7	1.	33	0.212
369	A	8	8	1.	33	0.242
370	A	9	8	1.	33	0.242
371	A	5	5	1.	33	0.152
372	A	4	4	1.	33	0.121
373	A	3	3	1.	31	0.097
374	A	3	3	1.	25	0.12
375	A	6	6	1.	31	0.194
376	A	7	7	1.	33	0.212
377	A	8	7	1.	33	0.212
378	A	5	5	1.	33	0.152
379	A	4	4	1.	33	0.121
380	A	4	4	1.	31	0.129
381	A	6	6	1.	25	0.24
382	A	7	7	1.	31	0.226
383	A	8	8	1.	33	0.242
384	A	9	8	1.	33	0.242
385	A	6	6	1.	33	0.182
386	A	5	5	1.	33	0.152
387	A	5	5	1.	33	0.152
388	A	5	4	1.	31	0.129
389	A	7	7	1.	25	0.28
390	A	8	8	1.	31	0.258
391	A	9	8	1.	33	0.242
392	A	1	1	1.	31	0.032

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
393	A	1	1	1.	32	0.031
394	A	8	6	1.	31	0.194
395	A	7	6	1.	31	0.194
396	A	6	5	1.	31	0.161
397	A	6	5	1.	31	0.161
398	A	7	6	1.	31	0.194
399	A	8	6	1.	31	0.194
400	A	9	7	1.	33	0.212
401	A	8	7	1.	33	0.212
402	A	7	6	1.	33	0.182
403	A	7	6	1.	33	0.182
404	A	7	6	1.	33	0.182
405	A	8	7	1.	33	0.212
406	A	9	7	1.	33	0.212
407	A	10	8	1.	33	0.242
408	A	9	8	1.	33	0.242
409	A	8	7	1.	33	0.212
410	A	8	7	1.	33	0.212
411	A	8	7	1.	33	0.212
412	A	8	7	1.	33	0.212
413	A	9	8	1.	33	0.242
414	A	10	8	1.	33	0.242
415	A	11	9	1.	33	0.273
416	A	10	9	1.	33	0.273
417	A	7	7	1.	33	0.212
418	A	5	5	1.	33	0.152
419	A	7	7	1.	33	0.212
420	A	9	8	1.	33	0.242
421	A	10	9	1.	33	0.273
422	A	11	9	1.	33	0.273
423	A	10	9	1.	33	0.273
424	A	9	8	1.	33	0.242

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
425	A	9	8	1.	33	0.242
426	A	9	8	1.	33	0.242
427	A	10	9	1.	33	0.273
428	A	12	10	1.	33	0.303
429	A	11	10	1.	33	0.303
430	A	10	9	1.	33	0.273
431	A	10	9	1.	33	0.273
432	A	10	9	1.	33	0.273
433	A	10	9	1.	33	0.273
434	A	11	10	1.	33	0.303
435	A	13	13	1.	35	0.371
436	A	12	12	1.	35	0.343
437	A	11	11	1.	35	0.314
438	A	8	8	1.	35	0.229
439	A	9	9	1.	35	0.257
440	A	10	9	1.	35	0.257
441	A	14	13	1.	35	0.371
442	A	13	13	1.	35	0.371
443	A	12	12	1.	35	0.343
444	A	12	12	1.	35	0.343
445	A	9	9	1.	35	0.257
446	A	10	9	1.	35	0.257
447	A	11	9	1.	35	0.257
448	A	15	14	1.	35	0.4
449	A	14	14	1.	35	0.4
450	A	13	13	1.	35	0.371
451	A	13	13	1.	35	0.371
452	A	13	13	1.	35	0.371
453	A	10	10	1.	35	0.286
454	A	11	10	1.	35	0.286
455	A	12	10	1.	35	0.286
456	A	13	13	1.	35	0.371

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
457	A	12	12	1.	35	0.343
458	A	7	7	1.	35	0.2
459	A	7	7	1.	35	0.2
460	A	8	8	1.	35	0.229
461	A	9	9	1.	35	0.257
462	A	13	13	1.	35	0.371
463	A	9	9	1.	35	0.257
464	A	8	8	1.	35	0.229
465	A	8	8	1.	35	0.229
466	A	9	9	1.	35	0.257
467	A	10	9	1.	35	0.257
468	A	13	13	1.	35	0.371
469	A	9	9	1.	35	0.257
470	A	9	9	1.	35	0.257
471	A	9	9	1.	35	0.257
472	A	10	10	1.	35	0.286
473	A	11	10	1.	35	0.286
474	A	0	0	0.	0	0.
475	A	0	0	0.	0	0.
476	A	0	0	0.	0	0.
477	A	0	0	0.	0	0.
478	A	0	0	0.	0	0.
479	A	9	7	1.	31	0.226
480	A	8	6	1.	31	0.194
481	A	7	5	1.	31	0.161
482	A	6	4	1.	29	0.138
483	A	8	7	1.	31	0.226
484	A	7	7	1.	31	0.226
485	A	6	6	1.	31	0.194
486	A	6	6	1.	31	0.194
487	A	7	7	1.	31	0.226
488	A	8	7	1.	31	0.226

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
489	A	9	8	1.	33	0.242
490	A	8	8	1.	33	0.242
491	A	7	7	1.	33	0.212
492	A	7	7	1.	33	0.212
493	A	7	7	1.	33	0.212
494	A	8	8	1.	33	0.242
495	A	9	8	1.	33	0.242
496	A	7	6	1.	33	0.182
497	A	6	6	1.	33	0.182
498	A	5	5	1.	33	0.152
499	A	5	5	1.	33	0.152
500	A	6	6	1.	33	0.182
501	A	7	6	1.	33	0.182
502	A	8	6	1.	33	0.182
503	A	7	6	1.	33	0.182
504	A	6	5	1.	33	0.152
505	A	6	6	1.	33	0.182
506	A	6	5	1.	33	0.152
507	A	7	6	1.	33	0.182
508	A	8	6	1.	33	0.182
509	A	8	6	1.	33	0.182
510	A	7	5	1.	33	0.152
511	A	7	6	1.	33	0.182
512	A	7	6	1.	33	0.182
513	A	7	5	1.	33	0.152
514	A	8	6	1.	33	0.182
515	A	6	4	1.	35	0.114
516	A	5	4	1.	35	0.114
517	A	4	4	1.	35	0.114
518	A	3	3	1.	35	0.086
519	A	4	4	1.	35	0.114
520	A	4	4	1.	35	0.114

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
521	A	5	5	1.	35	0.143
522	A	6	5	1.	35	0.143
523	A	7	5	1.	35	0.143
524	A	6	5	1.	35	0.143
525	A	5	5	1.	35	0.143
526	A	4	4	1.	35	0.114
527	A	5	5	1.	35	0.143
528	A	5	5	1.	35	0.143
529	A	5	5	1.	35	0.143
530	A	6	6	1.	35	0.171
531	A	7	6	1.	35	0.171
532	A	7	5	1.	35	0.143
533	A	6	5	1.	35	0.143
534	A	5	4	1.	35	0.114
535	A	6	5	1.	35	0.143
536	A	6	6	1.	35	0.171
537	A	6	5	1.	35	0.143
538	A	6	5	1.	35	0.143
539	A	7	6	1.	35	0.171
540	A	8	6	1.	35	0.171
541	A	7	5	1.	35	0.143
542	A	6	5	1.	35	0.143
543	A	5	5	1.	35	0.143
544	A	4	4	1.	35	0.114
545	A	6	6	1.	35	0.171
546	A	7	7	1.	35	0.2
547	A	8	7	1.	35	0.2
548	A	7	6	1.	35	0.171
549	A	6	6	1.	35	0.171
550	A	5	5	1.	35	0.143
551	A	4	4	1.	35	0.114
552	A	7	7	1.	35	0.2

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
553	A	8	8	1.	35	0.229
554	A	9	8	1.	35	0.229
555	A	8	6	1.	35	0.171
556	A	7	6	1.	35	0.171
557	A	6	5	1.	35	0.143
558	A	6	6	1.	35	0.171
559	A	5	5	1.	35	0.143
560	A	8	7	1.	35	0.2
561	A	9	8	1.	35	0.229
562	A	8	7	1.	31	0.226
563	A	7	7	1.	31	0.226
564	A	6	6	1.	31	0.194
565	A	6	6	1.	31	0.194
566	A	7	7	1.	31	0.226
567	A	8	7	1.	31	0.226
568	A	7	7	1.	33	0.212
569	A	6	6	1.	33	0.182
570	A	6	6	1.	33	0.182
571	A	6	6	1.	33	0.182
572	A	7	7	1.	33	0.212
573	A	8	7	1.	33	0.212
574	A	8	8	1.	33	0.242
575	A	7	7	1.	33	0.212
576	A	6	6	1.	33	0.182
577	A	4	4	1.	33	0.121
578	A	6	6	1.	33	0.182
579	A	8	8	1.	33	0.242
580	A	9	8	1.	33	0.242
581	A	8	8	1.	33	0.242
582	A	7	7	1.	33	0.212
583	A	7	7	1.	33	0.212
584	A	7	7	1.	33	0.212

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
585	A	8	8	1.	33	0.242
586	A	9	8	1.	33	0.242
587	A	9	9	1.	33	0.273
588	A	8	8	1.	33	0.242
589	A	8	8	1.	33	0.242
590	A	8	8	1.	33	0.242
591	A	8	8	1.	33	0.242
592	A	9	8	1.	33	0.242
593	A	10	8	1.	33	0.242
594	A	11	10	1.	35	0.286
595	A	10	10	1.	35	0.286
596	A	9	9	1.	35	0.257
597	A	12	12	1.	35	0.343
598	A	13	13	1.	35	0.371
599	A	14	14	1.	35	0.4
600	A	12	10	1.	35	0.286
601	A	11	10	1.	35	0.286
602	A	10	10	1.	35	0.286
603	A	13	13	1.	35	0.371
604	A	13	13	1.	35	0.371
605	A	14	14	1.	35	0.4
606	A	15	14	1.	35	0.4
607	A	13	11	1.	35	0.314
608	A	12	11	1.	35	0.314
609	A	11	11	1.	35	0.314
610	A	14	14	1.	35	0.4
611	A	14	14	1.	35	0.4
612	A	14	14	1.	35	0.4
613	A	15	15	1.	35	0.429
614	A	16	15	1.	35	0.429
615	A	10	10	1.	35	0.286
616	A	9	9	1.	35	0.257

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
617	A	8	8	1.	35	0.229
618	A	8	8	1.	35	0.229
619	A	13	13	1.	35	0.371
620	A	14	14	1.	35	0.4
621	A	11	10	1.	35	0.286
622	A	10	10	1.	35	0.286
623	A	9	9	1.	35	0.257
624	A	9	9	1.	35	0.257
625	A	10	10	1.	35	0.286
626	A	14	14	1.	35	0.4
627	A	15	14	1.	35	0.4
628	A	12	11	1.	35	0.314
629	A	11	11	1.	35	0.314
630	A	10	10	1.	35	0.286
631	A	10	10	1.	35	0.286
632	A	10	10	1.	35	0.286
633	A	14	14	1.	35	0.4
634	A	15	15	1.	35	0.429

Chapter 3

Listing of integrals

3.1 $\int (b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=171

$$\frac{2Ab^2\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\sqrt{b\sec(c+dx)}}{3d} + \frac{2Ab\sin(c+dx)(b\sec(c+dx))^{3/2}}{3d} + \frac{6b^2B\sin(c+dx)\sqrt{b\sec(c+dx)}}{5d}$$

```
[Out] (-6*b^3*B*EllipticE[(c + d*x)/2, 2])/(5*d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*A*b^2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(3*d) + (6*b^2*B*Sqrt[b*Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*A*b*(b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*B*(b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 0.118789, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3787, 3768, 3771, 2641, 2639}

$$\frac{2Ab^2\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\sec(c+dx)}}{3d} + \frac{2Ab\sin(c+dx)(b\sec(c+dx))^{3/2}}{3d} + \frac{6b^2B\sin(c+dx)\sqrt{b\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[(b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]
```

```
[Out] (-6*b^3*B*EllipticE[(c + d*x)/2, 2])/(5*d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*A*b^2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(3*d) + (6*b^2*B*Sqrt[b*Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*A*b*(b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*B*(b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)
```

$$\frac{c + d*x]}{(3*d) + (6*b^2*B*sqrt[b*Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*A*b*(b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d) + (2*B*(b*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(5*d)$$

Rule 3787

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$$

Rule 3768

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2641

$$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$$

Rule 2639

$$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$$

Rubi steps

$$\begin{aligned}
\int (b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx &= A \int (b \sec(c + dx))^{5/2} dx + \frac{B \int (b \sec(c + dx))^{7/2} dx}{b} \\
&= \frac{2Ab(b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{2B(b \sec(c + dx))^{5/2} \sin(c + dx)}{5d} + \frac{1}{3} \left(\frac{6b^2 B \sqrt{b \sec(c + dx)} \sin(c + dx)}{5d} + \frac{2Ab(b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{2B(b \sec(c + dx))^{5/2} \sin(c + dx)}{5d} \right) \\
&= \frac{2Ab^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \sec(c + dx)}}{3d} + \frac{6b^2 B \sqrt{b \sec(c + dx)} \sin(c + dx)}{5d} \\
&= -\frac{6b^3 B E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}} + \frac{2Ab^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \sec(c + dx)}}{3d}
\end{aligned}$$

Mathematica [A] time = 0.475985, size = 99, normalized size = 0.58

$$\frac{(b \sec(c + dx))^{5/2} \left(20A \cos^{\frac{5}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 10A \sin(2(c + dx)) + 21B \sin(c + dx) + 9B \sin(3(c + dx)) \right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

[Out] ((b*Sec[c + d*x])^(5/2)*(-36*B*Cos[c + d*x]^(5/2)*EllipticE[(c + d*x)/2, 2] + 20*A*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + 21*B*Sin[c + d*x] + 10*A*Sin[2*(c + d*x)] + 9*B*Sin[3*(c + d*x)])/(30*d)

Maple [C] time = 0.275, size = 518, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)), x)

[Out] 2/15/d*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))^2*(5*I*A*sin(d*x+c)*cos(d*x+c)^3*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c), I)+9*I*B*sin(d*x+c)*cos(d*x+c)^3*(1/(cos(d*x+c)+1))^(1/2)

$$\begin{aligned} & /2) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}(I * (-1+\cos(d*x+c)) / \sin(d*x+c), I) \\ & - 9*I*B*\sin(d*x+c)*\cos(d*x+c)^3 * (1/(\cos(d*x+c)+1))^{1/2} * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticF}(I * (-1+\cos(d*x+c)) / \sin(d*x+c), I) + 5*I*A*\sin(d*x+c)*\cos(d*x+c)^2 \\ & * (1/(\cos(d*x+c)+1))^{1/2} * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}(I * (-1+\cos(d*x+c)) / \sin(d*x+c), I) \\ & + 9*I*B*\sin(d*x+c)*\cos(d*x+c)^2 * (1/(\cos(d*x+c)+1))^{1/2} * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticE}(I * (-1+\cos(d*x+c)) / \sin(d*x+c), I) - 9*I*B*\sin(d*x+c)*\cos(d*x+c)^2 \\ & * (1/(\cos(d*x+c)+1))^{1/2} * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}(I * (-1+\cos(d*x+c)) / \sin(d*x+c), I) \\ & - 5*A*\cos(d*x+c)^3 - 9*B*\cos(d*x+c)^3 + 6*B*\cos(d*x+c)^2 + 5*A*\cos(d*x+c) + 3*B) * \\ & (b/\cos(d*x+c))^{5/2} / \sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \sec(dx + c)^3 + Ab^2 \sec(dx + c)^2\right) \sqrt{b \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^2*sec(d*x + c)^3 + A*b^2*sec(d*x + c)^2)*sqrt(b*sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(5/2), x)`

3.2 $\int (b \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=136

$$\frac{2bB\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\sqrt{b\sec(c+dx)}}{3d} - \frac{2Ab^2E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{\cos(c+dx)}\sqrt{b\sec(c+dx)}} + \frac{2Ab\sin(c+dx)\sqrt{b\sec(c+dx)}}{d}$$

[Out] $(-2A*b^2*EllipticE[(c + d*x)/2, 2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*b*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(3*d) + (2*A*b*Sqrt[b*Sec[c + d*x]]*Sin[c + d*x])/d + (2*B*(b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)$

Rubi [A] time = 0.10093, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3787, 3768, 3771, 2639, 2641}

$$-\frac{2Ab^2E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{\cos(c+dx)}\sqrt{b\sec(c+dx)}} + \frac{2Ab\sin(c+dx)\sqrt{b\sec(c+dx)}}{d} + \frac{2B\sin(c+dx)(b\sec(c+dx))^{3/2}}{3d} + \frac{2bB\sqrt{\cos(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(b*\text{Sec}[c + d*x])^{3/2}*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(-2A*b^2*EllipticE[(c + d*x)/2, 2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*b*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(3*d) + (2*A*b*Sqrt[b*Sec[c + d*x]]*Sin[c + d*x])/d + (2*B*(b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

$\text{Int}[(\text{csc}[c] + (d \cdot x)) \cdot (b \cdot \text{csc}[c + d \cdot x])^n, x_Symbol] \rightarrow \text{Dist}[(b \cdot \text{Csc}[c + d \cdot x])^n \cdot \text{Sin}[c + d \cdot x]^n, \text{Int}[1/\text{Sin}[c + d \cdot x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[c] + (d \cdot x)], x_Symbol] \rightarrow \text{Simp}[(2 \cdot \text{EllipticE}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[c] + (d \cdot x)], x_Symbol] \rightarrow \text{Simp}[(2 \cdot \text{EllipticF}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx &= A \int (b \sec(c + dx))^{3/2} dx + \frac{B \int (b \sec(c + dx))^{5/2} dx}{b} \\ &= \frac{2Ab \sqrt{b \sec(c + dx)} \sin(c + dx)}{d} + \frac{2B(b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} - (Ab^2) \\ &= \frac{2Ab \sqrt{b \sec(c + dx)} \sin(c + dx)}{d} + \frac{2B(b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} - \frac{(Ab)}{\sqrt{\cos}} \\ &= -\frac{2Ab^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}} + \frac{2bB \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \sec}}{3d} \end{aligned}$$

Mathematica [A] time = 0.274528, size = 87, normalized size = 0.64

$$\frac{(b \sec(c + dx))^{3/2} \left(2B \cos^{\frac{3}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 2 \sin(c + dx)(3A \cos(c + dx) + B) - 6A \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] ((b*Sec[c + d*x])^(3/2)*(-6*A*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 2*B*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 2*(B + 3*A*Cos[c + d*x])*Sin[c + d*x]))/(3*d)

Maple [C] time = 0.252, size = 500, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)`

[Out]
$$-2/3/d*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^2*(3*I*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*EllipticF(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)-3*I*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*EllipticE(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)-I*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*EllipticF(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)+3*I*A*\cos(d*x+c)*(1/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*EllipticF(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*\sin(d*x+c)-3*I*A*\cos(d*x+c)*(1/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*EllipticE(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*\sin(d*x+c)-I*B*\cos(d*x+c)*(1/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*EllipticF(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*\sin(d*x+c)+3*A*\cos(d*x+c)^2+B*\cos(d*x+c)^2-3*A*\cos(d*x+c)-B)*(b/\cos(d*x+c))^{3/2}/\sin(d*x+c)^5$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^2 + Ab \sec(dx + c)\right)\sqrt{b \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^2 + A*b*sec(d*x + c))*sqrt(b*sec(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^{\frac{3}{2}} (A + B \sec(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Integral((b*sec(c + d*x))**(3/2)*(A + B*sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(3/2), x)
```

3.3 $\int \sqrt{b \sec(c + dx)}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=104

$$\frac{2A\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\sqrt{b\sec(c+dx)}}{d} + \frac{2B\sin(c+dx)\sqrt{b\sec(c+dx)}}{d} - \frac{2bBE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{\cos(c+dx)}\sqrt{b\sec(c+dx)}}$$

```
[Out] (-2*b*B*EllipticE[(c + d*x)/2, 2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/d + (2*B*Sqrt[b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rubi [A] time = 0.0822444, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3787, 3771, 2641, 3768, 2639}

$$\frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\sec(c+dx)}}{d} + \frac{2B\sin(c+dx)\sqrt{b\sec(c+dx)}}{d} - \frac{2bBE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{\cos(c+dx)}\sqrt{b\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]
```

```
[Out] (-2*b*B*EllipticE[(c + d*x)/2, 2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/d + (2*B*Sqrt[b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{b \sec(c + dx)}(A + B \sec(c + dx)) dx &= A \int \sqrt{b \sec(c + dx)} dx + \frac{B \int (b \sec(c + dx))^{3/2} dx}{b} \\
 &= \frac{2B\sqrt{b \sec(c + dx)} \sin(c + dx)}{d} - (bB) \int \frac{1}{\sqrt{b \sec(c + dx)}} dx + (A\sqrt{\cos(c + dx)} \\
 &= \frac{2A\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \sec(c + dx)}}{d} + \frac{2B\sqrt{b \sec(c + dx)} \sin(c + dx)}{d} \\
 &= -\frac{2bBE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}\sqrt{b \sec(c + dx)}} + \frac{2A\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \sec(c + dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 0.119837, size = 73, normalized size = 0.7

$$\frac{2\sqrt{b \sec(c + dx)} \left(A\sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + B \sin(c + dx) - B\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[b*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (2*Sqrt[b*Sec[c + d*x]]*(-(B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]) + A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + B*Sin[c + d*x]))/d

Maple [C] time = 0.287, size = 453, normalized size = 4.4

$$2 \frac{(\cos(dx+c)+1)^2 (-1+\cos(dx+c))^2}{d(\sin(dx+c))^5} \sqrt{\frac{b}{\cos(dx+c)}} \left(i A \operatorname{EllipticF} \left(\frac{i(-1+\cos(dx+c))}{\sin(dx+c)}, i \right) \cos(dx+c) \sqrt{(\cos(dx+c)+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x)

[Out] 2/d*(b/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))^2*(I*A*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*cos(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-I*B*cos(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*sin(d*x+c)+I*B*EllipticE(I*(-1+cos(d*x+c))/sin(d*x+c),I)*cos(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+I*A*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*sin(d*x+c)-I*B*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*sin(d*x+c)+I*B*EllipticE(I*(-1+cos(d*x+c))/sin(d*x+c),I)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-B*cos(d*x+c)+B)/sin(d*x+c)^5

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A) \sqrt{b \sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral} \left((B \sec(dx+c) + A) \sqrt{b \sec(dx+c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)`

[Out] `Integral(sqrt(b*sec(c + d*x))*(A + B*sec(c + d*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c)), x)`

3.4 $\int \frac{A+B \sec(c+dx)}{\sqrt{b \sec(c+dx)}} dx$

Optimal. Leaf size=82

$$\frac{2B\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\sqrt{b \sec(c+dx)}}{bd} + \frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{\cos(c+dx)}\sqrt{b \sec(c+dx)}}$$

[Out] (2*A*EllipticE[(c + d*x)/2, 2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(b*d)

Rubi [A] time = 0.0678043, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {3787, 3771, 2639, 2641}

$$\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{\cos(c+dx)}\sqrt{b \sec(c+dx)}} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \sec(c+dx)}}{bd}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/Sqrt[b*Sec[c + d*x]], x]

[Out] (2*A*EllipticE[(c + d*x)/2, 2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(b*d)

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sqrt{b \sec(c + dx)}} dx &= A \int \frac{1}{\sqrt{b \sec(c + dx)}} dx + \frac{B \int \sqrt{b \sec(c + dx)} dx}{b} \\ &= \frac{A \int \sqrt{\cos(c + dx)} dx}{\sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}} + \frac{(B \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b} \\ &= \frac{2AE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{d \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} F \left(\frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \sec(c + dx)}}{bd} \end{aligned}$$

Mathematica [A] time = 0.088494, size = 54, normalized size = 0.66

$$\frac{2 \left(B \text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + AE \left(\frac{1}{2}(c + dx) \middle| 2 \right) \right)}{d \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/Sqrt[b*Sec[c + d*x]], x]

[Out] (2*(A*EllipticE[(c + d*x)/2, 2] + B*EllipticF[(c + d*x)/2, 2]))/(d*Sqrt[Cos
[c + d*x]]*Sqrt[b*Sec[c + d*x]])

Maple [C] time = 0.238, size = 445, normalized size = 5.4

$$2 \frac{1}{d \sin(dx + c) b} \left(i A \text{EllipticF} \left(\frac{i(-1 + \cos(dx + c))}{\sin(dx + c)}, i \right) \cos(dx + c) \sqrt{(\cos(dx + c) + 1)^{-1}} \sqrt{\frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/2),x)
```

```
[Out] 2/d*(I*A*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*cos(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-I*A*EllipticE(I*(-1+cos(d*x+c))/sin(d*x+c),I)*cos(d*x+c)*sin(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+I*B*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*cos(d*x+c)*sin(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+I*A*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*sin(d*x+c)-I*A*EllipticE(I*(-1+cos(d*x+c))/sin(d*x+c),I)*sin(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+I*B*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*sin(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-A*cos(d*x+c)^2+A*cos(d*x+c))*(b/cos(d*x+c))^(1/2)/sin(d*x+c)/b
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)/sqrt(b*sec(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c)}}{b \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c))/(b*sec(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt{b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))/sqrt(b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/sqrt(b*sec(d*x + c)), x)

$$3.5 \quad \int \frac{A+B \sec(c+dx)}{(b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=116

$$\frac{2A\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\sqrt{b \sec(c+dx)}}{3b^2d} + \frac{2A \sin(c+dx)}{3bd\sqrt{b \sec(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd\sqrt{\cos(c+dx)}\sqrt{b \sec(c+dx)}}$$

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(3*b^2*d) + (2*A*Sin[c + d*x])/(3*b*d*Sqrt[b*Sec[c + d*x]])

Rubi [A] time = 0.0913051, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3787, 3769, 3771, 2641, 2639}

$$\frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \sec(c+dx)}}{3b^2d} + \frac{2A \sin(c+dx)}{3bd\sqrt{b \sec(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd\sqrt{\cos(c+dx)}\sqrt{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(b*Sec[c + d*x])^(3/2), x]

[Out] (2*B*EllipticE[(c + d*x)/2, 2])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(3*b^2*d) + (2*A*Sin[c + d*x])/(3*b*d*Sqrt[b*Sec[c + d*x]])

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)])*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{3/2}} dx &= A \int \frac{1}{(b \sec(c + dx))^{3/2}} dx + \frac{B \int \frac{1}{\sqrt{b \sec(c + dx)}} dx}{b} \\
 &= \frac{2A \sin(c + dx)}{3bd \sqrt{b \sec(c + dx)}} + \frac{A \int \sqrt{b \sec(c + dx)} dx}{3b^2} + \frac{B \int \sqrt{\cos(c + dx)} dx}{b \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}} \\
 &= \frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{bd \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}} + \frac{2A \sin(c + dx)}{3bd \sqrt{b \sec(c + dx)}} + \frac{(A \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{3b^2} \\
 &= \frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{bd \sqrt{\cos(c + dx)} \sqrt{b \sec(c + dx)}} + \frac{2A \sqrt{\cos(c + dx)} F \left(\frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \sec(c + dx)}}{3b^2 d} + \frac{2A \sin(c + dx)}{3bd \sqrt{b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.181428, size = 86, normalized size = 0.74

$$\frac{\sec^2(c + dx) \left(A \left(2 \sqrt{\cos(c + dx)} \text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + \sin(2(c + dx)) \right) + 6B \sqrt{\cos(c + dx)} E \left(\frac{1}{2}(c + dx) \middle| 2 \right) \right)}{3d(b \sec(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(b*Sec[c + d*x])^(3/2), x]

[Out] (Sec[c + d*x]^2*(6*B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + A*(2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + Sin[2*(c + d*x)])))/(3*d*(b*Sec[c + d*x])^(3/2))

$c[c + d*x]^{(3/2)}$

Maple [C] time = 0.216, size = 470, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(b*sec(d*x+c))^(3/2),x)`

[Out]
$$\begin{aligned} & 2/3/d*(I*A*EllipticF(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*\cos(d*x+c)*(1/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+3*I*B*EllipticF(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*\cos(d*x+c)*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-3*I*B*EllipticE(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*\cos(d*x+c)*(1/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+I*A*(1/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*EllipticF(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*\sin(d*x+c)+3*I*B*EllipticF(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*\sin(d*x+c)*(1/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-3*I*B*EllipticE(I*(-1+\cos(d*x+c))/\sin(d*x+c),I)*(1/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-A*\cos(d*x+c)^3-3*B*\cos(d*x+c)^2+A*\cos(d*x+c)+3*B*\cos(d*x+c))/\sin(d*x+c)/\cos(d*x+c)^2/(b/\cos(d*x+c))^{(3/2)} \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c))^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c)}}{b^2 \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c))/(b^2*sec(d*x + c)^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))/(b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c))^(3/2), x)

$$3.6 \quad \int \frac{A+B \sec(c+dx)}{(b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=147

$$\frac{2B\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)\sqrt{b \sec(c+dx)}}{3b^3d} + \frac{6AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5b^2d\sqrt{\cos(c+dx)}\sqrt{b \sec(c+dx)}} + \frac{2A \sin(c+dx)}{5bd(b \sec(c+dx))^{3/2}} + \frac{2B \sin(c+dx)}{3b^2d\sqrt{b \sec(c+dx)}}$$

[Out] (6*A*EllipticE[(c + d*x)/2, 2])/(5*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(3*b^3*d) + (2*A*Sin[c + d*x])/(5*b*d*(b*Sec[c + d*x])^(3/2)) + (2*B*Sin[c + d*x])/(3*b^2*d*Sqrt[b*Sec[c + d*x]])

Rubi [A] time = 0.10415, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3787, 3769, 3771, 2639, 2641}

$$\frac{6AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5b^2d\sqrt{\cos(c+dx)}\sqrt{b \sec(c+dx)}} + \frac{2A \sin(c+dx)}{5bd(b \sec(c+dx))^{3/2}} + \frac{2B \sin(c+dx)}{3b^2d\sqrt{b \sec(c+dx)}} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \sec(c+dx)}}{3b^3d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(b*Sec[c + d*x])^(5/2), x]

[Out] (6*A*EllipticE[(c + d*x)/2, 2])/(5*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[b*Sec[c + d*x]]) + (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[b*Sec[c + d*x]])/(3*b^3*d) + (2*A*Sin[c + d*x])/(5*b*d*(b*Sec[c + d*x])^(3/2)) + (2*B*Sin[c + d*x])/(3*b^2*d*Sqrt[b*Sec[c + d*x]])

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d^n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{5/2}} dx &= A \int \frac{1}{(b \sec(c + dx))^{5/2}} dx + \frac{B \int \frac{1}{(b \sec(c + dx))^{3/2}} dx}{b} \\
 &= \frac{2A \sin(c + dx)}{5bd(b \sec(c + dx))^{3/2}} + \frac{2B \sin(c + dx)}{3b^2d\sqrt{b \sec(c + dx)}} + \frac{(3A) \int \frac{1}{\sqrt{b \sec(c + dx)}} dx}{5b^2} + \frac{B \int \sqrt{b \sec(c + dx)} dx}{3b^3} \\
 &= \frac{2A \sin(c + dx)}{5bd(b \sec(c + dx))^{3/2}} + \frac{2B \sin(c + dx)}{3b^2d\sqrt{b \sec(c + dx)}} + \frac{(3A) \int \sqrt{\cos(c + dx)} dx}{5b^2\sqrt{\cos(c + dx)}\sqrt{b \sec(c + dx)}} + \frac{(B\sqrt{\cos(c + dx)})}{3b^3} \\
 &= \frac{6AE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{5b^2d\sqrt{\cos(c + dx)}\sqrt{b \sec(c + dx)}} + \frac{2B\sqrt{\cos(c + dx)}F \left(\frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \sec(c + dx)}}{3b^3d} + \frac{2A}{5bd}
 \end{aligned}$$

Mathematica [A] time = 0.508454, size = 88, normalized size = 0.6

$$\frac{2 \left(5B \text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + \sin(c + dx) \sqrt{\cos(c + dx)} (3A \cos(c + dx) + 5B) + 9AE \left(\frac{1}{2}(c + dx) \middle| 2 \right) \right)}{15d \cos^{\frac{5}{2}}(c + dx) (b \sec(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(b*Sec[c + d*x])^(5/2), x]

```
[Out] (2*(9*A*EllipticE[(c + d*x)/2, 2] + 5*B*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(5*B + 3*A*Cos[c + d*x])*Sin[c + d*x]))/(15*d*Cos[c + d*x]^(5/2)*(b*Sec[c + d*x])^(5/2))
```

Maple [C] time = 0.198, size = 482, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/(b*sec(d*x+c))^(5/2),x)
```

```
[Out] 2/15/d*(9*I*A*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*cos(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-9*I*A*sin(d*x+c)*cos(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticE(I*(-1+cos(d*x+c))/sin(d*x+c),I)+5*I*B*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*cos(d*x+c)*sin(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+9*I*A*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*sin(d*x+c)-9*I*A*sin(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticE(I*(-1+cos(d*x+c))/sin(d*x+c),I)+5*I*B*EllipticF(I*(-1+cos(d*x+c))/sin(d*x+c),I)*sin(d*x+c)*(1/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-3*A*cos(d*x+c)^4-5*B*cos(d*x+c)^3-6*A*cos(d*x+c)^2+9*A*cos(d*x+c)+5*B*cos(d*x+c))/sin(d*x+c)/cos(d*x+c)^3/(b/cos(d*x+c))^(5/2)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c))^(5/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c)}}{b^3 \sec(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c))/(b^3*sec(d*x + c)^3), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x))/(b*sec(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c))^(5/2), x)

3.7 $\int \sec^2(c + dx)(b \sec(c + dx))^{2/3}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=119

$$\frac{3A \sin(c + dx)(b \sec(c + dx))^{5/3} \text{Hypergeometric2F1}\left(-\frac{5}{6}, \frac{1}{2}, \frac{1}{6}, \cos^2(c + dx)\right)}{5bd\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{8/3} \text{Hypergeometric2F1}\left(-\frac{4}{3}, \frac{1}{2}, -\frac{1}{3}, \cos^2(c + dx)\right)}{8b^2d\sqrt{\sin^2(c + dx)}}$$

[Out] (3*A*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x])/(5*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-4/3, 1/2, -1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(8/3)*Sin[c + d*x])/(8*b^2*d*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.0982565, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3A \sin(c + dx)(b \sec(c + dx))^{5/3} {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right)}{5bd\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{8/3} {}_2F_1\left(-\frac{4}{3}, \frac{1}{2}; -\frac{1}{3}; \cos^2(c + dx)\right)}{8b^2d\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]), x]

[Out] (3*A*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x])/(5*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-4/3, 1/2, -1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(8/3)*Sin[c + d*x])/(8*b^2*d*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(b \sec(c + dx))^{2/3}(A + B \sec(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{8/3}(A + B \sec(c + dx)) dx}{b^2} \\
 &= \frac{A \int (b \sec(c + dx))^{8/3} dx}{b^2} + \frac{B \int (b \sec(c + dx))^{11/3} dx}{b^3} \\
 &= \frac{\left(A \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{2/3}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{8/3}} dx}{b^2} + \frac{\left(B \left(\frac{\cos(c+dx)}{b}\right)^{5/3} (b \sec(c + dx))^{5/3}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{8/3}} dx}{b^3} \\
 &= \frac{3A {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{5/3} \sin(c + dx)}{5bd \sqrt{\sin^2(c + dx)}} + \frac{B {}_2F_1\left(-\frac{11}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{8/3} \sin(c + dx)}{5bd \sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.256236, size = 90, normalized size = 0.76

$$\frac{3(-\tan^2(c + dx))^{3/2} \csc^3(c + dx)(b \sec(c + dx))^{2/3} \left(11A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{4}{3}, \frac{7}{3}, \sec^2(c + dx)\right) + 8B \sec^2(c + dx)\right) + 8B \sec^2(c + dx)}{88d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] (-3*Csc[c + d*x]^3*(11*A*Cos[c + d*x]*Hypergeometric2F1[1/2, 4/3, 7/3, Sec[c + d*x]^2] + 8*B*Hypergeometric2F1[1/2, 11/6, 17/6, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(2/3)*(-Tan[c + d*x]^2)^(3/2))/(88*d)

Maple [F] time = 0.117, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (b \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^2, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \sec(dx + c)^3 + A \sec(dx + c)^2\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^(2/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^2, x)`

3.8 $\int \sec(c + dx)(b \sec(c + dx))^{2/3}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=116

$$\frac{3A \sin(c + dx)(b \sec(c + dx))^{2/3} \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{5/3} \text{Hypergeometric2F1}\left(-\frac{5}{6}, \frac{1}{2}, \frac{1}{6}, \cos^2(c + dx)\right)}{5bd\sqrt{\sin^2(c + dx)}}$$

[Out] (3*A*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(2*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x])/(5*b*d*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.0984483, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3A \sin(c + dx)(b \sec(c + dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx)(b \sec(c + dx))^{5/3} {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right)}{5bd\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*A*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(2*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(5/3)*Sin[c + d*x])/(5*b*d*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(b \sec(c + dx))^{2/3}(A + B \sec(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{5/3}(A + B \sec(c + dx)) dx}{b} \\
 &= \frac{A \int (b \sec(c + dx))^{5/3} dx}{b} + \frac{B \int (b \sec(c + dx))^{8/3} dx}{b^2} \\
 &= \frac{\left(A \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{2/3}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{5/3}} dx}{b} + \frac{\left(B \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{2/3}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{8/3}} dx}{b} \\
 &= \frac{3A {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{2d\sqrt{\sin^2(c + dx)}} + \frac{5B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{2d\sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.117802, size = 91, normalized size = 0.78

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) (b \sec(c + dx))^{5/3} \left(8A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \sec^2(c + dx)\right) + 5B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{4}{3}, \frac{7}{3}, \sec^2(c + dx)\right)\right)}{40bd}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*Csc[c + d*x]*(8*A*Cos[c + d*x]*Hypergeometric2F1[1/2, 5/6, 11/6, Sec[c + d*x]^2] + 5*B*Hypergeometric2F1[1/2, 4/3, 7/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(5/3)*Sqrt[-Tan[c + d*x]^2])/(40*b*d)

Maple [F] time = 0.105, size = 0, normalized size = 0.

$$\int \sec(dx + c) (b \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \sec(dx + c)^2 + A \sec(dx + c)\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^(2/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c), x)`

3.9 $\int (b \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=112

$$\frac{3B \sin(c + dx)(b \sec(c + dx))^{2/3} \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)}} - \frac{3Ab \sin(c + dx) \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}}$$

[Out] $(-3A*b*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(d*(b*\text{Sec}[c + d*x])^{1/3}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*B*\text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2]*(b*\text{Sec}[c + d*x])^{2/3}*\text{Sin}[c + d*x])/(2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rubi [A] time = 0.0862797, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3787, 3772, 2643}

$$\frac{3B \sin(c + dx)(b \sec(c + dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)}} - \frac{3Ab \sin(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}\sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(b*\text{Sec}[c + d*x])^{2/3}*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(-3A*b*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(d*(b*\text{Sec}[c + d*x])^{1/3}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*B*\text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2]*(b*\text{Sec}[c + d*x])^{2/3}*\text{Sin}[c + d*x])/(2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/(\text{Sin}[c + d*x]/b)^n, x]), x] /;$ FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx &= A \int (b \sec(c + dx))^{2/3} dx + \frac{B \int (b \sec(c + dx))^{5/3} dx}{b} \\ &= \left(A \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \frac{1}{\left(\frac{\cos(c + dx)}{b} \right)^{2/3}} dx + \frac{\left(B \left(\frac{\cos(c + dx)}{b} \right)^{5/3} \right)}{\left(\frac{\cos(c + dx)}{b} \right)^{2/3}} \\ &= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{2d \sqrt{\sin^2(c + dx)}} - \frac{3A \cos(c + dx)}{2d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.0870232, size = 88, normalized size = 0.79

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) (b \sec(c + dx))^{2/3} \left(5A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \sec^2(c + dx)\right) + 2B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \sec^2(c + dx)\right) \right)}{10d}$$

Antiderivative was successfully verified.

[In] Integrate[(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*Csc[c + d*x]*(5*A*Cos[c + d*x]*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2] + 2*B*Hypergeometric2F1[1/2, 5/6, 11/6, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(2/3)*Sqrt[-Tan[c + d*x]^2])/(10*d)

Maple [F] time = 0.107, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^{2/3} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

[Out] `int((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^{\frac{2}{3}} (A + B \sec(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)),x)`

[Out] `Integral((b*sec(c + d*x))**(2/3)*(A + B*sec(c + d*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3), x)

3.10 $\int \cos(c+dx)(b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$

Optimal. Leaf size=115

$$\frac{3Ab^2 \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{4/3}} - \frac{3bB \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{d\sqrt{\sin^2(c+dx)}\sqrt[3]{b \sec(c+dx)}}$$

[Out] $(-3A*b^2*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(4*d*(b*\operatorname{Sec}[c+d*x])^{(4/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*b*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(d*(b*\operatorname{Sec}[c+d*x])^{(1/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rubi [A] time = 0.104279, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3Ab^2 \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{4/3}} - \frac{3bB \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{d\sqrt{\sin^2(c+dx)}\sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c+d*x]*(b*\operatorname{Sec}[c+d*x])^{(2/3)}*(A+B*\operatorname{Sec}[c+d*x]),x]$

[Out] $(-3A*b^2*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(4*d*(b*\operatorname{Sec}[c+d*x])^{(4/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*b*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(d*(b*\operatorname{Sec}[c+d*x])^{(1/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rule 16

$\operatorname{Int}[(u_.)*(v_)^{(m_.)}*((b_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ $\operatorname{FreeQ}\{b, n\}, x \&\& \operatorname{IntegerQ}[m]$

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_.)}*(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e+f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e+f*x])^{(n+1)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(b \sec(c + dx))^{2/3}(A + B \sec(c + dx)) dx &= b \int \frac{A + B \sec(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx \\
 &= (Ab) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx + B \int (b \sec(c + dx))^{2/3} dx \\
 &= \left(Ab \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \sqrt[3]{\frac{\cos(c + dx)}{b}} dx + \\
 &= \frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{d \sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.092931, size = 88, normalized size = 0.77

$$\frac{3\sqrt{-\tan^2(c + dx)} \cot(c + dx)(b \sec(c + dx))^{2/3} \left(2A \cos(c + dx) \text{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \sec^2(c + dx)\right) - B \text{Hypergeometric2F1}\left[\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \sec^2(c + dx)\right] \right) (b \sec(c + dx))^{2/3} \sqrt{-\tan^2(c + dx)}}{2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] (-3*Cot[c + d*x]*(2*A*Cos[c + d*x]*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2] - B*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(2/3)*Sqrt[-Tan[c + d*x]^2])/(2*d)

Maple [F] time = 0.237, size = 0, normalized size = 0.

$$\int \cos(dx + c) (b \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)

[Out] int(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*(b*sec(d*x + c))^(2/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c), x)`

3.11 $\int \cos^2(c+dx)(b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$

Optimal. Leaf size=119

$$\frac{3Ab^3 \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{6}, \frac{13}{6}, \cos^2(c+dx)\right)}{7d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{7/3}} - \frac{3b^2B \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{4/3}}$$

[Out] $(-3A*b^3*\operatorname{Hypergeometric2F1}[1/2, 7/6, 13/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/ (7*d*(b*\operatorname{Sec}[c+d*x])^{7/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*b^2*B*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/ (4*d*(b*\operatorname{Sec}[c+d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rubi [A] time = 0.121113, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3Ab^3 \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right)}{7d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{7/3}} - \frac{3b^2B \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c+d*x]^2*(b*\operatorname{Sec}[c+d*x])^{2/3}*(A+B*\operatorname{Sec}[c+d*x]), x]$

[Out] $(-3A*b^3*\operatorname{Hypergeometric2F1}[1/2, 7/6, 13/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/ (7*d*(b*\operatorname{Sec}[c+d*x])^{7/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*b^2*B*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/ (4*d*(b*\operatorname{Sec}[c+d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rule 16

$\operatorname{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_)]*(d_*))^{(n_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_)]*(b_*) + (a_*)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e+f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e+f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(b \sec(c + dx))^{2/3}(A + B \sec(c + dx)) dx &= b^2 \int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{4/3}} dx \\
 &= (Ab^2) \int \frac{1}{(b \sec(c + dx))^{4/3}} dx + (bB) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx \\
 &= \left(Ab^2 \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \int \left(\frac{\cos(c + dx)}{b} \right)^{4/3} \right. \\
 &\quad \left. = \frac{3B \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3}}{4d \sqrt{\sin^2(c + dx)}} \right)
 \end{aligned}$$

Mathematica [A] time = 0.137663, size = 88, normalized size = 0.74

$$\frac{3b \sqrt{-\tan^2(c + dx)} \cot(c + dx) \left(A \cos(c + dx) \text{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \sec^2(c + dx)\right) + 4B \text{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \sec^2(c + dx)\right) \right) \text{Sqrt}[-\tan^2(c + dx)]}{4d \sqrt[3]{b \sec(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] (-3*b*Cot[c + d*x]*(A*Cos[c + d*x]*Hypergeometric2F1[-2/3, 1/2, 1/3, Sec[c + d*x]^2] + 4*B*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2])*Sqrt[-Tan[c + d*x]^2])/(4*d*(b*Sec[c + d*x])^(1/3))

Maple [F] time = 0.358, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^2 (b \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

[Out] `int(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c)^2, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2\right) (b \sec(dx + c))^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*(b*sec(d*x + c))^(2/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*cos(d*x + c)^2, x)`

3.12 $\int \sec^2(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$

Optimal. Leaf size=119

$$\frac{3A \sin(c+dx)(b \sec(c+dx))^{7/3} \text{Hypergeometric2F1}\left(-\frac{7}{6}, \frac{1}{2}, -\frac{1}{6}, \cos^2(c+dx)\right)}{7bd\sqrt{\sin^2(c+dx)}} + \frac{3B \sin(c+dx)(b \sec(c+dx))^{10/3} \text{Hypergeometric2F1}\left(-\frac{5}{3}, \frac{1}{2}, -\frac{2}{3}, \cos^2(c+dx)\right)}{10b^2d\sqrt{\sin^2(c+dx)}}$$

[Out] (3*A*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-5/3, 1/2, -2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(10/3)*Sin[c + d*x])/(10*b^2*d*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.101489, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx)(b \sec(c+dx))^{7/3} {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right)}{7bd\sqrt{\sin^2(c+dx)}} + \frac{3B \sin(c+dx)(b \sec(c+dx))^{10/3} {}_2F_1\left(-\frac{5}{3}, \frac{1}{2}; -\frac{2}{3}; \cos^2(c+dx)\right)}{10b^2d\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]), x]

[Out] (3*A*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-5/3, 1/2, -2/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(10/3)*Sin[c + d*x])/(10*b^2*d*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_)+(f_)*(x_)]*(d_))^(n_)*(csc[(e_)+(f_)*(x_)]*(b_)+(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e+f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e+f*x])^(n+1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(b \sec(c + dx))^{4/3}(A + B \sec(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{10/3}(A + B \sec(c + dx)) dx}{b^2} \\
 &= \frac{A \int (b \sec(c + dx))^{10/3} dx}{b^2} + \frac{B \int (b \sec(c + dx))^{13/3} dx}{b^3} \\
 &= \frac{\left(A \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c + dx)}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{10/3}} dx}{b^2} + \frac{\left(B \sqrt[3]{\frac{\cos(c+dx)}{b}}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{13/3}} dx}{b^3} \\
 &= \frac{3Ab {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c + dx)\right) \sec(c + dx) \sqrt[3]{b \sec(c + dx)}}{7d \sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.302891, size = 90, normalized size = 0.76

$$\frac{3(-\tan^2(c + dx))^{3/2} \csc^3(c + dx)(b \sec(c + dx))^{4/3} \left(13A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{3}, \frac{8}{3}, \sec^2(c + dx)\right) + 10B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{13}{6}, \frac{19}{6}, \sec^2(c + dx)\right)\right) (b \sec(c + dx))^{4/3}}{130d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]),x]

[Out] (-3*Csc[c + d*x]^3*(13*A*Cos[c + d*x]*Hypergeometric2F1[1/2, 5/3, 8/3, Sec[c + d*x]^2] + 10*B*Hypergeometric2F1[1/2, 13/6, 19/6, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(4/3)*(-Tan[c + d*x]^2)^(3/2))/(130*d)

Maple [F] time = 0.118, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (b \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)

[Out] int(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^4 + Ab \sec(dx + c)^3\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^4 + A*b*sec(d*x + c)^3)*(b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c)^2, x)`

3.13 $\int \sec(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$

Optimal. Leaf size=116

$$\frac{3A \sin(c+dx)(b \sec(c+dx))^{4/3} \text{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)}} + \frac{3B \sin(c+dx)(b \sec(c+dx))^{7/3} \text{Hypergeometric2F1}\left(-\frac{7}{6}, \frac{1}{2}, -\frac{1}{6}, \cos^2(c+dx)\right)}{7bd\sqrt{\sin^2(c+dx)}}$$

[Out] (3*A*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.0985424, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx)(b \sec(c+dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)}} + \frac{3B \sin(c+dx)(b \sec(c+dx))^{7/3} {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right)}{7bd\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]), x]

[Out] (3*A*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(7/3)*Sin[c + d*x])/(7*b*d*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n+1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(b \sec(c + dx))^{4/3}(A + B \sec(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{7/3}(A + B \sec(c + dx)) dx}{b} \\
 &= \frac{A \int (b \sec(c + dx))^{7/3} dx}{b} + \frac{B \int (b \sec(c + dx))^{10/3} dx}{b^2} \\
 &= \frac{\left(A \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c + dx)}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{7/3}} dx}{b} + \frac{\left(B \sqrt[3]{\frac{\cos(c+dx)}{b}}\right)}{b} \\
 &= \frac{3A {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{4/3} \sin(c + dx)}{4d \sqrt{\sin^2(c + dx)}} + \frac{B \sqrt[3]{\frac{\cos(c+dx)}{b}}}{b}
 \end{aligned}$$

Mathematica [A] time = 0.148966, size = 91, normalized size = 0.78

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx)(b \sec(c + dx))^{7/3} \left(10A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{6}, \frac{13}{6}, \sec^2(c + dx)\right) + 7B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{3}, \frac{8}{3}, \sec^2(c + dx)\right)\right) + 7B \sqrt[3]{\frac{\cos(c+dx)}{b}}}{70bd}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*Csc[c + d*x]*(10*A*Cos[c + d*x]*Hypergeometric2F1[1/2, 7/6, 13/6, Sec[c + d*x]^2] + 7*B*Hypergeometric2F1[1/2, 5/3, 8/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(7/3)*Sqrt[-Tan[c + d*x]^2])/(70*b*d)

Maple [F] time = 0.105, size = 0, normalized size = 0.

$$\int \sec(dx + c) (b \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)

[Out] int(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^3 + Ab \sec(dx + c)^2\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^3 + A*b*sec(d*x + c)^2)*(b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c), x)`

3.14 $\int (b \sec(c + dx))^{4/3} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=112

$$\frac{3Ab \sin(c + dx) \sqrt[3]{b \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c + dx)\right)}{d \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{4/3} \operatorname{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)}}$$

[Out] (3*A*b*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*d*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.0880377, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3787, 3772, 2643}

$$\frac{3Ab \sin(c + dx) \sqrt[3]{b \sec(c + dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right)}{d \sqrt{\sin^2(c + dx)}} + \frac{3B \sin(c + dx) (b \sec(c + dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right)}{4d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*A*b*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*d*Sqrt[Sin[c + d*x]^2])

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^{4/3} (A + B \sec(c + dx)) dx &= A \int (b \sec(c + dx))^{4/3} dx + \frac{B \int (b \sec(c + dx))^{7/3} dx}{b} \\ &= \left(A \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right) \int \frac{1}{\left(\frac{\cos(c + dx)}{b}\right)^{4/3}} dx + \frac{\left(B \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right) \int \frac{1}{\left(\frac{\cos(c + dx)}{b}\right)^{4/3}} dx}{\left(\frac{\cos(c + dx)}{b}\right)^{4/3}} \\ &= \frac{3Ab {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d \sqrt{\sin^2(c + dx)}} + \frac{3B {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{5}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.111403, size = 88, normalized size = 0.79

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) (b \sec(c + dx))^{4/3} \left(7A \cos(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \sec^2(c + dx)\right) + 4B \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{6}, \frac{13}{6}, \sec^2(c + dx)\right) \right) (b \sec(c + dx))^{4/3}}{28d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (3*Csc[c + d*x]*(7*A*Cos[c + d*x]*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c +
d*x]^2] + 4*B*Hypergeometric2F1[1/2, 7/6, 13/6, Sec[c + d*x]^2])*(b*Sec[c +
d*x])^(4/3)*Sqrt[-Tan[c + d*x]^2])/(28*d)
```

Maple [F] time = 0.107, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^{4/3} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)`

[Out] `int((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^2 + Ab \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b*sec(d*x + c)^2 + A*b*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3), x)
```

3.15 $\int \cos(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$

Optimal. Leaf size=115

$$\frac{3bB \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c+dx)\right)}{d \sqrt{\sin^2(c+dx)}} - \frac{3Ab^2 \sin(c+dx) \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

[Out] $(-3A*b^2*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(2*d*(b*\operatorname{Sec}[c+d*x])^{(2/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) + (3*b*B*\operatorname{Hypergeometric2F1}[-1/6, 1/2, 5/6, \operatorname{Cos}[c+d*x]^2]*(b*\operatorname{Sec}[c+d*x])^{(1/3)}*\operatorname{Sin}[c+d*x])/(d*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rubi [A] time = 0.104678, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3bB \sin(c+dx) \sqrt[3]{b \sec(c+dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{d \sqrt{\sin^2(c+dx)}} - \frac{3Ab^2 \sin(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c+d*x]*(b*\operatorname{Sec}[c+d*x])^{(4/3)}*(A+B*\operatorname{Sec}[c+d*x]), x]$

[Out] $(-3A*b^2*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(2*d*(b*\operatorname{Sec}[c+d*x])^{(2/3)}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) + (3*b*B*\operatorname{Hypergeometric2F1}[-1/6, 1/2, 5/6, \operatorname{Cos}[c+d*x]^2]*(b*\operatorname{Sec}[c+d*x])^{(1/3)}*\operatorname{Sin}[c+d*x])/(d*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rule 16

$\operatorname{Int}[(u_.)*(v_)^{(m_.)}*((b_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_.)}*(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e+f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e+f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(b \sec(c + dx))^{4/3}(A + B \sec(c + dx)) dx &= b \int \sqrt[3]{b \sec(c + dx)}(A + B \sec(c + dx)) dx \\
 &= (Ab) \int \sqrt[3]{b \sec(c + dx)} dx + B \int (b \sec(c + dx))^{4/3} dx \\
 &= \left(Ab \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right) \int \frac{1}{\sqrt[3]{\frac{\cos(c + dx)}{b}}} dx + \left(B \sqrt[3]{\cos(c + dx)} \right) \int \sec(c + dx) dx \\
 &= \frac{3bB {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{d \sqrt{\sin^2(c + dx)}} + \frac{3bA \sqrt[3]{b \sec(c + dx)}}{d}
 \end{aligned}$$

Mathematica [A] time = 0.111987, size = 87, normalized size = 0.76

$$\frac{3\sqrt{-\tan^2(c + dx)} \cot(c + dx)(b \sec(c + dx))^{4/3} \left(4A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right) + B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \sec^2(c + dx)\right) \right) (b \sec(c + dx))^{4/3} \sqrt{-\tan^2(c + dx)}}{4d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*Cot[c + d*x]*(4*A*Cos[c + d*x]*Hypergeometric2F1[1/6, 1/2, 7/6, Sec[c + d*x]^2] + B*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(4/3)*Sqrt[-Tan[c + d*x]^2])/(4*d)

Maple [F] time = 0.177, size = 0, normalized size = 0.

$$\int \cos(dx + c) (b \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)`

[Out] `int(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c) \sec(dx + c)^2 + Ab \cos(dx + c) \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b*cos(d*x + c)*sec(d*x + c)^2 + A*b*cos(d*x + c)*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c), x)`

3.16 $\int \cos^2(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$

Optimal. Leaf size=119

$$\frac{3Ab^3 \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \cos^2(c+dx)\right)}{5d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{5/3}} - \frac{3b^2B \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c+dx)\right)}{2d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{2/3}}$$

[Out] $(-3A*b^3*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(5*d*(b*\operatorname{Sec}[c+d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*b^2*B*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(2*d*(b*\operatorname{Sec}[c+d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rubi [A] time = 0.123223, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3Ab^3 \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{5/3}} - \frac{3b^2B \sin(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2d\sqrt{\sin^2(c+dx)}(b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c+d*x]^2*(b*\operatorname{Sec}[c+d*x])^{4/3}*(A+B*\operatorname{Sec}[c+d*x]), x]$

[Out] $(-3A*b^3*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(5*d*(b*\operatorname{Sec}[c+d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*b^2*B*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(2*d*(b*\operatorname{Sec}[c+d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rule 16

$\operatorname{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_)]*(d_*))^{(n_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_)]*(b_*) + (a_*)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e+f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e+f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(b \sec(c + dx))^{4/3}(A + B \sec(c + dx)) dx &= b^2 \int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{2/3}} dx \\ &= (Ab^2) \int \frac{1}{(b \sec(c + dx))^{2/3}} dx + (bB) \int \sqrt[3]{b \sec(c + dx)} dx \\ &= \left(Ab^2 \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right) \int \left(\frac{\cos(c + dx)}{b} \right)^{2/3} dx + \\ &= \frac{3bB \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \operatorname{si}}{2d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.0955387, size = 88, normalized size = 0.74

$$\frac{3b \sqrt{-\tan^2(c + dx)} \cot(c + dx) \sqrt[3]{b \sec(c + dx)} \left(A \cos(c + dx) \operatorname{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \sec^2(c + dx)\right) - 2B \operatorname{Hypergeometric2F1}\left[\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right] \right) - 2B \operatorname{Hypergeometric2F1}\left[\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right]}{2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]),x]

[Out] (-3*b*Cot[c + d*x]*(A*Cos[c + d*x]*Hypergeometric2F1[-1/3, 1/2, 2/3, Sec[c + d*x]^2] - 2*B*Hypergeometric2F1[1/6, 1/2, 7/6, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(1/3)*Sqrt[-Tan[c + d*x]^2])/(2*d)

Maple [F] time = 0.412, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^2 (b \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)

[Out] int(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 \sec(dx + c)^2 + Ab \cos(dx + c)^2 \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2*sec(d*x + c)^2 + A*b*cos(d*x + c)^2*sec(d*x + c))*(b*sec(d*x + c))^(1/3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*cos(d*x + c)^2, x)`

$$3.17 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=117

$$\frac{3A \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} + \frac{3B \sin(c+dx) (b \sec(c+dx))^{4/3} \operatorname{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \cos^2(c+dx)\right)}{4b^2 d \sqrt{\sin^2(c+dx)}}$$

[Out] (3*A*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*b^2*d*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.0969972, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx) \sqrt[3]{b \sec(c+dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} + \frac{3B \sin(c+dx) (b \sec(c+dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)}{4b^2 d \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*A*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*b^2*d*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n+1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{2/3}} dx &= \frac{\int (b \sec(c + dx))^{4/3}(A + B \sec(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \sec(c + dx))^{4/3} dx}{b^2} + \frac{B \int (b \sec(c + dx))^{7/3} dx}{b^3} \\ &= \frac{\left(A \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c+dx)}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{4/3}} dx}{b^2} + \frac{\left(B \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c+dx)}\right)}{b^3} \\ &= \frac{3A {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} + \frac{3B {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{bd \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.25324, size = 90, normalized size = 0.77

$$\frac{3(-\tan^2(c + dx))^{3/2} \csc^3(c + dx) \left(7A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \sec^2(c + dx)\right) + 4B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{6}, \frac{13}{6}, \sec^2(c + dx)\right)\right)}{28d(b \sec(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(2/3), x]

[Out] (-3*Csc[c + d*x]^3*(7*A*Cos[c + d*x]*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c + d*x]^2] + 4*B*Hypergeometric2F1[1/2, 7/6, 13/6, Sec[c + d*x]^2])*(-Tan[c + d*x]^2)^(3/2))/(28*d*(b*Sec[c + d*x])^(2/3))

Maple [F] time = 0.117, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

[Out] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c)^2 + A \sec(dx + c)) (b \sec(dx + c))^{\frac{1}{3}}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^(1/3)/b, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(2/3), x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(b*sec(c + d*x))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(2/3), x)

$$3.18 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=114

$$\frac{3B \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} - \frac{3A \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

[Out] $(-3*A*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/6, 1/2, 5/6, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sin}[c + d*x])/(b*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2])$

Rubi [A] time = 0.0931026, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3B \sin(c+dx) \sqrt[3]{b \sec(c+dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} - \frac{3A \sin(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]*(A + B*\operatorname{Sec}[c + d*x]))/(b*\operatorname{Sec}[c + d*x])^{2/3}, x]$

[Out] $(-3*A*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/6, 1/2, 5/6, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sin}[c + d*x])/(b*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2])$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(d_*))^{(n_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*) + (a_*)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{2/3}} dx &= \frac{\int \sqrt[3]{b \sec(c + dx)}(A + B \sec(c + dx)) dx}{b} \\ &= \frac{A \int \sqrt[3]{b \sec(c + dx)} dx}{b} + \frac{B \int (b \sec(c + dx))^{4/3} dx}{b^2} \\ &= \frac{\left(A \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c + dx)}\right) \int \frac{1}{\sqrt[3]{\frac{\cos(c+dx)}{b}}} dx}{b} + \frac{\left(B \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c + dx)}\right) \int \sec(c + dx) dx}{b^2} \\ &= \frac{3B {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} - \frac{3A \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}; \sec^2(c + dx)\right)}{4bd} \end{aligned}$$

Mathematica [A] time = 0.114028, size = 90, normalized size = 0.79

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sqrt[3]{b \sec(c + dx)} \left(4A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right) + B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \sec^2(c + dx)\right)\right)}{4bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*Csc[c + d*x]*(4*A*Cos[c + d*x]*Hypergeometric2F1[1/6, 1/2, 7/6, Sec[c + d*x]^2] + B*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(1/3)*Sqrt[-Tan[c + d*x]^2])/(4*b*d)

Maple [F] time = 0.108, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

[Out] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)/b, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(2/3),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(b*sec(c + d*x))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(2/3), x)

$$3.19 \quad \int \frac{A+B \sec(c+dx)}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=114

$$\frac{3Ab \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{5/3}} - \frac{3B \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

[Out] $(-3A*b*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(5*d*(b*\operatorname{Sec}[c+d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(2*d*(b*\operatorname{Sec}[c+d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rubi [A] time = 0.0865656, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3787, 3772, 2643}

$$\frac{3Ab \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{5/3}} - \frac{3B \sin(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x])/(b*\operatorname{Sec}[c + d*x])^{2/3}, x]$

[Out] $(-3A*b*\operatorname{Hypergeometric2F1}[1/2, 5/6, 11/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(5*d*(b*\operatorname{Sec}[c+d*x])^{5/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(2*d*(b*\operatorname{Sec}[c+d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^{(n+1)}, x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3772

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*\operatorname{Csc}[c + d*x])^{(n-1)}*((\operatorname{Sin}[c + d*x]/b)^{(n-1)}*\operatorname{Int}[1/(\operatorname{Sin}[c + d*x]/b)^n, x]), x] /; \operatorname{Fr}$

eeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{2/3}} dx &= A \int \frac{1}{(b \sec(c + dx))^{2/3}} dx + \frac{B \int \sqrt[3]{b \sec(c + dx)} dx}{b} \\ &= \left(A \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right) \int \left(\frac{\cos(c + dx)}{b} \right)^{2/3} dx + \frac{\left(B \sqrt[3]{\frac{\cos(c + dx)}{b}} \sqrt[3]{b \sec(c + dx)} \right) \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx}{b} \\ &= -\frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{2bd \sqrt{\sin^2(c + dx)}} - \frac{3A \cos^2(c + dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c + dx)\right)}{2bd \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.092692, size = 87, normalized size = 0.76

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \left(A \cos(c + dx) \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \sec^2(c + dx)\right) - 2B \text{Hypergeometric2F1}\left[\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right] \right) \sqrt{-\tan^2(c + dx)}}{2d(b \sec(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(b*Sec[c + d*x])^(2/3), x]

[Out] (-3*Csc[c + d*x]*(A*Cos[c + d*x]*Hypergeometric2F1[-1/3, 1/2, 2/3, Sec[c + d*x]^2] - 2*B*Hypergeometric2F1[1/6, 1/2, 7/6, Sec[c + d*x]^2])*Sqrt[-Tan[c + d*x]^2])/(2*d*(b*Sec[c + d*x])^(2/3))

Maple [F] time = 0.15, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

[Out] `int((A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}}}{b \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)/(b*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))**(2/3),x)`

[Out] Integral((A + B*sec(c + d*x))/(b*sec(c + d*x))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c))^(2/3), x)

$$3.20 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=114

$$\frac{3B \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} - \frac{3A \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

[Out] $(-3*A*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/6, 1/2, 5/6, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sin}[c + d*x])/(b*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2])$

Rubi [A] time = 0.0933538, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3B \sin(c+dx) \sqrt[3]{b \sec(c+dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} - \frac{3A \sin(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]*(A + B*\operatorname{Sec}[c + d*x]))/(b*\operatorname{Sec}[c + d*x])^{2/3}, x]$

[Out] $(-3*A*\operatorname{Hypergeometric2F1}[1/3, 1/2, 4/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(2*d*(b*\operatorname{Sec}[c + d*x])^{2/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) + (3*B*\operatorname{Hypergeometric2F1}[-1/6, 1/2, 5/6, \operatorname{Cos}[c + d*x]^2]*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sin}[c + d*x])/(b*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2])$

Rule 16

$\operatorname{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(d_*))^{(n_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*) + (a_*)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{2/3}} dx &= \frac{\int \sqrt[3]{b \sec(c + dx)}(A + B \sec(c + dx)) dx}{b} \\ &= \frac{A \int \sqrt[3]{b \sec(c + dx)} dx}{b} + \frac{B \int (b \sec(c + dx))^{4/3} dx}{b^2} \\ &= \frac{\left(A \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c + dx)}\right) \int \frac{1}{\sqrt[3]{\frac{\cos(c+dx)}{b}}} dx}{b} + \frac{\left(B \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c + dx)}\right) \int \sec(c + dx) dx}{b^2} \\ &= \frac{3B {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} - \frac{3A \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}; \sec^2(c + dx)\right)}{4bd} \end{aligned}$$

Mathematica [A] time = 0.0255202, size = 90, normalized size = 0.79

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sqrt[3]{b \sec(c + dx)} \left(4A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right) + B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \sec^2(c + dx)\right)\right) + B \text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right)}{4bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*Csc[c + d*x]*(4*A*Cos[c + d*x]*Hypergeometric2F1[1/6, 1/2, 7/6, Sec[c + d*x]^2] + B*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(1/3)*Sqrt[-Tan[c + d*x]^2])/(4*b*d)

Maple [F] time = 0.007, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

[Out] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)/b, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(2/3),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(b*sec(c + d*x))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(2/3), x)

$$3.21 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=117

$$\frac{3A \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \operatorname{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} + \frac{3B \sin(c+dx) (b \sec(c+dx))^{4/3} \operatorname{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \cos^2(c+dx)\right)}{4b^2 d \sqrt{\sin^2(c+dx)}}$$

[Out] (3*A*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*b^2*d*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.0977646, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx) \sqrt[3]{b \sec(c+dx)} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} + \frac{3B \sin(c+dx) (b \sec(c+dx))^{4/3} {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)}{4b^2 d \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(2/3), x]

[Out] (3*A*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(b*d*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(4/3)*Sin[c + d*x])/(4*b^2*d*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n+1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{2/3}} dx &= \frac{\int (b \sec(c + dx))^{4/3}(A + B \sec(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \sec(c + dx))^{4/3} dx}{b^2} + \frac{B \int (b \sec(c + dx))^{7/3} dx}{b^3} \\ &= \frac{\left(A \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c+dx)}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{4/3}} dx}{b^2} + \frac{\left(B \sqrt[3]{\frac{\cos(c+dx)}{b}} \sqrt[3]{b \sec(c+dx)}\right)}{b^3} \\ &= \frac{3A {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} + \frac{3B {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c + dx)\right) \sqrt[3]{b \sec(c + dx)}}{bd \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.0229351, size = 90, normalized size = 0.77

$$\frac{3(-\tan^2(c + dx))^{3/2} \csc^3(c + dx) \left(7A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \sec^2(c + dx)\right) + 4B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{6}, \frac{13}{6}, \sec^2(c + dx)\right)\right)}{28d(b \sec(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(2/3), x]

[Out] (-3*Csc[c + d*x]^3*(7*A*Cos[c + d*x]*Hypergeometric2F1[1/2, 2/3, 5/3, Sec[c + d*x]^2] + 4*B*Hypergeometric2F1[1/2, 7/6, 13/6, Sec[c + d*x]^2])*(-Tan[c + d*x]^2)^(3/2))/(28*d*(b*Sec[c + d*x])^(2/3))

Maple [F] time = 0.006, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

[Out] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c)^2 + A \sec(dx + c)) (b \sec(dx + c))^{\frac{1}{3}}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^(1/3)/b, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(2/3),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(b*sec(c + d*x))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(2/3), x)

$$3.22 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=117

$$\frac{3B \sin(c+dx)(b \sec(c+dx))^{2/3} \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c+dx)\right)}{2b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3A \sin(c+dx) \text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] $(-3A \text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2] * \text{Sin}[c + d*x]) / (b*d*(b*\text{Sec}[c + d*x])^{1/3} * \text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*B*\text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2] * (b*\text{Sec}[c + d*x])^{2/3} * \text{Sin}[c + d*x]) / (2*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rubi [A] time = 0.096767, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3B \sin(c+dx)(b \sec(c+dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3A \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x]))/(b*\text{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3A*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b*d*(b*\text{Sec}[c + d*x])^{1/3}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*B*\text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2]*(b*\text{Sec}[c + d*x])^{2/3}*\text{Sin}[c + d*x])/(2*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_*)]*(d_*)^{(n_*)}*(\text{csc}[(e_*) + (f_*)*(x_*)]*(b_*) + (a_*)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\int (b \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx}{b^2} \\
 &= \frac{A \int (b \sec(c + dx))^{2/3} dx}{b^2} + \frac{B \int (b \sec(c + dx))^{5/3} dx}{b^3} \\
 &= \frac{\left(A \left(\frac{\cos(c+dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b} \right)^{2/3}} dx}{b^2} + \frac{\left(B \left(\frac{\cos(c+dx)}{b} \right)^{2/3} (b \sec(c + dx))^{5/3} \right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b} \right)^{2/3}} dx}{b^3} \\
 &= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{2b^2 d \sqrt{\sin^2(c + dx)}} - \frac{3A \cos(c + dx)}{2b^2 d \sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.23562, size = 91, normalized size = 0.78

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) (b \sec(c + dx))^{2/3} \left(5A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \sec^2(c + dx)\right) + 2B \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \sec^2(c + dx)\right) \right) + 2B \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \sec^2(c + dx)\right)}{10b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(4/3), x]

[Out] (3*Csc[c + d*x]*(5*A*Cos[c + d*x]*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2] + 2*B*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(2/3)*Sqrt[-Tan[c + d*x]^2])/(10*b^2*d)

Maple [F] time = 0.121, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)

[Out] int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}}}{b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/b^2, x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

$$3.23 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=114

$$\frac{3A \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}} - \frac{3B \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] $(-3*A*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(b*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2])$

Rubi [A] time = 0.0931761, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}} - \frac{3B \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]*(A + B*\operatorname{Sec}[c + d*x]))/(b*\operatorname{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3*A*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(b*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2])$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ $\operatorname{FreeQ}\{b, n\}, x \&\& \operatorname{IntegerQ}[m]$

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(d_*))^{(n_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*) + (a_*)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^{(n+1)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3772

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\int \frac{A+B \sec(c+dx)}{\sqrt[3]{b \sec(c+dx)}} dx}{b} \\ &= \frac{A \int \frac{1}{\sqrt[3]{b \sec(c+dx)}} dx}{b} + \frac{B \int (b \sec(c + dx))^{2/3} dx}{b^2} \\ &= \frac{\left(A \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{2/3}\right) \int \sqrt[3]{\frac{\cos(c+dx)}{b}} dx}{b} + \frac{\left(B \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{2/3}\right) \int \sqrt[3]{\frac{\cos(c+dx)}{b}} dx}{b} \\ &= \frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{b^2 d \sqrt{\sin^2(c + dx)}} - \frac{3A \cos(c + dx) \sqrt[3]{\frac{\cos(c+dx)}{b}}}{b} \end{aligned}$$

Mathematica [A] time = 0.098687, size = 91, normalized size = 0.8

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \left(2A \cos(c + dx) \text{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \sec^2(c + dx)\right) - B \text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \sec^2(c + dx)\right)\right)}{2bd\sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(4/3),x]

[Out] (-3*Csc[c + d*x]*(2*A*Cos[c + d*x]*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2] - B*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2])*Sqrt[-Tan[c + d*x]^2])/(2*b*d*(b*Sec[c + d*x])^(1/3))

Maple [F] time = 0.137, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)`

[Out] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}}}{b^2 \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)

$$3.24 \quad \int \frac{A+B \sec(c+dx)}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=114

$$\frac{3Ab \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{7}{6}, \frac{13}{6}, \cos^2(c+dx)\right)}{7d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{7/3}} - \frac{3B \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

[Out] $(-3A*b*\operatorname{Hypergeometric2F1}[1/2, 7/6, 13/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(7*d*(b*\operatorname{Sec}[c+d*x])^{7/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(4*d*(b*\operatorname{Sec}[c+d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rubi [A] time = 0.0890296, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3787, 3772, 2643}

$$\frac{3Ab \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right)}{7d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{7/3}} - \frac{3B \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x])/(b*\operatorname{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3A*b*\operatorname{Hypergeometric2F1}[1/2, 7/6, 13/6, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(7*d*(b*\operatorname{Sec}[c+d*x])^{7/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c+d*x]^2]*\operatorname{Sin}[c+d*x])/(4*d*(b*\operatorname{Sec}[c+d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c+d*x]^2])$

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^{(n+1)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3772

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*\operatorname{Csc}[c + d*x])^{(n-1)}*((\operatorname{Sin}[c + d*x]/b)^{(n-1)}*\operatorname{Int}[1/(\operatorname{Sin}[c + d*x]/b)^n, x]), x] /;$ Fr

eeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{4/3}} dx &= A \int \frac{1}{(b \sec(c + dx))^{4/3}} dx + \frac{B \int \frac{1}{\sqrt[3]{b \sec(c + dx)}} dx}{b} \\ &= \left(A \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right) \int \left(\frac{\cos(c + dx)}{b} \right)^{4/3} dx + \frac{\left(B \left(\frac{\cos(c + dx)}{b} \right)^{2/3} (b \sec(c + dx))^{2/3} \right)}{b} \\ &= \frac{3B \cos^2(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx) - 3A \cos^3(c + dx)}{4b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.144719, size = 87, normalized size = 0.76

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \left(A \cos(c + dx) \text{Hypergeometric2F1}\left(-\frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \sec^2(c + dx)\right) + 4B \text{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \sec^2(c + dx)\right) \right)}{4d(b \sec(c + dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(b*Sec[c + d*x])^(4/3), x]

[Out] (-3*Csc[c + d*x]*(A*Cos[c + d*x]*Hypergeometric2F1[-2/3, 1/2, 1/3, Sec[c + d*x]^2] + 4*B*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2])*Sqrt[-Tan[c + d*x]^2])/(4*d*(b*Sec[c + d*x])^(4/3))

Maple [F] time = 0.109, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)`

[Out] `int((A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)(b \sec(dx + c))^{\frac{2}{3}}}{b^2 \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x))/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c))^(4/3), x)

$$3.25 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=114

$$\frac{3A \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2}{3}, \frac{5}{3}, \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}} - \frac{3B \sin(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] $(-3*A*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(b*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2])$

Rubi [A] time = 0.0931583, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4d \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{4/3}} - \frac{3B \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]*(A + B*\operatorname{Sec}[c + d*x]))/(b*\operatorname{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3*A*\operatorname{Hypergeometric2F1}[1/2, 2/3, 5/3, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(4*d*(b*\operatorname{Sec}[c + d*x])^{4/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2]) - (3*B*\operatorname{Hypergeometric2F1}[1/6, 1/2, 7/6, \operatorname{Cos}[c + d*x]^2]*\operatorname{Sin}[c + d*x])/(b*d*(b*\operatorname{Sec}[c + d*x])^{1/3}*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]^2])$

Rule 16

$\operatorname{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x_Symbol] \rightarrow \operatorname{Dist}[1/b^m, \operatorname{Int}[u*(b*v)^{(m+n)}, x], x] /;$ $\operatorname{FreeQ}\{b, n\}, x \&\& \operatorname{IntegerQ}[m]$

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(d_*))^{(n_*)}*(\operatorname{csc}[(e_*) + (f_*)*(x_*)]*(b_*) + (a_*)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^{(n+1)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3772

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\int \frac{A+B \sec(c+dx)}{\sqrt[3]{b \sec(c+dx)}} dx}{b} \\ &= \frac{A \int \frac{1}{\sqrt[3]{b \sec(c+dx)}} dx}{b} + \frac{B \int (b \sec(c + dx))^{2/3} dx}{b^2} \\ &= \frac{\left(A \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{2/3}\right) \int \sqrt[3]{\frac{\cos(c+dx)}{b}} dx}{b} + \frac{\left(B \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{2/3}\right) \int \sqrt[3]{\frac{\cos(c+dx)}{b}} dx}{b} \\ &= \frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx) - 3A \cos(c + dx)}{b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.076464, size = 91, normalized size = 0.8

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \left(2A \cos(c + dx) \text{Hypergeometric2F1}\left(-\frac{1}{6}, \frac{1}{2}, \frac{5}{6}, \sec^2(c + dx)\right) - B \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \sec^2(c + dx)\right)\right)}{2bd\sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(4/3),x]

[Out] (-3*Csc[c + d*x]*(2*A*Cos[c + d*x]*Hypergeometric2F1[-1/6, 1/2, 5/6, Sec[c + d*x]^2] - B*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2])*Sqrt[-Tan[c + d*x]^2])/(2*b*d*(b*Sec[c + d*x])^(1/3))

Maple [F] time = 0.004, size = 0, normalized size = 0.

$$\int \sec(dx + c) (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)`

[Out] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}}}{b^2 \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/(b^2*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c))^(4/3), x)

$$3.26 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=117

$$\frac{3B \sin(c+dx)(b \sec(c+dx))^{2/3} \text{Hypergeometric2F1}\left(-\frac{1}{3}, \frac{1}{2}, \frac{2}{3}, \cos^2(c+dx)\right)}{2b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3A \sin(c+dx) \text{Hypergeometric2F1}\left(\frac{1}{6}, \frac{1}{2}, \frac{7}{6}, \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] $(-3A \text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2] * \text{Sin}[c + d*x]) / (b*d*(b*\text{Sec}[c + d*x])^{1/3} * \text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3B \text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2] * (b*\text{Sec}[c + d*x])^{2/3} * \text{Sin}[c + d*x]) / (2*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rubi [A] time = 0.0971938, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {16, 3787, 3772, 2643}

$$\frac{3B \sin(c+dx)(b \sec(c+dx))^{2/3} {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3A \sin(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x]))/(b*\text{Sec}[c + d*x])^{4/3}, x]$

[Out] $(-3A \text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2] * \text{Sin}[c + d*x]) / (b*d*(b*\text{Sec}[c + d*x])^{1/3} * \text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3B \text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2] * (b*\text{Sec}[c + d*x])^{2/3} * \text{Sin}[c + d*x]) / (2*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$ FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

$\text{Int}[(\text{csc}[(e_*) + (f_*)*(x_*)]*(d_*)^{(n_*)}*(\text{csc}[(e_*) + (f_*)*(x_*)]*(b_*) + (a_*)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\int (b \sec(c + dx))^{2/3}(A + B \sec(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \sec(c + dx))^{2/3} dx}{b^2} + \frac{B \int (b \sec(c + dx))^{5/3} dx}{b^3} \\ &= \frac{\left(A \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{2/3}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{2/3}} dx}{b^2} + \frac{\left(B \left(\frac{\cos(c+dx)}{b}\right)^{2/3} (b \sec(c + dx))^{5/3}\right) \int \frac{1}{\left(\frac{\cos(c+dx)}{b}\right)^{2/3}} dx}{b^3} \\ &= \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) (b \sec(c + dx))^{2/3} \sin(c + dx)}{2b^2 d \sqrt{\sin^2(c + dx)}} - \frac{3A \cos(c + dx)}{2b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.172233, size = 91, normalized size = 0.78

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) (b \sec(c + dx))^{2/3} \left(5A \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{3}, \frac{1}{2}, \frac{4}{3}, \sec^2(c + dx)\right) + 2B \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{6}, \frac{11}{6}, \sec^2(c + dx)\right)\right) (b \sec(c + dx))^{2/3}}{10b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(4/3), x]

[Out] (3*Csc[c + d*x]*(5*A*Cos[c + d*x]*Hypergeometric2F1[1/3, 1/2, 4/3, Sec[c + d*x]^2] + 2*B*Hypergeometric2F1[1/2, 5/6, 11/6, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(2/3)*Sqrt[-Tan[c + d*x]^2])/(10*b^2*d)

Maple [F] time = 0.008, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)`

[Out] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}}}{b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)/b^2, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(b \sec(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(4/3),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(b*sec(c + d*x))**(4/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c))^(4/3), x)

3.27 $\int \sec^m(c+dx)(b \sec(c+dx))^{4/3}(A+B \sec(c+dx)) dx$

Optimal. Leaf size=167

$$\frac{3Ab \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(-3m-1), \frac{1}{6}(5-3m), \cos^2(c+dx)\right)}{d(3m+1)\sqrt{\sin^2(c+dx)}} + \frac{3bB \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(-3m-1), \frac{1}{6}(5-3m), \cos^2(c+dx)\right)}{d(3m+1)\sqrt{\sin^2(c+dx)}}$$

[Out] (3*A*b*Hypergeometric2F1[1/2, (-1 - 3*m)/6, (5 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(1 + 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*b*B*Hypergeometric2F1[1/2, (-4 - 3*m)/6, (2 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(4 + 3*m)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.120175, antiderivative size = 167, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{3Ab \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(-3m-1); \frac{1}{6}(5-3m); \cos^2(c+dx)\right)}{d(3m+1)\sqrt{\sin^2(c+dx)}} + \frac{3bB \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(-3m-1); \frac{1}{6}(5-3m); \cos^2(c+dx)\right)}{d(3m+1)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]), x]

[Out] (3*A*b*Hypergeometric2F1[1/2, (-1 - 3*m)/6, (5 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(1 + 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*b*B*Hypergeometric2F1[1/2, (-4 - 3*m)/6, (2 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(4 + 3*m)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx)(b \sec(c + dx))^{4/3}(A + B \sec(c + dx)) dx &= \frac{(b \sqrt[3]{b \sec(c + dx)}) \int \sec^{4/3+m}(c + dx)(A + B \sec(c + dx)) dx}{\sqrt[3]{\sec(c + dx)}} \\ &= \frac{(Ab \sqrt[3]{b \sec(c + dx)}) \int \sec^{4/3+m}(c + dx) dx}{\sqrt[3]{\sec(c + dx)}} + \frac{(bB \sqrt[3]{b \sec(c + dx)}) \int \sec^{4/3+m}(c + dx) dx}{\sqrt[3]{\sec(c + dx)}} \\ &= \frac{(Ab \cos^{1/3+m}(c + dx) \sec^m(c + dx) \sqrt[3]{b \sec(c + dx)}) \int \cos^{-4/3-m}(c + dx) dx}{\sqrt[3]{\sec(c + dx)}} \\ &= \frac{3Ab {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(-1 - 3m); \frac{1}{6}(5 - 3m); \cos^2(c + dx)\right) \sec^m(c + dx)}{d(1 + 3m)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.381677, size = 140, normalized size = 0.84

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx)(b \sec(c + dx))^{4/3} \sec^m(c + dx) \left(A(3m + 7) \cos(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(3m + 7); \frac{1}{6}(3m + 7); \cos^2(c + dx)\right) \right)}{d(3m + 4)(3m + 7)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]), x]

[Out] (3*Csc[c + d*x]*(A*(7 + 3*m)*Cos[c + d*x]*Hypergeometric2F1[1/2, (4 + 3*m)/6, 5/3 + m/2, Sec[c + d*x]^2] + B*(4 + 3*m)*Hypergeometric2F1[1/2, (7 + 3*m)/6, (13 + 3*m)/6, Sec[c + d*x]^2])*Sec[c + d*x]^m*(b*Sec[c + d*x])^(4/3)*Sqrt[-Tan[c + d*x]^2]/(d*(4 + 3*m)*(7 + 3*m))

Maple [F] time = 0.15, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)

[Out] int(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^2 + Ab \sec(dx + c)\right) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] `integral((B*b*sec(d*x + c)^2 + A*b*sec(d*x + c))*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{4}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(4/3)*sec(d*x + c)^m, x)`

3.28 $\int \sec^m(c+dx)(b \sec(c+dx))^{2/3}(A+B \sec(c+dx)) dx$

Optimal. Leaf size=165

$$\frac{3B \sin(c+dx)(b \sec(c+dx))^{2/3} \sec^m(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(-3m-2), \frac{1}{6}(4-3m), \cos^2(c+dx)\right) - 3A \sin(c+dx)}{d(3m+2)\sqrt{\sin^2(c+dx)}}$$

```
[Out] (-3*A*Hypergeometric2F1[1/2, (1 - 3*m)/6, (7 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(d*(1 - 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[1/2, (-2 - 3*m)/6, (4 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(d*(2 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.117112, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{3B \sin(c+dx)(b \sec(c+dx))^{2/3} \sec^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(-3m-2); \frac{1}{6}(4-3m); \cos^2(c+dx)\right) - 3A \sin(c+dx)(b \sec(c+dx))^{2/3}}{d(3m+2)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]), x]
```

```
[Out] (-3*A*Hypergeometric2F1[1/2, (1 - 3*m)/6, (7 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(d*(1 - 3*m)*Sqrt[Sin[c + d*x]^2]) + (3*B*Hypergeometric2F1[1/2, (-2 - 3*m)/6, (4 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(2/3)*Sin[c + d*x])/(d*(2 + 3*m)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]
```

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx)(b \sec(c + dx))^{2/3}(A + B \sec(c + dx)) dx &= \frac{(b \sec(c + dx))^{2/3} \int \sec^{\frac{2}{3}+m}(c + dx)(A + B \sec(c + dx)) dx}{\sec^{\frac{2}{3}}(c + dx)} \\ &= \frac{(A(b \sec(c + dx))^{2/3}) \int \sec^{\frac{2}{3}+m}(c + dx) dx}{\sec^{\frac{2}{3}}(c + dx)} + \frac{(B(b \sec(c + dx))^{2/3}) \int \sec^{\frac{2}{3}+m}(c + dx) dx}{\sec^{\frac{2}{3}}(c + dx)} \\ &= \left(A \cos^{\frac{2}{3}+m}(c + dx) \sec^m(c + dx)(b \sec(c + dx))^{2/3} \right) \int \cos^{-\frac{2}{3}-m}(c + dx) dx \\ &= -\frac{3A {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(1 - 3m); \frac{1}{6}(7 - 3m); \cos^2(c + dx)\right) \sec^{-1+m}(c + dx)}{d(1 - 3m)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.215456, size = 140, normalized size = 0.85

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx)(b \sec(c + dx))^{2/3} \sec^m(c + dx) \left(A(3m + 5) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(3m + 5); \frac{1}{6}(7 - 3m); \cos^2(c + dx)\right) \sec^{-1+m}(c + dx) \right)}{d(3m + 2)(3m + 5)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] $(3*\text{Csc}[c + d*x]*(A*(5 + 3*m)*\text{Cos}[c + d*x]*\text{Hypergeometric2F1}[1/2, (2 + 3*m)/6, (8 + 3*m)/6, \text{Sec}[c + d*x]^2] + B*(2 + 3*m)*\text{Hypergeometric2F1}[1/2, (5 + 3*m)/6, (11 + 3*m)/6, \text{Sec}[c + d*x]^2])*\text{Sec}[c + d*x]^m*(b*\text{Sec}[c + d*x])^{(2/3)}*\text{Sqrt}[-\text{Tan}[c + d*x]^2])/(d*(2 + 3*m)*(5 + 3*m))$

Maple [F] time = 0.143, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m, x)`

3.29 $\int \sec^m(c+dx) \sqrt[3]{b \sec(c+dx)} (A+B \sec(c+dx)) dx$

Optimal. Leaf size=165

$$\frac{3B \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(-3m-1), \frac{1}{6}(5-3m), \cos^2(c+dx)\right) - 3A \sin(c+dx)}{d(3m+1)\sqrt{\sin^2(c+dx)}}$$

```
[Out] (-3*A*Hypergeometric2F1[1/2, (2 - 3*m)/6, (8 - 3*m)/6, Cos[c + d*x]^2]*Sec[
c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(2 - 3*m)*Sqrt[Si
n[c + d*x]^2]) + (3*B*Hypergeometric2F1[1/2, (-1 - 3*m)/6, (5 - 3*m)/6, Cos
[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(1 + 3*
m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.111724, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{3B \sin(c+dx) \sqrt[3]{b \sec(c+dx)} \sec^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(-3m-1); \frac{1}{6}(5-3m); \cos^2(c+dx)\right) - 3A \sin(c+dx) \sqrt[3]{b \sec(c+dx)}}{d(3m+1)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x]), x]
```

```
[Out] (-3*A*Hypergeometric2F1[1/2, (2 - 3*m)/6, (8 - 3*m)/6, Cos[c + d*x]^2]*Sec[
c + d*x]^(-1 + m)*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(2 - 3*m)*Sqrt[Si
n[c + d*x]^2]) + (3*B*Hypergeometric2F1[1/2, (-1 - 3*m)/6, (5 - 3*m)/6, Cos
[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*Sin[c + d*x])/(d*(1 + 3*
m)*Sqrt[Sin[c + d*x]^2])
```

Rule 20

```
Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart
[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n
), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !
IntegerQ[m + n]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x)], x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx) \sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{\sqrt[3]{b \sec(c + dx)} \int \sec^{\frac{1}{3}+m}(c + dx) (A + B \sec(c + dx)) dx}{\sqrt[3]{\sec(c + dx)}} \\ &= \frac{(A \sqrt[3]{b \sec(c + dx)}) \int \sec^{\frac{1}{3}+m}(c + dx) dx}{\sqrt[3]{\sec(c + dx)}} + \frac{(B \sqrt[3]{b \sec(c + dx)}) \int \sec^{\frac{1}{3}+m}(c + dx) dx}{\sqrt[3]{\sec(c + dx)}} \\ &= \left(A \cos^{\frac{1}{3}+m}(c + dx) \sec^m(c + dx) \sqrt[3]{b \sec(c + dx)} \right) \int \cos^{-\frac{1}{3}-m}(c + dx) dx \\ &= -\frac{3A {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(2 - 3m); \frac{1}{6}(8 - 3m); \cos^2(c + dx)\right) \sec^{-1+m}(c + dx)}{d(2 - 3m) \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.2672, size = 140, normalized size = 0.85

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sqrt[3]{b \sec(c + dx)} \sec^m(c + dx) \left(A(3m + 4) \cos(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(3m + 1), \frac{1}{6}(8 - 3m); \cos^2(c + dx)\right) \right)}{d(3m + 1)(3m + 4)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x]), x]
```

[Out] $(3*\text{Csc}[c + d*x]*(A*(4 + 3*m)*\text{Cos}[c + d*x]*\text{Hypergeometric2F1}[1/2, (1 + 3*m)/6, (7 + 3*m)/6, \text{Sec}[c + d*x]^2] + B*(1 + 3*m)*\text{Hypergeometric2F1}[1/2, (4 + 3*m)/6, 5/3 + m/2, \text{Sec}[c + d*x]^2])*\text{Sec}[c + d*x]^m*(b*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[-\text{Tan}[c + d*x]^2])/(d*(1 + 3*m)*(4 + 3*m))$

Maple [F] time = 0.142, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m \sqrt[3]{b \sec(dx + c)} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{b \sec(c + dx)} (A + B \sec(c + dx)) \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(b*sec(d*x+c))**(1/3)*(A+B*sec(d*x+c)), x)`

[Out] `Integral((b*sec(c + d*x))**(1/3)*(A + B*sec(c + d*x))*sec(c + d*x)**m, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m, x)`

$$3.30 \quad \int \frac{\sec^m(c+dx)(A+B \sec(c+dx))}{\sqrt[3]{b \sec(c+dx)}} dx$$

Optimal. Leaf size=165

$$\frac{3A \sin(c+dx) \sec^{m-1}(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(4-3m), \frac{1}{6}(10-3m), \cos^2(c+dx)\right) - 3B \sin(c+dx) \sec^m(c+dx)}{d(4-3m) \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

[Out] (-3*A*Hypergeometric2F1[1/2, (4 - 3*m)/6, (10 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(4 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2F1[1/2, (1 - 3*m)/6, (7 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*(1 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.109431, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx) \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4-3m); \frac{1}{6}(10-3m); \cos^2(c+dx)\right) - 3B \sin(c+dx) \sec^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(1-3m); \frac{1}{6}(7-3m); \cos^2(c+dx)\right)}{d(4-3m) \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)} - d(1-3m) \sqrt{\sin^2(c+dx)} \sqrt[3]{b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^m*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(1/3), x]

[Out] (-3*A*Hypergeometric2F1[1/2, (4 - 3*m)/6, (10 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(4 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2F1[1/2, (1 - 3*m)/6, (7 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*(1 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^m(c + dx)(A + B \sec(c + dx))}{\sqrt[3]{b \sec(c + dx)}} dx &= \frac{\sqrt[3]{\sec(c + dx)} \int \sec^{-\frac{1}{3}+m}(c + dx)(A + B \sec(c + dx)) dx}{\sqrt[3]{b \sec(c + dx)}} \\
 &= \frac{(A \sqrt[3]{\sec(c + dx)}) \int \sec^{-\frac{1}{3}+m}(c + dx) dx}{\sqrt[3]{b \sec(c + dx)}} + \frac{(B \sqrt[3]{\sec(c + dx)}) \int \sec^{\frac{2}{3}+m}(c + dx) dx}{\sqrt[3]{b \sec(c + dx)}} \\
 &= \frac{(A \cos^{\frac{2}{3}+m}(c + dx) \sec^{1+m}(c + dx)) \int \cos^{\frac{1}{3}-m}(c + dx) dx}{\sqrt[3]{b \sec(c + dx)}} + \frac{(B \cos^{\frac{2}{3}+m}(c + dx) \sec^{1+m}(c + dx)) \int \cos^{\frac{1}{3}-m}(c + dx) dx}{\sqrt[3]{b \sec(c + dx)}} \\
 &= \frac{3A {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4 - 3m); \frac{1}{6}(10 - 3m); \cos^2(c + dx)\right) \sec^{-1+m}(c + dx) \sin(c + dx)}{d(4 - 3m) \sqrt[3]{b \sec(c + dx)} \sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.245183, size = 140, normalized size = 0.85

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^m(c + dx) \left(A(3m + 2) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(3m - 1), \frac{1}{6}(3m + 5), \sec^2(c + dx)\right) + B \sec(c + dx) \right)}{d(3m - 1)(3m + 2) \sqrt[3]{b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^m*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(1/3), x]

```
[Out] (3*Csc[c + d*x]*(A*(2 + 3*m)*Cos[c + d*x]*Hypergeometric2F1[1/2, (-1 + 3*m)
/6, (5 + 3*m)/6, Sec[c + d*x]^2] + B*(-1 + 3*m)*Hypergeometric2F1[1/2, (2 +
3*m)/6, (8 + 3*m)/6, Sec[c + d*x]^2])*Sec[c + d*x]^m*Sqrt[-Tan[c + d*x]^2]
)/(d*(-1 + 3*m)*(2 + 3*m)*(b*Sec[c + d*x])^(1/3))
```

Maple [F] time = 0.138, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (A + B \sec(dx + c)) \frac{1}{\sqrt[3]{b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/3),x)
```

```
[Out] int(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/3),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/3),x, algorithm="
maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(1/3), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m}{b \sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/3),x, algorithm="
fricas")
```

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m/(b*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^m(c + dx)}{\sqrt[3]{b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(1/3), x)`

[Out] `Integral((A + B*sec(c + d*x))*sec(c + d*x)**m/(b*sec(c + d*x))**(1/3), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(1/3), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(1/3), x)`

$$3.31 \quad \int \frac{\sec^m(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=165

$$\frac{3A \sin(c+dx) \sec^{m-1}(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(5-3m), \frac{1}{6}(11-3m), \cos^2(c+dx)\right) - 3B \sin(c+dx) \sec^m(c+dx)}{d(5-3m) \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

[Out] (-3*A*Hypergeometric2F1[1/2, (5 - 3*m)/6, (11 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(5 - 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2F1[1/2, (2 - 3*m)/6, (8 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*(2 - 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.115001, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx) \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(5-3m); \frac{1}{6}(11-3m); \cos^2(c+dx)\right) - 3B \sin(c+dx) \sec^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(2-3m); \frac{1}{6}(8-3m); \cos^2(c+dx)\right)}{d(5-3m) \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3} - d(2-3m) \sqrt{\sin^2(c+dx)} (b \sec(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^m*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(2/3), x]

[Out] (-3*A*Hypergeometric2F1[1/2, (5 - 3*m)/6, (11 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(5 - 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2F1[1/2, (2 - 3*m)/6, (8 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*(2 - 3*m)*(b*Sec[c + d*x])^(2/3)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x)], x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^m(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{2/3}} dx &= \frac{\sec^{\frac{2}{3}}(c + dx) \int \sec^{-\frac{2}{3}+m}(c + dx)(A + B \sec(c + dx)) dx}{(b \sec(c + dx))^{2/3}} \\ &= \frac{\left(A \sec^{\frac{2}{3}}(c + dx)\right) \int \sec^{-\frac{2}{3}+m}(c + dx) dx}{(b \sec(c + dx))^{2/3}} + \frac{\left(B \sec^{\frac{2}{3}}(c + dx)\right) \int \sec^{\frac{1}{3}+m}(c + dx) dx}{(b \sec(c + dx))^{2/3}} \\ &= \frac{\left(A \cos^{\frac{1}{3}+m}(c + dx) \sec^{1+m}(c + dx)\right) \int \cos^{\frac{2}{3}-m}(c + dx) dx}{(b \sec(c + dx))^{2/3}} + \frac{\left(B \cos^{\frac{1}{3}+m}(c + dx)\right) \int \cos^{\frac{2}{3}-m}(c + dx) dx}{(b \sec(c + dx))^{2/3}} \\ &= \frac{3A {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(5 - 3m); \frac{1}{6}(11 - 3m); \cos^2(c + dx)\right) \sec^{-1+m}(c + dx) \sin(c + dx)}{d(5 - 3m)(b \sec(c + dx))^{2/3} \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.23309, size = 140, normalized size = 0.85

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^m(c + dx) \left(A(3m + 1) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(3m - 2), \frac{1}{6}(3m + 4), \sec^2(c + dx)\right) + B \sec^{\frac{1}{3}+m}(c + dx)\right)}{d(3m - 2)(3m + 1)(b \sec(c + dx))^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^m*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(2/3), x]
```

[Out] $(3*\text{Csc}[c + d*x]*(A*(1 + 3*m)*\text{Cos}[c + d*x]*\text{Hypergeometric2F1}[1/2, (-2 + 3*m)/6, (4 + 3*m)/6, \text{Sec}[c + d*x]^2] + B*(-2 + 3*m)*\text{Hypergeometric2F1}[1/2, (1 + 3*m)/6, (7 + 3*m)/6, \text{Sec}[c + d*x]^2])*\text{Sec}[c + d*x]^m*\text{Sqrt}[-\text{Tan}[c + d*x]^2]/(d*(-2 + 3*m)*(1 + 3*m)*(b*\text{Sec}[c + d*x])^(2/3))$

Maple [F] time = 0.138, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

[Out] `int(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(2/3), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{1}{3}} \sec(dx + c)^m}{b \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3),x, algorithm="fricas")`


```
[Out] integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(1/3)*sec(d*x + c)^m/(b*sec(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^m(c + dx)}{(b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(2/3), x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**m/(b*sec(c + d*x))**(2/3), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(2/3), x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(2/3), x)
```

$$3.32 \quad \int \frac{\sec^m(c+dx)(A+B \sec(c+dx))}{(b \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=173

$$\frac{3A \sin(c+dx) \sec^{m-2}(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(7-3m), \frac{1}{6}(13-3m), \cos^2(c+dx)\right) - 3B \sin(c+dx) \sec^{m-1}(c+dx)}{bd(7-3m)\sqrt{\sin^2(c+dx)}\sqrt[3]{b \sec(c+dx)}}$$

[Out] (-3*A*Hypergeometric2F1[1/2, (7 - 3*m)/6, (13 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-2 + m)*Sin[c + d*x])/(b*d*(7 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2F1[1/2, (4 - 3*m)/6, (10 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(b*d*(4 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.11961, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{3A \sin(c+dx) \sec^{m-2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(7-3m); \frac{1}{6}(13-3m); \cos^2(c+dx)\right) - 3B \sin(c+dx) \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4-3m); \frac{1}{6}(10-3m); \cos^2(c+dx)\right)}{bd(7-3m)\sqrt{\sin^2(c+dx)}\sqrt[3]{b \sec(c+dx)}} - \frac{3B \sin(c+dx) \sec^{m-1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4-3m); \frac{1}{6}(10-3m); \cos^2(c+dx)\right)}{bd(4-3m)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^m*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(4/3), x]

[Out] (-3*A*Hypergeometric2F1[1/2, (7 - 3*m)/6, (13 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-2 + m)*Sin[c + d*x])/(b*d*(7 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2]) - (3*B*Hypergeometric2F1[1/2, (4 - 3*m)/6, (10 - 3*m)/6, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(b*d*(4 - 3*m)*(b*Sec[c + d*x])^(1/3)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \frac{\sec^m(c + dx)(A + B \sec(c + dx))}{(b \sec(c + dx))^{4/3}} dx &= \frac{\sqrt[3]{\sec(c + dx)} \int \sec^{-\frac{4}{3}+m}(c + dx)(A + B \sec(c + dx)) dx}{b \sqrt[3]{b \sec(c + dx)}} \\ &= \frac{(A \sqrt[3]{\sec(c + dx)}) \int \sec^{-\frac{4}{3}+m}(c + dx) dx}{b \sqrt[3]{b \sec(c + dx)}} + \frac{(B \sqrt[3]{\sec(c + dx)}) \int \sec^{-\frac{1}{3}+m}(c + dx) dx}{b \sqrt[3]{b \sec(c + dx)}} \\ &= \frac{(A \cos^{\frac{2}{3}+m}(c + dx) \sec^{1+m}(c + dx)) \int \cos^{\frac{4}{3}-m}(c + dx) dx}{b \sqrt[3]{b \sec(c + dx)}} + \frac{(B \cos^{\frac{2}{3}+m}(c + dx) \sec^{1+m}(c + dx)) \int \cos^{\frac{4}{3}-m}(c + dx) dx}{b \sqrt[3]{b \sec(c + dx)}} \\ &= \frac{3A {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(7 - 3m); \frac{1}{6}(13 - 3m); \cos^2(c + dx)\right) \sec^{-2+m}(c + dx) \sin(c + dx)}{bd(7 - 3m) \sqrt[3]{b \sec(c + dx)} \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.33367, size = 140, normalized size = 0.81

$$\frac{3\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^m(c + dx) \left(A(3m - 1) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{6}(3m - 4), \frac{1}{6}(3m + 2), \sec^2(c + dx)\right) + B \sec(c + dx) \right)}{d(3m - 4)(3m - 1)(b \sec(c + dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^m*(A + B*Sec[c + d*x]))/(b*Sec[c + d*x])^(4/3), x]

[Out] (3*Csc[c + d*x]*(A*(-1 + 3*m)*Cos[c + d*x]*Hypergeometric2F1[1/2, (-4 + 3*m)/6, (2 + 3*m)/6, Sec[c + d*x]^2] + B*(-4 + 3*m)*Hypergeometric2F1[1/2, (-1 + 3*m)/6, (5 + 3*m)/6, Sec[c + d*x]^2])*Sec[c + d*x]^m*sqrt[-Tan[c + d*x]^2])/(d*(-4 + 3*m)*(-1 + 3*m)*(b*Sec[c + d*x])^(4/3))

Maple [F] time = 0.131, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (A + B \sec(dx + c)) (b \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)

[Out] int(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(4/3), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^{\frac{2}{3}} \sec(dx + c)^m}{b^2 \sec(dx + c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3),x, algorithm="fricas")

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^(2/3)*sec(d*x + c)^m/(b^2*sec(d*x + c)^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(A+B*sec(d*x+c))/(b*sec(d*x+c))**(4/3), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^m}{(b \sec(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(A+B*sec(d*x+c))/(b*sec(d*x+c))^(4/3), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^m/(b*sec(d*x + c))^(4/3), x)`

3.33 $\int \sec^m(c+dx)(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$

Optimal. Leaf size=172

$$\frac{B \sin(c+dx) \sec^m(c+dx)(b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}(-m-n), \frac{1}{2}(-m-n+2), \cos^2(c+dx)\right) - A \sin(c+dx)}{d(m+n)\sqrt{\sin^2(c+dx)}}$$

[Out] -((A*Hypergeometric2F1[1/2, (1 - m - n)/2, (3 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - m - n)*Sqrt[Sin[c + d*x]^2])) + (B*Hypergeometric2F1[1/2, (-m - n)/2, (2 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(m + n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.110761, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {20, 3787, 3772, 2643}

$$\frac{B \sin(c+dx) \sec^m(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-m-n); \frac{1}{2}(-m-n+2); \cos^2(c+dx)\right) - A \sin(c+dx) \sec^{m-1}(c+dx)}{d(m+n)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]), x]

[Out] -((A*Hypergeometric2F1[1/2, (1 - m - n)/2, (3 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - m - n)*Sqrt[Sin[c + d*x]^2])) + (B*Hypergeometric2F1[1/2, (-m - n)/2, (2 - m - n)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(m + n)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x)], x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \sec^m(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx)) dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{m+n}(c + dx)(A + B \sec(c + dx)) dx \\ &= (A \sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{m+n}(c + dx) dx + (B \sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{m+n+1}(c + dx) dx \\ &= (A \cos^{m+n}(c + dx) \sec^m(c + dx)(b \sec(c + dx))^n) \int \cos^{-m-n}(c + dx) dx \\ &= \frac{A {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(1 - m - n); \frac{1}{2}(3 - m - n); \cos^2(c + dx)\right) \sec^{-1+m}(c + dx)}{d(1 - m - n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.213094, size = 126, normalized size = 0.73

$$\frac{\sqrt{-\tan^2(c + dx) \csc(c + dx) \sec^m(c + dx)(b \sec(c + dx))^n} \left(A(m + n + 1) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+n}{2}, \frac{1}{2}(m+n+1), \cos^2(c + dx)\right) + B(m + n) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{1}{2}(m+n+1), \frac{1}{2}(m+n+2), \cos^2(c + dx)\right] \right)}{d(m + n)(m + n)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^m*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]), x]
```

```
[Out] (Csc[c + d*x]*(A*(1 + m + n)*Cos[c + d*x]*Hypergeometric2F1[1/2, (m + n)/2,
(2 + m + n)/2, Sec[c + d*x]^2] + B*(m + n)*Hypergeometric2F1[1/2, (1 + m +
n)/2, (3 + m + n)/2, Sec[c + d*x]^2])*Sec[c + d*x]^m*(b*Sec[c + d*x])^n*Sq
```

$\text{rt}[-\text{Tan}[c + d*x]^2]/(d*(m + n)*(1 + m + n))$

Maple [F] time = 0.995, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (b \sec(dx + c))^n (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx)) \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**m*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)), x)

[Out] Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x))*sec(c + d*x)**m, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^m, x)

3.34 $\int \sec^2(c + dx)(b \sec(c + dx))^n(A + B \sec(c + dx)) dx$

Optimal. Leaf size=143

$$\frac{A \sin(c + dx)(b \sec(c + dx))^{n+1} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}(-n - 1), \frac{1-n}{2}, \cos^2(c + dx)\right)}{bd(n + 1)\sqrt{\sin^2(c + dx)}} + \frac{B \sin(c + dx)(b \sec(c + dx))^{n+2}}{bd(n + 2)\sqrt{\sin^2(c + dx)}}$$

[Out] (A*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x]/(b*d*(1 + n)*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-2 - n)/2, -n/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2 + n)*Sin[c + d*x])/(b^2*d*(2 + n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.126553, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{A \sin(c + dx)(b \sec(c + dx))^{n+1} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-n - 1); \frac{1-n}{2}; \cos^2(c + dx)\right)}{bd(n + 1)\sqrt{\sin^2(c + dx)}} + \frac{B \sin(c + dx)(b \sec(c + dx))^{n+2} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-n - 2); \frac{1-n}{2}; \cos^2(c + dx)\right)}{bd(n + 2)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]), x]

[Out] (A*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x]/(b*d*(1 + n)*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-2 - n)/2, -n/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(2 + n)*Sin[c + d*x])/(b^2*d*(2 + n)*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(b \sec(c + dx))^n(A + B \sec(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{2+n}(A + B \sec(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \sec(c + dx))^{2+n} dx}{b^2} + \frac{B \int (b \sec(c + dx))^{3+n} dx}{b^3} \\ &= \frac{\left(A \left(\frac{\cos(c+dx)}{b}\right)^n (b \sec(c + dx))^n\right) \int \left(\frac{\cos(c+dx)}{b}\right)^{-2-n} dx}{b^2} + \frac{\left(B \left(\frac{\cos(c+dx)}{b}\right)^n (b \sec(c + dx))^n\right) \int \left(\frac{\cos(c+dx)}{b}\right)^{-3-n} dx}{b^3} \\ &= \frac{A {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-1 - n); \frac{1-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^{1+n} \sin(c + dx)}{bd(1 + n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.220685, size = 119, normalized size = 0.83

$$\frac{\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec(c + dx) (b \sec(c + dx))^n \left(A(n + 3) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n+2}{2}, \frac{n+4}{2}, \sec^2(c + dx)\right) + B(2 + n) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3+n}{2}, \frac{5+n}{2}, \sec^2(c + dx)\right) \right)}{d(n + 2)(n + 3)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]), x]

[Out] (Csc[c + d*x]*Sec[c + d*x]*(b*Sec[c + d*x])^n*(A*(3 + n)*Hypergeometric2F1[1/2, (2 + n)/2, (4 + n)/2, Sec[c + d*x]^2] + B*(2 + n)*Hypergeometric2F1[1/2, (3 + n)/2, (5 + n)/2, Sec[c + d*x]^2]*Sec[c + d*x])*Sqrt[-Tan[c + d*x]^2])/(d*(2 + n)*(3 + n))

Maple [F] time = 0.924, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^2 (b \sec(dx + c))^n (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^2, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \sec(dx + c)^3 + A \sec(dx + c)^2) (b \sec(dx + c))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*(b*sec(d*x + c))^n, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)),x)`

[Out] `Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x))*sec(c + d*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^2, x)`

3.35 $\int \sec(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx)) dx$

Optimal. Leaf size=136

$$\frac{A \sin(c + dx)(b \sec(c + dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, -\frac{n}{2}, \frac{2-n}{2}, \cos^2(c + dx)\right)}{dn \sqrt{\sin^2(c + dx)}} + \frac{B \sin(c + dx)(b \sec(c + dx))^{n+1} \text{Hypergeometric2F1}\left(\frac{1}{2}, -\frac{n+1}{2}, \frac{1-n}{2}, \cos^2(c + dx)\right)}{bd(n+1) \sqrt{\sin^2(c + dx)}}$$

[Out] (A*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x])/(b*d*(1 + n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.115049, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {16, 3787, 3772, 2643}

$$\frac{A \sin(c + dx)(b \sec(c + dx))^n {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c + dx)\right)}{dn \sqrt{\sin^2(c + dx)}} + \frac{B \sin(c + dx)(b \sec(c + dx))^{n+1} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-n - 1); \frac{1-n}{2}; \cos^2(c + dx)\right)}{bd(n+1) \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]), x]

[Out] (A*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*Sqrt[Sin[c + d*x]^2]) + (B*Hypergeometric2F1[1/2, (-1 - n)/2, (1 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(1 + n)*Sin[c + d*x])/(b*d*(1 + n)*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx)) dx &= \frac{\int (b \sec(c + dx))^{1+n} (A + B \sec(c + dx)) dx}{b} \\ &= \frac{A \int (b \sec(c + dx))^{1+n} dx}{b} + \frac{B \int (b \sec(c + dx))^{2+n} dx}{b^2} \\ &= \frac{\left(A \left(\frac{\cos(c+dx)}{b} \right)^n (b \sec(c + dx))^n \int \left(\frac{\cos(c+dx)}{b} \right)^{-1-n} dx \right)}{b} + \frac{\left(B \left(\frac{\cos(c+dx)}{b} \right)^{n+1} \int \left(\frac{\cos(c+dx)}{b} \right)^{-1-n} dx \right)}{b^2} \\ &= \frac{A {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^n \sin(c + dx)}{dn \sqrt{\sin^2(c + dx)}} + \frac{B {}_2F_1\left(\frac{1}{2}, \frac{n+1}{2}; \frac{n+3}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^{n+1} \sin(c + dx)}{dn \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.248129, size = 119, normalized size = 0.88

$$\frac{\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec(c + dx) (b \sec(c + dx))^n \left(A(n + 2) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n+1}{2}, \frac{n+3}{2}, \sec^2(c + dx)\right) + B(n + 1) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n+1}{2}, \frac{n+3}{2}, \sec^2(c + dx)\right) \right)}{d(n + 1)(n + 2)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]

[Out] (Csc[c + d*x]*(A*(2 + n)*Cos[c + d*x]*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Sec[c + d*x]^2] + B*(1 + n)*Hypergeometric2F1[1/2, (2 + n)/2, (4 + n)/2, Sec[c + d*x]^2])*Sec[c + d*x]*(b*Sec[c + d*x])^n*Sqrt[-Tan[c + d*x]^2])/(d*(1 + n)*(2 + n))

Maple [F] time = 0.842, size = 0, normalized size = 0.

$$\int \sec(dx + c) (b \sec(dx + c))^n (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \sec(dx + c)^2 + A \sec(dx + c)) (b \sec(dx + c))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^n, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)),x)`

[Out] `Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x))*sec(c + d*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(b*sec(d*x+c))n*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))n*sec(d*x + c), x)`

3.36 $\int (b \sec(c + dx))^n (A + B \sec(c + dx)) dx$

Optimal. Leaf size=137

$$\frac{B \sin(c + dx)(b \sec(c + dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, -\frac{n}{2}, \frac{2-n}{2}, \cos^2(c + dx)\right)}{dn \sqrt{\sin^2(c + dx)}} - \frac{A b \sin(c + dx)(b \sec(c + dx))^{n-1} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, -\frac{n-1}{2}, \frac{1-n}{2}, \cos^2(c + dx)\right)}{d(1-n) \sqrt{\sin^2(c + dx)}}$$

[Out] -((A*b*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x])/(d*(1 - n)*Sqrt[Sin[c + d*x]^2])) + (B*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.0962599, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3787, 3772, 2643}

$$\frac{B \sin(c + dx)(b \sec(c + dx))^n {}_2F_1\left(\frac{1}{2}, -\frac{n}{2}; \frac{2-n}{2}; \cos^2(c + dx)\right)}{dn \sqrt{\sin^2(c + dx)}} - \frac{A b \sin(c + dx)(b \sec(c + dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right)}{d(1-n) \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]

[Out] -((A*b*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x])/(d*(1 - n)*Sqrt[Sin[c + d*x]^2])) + (B*Hypergeometric2F1[1/2, -n/2, (2 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*n*Sqrt[Sin[c + d*x]^2])

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int (b \sec(c + dx))^n (A + B \sec(c + dx)) dx &= A \int (b \sec(c + dx))^n dx + \frac{B \int (b \sec(c + dx))^{1+n} dx}{b} \\ &= \left(A \left(\frac{\cos(c + dx)}{b} \right)^n (b \sec(c + dx))^n \right) \int \left(\frac{\cos(c + dx)}{b} \right)^{-n} dx + \frac{\left(B \left(\frac{\cos(c + dx)}{b} \right)^n \right)}{b} \int \left(\frac{\cos(c + dx)}{b} \right)^{-n} dx \\ &= -\frac{A \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right) (b \sec(c + dx))^n \sin(c + dx)}{d(1-n)\sqrt{\sin^2(c + dx)}} + \frac{B \int (b \sec(c + dx))^{1+n} dx}{b} \end{aligned}$$

Mathematica [A] time = 0.14961, size = 107, normalized size = 0.78

$$\frac{\sqrt{-\tan^2(c + dx)} \csc(c + dx) (b \sec(c + dx))^n \left(A(n + 1) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{n}{2}, \frac{n+2}{2}, \sec^2(c + dx)\right) + Bn \right)}{dn(n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]

[Out] (Csc[c + d*x]*(A*(1 + n)*Cos[c + d*x]*Hypergeometric2F1[1/2, n/2, (2 + n)/2, Sec[c + d*x]^2] + B*n*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Sec[c + d*x]^2])*(b*Sec[c + d*x])^n*Sqrt[-Tan[c + d*x]^2])/(d*n*(1 + n))

Maple [F] time = 0.605, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

[Out] `int((b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \sec(dx + c) + A) (b \sec(dx + c))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))**n*(A+B*sec(d*x+c)),x)`

[Out] `Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x)), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n, x)
```

3.37 $\int \cos(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx)) dx$

Optimal. Leaf size=151

$$\frac{Ab^2 \sin(c + dx)(b \sec(c + dx))^{n-2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2-n}{2}, \frac{4-n}{2}, \cos^2(c + dx)\right) - bB \sin(c + dx)(b \sec(c + dx))^{n-1} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-n}{2}, \frac{3-n}{2}, \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}} \quad d(1-n)\sqrt{\sin^2(c + dx)}$$

[Out] -((A*b^2*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x]/(d*(2 - n)*Sqrt[Sin[c + d*x]^2])) - (b*B*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x]/(d*(1 - n)*Sqrt[Sin[c + d*x]^2]))

Rubi [A] time = 0.126733, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {16, 3787, 3772, 2643}

$$\frac{Ab^2 \sin(c + dx)(b \sec(c + dx))^{n-2} {}_2F_1\left(\frac{1}{2}, \frac{2-n}{2}; \frac{4-n}{2}; \cos^2(c + dx)\right) - bB \sin(c + dx)(b \sec(c + dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}} \quad d(1-n)\sqrt{\sin^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]

[Out] -((A*b^2*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x]/(d*(2 - n)*Sqrt[Sin[c + d*x]^2])) - (b*B*Hypergeometric2F1[1/2, (1 - n)/2, (3 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-1 + n)*Sin[c + d*x]/(d*(1 - n)*Sqrt[Sin[c + d*x]^2]))

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx)) dx &= b \int (b \sec(c + dx))^{-1+n} (A + B \sec(c + dx)) dx \\
 &= (Ab) \int (b \sec(c + dx))^{-1+n} dx + B \int (b \sec(c + dx))^n dx \\
 &= \left(Ab \left(\frac{\cos(c + dx)}{b} \right)^n (b \sec(c + dx))^n \right) \int \left(\frac{\cos(c + dx)}{b} \right)^{1-n} dx + \\
 &\quad B \cos(c + dx) {}_2F_1 \left(\frac{1}{2}, \frac{1-n}{2}; \frac{3-n}{2}; \cos^2(c + dx) \right) (b \sec(c + dx))^n \sin \\
 &= - \frac{d(1-n) \sqrt{\sin^2(c + dx)}}{d(1-n) \sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.157987, size = 107, normalized size = 0.71

$$\frac{\sqrt{-\tan^2(c + dx)} \cot(c + dx) (b \sec(c + dx))^n \left(An \cos(c + dx) \text{Hypergeometric2F1} \left(\frac{1}{2}, \frac{n-1}{2}, \frac{n+1}{2}, \sec^2(c + dx) \right) + B(n - 1) \right)}{d(n - 1)n}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]

[Out] (Cot[c + d*x]*(A*n*Cos[c + d*x]*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Sec[c + d*x]^2] + B*(-1 + n)*Hypergeometric2F1[1/2, n/2, (2 + n)/2, Sec[c + d*x]^2])*(b*Sec[c + d*x])^n*Sqrt[-Tan[c + d*x]^2])/(d*(-1 + n)*n)

Maple [F] time = 0.897, size = 0, normalized size = 0.

$$\int \cos(dx + c) (b \sec(dx + c))^n (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

[Out] `int(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) (b \sec(dx + c))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*(b*sec(d*x + c))^n, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sec(c + dx))^n (A + B \sec(c + dx)) \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)),x)`

[Out] `Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x))*cos(c + d*x), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c), x)`

3.38 $\int \cos^2(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx)) dx$

Optimal. Leaf size=153

$$\frac{Ab^3 \sin(c + dx)(b \sec(c + dx))^{n-3} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3-n}{2}, \frac{5-n}{2}, \cos^2(c + dx)\right)}{d(3-n)\sqrt{\sin^2(c + dx)}} - \frac{b^2 B \sin(c + dx)(b \sec(c + dx))^{n-2}}{d(2-n)\sqrt{\sin^2(c + dx)}}$$

[Out] -((A*b^3*Hypergeometric2F1[1/2, (3 - n)/2, (5 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-3 + n)*Sin[c + d*x])/(d*(3 - n)*Sqrt[Sin[c + d*x]^2])) - (b^2*B*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x])/(d*(2 - n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.142149, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {16, 3787, 3772, 2643}

$$\frac{Ab^3 \sin(c + dx)(b \sec(c + dx))^{n-3} {}_2F_1\left(\frac{1}{2}, \frac{3-n}{2}; \frac{5-n}{2}; \cos^2(c + dx)\right)}{d(3-n)\sqrt{\sin^2(c + dx)}} - \frac{b^2 B \sin(c + dx)(b \sec(c + dx))^{n-2} {}_2F_1\left(\frac{1}{2}, \frac{2-n}{2}; \frac{4-n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]

[Out] -((A*b^3*Hypergeometric2F1[1/2, (3 - n)/2, (5 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-3 + n)*Sin[c + d*x])/(d*(3 - n)*Sqrt[Sin[c + d*x]^2])) - (b^2*B*Hypergeometric2F1[1/2, (2 - n)/2, (4 - n)/2, Cos[c + d*x]^2]*(b*Sec[c + d*x])^(-2 + n)*Sin[c + d*x])/(d*(2 - n)*Sqrt[Sin[c + d*x]^2])

Rule 16

Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(b \sec(c + dx))^n(A + B \sec(c + dx)) dx &= b^2 \int (b \sec(c + dx))^{-2+n}(A + B \sec(c + dx)) dx \\ &= (Ab^2) \int (b \sec(c + dx))^{-2+n} dx + (bB) \int (b \sec(c + dx))^{-1+n} dx \\ &= \left(Ab^2 \left(\frac{\cos(c + dx)}{b} \right)^n (b \sec(c + dx))^n \int \left(\frac{\cos(c + dx)}{b} \right)^{2-n} dx \right. \\ &\quad \left. + B \cos^2(c + dx) {}_2F_1 \left(\frac{1}{2}, \frac{2-n}{2}; \frac{4-n}{2}; \cos^2(c + dx) \right) (b \sec(c + dx))^n \right) \\ &= \frac{\dots}{d(2-n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.316128, size = 114, normalized size = 0.75

$$\frac{b\sqrt{-\tan^2(c + dx)} \cot(c + dx)(b \sec(c + dx))^{n-1} \left(A(n-1) \cos(c + dx) \text{Hypergeometric2F1} \left(\frac{1}{2}, \frac{n-2}{2}, \frac{n}{2}, \sec^2(c + dx) \right) + \dots \right)}{d(n-2)(n-1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]

[Out] (b*Cot[c + d*x]*(A*(-1 + n)*Cos[c + d*x]*Hypergeometric2F1[1/2, (-2 + n)/2, n/2, Sec[c + d*x]^2] + B*(-2 + n)*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Sec[c + d*x]^2])*(b*Sec[c + d*x])^(-1 + n)*Sqrt[-Tan[c + d*x]^2])/(d*(-2 + n)*(-1 + n))

Maple [F] time = 0.894, size = 0, normalized size = 0.

$$\int (\cos(dx + c))^2 (b \sec(dx + c))^n (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

[Out] `int(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c)^2, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) (b \sec(dx + c))^n, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*(b*sec(d*x + c))^n, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*cos(d*x + c)^2, x)
```

3.39 $\int \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$

Optimal. Leaf size=163

$$\frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}(b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(-2n-1), \frac{1}{4}(3-2n), \cos^2(c+dx)\right)}{d(2n+1)\sqrt{\sin^2(c+dx)}} + \frac{2B \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n}{d(2n+1)\sqrt{\sin^2(c+dx)}}$$

[Out] (2*A*Hypergeometric2F1[1/2, (-1 - 2*n)/4, (3 - 2*n)/4, Cos[c + d*x]^2]*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-3 - 2*n)/4, (1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.116446, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-2n-1); \frac{1}{4}(3-2n); \cos^2(c+dx)\right)}{d(2n+1)\sqrt{\sin^2(c+dx)}} + \frac{2B \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)(b \sec(c+dx))^n}{d(2n+1)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]), x]

[Out] (2*A*Hypergeometric2F1[1/2, (-1 - 2*n)/4, (3 - 2*n)/4, Cos[c + d*x]^2]*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-3 - 2*n)/4, (1 - 2*n)/4, Cos[c + d*x]^2]*Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(3 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3772

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \sec^{\frac{3}{2}}(c + dx)(b \sec(c + dx))^n (A + B \sec(c + dx)) dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{\frac{3}{2}+n}(c + dx)(A + B \sec(c + dx)) dx \\
 &= (A \sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{\frac{3}{2}+n}(c + dx) dx + (B \sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{\frac{5}{2}+n}(c + dx) dx \\
 &= \left(A \cos^{\frac{1}{2}+n}(c + dx) \sqrt{\sec(c + dx)} (b \sec(c + dx))^n \right) \int \cos^{-\frac{3}{2}-n}(c + dx) dx \\
 &= \frac{2A {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-1 - 2n); \frac{1}{4}(3 - 2n); \cos^2(c + dx)\right) \sqrt{\sec(c + dx)} (b \sec(c + dx))^n}{d(1 + 2n) \sqrt{\sin^2(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.270016, size = 140, normalized size = 0.86

$$\frac{2\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^{\frac{3}{2}}(c + dx)(b \sec(c + dx))^n \left(A(2n + 5) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(2n + 3), \frac{5}{4}, \cos^2(c + dx)\right) + B(3 + 2n) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(2n + 3), \frac{5}{4}, \cos^2(c + dx)\right) \right)}{d(2n + 3)(2n + 5)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]

[Out] (2*Csc[c + d*x]*(A*(5 + 2*n)*Cos[c + d*x]*Hypergeometric2F1[1/2, (3 + 2*n)/4, (7 + 2*n)/4, Sec[c + d*x]^2] + B*(3 + 2*n)*Hypergeometric2F1[1/2, (5 + 2

$\cdot n)/4, (9 + 2 \cdot n)/4, \text{Sec}[c + d \cdot x]^2] \cdot \text{Sec}[c + d \cdot x]^{(3/2)} \cdot (b \cdot \text{Sec}[c + d \cdot x])^n \cdot \text{Sqrt}[-\text{Tan}[c + d \cdot x]^2]) / (d \cdot (3 + 2 \cdot n) \cdot (5 + 2 \cdot n))$

Maple [F] time = 0.186, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^{\frac{3}{2}} (b \sec(dx + c))^n (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \sec(dx + c)^2 + A \sec(dx + c)) (b \sec(dx + c))^n \sqrt{\sec(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(b*sec(d*x+c))**n*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(b*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sec(d*x + c)^(3/2), x)

3.40 $\int \sqrt{\sec(c+dx)}(b \sec(c+dx))^n(A+B \sec(c+dx)) dx$

Optimal. Leaf size=163

$$\frac{2B \sin(c+dx)\sqrt{\sec(c+dx)}(b \sec(c+dx))^n \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(-2n-1), \frac{1}{4}(3-2n), \cos^2(c+dx)\right)}{d(2n+1)\sqrt{\sin^2(c+dx)}} - \frac{2A \sin(c+dx)(b \sec(c+dx))^n}{d(1-2n)\sqrt{\sin^2(c+dx)}}$$

[Out] (-2*A*Hypergeometric2F1[1/2, (1 - 2*n)/4, (5 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - 2*n)*Sqrt[Sec[c + d*x]]*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-1 - 2*n)/4, (3 - 2*n)/4, Cos[c + d*x]^2]*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.111319, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{2B \sin(c+dx)\sqrt{\sec(c+dx)}(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-2n-1); \frac{1}{4}(3-2n); \cos^2(c+dx)\right)}{d(2n+1)\sqrt{\sin^2(c+dx)}} - \frac{2A \sin(c+dx)(b \sec(c+dx))^n}{d(1-2n)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]), x]

[Out] (-2*A*Hypergeometric2F1[1/2, (1 - 2*n)/4, (5 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - 2*n)*Sqrt[Sec[c + d*x]]*Sqrt[Sin[c + d*x]^2]) + (2*B*Hypergeometric2F1[1/2, (-1 - 2*n)/4, (3 - 2*n)/4, Cos[c + d*x]^2]*Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 + 2*n)*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x)], x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\sec(c+dx)}(b \sec(c+dx))^n(A+B \sec(c+dx)) dx &= (\sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec^{\frac{1}{2}+n}(c+dx)(A+B \sec(c+dx)) dx \\ &= (A \sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec^{\frac{1}{2}+n}(c+dx) dx + (B \sec^{-n}(c+dx)(b \sec(c+dx))^n) \int \sec(c+dx) dx \\ &= \left(A \cos^{\frac{1}{2}+n}(c+dx) \sqrt{\sec(c+dx)}(b \sec(c+dx))^n \right) \int \cos^{-\frac{1}{2}-n}(c+dx) dx + \frac{B}{d} \sqrt{\sec(c+dx)}(b \sec(c+dx))^n \\ &= \frac{2A {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(1-2n); \frac{1}{4}(5-2n); \cos^2(c+dx)\right) (b \sec(c+dx))^n}{d(1-2n)\sqrt{\sec(c+dx)}\sqrt{\sin^2(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.232687, size = 140, normalized size = 0.86

$$\frac{2\sqrt{-\tan^2(c+dx)} \csc(c+dx)(b \sec(c+dx))^n \left(A(2n+3) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(2n+1), \frac{1}{4}(2n+5), \sec^2(c+dx)\right) + B(1+2n) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{1}{4}(2n+1), \frac{1}{4}(2n+5), \sec^2(c+dx)\right] \right)}{d(2n+1)(2n+3)\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*(b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*Csc[c + d*x]*(b*Sec[c + d*x])^n*(A*(3 + 2*n)*Hypergeometric2F1[1/2, (1 +
2*n)/4, (5 + 2*n)/4, Sec[c + d*x]^2] + B*(1 + 2*n)*Hypergeometric2F1[1/2,
```

$(3 + 2*n)/4, (7 + 2*n)/4, \text{Sec}[c + d*x]^2 * \text{Sec}[c + d*x] * \text{Sqrt}[-\text{Tan}[c + d*x]^2]) / (d*(1 + 2*n)*(3 + 2*n)*\text{Sqrt}[\text{Sec}[c + d*x]])$

Maple [F] time = 0.179, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + B \sec(dx + c)) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x)

[Out] int((b*sec(d*x+c))^n*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) (b \sec(dx + c))^n \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \sec(dx + c) + A) (b \sec(dx + c))^n \sqrt{\sec(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n*sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+B*sec(d*x+c))*sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c))^n \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))ⁿ*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))ⁿ*sqrt(sec(d*x + c)), x)

$$3.41 \quad \int \frac{(b \sec(c+dx))^n (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=163

$$\frac{2A \sin(c+dx)(b \sec(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(3-2n), \frac{1}{4}(7-2n), \cos^2(c+dx)\right) - 2B \sin(c+dx)(b \sec(c+dx))^n}{d(3-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (-2*A*Hypergeometric2F1[1/2, (3 - 2*n)/4, (7 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x]/(d*(3 - 2*n)*Sec[c + d*x]^(3/2)*Sqrt[Sin[c + d*x]^2]) - (2*B*Hypergeometric2F1[1/2, (1 - 2*n)/4, (5 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - 2*n)*Sqrt[Sec[c + d*x]]*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.112593, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{2A \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(3-2n); \frac{1}{4}(7-2n); \cos^2(c+dx)\right) - 2B \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(1-2n); \frac{1}{4}(5-2n); \cos^2(c+dx)\right)}{d(3-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{3}{2}}(c+dx) - d(1-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (-2*A*Hypergeometric2F1[1/2, (3 - 2*n)/4, (7 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x]/(d*(3 - 2*n)*Sec[c + d*x]^(3/2)*Sqrt[Sin[c + d*x]^2]) - (2*B*Hypergeometric2F1[1/2, (1 - 2*n)/4, (5 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x])/(d*(1 - 2*n)*Sqrt[Sec[c + d*x]]*Sqrt[Sin[c + d*x]^2])

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] :> Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x)], x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \frac{(b \sec(c + dx))^n (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= (\sec^{-n}(c + dx) (b \sec(c + dx))^n) \int \sec^{-\frac{1}{2}+n}(c + dx) (A + B \sec(c + dx)) dx \\ &= (A \sec^{-n}(c + dx) (b \sec(c + dx))^n) \int \sec^{-\frac{1}{2}+n}(c + dx) dx + (B \sec^{-n}(c + dx)) \int \sec^{-\frac{1}{2}+n}(c + dx) \sec(c + dx) dx \\ &= \left(A \cos^{\frac{1}{2}+n}(c + dx) \sqrt{\sec(c + dx)} (b \sec(c + dx))^n \right) \int \cos^{\frac{1}{2}-n}(c + dx) dx + \left(B \cos^{\frac{1}{2}+n}(c + dx) \sqrt{\sec(c + dx)} (b \sec(c + dx))^n \right) \int \cos^{\frac{1}{2}-n}(c + dx) dx \\ &= -\frac{2A {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(3 - 2n); \frac{1}{4}(7 - 2n); \cos^2(c + dx)\right) (b \sec(c + dx))^n \sin(c + dx) + B {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(3 - 2n); \frac{1}{4}(7 - 2n); \cos^2(c + dx)\right) (b \sec(c + dx))^n \sin(c + dx)}{d(3 - 2n) \sec^{\frac{3}{2}}(c + dx) \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.352953, size = 135, normalized size = 0.83

$$\frac{2\sqrt{-\tan^2(c + dx)} \csc(c + dx) (b \sec(c + dx))^n \left(A {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n - 1), \frac{1}{4}(2n + 3), \sec^2(c + dx)\right) + B {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n - 1), \frac{1}{4}(2n + 3), \sec^2(c + dx)\right) \right)}{d(4n^2 - 1) \sec^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] (2*Csc[c + d*x]*(b*Sec[c + d*x])^n*(A*(1 + 2*n)*Hypergeometric2F1[1/2, (-1
+ 2*n)/4, (3 + 2*n)/4, Sec[c + d*x]^2] + B*(-1 + 2*n)*Hypergeometric2F1[1/2
```

, $(1 + 2n)/4$, $(5 + 2n)/4$, $\text{Sec}[c + d*x]^2 * \text{Sec}[c + d*x] * \text{Sqrt}[-\text{Tan}[c + d*x]^2] / (d * (-1 + 4n^2) * \text{Sec}[c + d*x]^{(3/2)})$

Maple [F] time = 0.188, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + B \sec(dx + c)) \frac{1}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x)`

[Out] `int((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sqrt(sec(d*x + c)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sqrt(sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \sec(c + dx))^n (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))**n*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2), x)

[Out] Integral((b*sec(c + d*x))**n*(A + B*sec(c + d*x))/sqrt(sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sqrt(sec(d*x + c)), x)

$$3.42 \quad \int \frac{(b \sec(c+dx))^n (A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=163

$$\frac{2A \sin(c+dx)(b \sec(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(5-2n), \frac{1}{4}(9-2n), \cos^2(c+dx)\right)}{d(5-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{5}{2}}(c+dx)} - \frac{2B \sin(c+dx)(b \sec(c+dx))^n \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(3-2n), \frac{1}{4}(7-2n), \cos^2(c+dx)\right)}{d(3-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (-2*A*Hypergeometric2F1[1/2, (5 - 2*n)/4, (9 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x]/(d*(5 - 2*n)*Sec[c + d*x]^(5/2)*Sqrt[Sin[c + d*x]^2]) - (2*B*Hypergeometric2F1[1/2, (3 - 2*n)/4, (7 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x]/(d*(3 - 2*n)*Sec[c + d*x]^(3/2)*Sqrt[Sin[c + d*x]^2]))

Rubi [A] time = 0.112862, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {20, 3787, 3772, 2643}

$$\frac{2A \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5-2n); \frac{1}{4}(9-2n); \cos^2(c+dx)\right)}{d(5-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{5}{2}}(c+dx)} - \frac{2B \sin(c+dx)(b \sec(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(3-2n); \frac{1}{4}(7-2n); \cos^2(c+dx)\right)}{d(3-2n)\sqrt{\sin^2(c+dx)} \sec^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (-2*A*Hypergeometric2F1[1/2, (5 - 2*n)/4, (9 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x]/(d*(5 - 2*n)*Sec[c + d*x]^(5/2)*Sqrt[Sin[c + d*x]^2]) - (2*B*Hypergeometric2F1[1/2, (3 - 2*n)/4, (7 - 2*n)/4, Cos[c + d*x]^2]*(b*Sec[c + d*x])^n*Sin[c + d*x]/(d*(3 - 2*n)*Sec[c + d*x]^(3/2)*Sqrt[Sin[c + d*x]^2]))

Rule 20

Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/((Sin[c + d*x]/b)^n, x)], x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned} \int \frac{(b \sec(c + dx))^n (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= (\sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{3}{2}+n}(c + dx)(A + B \sec(c + dx)) dx \\ &= (A \sec^{-n}(c + dx)(b \sec(c + dx))^n) \int \sec^{-\frac{3}{2}+n}(c + dx) dx + (B \sec^{-n}(c + dx)) \int \sec^{-\frac{3}{2}+n}(c + dx) \sec(c + dx) dx \\ &= \left(A \cos^{\frac{1}{2}+n}(c + dx) \sqrt{\sec(c + dx)} (b \sec(c + dx))^n \right) \int \cos^{\frac{3}{2}-n}(c + dx) dx + \left(B \cos^{\frac{1}{2}+n}(c + dx) \sqrt{\sec(c + dx)} (b \sec(c + dx))^n \right) \int \cos^{\frac{3}{2}-n}(c + dx) \sec(c + dx) dx \\ &= -\frac{2A {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5 - 2n); \frac{1}{4}(9 - 2n); \cos^2(c + dx)\right) (b \sec(c + dx))^n \sin(c + dx) + B {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5 - 2n); \frac{1}{4}(9 - 2n); \cos^2(c + dx)\right) (b \sec(c + dx))^n \sin(c + dx)}{d(5 - 2n) \sec^{\frac{5}{2}}(c + dx) \sqrt{\sin^2(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.315445, size = 140, normalized size = 0.86

$$\frac{2\sqrt{-\tan^2(c + dx)} \csc(c + dx) (b \sec(c + dx))^n \left(A(2n - 1) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{4}(2n - 3), \frac{1}{4}(2n + 1), \sec^2(c + dx)\right) + B(-3 + 2n) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{1}{4}(2n - 3), \frac{1}{4}(2n + 1), \sec^2(c + dx)\right] \right)}{d(2n - 3)(2n - 1) \sec^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((b*Sec[c + d*x])^n*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2),x]
```

```
[Out] (2*Csc[c + d*x]*(b*Sec[c + d*x])^n*(A*(-1 + 2*n)*Hypergeometric2F1[1/2, (-3
+ 2*n)/4, (1 + 2*n)/4, Sec[c + d*x]^2] + B*(-3 + 2*n)*Hypergeometric2F1[1/
```

2, $(-1 + 2n)/4$, $(3 + 2n)/4$, $\text{Sec}[c + d*x]^2 * \text{Sec}[c + d*x] * \text{Sqrt}[-\text{Tan}[c + d*x]^2] / (d * (-3 + 2n) * (-1 + 2n) * \text{Sec}[c + d*x]^{(5/2)})$

Maple [F] time = 0.177, size = 0, normalized size = 0.

$$\int (b \sec(dx + c))^n (A + B \sec(dx + c)) (\sec(dx + c))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x)`

[Out] `int((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(b \sec(c + dx))^n (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2), x)`

[Out] `Integral((b*sec(c + d*x))^n*(A + B*sec(c + d*x))/sec(c + d*x)**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) (b \sec(dx + c))^n}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*sec(d*x+c))^n*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c))^n/sec(d*x + c)^(3/2), x)`

3.43 $\int \sec^4(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$

Optimal. Leaf size=134

$$\frac{a(5A+4B)\tan^3(c+dx)}{15d} + \frac{a(5A+4B)\tan(c+dx)}{5d} + \frac{3a(A+B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a(A+B)\tan(c+dx)\sec^3(c+dx)}{4d}$$

[Out] (3*a*(A + B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(5*A + 4*B)*Tan[c + d*x])/(5*d) + (3*a*(A + B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*(A + B)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*B*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + (a*(5*A + 4*B)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.141087, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3997, 3787, 3767, 3768, 3770}

$$\frac{a(5A+4B)\tan^3(c+dx)}{15d} + \frac{a(5A+4B)\tan(c+dx)}{5d} + \frac{3a(A+B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a(A+B)\tan(c+dx)\sec^3(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^4*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (3*a*(A + B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(5*A + 4*B)*Tan[c + d*x])/(5*d) + (3*a*(A + B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*(A + B)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*B*Sec[c + d*x]^4*Tan[c + d*x])/(5*d) + (a*(5*A + 4*B)*Tan[c + d*x]^3)/(15*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d \cdot \text{Csc}[e + f \cdot x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.) \cdot (x_)]^{(n_)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], \text{Cot}[c + d \cdot x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.) \cdot (x_)] \cdot (b_.)^{(n_)}), x_Symbol] \text{ :> } -\text{Simp}[(b \cdot \text{Cos}[c + d \cdot x]) \cdot (b \cdot \text{Csc}[c + d \cdot x])^{(n - 1)}) / (d \cdot (n - 1)), x] + \text{Dist}[(b^2 \cdot (n - 2)) / (n - 1), \text{Int}[(b \cdot \text{Csc}[c + d \cdot x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2 \cdot n]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.) \cdot (x_)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d \cdot x]] / d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \sec^4(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aB \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^4(c + dx)(a(5A + 4B) \\ &= \frac{aB \sec^4(c + dx) \tan(c + dx)}{5d} + (a(A + B)) \int \sec^5(c + dx) dx \\ &= \frac{a(A + B) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{aB \sec^4(c + dx) \tan(c + dx)}{5d} \\ &= \frac{a(5A + 4B) \tan(c + dx)}{5d} + \frac{3a(A + B) \sec(c + dx) \tan(c + dx)}{8d} \\ &= \frac{3a(A + B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(5A + 4B) \tan(c + dx)}{5d} + \end{aligned}$$

Mathematica [A] time = 0.744289, size = 87, normalized size = 0.65

$$\frac{a \left(45(A + B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(8 \left(5(A + 2B) \tan^2(c + dx) + 15(A + B) + 3B \tan^4(c + dx) \right) + 30(A + B) \right) \right)}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^4*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] $(a*(45*(A + B)*\text{ArcTanh}[\text{Sin}[c + d*x]] + \text{Tan}[c + d*x]*(45*(A + B)*\text{Sec}[c + d*x] + 30*(A + B)*\text{Sec}[c + d*x]^3 + 8*(15*(A + B) + 5*(A + 2*B)*\text{Tan}[c + d*x]^2 + 3*B*\text{Tan}[c + d*x]^4)))/(120*d)$

Maple [A] time = 0.045, size = 213, normalized size = 1.6

$$\frac{2 A a \tan(dx + c)}{3 d} + \frac{A a \tan(dx + c) (\sec(dx + c))^2}{3 d} + \frac{B a (\sec(dx + c))^3 \tan(dx + c)}{4 d} + \frac{3 B a \sec(dx + c) \tan(dx + c)}{8 d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] $2/3/d*A*a*\tan(d*x+c)+1/3/d*A*a*\tan(d*x+c)*\sec(d*x+c)^2+1/4*a*B*\sec(d*x+c)^3*\tan(d*x+c)/d+3/8*a*B*\sec(d*x+c)*\tan(d*x+c)/d+3/8/d*B*a*\ln(\sec(d*x+c)+\tan(d*x+c))+1/4/d*A*a*\tan(d*x+c)*\sec(d*x+c)^3+3/8/d*A*a*\tan(d*x+c)*\sec(d*x+c)+3/8/d*A*a*\ln(\sec(d*x+c)+\tan(d*x+c))+8/15*a*B*\tan(d*x+c)/d+1/5*a*B*\sec(d*x+c)^4*\tan(d*x+c)/d+4/15*a*B*\sec(d*x+c)^2*\tan(d*x+c)/d$

Maxima [A] time = 0.984584, size = 270, normalized size = 2.01

$$80(\tan(dx + c)^3 + 3 \tan(dx + c))Aa + 16(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Ba - 15 Aa \left(\frac{2(3 \sin(dx + c) - \sin(dx + c)^4)}{\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/240*(80*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a + 16*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*B*a - 15*A*a*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 15*B*a*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)))/d$

Fricas [A] time = 0.497098, size = 381, normalized size = 2.84

$$\frac{45(A+B)a \cos(dx+c)^5 \log(\sin(dx+c)+1) - 45(A+B)a \cos(dx+c)^5 \log(-\sin(dx+c)+1) + 2(16(5A+4B)a \cos(dx+c)^4 + 45(A+B)a \cos(dx+c)^3 + 8(5A+4B)a \cos(dx+c)^2 + 30(A+B)a \cos(dx+c) + 24Ba) \sin(dx+c)}{240 d \cos(dx+c)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/240*(45*(A+B)*a*cos(d*x+c)^5*log(sin(d*x+c)+1) - 45*(A+B)*a*cos(d*x+c)^5*log(-sin(d*x+c)+1) + 2*(16*(5*A+4*B)*a*cos(d*x+c)^4 + 45*(A+B)*a*cos(d*x+c)^3 + 8*(5*A+4*B)*a*cos(d*x+c)^2 + 30*(A+B)*a*cos(d*x+c) + 24*B*a*sin(d*x+c))/(d*cos(d*x+c)^5)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec^4(c+dx) dx + \int A \sec^5(c+dx) dx + \int B \sec^5(c+dx) dx + \int B \sec^6(c+dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] a*(Integral(A*sec(c+d*x)**4, x) + Integral(A*sec(c+d*x)**5, x) + Integral(B*sec(c+d*x)**5, x) + Integral(B*sec(c+d*x)**6, x))

Giac [A] time = 1.36729, size = 289, normalized size = 2.16

$$45(Aa + Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 45(Aa + Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(45Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 45Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^8\right)}{240 d \cos^5\left(\frac{1}{2}dx + \frac{1}{2}c\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

```
[Out] 1/120*(45*(A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 45*(A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(45*A*a*tan(1/2*d*x + 1/2*c)^9 + 45*B*a*tan(1/2*d*x + 1/2*c)^9 - 290*A*a*tan(1/2*d*x + 1/2*c)^7 - 130*B*a*tan(1/2*d*x + 1/2*c)^7 + 400*A*a*tan(1/2*d*x + 1/2*c)^5 + 464*B*a*tan(1/2*d*x + 1/2*c)^5 - 350*A*a*tan(1/2*d*x + 1/2*c)^3 - 190*B*a*tan(1/2*d*x + 1/2*c)^3 + 195*A*a*tan(1/2*d*x + 1/2*c) + 195*B*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d
```

3.44 $\int \sec^3(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$

Optimal. Leaf size=106

$$\frac{a(A+B) \tan^3(c+dx)}{3d} + \frac{a(A+B) \tan(c+dx)}{d} + \frac{a(4A+3B) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{a(4A+3B) \tan(c+dx) \sec(c+dx)}{8d}$$

[Out] (a*(4*A + 3*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(A + B)*Tan[c + d*x])/d + (a*(4*A + 3*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*B*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*(A + B)*Tan[c + d*x]^3)/(3*d)

Rubi [A] time = 0.123469, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3997, 3787, 3768, 3770, 3767}

$$\frac{a(A+B) \tan^3(c+dx)}{3d} + \frac{a(A+B) \tan(c+dx)}{d} + \frac{a(4A+3B) \tanh^{-1}(\sin(c+dx))}{8d} + \frac{a(4A+3B) \tan(c+dx) \sec(c+dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*(4*A + 3*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(A + B)*Tan[c + d*x])/d + (a*(4*A + 3*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*B*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + (a*(A + B)*Tan[c + d*x]^3)/(3*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^3(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aB \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^3(c + dx)(a(4A + 3B) + a \sec(c + dx)) dx \\ &= \frac{aB \sec^3(c + dx) \tan(c + dx)}{4d} + (a(A + B)) \int \sec^4(c + dx) dx + \frac{a}{4} \int \sec^3(c + dx) dx \\ &= \frac{a(4A + 3B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aB \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{a}{4} \int \sec^3(c + dx) dx \\ &= \frac{a(4A + 3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(A + B) \tan(c + dx)}{d} + \frac{a}{4} \int \sec^3(c + dx) dx \end{aligned}$$

Mathematica [A] time = 0.38896, size = 77, normalized size = 0.73

$$\frac{a(3(4A + 3B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) (8(A + B)(\cos(2(c + dx)) + 2) \sec(c + dx) + 12A + 6B \sec^2(c + dx)))}{24d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a*(3*(4*A + 3*B)*ArcTanh[Sin[c + d*x]] + Sec[c + d*x]*(12*A + 9*B + 8*(A +
B)*(2 + Cos[2*(c + d*x)])*Sec[c + d*x] + 6*B*Sec[c + d*x]^2)*Tan[c + d*x])
)/(24*d)
```

Maple [A] time = 0.041, size = 171, normalized size = 1.6

$$\frac{Aa \tan(dx+c) \sec(dx+c)}{2d} + \frac{Aa \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{2Ba \tan(dx+c)}{3d} + \frac{Ba (\sec(dx+c))^2 \tan(dx+c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] 1/2/d*A*a*tan(d*x+c)*sec(d*x+c)+1/2/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+2/3*a*B*tan(d*x+c)/d+1/3*a*B*sec(d*x+c)^2*tan(d*x+c)/d+2/3/d*A*a*tan(d*x+c)+1/3/d*A*a*tan(d*x+c)*sec(d*x+c)^2+1/4*a*B*sec(d*x+c)^3*tan(d*x+c)/d+3/8*a*B*sec(d*x+c)*tan(d*x+c)/d+3/8/d*B*a*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.982083, size = 220, normalized size = 2.08

$$\frac{16 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Aa + 16 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba - 3Ba \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) - 1) \right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a - 3*B*a*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) - 1) + 3*log(sin(d*x + c) + 1)) - 12*A*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1))/d

Fricas [A] time = 0.491569, size = 339, normalized size = 3.2

$$\frac{3(4A + 3B)a \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3(4A + 3B)a \cos(dx+c)^4 \log(-\sin(dx+c) + 1) + 2(16(A+B)a \cos(dx+c)^4 \log(\sin(dx+c) - 1) - 12Aa \cos(dx+c)^4 \log(\sin(dx+c) + 1))}{48d \cos(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{48} \cdot (3 \cdot (4A + 3B) \cdot a \cdot \cos(dx + c)^4 \cdot \log(\sin(dx + c) + 1) - 3 \cdot (4A + 3B) \cdot a \cdot \cos(dx + c)^4 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (16 \cdot (A + B) \cdot a \cdot \cos(dx + c)^3 + 3 \cdot (4A + 3B) \cdot a \cdot \cos(dx + c)^2 + 8 \cdot (A + B) \cdot a \cdot \cos(dx + c) + 6 \cdot B \cdot a) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int B \sec^4(c + dx) dx + \int B \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] `a*(Integral(A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x))`

Giac [A] time = 1.28472, size = 254, normalized size = 2.4

$$3(4Aa + 3Ba) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3(4Aa + 3Ba) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(12Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^7 + 9Ba \tan \left(\frac{1}{2} \right. \right.}{24d}$$

24d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] $\frac{1}{24} \cdot (3 \cdot (4A \cdot a + 3B \cdot a) \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) + 1)) - 3 \cdot (4A \cdot a + 3B \cdot a) \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) - 1)) - 2 \cdot (12 \cdot A \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 9 \cdot B \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^7 - 28 \cdot A \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 - 49 \cdot B \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 52 \cdot A \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 31 \cdot B \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 36 \cdot A \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) - 39 \cdot B \cdot a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)) / (\tan(1/2 \cdot dx + 1/2 \cdot c)^2 - 1)^4 / d$

3.45 $\int \sec^2(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$

Optimal. Leaf size=86

$$\frac{a(3A+2B)\tan(c+dx)}{3d} + \frac{a(A+B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{a(A+B)\tan(c+dx)\sec(c+dx)}{2d} + \frac{aB\tan(c+dx)\sec^2(c+dx)}{3d}$$

[Out] (a*(A + B)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(3*A + 2*B)*Tan[c + d*x])/(3*d) + (a*(A + B)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*B*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.115444, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {3997, 3787, 3767, 8, 3768, 3770}

$$\frac{a(3A+2B)\tan(c+dx)}{3d} + \frac{a(A+B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{a(A+B)\tan(c+dx)\sec(c+dx)}{2d} + \frac{aB\tan(c+dx)\sec^2(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*(A + B)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(3*A + 2*B)*Tan[c + d*x])/(3*d) + (a*(A + B)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*B*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Csc[c + d*x]^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aB \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec^2(c + dx)(a(3A + 2B) + a \sec(c + dx)) dx \\ &= \frac{aB \sec^2(c + dx) \tan(c + dx)}{3d} + (a(A + B)) \int \sec^3(c + dx) dx + \frac{a^2}{3} \int \sec^2(c + dx) dx \\ &= \frac{a(A + B) \sec(c + dx) \tan(c + dx)}{2d} + \frac{aB \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{a^2}{3} \tan(c + dx) \\ &= \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(3A + 2B) \tan(c + dx)}{3d} + \frac{a^2}{3} \tan(c + dx) \end{aligned}$$

Mathematica [A] time = 0.324826, size = 56, normalized size = 0.65

$$\frac{a \left(3(A + B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left(3(A + B) \sec(c + dx) + 6(A + B) + 2B \tan^2(c + dx) \right) \right)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]
```


[Out] $(a*(3*(A + B)*\text{ArcTanh}[\text{Sin}[c + d*x]] + \text{Tan}[c + d*x]*(6*(A + B) + 3*(A + B)*\text{Sec}[c + d*x] + 2*B*\text{Tan}[c + d*x]^2)))/(6*d)$

Maple [A] time = 0.039, size = 128, normalized size = 1.5

$$\frac{Aa \tan(dx + c)}{d} + \frac{Ba \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{Aa \tan(dx + c) \sec(dx + c)}{2d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] $1/d*A*a*\tan(dx+c)+1/2*a*B*\sec(dx+c)*\tan(dx+c)/d+1/2/d*B*a*\ln(\sec(dx+c)+\tan(dx+c))+1/2/d*A*a*\tan(dx+c)*\sec(dx+c)+1/2/d*A*a*\ln(\sec(dx+c)+\tan(dx+c))+2/3*a*B*\tan(dx+c)/d+1/3*a*B*\sec(dx+c)^2*\tan(dx+c)/d$

Maxima [A] time = 0.967454, size = 171, normalized size = 1.99

$$\frac{4(\tan(dx + c)^3 + 3 \tan(dx + c))Ba - 3Aa\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) - 3Ba\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) + 12Aa \tan(dx + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/12*(4*(\tan(dx + c)^3 + 3*\tan(dx + c))*B*a - 3*A*a*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 3*B*a*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 12*A*a*\tan(dx + c))/d$

Fricas [A] time = 0.484705, size = 288, normalized size = 3.35

$$\frac{3(A + B)a \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(A + B)a \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(3A + 2B)a \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 2(3A + 2B)a \cos(dx + c)^3 \log(-\sin(dx + c) + 1))}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(3*(A + B)*a*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(A + B)*a*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(2*(3*A + 2*B)*a*\cos(d*x + c)^2 + 3*(A + B)*a*\cos(d*x + c) + 2*B*a)*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec^2(c + dx) dx + \int A \sec^3(c + dx) dx + \int B \sec^3(c + dx) dx + \int B \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] $a*(\text{Integral}(A*\sec(c + d*x)**2, x) + \text{Integral}(A*\sec(c + d*x)**3, x) + \text{Integral}(B*\sec(c + d*x)**3, x) + \text{Integral}(B*\sec(c + d*x)**4, x))$

Giac [A] time = 1.26102, size = 208, normalized size = 2.42

$$3(Aa + Ba) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3(Aa + Ba) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(3Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 + 3Ba \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(A*a + B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(A*a + B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(3*A*a*\tan(1/2*d*x + 1/2*c)^5 + 3*B*a*\tan(1/2*d*x + 1/2*c)^5 - 12*A*a*\tan(1/2*d*x + 1/2*c)^3 - 4*B*a*\tan(1/2*d*x + 1/2*c)^3 + 9*A*a*\tan(1/2*d*x + 1/2*c) + 9*B*a*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3/d$

3.46 $\int \sec(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$

Optimal. Leaf size=56

$$\frac{a(A+B) \tan(c+dx)}{d} + \frac{a(2A+B) \tanh^{-1}(\sin(c+dx))}{2d} + \frac{aB \tan(c+dx) \sec(c+dx)}{2d}$$

[Out] (a*(2*A + B)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(A + B)*Tan[c + d*x])/d + (a*B*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.0673097, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {3997, 3787, 3770, 3767, 8}

$$\frac{a(A+B) \tan(c+dx)}{d} + \frac{a(2A+B) \tanh^{-1}(\sin(c+dx))}{2d} + \frac{aB \tan(c+dx) \sec(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*(2*A + B)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*(A + B)*Tan[c + d*x])/d + (a*B*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aB \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \sec(c + dx)(a(2A + B) + 2a \sec(c + dx)) dx \\ &= \frac{aB \sec(c + dx) \tan(c + dx)}{2d} + (a(A + B)) \int \sec^2(c + dx) dx + \frac{1}{2} \int \sec(c + dx) dx \\ &= \frac{a(2A + B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aB \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{a(2A + B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(A + B) \tan(c + dx)}{d} + \frac{aB \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.0258427, size = 75, normalized size = 1.34

$$\frac{aA \tan(c + dx)}{d} + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \tan(c + dx)}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aB \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a*A*ArcTanh[Sin[c + d*x]])/d + (a*B*ArcTanh[Sin[c + d*x]])/(2*d) + (a*A*Tan[c + d*x])/d + (a*B*Tan[c + d*x])/d + (a*B*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

Maple [A] time = 0.035, size = 86, normalized size = 1.5

$$\frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Ba \tan(dx + c)}{d} + \frac{Aa \tan(dx + c)}{d} + \frac{Ba \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] $1/d*A*a*\ln(\sec(dx+c)+\tan(dx+c))+a*B*\tan(dx+c)/d+1/d*A*a*\tan(dx+c)+1/2*a*B*\sec(dx+c)*\tan(dx+c)/d+1/2/d*B*a*\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 0.964841, size = 119, normalized size = 2.12

$$\frac{Ba\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) - 4Aa\log(\sec(dx+c)+\tan(dx+c)) - 4Aa\tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-1/4*(B*a*(2*\sin(dx+c)/(\sin(dx+c)^2-1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) - 4*A*a*\log(\sec(dx+c)+\tan(dx+c)) - 4*A*a*\tan(dx+c) - 4*B*a*\tan(dx+c))/d$

Fricas [A] time = 0.47976, size = 239, normalized size = 4.27

$$\frac{(2A+B)a\cos(dx+c)^2\log(\sin(dx+c)+1) - (2A+B)a\cos(dx+c)^2\log(-\sin(dx+c)+1) + 2(2(A+B)a\cos(dx+c)+B*a)\sin(dx+c)}{4d\cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/4*((2*A+B)*a*\cos(dx+c)^2*\log(\sin(dx+c)+1) - (2*A+B)*a*\cos(dx+c)^2*\log(-\sin(dx+c)+1) + 2*(2*(A+B)*a*\cos(dx+c) + B*a)*\sin(dx+c))/(d*\cos(dx+c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \sec(c + dx) dx + \int A \sec^2(c + dx) dx + \int B \sec^2(c + dx) dx + \int B \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] a*(Integral(A*sec(c + d*x), x) + Integral(A*sec(c + d*x)**2, x) + Integral(B*sec(c + d*x)**2, x) + Integral(B*sec(c + d*x)**3, x))

Giac [B] time = 1.34501, size = 167, normalized size = 2.98

$$(2Aa + Ba) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - (2Aa + Ba) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(2Aa \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 + Ba \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 \right) - 2}{\left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)^2 - 1} \cdot 2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((2*A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*A*a*tan(1/2*d*x + 1/2*c)^3 + B*a*tan(1/2*d*x + 1/2*c)^3 - 2*A*a*tan(1/2*d*x + 1/2*c) - 3*B*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d

3.47 $\int (a + a \sec(c + dx))(A + B \sec(c + dx)) dx$

Optimal. Leaf size=32

$$\frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + aAx + \frac{aB \tan(c + dx)}{d}$$

[Out] a*A*x + (a*(A + B)*ArcTanh[Sin[c + d*x]])/d + (a*B*Tan[c + d*x])/d

Rubi [A] time = 0.0331723, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {3914, 3767, 8, 3770}

$$\frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + aAx + \frac{aB \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] a*A*x + (a*(A + B)*ArcTanh[Sin[c + d*x]])/d + (a*B*Tan[c + d*x])/d

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= aAx + (aB) \int \sec^2(c + dx) dx + (a(A + B)) \int \sec(c + dx) dx \\ &= aAx + \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(aB) \operatorname{Subst}(\int 1 dx, x, -\tan(c + dx))}{d} \\ &= aAx + \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0162481, size = 43, normalized size = 1.34

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{d} + aAx + \frac{aB \tan(c + dx)}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]
```

```
[Out] a*A*x + (a*A*ArcTanh[Sin[c + d*x]])/d + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*B*Tan[c + d*x])/d
```

Maple [A] time = 0.032, size = 65, normalized size = 2.

$$aAx + \frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Aac}{d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Ba \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c)), x)
```

```
[Out] a*A*x+1/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a*c+1/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+a*B*tan(d*x+c)/d
```


Maxima [A] time = 1.00014, size = 76, normalized size = 2.38

$$\frac{(dx + c)Aa + Aa \log(\sec(dx + c) + \tan(dx + c)) + Ba \log(\sec(dx + c) + \tan(dx + c)) + Ba \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] ((d*x + c)*A*a + A*a*log(sec(d*x + c) + tan(d*x + c)) + B*a*log(sec(d*x + c) + tan(d*x + c)) + B*a*tan(d*x + c))/d

Fricas [B] time = 0.489232, size = 220, normalized size = 6.88

$$\frac{2Aadx \cos(dx + c) + (A + B)a \cos(dx + c) \log(\sin(dx + c) + 1) - (A + B)a \cos(dx + c) \log(-\sin(dx + c) + 1) + 2Ba \sin(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*A*a*d*x*cos(d*x + c) + (A + B)*a*cos(d*x + c)*log(sin(d*x + c) + 1) - (A + B)*a*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*B*a*sin(d*x + c))/(d*cos(d*x + c))

Sympy [A] time = 13.4574, size = 71, normalized size = 2.22

$$\begin{cases} \frac{Aa(c+dx)+Aa \log(\tan(c+dx)+\sec(c+dx))+Ba \log(\tan(c+dx)+\sec(c+dx))+Ba \tan(c+dx)}{d} & \text{for } d \neq 0 \\ x(A + B \sec(c))(a \sec(c) + a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Piecewise(((A*a*(c + d*x) + A*a*log(tan(c + d*x) + sec(c + d*x)) + B*a*log(tan(c + d*x) + sec(c + d*x)) + B*a*tan(c + d*x))/d, Ne(d, 0)), (x*(A + B*sec(c))*(a*sec(c) + a), True))

Giac [B] time = 1.25726, size = 113, normalized size = 3.53

$$\frac{(dx + c)Aa + (Aa + Ba) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (Aa + Ba) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*A*a + (A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*B*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1))/d

3.48 $\int \cos(c+dx)(a+a \sec(c+dx))(A+B \sec(c+dx)) dx$

Optimal. Leaf size=32

$$ax(A+B) + \frac{aA \sin(c+dx)}{d} + \frac{aB \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] a*(A + B)*x + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d

Rubi [A] time = 0.0473172, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {3996, 3770}

$$ax(A+B) + \frac{aA \sin(c+dx)}{d} + \frac{aB \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] a*(A + B)*x + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] / ; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \sin(c + dx)}{d} - \int (-a(A + B) - aB \sec(c + dx)) dx \\
&= a(A + B)x + \frac{aA \sin(c + dx)}{d} + (aB) \int \sec(c + dx) dx \\
&= a(A + B)x + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.0266833, size = 46, normalized size = 1.44

$$\frac{aA \sin(c) \cos(dx)}{d} + \frac{aA \cos(c) \sin(dx)}{d} + aAx + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + aBx$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] a*A*x + a*B*x + (a*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Cos[d*x]*Sin[c])/d + (a*A*Cos[c]*Sin[d*x])/d

Maple [A] time = 0.064, size = 56, normalized size = 1.8

$$aAx + Bax + \frac{Aa \sin(dx + c)}{d} + \frac{Aac}{d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] a*A*x+B*a*x+a*A*sin(d*x+c)/d+1/d*A*a*c+1/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a*c

Maxima [A] time = 1.02222, size = 78, normalized size = 2.44

$$\frac{2(dx + c)Aa + 2(dx + c)Ba + Ba(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Aa \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{2}*(2*(d*x + c)*A*a + 2*(d*x + c)*B*a + B*a*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 2*A*a*\sin(d*x + c))/d$

Fricas [A] time = 0.48656, size = 139, normalized size = 4.34

$$\frac{2(A+B)adx + Ba \log(\sin(dx+c)+1) - Ba \log(-\sin(dx+c)+1) + 2Aa \sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*(A + B)*a*d*x + B*a*\log(\sin(d*x + c) + 1) - B*a*\log(-\sin(d*x + c) + 1) + 2*A*a*\sin(d*x + c))/d$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \cos(c + dx) dx + \int A \cos(c + dx) \sec(c + dx) dx + \int B \cos(c + dx) \sec(c + dx) dx + \int B \cos(c + dx) \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] $a*(\text{Integral}(A*\cos(c + d*x), x) + \text{Integral}(A*\cos(c + d*x)*\sec(c + d*x), x) + \text{Integral}(B*\cos(c + d*x)*\sec(c + d*x), x) + \text{Integral}(B*\cos(c + d*x)*\sec(c + d*x)**2, x))$

Giac [B] time = 1.2413, size = 107, normalized size = 3.34

$$\frac{Ba \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - Ba \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Aa + Ba)(dx + c) + \frac{2Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] (B*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - B*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (A*a + B*a)*(d*x + c) + 2*A*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1))/d
```

3.49 $\int \cos^2(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$

Optimal. Leaf size=47

$$\frac{a(A + B) \sin(c + dx)}{d} + \frac{1}{2}ax(A + 2B) + \frac{aA \sin(c + dx) \cos(c + dx)}{2d}$$

[Out] (a*(A + 2*B)*x)/2 + (a*(A + B)*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.0864057, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3996, 3787, 2637, 8}

$$\frac{a(A + B) \sin(c + dx)}{d} + \frac{1}{2}ax(A + 2B) + \frac{aA \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*(A + 2*B)*x)/2 + (a*(A + B)*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] / ; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx)(-2a(A + B) - \\ &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} + (a(A + B)) \int \cos(c + dx) dx + \\ &= \frac{1}{2}a(A + 2B)x + \frac{a(A + B) \sin(c + dx)}{d} + \frac{aA \cos(c + dx) \sin(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.0962903, size = 44, normalized size = 0.94

$$\frac{a(4(A + B) \sin(c + dx) + A \sin(2(c + dx)) + 2Ac + 2Adx + 4Bdx)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a*(2*A*c + 2*A*d*x + 4*B*d*x + 4*(A + B)*Sin[c + d*x] + A*Sin[2*(c + d*x)]
)/ (4*d)
```

Maple [A] time = 0.065, size = 57, normalized size = 1.2

$$\frac{1}{d} \left(Aa \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Aa \sin(dx + c) + Ba \sin(dx + c) + Ba(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)
```

```
[Out] 1/d*(A*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*a*sin(d*x+c)+B*a*sin(d
*x+c)+B*a*(d*x+c))
```

Maxima [A] time = 0.979916, size = 74, normalized size = 1.57

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa + 4(dx + c)Ba + 4Aa \sin(dx + c) + 4Ba \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a + 4*(d*x + c)*B*a + 4*A*a*sin(d*x + c) + 4*B*a*sin(d*x + c))/d

Fricas [A] time = 0.458909, size = 99, normalized size = 2.11

$$\frac{(A + 2B)adx + (Aa \cos(dx + c) + 2(A + B)a) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*((A + 2*B)*a*d*x + (A*a*cos(d*x + c) + 2*(A + B)*a)*sin(d*x + c))/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int A \cos^2(c + dx) dx + \int A \cos^2(c + dx) \sec(c + dx) dx + \int B \cos^2(c + dx) \sec(c + dx) dx + \int B \cos^2(c + dx) \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] a*(Integral(A*cos(c + d*x)**2, x) + Integral(A*cos(c + d*x)**2*sec(c + d*x), x) + Integral(B*cos(c + d*x)**2*sec(c + d*x), x) + Integral(B*cos(c + d*x)**2*sec(c + d*x)**2, x))

Giac [B] time = 1.26993, size = 126, normalized size = 2.68

$$(Aa + 2Ba)(dx + c) + \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2}$$

$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((A*a + 2*B*a)*(d*x + c) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 + 2*B*a*tan(1/2*d*x + 1/2*c)^3 + 3*A*a*tan(1/2*d*x + 1/2*c) + 2*B*a*tan(1/2*d*x + 1/2*c)) / (tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d

3.50 $\int \cos^3(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$

Optimal. Leaf size=77

$$\frac{a(2A + 3B) \sin(c + dx)}{3d} + \frac{a(A + B) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + B) + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d}$$

[Out] (a*(A + B)*x)/2 + (a*(2*A + 3*B)*Sin[c + d*x])/(3*d) + (a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.10831, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3996, 3787, 2635, 8, 2637}

$$\frac{a(2A + 3B) \sin(c + dx)}{3d} + \frac{a(A + B) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}ax(A + B) + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*(A + B)*x)/2 + (a*(2*A + 3*B)*Sin[c + d*x])/(3*d) + (a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d)

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] / ; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx)(-3a(A + B) \\ &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} + (a(A + B)) \int \cos^2(c + dx) dx - \\ &= \frac{a(2A + 3B) \sin(c + dx)}{3d} + \frac{a(A + B) \cos(c + dx) \sin(c + dx)}{2d} + \\ &= \frac{1}{2}a(A + B)x + \frac{a(2A + 3B) \sin(c + dx)}{3d} + \frac{a(A + B) \cos(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.169215, size = 65, normalized size = 0.84

$$\frac{a(3(3A + 4B) \sin(c + dx) + 3(A + B) \sin(2(c + dx)) + A \sin(3(c + dx)) + 6Ac + 6Adx + 6Bc + 6Bdx)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]
```

```
[Out] (a*(6*A*c + 6*B*c + 6*A*d*x + 6*B*d*x + 3*(3*A + 4*B)*Sin[c + d*x] + 3*(A +
B)*Sin[2*(c + d*x)] + A*Ssin[3*(c + d*x)]))/(12*d)
```

Maple [A] time = 0.074, size = 85, normalized size = 1.1

$$\frac{1}{d} \left(\frac{Aa \left(2 + (\cos(dx + c))^2 \right) \sin(dx + c)}{3} + Aa \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Ba \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] $1/d*(1/3*A*a*(2+\cos(d*x+c)^2)*\sin(d*x+c)+A*a*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+B*a*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+B*a*\sin(d*x+c)$

Maxima [A] time = 0.982049, size = 107, normalized size = 1.39

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa - 3(2dx+2c+\sin(2dx+2c))Aa - 3(2dx+2c+\sin(2dx+2c))Ba - 12Ba\sin(dx+c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-1/12*(4*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a - 12*B*a*\sin(dx+c))/d$

Fricas [A] time = 0.464526, size = 146, normalized size = 1.9

$$\frac{3(A+B)adx + (2Aa\cos(dx+c)^2 + 3(A+B)a\cos(dx+c) + 2(2A+3B)a)\sin(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/6*(3*(A+B)*a*d*x + (2*A*a*\cos(d*x+c)^2 + 3*(A+B)*a*\cos(d*x+c) + 2*(2*A+3*B)*a)*\sin(d*x+c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.44524, size = 167, normalized size = 2.17

$$3(Aa + Ba)(dx + c) + \frac{2\left(3Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 9Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3} \cdot \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/6*(3*(A*a + B*a)*(d*x + c) + 2*(3*A*a*tan(1/2*d*x + 1/2*c)^5 + 3*B*a*tan(1/2*d*x + 1/2*c)^5 + 4*A*a*tan(1/2*d*x + 1/2*c)^3 + 12*B*a*tan(1/2*d*x + 1/2*c)^3 + 9*A*a*tan(1/2*d*x + 1/2*c) + 9*B*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d

3.51 $\int \cos^4(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$

Optimal. Leaf size=97

$$-\frac{a(A+B)\sin^3(c+dx)}{3d} + \frac{a(A+B)\sin(c+dx)}{d} + \frac{a(3A+4B)\sin(c+dx)\cos(c+dx)}{8d} + \frac{1}{8}ax(3A+4B) + \frac{aA\sin(c+dx)}{4d}$$

[Out] (a*(3*A + 4*B)*x)/8 + (a*(A + B)*Sin[c + d*x])/d + (a*(3*A + 4*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (a*(A + B)*Sin[c + d*x]^3)/(3*d)

Rubi [A] time = 0.118785, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3996, 3787, 2633, 2635, 8}

$$-\frac{a(A+B)\sin^3(c+dx)}{3d} + \frac{a(A+B)\sin(c+dx)}{d} + \frac{a(3A+4B)\sin(c+dx)\cos(c+dx)}{8d} + \frac{1}{8}ax(3A+4B) + \frac{aA\sin(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*(3*A + 4*B)*x)/8 + (a*(A + B)*Sin[c + d*x])/d + (a*(3*A + 4*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) - (a*(A + B)*Sin[c + d*x]^3)/(3*d)

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] / ; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx)(-4a(A + B) \\ &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} + (a(A + B)) \int \cos^3(c + dx) dx - \\ &= \frac{a(3A + 4B) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{1}{8}a(3A + 4B)x + \frac{a(A + B) \sin(c + dx)}{d} + \frac{a(3A + 4B) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 0.236748, size = 75, normalized size = 0.77

$$\frac{a(-32(A + B) \sin^3(c + dx) + 96(A + B) \sin(c + dx) + 24(A + B) \sin(2(c + dx)) + 3A \sin(4(c + dx)) + 36Ac + 36Adx + 36Bc + 36Bdx)}{96d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]
```

```
[Out] (a*(36*A*c + 48*B*c + 36*A*d*x + 48*B*d*x + 96*(A + B)*Sin[c + d*x] - 32*(A
+ B)*Sin[c + d*x]^3 + 24*(A + B)*Sin[2*(c + d*x)] + 3*A*Sin[4*(c + d*x)])
/(96*d)
```

Maple [A] time = 0.081, size = 107, normalized size = 1.1

$$\frac{1}{d} \left(Aa \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Aa(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + \frac{Ba(2 + \dots)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] `1/d*(A*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*a*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))`

Maxima [A] time = 0.97799, size = 136, normalized size = 1.4

$$\frac{32(\sin(dx+c)^3 - 3\sin(dx+c))Aa - 3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa + 32(\sin(dx+c)^3 - 3\sin(dx+c))Ba}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `-1/96*(32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a + 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a)/d`

Fricas [A] time = 0.474213, size = 193, normalized size = 1.99

$$\frac{3(3A + 4B)adx + (6Aa \cos(dx+c)^3 + 8(A+B)a \cos(dx+c)^2 + 3(3A + 4B)a \cos(dx+c) + 16(A+B)a) \sin(dx+c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{24} * (3 * (3 * A + 4 * B) * a * d * x + (6 * A * a * \cos(d * x + c) ^ 3 + 8 * (A + B) * a * \cos(d * x + c) ^ 2 + 3 * (3 * A + 4 * B) * a * \cos(d * x + c) + 16 * (A + B) * a) * \sin(d * x + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [A] time = 1.27944, size = 211, normalized size = 2.18

$$3(3Aa + 4Ba)(dx + c) + \frac{2\left(9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 49Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 28Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 31Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 52Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 39Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 36Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^4} \cdot 24d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] $\frac{1}{24} * (3 * (3 * A * a + 4 * B * a) * (d * x + c) + 2 * (9 * A * a * \tan(1/2 * d * x + 1/2 * c) ^ 7 + 12 * B * a * \tan(1/2 * d * x + 1/2 * c) ^ 7 + 49 * A * a * \tan(1/2 * d * x + 1/2 * c) ^ 5 + 28 * B * a * \tan(1/2 * d * x + 1/2 * c) ^ 5 + 31 * A * a * \tan(1/2 * d * x + 1/2 * c) ^ 3 + 52 * B * a * \tan(1/2 * d * x + 1/2 * c) ^ 3 + 39 * A * a * \tan(1/2 * d * x + 1/2 * c) + 36 * B * a * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ 4) / d$

3.52 $\int \cos^5(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$

Optimal. Leaf size=125

$$-\frac{a(4A + 5B) \sin^3(c + dx)}{15d} + \frac{a(4A + 5B) \sin(c + dx)}{5d} + \frac{a(A + B) \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a(A + B) \sin(c + dx) \cos(c + dx)}{8d}$$

[Out] (3*a*(A + B)*x)/8 + (a*(4*A + 5*B)*Sin[c + d*x])/(5*d) + (3*a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^3*SIN[c + d*x])/(4*d) + (a*A*COS[c + d*x]^4*SIN[c + d*x])/(5*d) - (a*(4*A + 5*B)*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.133528, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3996, 3787, 2635, 8, 2633}

$$-\frac{a(4A + 5B) \sin^3(c + dx)}{15d} + \frac{a(4A + 5B) \sin(c + dx)}{5d} + \frac{a(A + B) \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a(A + B) \sin(c + dx) \cos(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (3*a*(A + B)*x)/8 + (a*(4*A + 5*B)*Sin[c + d*x])/(5*d) + (3*a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^3*SIN[c + d*x])/(4*d) + (a*A*COS[c + d*x]^4*SIN[c + d*x])/(5*d) - (a*(4*A + 5*B)*Sin[c + d*x]^3)/(15*d)

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] :> -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Sin}[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2633

$\text{Int}[\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] :> -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{((n - 1)/2)}, x], x], x, \text{Cos}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[(n - 1)/2, 0]$

Rubi steps

$$\begin{aligned} \int \cos^5(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx)(-5a(A + B) \\ &= \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} + (a(A + B)) \int \cos^4(c + dx) dx - \\ &= \frac{a(A + B) \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{aA \cos^4(c + dx) \sin(c + dx)}{5d} \\ &= \frac{a(4A + 5B) \sin(c + dx)}{5d} + \frac{3a(A + B) \cos(c + dx) \sin(c + dx)}{8d} \\ &= \frac{3}{8}a(A + B)x + \frac{a(4A + 5B) \sin(c + dx)}{5d} + \frac{3a(A + B) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 0.243168, size = 77, normalized size = 0.62

$$\frac{a(-160(2A + B) \sin^3(c + dx) + 480(A + B) \sin(c + dx) + 15(A + B)(12(c + dx) + 8 \sin(2(c + dx)) + \sin(4(c + dx))) + 96)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] $(a(480(A + B)\sin[c + d*x] - 160(2*A + B)\sin[c + d*x]^3 + 96*A\sin[c + d*x]^5 + 15(A + B)(12(c + d*x) + 8\sin[2*(c + d*x)] + \sin[4*(c + d*x)])) / (480*d)$

Maple [A] time = 0.094, size = 128, normalized size = 1.

$$\frac{1}{d} \left(\frac{Aa \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + Aa \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] `1/d*(1/5*A*a*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+A*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*B*a*(2+cos(d*x+c)^2)*sin(d*x+c)`

Maxima [A] time = 0.988108, size = 167, normalized size = 1.34

$$\frac{32(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa + 15(12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c))Aa - 160(\sin(dx + c)^3 - 3 \sin(dx + c))B*a + 15(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a}{480 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a)/d`

Fricas [A] time = 0.479236, size = 239, normalized size = 1.91

$$\frac{45(A + B)adx + (24 Aa \cos(dx + c)^4 + 30(A + B)a \cos(dx + c)^3 + 8(4A + 5B)a \cos(dx + c)^2 + 45(A + B)a \cos(dx + c))}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{120}*(45*(A + B)*a*d*x + (24*A*a*\cos(d*x + c)^4 + 30*(A + B)*a*\cos(d*x + c)^3 + 8*(4*A + 5*B)*a*\cos(d*x + c)^2 + 45*(A + B)*a*\cos(d*x + c) + 16*(4*A + 5*B)*a)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.24219, size = 248, normalized size = 1.98

$$45(Aa + Ba)(dx + c) + \frac{2\left(45Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 45Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 130Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 290Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 464Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 400Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{120}*(45*(A*a + B*a)*(d*x + c) + 2*(45*A*a*\tan(1/2*d*x + 1/2*c)^9 + 45*B*a*\tan(1/2*d*x + 1/2*c)^9 + 130*A*a*\tan(1/2*d*x + 1/2*c)^7 + 290*B*a*\tan(1/2*d*x + 1/2*c)^7 + 464*A*a*\tan(1/2*d*x + 1/2*c)^5 + 400*B*a*\tan(1/2*d*x + 1/2*c)^5 + 190*A*a*\tan(1/2*d*x + 1/2*c)^3 + 350*B*a*\tan(1/2*d*x + 1/2*c)^3 + 195*A*a*\tan(1/2*d*x + 1/2*c) + 195*B*a*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d$

3.53 $\int \sec^3(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$

Optimal. Leaf size=169

$$\frac{a^2(10A + 9B) \tan^3(c + dx)}{15d} + \frac{a^2(10A + 9B) \tan(c + dx)}{5d} + \frac{a^2(7A + 6B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(5A + 6B) \tan(c + dx)}{20d}$$

[Out] (a^2*(7*A + 6*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(10*A + 9*B)*Tan[c + d*x])/(5*d) + (a^2*(7*A + 6*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a^2*(5*A + 6*B)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (B*Sec[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(5*d) + (a^2*(10*A + 9*B)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.244465, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4018, 3997, 3787, 3768, 3770, 3767}

$$\frac{a^2(10A + 9B) \tan^3(c + dx)}{15d} + \frac{a^2(10A + 9B) \tan(c + dx)}{5d} + \frac{a^2(7A + 6B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(5A + 6B) \tan(c + dx)}{20d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(7*A + 6*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(10*A + 9*B)*Tan[c + d*x])/(5*d) + (a^2*(7*A + 6*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a^2*(5*A + 6*B)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (B*Sec[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Tan[c + d*x])/(5*d) + (a^2*(10*A + 9*B)*Tan[c + d*x]^3)/(15*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^3(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{B \sec^3(c + dx)(a^2 + a^2 \sec(c + dx)) \tan(c + dx)}{5d} + \frac{1}{5} \int \sec^3(c + dx) dx \\
&= \frac{a^2(5A + 6B) \sec^3(c + dx) \tan(c + dx)}{20d} + \frac{B \sec^3(c + dx)(a^2)}{20d} \\
&= \frac{a^2(5A + 6B) \sec^3(c + dx) \tan(c + dx)}{20d} + \frac{B \sec^3(c + dx)(a^2)}{20d} \\
&= \frac{a^2(7A + 6B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2(5A + 6B) \sec^3(c + dx)}{20d} \\
&= \frac{a^2(7A + 6B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(10A + 9B) \tan(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 1.33341, size = 280, normalized size = 1.66

$$\frac{a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \left(240(7A + 6B) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{7680d}
\right)}{7680d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] $-(a^2(1 + \cos[c + d*x])^2 \sec[(c + d*x)/2]^4 \sec[c + d*x]^5 (240(7A + 6B) \cos[c + d*x]^5 (\log[\cos[(c + d*x)/2] - \sin[(c + d*x)/2]] - \log[\cos[(c + d*x)/2] + \sin[(c + d*x)/2]]) - \sec[c] (80(14A + 15B) \sin[d*x] - 240(2A + B) \sin[2*c + d*x] + 330A \sin[c + 2*d*x] + 420B \sin[c + 2*d*x] + 330A \sin[3*c + 2*d*x] + 420B \sin[3*c + 2*d*x] + 800A \sin[2*c + 3*d*x] + 720B \sin[2*c + 3*d*x] + 105A \sin[3*c + 4*d*x] + 90B \sin[3*c + 4*d*x] + 105A \sin[5*c + 4*d*x] + 90B \sin[5*c + 4*d*x] + 160A \sin[4*c + 5*d*x] + 144B \sin[4*c + 5*d*x])))/(7680*d)$

Maple [A] time = 0.05, size = 235, normalized size = 1.4

$$\frac{7a^2A \sec(dx + c) \tan(dx + c)}{8d} + \frac{7a^2A \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{6Ba^2 \tan(dx + c)}{5d} + \frac{3Ba^2 \tan(dx + c) (\sec(dx + c) + \tan(dx + c))}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] $7/8/d*a^2*A*\sec(d*x+c)*\tan(d*x+c)+7/8/d*a^2*A*\ln(\sec(d*x+c)+\tan(d*x+c))+6/5/d*B*a^2*\tan(d*x+c)+3/5/d*B*a^2*\tan(d*x+c)*\sec(d*x+c)^2+4/3/d*a^2*A*\tan(d*x+c)+2/3/d*a^2*A*\tan(d*x+c)*\sec(d*x+c)^2+1/2/d*B*a^2*\tan(d*x+c)*\sec(d*x+c)^3+3/4/d*B*a^2*\sec(d*x+c)*\tan(d*x+c)+3/4/d*B*a^2*\ln(\sec(d*x+c)+\tan(d*x+c))+1/4/d*a^2*A*\tan(d*x+c)*\sec(d*x+c)^3+1/5/d*B*a^2*\tan(d*x+c)*\sec(d*x+c)^4$

Maxima [A] time = 1.00337, size = 375, normalized size = 2.22

$160(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^2 + 16(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ba^2 + 80(\tan(dx+c)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/240*(160*(\tan(dx+c)^3 + 3*\tan(dx+c))*A*a^2 + 16*(3*\tan(dx+c)^5 + 10*\tan(dx+c)^3 + 15*\tan(dx+c))*B*a^2 + 80*(\tan(dx+c)^3 + 3*\tan(dx+c))*B*a^2 - 15*A*a^2*(2*(3*\sin(dx+c)^3 - 5*\sin(dx+c))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1)) - 30*B*a^2*(2*(3*\sin(dx+c)^3 - 5*\sin(dx+c))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1)) - 60*A*a^2*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)))/d$

Fricas [A] time = 0.496249, size = 421, normalized size = 2.49

$15(7A + 6B)a^2 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15(7A + 6B)a^2 \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2(16(10A +$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/240*(15*(7*A + 6*B)*a^2*\cos(dx+c)^5*\log(\sin(dx+c) + 1) - 15*(7*A + 6*B)*a^2*\cos(dx+c)^5*\log(-\sin(dx+c) + 1) + 2*(16*(10*A + 9*B)*a^2*\cos(dx+c)^4 + 15*(7*A + 6*B)*a^2*\cos(dx+c)^3 + 8*(10*A + 9*B)*a^2*\cos(dx+c)^2 + 30*(A + 2*B)*a^2*\cos(dx+c) + 24*B*a^2)*\sin(dx+c))/(d*\cos(d$

$\cdot x + c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sec^3(c + dx) dx + \int 2A \sec^4(c + dx) dx + \int A \sec^5(c + dx) dx + \int B \sec^4(c + dx) dx + \int 2B \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)), x)

[Out] a**2*(Integral(A*sec(c + d*x)**3, x) + Integral(2*A*sec(c + d*x)**4, x) + Integral(A*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**4, x) + Integral(2*B*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**6, x))

Giac [A] time = 1.34674, size = 332, normalized size = 1.96

$$15(7Aa^2 + 6Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(7Aa^2 + 6Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(105Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^9}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)), x, algorithm="giac")

[Out] 1/120*(15*(7*A*a^2 + 6*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(7*A*a^2 + 6*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(105*A*a^2*tan(1/2*d*x + 1/2*c)^9 + 90*B*a^2*tan(1/2*d*x + 1/2*c)^9 - 490*A*a^2*tan(1/2*d*x + 1/2*c)^7 - 420*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 800*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 864*B*a^2*tan(1/2*d*x + 1/2*c)^5 - 790*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 540*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 375*A*a^2*tan(1/2*d*x + 1/2*c) + 390*B*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d

3.54 $\int \sec^2(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$

Optimal. Leaf size=138

$$\frac{a^2(8A + 7B) \tan(c + dx)}{6d} + \frac{a^2(8A + 7B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(8A + 7B) \tan(c + dx) \sec(c + dx)}{24d} + \frac{(4A - B) \tan(c + dx)}{4d}$$

[Out] (a^2*(8*A + 7*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(8*A + 7*B)*Tan[c + d*x])/(6*d) + (a^2*(8*A + 7*B)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*A - B)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (B*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*a*d)

Rubi [A] time = 0.228472, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4010, 4001, 3788, 3767, 8, 4046, 3770}

$$\frac{a^2(8A + 7B) \tan(c + dx)}{6d} + \frac{a^2(8A + 7B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(8A + 7B) \tan(c + dx) \sec(c + dx)}{24d} + \frac{(4A - B) \tan(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(8*A + 7*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^2*(8*A + 7*B)*Tan[c + d*x])/(6*d) + (a^2*(8*A + 7*B)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*A - B)*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (B*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*a*d)

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a

+ b*Csc[e + f*x]^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3788

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] + Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{B(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad} + \frac{\int \sec(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx}{4ad} \\
&= \frac{(4A - B)(a + a \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{B(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad} \\
&= \frac{(4A - B)(a + a \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{B(a + a \sec(c + dx))^3 \tan(c + dx)}{4ad} \\
&= \frac{a^2(8A + 7B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(4A - B)(a + a \sec(c + dx))^3 \tan(c + dx)}{12d} \\
&= \frac{a^2(8A + 7B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(8A + 7B) \tan(c + dx)}{6d}
\end{aligned}$$

Mathematica [A] time = 1.17248, size = 262, normalized size = 1.9

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \left(24(8A + 7B) \cos^4(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) - \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] -(a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*Sec[c + d*x]^4*(24*(8*A + 7*B)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c]*(-24*(5*A + 4*B)*Sin[c] + 3*(8*A + 15*B)*Sin[d*x] + 24*A*Sin[2*c + d*x] + 45*B*Sin[2*c + d*x] + 136*A*Sin[c + 2*d*x] + 128*B*Sin[c + 2*d*x] - 24*A*Sin[3*c + 2*d*x] + 24*A*Sin[2*c + 3*d*x] + 21*B*Sin[2*c + 3*d*x] + 24*A*Sin[4*c + 3*d*x] + 21*B*Sin[4*c + 3*d*x] + 40*A*Sin[3*c + 4*d*x] + 32*B*Sin[3*c + 4*d*x]))/(768*d)

Maple [A] time = 0.043, size = 187, normalized size = 1.4

$$\frac{5a^2A \tan(dx + c)}{3d} + \frac{7Ba^2 \sec(dx + c) \tan(dx + c)}{8d} + \frac{7Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{a^2A \sec(dx + c) \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] $\frac{5}{3}d^2A^2\tan(dx+c)+\frac{7}{8}dB^2a^2\sec(dx+c)\tan(dx+c)+\frac{7}{8}dB^2a^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{d^2A^2A}\sec(dx+c)\tan(dx+c)+\frac{1}{d^2A^2A}\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{3}dB^2a^2\tan(dx+c)+\frac{2}{3}dB^2a^2\tan(dx+c)\sec(dx+c)^2+\frac{1}{3}d^2A^2A\tan(dx+c)\sec(dx+c)^2+\frac{1}{4}dB^2a^2\tan(dx+c)\sec(dx+c)^3$

Maxima [A] time = 1.00926, size = 311, normalized size = 2.25

$16(\tan(dx+c)^3+3\tan(dx+c))Aa^2+32(\tan(dx+c)^3+3\tan(dx+c))Ba^2-3Ba^2\left(\frac{2(3\sin(dx+c)^3-5\sin(dx+c))}{\sin(dx+c)^4-2\sin(dx+c)^2+1}-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+a*sec(dx+c))^2*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] $\frac{1}{48}(16(\tan(dx+c)^3+3\tan(dx+c))Aa^2+32(\tan(dx+c)^3+3\tan(dx+c))Ba^2-3Ba^2(2(3\sin(dx+c)^3-5\sin(dx+c))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1))-24Aa^2(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-12B^2a^2(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+48Aa^2\tan(dx+c))/d$

Fricas [A] time = 0.494235, size = 362, normalized size = 2.62

$\frac{3(8A+7B)a^2\cos(dx+c)^4\log(\sin(dx+c)+1)-3(8A+7B)a^2\cos(dx+c)^4\log(-\sin(dx+c)+1)+2(8(5A+4B)a^2\cos(dx+c)^3+3(8A+7B)a^2\cos(dx+c)^2+8(A+2B)a^2\cos(dx+c)+6B^2a^2\sin(dx+c))/(d\cos(dx+c)^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+a*sec(dx+c))^2*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] $\frac{1}{48}(3(8A+7B)a^2\cos(dx+c)^4\log(\sin(dx+c)+1)-3(8A+7B)a^2\cos(dx+c)^4\log(-\sin(dx+c)+1)+2(8(5A+4B)a^2\cos(dx+c)^3+3(8A+7B)a^2\cos(dx+c)^2+8(A+2B)a^2\cos(dx+c)+6B^2a^2\sin(dx+c))/(d\cos(dx+c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sec^2(c + dx) dx + \int 2A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int B \sec^3(c + dx) dx + \int 2B \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] a**2*(Integral(A*sec(c + d*x)**2, x) + Integral(2*A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**3, x) + Integral(2*B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x))

Giac [A] time = 1.36399, size = 286, normalized size = 2.07

$$3(8Aa^2 + 7Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(8Aa^2 + 7Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(24Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 21Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/24*(3*(8*A*a^2 + 7*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(8*A*a^2 + 7*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(24*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 21*B*a^2*tan(1/2*d*x + 1/2*c)^7 - 88*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 77*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 136*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 83*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 72*A*a^2*tan(1/2*d*x + 1/2*c) - 75*B*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

3.55 $\int \sec(c+dx)(a+a \sec(c+dx))^2(A+B \sec(c+dx)) dx$

Optimal. Leaf size=103

$$\frac{2a^2(3A+2B)\tan(c+dx)}{3d} + \frac{a^2(3A+2B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{a^2(3A+2B)\tan(c+dx)\sec(c+dx)}{6d} + \frac{B\tan(c+dx)}{d}$$

[Out] (a^2*(3*A + 2*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (2*a^2*(3*A + 2*B)*Tan[c + d*x])/(3*d) + (a^2*(3*A + 2*B)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (B*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.113348, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4001, 3788, 3767, 8, 4046, 3770}

$$\frac{2a^2(3A+2B)\tan(c+dx)}{3d} + \frac{a^2(3A+2B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{a^2(3A+2B)\tan(c+dx)\sec(c+dx)}{6d} + \frac{B\tan(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]), x]

[Out] (a^2*(3*A + 2*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (2*a^2*(3*A + 2*B)*Tan[c + d*x])/(3*d) + (a^2*(3*A + 2*B)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (B*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3788

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2, x_Symbol] :> Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] + Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rule 4046

`Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]`

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{B(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3}(3A + 2B) \int \sec(c + dx) dx \\
 &= \frac{B(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3}(3A + 2B) \int \sec(c + dx) dx \\
 &= \frac{a^2(3A + 2B) \sec(c + dx) \tan(c + dx)}{6d} + \frac{B(a + a \sec(c + dx))^2}{3d} \\
 &= \frac{a^2(3A + 2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{2a^2(3A + 2B) \tan(c + dx)}{3d}
 \end{aligned}$$

Mathematica [B] time = 6.1085, size = 481, normalized size = 4.67

$$a^2 \cos^3(c + dx) \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + B \sec(c + dx)) \left(\frac{4(6A+5B) \sin\left(\frac{dx}{2}\right)}{\left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)} + \frac{1}{\left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] $(a^2 \cos[c + d*x]^3 \sec[(c + d*x)/2]^4 (1 + \sec[c + d*x])^2 (A + B \sec[c + d*x]) * (-6*(3*A + 2*B) * \log[\cos[(c + d*x)/2] - \sin[(c + d*x)/2]] + 6*(3*A + 2*B) * \log[\cos[(c + d*x)/2] + \sin[(c + d*x)/2]] + (2*B \sin[(d*x)/2]) / ((\cos[c/2] - \sin[c/2]) * (\cos[(c + d*x)/2] - \sin[(c + d*x)/2])^3) + ((3*A + 7*B) * \cos[c/2] - (3*A + 5*B) * \sin[c/2]) / ((\cos[c/2] - \sin[c/2]) * (\cos[(c + d*x)/2] - \sin[(c + d*x)/2])^2) + (4*(6*A + 5*B) * \sin[(d*x)/2]) / ((\cos[c/2] - \sin[c/2]) * (\cos[(c + d*x)/2] - \sin[(c + d*x)/2])) + (2*B \sin[(d*x)/2]) / ((\cos[c/2] + \sin[c/2]) * (\cos[(c + d*x)/2] + \sin[(c + d*x)/2])^3) - ((3*A + 7*B) * \cos[c/2] + (3*A + 5*B) * \sin[c/2]) / ((\cos[c/2] + \sin[c/2]) * (\cos[(c + d*x)/2] + \sin[(c + d*x)/2])^2) + (4*(6*A + 5*B) * \sin[(d*x)/2]) / ((\cos[c/2] + \sin[c/2]) * (\cos[(c + d*x)/2] + \sin[(c + d*x)/2]))) / (48*d*(B + A*\cos[c + d*x]))$

Maple [A] time = 0.039, size = 141, normalized size = 1.4

$$\frac{3a^2 A \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{5Ba^2 \tan(dx+c)}{3d} + 2 \frac{a^2 A \tan(dx+c)}{d} + \frac{Ba^2 \sec(dx+c) \tan(dx+c)}{d} + \frac{Ba^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] $3/2/d*a^2*A*\ln(\sec(d*x+c)+\tan(d*x+c))+5/3/d*B*a^2*\tan(d*x+c)+2/d*a^2*A*\tan(d*x+c)+1/d*B*a^2*\sec(d*x+c)*\tan(d*x+c)+1/d*B*a^2*\ln(\sec(d*x+c)+\tan(d*x+c))+1/2/d*a^2*A*\sec(d*x+c)*\tan(d*x+c)+1/3/d*B*a^2*\tan(d*x+c)*\sec(d*x+c)^2$

Maxima [A] time = 0.995663, size = 225, normalized size = 2.18

$$4 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^2 - 3 Aa^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 6 Ba^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $1/12*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*a^2 - 3*A*a^2*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 6*B*$

$$a^2 \cdot (2 \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 12Aa^2 \log(\sec(dx + c) + \tan(dx + c)) + 24Aa^2 \tan(dx + c) + 12Ba^2 \tan(dx + c) / d$$

Fricas [A] time = 0.493973, size = 315, normalized size = 3.06

$$\frac{3(3A + 2B)a^2 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(3A + 2B)a^2 \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(6A + 5B)a^2 \cos(dx + c)^2 + 3(A + 2B)a^2 \cos(dx + c) + 2Ba^2) \sin(dx + c)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/12*(3*(3*A + 2*B)*a^2*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(3*A + 2*B)*a^2*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*(6*A + 5*B)*a^2*cos(d*x + c)^2 + 3*(A + 2*B)*a^2*cos(d*x + c) + 2*B*a^2)*sin(d*x + c)/(d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \sec(c + dx) dx + \int 2A \sec^2(c + dx) dx + \int A \sec^3(c + dx) dx + \int B \sec^2(c + dx) dx + \int 2B \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))*2*(A+B*sec(d*x+c)),x)

[Out] a**2*(Integral(A*sec(c + d*x), x) + Integral(2*A*sec(c + d*x)**2, x) + Integral(A*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**2, x) + Integral(2*B*sec(c + d*x)**3, x) + Integral(B*sec(c + d*x)**4, x))

Giac [A] time = 1.24975, size = 240, normalized size = 2.33

$$3(3Aa^2 + 2Ba^2) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3(3Aa^2 + 2Ba^2) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(9Aa^2 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^5 + 6Ba^2 \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/6*(3*(3*A*a^2 + 2*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*A*a^2 + 2*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(9*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 6*B*a^2*tan(1/2*d*x + 1/2*c)^5 - 24*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 16*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^2*tan(1/2*d*x + 1/2*c) + 18*B*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.56 $\int (a + a \sec(c + dx))^2 (A + B \sec(c + dx)) dx$

Optimal. Leaf size=82

$$\frac{a^2(2A + 3B) \tan(c + dx)}{2d} + \frac{a^2(4A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + a^2 Ax + \frac{B \tan(c + dx) (a^2 \sec(c + dx) + a^2)}{2d}$$

[Out] $a^2 A x + (a^2 (4A + 3B) \operatorname{ArcTanh}[\sin[c + d x]]) / (2d) + (a^2 (2A + 3B) \tan[c + d x]) / (2d) + (B (a^2 + a^2 \sec[c + d x]) \tan[c + d x]) / (2d)$

Rubi [A] time = 0.0836368, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3917, 3914, 3767, 8, 3770}

$$\frac{a^2(2A + 3B) \tan(c + dx)}{2d} + \frac{a^2(4A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + a^2 Ax + \frac{B \tan(c + dx) (a^2 \sec(c + dx) + a^2)}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \sec[c + d x])^2 (A + B \sec[c + d x]), x]$

[Out] $a^2 A x + (a^2 (4A + 3B) \operatorname{ArcTanh}[\sin[c + d x]]) / (2d) + (a^2 (2A + 3B) \tan[c + d x]) / (2d) + (B (a^2 + a^2 \sec[c + d x]) \tan[c + d x]) / (2d)$

Rule 3917

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.) (x_)] (b_.) + (a_))^{(m_)} (\operatorname{csc}[(e_.) + (f_.) (x_)] (d_.) + (c_)), x_Symbol] \rightarrow -\operatorname{Simp}[(b d \cot[e + f x] (a + b \operatorname{Csc}[e + f x])^{(m-1)}) / (f m), x] + \operatorname{Dist}[1/m, \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^{(m-1)} \operatorname{Simp}[a c m + (b c m + a d (2m-1)) \operatorname{Csc}[e + f x], x], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, x\}$ && $\operatorname{NeQ}[b c - a d, 0]$ && $\operatorname{GtQ}[m, 1]$ && $\operatorname{EqQ}[a^2 - b^2, 0]$ && $\operatorname{IntegerQ}[2m]$

Rule 3914

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.) (x_)] (b_.) + (a_)) (\operatorname{csc}[(e_.) + (f_.) (x_)] (d_.) + (c_)), x_Symbol] \rightarrow \operatorname{Simp}[a c x, x] + (\operatorname{Dist}[b d, \operatorname{Int}[\operatorname{Csc}[e + f x]^2, x], x] + \operatorname{Dist}[b c + a d, \operatorname{Int}[\operatorname{Csc}[e + f x], x], x]) /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, x\}$ && $\operatorname{NeQ}[b c - a d, 0]$ && $\operatorname{NeQ}[b c + a d, 0]$

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \sec(c + dx))^2 (A + B \sec(c + dx)) dx &= \frac{B(a^2 + a^2 \sec(c + dx)) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + a \sec(c + dx))(2aA + a(B \sec(c + dx) + 1)) dx \\
 &= a^2 Ax + \frac{B(a^2 + a^2 \sec(c + dx)) \tan(c + dx)}{2d} + \frac{1}{2} (a^2(2A + 3B)) \int \sec^2(c + dx) dx \\
 &= a^2 Ax + \frac{a^2(4A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{B(a^2 + a^2 \sec(c + dx)) \tan(c + dx)}{2d} \\
 &= a^2 Ax + \frac{a^2(4A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(2A + 3B) \tan(c + dx)}{2d} + \frac{B(a^2 + a^2 \sec(c + dx)) \tan(c + dx)}{2d}
 \end{aligned}$$

Mathematica [B] time = 1.25495, size = 307, normalized size = 3.74

$$a^2 \cos^3(c + dx) \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + B \sec(c + dx)) \left(\frac{4(A+2B) \sin\left(\frac{dx}{2}\right)}{d(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right))(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right))} + \frac{1}{d(\sin\left(\frac{c}{2}\right))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*Cos[c + d*x]^3*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + B*Sec[c + d*x])*(4*A*x - (2*(4*A + 3*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(4*A + 3*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + B/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(A + 2*B)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - B/(d*(Cos[(c + d*x)/2]

$$\frac{(\sin((c + dx)/2))^2 + (4(A + 2B)\sin((dx)/2))/(d(\cos[c/2] + \sin[c/2]))(\cos((c + dx)/2) + \sin((c + dx)/2))}{(16(B + A\cos[c + dx]))}$$

Maple [A] time = 0.038, size = 113, normalized size = 1.4

$$a^2 Ax + \frac{Aa^2c}{d} + \frac{3Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 2 \frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{Ba^2 \tan(dx + c)}{d} + \frac{a^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] a^2*A*x+1/d*A*a^2*c+3/2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+2/d*B*a^2*tan(d*x+c)+1/d*a^2*A*tan(d*x+c)+1/2/d*B*a^2*sec(d*x+c)*tan(d*x+c)

Maxima [A] time = 0.979652, size = 173, normalized size = 2.11

$$\frac{4(dx + c)Aa^2 - Ba^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 8Aa^2 \log(\sec(dx + c) + \tan(dx + c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/4*(4*(d*x + c)*A*a^2 - B*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 8*A*a^2*log(sec(d*x + c) + tan(d*x + c)) + 4*B*a^2*log(sec(d*x + c) + tan(d*x + c)) + 4*A*a^2*tan(d*x + c) + 8*B*a^2*tan(d*x + c))/d

Fricas [A] time = 0.496223, size = 297, normalized size = 3.62

$$\frac{4Aa^2 dx \cos(dx + c)^2 + (4A + 3B)a^2 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (4A + 3B)a^2 \cos(dx + c)^2 \log(-\sin(dx + c))}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{4}*(4*A*a^2*d*x*\cos(d*x + c)^2 + (4*A + 3*B)*a^2*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) - (4*A + 3*B)*a^2*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) + 2*(2*(A + 2*B)*a^2*\cos(d*x + c) + B*a^2)*\sin(d*x + c))/(d*\cos(d*x + c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A dx + \int 2A \sec(c + dx) dx + \int A \sec^2(c + dx) dx + \int B \sec(c + dx) dx + \int 2B \sec^2(c + dx) dx + \int B \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] $a^{**2}*(\text{Integral}(A, x) + \text{Integral}(2*A*\sec(c + d*x), x) + \text{Integral}(A*\sec(c + d*x)**2, x) + \text{Integral}(B*\sec(c + d*x), x) + \text{Integral}(2*B*\sec(c + d*x)**2, x) + \text{Integral}(B*\sec(c + d*x)**3, x))$

Giac [B] time = 1.4353, size = 208, normalized size = 2.54

$$\frac{2(dx + c)Aa^2 + (4Aa^2 + 3Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (4Aa^2 + 3Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(2Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 5Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2}*(2*(d*x + c)*A*a^2 + (4*A*a^2 + 3*B*a^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (4*A*a^2 + 3*B*a^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 3*B*a^2*\tan(1/2*d*x + 1/2*c)^3 - 2*A*a^2*\tan(1/2*d*x + 1/2*c) - 5*B*a^2*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^2/d$

$$3.57 \quad \int \cos(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=73

$$\frac{a^2(A - B) \sin(c + dx)}{d} + \frac{a^2(A + 2B) \tanh^{-1}(\sin(c + dx))}{d} + a^2x(2A + B) + \frac{B \sin(c + dx)(a^2 \sec(c + dx) + a^2)}{d}$$

[Out] a^2*(2*A + B)*x + (a^2*(A + 2*B)*ArcTanh[Sin[c + d*x]])/d + (a^2*(A - B)*Sin[c + d*x])/d + (B*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/d

Rubi [A] time = 0.129521, antiderivative size = 73, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4018, 3996, 3770}

$$\frac{a^2(A - B) \sin(c + dx)}{d} + \frac{a^2(A + 2B) \tanh^{-1}(\sin(c + dx))}{d} + a^2x(2A + B) + \frac{B \sin(c + dx)(a^2 \sec(c + dx) + a^2)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] a^2*(2*A + B)*x + (a^2*(A + 2*B)*ArcTanh[Sin[c + d*x]])/d + (a^2*(A - B)*Sin[c + d*x])/d + (B*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/d

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{d} + \int \cos(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx \\ &= \frac{a^2(A - B) \sin(c + dx)}{d} + \frac{B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{d} \\ &= a^2(2A + B)x + \frac{a^2(A - B) \sin(c + dx)}{d} + \frac{B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{d} \\ &= a^2(2A + B)x + \frac{a^2(A + 2B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2(A - B) \sin(c + dx)}{d} \end{aligned}$$

Mathematica [B] time = 1.60464, size = 258, normalized size = 3.53

$$a^2 \cos^3(c + dx) \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + B \sec(c + dx)) \left(-\frac{(A+2B) \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)}{d} + \frac{(A+2B) \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*Cos[c + d*x]^3*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + B*Sec[c + d*x])*((2*A + B)*x - ((A + 2*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + ((A + 2*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (A*Cos[d*x]*Sin[c])/d + (A*Cos[c]*Sin[d*x])/d + (B*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (B*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))/(4*(B + A*Cos[c + d*x]))

Maple [A] time = 0.062, size = 107, normalized size = 1.5

$$2a^2Ax + Ba^2x + \frac{a^2A \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^2A \sin(dx + c)}{d} + 2\frac{Aa^2c}{d} + 2\frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out] $2a^2Ax + Ba^2x + 1/d a^2 A \ln(\sec(dx+c) + \tan(dx+c)) + a^2 A \sin(dx+c)/d + 2/d A a^2 c + 2/d B a^2 \ln(\sec(dx+c) + \tan(dx+c)) + 1/d B a^2 \tan(dx+c) + 1/d B a^2 c$

Maxima [A] time = 1.02609, size = 142, normalized size = 1.95

$$\frac{4(dx+c)Aa^2 + 2(dx+c)Ba^2 + Aa^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2Ba^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/2*(4*(dx+c)*Aa^2 + 2*(dx+c)*Ba^2 + Aa^2*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2*Ba^2*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2*Aa^2*\sin(dx+c) + 2*Ba^2*\tan(dx+c))/d$

Fricas [A] time = 0.495015, size = 278, normalized size = 3.81

$$\frac{2(2A+B)a^2 dx \cos(dx+c) + (A+2B)a^2 \cos(dx+c) \log(\sin(dx+c)+1) - (A+2B)a^2 \cos(dx+c) \log(-\sin(dx+c)+1)}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/2*(2*(2A+B)a^2 dx \cos(dx+c) + (A+2B)a^2 \cos(dx+c) \log(\sin(dx+c)+1) - (A+2B)a^2 \cos(dx+c) \log(-\sin(dx+c)+1) + 2*(Aa^2 \cos(dx+c) + Ba^2) \sin(dx+c))/(d \cos(dx+c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int A \cos(c + dx) dx + \int 2A \cos(c + dx) \sec(c + dx) dx + \int A \cos(c + dx) \sec^2(c + dx) dx + \int B \cos(c + dx) \sec \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] a**2*(Integral(A*cos(c + d*x), x) + Integral(2*A*cos(c + d*x)*sec(c + d*x), x) + Integral(A*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(B*cos(c + d*x)*sec(c + d*x), x) + Integral(2*B*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(B*cos(c + d*x)*sec(c + d*x)**3, x))

Giac [B] time = 1.26769, size = 212, normalized size = 2.9

$$(2Aa^2 + Ba^2)(dx + c) + (Aa^2 + 2Ba^2) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - (Aa^2 + 2Ba^2) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + \frac{2(Aa^2 + Ba^2)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] ((2*A*a^2 + B*a^2)*(d*x + c) + (A*a^2 + 2*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (A*a^2 + 2*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a^2*tan(1/2*d*x + 1/2*c)^3 - B*a^2*tan(1/2*d*x + 1/2*c)^3 - A*a^2*tan(1/2*d*x + 1/2*c) - B*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1))/d

$$3.58 \quad \int \cos^2(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=88

$$\frac{a^2(3A + 2B) \sin(c + dx)}{2d} + \frac{1}{2}a^2x(3A + 4B) + \frac{A \sin(c + dx) \cos(c + dx)(a^2 \sec(c + dx) + a^2)}{2d} + \frac{a^2B \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (a^2*(3*A + 4*B)*x)/2 + (a^2*B*ArcTanh[Sin[c + d*x]])/d + (a^2*(3*A + 2*B)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.144874, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4017, 3996, 3770}

$$\frac{a^2(3A + 2B) \sin(c + dx)}{2d} + \frac{1}{2}a^2x(3A + 4B) + \frac{A \sin(c + dx) \cos(c + dx)(a^2 \sec(c + dx) + a^2)}{2d} + \frac{a^2B \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(3*A + 4*B)*x)/2 + (a^2*B*ArcTanh[Sin[c + d*x]])/d + (a^2*(3*A + 2*B)*Sin[c + d*x])/(2*d) + (A*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e +

```
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{A \cos(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int \cos^2(c + dx) (a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx \\ &= \frac{a^2(3A + 2B) \sin(c + dx)}{2d} + \frac{A \cos(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^2(3A + 4B)x + \frac{a^2(3A + 2B) \sin(c + dx)}{2d} + \frac{A \cos(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^2(3A + 4B)x + \frac{a^2 B \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2(3A + 2B) \sin(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.159389, size = 96, normalized size = 1.09

$$\frac{a^2 \left(4(2A + B) \sin(c + dx) + A \sin(2(c + dx)) + 6Adx - 4B \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 4B \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a^2*(6*A*d*x + 8*B*d*x - 4*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*(2*A + B)*Sin[c + d*x] + A*Sin[2*(c + d*x)])/(4*d)
```

Maple [A] time = 0.076, size = 108, normalized size = 1.2

$$\frac{a^2 A \cos(dx + c) \sin(dx + c)}{2d} + \frac{3a^2 Ax}{2} + \frac{3a^2 Ac}{2d} + \frac{Ba^2 \sin(dx + c)}{d} + 2 \frac{a^2 A \sin(dx + c)}{d} + 2Ba^2 x + 2 \frac{Ba^2 c}{d} + \frac{Ba^2 \ln(\cos(dx + c) - \sin(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out] $\frac{1}{2}a^2A\cos(dx+c)\sin(dx+c)/d + \frac{3}{2}a^2Ax + \frac{3}{2}dAa^2c + \frac{1}{d}Ba^2\sin(dx+c) + 2a^2A\sin(dx+c)/d + 2Ba^2x + \frac{2}{d}Ba^2c + \frac{1}{d}Ba^2\ln(\sec(dx+c) + \tan(dx+c))$

Maxima [A] time = 0.994061, size = 136, normalized size = 1.55

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa^2 + 4(dx + c)Aa^2 + 8(dx + c)Ba^2 + 2Ba^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{4}((2dx + 2c + \sin(2dx + 2c))Aa^2 + 4(dx + c)Aa^2 + 8(dx + c)Ba^2 + 2Ba^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 8Aa^2\sin(dx + c) + 4Ba^2\sin(dx + c))/d$

Fricas [A] time = 0.496096, size = 194, normalized size = 2.2

$$\frac{(3A + 4B)a^2dx + Ba^2\log(\sin(dx + c) + 1) - Ba^2\log(-\sin(dx + c) + 1) + (Aa^2\cos(dx + c) + 2(2A + B)a^2)\sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{2}((3A + 4B)a^2dx + Ba^2\log(\sin(dx + c) + 1) - Ba^2\log(-\sin(dx + c) + 1) + (Aa^2\cos(dx + c) + 2(2A + B)a^2)\sin(dx + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.3544, size = 196, normalized size = 2.23

$$2Ba^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Ba^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (3Aa^2 + 4Ba^2)(dx + c) + \frac{2\left(3Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3 + 2Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*B*a^2*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 2*B*a^2*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (3*A*a^2 + 4*B*a^2)*(d*x + c) + 2*(3*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 5*A*a^2*tan(1/2*d*x + 1/2*c) + 2*B*a^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d

$$3.59 \quad \int \cos^3(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=102

$$\frac{2a^2(2A + 3B) \sin(c + dx)}{3d} + \frac{a^2(2A + 3B) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}a^2x(2A + 3B) + \frac{A \sin(c + dx) \cos^2(c + dx)(a \sec(c + dx))}{3d}$$

[Out] (a^2*(2*A + 3*B)*x)/2 + (2*a^2*(2*A + 3*B)*Sin[c + d*x])/(3*d) + (a^2*(2*A + 3*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.153287, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4013, 3788, 2637, 4045, 8}

$$\frac{2a^2(2A + 3B) \sin(c + dx)}{3d} + \frac{a^2(2A + 3B) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}a^2x(2A + 3B) + \frac{A \sin(c + dx) \cos^2(c + dx)(a \sec(c + dx))}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(2*A + 3*B)*x)/2 + (2*a^2*(2*A + 3*B)*Sin[c + d*x])/(3*d) + (a^2*(2*A + 3*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3788

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2, x_Symbol] :> Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] + Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,

e, f, n}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3}(2A + 3B) \int \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx) dx \\ &= \frac{A \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3}(2A + 3B) \int \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx) dx \\ &= \frac{2a^2(2A + 3B) \sin(c + dx)}{3d} + \frac{a^2(2A + 3B) \cos(c + dx) \sin(c + dx)}{6d} \\ &= \frac{1}{2}a^2(2A + 3B)x + \frac{2a^2(2A + 3B) \sin(c + dx)}{3d} + \frac{a^2(2A + 3B) \cos(c + dx) \sin(c + dx)}{6d} \end{aligned}$$

Mathematica [A] time = 0.171502, size = 61, normalized size = 0.6

$$\frac{a^2(3(7A + 8B) \sin(c + dx) + 3(2A + B) \sin(2(c + dx)) + A \sin(3(c + dx)) + 12Adx + 18Bdx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(12*A*d*x + 18*B*d*x + 3*(7*A + 8*B)*Sin[c + d*x] + 3*(2*A + B)*Sin[2*(c + d*x)] + A*Ssin[3*(c + d*x)]))/(12*d)

Maple [A] time = 0.078, size = 116, normalized size = 1.1

$$\frac{1}{d} \left(\frac{a^2 A (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + 2 a^2 A (1/2 \cos(dx + c) \sin(dx + c) + 1/2 dx + c/2) + B a^2 \left(\frac{\cos(dx + c) \sin(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out] `1/d*(1/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+2*a^2*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^2*A*sin(d*x+c)+2*B*a^2*sin(d*x+c)+B*a^2*(d*x+c))`

Maxima [A] time = 1.01302, size = 149, normalized size = 1.46

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^2 - 6(2dx + 2c + \sin(2dx + 2c))Aa^2 - 3(2dx + 2c + \sin(2dx + 2c))Ba^2 - 12(dx + c)Ba^2}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `-1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 - 6*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 - 12*(d*x + c)*B*a^2 - 12*A*a^2*sin(d*x + c) - 24*B*a^2*sin(d*x + c))/d`

Fricas [A] time = 0.462819, size = 165, normalized size = 1.62

$$\frac{3(2A + 3B)a^2 dx + (2Aa^2 \cos(dx + c)^2 + 3(2A + B)a^2 \cos(dx + c) + 2(5A + 6B)a^2) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{6}*(3*(2*A + 3*B)*a^2*d*x + (2*A*a^2*\cos(d*x + c)^2 + 3*(2*A + B)*a^2*\cos(d*x + c) + 2*(5*A + 6*B)*a^2)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)), x)`

[Out] Timed out

Giac [A] time = 1.40303, size = 192, normalized size = 1.88

$$3(2Aa^2 + 3Ba^2)(dx + c) + \frac{2\left(6Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 9Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 16Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 24Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 18Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)), x, algorithm="giac")`

[Out] $\frac{1}{6}*(3*(2*A*a^2 + 3*B*a^2)*(d*x + c) + 2*(6*A*a^2*\tan(1/2*d*x + 1/2*c)^5 + 9*B*a^2*\tan(1/2*d*x + 1/2*c)^5 + 16*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 24*B*a^2*\tan(1/2*d*x + 1/2*c)^3 + 18*A*a^2*\tan(1/2*d*x + 1/2*c) + 15*B*a^2*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3/d$

$$3.60 \quad \int \cos^4(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=135

$$\frac{a^2(4A + 5B) \sin(c + dx)}{3d} + \frac{a^2(5A + 4B) \sin(c + dx) \cos^2(c + dx)}{12d} + \frac{a^2(7A + 8B) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}a^2x(7A + 8B)$$

[Out] (a^2*(7*A + 8*B)*x)/8 + (a^2*(4*A + 5*B)*Sin[c + d*x])/(3*d) + (a^2*(7*A + 8*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(5*A + 4*B)*Cos[c + d*x]^2*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.230517, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^2(4A + 5B) \sin(c + dx)}{3d} + \frac{a^2(5A + 4B) \sin(c + dx) \cos^2(c + dx)}{12d} + \frac{a^2(7A + 8B) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}a^2x(7A + 8B)$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(7*A + 8*B)*x)/8 + (a^2*(4*A + 5*B)*Sin[c + d*x])/(3*d) + (a^2*(7*A + 8*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(5*A + 4*B)*Cos[c + d*x]^2*Sin[c + d*x])/(12*d) + (A*Cos[c + d*x]^3*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(4*d)

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[SIN[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^4(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{A \cos^3(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^3(c + dx) (a^2 + a^2 \sec(c + dx))^2 dx \\
 &= \frac{a^2(5A + 4B) \cos^2(c + dx) \sin(c + dx)}{12d} + \frac{A \cos^3(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{4d} \\
 &= \frac{a^2(5A + 4B) \cos^2(c + dx) \sin(c + dx)}{12d} + \frac{A \cos^3(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{4d} \\
 &= \frac{a^2(4A + 5B) \sin(c + dx)}{3d} + \frac{a^2(7A + 8B) \cos(c + dx) \sin(c + dx)}{8d} \\
 &= \frac{1}{8} a^2(7A + 8B)x + \frac{a^2(4A + 5B) \sin(c + dx)}{3d} + \frac{a^2(7A + 8B) \cos(c + dx) \sin(c + dx)}{8d}
 \end{aligned}$$

Mathematica [A] time = 0.354537, size = 86, normalized size = 0.64

$$\frac{a^2(24(6A + 7B)\sin(c + dx) + 48(A + B)\sin(2(c + dx)) + 16A\sin(3(c + dx)) + 3A\sin(4(c + dx)) + 84Ac + 84Adx + 8B)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]), x]

[Out] (a^2*(84*A*c + 84*A*d*x + 96*B*d*x + 24*(6*A + 7*B)*Sin[c + d*x] + 48*(A + B)*Sin[2*(c + d*x)] + 16*A*Sin[3*(c + d*x)] + 8*B*Sin[3*(c + d*x)] + 3*A*Sin[4*(c + d*x)]))/(96*d)

Maple [A] time = 0.087, size = 154, normalized size = 1.1

$$\frac{1}{d} \left(a^2 A \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 dx}{8} + \frac{3 c}{8} \right) + \frac{B a^2 (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + \frac{2 a^2 A (2 + \cos(dx + c))^2 \sin(dx + c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)), x)

[Out] 1/d*(a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+2/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+2*B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+a^2*A*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a^2*sin(d*x+c))

Maxima [A] time = 1.00995, size = 194, normalized size = 1.44

$$\frac{64 \left(\sin(dx + c)^3 - 3 \sin(dx + c) \right) A a^2 - 3 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^2 - 24 (2 dx + 2 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^2}{96 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)), x, algorithm="maxima")

[Out] -1/96*(64*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 - 24*(2*d*x + 2*c + sin(2*d*x + 2*c))

c))*A*a^2 + 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 - 48*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 - 96*B*a^2*sin(d*x + c))/d

Fricas [A] time = 0.474397, size = 213, normalized size = 1.58

$$\frac{3(7A + 8B)a^2 dx + (6Aa^2 \cos(dx + c)^3 + 8(2A + B)a^2 \cos(dx + c)^2 + 3(7A + 8B)a^2 \cos(dx + c) + 8(4A + 5B)a^2)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/24*(3*(7*A + 8*B)*a^2*d*x + (6*A*a^2*cos(d*x + c)^3 + 8*(2*A + B)*a^2*cos(d*x + c)^2 + 3*(7*A + 8*B)*a^2*cos(d*x + c) + 8*(4*A + 5*B)*a^2)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.21159, size = 238, normalized size = 1.76

$$3(7Aa^2 + 8Ba^2)(dx + c) + \frac{2\left(21Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 24Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 77Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 88Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 83Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 84Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 35Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 36Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15Aa^2 + 16Ba^2\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)^4} \cdot \frac{1}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

```
[Out] 1/24*(3*(7*A*a^2 + 8*B*a^2)*(d*x + c) + 2*(21*A*a^2*tan(1/2*d*x + 1/2*c)^7 + 24*B*a^2*tan(1/2*d*x + 1/2*c)^7 + 77*A*a^2*tan(1/2*d*x + 1/2*c)^5 + 88*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 83*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 136*B*a^2*tan(1/2*d*x + 1/2*c)^3 + 75*A*a^2*tan(1/2*d*x + 1/2*c) + 72*B*a^2*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4)/d
```

3.61 $\int \cos^5(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$

Optimal. Leaf size=160

$$-\frac{a^2(9A + 10B) \sin^3(c + dx)}{15d} + \frac{a^2(9A + 10B) \sin(c + dx)}{5d} + \frac{a^2(6A + 5B) \sin(c + dx) \cos^3(c + dx)}{20d} + \frac{a^2(6A + 7B) \sin(c + dx)}{8d}$$

[Out] (a^2*(6*A + 7*B)*x)/8 + (a^2*(9*A + 10*B)*Sin[c + d*x])/(5*d) + (a^2*(6*A + 7*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(6*A + 5*B)*Cos[c + d*x]^3*Sine[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d) - (a^2*(9*A + 10*B)*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.251574, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{a^2(9A + 10B) \sin^3(c + dx)}{15d} + \frac{a^2(9A + 10B) \sin(c + dx)}{5d} + \frac{a^2(6A + 5B) \sin(c + dx) \cos^3(c + dx)}{20d} + \frac{a^2(6A + 7B) \sin(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(6*A + 7*B)*x)/8 + (a^2*(9*A + 10*B)*Sin[c + d*x])/(5*d) + (a^2*(6*A + 7*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(6*A + 5*B)*Cos[c + d*x]^3*Sine[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d) - (a^2*(9*A + 10*B)*Sin[c + d*x]^3)/(15*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos^5(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{A \cos^4(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^4(c + dx) (a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx \\ &= \frac{a^2(6A + 5B) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{A \cos^4(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d} \\ &= \frac{a^2(6A + 5B) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{A \cos^4(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d} \\ &= \frac{a^2(6A + 7B) \cos(c + dx) \sin(c + dx)}{8d} + \frac{a^2(6A + 5B) \cos^3(c + dx) \sin(c + dx)}{20d} \\ &= \frac{1}{8} a^2(6A + 7B)x + \frac{a^2(9A + 10B) \sin(c + dx)}{5d} + \frac{a^2(6A + 7B) \cos^3(c + dx) \sin(c + dx)}{20d} \end{aligned}$$

Mathematica [A] time = 0.475953, size = 108, normalized size = 0.68

$$\frac{a^2(60(11A + 12B) \sin(c + dx) + 240(A + B) \sin(2(c + dx)) + 90A \sin(3(c + dx)) + 30A \sin(4(c + dx)) + 6A \sin(5(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(360*A*c + 360*A*d*x + 420*B*d*x + 60*(11*A + 12*B)*Sin[c + d*x] + 240*(A + B)*Sin[2*(c + d*x)] + 90*A*Ssin[3*(c + d*x)] + 80*B*Ssin[3*(c + d*x)] + 30*A*Ssin[4*(c + d*x)] + 15*B*Ssin[4*(c + d*x)] + 6*A*Ssin[5*(c + d*x)]))/(480*d)

Maple [A] time = 0.094, size = 186, normalized size = 1.2

$$\frac{1}{d} \left(\frac{a^2 A \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + Ba^2 \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] 1/d*(1/5*a^2*A*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2*a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

Maxima [A] time = 1.01353, size = 240, normalized size = 1.5

$$\frac{32(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^2 - 160(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^2 + 30(12 dx + 12 c)}{480d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{480} \cdot (32 \cdot (3 \cdot \sin(dx + c))^5 - 10 \cdot \sin(dx + c)^3 + 15 \cdot \sin(dx + c)) \cdot A \cdot a^2 - 160 \cdot (\sin(dx + c)^3 - 3 \cdot \sin(dx + c)) \cdot A \cdot a^2 + 30 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot A \cdot a^2 - 320 \cdot (\sin(dx + c)^3 - 3 \cdot \sin(dx + c)) \cdot B \cdot a^2 + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot B \cdot a^2 + 120 \cdot (2 \cdot dx + 2 \cdot c + \sin(2 \cdot dx + 2 \cdot c)) \cdot B \cdot a^2 / d$

Fricas [A] time = 0.480349, size = 271, normalized size = 1.69

$$\frac{15(6A + 7B)a^2 dx + (24Aa^2 \cos(dx + c)^4 + 30(2A + B)a^2 \cos(dx + c)^3 + 8(9A + 10B)a^2 \cos(dx + c)^2 + 15(6A + 7B)a^2 \cos(dx + c) + 16(9A + 10B)a^2 \sin(dx + c))}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^5*(a+a*sec(dx+c))^2*(A+B*sec(dx+c)),x, algorithm="fricas")`

[Out] $\frac{1}{120} \cdot (15 \cdot (6 \cdot A + 7 \cdot B) \cdot a^2 \cdot dx + (24 \cdot A \cdot a^2 \cdot \cos(dx + c)^4 + 30 \cdot (2 \cdot A + B) \cdot a^2 \cdot \cos(dx + c)^3 + 8 \cdot (9 \cdot A + 10 \cdot B) \cdot a^2 \cdot \cos(dx + c)^2 + 15 \cdot (6 \cdot A + 7 \cdot B) \cdot a^2 \cdot \cos(dx + c) + 16 \cdot (9 \cdot A + 10 \cdot B) \cdot a^2 \cdot \sin(dx + c))) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**5*(a+a*sec(dx+c))**2*(A+B*sec(dx+c)),x)`

[Out] Timed out

Giac [A] time = 1.30281, size = 284, normalized size = 1.78

$$15(6Aa^2 + 7Ba^2)(dx + c) + \frac{2 \left(90Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 105Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 420Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 490Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 864Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1008Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 576Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 720Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 288Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 288Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{120} \cdot (15 \cdot (6 \cdot A \cdot a^2 + 7 \cdot B \cdot a^2) \cdot (d \cdot x + c) + 2 \cdot (90 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 105 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 420 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 490 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 864 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 800 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 540 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 790 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 390 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 375 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^5 / d$

3.62 $\int \sec^3(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$

Optimal. Leaf size=210

$$\frac{a^3(19A + 17B) \tan^3(c + dx)}{15d} + \frac{a^3(19A + 17B) \tan(c + dx)}{5d} + \frac{a^3(26A + 23B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^3(22A + 21B) \tan(c + dx)}{40d}$$

[Out] (a^3*(26*A + 23*B)*ArcTanh[Sin[c + d*x]])/(16*d) + (a^3*(19*A + 17*B)*Tan[c + d*x])/(5*d) + (a^3*(26*A + 23*B)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (a^3*(22*A + 21*B)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + (a*B*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(6*d) + ((3*A + 4*B)*Sec[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Tan[c + d*x])/(15*d) + (a^3*(19*A + 17*B)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.399342, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4018, 3997, 3787, 3768, 3770, 3767}

$$\frac{a^3(19A + 17B) \tan^3(c + dx)}{15d} + \frac{a^3(19A + 17B) \tan(c + dx)}{5d} + \frac{a^3(26A + 23B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^3(22A + 21B) \tan(c + dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (a^3*(26*A + 23*B)*ArcTanh[Sin[c + d*x]])/(16*d) + (a^3*(19*A + 17*B)*Tan[c + d*x])/(5*d) + (a^3*(26*A + 23*B)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (a^3*(22*A + 21*B)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + (a*B*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^2*Tan[c + d*x])/(6*d) + ((3*A + 4*B)*Sec[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Tan[c + d*x])/(15*d) + (a^3*(19*A + 17*B)*Tan[c + d*x]^3)/(15*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*

B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_.), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx &= \frac{aB\sec^3(c+dx)(a+a\sec(c+dx))^2\tan(c+dx)}{6d} + \frac{1}{6}\int \sec^3(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx \\
&= \frac{aB\sec^3(c+dx)(a+a\sec(c+dx))^2\tan(c+dx)}{6d} + \frac{(3A+4B)\int \sec^3(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx}{6} \\
&= \frac{a^3(22A+21B)\sec^3(c+dx)\tan(c+dx)}{40d} + \frac{aB\sec^3(c+dx)(a+a\sec(c+dx))^2\tan(c+dx)}{6d} \\
&= \frac{a^3(22A+21B)\sec^3(c+dx)\tan(c+dx)}{40d} + \frac{aB\sec^3(c+dx)(a+a\sec(c+dx))^2\tan(c+dx)}{6d} \\
&= \frac{a^3(26A+23B)\sec(c+dx)\tan(c+dx)}{16d} + \frac{a^3(22A+21B)\sec^3(c+dx)\tan(c+dx)}{40d} \\
&= \frac{a^3(26A+23B)\tanh^{-1}(\sin(c+dx))}{16d} + \frac{a^3(19A+17B)\tan(c+dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 2.041, size = 346, normalized size = 1.65

$$\frac{a^3(\cos(c+dx)+1)^3\sec^6\left(\frac{1}{2}(c+dx)\right)\sec^6(c+dx)\left(480(26A+23B)\cos^6(c+dx)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{\right)}{61440d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]), x]

[Out] $-\frac{a^3(1+\cos(c+dx))^3\sec^6\left(\frac{c+dx}{2}\right)\sec^6(c+dx)\left(480(26A+23B)\cos^6(c+dx)\left(\log\left(\cos\left(\frac{c+dx}{2}\right)-\sin\left(\frac{c+dx}{2}\right)\right)\right)\right)}{61440d} - \frac{a^3(19A+17B)\tan(c+dx)}{5d} + \frac{a^3(26A+23B)\sec(c+dx)\tan(c+dx)}{16d}$

Maple [A] time = 0.057, size = 281, normalized size = 1.3

$$\frac{13Aa^3\sec(dx+c)\tan(dx+c)}{8d} + \frac{13Aa^3\ln(\sec(dx+c)+\tan(dx+c))}{8d} + \frac{34Ba^3\tan(dx+c)}{15d} + \frac{17Ba^3\tan(dx+c)\sec(dx+c)}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

[Out] $13/8/d*A*a^3*\sec(d*x+c)*\tan(d*x+c)+13/8/d*A*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+3/4/15/d*B*a^3*\tan(d*x+c)+17/15/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^2+38/15/d*A*a^3*\tan(d*x+c)+19/15/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^2+23/24/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^3+23/16/d*B*a^3*\sec(d*x+c)*\tan(d*x+c)+23/16/d*B*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+3/4/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^3+3/5/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^4+1/5/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^4+1/6/d*B*a^3*\tan(d*x+c)*\sec(d*x+c)^5$

Maxima [B] time = 1.02866, size = 547, normalized size = 2.6

$32(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Aa^3 + 480(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^3 + 96(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Ba^3 + 160(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^3 - 5Ba^3(2(15 \sin(dx+c)^5 - 40 \sin(dx+c)^3 + 33 \sin(dx+c)) / (\sin(dx+c)^6 - 3 \sin(dx+c)^4 + 3 \sin(dx+c)^2 - 1) - 15 \log(\sin(dx+c) + 1) + 15 \log(\sin(dx+c) - 1)) - 90Aa^3(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 90Ba^3(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 120Aa^3(2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/480*(32*(3*\tan(d*x+c)^5 + 10*\tan(d*x+c)^3 + 15*\tan(d*x+c))*A*a^3 + 480*(\tan(d*x+c)^3 + 3*\tan(d*x+c))*A*a^3 + 96*(3*\tan(d*x+c)^5 + 10*\tan(d*x+c)^3 + 15*\tan(d*x+c))*B*a^3 + 160*(\tan(d*x+c)^3 + 3*\tan(d*x+c))*B*a^3 - 5*B*a^3*(2*(15*\sin(d*x+c)^5 - 40*\sin(d*x+c)^3 + 33*\sin(d*x+c)) / (\sin(d*x+c)^6 - 3*\sin(d*x+c)^4 + 3*\sin(d*x+c)^2 - 1) - 15*\log(\sin(d*x+c) + 1) + 15*\log(\sin(d*x+c) - 1)) - 90*A*a^3*(2*(3*\sin(d*x+c)^3 - 5*\sin(d*x+c)) / (\sin(d*x+c)^4 - 2*\sin(d*x+c)^2 + 1) - 3*\log(\sin(d*x+c) + 1) + 3*\log(\sin(d*x+c) - 1)) - 90*B*a^3*(2*(3*\sin(d*x+c)^3 - 5*\sin(d*x+c)) / (\sin(d*x+c)^4 - 2*\sin(d*x+c)^2 + 1) - 3*\log(\sin(d*x+c) + 1) + 3*\log(\sin(d*x+c) - 1)) - 120*A*a^3*(2*\sin(d*x+c) / (\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c) + 1) + \log(\sin(d*x+c) - 1))) / d$

Fricas [A] time = 0.50713, size = 485, normalized size = 2.31

$15(26A + 23B)a^3 \cos(dx+c)^6 \log(\sin(dx+c) + 1) - 15(26A + 23B)a^3 \cos(dx+c)^6 \log(-\sin(dx+c) + 1) + 2(32$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/480*(15*(26*A + 23*B)*a^3*cos(d*x + c)^6*log(sin(d*x + c) + 1) - 15*(26*A + 23*B)*a^3*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(32*(19*A + 17*B)*a^3*cos(d*x + c)^5 + 15*(26*A + 23*B)*a^3*cos(d*x + c)^4 + 16*(19*A + 17*B)*a^3*cos(d*x + c)^3 + 10*(18*A + 23*B)*a^3*cos(d*x + c)^2 + 48*(A + 3*B)*a^3*cos(d*x + c) + 40*B*a^3)*sin(d*x + c))/(d*cos(d*x + c)^6)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sec^3(c + dx) dx + \int 3A \sec^4(c + dx) dx + \int 3A \sec^5(c + dx) dx + \int A \sec^6(c + dx) dx + \int B \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] a**3*(Integral(A*sec(c + d*x)**3, x) + Integral(3*A*sec(c + d*x)**4, x) + Integral(3*A*sec(c + d*x)**5, x) + Integral(A*sec(c + d*x)**6, x) + Integral(B*sec(c + d*x)**4, x) + Integral(3*B*sec(c + d*x)**5, x) + Integral(3*B*sec(c + d*x)**6, x) + Integral(B*sec(c + d*x)**7, x))

Giac [A] time = 1.39501, size = 378, normalized size = 1.8

$$15(26Aa^3 + 23Ba^3) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 15(26Aa^3 + 23Ba^3) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(390Aa^3 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/240*(15*(26*A*a^3 + 23*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(26*A*a^3 + 23*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(390*A*a^3*tan(1/

$$\begin{aligned} & 2*d*x + 1/2*c)^{11} + 345*B*a^3*\tan(1/2*d*x + 1/2*c)^{11} - 2210*A*a^3*\tan(1/2* \\ & d*x + 1/2*c)^9 - 1955*B*a^3*\tan(1/2*d*x + 1/2*c)^9 + 5148*A*a^3*\tan(1/2*d*x \\ & + 1/2*c)^7 + 4554*B*a^3*\tan(1/2*d*x + 1/2*c)^7 - 5988*A*a^3*\tan(1/2*d*x + \\ & 1/2*c)^5 - 5814*B*a^3*\tan(1/2*d*x + 1/2*c)^5 + 4190*A*a^3*\tan(1/2*d*x + 1/2 \\ & *c)^3 + 3165*B*a^3*\tan(1/2*d*x + 1/2*c)^3 - 1530*A*a^3*\tan(1/2*d*x + 1/2*c) \\ & - 1575*B*a^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d \end{aligned}$$

3.63 $\int \sec^2(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$

Optimal. Leaf size=163

$$\frac{a^3(15A + 13B) \tan^3(c + dx)}{60d} + \frac{a^3(15A + 13B) \tan(c + dx)}{5d} + \frac{a^3(15A + 13B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a^3(15A + 13B) \tan(c + dx)}{40d}$$

[Out] (a^3*(15*A + 13*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^3*(15*A + 13*B)*Tan[c + d*x])/(5*d) + (3*a^3*(15*A + 13*B)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + ((5*A - B)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (B*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*a*d) + (a^3*(15*A + 13*B)*Tan[c + d*x]^3)/(60*d)

Rubi [A] time = 0.268072, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4010, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{a^3(15A + 13B) \tan^3(c + dx)}{60d} + \frac{a^3(15A + 13B) \tan(c + dx)}{5d} + \frac{a^3(15A + 13B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a^3(15A + 13B) \tan(c + dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (a^3*(15*A + 13*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a^3*(15*A + 13*B)*Tan[c + d*x])/(5*d) + (3*a^3*(15*A + 13*B)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + ((5*A - B)*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (B*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*a*d) + (a^3*(15*A + 13*B)*Tan[c + d*x]^3)/(60*d)

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
```

```
+ b*Csc[e + f*x]^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^n, x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{B(a + a \sec(c + dx))^4 \tan(c + dx)}{5ad} + \frac{\int \sec(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx}{5ad} \\
&= \frac{(5A - B)(a + a \sec(c + dx))^3 \tan(c + dx)}{20d} + \frac{B(a + a \sec(c + dx))^4 \tan(c + dx)}{5ad} \\
&= \frac{(5A - B)(a + a \sec(c + dx))^3 \tan(c + dx)}{20d} + \frac{B(a + a \sec(c + dx))^4 \tan(c + dx)}{5ad} \\
&= \frac{(5A - B)(a + a \sec(c + dx))^3 \tan(c + dx)}{20d} + \frac{B(a + a \sec(c + dx))^4 \tan(c + dx)}{5ad} \\
&= \frac{a^3(15A + 13B) \tanh^{-1}(\sin(c + dx))}{20d} + \frac{3a^3(15A + 13B) \sec(c + dx) \tan(c + dx)}{40d} \\
&= \frac{a^3(15A + 13B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(15A + 13B) \tan(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 1.47429, size = 294, normalized size = 1.8

$$\frac{a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \left(240(15A + 13B) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{15360d}
\right)}{15360d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] $-(a^3(1 + \cos(c + dx))^3 \sec^5\left(\frac{c + dx}{2}\right) \sec^5(c + dx) (240(15A + 13B) \cos^5(c + dx) (\log(\cos(\frac{c + dx}{2}) - \sin(\frac{c + dx}{2})) - \log(\cos(\frac{c + dx}{2}) + \sin(\frac{c + dx}{2}))) - \sec(c + dx) (80(30A + 29B) \sin(dx) - 240(5A + 3B) \sin(2c + dx) + 570A \sin(c + 2dx) + 750B \sin(c + 2dx) + 570A \sin(3c + 2dx) + 750B \sin(3c + 2dx) + 1680A \sin(2c + 3dx) + 1520B \sin(2c + 3dx) - 120A \sin(4c + 3dx) + 225A \sin(3c + 4dx) + 195B \sin(3c + 4dx) + 225A \sin(5c + 4dx) + 195B \sin(5c + 4dx) + 360A \sin(4c + 5dx) + 304B \sin(4c + 5dx)))))/(15360d)$

Maple [A] time = 0.049, size = 234, normalized size = 1.4

$$3 \frac{Aa^3 \tan(dx + c)}{d} + \frac{13Ba^3 \sec(dx + c) \tan(dx + c)}{8d} + \frac{13Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{15Aa^3 \sec(dx + c) \tan(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

[Out] $3/dAa^3\tan(dx+c)+13/8/dBa^3\sec(dx+c)\tan(dx+c)+13/8/dBa^3\ln(\sec(dx+c)+\tan(dx+c))+15/8/dAa^3\sec(dx+c)\tan(dx+c)+15/8/dAa^3\ln(\sec(dx+c)+\tan(dx+c))+38/15/dBa^3\tan(dx+c)+19/15/dBa^3\tan(dx+c)\sec(dx+c)^2+1/dAa^3\tan(dx+c)\sec(dx+c)^2+3/4/dBa^3\tan(dx+c)\sec(dx+c)^3+1/4/dAa^3\tan(dx+c)\sec(dx+c)^3+1/5/dBa^3\tan(dx+c)\sec(dx+c)^4$

Maxima [B] time = 1.01712, size = 455, normalized size = 2.79

$240(\tan(dx+c)^3+3\tan(dx+c))Aa^3+16(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))Ba^3+240(\tan(dx+c)^3+3\tan(dx+c))Aa^3+16(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))Ba^3+240(\tan(dx+c)^3+3\tan(dx+c))Aa^3+16(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))Ba^3$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/240*(240*(\tan(dx+c)^3+3\tan(dx+c))*Aa^3+16*(3\tan(dx+c)^5+10\tan(dx+c)^3+15\tan(dx+c))*Ba^3+240*(\tan(dx+c)^3+3\tan(dx+c))*Aa^3-15Aa^3*(2*(3\sin(dx+c)^3-5\sin(dx+c))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1))-45Ba^3*(2*(3\sin(dx+c)^3-5\sin(dx+c))/(\sin(dx+c)^4-2\sin(dx+c)^2+1)-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1))-180Aa^3*(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-60Ba^3*(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+240Aa^3\tan(dx+c))/d$

Fricas [A] time = 0.501048, size = 431, normalized size = 2.64

$15(15A+13B)a^3\cos(dx+c)^5\log(\sin(dx+c)+1)-15(15A+13B)a^3\cos(dx+c)^5\log(-\sin(dx+c)+1)+2(8(4A+3B)a^3\cos(dx+c)^5\log(\sin(dx+c)+1)-8(4A+3B)a^3\cos(dx+c)^5\log(-\sin(dx+c)+1)+2(8(4A+3B)a^3\cos(dx+c)^5\log(\sin(dx+c)+1)-8(4A+3B)a^3\cos(dx+c)^5\log(-\sin(dx+c)+1)))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{240} \cdot (15 \cdot (15A + 13B) \cdot a^3 \cdot \cos(dx + c)^5 \cdot \log(\sin(dx + c) + 1) - 15 \cdot (15A + 13B) \cdot a^3 \cdot \cos(dx + c)^5 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (8 \cdot (45A + 38B) \cdot a^3 \cdot \cos(dx + c)^4 + 15 \cdot (15A + 13B) \cdot a^3 \cdot \cos(dx + c)^3 + 8 \cdot (15A + 19B) \cdot a^3 \cdot \cos(dx + c)^2 + 30 \cdot (A + 3B) \cdot a^3 \cdot \cos(dx + c) + 24 \cdot B \cdot a^3) \cdot \sin(dx + c)) / (\cos(dx + c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sec^2(c + dx) dx + \int 3A \sec^3(c + dx) dx + \int 3A \sec^4(c + dx) dx + \int A \sec^5(c + dx) dx + \int B \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)`

[Out] `a**3*(Integral(A*sec(c + d*x)**2, x) + Integral(3*A*sec(c + d*x)**3, x) + Integral(3*A*sec(c + d*x)**4, x) + Integral(A*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**3, x) + Integral(3*B*sec(c + d*x)**4, x) + Integral(3*B*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**6, x))`

Giac [A] time = 1.34149, size = 332, normalized size = 2.04

$$15(15Aa^3 + 13Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(15Aa^3 + 13Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(225Aa^3 \tan(\frac{1}{2}dx + \frac{1}{2}c))}{\tan(\frac{1}{2}dx + \frac{1}{2}c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] $\frac{1}{120} \cdot (15 \cdot (15A \cdot a^3 + 13B \cdot a^3) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1) - 15 \cdot (15A \cdot a^3 + 13B \cdot a^3) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) - 2 \cdot (225A \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 + 195B \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^9 - 1050A \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 910B \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 1920A \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 1664B \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 1830A \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 1330B \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 735A \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 765B \cdot a^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^5 / d$

3.64 $\int \sec(c+dx)(a+a \sec(c+dx))^3(A+B \sec(c+dx)) dx$

Optimal. Leaf size=125

$$\frac{a^3(4A+3B)\tan^3(c+dx)}{12d} + \frac{a^3(4A+3B)\tan(c+dx)}{d} + \frac{5a^3(4A+3B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{3a^3(4A+3B)\tan(c+dx)}{8d}$$

[Out] (5*a^3*(4*A + 3*B)*ArcTanh[Sin[c + d*x]]/(8*d) + (a^3*(4*A + 3*B)*Tan[c + d*x])/d + (3*a^3*(4*A + 3*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (B*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*d) + (a^3*(4*A + 3*B)*Tan[c + d*x]^3)/(12*d)

Rubi [A] time = 0.142558, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4001, 3791, 3770, 3767, 8, 3768}

$$\frac{a^3(4A+3B)\tan^3(c+dx)}{12d} + \frac{a^3(4A+3B)\tan(c+dx)}{d} + \frac{5a^3(4A+3B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{3a^3(4A+3B)\tan(c+dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (5*a^3*(4*A + 3*B)*ArcTanh[Sin[c + d*x]]/(8*d) + (a^3*(4*A + 3*B)*Tan[c + d*x])/d + (3*a^3*(4*A + 3*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (B*(a + a*Sec[c + d*x])^3*Tan[c + d*x])/(4*d) + (a^3*(4*A + 3*B)*Tan[c + d*x]^3)/(12*d)

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3791

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I

GtQ[m, 0] && RationalQ[n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{B(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4}(4A + 3B) \int \sec(c + dx) dx \\
 &= \frac{B(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4}(4A + 3B) \int (a^3 \sec(c + dx)) dx \\
 &= \frac{B(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4}(a^3(4A + 3B)) \int \sec(c + dx) dx \\
 &= \frac{a^3(4A + 3B) \tanh^{-1}(\sin(c + dx))}{4d} + \frac{3a^3(4A + 3B) \sec(c + dx)}{8d} \\
 &= \frac{5a^3(4A + 3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(4A + 3B) \tan(c + dx)}{d}
 \end{aligned}$$

Mathematica [B] time = 1.29325, size = 273, normalized size = 2.18

$$a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \left(120(4A + 3B) \cos^4(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] $-(a^3(1 + \cos[c + dx])^3 \sec[(c + dx)/2]^6 \sec[c + dx]^4 (120(4A + 3B) \cos[c + dx]^4 (\log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] - \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]]) - \sec[c](-24(11A + 9B) \sin[c] + (36A + 69B) \sin[dx] + 36A \sin[2c + dx] + 69B \sin[2c + dx] + 280A \sin[c + 2dx] + 264B \sin[c + 2dx] - 72A \sin[3c + 2dx] - 24B \sin[3c + 2dx] + 36A \sin[2c + 3dx] + 45B \sin[2c + 3dx] + 36A \sin[4c + 3dx] + 45B \sin[4c + 3dx] + 88A \sin[3c + 4dx] + 72B \sin[3c + 4dx])))/(1536d)$

Maple [A] time = 0.048, size = 188, normalized size = 1.5

$$\frac{5Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + 3 \frac{Ba^3 \tan(dx+c)}{d} + \frac{11Aa^3 \tan(dx+c)}{3d} + \frac{15Ba^3 \sec(dx+c) \tan(dx+c)}{8d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] $5/2/dAa^3 \ln(\sec(dx+c) + \tan(dx+c)) + 3/dBa^3 \tan(dx+c) + 11/3/dAa^3 \tan(dx+c) + 15/8/dBa^3 \sec(dx+c) \tan(dx+c) + 15/8/dBa^3 \ln(\sec(dx+c) + \tan(dx+c)) + 3/2/dAa^3 \sec(dx+c) \tan(dx+c) + 1/dBa^3 \tan(dx+c) \sec(dx+c)^2 + 1/3/dAa^3 \tan(dx+c) \sec(dx+c)^2 + 1/4/dBa^3 \tan(dx+c) \sec(dx+c)^3$

Maxima [B] time = 1.00015, size = 354, normalized size = 2.83

$$16(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^3 + 48(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^3 - 3Ba^3 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \ln \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $1/48(16(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^3 + 48(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^3 - 3Ba^3(2(3 \sin(dx+c)^3 - 5 \sin(dx+c))/(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \ln \dots))$

$$x + c)^4 - 2\sin(dx + c)^2 + 1) - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1) - 36Aa^3(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 36Ba^3(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 48Aa^3\log(\sec(dx + c) + \tan(dx + c)) + 144Aa^3\tan(dx + c) + 48Ba^3\tan(dx + c))/d$$

Fricas [A] time = 0.491931, size = 366, normalized size = 2.93

$$\frac{15(4A + 3B)a^3 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 15(4A + 3B)a^3 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(8(11A + 3B)a^3 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 15(4A + 3B)a^3 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(8(11A + 9B)a^3 \cos(dx + c)^3 + 9(4A + 5B)a^3 \cos(dx + c)^2 + 8(A + 3B)a^3 \cos(dx + c) + 6Ba^3) \sin(dx + c)) / (d \cos(dx + c)^4)}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+a*sec(dx+c))^3*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] 1/48*(15*(4*A + 3*B)*a^3*cos(dx + c)^4*log(sin(dx + c) + 1) - 15*(4*A + 3*B)*a^3*cos(dx + c)^4*log(-sin(dx + c) + 1) + 2*(8*(11*A + 9*B)*a^3*cos(dx + c)^3 + 9*(4*A + 5*B)*a^3*cos(dx + c)^2 + 8*(A + 3*B)*a^3*cos(dx + c) + 6*B*a^3)*sin(dx + c))/(d*cos(dx + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A \sec(c + dx) dx + \int 3A \sec^2(c + dx) dx + \int 3A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int B \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(a+a*sec(dx+c))**3*(A+B*sec(dx+c)),x)

[Out] a**3*(Integral(A*sec(c + d*x), x) + Integral(3*A*sec(c + d*x)**2, x) + Integral(3*A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**2, x) + Integral(3*B*sec(c + d*x)**3, x) + Integral(3*B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x))

Giac [A] time = 1.35507, size = 286, normalized size = 2.29

$$15 \left(4 A a^3 + 3 B a^3 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 15 \left(4 A a^3 + 3 B a^3 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(60 A a^3 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^7 + \right.}{\left. \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/24*(15*(4*A*a^3 + 3*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(4*A*a^3 + 3*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(60*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 45*B*a^3*tan(1/2*d*x + 1/2*c)^7 - 220*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 165*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 292*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 219*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 132*A*a^3*tan(1/2*d*x + 1/2*c) - 147*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d

3.65 $\int (a + a \sec(c + dx))^3 (A + B \sec(c + dx)) dx$

Optimal. Leaf size=111

$$\frac{5a^3(A+B)\tan(c+dx)}{2d} + \frac{a^3(7A+5B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(3A+5B)\tan(c+dx)(a^3\sec(c+dx)+a^3)}{6d} + a^3Ax + \frac{aE}{d}$$

[Out] $a^3Ax + (a^3(7A + 5B) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) + (5a^3(A + B) \operatorname{Tan}[c + dx])/(2d) + (aB(a + a \operatorname{Sec}[c + dx])^2 \operatorname{Tan}[c + dx])/(3d) + ((3A + 5B)(a^3 + a^3 \operatorname{Sec}[c + dx]) \operatorname{Tan}[c + dx])/(6d)$

Rubi [A] time = 0.144216, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3917, 3914, 3767, 8, 3770}

$$\frac{5a^3(A+B)\tan(c+dx)}{2d} + \frac{a^3(7A+5B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(3A+5B)\tan(c+dx)(a^3\sec(c+dx)+a^3)}{6d} + a^3Ax + \frac{aE}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \operatorname{Sec}[c + dx])^3 (A + B \operatorname{Sec}[c + dx]), x]$

[Out] $a^3Ax + (a^3(7A + 5B) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) + (5a^3(A + B) \operatorname{Tan}[c + dx])/(2d) + (aB(a + a \operatorname{Sec}[c + dx])^2 \operatorname{Tan}[c + dx])/(3d) + ((3A + 5B)(a^3 + a^3 \operatorname{Sec}[c + dx]) \operatorname{Tan}[c + dx])/(6d)$

Rule 3917

$\operatorname{Int}[(\operatorname{csc}[e] + (f)(x))(b) + (a)^m (\operatorname{csc}[e] + (f)(x))(d) + (c)], x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(b d \operatorname{Cot}[e + f x]) (a + b \operatorname{Csc}[e + f x])^{m-1}] / (f m), x] + \operatorname{Dist}[1/m, \operatorname{Int}[(a + b \operatorname{Csc}[e + f x])^{m-1}] \operatorname{Simp}[a c^m + (b c^m + a d (2m - 1)) \operatorname{Csc}[e + f x], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, x\}$ && $\operatorname{NeQ}[b c - a d, 0]$ && $\operatorname{GtQ}[m, 1]$ && $\operatorname{EqQ}[a^2 - b^2, 0]$ && $\operatorname{IntegerQ}[2m]$

Rule 3914

$\operatorname{Int}[(\operatorname{csc}[e] + (f)(x))(b) + (a) (\operatorname{csc}[e] + (f)(x))(d) + (c)], x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[a c x, x] + (\operatorname{Dist}[b d, \operatorname{Int}[\operatorname{Csc}[e + f x]^2, x], x] + \operatorname{Dist}[b c + a d, \operatorname{Int}[\operatorname{Csc}[e + f x], x], x]) /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, x\}$ && $\operatorname{NeQ}[b c - a d, 0]$ && $\operatorname{NeQ}[b c + a d, 0]$

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \sec(c + dx))^3 (A + B \sec(c + dx)) dx &= \frac{aB(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3} \int (a + a \sec(c + dx))^2 (3aA + aB \sec(c + dx)) dx \\
 &= \frac{aB(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{(3A + 5B)(a^3 + a^3 \sec(c + dx)) \tan(c + dx)}{6d} \\
 &= a^3 Ax + \frac{aB(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{(3A + 5B)(a^3 + a^3 \sec(c + dx)) \tan(c + dx)}{6d} \\
 &= a^3 Ax + \frac{a^3(7A + 5B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aB(a + a \sec(c + dx))^2 \tan(c + dx)}{3d} \\
 &= a^3 Ax + \frac{a^3(7A + 5B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^3(A + B) \tan(c + dx)}{2d} + \frac{aB(a + a \sec(c + dx))^2 \tan(c + dx)}{3d}
 \end{aligned}$$

Mathematica [B] time = 6.38664, size = 1056, normalized size = 9.51

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (A*x*Cos[c + d*x]^4*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/(8*(B + A*Cos[c + d*x])) + ((-7*A - 5*B)*Cos[c + d*x]^4*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/(16*d*(B + A*Cos[c + d*x])) + ((7*A + 5*B)*Cos[c + d*x]^4*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/(16*d*(B + A*Cos[c + d*x]))

$$6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x])/((16*d*(B + A*\text{Cos}[c + d*x])) + (B*\text{Cos}[c + d*x]^4*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x])* \text{Sin}[(d*x)/2])/(48*d*(B + A*\text{Cos}[c + d*x])*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])^3) + (\text{Cos}[c + d*x]^4*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x])*(3*A*\text{Cos}[c/2] + 10*B*\text{Cos}[c/2] - 3*A*\text{Sin}[c/2] - 8*B*\text{Sin}[c/2]))/(96*d*(B + A*\text{Cos}[c + d*x])*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])^2) + (\text{Cos}[c + d*x]^4*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x])*(9*A*\text{Sin}[(d*x)/2] + 11*B*\text{Sin}[(d*x)/2]))/(24*d*(B + A*\text{Cos}[c + d*x])*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])) + (B*\text{Cos}[c + d*x]^4*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x])* \text{Sin}[(d*x)/2])/(48*d*(B + A*\text{Cos}[c + d*x])*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^3) + (\text{Cos}[c + d*x]^4*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x])*(-3*A*\text{Cos}[c/2] - 10*B*\text{Cos}[c/2] - 3*A*\text{Sin}[c/2] - 8*B*\text{Sin}[c/2]))/(96*d*(B + A*\text{Cos}[c + d*x])*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^2) + (\text{Cos}[c + d*x]^4*\text{Sec}[c/2 + (d*x)/2]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x])*(9*A*\text{Sin}[(d*x)/2] + 11*B*\text{Sin}[(d*x)/2]))/(24*d*(B + A*\text{Cos}[c + d*x])*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2]))$$

Maple [A] time = 0.046, size = 158, normalized size = 1.4

$$a^3 Ax + \frac{Aa^3 c}{d} + \frac{5Ba^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{7Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{11Ba^3 \tan(dx+c)}{3d} + 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] a^3*A*x+1/d*A*a^3*c+5/2/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+7/2/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+11/3/d*B*a^3*tan(d*x+c)+3/d*A*a^3*tan(d*x+c)+3/2/d*B*a^3*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a^3*sec(d*x+c)*tan(d*x+c)+1/3/d*B*a^3*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.995285, size = 267, normalized size = 2.41

$$12(dx+c)Aa^3 + 4\left(\tan(dx+c)^3 + 3\tan(dx+c)\right)Ba^3 - 3Aa^3\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{12} * (12 * (d * x + c) * A * a^3 + 4 * (\tan(d * x + c))^3 + 3 * \tan(d * x + c)) * B * a^3 - 3 * A * a^3 * (2 * \sin(d * x + c) / (\sin(d * x + c)^2 - 1) - \log(\sin(d * x + c) + 1) + \log(\sin(d * x + c) - 1)) - 9 * B * a^3 * (2 * \sin(d * x + c) / (\sin(d * x + c)^2 - 1) - \log(\sin(d * x + c) + 1) + \log(\sin(d * x + c) - 1)) + 36 * A * a^3 * \log(\sec(d * x + c) + \tan(d * x + c)) + 12 * B * a^3 * \log(\sec(d * x + c) + \tan(d * x + c)) + 36 * A * a^3 * \tan(d * x + c) + 36 * B * a^3 * \tan(d * x + c)) / d$

Fricas [A] time = 0.501615, size = 356, normalized size = 3.21

$$\frac{12 A a^3 dx \cos(dx + c)^3 + 3(7A + 5B)a^3 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(7A + 5B)a^3 \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(2(9A + 11B)a^3 \cos(dx + c)^2 + 3(A + 3B)a^3 \cos(dx + c) + 2B a^3) \sin(dx + c)}{12 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12} * (12 * A * a^3 * d * x * \cos(d * x + c)^3 + 3 * (7 * A + 5 * B) * a^3 * \cos(d * x + c)^3 * \log(\sin(d * x + c) + 1) - 3 * (7 * A + 5 * B) * a^3 * \cos(d * x + c)^3 * \log(-\sin(d * x + c) + 1) + 2 * (2 * (9 * A + 11 * B) * a^3 * \cos(d * x + c)^2 + 3 * (A + 3 * B) * a^3 * \cos(d * x + c) + 2 * B * a^3) * \sin(d * x + c)) / (d * \cos(d * x + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int A dx + \int 3A \sec(c + dx) dx + \int 3A \sec^2(c + dx) dx + \int A \sec^3(c + dx) dx + \int B \sec(c + dx) dx + \int 3B \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] $a^{**3} * (\text{Integral}(A, x) + \text{Integral}(3 * A * \sec(c + d * x), x) + \text{Integral}(3 * A * \sec(c + d * x) ** 2, x) + \text{Integral}(A * \sec(c + d * x) ** 3, x) + \text{Integral}(B * \sec(c + d * x), x) + \text{Integral}(3 * B * \sec(c + d * x) ** 2, x) + \text{Integral}(3 * B * \sec(c + d * x) ** 3, x) + \text{Integral}(B * \sec(c + d * x) ** 4, x))$

Giac [A] time = 1.3272, size = 255, normalized size = 2.3

$$6(dx+c)Aa^3 + 3(7Aa^3 + 5Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(7Aa^3 + 5Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(15Aa^3 \tan(1/2dx + 1/2c)^5 + 15Ba^3 \tan(1/2dx + 1/2c)^5 - 36Aa^3 \tan(1/2dx + 1/2c)^3 - 40Ba^3 \tan(1/2dx + 1/2c)^3 + 21Aa^3 \tan(1/2dx + 1/2c) + 33Ba^3 \tan(1/2dx + 1/2c))}{(\tan(1/2dx + 1/2c)^2 - 1)^3}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/6*(6*(d*x + c)*A*a^3 + 3*(7*A*a^3 + 5*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(7*A*a^3 + 5*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(15*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 15*B*a^3*tan(1/2*d*x + 1/2*c)^5 - 36*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 21*A*a^3*tan(1/2*d*x + 1/2*c) + 33*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d

3.66 $\int \cos(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$

Optimal. Leaf size=108

$$\frac{a^3(6A + 7B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(A + 2B) \sin(c + dx)(a^3 \sec(c + dx) + a^3)}{d} + a^3x(3A + B) - \frac{5a^3B \sin(c + dx)}{2d} + \frac{aB \sin(c + dx)}{d}$$

[Out] a^3*(3*A + B)*x + (a^3*(6*A + 7*B)*ArcTanh[Sin[c + d*x]])/(2*d) - (5*a^3*B*Sin[c + d*x])/(2*d) + (a*B*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((A + 2*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/d

Rubi [A] time = 0.238215, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4018, 3996, 3770}

$$\frac{a^3(6A + 7B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(A + 2B) \sin(c + dx)(a^3 \sec(c + dx) + a^3)}{d} + a^3x(3A + B) - \frac{5a^3B \sin(c + dx)}{2d} + \frac{aB \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] a^3*(3*A + B)*x + (a^3*(6*A + 7*B)*ArcTanh[Sin[c + d*x]])/(2*d) - (5*a^3*B*Sin[c + d*x])/(2*d) + (a*B*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((A + 2*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/d

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e +

```
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{aB(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{1}{2} \int \cos(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
&= \frac{aB(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{(A + 2B)(a^3 + a^3 \sec(c + dx))^2 \sin(c + dx)}{d} \\
&= -\frac{5a^3B \sin(c + dx)}{2d} + \frac{aB(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{(A + 2B)(a^3 + a^3 \sec(c + dx))^2 \sin(c + dx)}{d} \\
&= a^3(3A + B)x - \frac{5a^3B \sin(c + dx)}{2d} + \frac{aB(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= a^3(3A + B)x + \frac{a^3(6A + 7B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{5a^3B \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 2.52613, size = 335, normalized size = 3.1

$$a^3 \cos^4(c + dx) \sec^6\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^3 (A + B \sec(c + dx)) \left(\frac{4(A+3B) \sin\left(\frac{dx}{2}\right)}{d(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right))(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right))} + \frac{1}{d(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right))} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a^3*Cos[c + d*x]^4*Sec[(c + d*x)/2]^6*(1 + Sec[c + d*x])^3*(A + B*Sec[c +
d*x])*(4*(3*A + B)*x - (2*(6*A + 7*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/
2]])/d + (2*(6*A + 7*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*A*
Cos[d*x]*Sin[c])/d + (4*A*Cos[c]*Sin[d*x])/d + B/(d*(Cos[(c + d*x)/2] - Sin
[(c + d*x)/2])^2) + (4*(A + 3*B)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Co
s[(c + d*x)/2] - Sin[(c + d*x)/2])) - B/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x
)/2])^2) + (4*(A + 3*B)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d
```

$x)/2] + \text{Sin}[(c + d*x)/2])))/(32*(B + A*\text{Cos}[c + d*x]))$

Maple [A] time = 0.073, size = 144, normalized size = 1.3

$$\frac{Aa^3 \sin(dx + c)}{d} + Ba^3x + \frac{Ba^3c}{d} + 3a^3Ax + 3\frac{Aa^3c}{d} + \frac{7Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3\frac{Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

[Out] `a^3*A*sin(d*x+c)/d+B*a^3*x+1/d*B*a^3*c+3*a^3*A*x+3/d*A*a^3*c+7/2/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+3/d*B*a^3*tan(d*x+c)+1/d*A*a^3*tan(d*x+c)+1/2/d*B*a^3*sec(d*x+c)*tan(d*x+c)`

Maxima [A] time = 0.988914, size = 223, normalized size = 2.06

$$12(dx + c)Aa^3 + 4(dx + c)Ba^3 - Ba^3\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) + 6Aa^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 6Ba^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4Aa^3\sin(dx + c) + 4Aa^3\tan(dx + c) + 12Ba^3\tan(dx + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `1/4*(12*(d*x + c)*A*a^3 + 4*(d*x + c)*B*a^3 - B*a^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 6*A*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 6*B*a^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*A*a^3*sin(d*x + c) + 4*A*a^3*tan(d*x + c) + 12*B*a^3*tan(d*x + c))/d`

Fricas [A] time = 0.504092, size = 342, normalized size = 3.17

$$\frac{4(3A + B)a^3 dx \cos(dx + c)^2 + (6A + 7B)a^3 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (6A + 7B)a^3 \cos(dx + c)^2 \log(-\sin(dx + c) + 1)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{4}*(4*(3*A + B)*a^3*d*x*\cos(d*x + c)^2 + (6*A + 7*B)*a^3*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) - (6*A + 7*B)*a^3*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) + 2*(2*A*a^3*\cos(d*x + c)^2 + 2*(A + 3*B)*a^3*\cos(d*x + c) + B*a^3)*\sin(d*x + c))/(d*\cos(d*x + c)^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.38422, size = 259, normalized size = 2.4

$$\frac{4Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 2(3Aa^3 + Ba^3)(dx + c) + (6Aa^3 + 7Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (6Aa^3 + 7Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2}*(4*A*a^3*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 + 1) + 2*(3*A*a^3 + B*a^3)*(d*x + c) + (6*A*a^3 + 7*B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (6*A*a^3 + 7*B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*A*a^3*\tan(1/2*d*x + 1/2*c)^3 + 5*B*a^3*\tan(1/2*d*x + 1/2*c)^3 - 2*A*a^3*\tan(1/2*d*x + 1/2*c) - 7*B*a^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)/d$

$$3.67 \quad \int \cos^2(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=117

$$\frac{a^3(A + 3B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(A - 2B) \sin(c + dx)(a^3 \sec(c + dx) + a^3)}{2d} + \frac{1}{2}a^3x(7A + 6B) + \frac{5a^3A \sin(c + dx)}{2d} + \dots$$

[Out] (a^3*(7*A + 6*B)*x)/2 + (a^3*(A + 3*B)*ArcTanh[Sin[c + d*x]])/d + (5*a^3*A*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((A - 2*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.263939, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4017, 4018, 3996, 3770}

$$\frac{a^3(A + 3B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(A - 2B) \sin(c + dx)(a^3 \sec(c + dx) + a^3)}{2d} + \frac{1}{2}a^3x(7A + 6B) + \frac{5a^3A \sin(c + dx)}{2d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (a^3*(7*A + 6*B)*x)/2 + (a^3*(A + 3*B)*ArcTanh[Sin[c + d*x]])/d + (5*a^3*A*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((A - 2*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4017

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> -Simp[(b*B*C

```

ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{1}{2} \int \cos(c + dx) \sec^3(c + dx) (A + B \sec(c + dx)) dx \\
&= \frac{aA \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} - \frac{(A - 2B)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{5a^3 A \sin(c + dx)}{2d} + \frac{aA \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{1}{2} a^3 (7A + 6B)x + \frac{5a^3 A \sin(c + dx)}{2d} + \frac{aA \cos(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{1}{2} a^3 (7A + 6B)x + \frac{a^3 (A + 3B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^3 A \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 4.60165, size = 302, normalized size = 2.58

$$a^3 \cos^4(c + dx) \sec^6\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^3 (A + B \sec(c + dx)) \left(\frac{4(3A+B) \sin(c) \cos(dx)}{d} + \frac{4(3A+B) \cos(c) \sin(dx)}{d} - \frac{4(A+3B) \sin(c)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] $(a^3 \cos[c + d*x]^4 \sec[(c + d*x)/2]^6 (1 + \sec[c + d*x])^3 (A + B \sec[c + d*x]) * (2*(7*A + 6*B)*x - (4*(A + 3*B)*\log[\cos[(c + d*x)/2] - \sin[(c + d*x)/2]])/d + (4*(A + 3*B)*\log[\cos[(c + d*x)/2] + \sin[(c + d*x)/2]])/d + (4*(3*A + B)*\cos[d*x]*\sin[c])/d + (A*\cos[2*d*x]*\sin[2*c])/d + (4*(3*A + B)*\cos[c]*\sin[d*x])/d + (A*\cos[2*c]*\sin[2*d*x])/d + (4*B*\sin[(d*x)/2])/(d*(\cos[c/2] - \sin[c/2])*(\cos[(c + d*x)/2] - \sin[(c + d*x)/2])) + (4*B*\sin[(d*x)/2])/(d*(\cos[c/2] + \sin[c/2])*(\cos[(c + d*x)/2] + \sin[(c + d*x)/2]))) / (32*(B + A*\cos[c + d*x]))$

Maple [A] time = 0.078, size = 145, normalized size = 1.2

$$\frac{Aa^3 \cos(dx + c) \sin(dx + c)}{2d} + \frac{7a^3 Ax}{2} + \frac{7Aa^3 c}{2d} + \frac{Ba^3 \sin(dx + c)}{d} + 3 \frac{Aa^3 \sin(dx + c)}{d} + 3Ba^3 x + 3 \frac{Ba^3 c}{d} + 3 \frac{Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] $1/2/d*A*a^3*\cos(d*x+c)*\sin(d*x+c)+7/2*a^3*A*x+7/2/d*A*a^3*c+a^3*B*\sin(d*x+c)/d+3*a^3*A*\sin(d*x+c)/d+3*B*a^3*x+3/d*B*a^3*c+3/d*B*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*A*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*B*a^3*\tan(d*x+c)$

Maxima [A] time = 1.00086, size = 189, normalized size = 1.62

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa^3 + 12(dx + c)Aa^3 + 12(dx + c)Ba^3 + 2Aa^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 6Ba^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 12Aa^3 \sin(dx + c) + 4Ba^3 \sin(dx + c) + 4Ba^3 \tan(dx + c))/d}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $1/4*((2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^3 + 12*(d*x + c)*A*a^3 + 12*(d*x + c)*B*a^3 + 2*A*a^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 6*B*a^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 12*A*a^3*\sin(d*x + c) + 4*B*a^3*\sin(d*x + c) + 4*B*a^3*\tan(d*x + c))/d$

Fricas [A] time = 0.503484, size = 323, normalized size = 2.76

$$\frac{(7A + 6B)a^3 dx \cos(dx + c) + (A + 3B)a^3 \cos(dx + c) \log(\sin(dx + c) + 1) - (A + 3B)a^3 \cos(dx + c) \log(-\sin(dx + c) + 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*((7*A + 6*B)*a^3*d*x*cos(d*x + c) + (A + 3*B)*a^3*cos(d*x + c)*log(sin(d*x + c) + 1) - (A + 3*B)*a^3*cos(d*x + c)*log(-sin(d*x + c) + 1) + (A*a^3*cos(d*x + c)^2 + 2*(3*A + B)*a^3*cos(d*x + c) + 2*B*a^3)*sin(d*x + c))/(d*cos(d*x + c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.42373, size = 259, normalized size = 2.21

$$\frac{4Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - (7Aa^3 + 6Ba^3)(dx + c) - 2(Aa^3 + 3Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 2(Aa^3 + 3Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

```
[Out] -1/2*(4*B*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1) - (7*A*a^3
+ 6*B*a^3)*(d*x + c) - 2*(A*a^3 + 3*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1
)) + 2*(A*a^3 + 3*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(5*A*a^3*ta
n(1/2*d*x + 1/2*c)^3 + 2*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 7*A*a^3*tan(1/2*d*x
+ 1/2*c) + 2*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d
```

$$3.68 \quad \int \cos^3(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=125

$$\frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{(5A + 3B) \sin(c + dx) \cos(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} + \frac{1}{2}a^3x(5A + 7B) + \frac{a^3B \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (a^3*(5*A + 7*B)*x)/2 + (a^3*B*ArcTanh[Sin[c + d*x]])/d + (5*a^3*(A + B)*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d) + ((5*A + 3*B)*Cos[c + d*x]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(6*d)

Rubi [A] time = 0.270957, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4017, 3996, 3770}

$$\frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{(5A + 3B) \sin(c + dx) \cos(c + dx) (a^3 \sec(c + dx) + a^3)}{6d} + \frac{1}{2}a^3x(5A + 7B) + \frac{a^3B \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (a^3*(5*A + 7*B)*x)/2 + (a^3*B*ArcTanh[Sin[c + d*x]])/d + (5*a^3*(A + B)*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d) + ((5*A + 3*B)*Cos[c + d*x]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(6*d)

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int \cos^3(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
 &= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} + \frac{(5A + 3B) \sin(c + dx)}{3d} \\
 &= \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
 &= \frac{1}{2} a^3(5A + 7B)x + \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{3d} \\
 &= \frac{1}{2} a^3(5A + 7B)x + \frac{a^3 B \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^3(A + B) \sin(c + dx)}{2d}
 \end{aligned}$$

Mathematica [A] time = 0.238765, size = 113, normalized size = 0.9

$$\frac{a^3 \left(9(5A + 4B) \sin(c + dx) + 3(3A + B) \sin(2(c + dx)) + A \sin(3(c + dx)) + 30Adx - 12B \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a^3*(30*A*d*x + 42*B*d*x - 12*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] +
12*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*(5*A + 4*B)*Sin[c + d*x]
+ 3*(3*A + B)*Sin[2*(c + d*x)] + A*Sin[3*(c + d*x)])/(12*d)
```

Maple [A] time = 0.084, size = 153, normalized size = 1.2

$$\frac{A \sin(dx+c) (\cos(dx+c))^2 a^3}{3d} + \frac{11 A a^3 \sin(dx+c)}{3d} + \frac{B a^3 \cos(dx+c) \sin(dx+c)}{2d} + \frac{7 B a^3 x}{2} + \frac{7 B a^3 c}{2d} + \frac{3 A a^3 \cos(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

[Out] `1/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^3+11/3*a^3*A*sin(d*x+c)/d+1/2/d*B*a^3*cos(d*x+c)*sin(d*x+c)+7/2*B*a^3*x+7/2/d*B*a^3*c+3/2/d*A*a^3*cos(d*x+c)*sin(d*x+c)+5/2*a^3*A*x+5/2/d*A*a^3*c+3*a^3*B*sin(d*x+c)/d+1/d*B*a^3*ln(sec(d*x+c)+tan(d*x+c))`

Maxima [A] time = 1.02456, size = 200, normalized size = 1.6

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^3 - 9(2dx+2c+\sin(2dx+2c))Aa^3 - 12(dx+c)Aa^3 - 3(2dx+2c+\sin(2dx+2c))Ba^3 - 36(dx+c)Ba^3 - 6Ba^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 36Aa^3\sin(dx+c) - 36Ba^3\sin(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `-1/12*(4*(sin(d*x+c)^3 - 3*sin(d*x+c))*A*a^3 - 9*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 - 12*(d*x + c)*A*a^3 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3 - 36*(d*x + c)*B*a^3 - 6*B*a^3*(log(sin(d*x+c)+1) - log(sin(d*x+c)-1)) - 36*A*a^3*sin(d*x+c) - 36*B*a^3*sin(d*x+c))/d`

Fricas [A] time = 0.501243, size = 254, normalized size = 2.03

$$\frac{3(5A+7B)a^3 dx + 3Ba^3 \log(\sin(dx+c)+1) - 3Ba^3 \log(-\sin(dx+c)+1) + (2Aa^3 \cos(dx+c))^2 + 3(3A+B)a^3 \cos(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{6} \cdot (3 \cdot (5A + 7B) \cdot a^3 \cdot dx + 3B \cdot a^3 \cdot \log(\sin(dx + c) + 1) - 3B \cdot a^3 \cdot \log(-\sin(dx + c) + 1) + (2A \cdot a^3 \cdot \cos(dx + c)^2 + 3 \cdot (3A + B) \cdot a^3 \cdot \cos(dx + c) + 2 \cdot (11A + 9B) \cdot a^3) \cdot \sin(dx + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [A] time = 1.37528, size = 243, normalized size = 1.94

$$6Ba^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6Ba^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(5Aa^3 + 7Ba^3)(dx + c) + \frac{2\left(15Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{6d}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] $\frac{1}{6} \cdot (6B \cdot a^3 \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) + 1)) - 6B \cdot a^3 \cdot \log(\text{abs}(\tan(1/2 \cdot dx + 1/2 \cdot c) - 1)) + 3 \cdot (5A \cdot a^3 + 7B \cdot a^3) \cdot (dx + c) + 2 \cdot (15A \cdot a^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 15B \cdot a^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 40A \cdot a^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 36B \cdot a^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 33A \cdot a^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) + 21B \cdot a^3 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)) / (\tan(1/2 \cdot dx + 1/2 \cdot c)^2 + 1)^3) / d$

$$3.69 \quad \int \cos^4(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=124

$$-\frac{a^3(3A + 4B) \sin^3(c + dx)}{12d} + \frac{a^3(3A + 4B) \sin(c + dx)}{d} + \frac{3a^3(3A + 4B) \sin(c + dx) \cos(c + dx)}{8d} + \frac{5}{8}a^3x(3A + 4B) + \frac{A \sin^2(c + dx)}{2d}$$

[Out] (5*a^3*(3*A + 4*B)*x)/8 + (a^3*(3*A + 4*B)*Sin[c + d*x])/d + (3*a^3*(3*A + 4*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(4*d) - (a^3*(3*A + 4*B)*Sin[c + d*x]^3)/(12*d)

Rubi [A] time = 0.169572, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4013, 3791, 2637, 2635, 8, 2633}

$$-\frac{a^3(3A + 4B) \sin^3(c + dx)}{12d} + \frac{a^3(3A + 4B) \sin(c + dx)}{d} + \frac{3a^3(3A + 4B) \sin(c + dx) \cos(c + dx)}{8d} + \frac{5}{8}a^3x(3A + 4B) + \frac{A \sin^2(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (5*a^3*(3*A + 4*B)*x)/8 + (a^3*(3*A + 4*B)*Sin[c + d*x])/d + (3*a^3*(3*A + 4*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Ssin[c + d*x])/(4*d) - (a^3*(3*A + 4*B)*Sin[c + d*x]^3)/(12*d)

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3791

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_, x_Symbol] :> Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I

GtQ[m, 0] && RationalQ[n]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]

Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4}(3A + 4B) \int \cos^3(c + dx)(a + a \sec(c + dx))^3 dx \\ &= \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4}(3A + 4B) \int \cos^2(c + dx)(a + a \sec(c + dx))^3 dx \\ &= \frac{1}{4}a^3(3A + 4B)x + \frac{A \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\ &= \frac{1}{4}a^3(3A + 4B)x + \frac{3a^3(3A + 4B) \sin(c + dx)}{4d} + \frac{3a^3(3A + 4B)}{4} \int \cos(c + dx)(a + a \sec(c + dx))^3 dx \\ &= \frac{5}{8}a^3(3A + 4B)x + \frac{a^3(3A + 4B) \sin(c + dx)}{d} + \frac{3a^3(3A + 4B)}{8} \int \cos(c + dx)(a + a \sec(c + dx))^3 dx \end{aligned}$$

Mathematica [A] time = 0.270153, size = 86, normalized size = 0.69

$$\frac{a^3(24(13A + 15B) \sin(c + dx) + 24(4A + 3B) \sin(2(c + dx)) + 24A \sin(3(c + dx)) + 3A \sin(4(c + dx)) + 180Adx + 8B \sin^2(c + dx))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (a^3*(180*A*d*x + 240*B*d*x + 24*(13*A + 15*B)*Sin[c + d*x] + 24*(4*A + 3*B)*Sin[2*(c + d*x)] + 24*A*Ssin[3*(c + d*x)] + 8*B*Ssin[3*(c + d*x)] + 3*A*Ssin[4*(c + d*x)]))/(96*d)

Maple [A] time = 0.086, size = 176, normalized size = 1.4

$$\frac{1}{d} \left(Aa^3 \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + Aa^3 (2 + (\cos(dx+c))^2) \sin(dx+c) + \frac{Ba^3 (2 + \sin(dx+c))}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] 1/d*(A*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+A*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+3*A*a^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*B*a^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*a^3*sin(d*x+c)+3*B*a^3*sin(d*x+c)+B*a^3*(d*x+c))

Maxima [A] time = 1.00001, size = 225, normalized size = 1.81

$$\frac{96 (\sin(dx+c)^3 - 3 \sin(dx+c)) Aa^3 - 3 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Aa^3 - 72 (2 dx + 2 c + \sin(2 dx + 2 c)) Ba^3 - 96 (d*x + c) Ba^3 - 96 Aa^3 \sin(d*x + c) - 288 Ba^3 \sin(d*x + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] -1/96*(96*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 - 3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3 - 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 + 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 - 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3 - 96*(d*x + c)*B*a^3 - 96*A*a^3*sin(d*x + c) - 288*B*a^3*sin(d*x + c))/d

Fricas [A] time = 0.481609, size = 216, normalized size = 1.74

$$\frac{15(3A + 4B)a^3 dx + (6Aa^3 \cos(dx + c)^3 + 8(3A + B)a^3 \cos(dx + c)^2 + 9(5A + 4B)a^3 \cos(dx + c) + 8(9A + 11B)a^3 \sin(dx + c))}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/24*(15*(3*A + 4*B)*a^3*d*x + (6*A*a^3*cos(d*x + c)^3 + 8*(3*A + B)*a^3*cos(d*x + c)^2 + 9*(5*A + 4*B)*a^3*cos(d*x + c) + 8*(9*A + 11*B)*a^3*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.34596, size = 238, normalized size = 1.92

$$15(3Aa^3 + 4Ba^3)(dx + c) + \frac{2\left(45Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 60Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 165Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 220Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 219Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 165Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 135Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 135Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 135Aa^3 + 135Ba^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^4}$$

$24d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/24*(15*(3*A*a^3 + 4*B*a^3)*(d*x + c) + 2*(45*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 60*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 165*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 220

$$\frac{*B*a^3*\tan(1/2*d*x + 1/2*c)^5 + 219*A*a^3*\tan(1/2*d*x + 1/2*c)^3 + 292*B*a^3*\tan(1/2*d*x + 1/2*c)^3 + 147*A*a^3*\tan(1/2*d*x + 1/2*c) + 132*B*a^3*\tan(1/2*d*x + 1/2*c)}{(\tan(1/2*d*x + 1/2*c)^2 + 1)^4}/d$$

$$3.70 \quad \int \cos^5(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=176

$$\frac{a^3(38A + 45B) \sin(c + dx)}{15d} + \frac{a^3(43A + 45B) \sin(c + dx) \cos^2(c + dx)}{60d} + \frac{a^3(13A + 15B) \sin(c + dx) \cos(c + dx)}{8d} + \frac{(7A + 5B) \cos(c + dx)^3(a^3 + a^3 \sec(c + dx)) \sin(c + dx)}{20d}$$

[Out] (a^3*(13*A + 15*B)*x)/8 + (a^3*(38*A + 45*B)*Sin[c + d*x])/(15*d) + (a^3*(13*A + 15*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^3*(43*A + 45*B)*Cos[c + d*x]^2*SIN[c + d*x])/(60*d) + (a*A*COS[c + d*x]^4*(a + a*Sec[c + d*x])^2*SIN[c + d*x])/(5*d) + ((7*A + 5*B)*Cos[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(20*d)

Rubi [A] time = 0.372417, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^3(38A + 45B) \sin(c + dx)}{15d} + \frac{a^3(43A + 45B) \sin(c + dx) \cos^2(c + dx)}{60d} + \frac{a^3(13A + 15B) \sin(c + dx) \cos(c + dx)}{8d} + \frac{(7A + 5B) \cos(c + dx)^3(a^3 + a^3 \sec(c + dx)) \sin(c + dx)}{20d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]), x]

[Out] (a^3*(13*A + 15*B)*x)/8 + (a^3*(38*A + 45*B)*Sin[c + d*x])/(15*d) + (a^3*(13*A + 15*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^3*(43*A + 45*B)*Cos[c + d*x]^2*SIN[c + d*x])/(60*d) + (a*A*COS[c + d*x]^4*(a + a*Sec[c + d*x])^2*SIN[c + d*x])/(5*d) + ((7*A + 5*B)*Cos[c + d*x]^3*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(20*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{aA \cos^4(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^5(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
&= \frac{aA \cos^4(c + dx)(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{(7A + 5B) \cos^4(c + dx)(a + a \sec(c + dx))^3}{5d} \\
&= \frac{a^3(43A + 45B) \cos^2(c + dx) \sin(c + dx)}{60d} + \frac{aA \cos^4(c + dx)(a + a \sec(c + dx))^3}{5d} \\
&= \frac{a^3(43A + 45B) \cos^2(c + dx) \sin(c + dx)}{60d} + \frac{aA \cos^4(c + dx)(a + a \sec(c + dx))^3}{5d} \\
&= \frac{a^3(38A + 45B) \sin(c + dx)}{15d} + \frac{a^3(13A + 15B) \cos(c + dx) \sin(c + dx)}{8d} \\
&= \frac{1}{8} a^3(13A + 15B)x + \frac{a^3(38A + 45B) \sin(c + dx)}{15d} + \frac{a^3(13A + 15B) \cos(c + dx) \sin(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 0.433254, size = 108, normalized size = 0.61

$$\frac{a^3(60(23A + 26B) \sin(c + dx) + 480(A + B) \sin(2(c + dx)) + 170A \sin(3(c + dx)) + 45A \sin(4(c + dx)) + 6A \sin(5(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (a^3*(780*A*c + 780*A*d*x + 900*B*d*x + 60*(23*A + 26*B)*Sin[c + d*x] + 480*(A + B)*Sin[2*(c + d*x)] + 170*A*Sin[3*(c + d*x)] + 120*B*Sin[3*(c + d*x)] + 45*A*Sin[4*(c + d*x)] + 15*B*Sin[4*(c + d*x)] + 6*A*Sin[5*(c + d*x)]))/(480*d)

Maple [A] time = 0.096, size = 223, normalized size = 1.3

$$\frac{1}{d} \left(\frac{Aa^3 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + Ba^3 \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 \cos(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] 1/d*(1/5*A*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3*A*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c))

$(+c)^3 + 3/2 \cos(dx+c) \sin(dx+c) + 3/8 dx + 3/8 c) + B a^3 (2 + \cos(dx+c)^2) \sin(dx+c) + A a^3 (2 + \cos(dx+c)^2) \sin(dx+c) + 3 B a^3 (1/2 \cos(dx+c) \sin(dx+c) + 1/2 dx + 1/2 c) + A a^3 (1/2 \cos(dx+c) \sin(dx+c) + 1/2 dx + 1/2 c) + B a^3 \sin(dx+c)$

Maxima [A] time = 1.03417, size = 288, normalized size = 1.64

$$\frac{32 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) A a^3 - 480 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) A a^3 + 45 (12 dx + 12 c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+a*sec(dx+c))^3*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] $\frac{1}{480} (32 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) A a^3 - 480 (\sin(dx+c)^3 - 3 \sin(dx+c)) A a^3 + 45 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^3 + 120 (2 dx + 2 c + \sin(2 dx + 2 c)) A a^3 - 480 (\sin(dx+c)^3 - 3 \sin(dx+c)) B a^3 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^3 + 360 (2 dx + 2 c + \sin(2 dx + 2 c)) B a^3 + 480 B a^3 \sin(dx+c)) / d$

Fricas [A] time = 0.483892, size = 278, normalized size = 1.58

$$\frac{15 (13 A + 15 B) a^3 dx + (24 A a^3 \cos(dx+c)^4 + 30 (3 A + B) a^3 \cos(dx+c)^3 + 8 (19 A + 15 B) a^3 \cos(dx+c)^2 + 15 (13 A + 15 B) a^3 \cos(dx+c) + 8 (38 A + 45 B) a^3 \sin(dx+c))}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5*(a+a*sec(dx+c))^3*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] $\frac{1}{120} (15 (13 A + 15 B) a^3 dx + (24 A a^3 \cos(dx+c)^4 + 30 (3 A + B) a^3 \cos(dx+c)^3 + 8 (19 A + 15 B) a^3 \cos(dx+c)^2 + 15 (13 A + 15 B) a^3 \cos(dx+c) + 8 (38 A + 45 B) a^3 \sin(dx+c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.29552, size = 284, normalized size = 1.61

$$15(13Aa^3 + 15Ba^3)(dx + c) + \frac{2\left(195Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 225Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 910Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 1050Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 1664Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1830Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1330Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 1830Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 765Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 735Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^5} / d$$

120 a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/120*(15*(13*A*a^3 + 15*B*a^3)*(d*x + c) + 2*(195*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 225*B*a^3*tan(1/2*d*x + 1/2*c)^9 + 910*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 1050*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 1664*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 1830*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 1330*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 1830*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 765*A*a^3*tan(1/2*d*x + 1/2*c) + 735*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5/d

3.71 $\int \cos^6(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$

Optimal. Leaf size=201

$$-\frac{a^3(17A + 19B) \sin^3(c + dx)}{15d} + \frac{a^3(17A + 19B) \sin(c + dx)}{5d} + \frac{a^3(21A + 22B) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{a^3(23A + 26B) \sin(c + dx)}{16d}$$

[Out] $(a^3(23A + 26B)x)/16 + (a^3(17A + 19B)\text{Sin}[c + d*x])/(5*d) + (a^3(23A + 26B)\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(16*d) + (a^3(21A + 22B)\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(40*d) + (a*A*\text{Cos}[c + d*x]^5*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(6*d) + ((4*A + 3*B)*\text{Cos}[c + d*x]^4*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(15*d) - (a^3(17A + 19B)*\text{Sin}[c + d*x]^3)/(15*d)$

Rubi [A] time = 0.409748, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{a^3(17A + 19B) \sin^3(c + dx)}{15d} + \frac{a^3(17A + 19B) \sin(c + dx)}{5d} + \frac{a^3(21A + 22B) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{a^3(23A + 26B) \sin(c + dx)}{16d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^6*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(a^3(23A + 26B)x)/16 + (a^3(17A + 19B)\text{Sin}[c + d*x])/(5*d) + (a^3(23A + 26B)\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(16*d) + (a^3(21A + 22B)\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(40*d) + (a*A*\text{Cos}[c + d*x]^5*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(6*d) + ((4*A + 3*B)*\text{Cos}[c + d*x]^4*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(15*d) - (a^3(17A + 19B)*\text{Sin}[c + d*x]^3)/(15*d)$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] / ; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1]$

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx &= \frac{aA\cos^5(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{6d} + \frac{1}{6}\int\cos^5(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx \\
&= \frac{aA\cos^5(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{6d} + \frac{(4A+3B)\cos^4(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))}{4d} \\
&= \frac{a^3(21A+22B)\cos^3(c+dx)\sin(c+dx)}{40d} + \frac{aA\cos^5(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))}{4d} \\
&= \frac{a^3(21A+22B)\cos^3(c+dx)\sin(c+dx)}{40d} + \frac{aA\cos^5(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))}{4d} \\
&= \frac{a^3(23A+26B)\cos(c+dx)\sin(c+dx)}{16d} + \frac{a^3(21A+22B)\cos^3(c+dx)\sin(c+dx)}{40d} \\
&= \frac{1}{16}a^3(23A+26B)x + \frac{a^3(17A+19B)\sin(c+dx)}{5d} + \frac{a^3(23A+26B)\cos^3(c+dx)\sin(c+dx)}{40d}
\end{aligned}$$

Mathematica [A] time = 0.536478, size = 134, normalized size = 0.67

$$\frac{a^3(120(21A+23B)\sin(c+dx) + 15(63A+64B)\sin(2(c+dx)) + 380A\sin(3(c+dx)) + 135A\sin(4(c+dx)) + 36A\sin(5(c+dx)) + 12B\sin(5(c+dx)) + 5A\sin(6(c+dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]), x]

[Out] (a^3*(1380*A*c + 1380*A*d*x + 1560*B*d*x + 120*(21*A + 23*B)*Sin[c + d*x] + 15*(63*A + 64*B)*Sin[2*(c + d*x)] + 380*A*Sin[3*(c + d*x)] + 340*B*Sin[3*(c + d*x)] + 135*A*Sin[4*(c + d*x)] + 90*B*Sin[4*(c + d*x)] + 36*A*Sin[5*(c + d*x)] + 12*B*Sin[5*(c + d*x)] + 5*A*Sin[6*(c + d*x)]))/(960*d)

Maple [A] time = 0.1, size = 266, normalized size = 1.3

$$\frac{1}{d}\left(Aa^3\left(\frac{\sin(dx+c)}{6}\left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8}\right) + \frac{5dx}{16} + \frac{5c}{16}\right) + \frac{Ba^3\sin(dx+c)}{5}\left(\frac{8}{3} + (\cos(dx+c))^4 + \frac{4}{3}\cos(dx+c)^2\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)), x)

[Out] 1/d*(A*a^3*(1/6*(cos(d*x+c))^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+1/5*B*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+3

$$\begin{aligned} & /5*A*a^3*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+3*B*a^3*(1/4*(\cos(d \\ & *x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+3*A*a^3*(1/4*(\cos(d*x+c)^ \\ & 3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+B*a^3*(2+\cos(d*x+c)^2)*\sin(d*x+ \\ & c)+1/3*A*a^3*(2+\cos(d*x+c)^2)*\sin(d*x+c)+B*a^3*(1/2*\cos(d*x+c)*\sin(d*x+c)+1 \\ & /2*d*x+1/2*c)) \end{aligned}$$

Maxima [A] time = 1.0032, size = 354, normalized size = 1.76

$$192(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^3 - 5(4 \sin(2dx + 2c)^3 - 60dx - 60c - 9 \sin(4dx + 4c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/960*(192*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^3 - 5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^3 - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3 + 90*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3 + 64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^3 - 960*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 + 90*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^3 + 240*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3)/d

Fricas [A] time = 0.490744, size = 332, normalized size = 1.65

$$\frac{15(23A + 26B)a^3 dx + (40Aa^3 \cos(dx + c)^5 + 48(3A + B)a^3 \cos(dx + c)^4 + 10(23A + 18B)a^3 \cos(dx + c)^3 + 16(17A + 19B)a^3 \cos(dx + c)^2 + 15(23A + 26B)a^3 \cos(dx + c) + 32(17A + 19B)a^3 \sin(dx + c))}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/240*(15*(23*A + 26*B))*a^3*d*x + (40*A*a^3*cos(d*x + c)^5 + 48*(3*A + B))*a^3*cos(d*x + c)^4 + 10*(23*A + 18*B))*a^3*cos(d*x + c)^3 + 16*(17*A + 19*B))*a^3*cos(d*x + c)^2 + 15*(23*A + 26*B))*a^3*cos(d*x + c) + 32*(17*A + 19*B))*a^3*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.45062, size = 329, normalized size = 1.64

$$15(23Aa^3 + 26Ba^3)(dx + c) + \frac{2\left(345Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 390Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 1955Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 2210Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 4554Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 5148Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 5814Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 5988Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3165Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 4190Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 1575Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1530Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^6} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/240*(15*(23*A*a^3 + 26*B*a^3)*(d*x + c) + 2*(345*A*a^3*tan(1/2*d*x + 1/2*c)^11 + 390*B*a^3*tan(1/2*d*x + 1/2*c)^11 + 1955*A*a^3*tan(1/2*d*x + 1/2*c)^9 + 2210*B*a^3*tan(1/2*d*x + 1/2*c)^9 + 4554*A*a^3*tan(1/2*d*x + 1/2*c)^7 + 5148*B*a^3*tan(1/2*d*x + 1/2*c)^7 + 5814*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 5988*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 3165*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 4190*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 1575*A*a^3*tan(1/2*d*x + 1/2*c) + 1530*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^6/d

3.72 $\int \sec^2(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$

Optimal. Leaf size=194

$$\frac{2a^4(8A + 7B) \tan^3(c + dx)}{15d} + \frac{4a^4(8A + 7B) \tan(c + dx)}{5d} + \frac{7a^4(8A + 7B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(8A + 7B) \tan(c + dx)}{40d}$$

[Out] (7*a^4*(8*A + 7*B)*ArcTanh[Sin[c + d*x]]/(16*d) + (4*a^4*(8*A + 7*B)*Tan[c + d*x])/(5*d) + (27*a^4*(8*A + 7*B)*Sec[c + d*x]*Tan[c + d*x])/(80*d) + (a^4*(8*A + 7*B)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + ((6*A - B)*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(30*d) + (B*(a + a*Sec[c + d*x])^5*Tan[c + d*x])/(6*a*d) + (2*a^4*(8*A + 7*B)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.318361, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4010, 4001, 3791, 3770, 3767, 8, 3768}

$$\frac{2a^4(8A + 7B) \tan^3(c + dx)}{15d} + \frac{4a^4(8A + 7B) \tan(c + dx)}{5d} + \frac{7a^4(8A + 7B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(8A + 7B) \tan(c + dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (7*a^4*(8*A + 7*B)*ArcTanh[Sin[c + d*x]]/(16*d) + (4*a^4*(8*A + 7*B)*Tan[c + d*x])/(5*d) + (27*a^4*(8*A + 7*B)*Sec[c + d*x]*Tan[c + d*x])/(80*d) + (a^4*(8*A + 7*B)*Sec[c + d*x]^3*Tan[c + d*x])/(40*d) + ((6*A - B)*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(30*d) + (B*(a + a*Sec[c + d*x])^5*Tan[c + d*x])/(6*a*d) + (2*a^4*(8*A + 7*B)*Tan[c + d*x]^3)/(15*d)

Rule 4010

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx))dx &= \frac{B(a+a\sec(c+dx))^5 \tan(c+dx)}{6ad} + \frac{\int \sec(c+dx)(a+a\sec(c+dx))^4 dx}{6ad} \\
&= \frac{(6A-B)(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} + \frac{B(a+a\sec(c+dx))^4}{30d} \\
&= \frac{(6A-B)(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} + \frac{B(a+a\sec(c+dx))^4}{30d} \\
&= \frac{(6A-B)(a+a\sec(c+dx))^4 \tan(c+dx)}{30d} + \frac{B(a+a\sec(c+dx))^4}{30d} \\
&= \frac{a^4(8A+7B) \tanh^{-1}(\sin(c+dx))}{10d} + \frac{3a^4(8A+7B) \sec(c+dx)}{10d} \\
&= \frac{2a^4(8A+7B) \tanh^{-1}(\sin(c+dx))}{5d} + \frac{4a^4(8A+7B) \tan(c+dx)}{5d} \\
&= \frac{7a^4(8A+7B) \tanh^{-1}(\sin(c+dx))}{16d} + \frac{4a^4(8A+7B) \tan(c+dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 2.23417, size = 358, normalized size = 1.85

$$a^4(\cos(c+dx)+1)^4 \sec^8\left(\frac{1}{2}(c+dx)\right) \sec^6(c+dx) \left(3360(8A+7B) \cos^6(c+dx) \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] $-(a^4(1 + \cos(c+dx))^4 \sec^8((c+dx)/2)^8 \sec^6(c+dx)^6 (3360(8A+7B) \cos^6(c+dx) (\log(\cos((c+dx)/2) - \sin((c+dx)/2)) - \log(\cos((c+dx)/2) + \sin((c+dx)/2))) - \sec(c) (-160(83A+72B) \sin(c) + 30(88A+125B) \sin(dx) + 2640A \sin(2c+dx) + 3750B \sin(2c+dx) + 15840A \sin(c+2dx) + 15360B \sin(c+2dx) - 4080A \sin(3c+2dx) - 1920B \sin(3c+2dx) + 3480A \sin(2c+3dx) + 3845B \sin(2c+3dx) + 3480A \sin(4c+3dx) + 3845B \sin(4c+3dx) + 7728A \sin(3c+4dx) + 6912B \sin(3c+4dx) - 240A \sin(5c+4dx) + 840A \sin(4c+5dx) + 735B \sin(4c+5dx) + 840A \sin(6c+5dx) + 735B \sin(6c+5dx) + 1328A \sin(5c+6dx) + 1152B \sin(5c+6dx))) / (122880d)$

Maple [A] time = 0.054, size = 280, normalized size = 1.4

$$\frac{83 A a^4 \tan(dx+c)}{15d} + \frac{49 B a^4 \sec(dx+c) \tan(dx+c)}{16d} + \frac{49 B a^4 \ln(\sec(dx+c) + \tan(dx+c))}{16d} + \frac{7 A a^4 \sec(dx+c) \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)), x)$

[Out] $83/15/d*A*a^4*\tan(dx+c)+49/16/d*B*a^4*\sec(dx+c)*\tan(dx+c)+49/16/d*B*a^4*\ln(\sec(dx+c)+\tan(dx+c))+7/2/d*A*a^4*\sec(dx+c)*\tan(dx+c)+7/2/d*A*a^4*\ln(\sec(dx+c)+\tan(dx+c))+24/5/d*B*a^4*\tan(dx+c)+12/5/d*B*a^4*\tan(dx+c)*\sec(dx+c)^2+34/15/d*A*a^4*\tan(dx+c)*\sec(dx+c)^2+41/24/d*B*a^4*\tan(dx+c)*\sec(dx+c)^3+1/d*A*a^4*\tan(dx+c)*\sec(dx+c)^3+4/5/d*B*a^4*\tan(dx+c)*\sec(dx+c)^4+1/5/d*A*a^4*\tan(dx+c)*\sec(dx+c)^4+1/6/d*B*a^4*\tan(dx+c)*\sec(dx+c)^5$

Maxima [B] time = 1.00517, size = 626, normalized size = 3.23

$32(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Aa^4 + 960(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^4 + 128(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Bb^4 + 640(\tan(dx+c)^3 + 3 \tan(dx+c))Bb^4 - 5Bb^4(2(15 \sin(dx+c)^5 - 40 \sin(dx+c)^3 + 33 \sin(dx+c)))/(\sin(dx+c)^6 - 3 \sin(dx+c)^4 + 3 \sin(dx+c)^2 - 1) - 15 \log(\sin(dx+c) + 1) + 15 \log(\sin(dx+c) - 1) - 120Aa^4(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)))/(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) - 180Bb^4(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)))/(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) - 480Aa^4(2 \sin(dx+c))/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) - 120Bb^4(2 \sin(dx+c))/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) + 480Aa^4 \tan(dx+c))/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)), x, \text{algorithm}="maxima")$

[Out] $1/480*(32*(3*\tan(dx+c)^5 + 10*\tan(dx+c)^3 + 15*\tan(dx+c))*Aa^4 + 960*(\tan(dx+c)^3 + 3*\tan(dx+c))*Aa^4 + 128*(3*\tan(dx+c)^5 + 10*\tan(dx+c)^3 + 15*\tan(dx+c))*Bb^4 + 640*(\tan(dx+c)^3 + 3*\tan(dx+c))*Bb^4 - 5Bb^4(2(15*\sin(dx+c)^5 - 40*\sin(dx+c)^3 + 33*\sin(dx+c)))/(\sin(dx+c)^6 - 3*\sin(dx+c)^4 + 3*\sin(dx+c)^2 - 1) - 15*\log(\sin(dx+c) + 1) + 15*\log(\sin(dx+c) - 1) - 120Aa^4(2(3*\sin(dx+c)^3 - 5*\sin(dx+c)))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1) - 180Bb^4(2(3*\sin(dx+c)^3 - 5*\sin(dx+c)))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1) - 480Aa^4(2*\sin(dx+c))/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) - 120Bb^4(2*\sin(dx+c))/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) + 480Aa^4*\tan(dx+c))/d$

Fricas [A] time = 0.511613, size = 481, normalized size = 2.48

$105(8A+7B)a^4 \cos(dx+c)^6 \log(\sin(dx+c)+1) - 105(8A+7B)a^4 \cos(dx+c)^6 \log(-\sin(dx+c)+1) + 2(16(83$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/480*(105*(8*A + 7*B)*a^4*cos(d*x + c)^6*log(sin(d*x + c) + 1) - 105*(8*A + 7*B)*a^4*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(16*(83*A + 72*B)*a^4*cos(d*x + c)^5 + 105*(8*A + 7*B)*a^4*cos(d*x + c)^4 + 32*(17*A + 18*B)*a^4*cos(d*x + c)^3 + 10*(24*A + 41*B)*a^4*cos(d*x + c)^2 + 48*(A + 4*B)*a^4*cos(d*x + c) + 40*B*a^4)*sin(d*x + c))/(d*cos(d*x + c)^6)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^4 \left(\int A \sec^2(c + dx) dx + \int 4A \sec^3(c + dx) dx + \int 6A \sec^4(c + dx) dx + \int 4A \sec^5(c + dx) dx + \int A \sec^6(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] a**4*(Integral(A*sec(c + d*x)**2, x) + Integral(4*A*sec(c + d*x)**3, x) + Integral(6*A*sec(c + d*x)**4, x) + Integral(4*A*sec(c + d*x)**5, x) + Integral(A*sec(c + d*x)**6, x) + Integral(B*sec(c + d*x)**3, x) + Integral(4*B*sec(c + d*x)**4, x) + Integral(6*B*sec(c + d*x)**5, x) + Integral(4*B*sec(c + d*x)**6, x) + Integral(B*sec(c + d*x)**7, x))

Giac [A] time = 1.3626, size = 378, normalized size = 1.95

$$105(8Aa^4 + 7Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 105(8Aa^4 + 7Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(840Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/240*(105*(8*A*a^4 + 7*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 105*(8*A*a^4 + 7*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(840*A*a^4*tan(1/2*

$$\begin{aligned} & d*x + 1/2*c)^{11} + 735*B*a^4*\tan(1/2*d*x + 1/2*c)^{11} - 4760*A*a^4*\tan(1/2*d* \\ & x + 1/2*c)^9 - 4165*B*a^4*\tan(1/2*d*x + 1/2*c)^9 + 11088*A*a^4*\tan(1/2*d*x \\ & + 1/2*c)^7 + 9702*B*a^4*\tan(1/2*d*x + 1/2*c)^7 - 13488*A*a^4*\tan(1/2*d*x + \\ & 1/2*c)^5 - 11802*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 9320*A*a^4*\tan(1/2*d*x + 1/ \\ & 2*c)^3 + 7355*B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 3000*A*a^4*\tan(1/2*d*x + 1/2*c \\ &) - 3105*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d \end{aligned}$$

3.73 $\int \sec(c+dx)(a+a \sec(c+dx))^4(A+B \sec(c+dx)) dx$

Optimal. Leaf size=159

$$\frac{4a^4(5A+4B)\tan^3(c+dx)}{15d} + \frac{8a^4(5A+4B)\tan(c+dx)}{5d} + \frac{7a^4(5A+4B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^4(5A+4B)\tan(c+dx)}{20d}$$

[Out] (7*a^4*(5*A + 4*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (8*a^4*(5*A + 4*B)*Tan[c + d*x])/(5*d) + (27*a^4*(5*A + 4*B)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + (a^4*(5*A + 4*B)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (B*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*d) + (4*a^4*(5*A + 4*B)*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.17923, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4001, 3791, 3770, 3767, 8, 3768}

$$\frac{4a^4(5A+4B)\tan^3(c+dx)}{15d} + \frac{8a^4(5A+4B)\tan(c+dx)}{5d} + \frac{7a^4(5A+4B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{a^4(5A+4B)\tan(c+dx)}{20d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (7*a^4*(5*A + 4*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (8*a^4*(5*A + 4*B)*Tan[c + d*x])/(5*d) + (27*a^4*(5*A + 4*B)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + (a^4*(5*A + 4*B)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (B*(a + a*Sec[c + d*x])^4*Tan[c + d*x])/(5*d) + (4*a^4*(5*A + 4*B)*Tan[c + d*x]^3)/(15*d)

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3791

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I

GtQ[m, 0] && RationalQ[n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{B(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} + \frac{1}{5}(5A + 4B) \int \sec(c + dx) dx \\
 &= \frac{B(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} + \frac{1}{5}(5A + 4B) \int (a^4 \sec(c + dx)) dx \\
 &= \frac{B(a + a \sec(c + dx))^4 \tan(c + dx)}{5d} + \frac{1}{5}(a^4(5A + 4B)) \int \sec(c + dx) dx \\
 &= \frac{a^4(5A + 4B) \tanh^{-1}(\sin(c + dx))}{5d} + \frac{3a^4(5A + 4B) \sec(c + dx)}{5d} \\
 &= \frac{4a^4(5A + 4B) \tanh^{-1}(\sin(c + dx))}{5d} + \frac{8a^4(5A + 4B) \tan(c + dx)}{5d} \\
 &= \frac{7a^4(5A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{8a^4(5A + 4B) \tan(c + dx)}{5d}
 \end{aligned}$$

Mathematica [A] time = 1.61498, size = 306, normalized size = 1.92

$$a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \left(1680(5A + 4B) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right.\right.$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] $-(a^4(1 + \cos[c + d*x])^4 \sec[(c + d*x)/2]^8 \sec[c + d*x]^5 (1680(5A + 4B) \cos[c + d*x]^5 (\log[\cos[(c + d*x)/2] - \sin[(c + d*x)/2]] - \log[\cos[(c + d*x)/2] + \sin[(c + d*x)/2]]) - \sec[c] (80(64A + 59B) \sin[d*x] - 960(3A + 2B) \sin[2*c + d*x] + 930A \sin[c + 2*d*x] + 1320B \sin[c + 2*d*x] + 930A \sin[3*c + 2*d*x] + 1320B \sin[3*c + 2*d*x] + 3520A \sin[2*c + 3*d*x] + 3200B \sin[2*c + 3*d*x] - 480A \sin[4*c + 3*d*x] - 120B \sin[4*c + 3*d*x] + 405A \sin[3*c + 4*d*x] + 420B \sin[3*c + 4*d*x] + 405A \sin[5*c + 4*d*x] + 420B \sin[5*c + 4*d*x] + 800A \sin[4*c + 5*d*x] + 664B \sin[4*c + 5*d*x])) / (30720*d)$

Maple [A] time = 0.056, size = 234, normalized size = 1.5

$$\frac{35 A a^4 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{83 B a^4 \tan(dx + c)}{15d} + \frac{20 A a^4 \tan(dx + c)}{3d} + \frac{7 B a^4 \sec(dx + c) \tan(dx + c)}{2d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)

[Out] $35/8/d*A*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+83/15/d*B*a^4*\tan(d*x+c)+20/3/d*A*a^4*\tan(d*x+c)+7/2/d*B*a^4*\sec(d*x+c)*\tan(d*x+c)+7/2/d*B*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+27/8/d*A*a^4*\sec(d*x+c)*\tan(d*x+c)+34/15/d*B*a^4*\tan(d*x+c)*\sec(d*x+c)^2+4/3/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^2+1/d*B*a^4*\tan(d*x+c)*\sec(d*x+c)^3+1/4/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^3+1/5/d*B*a^4*\tan(d*x+c)*\sec(d*x+c)^4$

Maxima [B] time = 1.03204, size = 498, normalized size = 3.13

$$320(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^4 + 16(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Ba^4 + 480(\tan(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{240}*(320*(\tan(dx+c)^3 + 3*\tan(dx+c))*A*a^4 + 16*(3*\tan(dx+c)^5 + 10*\tan(dx+c)^3 + 15*\tan(dx+c))*B*a^4 + 480*(\tan(dx+c)^3 + 3*\tan(dx+c))*B*a^4 - 15*A*a^4*(2*(3*\sin(dx+c)^3 - 5*\sin(dx+c))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1)) - 60*B*a^4*(2*(3*\sin(dx+c)^3 - 5*\sin(dx+c))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1)) - 360*A*a^4*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 240*B*a^4*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 240*A*a^4*\log(\sec(dx+c) + \tan(dx+c)) + 960*A*a^4*\tan(dx+c) + 240*B*a^4*\tan(dx+c))/d$

Fricas [A] time = 0.499388, size = 431, normalized size = 2.71

$105(5A + 4B)a^4 \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 105(5A + 4B)a^4 \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2(8(100$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{240}*(105*(5*A + 4*B)*a^4*\cos(dx+c)^5*\log(\sin(dx+c) + 1) - 105*(5*A + 4*B)*a^4*\cos(dx+c)^5*\log(-\sin(dx+c) + 1) + 2*(8*(100*A + 83*B)*a^4*\cos(dx+c)^4 + 15*(27*A + 28*B)*a^4*\cos(dx+c)^3 + 16*(10*A + 17*B)*a^4*\cos(dx+c)^2 + 30*(A + 4*B)*a^4*\cos(dx+c) + 24*B*a^4)*\sin(dx+c))/d*\cos(dx+c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$a^4 \left(\int A \sec(c+dx) dx + \int 4A \sec^2(c+dx) dx + \int 6A \sec^3(c+dx) dx + \int 4A \sec^4(c+dx) dx + \int A \sec^5(c+dx) dx \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)

```
[Out] a**4*(Integral(A*sec(c + d*x), x) + Integral(4*A*sec(c + d*x)**2, x) + Integral(6*A*sec(c + d*x)**3, x) + Integral(4*A*sec(c + d*x)**4, x) + Integral(A*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**2, x) + Integral(4*B*sec(c + d*x)**3, x) + Integral(6*B*sec(c + d*x)**4, x) + Integral(4*B*sec(c + d*x)**5, x) + Integral(B*sec(c + d*x)**6, x))
```

Giac [A] time = 1.24877, size = 332, normalized size = 2.09

$$105 \left(5 Aa^4 + 4 Ba^4 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 105 \left(5 Aa^4 + 4 Ba^4 \right) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(525 Aa^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/120*(105*(5*A*a^4 + 4*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 105*(5*A*a^4 + 4*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(525*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 420*B*a^4*tan(1/2*d*x + 1/2*c)^9 - 2450*A*a^4*tan(1/2*d*x + 1/2*c)^7 - 1960*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 4480*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 3584*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 3950*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 3160*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 1395*A*a^4*tan(1/2*d*x + 1/2*c) + 1500*B*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5/d
```

3.74 $\int (a + a \sec(c + dx))^4 (A + B \sec(c + dx)) dx$

Optimal. Leaf size=151

$$\frac{5a^4(8A + 7B) \tan(c + dx)}{8d} + \frac{a^4(48A + 35B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4A + 7B) \tan(c + dx) (a^2 \sec(c + dx) + a^2)^2}{12d} + \frac{(32A + 35B) (a^4 + a^4 \sec(c + dx)) \tan(c + dx)}{24d}$$

[Out] $a^4 A x + (a^4 (48 A + 35 B) \operatorname{ArcTanh}[\sin(c + d x)]) / (8 d) + (5 a^4 (8 A + 7 B) \tan(c + d x)) / (8 d) + (a B (a + a \sec(c + d x))^3 \tan(c + d x)) / (4 d) + ((4 A + 7 B) (a^2 + a^2 \sec(c + d x))^2 \tan(c + d x)) / (12 d) + ((32 A + 35 B) (a^4 + a^4 \sec(c + d x)) \tan(c + d x)) / (24 d)$

Rubi [A] time = 0.214004, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3917, 3914, 3767, 8, 3770}

$$\frac{5a^4(8A + 7B) \tan(c + dx)}{8d} + \frac{a^4(48A + 35B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4A + 7B) \tan(c + dx) (a^2 \sec(c + dx) + a^2)^2}{12d} + \frac{(32A + 35B) (a^4 + a^4 \sec(c + dx)) \tan(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \sec(c + dx))^4 (A + B \sec(c + dx)), x]$

[Out] $a^4 A x + (a^4 (48 A + 35 B) \operatorname{ArcTanh}[\sin(c + d x)]) / (8 d) + (5 a^4 (8 A + 7 B) \tan(c + d x)) / (8 d) + (a B (a + a \sec(c + d x))^3 \tan(c + d x)) / (4 d) + ((4 A + 7 B) (a^2 + a^2 \sec(c + d x))^2 \tan(c + d x)) / (12 d) + ((32 A + 35 B) (a^4 + a^4 \sec(c + d x)) \tan(c + d x)) / (24 d)$

Rule 3917

$\operatorname{Int}[(\csc[(e_.) + (f_.)(x_.)](b_.) + (a_.))^{(m_.)} (\csc[(e_.) + (f_.)(x_.)](d_.) + (c_.)), x_Symbol] \rightarrow -\operatorname{Simp}[(b d \cot[e + f x] (a + b \csc[e + f x])^{(m - 1)}) / (f m), x] + \operatorname{Dist}[1/m, \operatorname{Int}[(a + b \csc[e + f x])^{(m - 1)} \operatorname{Simp}[a c m + (b c m + a d (2 m - 1)) \csc[e + f x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, x\} \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{IntegerQ}[2 m]$

Rule 3914

$\operatorname{Int}[(\csc[(e_.) + (f_.)(x_.)](b_.) + (a_.)) (\csc[(e_.) + (f_.)(x_.)](d_.) + (c_.)), x_Symbol] \rightarrow \operatorname{Simp}[a c x, x] + (\operatorname{Dist}[b d, \operatorname{Int}[\csc[e + f x]^2, x], x] + \operatorname{Dist}[b c + a d, \operatorname{Int}[\csc[e + f x], x], x]) /; \operatorname{FreeQ}\{a, b, c, d, e, f, x\}$

] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \sec(c + dx))^4 (A + B \sec(c + dx)) dx &= \frac{aB(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4} \int (a + a \sec(c + dx))^3 (4aA + a) dx \\
 &= \frac{aB(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)}{12d} \\
 &= \frac{aB(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)}{12d} \\
 &= a^4 Ax + \frac{aB(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a^2 \sec(c + dx))^2 \tan(c + dx)}{12d} \\
 &= a^4 Ax + \frac{a^4(48A + 35B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{aB(a + a \sec(c + dx))^3 \tan(c + dx)}{4d} \\
 &= a^4 Ax + \frac{a^4(48A + 35B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{5a^4(8A + 7B) \tan(c + dx)}{8d}
 \end{aligned}$$

Mathematica [B] time = 1.75681, size = 326, normalized size = 2.16

$$a^4 \sec^8\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^4 \left(\sec(c)(48A \sin(2c + dx) + 496A \sin(c + 2dx) - 144A \sin(3c + 2dx) + 48A \sin(2c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (a^4*Sec[(c + d*x)/2]^8*(1 + Sec[c + d*x])^4*(-24*(48*A + 35*B)*Cos[c + d*x]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c]*(72*A*d*x*Cos[c] + 48*A*d*x*Cos[c + 2*d*x] + 48*A*d*x*Cos[3*c + 2*d*x] + 12*A*d*x*Cos[3*c + 4*d*x] + 12*A*d*x*Cos[5*c + 4*d*x] - 480*A*Sin[c] - 480*B*Sin[c] + 48*A*Sin[d*x] + 105*B*Sin[d*x] + 48*A*Sin[2*c + d*x] + 105*B*Sin[2*c + d*x] + 496*A*Sin[c + 2*d*x] + 544*B*Sin[c + 2*d*x] - 144*A*Sin[3*c + 2*d*x] - 96*B*Sin[3*c + 2*d*x] + 48*A*Sin[2*c + 3*d*x] + 81*B*Sin[2*c + 3*d*x] + 48*A*Sin[4*c + 3*d*x] + 81*B*Sin[4*c + 3*d*x] + 160*A*Sin[3*c + 4*d*x] + 160*B*Sin[3*c + 4*d*x])))/(3072*d)

Maple [A] time = 0.055, size = 204, normalized size = 1.4

$$a^4 Ax + \frac{Aa^4 c}{d} + \frac{35 Ba^4 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + 6 \frac{Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{20 Ba^4 \tan(dx + c)}{3d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)

[Out] a^4*A*x+1/d*A*a^4*c+35/8/d*B*a^4*ln(sec(d*x+c)+tan(d*x+c))+6/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+20/3/d*B*a^4*tan(d*x+c)+20/3/d*A*a^4*tan(d*x+c)+27/8/d*B*a^4*sec(d*x+c)*tan(d*x+c)+2/d*A*a^4*sec(d*x+c)*tan(d*x+c)+4/3/d*B*a^4*tan(d*x+c)*sec(d*x+c)^2+1/3/d*A*a^4*tan(d*x+c)*sec(d*x+c)^2+1/4/d*B*a^4*tan(d*x+c)*sec(d*x+c)^3

Maxima [B] time = 1.04173, size = 396, normalized size = 2.62

$$16(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^4 + 48(dx + c)Aa^4 + 64(\tan(dx + c)^3 + 3 \tan(dx + c))Ba^4 - 3Ba^4 \left(\frac{2(3 \sin(dx+c)^3 - \sin(dx+c)^4 - 2 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^4 + 48*(d*x + c)*A*a^4 + 64*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^4 - 3*B*a^4*(2*(3*sin(d*x + c)^3 - 5*

$$\frac{\sin(dx + c)}{(\sin(dx + c)^4 - 2\sin(dx + c)^2 + 1) - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1)) - 48Aa^4(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 72Ba^4(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 192Aa^4\log(\sec(dx + c) + \tan(dx + c)) + 48Ba^4\log(\sec(dx + c) + \tan(dx + c)) + 288Aa^4\tan(dx + c) + 192Ba^4\tan(dx + c))/d}$$

Fricas [A] time = 0.511573, size = 408, normalized size = 2.7

$$\frac{48 A a^4 dx \cos(dx + c)^4 + 3(48 A + 35 B) a^4 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(48 A + 35 B) a^4 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(160(A + B) a^4 \cos(dx + c)^3 + 3(16 A + 27 B) a^4 \cos(dx + c)^2 + 8(A + 4 B) a^4 \cos(dx + c) + 6 B a^4) \sin(dx + c)}{(d \cos(dx + c))^4}$$

48

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/48*(48*A*a^4*d*x*cos(d*x + c)^4 + 3*(48*A + 35*B)*a^4*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(48*A + 35*B)*a^4*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(160*(A + B)*a^4*cos(d*x + c)^3 + 3*(16*A + 27*B)*a^4*cos(d*x + c)^2 + 8*(A + 4*B)*a^4*cos(d*x + c) + 6*B*a^4)*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^4 \left(\int A dx + \int 4A \sec(c + dx) dx + \int 6A \sec^2(c + dx) dx + \int 4A \sec^3(c + dx) dx + \int A \sec^4(c + dx) dx + \int B \sec(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] a**4*(Integral(A, x) + Integral(4*A*sec(c + d*x), x) + Integral(6*A*sec(c + d*x)**2, x) + Integral(4*A*sec(c + d*x)**3, x) + Integral(A*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x), x) + Integral(4*B*sec(c + d*x)**2, x) + Integral(6*B*sec(c + d*x)**3, x) + Integral(4*B*sec(c + d*x)**4, x) + Integral(B*sec(c + d*x)**5, x))

Giac [A] time = 1.33957, size = 301, normalized size = 1.99

$$24(dx+c)Aa^4 + 3(48Aa^4 + 35Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(48Aa^4 + 35Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{24}*(24*(d*x + c)*A*a^4 + 3*(48*A*a^4 + 35*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(48*A*a^4 + 35*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(120*A*a^4*\tan(1/2*d*x + 1/2*c)^7 + 105*B*a^4*\tan(1/2*d*x + 1/2*c)^7 - 424*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 385*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 520*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 511*B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 216*A*a^4*\tan(1/2*d*x + 1/2*c) - 279*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

$$3.75 \quad \int \cos(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=151

$$\frac{5a^4(A + 2B) \sin(c + dx)}{2d} + \frac{a^4(13A + 12B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(A + 2B) \sin(c + dx) (a^2 \sec(c + dx) + a^2)^2}{2d} + \frac{(9A + 11B) \sin(c + dx)}{3d}$$

[Out] a^4*(4*A + B)*x + (a^4*(13*A + 12*B)*ArcTanh[Sin[c + d*x]])/(2*d) - (5*a^4*(A + 2*B)*Sin[c + d*x])/(2*d) + (a*B*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d) + ((A + 2*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((9*A + 11*B)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.367918, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4018, 3996, 3770}

$$\frac{5a^4(A + 2B) \sin(c + dx)}{2d} + \frac{a^4(13A + 12B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(A + 2B) \sin(c + dx) (a^2 \sec(c + dx) + a^2)^2}{2d} + \frac{(9A + 11B) \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] a^4*(4*A + B)*x + (a^4*(13*A + 12*B)*ArcTanh[Sin[c + d*x]])/(2*d) - (5*a^4*(A + 2*B)*Sin[c + d*x])/(2*d) + (a*B*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d) + ((A + 2*B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((9*A + 11*B)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aB(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{1}{3} \int \cos(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx \\
&= \frac{aB(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{(A + 2B)(a^2 + a^2 \sec^2(c + dx))}{2d} \\
&= \frac{aB(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{(A + 2B)(a^2 + a^2 \sec^2(c + dx))}{2d} \\
&= -\frac{5a^4(A + 2B) \sin(c + dx)}{2d} + \frac{aB(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= a^4(4A + B)x - \frac{5a^4(A + 2B) \sin(c + dx)}{2d} + \frac{aB(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= a^4(4A + B)x + \frac{a^4(13A + 12B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{5a^4(A + 2B) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 6.44965, size = 1202, normalized size = 7.96

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((4*A + B)*x*Cos[c + d*x]^5*Sec[c/2 + (d*x)/2]^8*(a + a*Sec[c + d*x])^4*(A
+ B*Sec[c + d*x]))/(16*(B + A*Cos[c + d*x])) + ((-13*A - 12*B)*Cos[c + d*x]
^5*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2]]*Sec[c/2 + (d*x)/2]^8*(a + a
*Sec[c + d*x])^4*(A + B*Sec[c + d*x]))/(32*d*(B + A*Cos[c + d*x])) + ((13*A
+ 12*B)*Cos[c + d*x]^5*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]]*Sec[c/
```

$$2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) / (32d(B + A \cos(c + dx))) + (A \cos(dx) \cos(c + dx))^5 \sec(c/2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) \sin(c) / (16d(B + A \cos(c + dx))) + (A \cos(c) \cos(c + dx))^5 \sec(c/2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) \sin(dx) / (16d(B + A \cos(c + dx))) + (B \cos(c + dx))^5 \sec(c/2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) \sin((dx)/2) / (96d(B + A \cos(c + dx)) (\cos(c/2) - \sin(c/2)) (\cos(c/2 + (dx)/2) - \sin(c/2 + (dx)/2))^3) + (\cos(c + dx))^5 \sec(c/2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) (3A \cos(c/2) + 13B \cos(c/2) - 3A \sin(c/2) - 11B \sin(c/2)) / (192d(B + A \cos(c + dx)) (\cos(c/2) - \sin(c/2)) (\cos(c/2 + (dx)/2) - \sin(c/2 + (dx)/2))^2) + (\cos(c + dx))^5 \sec(c/2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) (3A \sin((dx)/2) + 5B \sin((dx)/2)) / (12d(B + A \cos(c + dx)) (\cos(c/2) - \sin(c/2)) (\cos(c/2 + (dx)/2) - \sin(c/2 + (dx)/2))) + (B \cos(c + dx))^5 \sec(c/2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) \sin((dx)/2) / (96d(B + A \cos(c + dx)) (\cos(c/2) + \sin(c/2)) (\cos(c/2 + (dx)/2) + \sin(c/2 + (dx)/2))^3) + (\cos(c + dx))^5 \sec(c/2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) (-3A \cos(c/2) - 13B \cos(c/2) - 3A \sin(c/2) - 11B \sin(c/2)) / (192d(B + A \cos(c + dx)) (\cos(c/2) + \sin(c/2)) (\cos(c/2 + (dx)/2) + \sin(c/2 + (dx)/2))^2) + (\cos(c + dx))^5 \sec(c/2 + (dx)/2)^8(a + a \sec(c + dx))^4(A + B \sec(c + dx)) (3A \sin((dx)/2) + 5B \sin((dx)/2)) / (12d(B + A \cos(c + dx)) (\cos(c/2) + \sin(c/2)) (\cos(c/2 + (dx)/2) + \sin(c/2 + (dx)/2)))$$

Maple [A] time = 0.084, size = 189, normalized size = 1.3

$$\frac{Aa^4 \sin(dx + c)}{d} + Ba^4x + \frac{Ba^4c}{d} + 4a^4Ax + 4\frac{Aa^4c}{d} + 6\frac{Ba^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{13Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)*(a+a*sec(dx+c))^4*(A+B*sec(dx+c)),x)

[Out] 1/d*A*a^4*sin(dx+c)+B*a^4*x+1/d*B*a^4*c+4*a^4*A*x+4/d*A*a^4*c+6/d*B*a^4*ln(sec(dx+c)+tan(dx+c))+13/2/d*A*a^4*ln(sec(dx+c)+tan(dx+c))+20/3/d*B*a^4*tan(dx+c)+4/d*A*a^4*tan(dx+c)+2/d*B*a^4*sec(dx+c)*tan(dx+c)+1/2/d*A*a^4*sec(dx+c)*tan(dx+c)+1/3/d*B*a^4*tan(dx+c)*sec(dx+c)^2

Maxima [A] time = 1.01326, size = 317, normalized size = 2.1

$$48(dx + c)Aa^4 + 4(\tan(dx + c)^3 + 3 \tan(dx + c))Ba^4 + 12(dx + c)Ba^4 - 3Aa^4 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx + c) + 1) + \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{12}*(48*(d*x + c)*A*a^4 + 4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*a^4 + 12*(d*x + c)*B*a^4 - 3*A*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 12*B*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 36*A*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 24*B*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 12*A*a^4*\sin(d*x + c) + 48*A*a^4*\tan(d*x + c) + 72*B*a^4*\tan(d*x + c))/d$

Fricas [A] time = 0.509542, size = 405, normalized size = 2.68

$\frac{12(4A + B)a^4 dx \cos(dx + c)^3 + 3(13A + 12B)a^4 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(13A + 12B)a^4 \cos(dx + c)^3 \log(\sin(dx + c) - 1)}{12 d \cos(dx + c)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(12*(4*A + B)*a^4*d*x*\cos(d*x + c)^3 + 3*(13*A + 12*B)*a^4*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(13*A + 12*B)*a^4*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(6*A*a^4*\cos(d*x + c)^3 + 8*(3*A + 5*B)*a^4*\cos(d*x + c)^2 + 3*(A + 4*B)*a^4*\cos(d*x + c) + 2*B*a^4)*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.34172, size = 306, normalized size = 2.03

$$\frac{12 Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 6(4 Aa^4 + Ba^4)(dx + c) + 3(13 Aa^4 + 12 Ba^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 3(13 Aa^4 + 12 Ba^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{6} * (12 * A * a^4 * \tan(1/2 * d * x + 1/2 * c) / (\tan(1/2 * d * x + 1/2 * c)^2 + 1) + 6 * (4 * A * a^4 + B * a^4) * (d * x + c) + 3 * (13 * A * a^4 + 12 * B * a^4) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 3 * (13 * A * a^4 + 12 * B * a^4) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) - 2 * (21 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^5 + 30 * B * a^4 * \tan(1/2 * d * x + 1/2 * c)^5 - 48 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^3 - 76 * B * a^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 27 * A * a^4 * \tan(1/2 * d * x + 1/2 * c) + 54 * B * a^4 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1)^3) / d$

$$3.76 \quad \int \cos^2(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=160

$$\frac{5a^4(A - B) \sin(c + dx)}{2d} + \frac{a^4(8A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(A - B) \sin(c + dx) (a^2 \sec(c + dx) + a^2)^2}{2d} + \frac{(A + 6B) \sin(c + dx)}{2d}$$

[Out] (a^4*(13*A + 8*B)*x)/2 + (a^4*(8*A + 13*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^4*(A - B)*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(2*d) - ((A - B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((A + 6*B)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.389536, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4017, 4018, 3996, 3770}

$$\frac{5a^4(A - B) \sin(c + dx)}{2d} + \frac{a^4(8A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(A - B) \sin(c + dx) (a^2 \sec(c + dx) + a^2)^2}{2d} + \frac{(A + 6B) \sin(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (a^4*(13*A + 8*B)*x)/2 + (a^4*(8*A + 13*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (5*a^4*(A - B)*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(2*d) - ((A - B)*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + ((A + 6*B)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(2*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))*csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} + \frac{1}{2} \int \cos(c + dx) \sec^2(c + dx) (a + a \sec(c + dx))^4 (A + B \sec(c + dx)) dx \\
&= \frac{aA \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} - \frac{(A - B) \int \cos(c + dx) \sec^2(c + dx) (a + a \sec(c + dx))^4 dx}{2d} \\
&= \frac{aA \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} - \frac{(A - B) \int \cos(c + dx) \sec^2(c + dx) (a + a \sec(c + dx))^4 dx}{2d} \\
&= \frac{5a^4(A - B) \sin(c + dx)}{2d} + \frac{aA \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{1}{2} a^4(13A + 8B)x + \frac{5a^4(A - B) \sin(c + dx)}{2d} + \frac{aA \cos(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{2d} \\
&= \frac{1}{2} a^4(13A + 8B)x + \frac{a^4(8A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^4(A - B) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 4.83511, size = 373, normalized size = 2.33

$$a^4 \cos^5(c + dx) \sec^8\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^4 (A + B \sec(c + dx)) \left(\frac{4(4A+B) \sin(c) \cos(dx)}{d} + \frac{4(4A+B) \cos(c) \sin(dx)}{d} + \frac{1}{d(\cos(\frac{c}{2}))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] (a^4*Cos[c + d*x]^5*Sec[(c + d*x)/2]^8*(1 + Sec[c + d*x])^4*(A + B*Sec[c + d*x])*(2*(13*A + 8*B)*x - (2*(8*A + 13*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(8*A + 13*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*(4*A + B)*Cos[d*x]*Sin[c])/d + (A*Cos[2*d*x]*Sin[2*c])/d + (4*(4*A + B)*Cos[c]*Sin[d*x])/d + (A*Cos[2*c]*Sin[2*d*x])/d + B/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(A + 4*B)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - B/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(A + 4*B)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(64*(B + A*Cos[c + d*x]))

Maple [A] time = 0.086, size = 182, normalized size = 1.1

$$\frac{Aa^4 \sin(dx + c) \cos(dx + c)}{2d} + \frac{13a^4 Ax}{2} + \frac{13Aa^4 c}{2d} + \frac{Ba^4 \sin(dx + c)}{d} + 4 \frac{Aa^4 \sin(dx + c)}{d} + 4Ba^4 x + 4 \frac{Ba^4 c}{d} + \frac{13Ba^4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)), x)

[Out] 1/2/d*A*a^4*sin(d*x+c)*cos(d*x+c)+13/2*a^4*A*x+13/2/d*A*a^4*c+1/d*B*a^4*sin(d*x+c)+4/d*A*a^4*sin(d*x+c)+4*B*a^4*x+4/d*B*a^4*c+13/2/d*B*a^4*ln(sec(d*x+c)+tan(d*x+c))+4/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+4/d*B*a^4*tan(d*x+c)+1/d*A*a^4*tan(d*x+c)+1/2/d*B*a^4*sec(d*x+c)*tan(d*x+c)

Maxima [A] time = 1.03166, size = 269, normalized size = 1.68

$$(2dx + 2c + \sin(2dx + 2c))Aa^4 + 24(dx + c)Aa^4 + 16(dx + c)Ba^4 - Ba^4 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{4} * ((2*d*x + 2*c + \sin(2*d*x + 2*c)) * A * a^4 + 24 * (d*x + c) * A * a^4 + 16 * (d*x + c) * B * a^4 - B * a^4 * (2 * \sin(d*x + c) / (\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 8 * A * a^4 * (\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 12 * B * a^4 * (\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 16 * A * a^4 * \sin(d*x + c) + 4 * B * a^4 * \sin(d*x + c) + 4 * A * a^4 * \tan(d*x + c) + 16 * B * a^4 * \tan(d*x + c)) / d$

Fricas [A] time = 0.512709, size = 390, normalized size = 2.44

$$\frac{2(13A + 8B)a^4 dx \cos(dx + c)^2 + (8A + 13B)a^4 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (8A + 13B)a^4 \cos(dx + c)^2 \log(\sin(dx + c) - 1)}{4d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{4} * (2 * (13 * A + 8 * B) * a^4 * d * x * \cos(d * x + c)^2 + (8 * A + 13 * B) * a^4 * \cos(d * x + c)^2 * \log(\sin(d * x + c) + 1) - (8 * A + 13 * B) * a^4 * \cos(d * x + c)^2 * \log(-\sin(d * x + c) + 1) + 2 * (A * a^4 * \cos(d * x + c)^3 + 2 * (4 * A + B) * a^4 * \cos(d * x + c)^2 + 2 * (A + 4 * B) * a^4 * \cos(d * x + c) + B * a^4) * \sin(d * x + c)) / (d * \cos(d * x + c)^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.39989, size = 311, normalized size = 1.94

$$(13 Aa^4 + 8 Ba^4)(dx + c) + (8 Aa^4 + 13 Ba^4) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - (8 Aa^4 + 13 Ba^4) \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2} * ((13 * A * a^4 + 8 * B * a^4) * (d * x + c) + (8 * A * a^4 + 13 * B * a^4) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - (8 * A * a^4 + 13 * B * a^4) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1))) + 2 * (5 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^7 - 5 * B * a^4 * \tan(1/2 * d * x + 1/2 * c)^7 - 7 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^5 - 7 * B * a^4 * \tan(1/2 * d * x + 1/2 * c)^5 - 9 * A * a^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 9 * B * a^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 11 * A * a^4 * \tan(1/2 * d * x + 1/2 * c) + 11 * B * a^4 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^4 - 1)^2) / d$

$$3.77 \quad \int \cos^3(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=165

$$\frac{5a^4(2A + B)\sin(c + dx)}{2d} + \frac{a^4(A + 4B)\tanh^{-1}(\sin(c + dx))}{d} - \frac{(8A - 3B)\sin(c + dx)(a^4 \sec(c + dx) + a^4)}{6d} + \frac{(2A + B)\sin(c + dx)}{2d}$$

[Out] (a^4*(12*A + 13*B)*x)/2 + (a^4*(A + 4*B)*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(2*A + B)*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d) + ((2*A + B)*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((8*A - 3*B)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(6*d)

Rubi [A] time = 0.409852, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4017, 4018, 3996, 3770}

$$\frac{5a^4(2A + B)\sin(c + dx)}{2d} + \frac{a^4(A + 4B)\tanh^{-1}(\sin(c + dx))}{d} - \frac{(8A - 3B)\sin(c + dx)(a^4 \sec(c + dx) + a^4)}{6d} + \frac{(2A + B)\sin(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] (a^4*(12*A + 13*B)*x)/2 + (a^4*(A + 4*B)*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(2*A + B)*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(3*d) + ((2*A + B)*Cos[c + d*x]*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - ((8*A - 3*B)*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(6*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{1}{3} \int \cos^2(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx \\
&= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{(2A + B) \int \cos^2(c + dx)(a + a \sec(c + dx))^4 dx}{3d} \\
&= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} + \frac{(2A + B) \int \cos^2(c + dx)(a + a \sec(c + dx))^4 dx}{3d} \\
&= \frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^4(12A + 13B)x + \frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^4(12A + 13B)x + \frac{a^4(A + 4B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^4(2A + B) \sin(c + dx)}{2d}
\end{aligned}$$

Mathematica [B] time = 1.85038, size = 342, normalized size = 2.07

$$a^4 \cos^5(c + dx) \sec^8\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^4 (A + B \sec(c + dx)) \left(\frac{3(27A+16B) \sin(c) \cos(dx)}{d} + \frac{3(4A+B) \sin(2c) \cos(2dx)}{d} + \frac{3(2A+B) \sin(c) \cos(dx)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (a^4*cos[c + d*x]^5*Sec[(c + d*x)/2]^8*(1 + Sec[c + d*x])^4*(A + B*Sec[c + d*x])*(72*A*x + 78*B*x - (12*(A + 4*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (12*(A + 4*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (3*(27*A + 16*B)*Cos[d*x]*Sin[c])/d + (3*(4*A + B)*Cos[2*d*x]*Sin[2*c])/d + (A*Cos[3*d*x]*Sin[3*c])/d + (3*(27*A + 16*B)*Cos[c]*Sin[d*x])/d + (3*(4*A + B)*Cos[2*c]*Sin[2*d*x])/d + (A*Cos[3*c]*Sin[3*d*x])/d + (12*B*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (12*B*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(192*(B + A*Cos[c + d*x]))

Maple [A] time = 0.081, size = 190, normalized size = 1.2

$$\frac{A \sin(dx + c) (\cos(dx + c))^2 a^4}{3d} + \frac{20 A a^4 \sin(dx + c)}{3d} + \frac{B a^4 \sin(dx + c) \cos(dx + c)}{2d} + \frac{13 B a^4 x}{2} + \frac{13 B a^4 c}{2d} + 2 \frac{A a^4 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)

[Out] 1/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^4+20/3/d*A*a^4*sin(d*x+c)+1/2/d*B*a^4*sin(d*x+c)*cos(d*x+c)+13/2*B*a^4*x+13/2/d*B*a^4*c+2/d*A*a^4*sin(d*x+c)*cos(d*x+c)+6*a^4*A*x+6/d*A*a^4*c+4/d*B*a^4*sin(d*x+c)+4/d*B*a^4*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^4*tan(d*x+c)

Maxima [A] time = 1.04287, size = 252, normalized size = 1.53

$$4(\sin(dx + c)^3 - 3 \sin(dx + c)) A a^4 - 12(2 dx + 2 c + \sin(2 dx + 2 c)) A a^4 - 48(dx + c) A a^4 - 3(2 dx + 2 c + \sin(2 dx + 2 c)) B a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out]
$$\frac{-1/12*(4*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a^4 - 12*(2*dx+2*c + \sin(2*dx+2*c))*A*a^4 - 48*(dx+c)*A*a^4 - 3*(2*dx+2*c + \sin(2*dx+2*c))*B*a^4 - 72*(dx+c)*B*a^4 - 6*A*a^4*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 24*B*a^4*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 72*A*a^4*\sin(dx+c) - 48*B*a^4*\sin(dx+c) - 12*B*a^4*\tan(dx+c))/d}{d}$$

Fricas [A] time = 0.514288, size = 383, normalized size = 2.32

$$\frac{3(12A + 13B)a^4 dx \cos(dx+c) + 3(A + 4B)a^4 \cos(dx+c) \log(\sin(dx+c)+1) - 3(A + 4B)a^4 \cos(dx+c) \log(-\sin(dx+c)+1)}{6d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out]
$$\frac{1/6*(3*(12*A + 13*B)*a^4*d*x*\cos(dx+c) + 3*(A + 4*B)*a^4*\cos(dx+c)*\log(\sin(dx+c)+1) - 3*(A + 4*B)*a^4*\cos(dx+c)*\log(-\sin(dx+c)+1) + (2*A*a^4*\cos(dx+c)^3 + 3*(4*A + B)*a^4*\cos(dx+c)^2 + 8*(5*A + 3*B)*a^4*\cos(dx+c) + 6*B*a^4)*\sin(dx+c))/(d*\cos(dx+c))}{d \cos(dx+c)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.30382, size = 305, normalized size = 1.85

$$\frac{12Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - 3(12Aa^4 + 13Ba^4)(dx + c) - 6(Aa^4 + 4Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 6(Aa^4 + 4Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(12*B*a^4*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(12*A*a^4 + 13*B*a^4)*(d*x + c) - 6*(A*a^4 + 4*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 6*(A*a^4 + 4*B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(30*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 21*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 76*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 48*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 54*A*a^4*\tan(1/2*d*x + 1/2*c) + 27*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3) \\ & /d \end{aligned}$$

$$3.78 \quad \int \cos^4(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=173

$$\frac{5a^4(7A + 8B) \sin(c + dx)}{8d} + \frac{(7A + 4B) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{12d} + \frac{(35A + 32B) \sin(c + dx) \cos(c + dx)}{24d}$$

[Out] (a^4*(35*A + 48*B)*x)/8 + (a^4*B*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(7*A + 8*B)*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(4*d) + ((7*A + 4*B)*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(12*d) + ((35*A + 32*B)*Cos[c + d*x]*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(24*d)

Rubi [A] time = 0.402583, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4017, 3996, 3770}

$$\frac{5a^4(7A + 8B) \sin(c + dx)}{8d} + \frac{(7A + 4B) \sin(c + dx) \cos^2(c + dx) (a^2 \sec(c + dx) + a^2)^2}{12d} + \frac{(35A + 32B) \sin(c + dx) \cos(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (a^4*(35*A + 48*B)*x)/8 + (a^4*B*ArcTanh[Sin[c + d*x]])/d + (5*a^4*(7*A + 8*B)*Sin[c + d*x])/(8*d) + (a*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^3*Sin[c + d*x])/(4*d) + ((7*A + 4*B)*Cos[c + d*x]^2*(a^2 + a^2*Sec[c + d*x])^2*Sin[c + d*x])/(12*d) + ((35*A + 32*B)*Cos[c + d*x]*(a^4 + a^4*Sec[c + d*x])*Sin[c + d*x])/(24*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
;/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^3(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx \\
&= \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} + \frac{(7A + 4B) \int \cos^2(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx}{4d} \\
&= \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} + \frac{(7A + 4B) \int \cos(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx}{4d} \\
&= \frac{5a^4(7A + 8B) \sin(c + dx)}{8d} + \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{1}{8} a^4(35A + 48B)x + \frac{5a^4(7A + 8B) \sin(c + dx)}{8d} + \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{4d} \\
&= \frac{1}{8} a^4(35A + 48B)x + \frac{a^4 B \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^4(7A + 8B) \sin(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 0.339811, size = 138, normalized size = 0.8

$$a^4 \left(24(28A + 27B) \sin(c + dx) + 24(7A + 4B) \sin(2(c + dx)) + 32A \sin(3(c + dx)) + 3A \sin(4(c + dx)) + 420Adx + 8B \right)$$

96

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a^4*(420*A*d*x + 576*B*d*x - 96*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]
+ 96*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 24*(28*A + 27*B)*Sin[c +
```

$d*x] + 24*(7*A + 4*B)*\text{Sin}[2*(c + d*x)] + 32*A*\text{Sin}[3*(c + d*x)] + 8*B*\text{Sin}[3*(c + d*x)] + 3*A*\text{Sin}[4*(c + d*x)])))/(96*d)$

Maple [A] time = 0.091, size = 199, normalized size = 1.2

$$\frac{Aa^4 \sin(dx + c) (\cos(dx + c))^3}{4d} + \frac{27 Aa^4 \sin(dx + c) \cos(dx + c)}{8d} + \frac{35 a^4 Ax}{8} + \frac{35 Aa^4 c}{8d} + \frac{B \sin(dx + c) (\cos(dx + c))^2}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

[Out] $1/4/d*A*a^4*\sin(d*x+c)*\cos(d*x+c)^3+27/8/d*A*a^4*\sin(d*x+c)*\cos(d*x+c)+35/8*a^4*A*x+35/8/d*A*a^4*c+1/3/d*B*\sin(d*x+c)*\cos(d*x+c)^2*a^4+20/3/d*B*a^4*\sin(d*x+c)+4/3/d*A*\sin(d*x+c)*\cos(d*x+c)^2*a^4+20/3/d*A*a^4*\sin(d*x+c)+2/d*B*a^4*\sin(d*x+c)*\cos(d*x+c)+6*B*a^4*x+6/d*B*a^4*c+1/d*B*a^4*\ln(\sec(d*x+c))+\tan(d*x+c)$

Maxima [A] time = 1.02961, size = 277, normalized size = 1.6

$$128 (\sin(dx + c)^3 - 3 \sin(dx + c)) Aa^4 - 3 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Aa^4 - 144 (2 dx + 2 c + \sin(2 dx + 2 c)) Ba^4 - 96 (d x + c) Aa^4 + 32 (\sin(dx + c)^3 - 3 \sin(dx + c)) Ba^4 - 96 (2 dx + 2 c + \sin(2 dx + 2 c)) Ba^4 - 384 (d x + c) Ba^4 - 48 Ba^4 (\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) - 384 Aa^4 \sin(dx + c) - 576 Ba^4 \sin(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-1/96*(128*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*A*a^4 - 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a^4 - 144*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^4 - 96*(d*x + c)*A*a^4 + 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a^4 - 96*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^4 - 384*(d*x + c)*B*a^4 - 48*B*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) - 384*A*a^4*\sin(d*x + c) - 576*B*a^4*\sin(d*x + c))/d$

Fricas [A] time = 0.510658, size = 306, normalized size = 1.77

$$3(35A + 48B)a^4 dx + 12Ba^4 \log(\sin(dx + c) + 1) - 12Ba^4 \log(-\sin(dx + c) + 1) + \frac{(6Aa^4 \cos(dx + c)^3 + 8(4A + B)a^4 \sin(dx + c) \cos(dx + c) + 3Aa^4 \cos(dx + c) - 3Ba^4 \sin(dx + c))}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{24}*(3*(35*A + 48*B)*a^4*d*x + 12*B*a^4*\log(\sin(d*x + c) + 1) - 12*B*a^4*\log(-\sin(d*x + c) + 1) + (6*A*a^4*\cos(d*x + c)^3 + 8*(4*A + B)*a^4*\cos(d*x + c)^2 + 3*(27*A + 16*B)*a^4*\cos(d*x + c) + 160*(A + B)*a^4)*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.31806, size = 289, normalized size = 1.67

$24 Ba^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 24 Ba^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + 3(35 Aa^4 + 48 Ba^4)(dx + c) + \frac{2\left(105 Aa^4 \tan\left(\frac{1}{2}\right)\right)}{\dots}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{24}*(24*B*a^4*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 24*B*a^4*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 3*(35*A*a^4 + 48*B*a^4)*(d*x + c) + 2*(105*A*a^4*\tan(1/2*d*x + 1/2*c)^7 + 120*B*a^4*\tan(1/2*d*x + 1/2*c)^7 + 385*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 424*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 511*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 520*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 279*A*a^4*\tan(1/2*d*x + 1/2*c) + 216*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^4/d$

$$3.79 \quad \int \cos^5(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=158

$$-\frac{4a^4(4A + 5B) \sin^3(c + dx)}{15d} + \frac{8a^4(4A + 5B) \sin(c + dx)}{5d} + \frac{a^4(4A + 5B) \sin(c + dx) \cos^3(c + dx)}{20d} + \frac{27a^4(4A + 5B) \sin(c + dx)}{40d}$$

[Out] (7*a^4*(4*A + 5*B)*x)/8 + (8*a^4*(4*A + 5*B)*Sin[c + d*x])/(5*d) + (27*a^4*(4*A + 5*B)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + (a^4*(4*A + 5*B)*Cos[c + d*x]^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(5*d) - (4*a^4*(4*A + 5*B)*Sin[c + d*x]^3)/(15*d)

Rubi [A] time = 0.201723, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4013, 3791, 2637, 2635, 8, 2633}

$$-\frac{4a^4(4A + 5B) \sin^3(c + dx)}{15d} + \frac{8a^4(4A + 5B) \sin(c + dx)}{5d} + \frac{a^4(4A + 5B) \sin(c + dx) \cos^3(c + dx)}{20d} + \frac{27a^4(4A + 5B) \sin(c + dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (7*a^4*(4*A + 5*B)*x)/8 + (8*a^4*(4*A + 5*B)*Sin[c + d*x])/(5*d) + (27*a^4*(4*A + 5*B)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + (a^4*(4*A + 5*B)*Cos[c + d*x]^3*Sin[c + d*x])/(20*d) + (A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^4*Sin[c + d*x])/(5*d) - (4*a^4*(4*A + 5*B)*Sin[c + d*x]^3)/(15*d)

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3791

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n], x]

$*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{I}$
 $\text{GtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)(x_.)], x_Symbol] \ :> \ \text{Simp}[\sin[c + d*x]/d, x] /;$
 $\text{FreeQ}\{c, d\}, x]$

Rule 2635

$\text{Int}[(b_.)\sin[(c_.) + (d_.)(x_.)]^{(n_.)}, x_Symbol] \ :> \ -\text{Simp}[(b*\cos[c + d*x]$
 $]*(b*\sin[c + d*x])^{(n - 1)}/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\sin[c$
 $+ d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$
 $]$

Rule 8

$\text{Int}[a_, x_Symbol] \ :> \ \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)(x_.)]^{(n_.)}, x_Symbol] \ :> \ -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expa}$
 $\text{nd}[(1 - x^2)^{((n - 1)/2)}, x], x], x, \cos[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x]$
 $\ \&\& \ \text{IGtQ}[(n - 1)/2, 0]$

Rubi steps

$$\begin{aligned} \int \cos^5(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5}(4A + 5B) \int \cos^4(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx \\ &= \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5}(4A + 5B) \int \cos^2(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx \\ &= \frac{1}{5}a^4(4A + 5B)x + \frac{A \cos^4(c + dx)(a + a \sec(c + dx))^4 \sin(c + dx)}{5d} \\ &= \frac{1}{5}a^4(4A + 5B)x + \frac{4a^4(4A + 5B) \sin(c + dx)}{5d} + \frac{3a^4(4A + 5B) \sin^3(c + dx)}{5d} \\ &= \frac{4}{5}a^4(4A + 5B)x + \frac{8a^4(4A + 5B) \sin(c + dx)}{5d} + \frac{27a^4(4A + 5B) \sin^3(c + dx)}{5d} \\ &= \frac{7}{8}a^4(4A + 5B)x + \frac{8a^4(4A + 5B) \sin(c + dx)}{5d} + \frac{27a^4(4A + 5B) \sin^3(c + dx)}{5d} \end{aligned}$$

Mathematica [A] time = 0.325799, size = 108, normalized size = 0.68

$$\frac{a^4(420(7A + 8B) \sin(c + dx) + 120(8A + 7B) \sin(2(c + dx)) + 290A \sin(3(c + dx)) + 60A \sin(4(c + dx)) + 6A \sin(5(c + dx)))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] (a^4*(1680*A*d*x + 2100*B*d*x + 420*(7*A + 8*B)*Sin[c + d*x] + 120*(8*A + 7*B)*Sin[2*(c + d*x)] + 290*A*Ssin[3*(c + d*x)] + 160*B*Ssin[3*(c + d*x)] + 60*A*Ssin[4*(c + d*x)] + 15*B*Ssin[4*(c + d*x)] + 6*A*Ssin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.095, size = 248, normalized size = 1.6

$$\frac{1}{d} \left(\frac{Aa^4 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + 4Aa^4 \left(\frac{1}{4} ((\cos(dx + c))^3 + \frac{3}{2} \cos(dx + c)) \sin(dx + c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)), x)

[Out] 1/d*(1/5*A*a^4*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+4*A*a^4*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a^4*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2*A*a^4*(2+cos(d*x+c)^2)*sin(d*x+c)+4/3*B*a^4*(2+cos(d*x+c)^2)*sin(d*x+c)+4*A*a^4*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+6*B*a^4*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*a^4*sin(d*x+c)+4*B*a^4*sin(d*x+c)+B*a^4*(d*x+c))

Maxima [A] time = 1.02748, size = 319, normalized size = 2.02

$$\frac{32(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^4 - 960(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^4 + 60(12 dx + 12 c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)), x, algorithm="maxima")

[Out] $\frac{1}{480} \cdot (32 \cdot (3 \cdot \sin(dx + c))^5 - 10 \cdot \sin(dx + c)^3 + 15 \cdot \sin(dx + c)) \cdot A \cdot a^4 - 960 \cdot (\sin(dx + c)^3 - 3 \cdot \sin(dx + c)) \cdot A \cdot a^4 + 60 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c)) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot A \cdot a^4 + 480 \cdot (2 \cdot dx + 2 \cdot c + \sin(2 \cdot dx + 2 \cdot c)) \cdot A \cdot a^4 - 640 \cdot (\sin(dx + c)^3 - 3 \cdot \sin(dx + c)) \cdot B \cdot a^4 + 15 \cdot (12 \cdot dx + 12 \cdot c + \sin(4 \cdot dx + 4 \cdot c)) + 8 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot B \cdot a^4 + 720 \cdot (2 \cdot dx + 2 \cdot c + \sin(2 \cdot dx + 2 \cdot c)) \cdot B \cdot a^4 + 480 \cdot (dx + c) \cdot B \cdot a^4 + 480 \cdot A \cdot a^4 \cdot \sin(dx + c) + 1920 \cdot B \cdot a^4 \cdot \sin(dx + c)) / d$

Fricas [A] time = 0.485643, size = 279, normalized size = 1.77

$$\frac{105(4A + 5B)a^4 dx + (24Aa^4 \cos(dx + c)^4 + 30(4A + B)a^4 \cos(dx + c)^3 + 16(17A + 10B)a^4 \cos(dx + c)^2 + 15(28A + 27B)a^4 \cos(dx + c) + 8(83A + 100B)a^4 \sin(dx + c))}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^5*(a+a*sec(dx+c))^4*(A+B*sec(dx+c)),x, algorithm="fricas")`

[Out] $\frac{1}{120} \cdot (105 \cdot (4 \cdot A + 5 \cdot B) \cdot a^4 \cdot dx + (24 \cdot A \cdot a^4 \cdot \cos(dx + c)^4 + 30 \cdot (4 \cdot A + B) \cdot a^4 \cdot \cos(dx + c)^3 + 16 \cdot (17 \cdot A + 10 \cdot B) \cdot a^4 \cdot \cos(dx + c)^2 + 15 \cdot (28 \cdot A + 27 \cdot B) \cdot a^4 \cdot \cos(dx + c) + 8 \cdot (83 \cdot A + 100 \cdot B) \cdot a^4 \cdot \sin(dx + c))) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**5*(a+a*sec(dx+c))**4*(A+B*sec(dx+c)),x)`

[Out] Timed out

Giac [A] time = 1.33091, size = 284, normalized size = 1.8

$$105(4Aa^4 + 5Ba^4)(dx + c) + \frac{2 \left(420Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 525Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 1960Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 2450Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 3584Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3584Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 \right)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{120} \cdot (105 \cdot (4 \cdot A \cdot a^4 + 5 \cdot B \cdot a^4) \cdot (d \cdot x + c) + 2 \cdot (420 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 525 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 1960 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 2450 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 3584 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 4480 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 3160 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 3950 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 1500 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1395 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^5 / d$

$$3.80 \quad \int \cos^6(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=220

$$\frac{a^4(72A + 83B) \sin(c + dx)}{15d} + \frac{a^4(159A + 176B) \sin(c + dx) \cos^2(c + dx)}{120d} + \frac{7a^4(7A + 8B) \sin(c + dx) \cos(c + dx)}{16d} + \dots \quad (3A)$$

```
[Out] (7*a^4*(7*A + 8*B)*x)/16 + (a^4*(72*A + 83*B)*Sin[c + d*x])/(15*d) + (7*a^4
*(7*A + 8*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^4*(159*A + 176*B)*Cos[c
+ d*x]^2*SIN[c + d*x])/(120*d) + (a*A*COS[c + d*x]^5*(a + a*Sec[c + d*x])^
3*SIN[c + d*x])/(6*d) + ((3*A + 2*B)*COS[c + d*x]^4*(a^2 + a^2*Sec[c + d*x]
)^2*SIN[c + d*x])/(10*d) + ((73*A + 72*B)*COS[c + d*x]^3*(a^4 + a^4*Sec[c +
d*x])*SIN[c + d*x])/(120*d)
```

Rubi [A] time = 0.532254, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4017, 3996, 3787, 2635, 8, 2637}

$$\frac{a^4(72A + 83B) \sin(c + dx)}{15d} + \frac{a^4(159A + 176B) \sin(c + dx) \cos^2(c + dx)}{120d} + \frac{7a^4(7A + 8B) \sin(c + dx) \cos(c + dx)}{16d} + \dots \quad (3A)$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]
```

```
[Out] (7*a^4*(7*A + 8*B)*x)/16 + (a^4*(72*A + 83*B)*Sin[c + d*x])/(15*d) + (7*a^4
*(7*A + 8*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^4*(159*A + 176*B)*Cos[c
+ d*x]^2*SIN[c + d*x])/(120*d) + (a*A*COS[c + d*x]^5*(a + a*Sec[c + d*x])^
3*SIN[c + d*x])/(6*d) + ((3*A + 2*B)*COS[c + d*x]^4*(a^2 + a^2*Sec[c + d*x]
)^2*SIN[c + d*x])/(10*d) + ((73*A + 72*B)*COS[c + d*x]^3*(a^4 + a^4*Sec[c +
d*x])*SIN[c + d*x])/(120*d)
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA \cos^5(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} + \frac{1}{6} \int \cos^6(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx \\
&= \frac{aA \cos^5(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} + \frac{(3A + 2B) \cos^5(c + dx)(a + a \sec(c + dx))^4}{6d} \\
&= \frac{aA \cos^5(c + dx)(a + a \sec(c + dx))^3 \sin(c + dx)}{6d} + \frac{(3A + 2B) \cos^5(c + dx)(a + a \sec(c + dx))^4}{6d} \\
&= \frac{a^4(159A + 176B) \cos^2(c + dx) \sin(c + dx)}{120d} + \frac{aA \cos^5(c + dx)(a + a \sec(c + dx))^4}{120d} \\
&= \frac{a^4(159A + 176B) \cos^2(c + dx) \sin(c + dx)}{120d} + \frac{aA \cos^5(c + dx)(a + a \sec(c + dx))^4}{120d} \\
&= \frac{a^4(72A + 83B) \sin(c + dx)}{15d} + \frac{7a^4(7A + 8B) \cos(c + dx) \sin(c + dx)}{16d} \\
&= \frac{7}{16} a^4(7A + 8B)x + \frac{a^4(72A + 83B) \sin(c + dx)}{15d} + \frac{7a^4(7A + 8B) \cos(c + dx) \sin(c + dx)}{16d}
\end{aligned}$$

Mathematica [A] time = 0.585357, size = 134, normalized size = 0.61

$$a^4(120(44A + 49B) \sin(c + dx) + 15(127A + 128B) \sin(2(c + dx)) + 720A \sin(3(c + dx)) + 225A \sin(4(c + dx)) + 48A$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^6*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (a^4*(2940*A*c + 2940*A*d*x + 3360*B*d*x + 120*(44*A + 49*B)*Sin[c + d*x] + 15*(127*A + 128*B)*Sin[2*(c + d*x)] + 720*A*Ssin[3*(c + d*x)] + 580*B*Ssin[3*(c + d*x)] + 225*A*Ssin[4*(c + d*x)] + 120*B*Ssin[4*(c + d*x)] + 48*A*Ssin[5*(c + d*x)] + 12*B*Ssin[5*(c + d*x)] + 5*A*Ssin[6*(c + d*x)]))/(960*d)

Maple [A] time = 0.107, size = 306, normalized size = 1.4

$$\frac{1}{d} \left(Aa^4 \left(\frac{\sin(dx + c)}{6} \left((\cos(dx + c))^5 + \frac{5(\cos(dx + c))^3}{4} + \frac{15 \cos(dx + c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{Ba^4 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^5 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

[Out] $\frac{1}{d} \left(A a^4 \left(\frac{1}{6} \cos^5(d*x+c) + \frac{5}{4} \cos^3(d*x+c) + \frac{15}{8} \cos(d*x+c) \right) \sin(d*x+c) + \frac{5}{16} d x + \frac{5}{16} c \right) + \frac{1}{5} B a^4 \left(\frac{8}{3} \cos^4(d*x+c) + \frac{4}{3} \cos^2(d*x+c) \right) \sin(d*x+c) + \frac{4}{5} A a^4 \left(\frac{8}{3} \cos^4(d*x+c) + \frac{4}{3} \cos^2(d*x+c) \right) \sin(d*x+c) + 4 B a^4 \left(\frac{1}{4} \cos^3(d*x+c) + \frac{3}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{3}{8} d x + \frac{3}{8} c \right) + 6 A a^4 \left(\frac{1}{4} \cos^3(d*x+c) + \frac{3}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{3}{8} d x + \frac{3}{8} c \right) + 2 B a^4 \left(2 + \cos^2(d*x+c) \right) \sin(d*x+c) + \frac{4}{3} A a^4 \left(2 + \cos^2(d*x+c) \right) \sin(d*x+c) + 4 B a^4 \left(\frac{1}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{1}{2} d x + \frac{1}{2} c \right) + A a^4 \left(\frac{1}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{1}{2} d x + \frac{1}{2} c \right) + B a^4 \sin(d*x+c)$

Maxima [A] time = 1.01621, size = 401, normalized size = 1.82

$$\frac{256 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) A a^4 - 5 \left(4 \sin(2dx+2c)^3 - 60 dx - 60 c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c) \right) A a^4 - 1280 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) A a^4 + 180 \left(12 dx + 12 c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) A a^4 + 240 \left(2 dx + 2 c + \sin(2dx+2c) \right) A a^4 + 64 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) B a^4 - 1920 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) B a^4 + 120 \left(12 dx + 12 c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) B a^4 + 960 \left(2 dx + 2 c + \sin(2dx+2c) \right) B a^4 + 960 B a^4 \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{960} \left(256 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) A a^4 - 5 \left(4 \sin(2dx+2c)^3 - 60 dx - 60 c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c) \right) A a^4 - 1280 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) A a^4 + 180 \left(12 dx + 12 c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) A a^4 + 240 \left(2 dx + 2 c + \sin(2dx+2c) \right) A a^4 + 64 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) B a^4 - 1920 \left(\sin(dx+c)^3 - 3 \sin(dx+c) \right) B a^4 + 120 \left(12 dx + 12 c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) B a^4 + 960 \left(2 dx + 2 c + \sin(2dx+2c) \right) B a^4 + 960 B a^4 \sin(dx+c) \right) / d$

Fricas [A] time = 0.492452, size = 329, normalized size = 1.5

$$\frac{105 (7 A + 8 B) a^4 dx + \left(40 A a^4 \cos(dx+c)^5 + 48 (4 A + B) a^4 \cos(dx+c)^4 + 10 (41 A + 24 B) a^4 \cos(dx+c)^3 + 32 (18 A + 12 B) a^4 \cos(dx+c)^2 + 16 (5 A + 4 B) a^4 \cos(dx+c) + 8 (A + B) a^4 \right) \sin(dx+c)}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")`

```
[Out] 1/240*(105*(7*A + 8*B)*a^4*d*x + (40*A*a^4*cos(d*x + c)^5 + 48*(4*A + B)*a^4*cos(d*x + c)^4 + 10*(41*A + 24*B)*a^4*cos(d*x + c)^3 + 32*(18*A + 17*B)*a^4*cos(d*x + c)^2 + 105*(7*A + 8*B)*a^4*cos(d*x + c) + 16*(72*A + 83*B)*a^4)*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**6*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)), x)
```

[Out] Timed out

Giac [A] time = 1.40133, size = 329, normalized size = 1.5

$$105(7Aa^4 + 8Ba^4)(dx + c) + \frac{2\left(735Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 840Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 4165Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 4760Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 9702Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 11088Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 11802Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 13488Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 7355Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9320Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3105Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3000Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^6}/d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)), x, algorithm="giac")
```

```
[Out] 1/240*(105*(7*A*a^4 + 8*B*a^4)*(d*x + c) + 2*(735*A*a^4*tan(1/2*d*x + 1/2*c)^11 + 840*B*a^4*tan(1/2*d*x + 1/2*c)^11 + 4165*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 4760*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 9702*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 11088*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 11802*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 13488*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 7355*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 9320*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 3105*A*a^4*tan(1/2*d*x + 1/2*c) + 3000*B*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^6)/d
```

3.81 $\int \cos^7(c + dx)(a + a \sec(c + dx))^4(A + B \sec(c + dx)) dx$

Optimal. Leaf size=241

$$-\frac{a^4(227A + 252B) \sin^3(c + dx)}{105d} + \frac{a^4(227A + 252B) \sin(c + dx)}{35d} + \frac{a^4(276A + 301B) \sin(c + dx) \cos^3(c + dx)}{280d} + \frac{a^4(44A + 49B)x}{16d}$$

[Out] $(a^4(44A + 49B)x)/16 + (a^4(227A + 252B)\text{Sin}[c + d*x])/(35*d) + (a^4(44A + 49B)\text{Cos}[c + d*x]\text{Sin}[c + d*x])/(16*d) + (a^4(276A + 301B)\text{Cos}[c + d*x]^3\text{Sin}[c + d*x])/(280*d) + (a^4A\text{Cos}[c + d*x]^6(a + a*\text{Sec}[c + d*x])^3\text{Sin}[c + d*x])/(7*d) + ((10A + 7B)\text{Cos}[c + d*x]^5(a^2 + a^2*\text{Sec}[c + d*x])^2\text{Sin}[c + d*x])/(42*d) + (7(A + B)\text{Cos}[c + d*x]^4(a^4 + a^4*\text{Sec}[c + d*x])\text{Sin}[c + d*x])/(15*d) - (a^4(227A + 252B)\text{Sin}[c + d*x]^3)/(105*d)$

Rubi [A] time = 0.566977, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4017, 3996, 3787, 2633, 2635, 8}

$$-\frac{a^4(227A + 252B) \sin^3(c + dx)}{105d} + \frac{a^4(227A + 252B) \sin(c + dx)}{35d} + \frac{a^4(276A + 301B) \sin(c + dx) \cos^3(c + dx)}{280d} + \frac{a^4(44A + 49B)x}{16d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^7(a + a*\text{Sec}[c + d*x])^4(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(a^4(44A + 49B)x)/16 + (a^4(227A + 252B)\text{Sin}[c + d*x])/(35*d) + (a^4(44A + 49B)\text{Cos}[c + d*x]\text{Sin}[c + d*x])/(16*d) + (a^4(276A + 301B)\text{Cos}[c + d*x]^3\text{Sin}[c + d*x])/(280*d) + (a^4A\text{Cos}[c + d*x]^6(a + a*\text{Sec}[c + d*x])^3\text{Sin}[c + d*x])/(7*d) + ((10A + 7B)\text{Cos}[c + d*x]^5(a^2 + a^2*\text{Sec}[c + d*x])^2\text{Sin}[c + d*x])/(42*d) + (7(A + B)\text{Cos}[c + d*x]^4(a^4 + a^4*\text{Sec}[c + d*x])\text{Sin}[c + d*x])/(15*d) - (a^4(227A + 252B)\text{Sin}[c + d*x]^3)/(105*d)$

Rule 4017

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[b/(a*d^n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*(m-n-1) - b*B*n - (a*B*n + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] / ; \text{FreeQ}\{a, b, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \cos^7(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx))dx &= \frac{aA\cos^6(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{7d} + \frac{1}{7}\int \cos^6(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx))dx \\
&= \frac{aA\cos^6(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{7d} + \frac{(10A+7B)\cos^6(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx))}{7d} \\
&= \frac{aA\cos^6(c+dx)(a+a\sec(c+dx))^3\sin(c+dx)}{7d} + \frac{(10A+7B)\cos^6(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx))}{7d} \\
&= \frac{a^4(276A+301B)\cos^3(c+dx)\sin(c+dx)}{280d} + \frac{aA\cos^6(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx))}{7d} \\
&= \frac{a^4(276A+301B)\cos^3(c+dx)\sin(c+dx)}{280d} + \frac{aA\cos^6(c+dx)(a+a\sec(c+dx))^4(A+B\sec(c+dx))}{7d} \\
&= \frac{a^4(44A+49B)\cos(c+dx)\sin(c+dx)}{16d} + \frac{a^4(276A+301B)\cos^3(c+dx)\sin(c+dx)}{280d} \\
&= \frac{1}{16}a^4(44A+49B)x + \frac{a^4(227A+252B)\sin(c+dx)}{35d} + \frac{a^4(44A+49B)\cos(c+dx)\sin(c+dx)}{16d}
\end{aligned}$$

Mathematica [A] time = 0.696459, size = 156, normalized size = 0.65

$$\frac{a^4(105(323A+352B)\sin(c+dx) + 105(124A+127B)\sin(2(c+dx)) + 5495A\sin(3(c+dx)) + 2100A\sin(4(c+dx)) + 5040B\sin(3(c+dx)) + 2100A\sin(4(c+dx)) + 1575B\sin(4(c+dx)) + 651A\sin(5(c+dx)) + 336B\sin(5(c+dx)) + 140A\sin(6(c+dx)) + 35B\sin(6(c+dx)) + 15A\sin(7(c+dx)))}{(6720*d)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^7*(a + a*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (a^4*(18480*A*c + 18480*A*d*x + 20580*B*d*x + 105*(323*A + 352*B)*Sin[c + d*x] + 105*(124*A + 127*B)*Sin[2*(c + d*x)] + 5495*A*Ssin[3*(c + d*x)] + 5040*B*Ssin[3*(c + d*x)] + 2100*A*Ssin[4*(c + d*x)] + 1575*B*Ssin[4*(c + d*x)] + 651*A*Ssin[5*(c + d*x)] + 336*B*Ssin[5*(c + d*x)] + 140*A*Ssin[6*(c + d*x)] + 35*B*Ssin[6*(c + d*x)] + 15*A*Ssin[7*(c + d*x)]))/(6720*d)

Maple [A] time = 0.116, size = 358, normalized size = 1.5

$$\frac{1}{d} \left(\frac{Aa^4 \sin(dx+c)}{7} \left(\frac{16}{5} + (\cos(dx+c))^6 + \frac{6(\cos(dx+c))^4}{5} + \frac{8(\cos(dx+c))^2}{5} \right) + Ba^4 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \dots \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^7*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)),x)$

[Out] $\frac{1}{d}*(\frac{1}{7}*A*a^4*(\frac{16}{5}+\cos(dx+c)^6+\frac{6}{5}\cos(dx+c)^4+\frac{8}{5}\cos(dx+c)^2)*\sin(dx+c)+B*a^4*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}\cos(dx+c)^3+\frac{15}{8}\cos(dx+c))*\sin(dx+c)+\frac{5}{16}*d*x+\frac{5}{16}*c)+4*A*a^4*(\frac{1}{6}*(\cos(dx+c)^5+\frac{5}{4}\cos(dx+c)^3+\frac{15}{8}\cos(dx+c))*\sin(dx+c)+\frac{5}{16}*d*x+\frac{5}{16}*c)+\frac{4}{5}*B*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)*\sin(dx+c)+\frac{6}{5}*A*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}\cos(dx+c)^2)*\sin(dx+c)+6*B*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))*\sin(dx+c)+\frac{3}{8}*d*x+\frac{3}{8}*c)+4*A*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}\cos(dx+c))*\sin(dx+c)+\frac{3}{8}*d*x+\frac{3}{8}*c)+\frac{4}{3}*B*a^4*(2+\cos(dx+c)^2)*\sin(dx+c)+\frac{1}{3}*A*a^4*(2+\cos(dx+c)^2)*\sin(dx+c)+B*a^4*(\frac{1}{2}\cos(dx+c))*\sin(dx+c)+\frac{1}{2}*d*x+\frac{1}{2}*c)$

Maxima [A] time = 1.03232, size = 481, normalized size = 2.

$$\frac{192(5 \sin(dx+c)^7 - 21 \sin(dx+c)^5 + 35 \sin(dx+c)^3 - 35 \sin(dx+c))Aa^4 - 2688(3 \sin(dx+c)^5 - 10 \sin(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^7*(a+a*\sec(dx+c))^4*(A+B*\sec(dx+c)),x, \text{algorithm}=\text{"maxima"})$

[Out] $-\frac{1}{6720}*(192*(5*\sin(dx+c)^7 - 21*\sin(dx+c)^5 + 35*\sin(dx+c)^3 - 35*\sin(dx+c))*A*a^4 - 2688*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*A*a^4 + 140*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*A*a^4 + 2240*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a^4 - 840*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*A*a^4 - 1792*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*B*a^4 + 35*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*B*a^4 + 8960*(\sin(dx+c)^3 - 3*\sin(dx+c))*B*a^4 - 1260*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^4 - 1680*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^4)/d$

Fricas [A] time = 0.504256, size = 396, normalized size = 1.64

$$\frac{105(44A + 49B)a^4 dx + (240Aa^4 \cos(dx+c)^6 + 280(4A+B)a^4 \cos(dx+c)^5 + 192(12A+7B)a^4 \cos(dx+c)^4 + 70(4A+B)a^4 \cos(dx+c)^3 + 140(4A+B)a^4 \cos(dx+c)^2 + 140(4A+B)a^4 \cos(dx+c) + 140(4A+B)a^4)dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/1680*(105*(44*A + 49*B)*a^4*d*x + (240*A*a^4*cos(d*x + c)^6 + 280*(4*A + B)*a^4*cos(d*x + c)^5 + 192*(12*A + 7*B)*a^4*cos(d*x + c)^4 + 70*(44*A + 41*B)*a^4*cos(d*x + c)^3 + 16*(227*A + 252*B)*a^4*cos(d*x + c)^2 + 105*(44*A + 49*B)*a^4*cos(d*x + c) + 32*(227*A + 252*B)*a^4)*sin(d*x + c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**7*(a+a*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.44387, size = 375, normalized size = 1.56

$$105(44Aa^4 + 49Ba^4)(dx + c) + \frac{2\left(4620Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{13} + 5145Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{13} + 30800Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11} + 34300Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{11}\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^7*(a+a*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/1680*(105*(44*A*a^4 + 49*B*a^4)*(d*x + c) + 2*(4620*A*a^4*tan(1/2*d*x + 1/2*c)^13 + 5145*B*a^4*tan(1/2*d*x + 1/2*c)^13 + 30800*A*a^4*tan(1/2*d*x + 1/2*c)^11 + 34300*B*a^4*tan(1/2*d*x + 1/2*c)^11 + 87164*A*a^4*tan(1/2*d*x + 1/2*c)^9 + 97069*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 135168*A*a^4*tan(1/2*d*x + 1/2*c)^7 + 150528*B*a^4*tan(1/2*d*x + 1/2*c)^7 + 126084*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 134099*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 58800*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 73220*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 22260*A*a^4*tan(1/2*d*x + 1/2*c) + 21735*B*a^4*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 + 1)^7)/d

$$3.82 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=131

$$\frac{(3A-4B) \tan^3(c+dx)}{3ad} - \frac{(3A-4B) \tan(c+dx)}{ad} + \frac{3(A-B) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(A-B) \tan(c+dx) \sec^3(c+dx)}{d(a \sec(c+dx) + a)}$$

[Out] (3*(A - B)*ArcTanh[Sin[c + d*x]])/(2*a*d) - ((3*A - 4*B)*Tan[c + d*x])/(a*d) + (3*(A - B)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((3*A - 4*B)*Tan[c + d*x]^3)/(3*a*d)

Rubi [A] time = 0.171113, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4019, 3787, 3768, 3770, 3767}

$$\frac{(3A-4B) \tan^3(c+dx)}{3ad} - \frac{(3A-4B) \tan(c+dx)}{ad} + \frac{3(A-B) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(A-B) \tan(c+dx) \sec^3(c+dx)}{d(a \sec(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (3*(A - B)*ArcTanh[Sin[c + d*x]])/(2*a*d) - ((3*A - 4*B)*Tan[c + d*x])/(a*d) + (3*(A - B)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])) - ((3*A - 4*B)*Tan[c + d*x]^3)/(3*a*d)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^4(c + dx)(A + B \sec(c + dx))}{a + a \sec(c + dx)} dx &= \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sec^3(c + dx)(3a(A - B) - a(3A - 4B) \sec(c + dx)) dx}{a^2} \\ &= \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(3A - 4B) \int \sec^4(c + dx) dx}{a} + \frac{(3(A - B)) \int \sec^3(c + dx) dx}{a} \\ &= \frac{3(A - B) \sec(c + dx) \tan(c + dx)}{2ad} + \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{(3(A - B)) \int \sec^3(c + dx) dx}{a} \\ &= \frac{3(A - B) \tanh^{-1}(\sin(c + dx))}{2ad} - \frac{(3A - 4B) \tan(c + dx)}{ad} + \frac{3(A - B) \sec(c + dx)}{2ad} \end{aligned}$$

Mathematica [B] time = 5.95256, size = 489, normalized size = 3.73

$$\cos\left(\frac{1}{2}(c + dx)\right) \left(\sec\left(\frac{c}{2}\right) \sec(c) \sec^3(c + dx) \left(6(A + B) \sin\left(\frac{dx}{2}\right) + (39B - 27A) \sin\left(\frac{3dx}{2}\right) + 12A \sin\left(c - \frac{dx}{2}\right) + 6A \sin\left(c + \frac{dx}{2}\right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*(-144*(A - B)*Cos[(c + d*x)/2]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Sec[c/2]*Sec[c]*Sec[c + d*x]^3*(6*(A + B)*Sin[(d*x)/2] + (-27*A + 39*B)*Sin[(3*d*x)/2] + 12*A*Sin[c - (d*x)/2] - 24*B*Sin[c - (d*x)/2] + 6*A*Sin[c + (d*x)/2] - 6*B*Sin[c + (d*x)/2] + 24*A*Sin[2*c + (d*x)/2] - 24*B*Sin[2*c + (d*x)/2] - 9*A*Sin[c + (3*d*x)/2] + 21*B*Sin[c + (3*d*x)/2] - 9*A*Sin[2*c + (3*d*x)/2] + 9*B*Sin[2*c + (3*d*x)/2] + 9*A*Sin[3*c + (3*d*x)/2] - 9*B*Sin[3*c + (3*d*x)/2] - 3*A*Sin[c + (5*d*x)/2] + 7*B*Sin[c + (5*d*x)/2] + 3*A*Sin[2*c + (5*d*x)/2] + B*Sin[2*c + (5*d*x)/2] + 3*A*Sin[3*c + (5*d*x)/2] - 3*B*Sin[3*c + (5*d*x)/2] + 9*A*Sin[4*c + (5*d*x)/2] - 9*B*Sin[4*c + (5*d*x)/2] - 12*A*Sin[2*c + (7*d*x)/2] + 16*B*Sin[2*c + (7*d*x)/2] - 6*A*Sin[3*c + (7*d*x)/2] + 10*B*Sin[3*c + (7*d*x)/2] - 6*A*Sin[4*c + (7*d*x)/2] + 6*B*Sin[4*c + (7*d*x)/2]))/(48*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.06, size = 340, normalized size = 2.6

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{3ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-3} - \frac{A}{2ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2} + \frac{B}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] -1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*B*tan(1/2*d*x+1/2*c)-1/3/a/d*B/(tan(1/2*d*x+1/2*c)+1)^3-1/2/a/d/(tan(1/2*d*x+1/2*c)+1)^2*A+1/a/d/(tan(1/2*d*x+1/2*c)+1)^2*B-5/2/a/d/(tan(1/2*d*x+1/2*c)+1)*B+3/2/a/d/(tan(1/2*d*x+1/2*c)+1)*A-3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B+3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*A-1/3/a/d*B/(tan(1/2*d*x+1/2*c)-1)^3-1/a/d/(tan(1/2*d*x+1/2*c)-1)^2*B+1/2/a/d/(tan(1/2*d*x+1/2*c)-1)^2*A+3/2/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B-3/2/a/d*ln(tan(1/2*d*x+1/2*c)-1)*A-5/2/a/d/(tan(1/2*d*x+1/2*c)-1)*B+3/2/a/d/(tan(1/2*d*x+1/2*c)-1)*A

Maxima [B] time = 1.05089, size = 497, normalized size = 3.79

$$B \left(\frac{2 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a - \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} - \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{6 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3A \left(\frac{2 \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{2a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{2a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} - \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{6 \sin(dx+c)}{a(\cos(dx+c)+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{6} * (B * (2 * (9 * \sin(d * x + c) / (\cos(d * x + c) + 1) - 16 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3 + 15 * \sin(d * x + c)^5 / (\cos(d * x + c) + 1)^5) / (a - 3 * a * \sin(d * x + c)^2 / (\cos(d * x + c) + 1)^2 + 3 * a * \sin(d * x + c)^4 / (\cos(d * x + c) + 1)^4 - a * \sin(d * x + c)^6 / (\cos(d * x + c) + 1)^6) - 9 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) + 1) / a + 9 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) - 1) / a + 6 * \sin(d * x + c) / (a * (\cos(d * x + c) + 1))) - 3 * A * (2 * (\sin(d * x + c) / (\cos(d * x + c) + 1) - 3 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / (a - 2 * a * \sin(d * x + c)^2 / (\cos(d * x + c) + 1)^2 + a * \sin(d * x + c)^4 / (\cos(d * x + c) + 1)^4) - 3 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) + 1) / a + 3 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) - 1) / a + 2 * \sin(d * x + c) / (a * (\cos(d * x + c) + 1)))) / d$

Fricas [A] time = 0.493217, size = 417, normalized size = 3.18

$$\frac{9 \left((A - B) \cos(dx + c)^4 + (A - B) \cos(dx + c)^3 \right) \log(\sin(dx + c) + 1) - 9 \left((A - B) \cos(dx + c)^4 + (A - B) \cos(dx + c)^3 \right)}{12 (ad \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12} * (9 * ((A - B) * \cos(d * x + c)^4 + (A - B) * \cos(d * x + c)^3) * \log(\sin(d * x + c) + 1) - 9 * ((A - B) * \cos(d * x + c)^4 + (A - B) * \cos(d * x + c)^3) * \log(-\sin(d * x + c) + 1) - 2 * (4 * (3 * A - 4 * B) * \cos(d * x + c)^3 + (3 * A - 7 * B) * \cos(d * x + c)^2 - (3 * A - B) * \cos(d * x + c) - 2 * B) * \sin(d * x + c)) / (a * d * \cos(d * x + c)^4 + a * d * \cos(d * x + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \sec^5(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)**4/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**5/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.34909, size = 246, normalized size = 1.88

$$\frac{9(A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{9(A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{6\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(9A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-15B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] 1/6*(9*(A - B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - 9*(A - B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 6*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a + 2*(9*A*tan(1/2*d*x + 1/2*c)^5 - 15*B*tan(1/2*d*x + 1/2*c)^3 - 12*A*tan(1/2*d*x + 1/2*c)^3 + 16*B*tan(1/2*d*x + 1/2*c)^3 + 3*A*tan(1/2*d*x + 1/2*c) - 9*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^3*a)/d

$$3.83 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=108

$$\frac{2(A-B) \tan(c+dx)}{ad} - \frac{(2A-3B) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(A-B) \tan(c+dx) \sec^2(c+dx)}{d(a \sec(c+dx) + a)} - \frac{(2A-3B) \tan(c+dx) \sec(c+dx)}{2ad}$$

[Out] $-\left(\frac{(2A-3B) \operatorname{ArcTanh}[\sin(c+dx)]}{2ad} + \frac{(A-B) \tan(c+dx) \sec^2(c+dx)}{d(a \sec(c+dx) + a)} - \frac{(2A-3B) \tan(c+dx) \sec(c+dx)}{2ad}\right) - \frac{(2A-3B) \sec(c+dx) \tan(c+dx)}{2ad} + \frac{(A-B) \sec(c+dx) \tan^2(c+dx)}{d(a + a \sec(c+dx))}$

Rubi [A] time = 0.162791, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4019, 3787, 3767, 8, 3768, 3770}

$$\frac{2(A-B) \tan(c+dx)}{ad} - \frac{(2A-3B) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(A-B) \tan(c+dx) \sec^2(c+dx)}{d(a \sec(c+dx) + a)} - \frac{(2A-3B) \tan(c+dx) \sec(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\sec(c+dx))^3(A+B \sec(c+dx))]/(a+a \sec(c+dx)), x]$

[Out] $-\left(\frac{(2A-3B) \operatorname{ArcTanh}[\sin(c+dx)]}{2ad} + \frac{(A-B) \tan(c+dx) \sec^2(c+dx)}{d(a \sec(c+dx) + a)} - \frac{(2A-3B) \tan(c+dx) \sec(c+dx)}{2ad}\right) - \frac{(2A-3B) \sec(c+dx) \tan(c+dx)}{2ad} + \frac{(A-B) \sec(c+dx) \tan^2(c+dx)}{d(a + a \sec(c+dx))}$

Rule 4019

$\operatorname{Int}[(\csc(e_.) + (f_.) \cdot (x_)) \cdot (d_.)^{(n_)} \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (b_.) + (a_.)^{(m_)} \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (B_.) + (A_.)], x_Symbol] \rightarrow \operatorname{Simp}[(d \cdot (A \cdot b - a \cdot B) \cdot \cot[e + f \cdot x] \cdot (a + b \cdot \csc[e + f \cdot x])^m \cdot (d \cdot \csc[e + f \cdot x])^{(n-1)}) / (a \cdot f \cdot (2 \cdot m + 1)), x] - \operatorname{Dist}[1 / (a \cdot b \cdot (2 \cdot m + 1)), \operatorname{Int}[(a + b \cdot \csc[e + f \cdot x])^{(m+1)} \cdot (d \cdot \csc[e + f \cdot x])^{(n-1)} \cdot \operatorname{Simp}[A \cdot (a \cdot d \cdot (n-1)) - B \cdot (b \cdot d \cdot (n-1)) - d \cdot (a \cdot B \cdot (m-n+1) + A \cdot b \cdot (m+n)) \cdot \csc[e + f \cdot x], x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[A \cdot b - a \cdot B, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& \operatorname{GtQ}[n, 0]$

Rule 3787

$\operatorname{Int}[(\csc(e_.) + (f_.) \cdot (x_)) \cdot (d_.)^{(n_)} \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d \cdot \csc[e + f \cdot x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d \cdot \csc[e + f \cdot x])^n, x], x]$

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \text{ :> } -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Csc}[c + d*x])^{(n - 1)}) / (d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2)) / (n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]] / d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)(A + B \sec(c + dx))}{a + a \sec(c + dx)} dx &= \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sec^2(c + dx)(2a(A - B) - a(2A - 3B) \sec(c + dx))}{a^2} \\ &= \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(2A - 3B) \int \sec^3(c + dx) dx}{a} + \frac{(2(A - B))}{a} \\ &= -\frac{(2A - 3B) \sec(c + dx) \tan(c + dx)}{2ad} + \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{(2A - 3B) \int \sec^3(c + dx) dx}{a} \\ &= -\frac{(2A - 3B) \tanh^{-1}(\sin(c + dx))}{2ad} + \frac{2(A - B) \tan(c + dx)}{ad} - \frac{(2A - 3B) \sec(c + dx)}{2a} \end{aligned}$$

Mathematica [B] time = 3.51831, size = 311, normalized size = 2.88

$$\cos\left(\frac{1}{2}(c + dx)\right) (A + B \sec(c + dx)) \left(4(A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c + dx)\right) \left(\frac{4(A - B)}{(\cos(\frac{c}{2}) - \sin(\frac{c}{2}))(\sin(\frac{c}{2}) + \cos(\frac{c}{2}))(\cos(\frac{1}{2}(c + dx)))} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*(A + B*Sec[c + d*x])*(4*(A - B)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*((4*A - 6*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 4*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 6*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + B/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - B/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*(A - B)*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))))/(2*a*d*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x]))

Maple [B] time = 0.055, size = 252, normalized size = 2.3

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{2ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-2} + \frac{3B}{2ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{A}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*B*tan(1/2*d*x+1/2*c)-1/2/a/d/(tan(1/2*d*x+1/2*c)+1)^2*B+3/2/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B-1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*A+3/2/a/d/(tan(1/2*d*x+1/2*c)+1)*B-1/a/d/(tan(1/2*d*x+1/2*c)+1)*A+1/2/a/d/(tan(1/2*d*x+1/2*c)-1)^2*B+3/2/a/d/(tan(1/2*d*x+1/2*c)-1)*B-1/a/d/(tan(1/2*d*x+1/2*c)-1)*A-3/2/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B+1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*A

Maxima [B] time = 1.00888, size = 381, normalized size = 3.53

$$B \left(\frac{2 \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{2 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) + 2A \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} \right)$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")

```
[Out] -1/2*(B*(2*(sin(d*x + c))/(cos(d*x + c) + 1) - 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a - 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) - 3*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a + 3*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a + 2*sin(d*x + c)/(a*(cos(d*x + c) + 1))) + 2*A*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - 2*sin(d*x + c)/((a - a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d
```

Fricas [A] time = 0.489632, size = 386, normalized size = 3.57

$$\frac{\left((2A - 3B)\cos(dx + c)^3 + (2A - 3B)\cos(dx + c)^2\right)\log(\sin(dx + c) + 1) - \left((2A - 3B)\cos(dx + c)^3 + (2A - 3B)\cos(dx + c)^2\right)\log(\sin(dx + c) - 1)}{4\left(ad\cos(dx + c)^3 + ad\cos(dx + c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(((2*A - 3*B)*cos(d*x + c)^3 + (2*A - 3*B)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - ((2*A - 3*B)*cos(d*x + c)^3 + (2*A - 3*B)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(4*(A - B)*cos(d*x + c)^2 + (2*A - B)*cos(d*x + c) + B)*sin(d*x + c))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \sec^4(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)
```

```
[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**4/(sec(c + d*x) + 1), x))/a
```

Giac [A] time = 1.33356, size = 211, normalized size = 1.95

$$\frac{(2A-3B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{(2A-3B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{2\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-3B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/2*((2*A - 3*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - (2*A - 3*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - 2*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a + 2*(2*A*tan(1/2*d*x + 1/2*c)^3 - 3*B*tan(1/2*d*x + 1/2*c)^3 - 2*A*tan(1/2*d*x + 1/2*c) + B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a))/d
```

$$3.84 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=62

$$\frac{(A-B) \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(A-B) \tan(c+dx)}{d(a \sec(c+dx)+a)} + \frac{B \tan(c+dx)}{ad}$$

[Out] ((A - B)*ArcTanh[Sin[c + d*x]]/(a*d) + (B*Tan[c + d*x])/(a*d) - ((A - B)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])))

Rubi [A] time = 0.116752, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4008, 3787, 3770, 3767, 8}

$$\frac{(A-B) \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(A-B) \tan(c+dx)}{d(a \sec(c+dx)+a)} + \frac{B \tan(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] ((A - B)*ArcTanh[Sin[c + d*x]]/(a*d) + (B*Tan[c + d*x])/(a*d) - ((A - B)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])))

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{a + a \sec(c + dx)} dx &= \frac{(A - B) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \sec(c + dx)(-a(A - B) - aB \sec(c + dx)) dx}{a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{d(a + a \sec(c + dx))} + \frac{(A - B) \int \sec(c + dx) dx}{a} + \frac{B \int \sec^2(c + dx) dx}{a} \\ &= \frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A - B) \tan(c + dx)}{d(a + a \sec(c + dx))} - \frac{B \operatorname{Subst}(\int 1 dx, x, -\tan(c + dx))}{ad} \\ &= \frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} + \frac{B \tan(c + dx)}{ad} - \frac{(A - B) \tan(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 1.1954, size = 224, normalized size = 3.61

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) (A + B \sec(c + dx)) \left((B - A) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c + dx)\right) \left(\frac{B \sin\left(\frac{c}{2}\right)}{\left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right) \cos\left(\frac{1}{2}(c + dx)\right)} - \frac{B \sin\left(\frac{c}{2}\right)}{ad(\sec(c + dx))} \right) \right)}{ad(\sec(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]), x]
```

```
[Out] (2*Cos[(c + d*x)/2]*(A + B*Sec[c + d*x])*((-A + B)*Sec[c/2]*Sin[(d*x)/2] +
Cos[(c + d*x)/2]*(-((A - B)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log
[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) + (B*Sin[d*x])/((Cos[c/2] - Sin[c/2
]))*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d
x)/2] + Sin[(c + d*x)/2]))))/(a*d*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x]))
```

Maple [B] time = 0.044, size = 163, normalized size = 2.6

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)^{-1} + \frac{A}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{B}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)`

[Out] `-1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*B*tan(1/2*d*x+1/2*c)-1/a/d/(tan(1/2*d*x+1/2*c)+1)*B+1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*A-1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B-1/a/d/(tan(1/2*d*x+1/2*c)-1)*B-1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*A+1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B`

Maxima [B] time = 1.00997, size = 265, normalized size = 4.27

$$\frac{B \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + 1}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) - 1}{a} - \frac{2 \sin(dx+c)}{\left(a - \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - A \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + 1}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) - 1}{a} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `-(B*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - 2*sin(d*x + c)/((a - a*sin(d*x + c)^2/(cos(d*x + c) + 1))^2*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1)))) - A*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))))/d`

Fricas [B] time = 0.482214, size = 319, normalized size = 5.15

$$\frac{\left((A - B) \cos(dx + c)^2 + (A - B) \cos(dx + c)\right) \log(\sin(dx + c) + 1) - \left((A - B) \cos(dx + c)^2 + (A - B) \cos(dx + c)\right) \log(\sin(dx + c) - 1)}{2(ad \cos(dx + c)^2 + ad \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(((A - B)*cos(d*x + c)^2 + (A - B)*cos(d*x + c))*log(sin(d*x + c) + 1) - ((A - B)*cos(d*x + c)^2 + (A - B)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*((A - 2*B)*cos(d*x + c) - B)*sin(d*x + c))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \sec^3(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)**2/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**3/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.32645, size = 147, normalized size = 2.37

$$\frac{\frac{(A-B) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{(A-B) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{2B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1}}{d} a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] ((A - B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - (A - B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a - (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a - 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a))/d

$$3.85 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=43

$$\frac{(A-B) \tan(c+dx)}{d(a \sec(c+dx)+a)} + \frac{B \tanh^{-1}(\sin(c+dx))}{ad}$$

[Out] (B*ArcTanh[Sin[c + d*x]])/(a*d) + ((A - B)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.0818521, antiderivative size = 43, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {3998, 3770, 3794}

$$\frac{(A-B) \tan(c+dx)}{d(a \sec(c+dx)+a)} + \frac{B \tanh^{-1}(\sin(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]), x]

[Out] (B*ArcTanh[Sin[c + d*x]])/(a*d) + ((A - B)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}

, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{\sec(c + dx)(A + B \sec(c + dx))}{a + a \sec(c + dx)} dx = (A - B) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx + \frac{B \int \sec(c + dx) dx}{a}$$

$$= \frac{B \tanh^{-1}(\sin(c + dx))}{ad} + \frac{(A - B) \tan(c + dx)}{d(a + a \sec(c + dx))}$$

Mathematica [B] time = 0.251622, size = 109, normalized size = 2.53

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + B \cos\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (2*Cos[(c + d*x)/2]*(B*Cos[(c + d*x)/2]*(-Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (A - B)*Sec[c/2]*Sin[(d*x)/2]))/(a*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.044, size = 78, normalized size = 1.8

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) + \frac{B}{ad} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*ln(tan(1/2*d*x+1/2*c)-1)*B+1/a/d*ln(tan(1/2*d*x+1/2*c)+1)*B-1/a/d*B*tan(1/2*d*x+1/2*c)

Maxima [B] time = 0.980288, size = 134, normalized size = 3.12

$$\frac{B \left(\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{A \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] (B*(log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a - log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))) + A*sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d

Fricas [A] time = 0.47021, size = 197, normalized size = 4.58

$$\frac{(B \cos(dx + c) + B) \log(\sin(dx + c) + 1) - (B \cos(dx + c) + B) \log(-\sin(dx + c) + 1) + 2(A - B) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*((B*cos(d*x + c) + B)*log(sin(d*x + c) + 1) - (B*cos(d*x + c) + B)*log(-sin(d*x + c) + 1) + 2*(A - B)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \sec^2(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**2/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.33317, size = 95, normalized size = 2.21

$$\frac{\frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} + \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] (B*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a - B*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a + (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a)/d

$$3.86 \quad \int \frac{A+B \sec(c+dx)}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=35

$$\frac{Ax}{a} - \frac{(A-B) \tan(c+dx)}{d(a \sec(c+dx) + a)}$$

[Out] (A*x)/a - ((A - B)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.0591123, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {3919, 3794}

$$\frac{Ax}{a} - \frac{(A-B) \tan(c+dx)}{d(a \sec(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x]),x]

[Out] (A*x)/a - ((A - B)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{A + B \sec(c + dx)}{a + a \sec(c + dx)} dx = \frac{Ax}{a} - (A - B) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx$$

$$= \frac{Ax}{a} - \frac{(A - B) \tan(c + dx)}{d(a + a \sec(c + dx))}$$

Mathematica [B] time = 0.13754, size = 72, normalized size = 2.06

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(2(B - A) \sin\left(\frac{dx}{2}\right) + A dx \cos\left(c + \frac{dx}{2}\right) + A dx \cos\left(\frac{dx}{2}\right)\right)}{ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x]), x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(A*d*x*Cos[(d*x)/2] + A*d*x*Cos[c + (d*x)/2] + 2*(-A + B)*Sin[(d*x)/2]))/(a*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.05, size = 56, normalized size = 1.6

$$2 \frac{A \arctan\left(\tan\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)}{ad} - \frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c)), x)

[Out] 2/a/d*A*arctan(tan(1/2*d*x+1/2*c))-1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*B*tan(1/2*d*x+1/2*c)

Maxima [B] time = 1.46919, size = 99, normalized size = 2.83

$$\frac{A \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{B \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] (A*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a - sin(d*x + c)/(a*(cos(d*x + c) + 1))) + B*sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d

Fricas [A] time = 0.450558, size = 105, normalized size = 3.

$$\frac{Adx \cos(dx + c) + Adx - (A - B) \sin(dx + c)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] (A*d*x*cos(d*x + c) + A*d*x - (A - B)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec(c+dx)+1} dx + \int \frac{B \sec(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] (Integral(A/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.18523, size = 59, normalized size = 1.69

$$\frac{\frac{(dx+c)A}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] ((d*x + c)*A/a - (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a)/d
```


$$3.87 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=60

$$\frac{(2A - B) \sin(c + dx)}{ad} - \frac{(A - B) \sin(c + dx)}{d(a \sec(c + dx) + a)} - \frac{x(A - B)}{a}$$

[Out] -(((A - B)*x)/a) + ((2*A - B)*Sin[c + d*x])/(a*d) - ((A - B)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.109468, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {4020, 3787, 2637, 8}

$$\frac{(2A - B) \sin(c + dx)}{ad} - \frac{(A - B) \sin(c + dx)}{d(a \sec(c + dx) + a)} - \frac{x(A - B)}{a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] -(((A - B)*x)/a) + ((2*A - B)*Sin[c + d*x])/(a*d) - ((A - B)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\sec(c+dx))}{a+a\sec(c+dx)} dx &= -\frac{(A-B)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \cos(c+dx)(a(2A-B)-a(A-B)\sec(c+dx)) dx}{a^2} \\ &= -\frac{(A-B)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(A-B)\int 1 dx}{a} + \frac{(2A-B)\int \cos(c+dx) dx}{a} \\ &= -\frac{(A-B)x}{a} + \frac{(2A-B)\sin(c+dx)}{ad} - \frac{(A-B)\sin(c+dx)}{d(a+a\sec(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.369742, size = 76, normalized size = 1.27

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(\cos\left(\frac{1}{2}(c+dx)\right)(dx(B-A)+A\sin(c+dx))+(A-B)\sec\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)\right)}{ad(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (2*Cos[(c + d*x)/2]*((A - B)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*((-A + B)*d*x + A*Sin[c + d*x]))/(a*d*(1 + Cos[c + d*x]))
```

Maple [A] time = 0.076, size = 108, normalized size = 1.8

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \tan(1/2 dx + c/2)}{ad(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{A \arctan(\tan(1/2 dx + c/2))}{ad} + 2 \frac{\arctan(\tan(1/2 dx + c/2))}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)
```

[Out] $\frac{1}{a/d*A*\tan(1/2*d*x+1/2*c)} - \frac{1}{a/d*B*\tan(1/2*d*x+1/2*c)} + \frac{2}{a/d*A*\tan(1/2*d*x+1/2*c)} / (1 + \tan(1/2*d*x+1/2*c)^2) - \frac{2}{a/d*A*\arctan(\tan(1/2*d*x+1/2*c))} + \frac{2}{a/d*\arctan(\tan(1/2*d*x+1/2*c))} * B$

Maxima [B] time = 1.49272, size = 193, normalized size = 3.22

$$\frac{A \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - B \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-\left(\frac{A*(2*\arctan(\sin(dx+c)/(\cos(dx+c)+1)))/a - 2*\sin(dx+c)/((a+a*\sin(dx+c)^2/(\cos(dx+c)+1)^2)*(\cos(dx+c)+1)) - \sin(dx+c)/(a*(\cos(dx+c)+1))}{a} - \frac{B*(2*\arctan(\sin(dx+c)/(\cos(dx+c)+1)))/a - \sin(dx+c)/(a*(\cos(dx+c)+1))}{a}\right)/d$

Fricas [A] time = 0.459761, size = 149, normalized size = 2.48

$$\frac{(A-B)dx \cos(dx+c) + (A-B)dx - (A \cos(dx+c) + 2A - B) \sin(dx+c)}{ad \cos(dx+c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] $-\left(\frac{(A-B)*d*x*\cos(dx+c) + (A-B)*d*x - (A*\cos(dx+c) + 2*A - B)*\sin(dx+c)}{a*d*\cos(dx+c) + a*d}\right)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*cos(c + d*x)/(sec(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sec(c + d*x)/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.28206, size = 107, normalized size = 1.78

$$\frac{\frac{(dx+c)(A-B)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{2 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] -((d*x + c)*(A - B)/a - (A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a - 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a))/d

$$3.88 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=98

$$\frac{2(A-B) \sin(c+dx)}{ad} + \frac{(3A-2B) \sin(c+dx) \cos(c+dx)}{2ad} - \frac{(A-B) \sin(c+dx) \cos(c+dx)}{d(a \sec(c+dx)+a)} + \frac{x(3A-2B)}{2a}$$

[Out] ((3*A - 2*B)*x)/(2*a) - (2*(A - B)*Sin[c + d*x])/(a*d) + ((3*A - 2*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.149809, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4020, 3787, 2635, 8, 2637}

$$\frac{2(A-B) \sin(c+dx)}{ad} + \frac{(3A-2B) \sin(c+dx) \cos(c+dx)}{2ad} - \frac{(A-B) \sin(c+dx) \cos(c+dx)}{d(a \sec(c+dx)+a)} + \frac{x(3A-2B)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] ((3*A - 2*B)*x)/(2*a) - (2*(A - B)*Sin[c + d*x])/(a*d) + ((3*A - 2*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c + dx)(A + B \sec(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos^2(c + dx)(a(3A - 2B) - 2a(A - B) \sec(c + dx))}{a^2} \\
&= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(3A - 2B) \int \cos^2(c + dx) dx}{a} - \frac{(2(A - B)) \int \cos(c + dx) \sec(c + dx) dx}{a} \\
&= -\frac{2(A - B) \sin(c + dx)}{ad} + \frac{(3A - 2B) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(A - B) \cos(c + dx)}{d(a + a \sec(c + dx))} \\
&= \frac{(3A - 2B)x}{2a} - \frac{2(A - B) \sin(c + dx)}{ad} + \frac{(3A - 2B) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(A - B)}{d(a + a \sec(c + dx))}
\end{aligned}$$

Mathematica [B] time = 0.443721, size = 197, normalized size = 2.01

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(4dx(3A - 2B) \cos\left(c + \frac{dx}{2}\right) + 4dx(3A - 2B) \cos\left(\frac{dx}{2}\right) - 4A \sin\left(c + \frac{dx}{2}\right) - 3A \sin\left(c + \frac{3dx}{2}\right) - 3A \sin\left(c + \frac{5dx}{2}\right)\right)}{8(a + a \sec(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]
```

```
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(4*(3*A - 2*B)*d*x*Cos[(d*x)/2] + 4*(3*A - 2*B)*
d*x*Cos[c + (d*x)/2] - 20*A*Sin[(d*x)/2] + 20*B*Sin[(d*x)/2] - 4*A*Sin[c +
(d*x)/2] + 4*B*Sin[c + (d*x)/2] - 3*A*Sin[c + (3*d*x)/2] + 4*B*Sin[c + (3*d
*x)/2] - 3*A*Sin[2*c + (3*d*x)/2] + 4*B*Sin[2*c + (3*d*x)/2] + A*Sin[2*c +
```

$$(5*d*x)/2] + A*\sin[3*c + (5*d*x)/2]))/(8*a*d*(1 + \cos[c + d*x]))$$

Maple [B] time = 0.082, size = 211, normalized size = 2.2

$$-\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 3 \frac{(\tan(1/2 dx + c/2))^3 A}{ad (1 + (\tan(1/2 dx + c/2))^2)^2} + 2 \frac{(\tan(1/2 dx + c/2))^3 B}{ad (1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{A}{ad} \tan$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)`

[Out] `-1/a/d*A*tan(1/2*d*x+1/2*c)+1/a/d*B*tan(1/2*d*x+1/2*c)-3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*A+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*B-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*A*tan(1/2*d*x+1/2*c)+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*B*tan(1/2*d*x+1/2*c)+3/a/d*A*arctan(tan(1/2*d*x+1/2*c))-2/a/d*arctan(tan(1/2*d*x+1/2*c))*B`

Maxima [B] time = 1.44804, size = 304, normalized size = 3.1

$$\frac{A \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + B \left(\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `-(A*((sin(d*x + c)/(cos(d*x + c) + 1) + 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a + 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) - 3*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a + sin(d*x + c)/(a*(cos(d*x + c) + 1))) + B*(2*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a - 2*sin(d*x + c)/((a + a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) - sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d`

Fricas [A] time = 0.465594, size = 203, normalized size = 2.07

$$\frac{(3A - 2B)dx \cos(dx + c) + (3A - 2B)dx + (A \cos(dx + c)^2 - (A - 2B) \cos(dx + c) - 4A + 4B) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*((3*A - 2*B)*d*x*cos(d*x + c) + (3*A - 2*B)*d*x + (A*cos(d*x + c)^2 - (A - 2*B)*cos(d*x + c) - 4*A + 4*B)*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos^2(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \cos^2(c+dx) \sec(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*cos(c + d*x)**2/(sec(c + d*x) + 1), x) + Integral(B*cos(c + d*x)**2*sec(c + d*x)/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.29655, size = 166, normalized size = 1.69

$$\frac{\frac{(dx+c)(3A-2B)}{a} - \frac{2\left(A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a} - \frac{2\left(3A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((d*x + c)*(3*A - 2*B)/a - 2*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a - 2*(3*A*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^3 + A*

$$\frac{\tan(1/2*d*x + 1/2*c) - 2*B*\tan(1/2*d*x + 1/2*c)}{((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*a)}/d$$

$$3.89 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=122

$$-\frac{(4A-3B)\sin^3(c+dx)}{3ad} + \frac{(4A-3B)\sin(c+dx)}{ad} - \frac{3(A-B)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(A-B)\sin(c+dx)\cos^2(c+dx)}{d(a \sec(c+dx)+a)}$$

[Out] $(-3*(A - B)*x)/(2*a) + ((4*A - 3*B)*\text{Sin}[c + d*x])/(a*d) - (3*(A - B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a*d) - ((A - B)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(d*(a + a*\text{Sec}[c + d*x])) - ((4*A - 3*B)*\text{Sin}[c + d*x]^3)/(3*a*d)$

Rubi [A] time = 0.159081, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4020, 3787, 2633, 2635, 8}

$$-\frac{(4A-3B)\sin^3(c+dx)}{3ad} + \frac{(4A-3B)\sin(c+dx)}{ad} - \frac{3(A-B)\sin(c+dx)\cos(c+dx)}{2ad} - \frac{(A-B)\sin(c+dx)\cos^2(c+dx)}{d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^3*(A + B*\text{Sec}[c + d*x]))/(a + a*\text{Sec}[c + d*x]),x]$

[Out] $(-3*(A - B)*x)/(2*a) + ((4*A - 3*B)*\text{Sin}[c + d*x])/(a*d) - (3*(A - B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a*d) - ((A - B)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(d*(a + a*\text{Sec}[c + d*x])) - ((4*A - 3*B)*\text{Sin}[c + d*x]^3)/(3*a*d)$

Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x], x]$

$(d*\text{Csc}[e + f*x])^{(n + 1), x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \text{ := } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{(n-1)/2}], x], x], x, \text{Cos}[c + d*x]], x] /;$ FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

$\text{Int}[((b_.)*\text{sin}[(c_.) + (d_.)*(x_.)])^{(n_.)}, x_Symbol] \text{ := } -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)}]/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

$\text{Int}[a_, x_Symbol] \text{ := } \text{Simp}[a*x, x] /;$ FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \sec(c + dx))}{a + a \sec(c + dx)} dx &= -\frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \cos^3(c + dx)(a(4A - 3B) - 3a(A - B) \sec(c + dx))}{a^2} \\ &= -\frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(4A - 3B) \int \cos^3(c + dx) dx}{a} - \frac{(3(A - B) \cos(c + dx) \sin(c + dx))}{a} \\ &= -\frac{3(A - B) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(3(A - B) \cos(c + dx) \sin(c + dx))}{a} \\ &= -\frac{3(A - B)x}{2a} + \frac{(4A - 3B) \sin(c + dx)}{ad} - \frac{3(A - B) \cos(c + dx) \sin(c + dx)}{2ad} - \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.668246, size = 249, normalized size = 2.04

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-36dx(A - B) \cos\left(c + \frac{dx}{2}\right) - 36dx(A - B) \cos\left(\frac{dx}{2}\right) + 21A \sin\left(c + \frac{dx}{2}\right) + 18A \sin\left(c + \frac{3dx}{2}\right) + 1 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-36*(A - B)*d*x*Cos[(d*x)/2] - 36*(A - B)*d*x*Cos[c + (d*x)/2] + 69*A*Sin[(d*x)/2] - 60*B*Sin[(d*x)/2] + 21*A*Sin[c + (d*x)/2] - 12*B*Sin[c + (d*x)/2] + 18*A*Sin[c + (3*d*x)/2] - 9*B*Sin[c + (3*d*x)/2] + 18*A*Sin[2*c + (3*d*x)/2] - 9*B*Sin[2*c + (3*d*x)/2] - 2*A*Sin[2*c + (5*d*x)/2] + 3*B*Sin[2*c + (5*d*x)/2] - 2*A*Sin[3*c + (5*d*x)/2] + 3*B*Sin[3*c + (5*d*x)/2] + A*Sin[3*c + (7*d*x)/2] + A*Sin[4*c + (7*d*x)/2]))/(24*a*d*(1 + Cos[c + d*x]))

Maple [B] time = 0.083, size = 281, normalized size = 2.3

$$\frac{A}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{ad} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 3 \frac{(\tan(1/2 dx + c/2))^5 B}{ad(1 + (\tan(1/2 dx + c/2))^2)^3} + 5 \frac{(\tan(1/2 dx + c/2))^5 A}{ad(1 + (\tan(1/2 dx + c/2))^2)^3} - 4 \frac{(\tan(1/2 dx + c/2))^5}{ad(1 + (\tan(1/2 dx + c/2))^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)), x)

[Out] 1/a/d*A*tan(1/2*d*x+1/2*c)-1/a/d*B*tan(1/2*d*x+1/2*c)-3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B+5/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A-4/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*B+16/3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*A-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)+3/a/d/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)-3/a/d*A*arctan(tan(1/2*d*x+1/2*c))+3/a/d*arctan(tan(1/2*d*x+1/2*c))*B

Maxima [B] time = 1.66925, size = 419, normalized size = 3.43

$$A \left(\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a + \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} - \frac{9 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{3 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3B \left(\frac{\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a + \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} \right)$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)), x, algorithm="maxima")

[Out] 1/3*(A*((9*sin(d*x + c))/(cos(d*x + c) + 1) + 16*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 15*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a + 3*a*sin(d*x + c)^2/

$$\frac{(\cos(dx + c) + 1)^2 + 3a\sin(dx + c)^4/(\cos(dx + c) + 1)^4 + a\sin(dx + c)^6/(\cos(dx + c) + 1)^6 - 9\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a + 3\sin(dx + c)/(a(\cos(dx + c) + 1)) - 3B((\sin(dx + c)/(\cos(dx + c) + 1) + 3\sin(dx + c)^3/(\cos(dx + c) + 1)^3)/(a + 2a\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + a\sin(dx + c)^4/(\cos(dx + c) + 1)^4 - 3\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a + \sin(dx + c)/(a(\cos(dx + c) + 1))))/d$$

Fricas [A] time = 0.471508, size = 243, normalized size = 1.99

$$\frac{9(A - B)dx \cos(dx + c) + 9(A - B)dx - (2A \cos(dx + c)^3 - (A - 3B) \cos(dx + c)^2 + (7A - 3B) \cos(dx + c) + 16A - 12B) \sin(dx + c)}{6(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+B*sec(dx+c))/(a+a*sec(dx+c)),x, algorithm="fricas")

[Out] -1/6*(9*(A - B)*d*x*cos(dx + c) + 9*(A - B)*d*x - (2*A*cos(dx + c)^3 - (A - 3*B)*cos(dx + c)^2 + (7*A - 3*B)*cos(dx + c) + 16*A - 12*B)*sin(dx + c))/(a*d*cos(dx + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos^3(c+dx)}{\sec(c+dx)+1} dx + \int \frac{B \cos^3(c+dx) \sec(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(A+B*sec(dx+c))/(a+a*sec(dx+c)),x)

[Out] (Integral(A*cos(c + d*x)**3/(sec(c + d*x) + 1), x) + Integral(B*cos(c + d*x)**3*sec(c + d*x)/(sec(c + d*x) + 1), x))/a

Giac [A] time = 1.22082, size = 204, normalized size = 1.67

$$\frac{9(dx+c)(A-B)}{a} - \frac{6\left(A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{a} - \frac{2\left(15A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 9B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 16A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 12B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 9\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)^3 a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/6*(9*(d*x + c)*(A - B)/a - 6*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a - 2*(15*A*tan(1/2*d*x + 1/2*c)^5 - 9*B*tan(1/2*d*x + 1/2*c)^5 + 16*A*tan(1/2*d*x + 1/2*c)^3 - 12*B*tan(1/2*d*x + 1/2*c)^3 + 9*A*tan(1/2*d*x + 1/2*c) - 3*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a))/d
```

$$3.90 \quad \int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=179

$$\frac{4(2A-3B) \tan^3(c+dx)}{3a^2d} - \frac{4(2A-3B) \tan(c+dx)}{a^2d} + \frac{(7A-10B) \tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(7A-10B) \tan(c+dx) \sec^3(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

[Out] ((7*A - 10*B)*ArcTanh[Sin[c + d*x]])/(2*a^2*d) - (4*(2*A - 3*B)*Tan[c + d*x])/(a^2*d) + ((7*A - 10*B)*Sec[c + d*x]*Tan[c + d*x])/(2*a^2*d) + ((7*A - 10*B)*Sec[c + d*x]^3*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^4*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) - (4*(2*A - 3*B)*Tan[c + d*x]^3)/(3*a^2*d)

Rubi [A] time = 0.321115, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4019, 3787, 3768, 3770, 3767}

$$\frac{4(2A-3B) \tan^3(c+dx)}{3a^2d} - \frac{4(2A-3B) \tan(c+dx)}{a^2d} + \frac{(7A-10B) \tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(7A-10B) \tan(c+dx) \sec^3(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] ((7*A - 10*B)*ArcTanh[Sin[c + d*x]])/(2*a^2*d) - (4*(2*A - 3*B)*Tan[c + d*x])/(a^2*d) + ((7*A - 10*B)*Sec[c + d*x]*Tan[c + d*x])/(2*a^2*d) + ((7*A - 10*B)*Sec[c + d*x]^3*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^4*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) - (4*(2*A - 3*B)*Tan[c + d*x]^3)/(3*a^2*d)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :=> -Simp[(b*Cos[c + d*x] *(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] :=> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^5(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^2} dx &= \frac{(A - B) \sec^4(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\sec^4(c + dx)(4a(A - B) - 3a(A - 2B) \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\
 &= \frac{(7A - 10B) \sec^3(c + dx) \tan(c + dx)}{3a^2 d(1 + \sec(c + dx))} + \frac{(A - B) \sec^4(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \sec^3(c + dx) \tan(c + dx) dx}{3a^2} \\
 &= \frac{(7A - 10B) \sec^3(c + dx) \tan(c + dx)}{3a^2 d(1 + \sec(c + dx))} + \frac{(A - B) \sec^4(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(7A - 10B) \sec^2(c + dx) \tan(c + dx)}{3a^2} \\
 &= \frac{(7A - 10B) \sec(c + dx) \tan(c + dx)}{2a^2 d} + \frac{(7A - 10B) \sec^3(c + dx) \tan(c + dx)}{3a^2 d(1 + \sec(c + dx))} + \frac{(A - B) \sec^4(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} \\
 &= \frac{(7A - 10B) \tanh^{-1}(\sin(c + dx))}{2a^2 d} - \frac{4(2A - 3B) \tan(c + dx)}{a^2 d} + \frac{(7A - 10B) \sec(c + dx) \tan(c + dx)}{2a^2}
 \end{aligned}$$

Mathematica [B] time = 6.35213, size = 764, normalized size = 4.27

$$\sec\left(\frac{c}{2}\right) \sec(c) \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^4(c + dx) \left(195A \sin\left(c - \frac{dx}{2}\right) - 51A \sin\left(c + \frac{dx}{2}\right) + 189A \sin\left(2c + \frac{dx}{2}\right) - A \sin\left(c + \frac{3dx}{2}\right) - 8\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] $(2*(-7*A + 10*B)*\cos[c/2 + (d*x)/2]^4*\log[\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2]]*\sec[c + d*x]*(A + B*\sec[c + d*x]))/(d*(B + A*\cos[c + d*x])*(a + a*\sec[c + d*x])^2) - (2*(-7*A + 10*B)*\cos[c/2 + (d*x)/2]^4*\log[\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2]]*\sec[c + d*x]*(A + B*\sec[c + d*x]))/(d*(B + A*\cos[c + d*x])*(a + a*\sec[c + d*x])^2) + (\cos[c/2 + (d*x)/2]*\sec[c/2]*\sec[c]*\sec[c + d*x]^4*(A + B*\sec[c + d*x])*(45*A*\sin[(d*x)/2] - 6*B*\sin[(d*x)/2] - 201*A*\sin[(3*d*x)/2] + 310*B*\sin[(3*d*x)/2] + 195*A*\sin[c - (d*x)/2] - 306*B*\sin[c - (d*x)/2] - 51*A*\sin[c + (d*x)/2] + 42*B*\sin[c + (d*x)/2] + 189*A*\sin[2*c + (d*x)/2] - 270*B*\sin[2*c + (d*x)/2] - A*\sin[c + (3*d*x)/2] + 50*B*\sin[c + (3*d*x)/2] - 81*A*\sin[2*c + (3*d*x)/2] + 90*B*\sin[2*c + (3*d*x)/2] + 119*A*\sin[3*c + (3*d*x)/2] - 170*B*\sin[3*c + (3*d*x)/2] - 129*A*\sin[c + (5*d*x)/2] + 198*B*\sin[c + (5*d*x)/2] - 9*A*\sin[2*c + (5*d*x)/2] + 42*B*\sin[2*c + (5*d*x)/2] - 57*A*\sin[3*c + (5*d*x)/2] + 66*B*\sin[3*c + (5*d*x)/2] + 63*A*\sin[4*c + (5*d*x)/2] - 90*B*\sin[4*c + (5*d*x)/2] - 75*A*\sin[2*c + (7*d*x)/2] + 114*B*\sin[2*c + (7*d*x)/2] - 15*A*\sin[3*c + (7*d*x)/2] + 36*B*\sin[3*c + (7*d*x)/2] - 39*A*\sin[4*c + (7*d*x)/2] + 48*B*\sin[4*c + (7*d*x)/2] + 21*A*\sin[5*c + (7*d*x)/2] - 30*B*\sin[5*c + (7*d*x)/2] - 32*A*\sin[3*c + (9*d*x)/2] + 48*B*\sin[3*c + (9*d*x)/2] - 12*A*\sin[4*c + (9*d*x)/2] + 22*B*\sin[4*c + (9*d*x)/2] - 20*A*\sin[5*c + (9*d*x)/2] + 26*B*\sin[5*c + (9*d*x)/2]))/(9*d*(B + A*\cos[c + d*x])*(a + a*\sec[c + d*x])^2)$

Maple [B] time = 0.065, size = 382, normalized size = 2.1

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{9B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{7A}{2da^2} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)

[Out] $-1/6/d/a^2*A*\tan(1/2*d*x+1/2*c)^3+1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3-7/2/d/a^2*A*\tan(1/2*d*x+1/2*c)+9/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*A-5/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B+3/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)^2*B-1/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)^2*A-5/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*B+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*A-1/3/d/a^2*B/(\tan(1/2*d*x+1/2*c)+1)^3+1/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)^2*A-3/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)^2*B-7/2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*A+5/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B$

$$-5/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*B+5/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*A-1/3/d/a^2*B/(\tan(1/2*d*x+1/2*c)-1)^3$$

Maxima [B] time = 1.01261, size = 574, normalized size = 3.21

$$B \left(\frac{4 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 - \frac{3a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{27 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - A \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} \right)}{a^2 - \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \right)$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] 1/6*(B*(4*(9*sin(d*x + c)/(cos(d*x + c) + 1) - 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 15*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a^2 - 3*a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a^2*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 - a^2*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) + (27*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 30*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 30*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2 - A*(6*(3*sin(d*x + c)/(cos(d*x + c) + 1) - 5*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a^2 - 2*a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a^2*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) + (21*sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 21*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^2 + 21*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^2))/d

Fricas [A] time = 0.506427, size = 616, normalized size = 3.44

$$3 \left((7A - 10B) \cos(dx + c)^5 + 2(7A - 10B) \cos(dx + c)^4 + (7A - 10B) \cos(dx + c)^3 \right) \log(\sin(dx + c) + 1) - 3 \left((7A - 10B) \cos(dx + c)^5 + 2(7A - 10B) \cos(dx + c)^4 + (7A - 10B) \cos(dx + c)^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] 1/12*(3*((7*A - 10*B)*cos(d*x + c)^5 + 2*(7*A - 10*B)*cos(d*x + c)^4 + (7*A - 10*B)*cos(d*x + c)^3)*log(sin(d*x + c) + 1) - 3*((7*A - 10*B)*cos(d*x + c)^5 + 2*(7*A - 10*B)*cos(d*x + c)^4 + (7*A - 10*B)*cos(d*x + c)^3))

$$c)^5 + 2*(7*A - 10*B)*\cos(d*x + c)^4 + (7*A - 10*B)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) - 2*(16*(2*A - 3*B)*\cos(d*x + c)^4 + (43*A - 66*B)*\cos(d*x + c)^3 + 6*(A - 2*B)*\cos(d*x + c)^2 - (3*A - 2*B)*\cos(d*x + c) - 2*B)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^5 + 2*a^2*d*\cos(d*x + c)^4 + a^2*d*\cos(d*x + c)^3)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^5(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec^6(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*sec(c + d*x)**5/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**6/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.35096, size = 305, normalized size = 1.7

$$\frac{3(7A-10B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{3(7A-10B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} + \frac{2\left(15A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-30B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-24A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+40B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(3*(7*A - 10*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 3*(7*A - 10*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 + 2*(15*A*tan(1/2*d*x + 1/2*c)^5 - 30*B*tan(1/2*d*x + 1/2*c)^5 - 24*A*tan(1/2*d*x + 1/2*c)^3 + 40*B*tan(1/2*d*x + 1/2*c)^3 + 9*A*tan(1/2*d*x + 1/2*c) - 18*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^3*a^2) - (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 + 21*A*a^4*tan(1/2*d*x + 1/2*c) - 27*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

3.91 $\int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$

Optimal. Leaf size=156

$$\frac{2(5A - 8B) \tan(c + dx)}{3a^2d} - \frac{(4A - 7B) \tanh^{-1}(\sin(c + dx))}{2a^2d} + \frac{(5A - 8B) \tan(c + dx) \sec^2(c + dx)}{3a^2d(\sec(c + dx) + 1)} - \frac{(4A - 7B) \tan(c + dx)}{2a^2d}$$

[Out] $-\left(\frac{4A - 7B}{3a^2d}\right) \text{ArcTanh}[\text{Sin}[c + dx]] / (2a^2d) + \frac{2(5A - 8B) \text{Tan}[c + dx]}{(3a^2d)} - \left(\frac{4A - 7B}{2a^2d}\right) \text{Sec}[c + dx] \text{Tan}[c + dx] / (2a^2d) + \frac{(5A - 8B) \text{Sec}[c + dx]^2 \text{Tan}[c + dx]}{(3a^2d(1 + \text{Sec}[c + dx]))} + \frac{(A - B) \text{Sec}[c + dx]^3 \text{Tan}[c + dx]}{(3d(a + a \text{Sec}[c + dx])^2)}$

Rubi [A] time = 0.305533, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4019, 3787, 3767, 8, 3768, 3770}

$$\frac{2(5A - 8B) \tan(c + dx)}{3a^2d} - \frac{(4A - 7B) \tanh^{-1}(\sin(c + dx))}{2a^2d} + \frac{(5A - 8B) \tan(c + dx) \sec^2(c + dx)}{3a^2d(\sec(c + dx) + 1)} - \frac{(4A - 7B) \tan(c + dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + dx]^4(A + B \text{Sec}[c + dx])) / (a + a \text{Sec}[c + dx])^2, x]$

[Out] $-\left(\frac{4A - 7B}{3a^2d}\right) \text{ArcTanh}[\text{Sin}[c + dx]] / (2a^2d) + \frac{2(5A - 8B) \text{Tan}[c + dx]}{(3a^2d)} - \left(\frac{4A - 7B}{2a^2d}\right) \text{Sec}[c + dx] \text{Tan}[c + dx] / (2a^2d) + \frac{(5A - 8B) \text{Sec}[c + dx]^2 \text{Tan}[c + dx]}{(3a^2d(1 + \text{Sec}[c + dx]))} + \frac{(A - B) \text{Sec}[c + dx]^3 \text{Tan}[c + dx]}{(3d(a + a \text{Sec}[c + dx])^2)}$

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)](d_.))^n (\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.))^m (\text{csc}[(e_.) + (f_.)(x_.)](B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(d(Ab - aB) \text{Cot}[e + fx] (a + b \text{Csc}[e + fx])^m (d \text{Csc}[e + fx])^{n-1}) / (a f (2m + 1)), x] - \text{Dist}[1 / (a b (2m + 1)), \text{Int}[(a + b \text{Csc}[e + fx])^{m+1} (d \text{Csc}[e + fx])^{n-1} \text{Simp}[A(a d (n-1) - B(b d (n-1)) - d(a B (m - n + 1) + A b (m + n)) \text{Csc}[e + fx], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A b - a B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^2} dx &= \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\sec^3(c + dx)(3a(A - B) - a(2A - 5B) \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\
 &= \frac{(5A - 8B) \sec^2(c + dx) \tan(c + dx)}{3a^2 d(1 + \sec(c + dx))} + \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \sec^3(c + dx) dx}{3a^2} \\
 &= \frac{(5A - 8B) \sec^2(c + dx) \tan(c + dx)}{3a^2 d(1 + \sec(c + dx))} + \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(2(5A - 8B) \sec^2(c + dx) \tan(c + dx) + (A - B) \sec^3(c + dx))}{3a^2} \\
 &= -\frac{(4A - 7B) \sec(c + dx) \tan(c + dx)}{2a^2 d} + \frac{(5A - 8B) \sec^2(c + dx) \tan(c + dx)}{3a^2 d(1 + \sec(c + dx))} + \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} \\
 &= -\frac{(4A - 7B) \tanh^{-1}(\sin(c + dx))}{2a^2 d} + \frac{2(5A - 8B) \tan(c + dx)}{3a^2 d} - \frac{(4A - 7B) \sec(c + dx)}{2a^2}
 \end{aligned}$$

Mathematica [B] time = 4.05729, size = 496, normalized size = 3.18

$$96(4A - 7B) \cos^4\left(\frac{1}{2}(c + dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right) + \sec\left(\frac{1}{2}(c + dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] (96*(4*A - 7*B)*Cos[(c + d*x)/2]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^2*(-14*(A - B)*Sin[(d*x)/2] + (64*A - 97*B)*Sin[(3*d*x)/2] - 84*A*Sin[c - (d*x)/2] + 126*B*Sin[c - (d*x)/2] + 42*A*Sin[c + (d*x)/2] - 42*B*Sin[c + (d*x)/2] - 56*A*Sin[2*c + (d*x)/2] + 98*B*Sin[2*c + (d*x)/2] - 6*A*Sin[c + (3*d*x)/2] + 3*B*Sin[c + (3*d*x)/2] + 34*A*Sin[2*c + (3*d*x)/2] - 37*B*Sin[2*c + (3*d*x)/2] - 36*A*Sin[3*c + (3*d*x)/2] + 63*B*Sin[3*c + (3*d*x)/2] + 48*A*Sin[c + (5*d*x)/2] - 75*B*Sin[c + (5*d*x)/2] + 6*A*Sin[2*c + (5*d*x)/2] - 15*B*Sin[2*c + (5*d*x)/2] + 30*A*Sin[3*c + (5*d*x)/2] - 39*B*Sin[3*c + (5*d*x)/2] - 12*A*Sin[4*c + (5*d*x)/2] + 21*B*Sin[4*c + (5*d*x)/2] + 20*A*Sin[2*c + (7*d*x)/2] - 32*B*Sin[2*c + (7*d*x)/2] + 6*A*Sin[3*c + (7*d*x)/2] - 12*B*Sin[3*c + (7*d*x)/2] + 14*A*Sin[4*c + (7*d*x)/2] - 20*B*Sin[4*c + (7*d*x)/2]))/(48*a^2*d*(1 + Cos[c + d*x])^2)

Maple [B] time = 0.063, size = 294, normalized size = 1.9

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{5A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{7B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{A}{da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right) + \frac{B}{da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)

[Out] 1/6/d/a^2*A*tan(1/2*d*x+1/2*c)^3-1/6/d/a^2*B*tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*A*tan(1/2*d*x+1/2*c)-7/2/d/a^2*B*tan(1/2*d*x+1/2*c)-1/d/a^2/(tan(1/2*d*x+1/2*c)+1)*A+5/2/d/a^2/(tan(1/2*d*x+1/2*c)+1)*B-2/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*A+7/2/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*B-1/2/d/a^2/(tan(1/2*d*x+1/2*c)+1)^2*B-1/d/a^2/(tan(1/2*d*x+1/2*c)-1)*A+5/2/d/a^2/(tan(1/2*d*x+1/2*c)-1)*B+2/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*A-7/2/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*B+1/2/d/a^2/(tan(1/2*d*x+1/2*c)-1)^2*B

Maxima [B] time = 1.01654, size = 454, normalized size = 2.91

$$\frac{B \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 - \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - A \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out]
$$\frac{-1/6*(B*(6*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) - 5*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^2 - 2*a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^2*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (21*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 21*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 21*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2) - A*((15*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2 + 12*\sin(d*x + c)/((a^2 - a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1))))/d$$

Fricas [A] time = 0.495508, size = 566, normalized size = 3.63

$$\frac{3 \left((4A - 7B) \cos(dx + c)^4 + 2(4A - 7B) \cos(dx + c)^3 + (4A - 7B) \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - 3 \left((4A - 7B) \cos(dx + c)^4 + 2(4A - 7B) \cos(dx + c)^3 + (4A - 7B) \cos(dx + c)^2 \right) \log(-\sin(dx + c) + 1) - 2(4A - 7B) \cos(dx + c)^3 + (28A - 43B) \cos(dx + c)^2 + 6(A - B) \cos(dx + c) + 3B \sin(dx + c)}{a^2 d \cos(dx + c)^4 + 2a^2 d \cos(dx + c)^3 + a^2 d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\frac{-1/12*(3*((4*A - 7*B)*\cos(d*x + c)^4 + 2*(4*A - 7*B)*\cos(d*x + c)^3 + (4*A - 7*B)*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) - 3*((4*A - 7*B)*\cos(d*x + c)^4 + 2*(4*A - 7*B)*\cos(d*x + c)^3 + (4*A - 7*B)*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) - 2*(4*(5*A - 8*B)*\cos(d*x + c)^3 + (28*A - 43*B)*\cos(d*x + c)^2 + 6*(A - B)*\cos(d*x + c) + 3*B)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^4 + 2*a^2*d*\cos(d*x + c)^3 + a^2*d*\cos(d*x + c)^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec^5(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*sec(c + d*x)**4/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**5/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.41502, size = 267, normalized size = 1.71

$$\frac{3(4A-7B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{3(4A-7B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} + \frac{6\left(2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-5B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+3B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^2}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] -1/6*(3*(4*A - 7*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 3*(4*A - 7*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 + 6*(2*A*tan(1/2*d*x + 1/2*c)^3 - 5*B*tan(1/2*d*x + 1/2*c)^3 - 2*A*tan(1/2*d*x + 1/2*c) + 3*B*tan(1/2*d*x + 1/2*c)))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^2) - (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^4*tan(1/2*d*x + 1/2*c) - 21*B*a^4*tan(1/2*d*x + 1/2*c))/a^6/d

$$3.92 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=108

$$-\frac{(A-4B) \tan(c+dx)}{3a^2d} + \frac{(A-2B) \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-2B) \tan(c+dx)}{a^2d(\sec(c+dx)+1)} + \frac{(A-B) \tan(c+dx) \sec^2(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] ((A - 2*B)*ArcTanh[Sin[c + d*x]])/(a^2*d) - ((A - 4*B)*Tan[c + d*x])/(3*a^2*d) - ((A - 2*B)*Tan[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.257217, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4019, 4008, 3787, 3770, 3767, 8}

$$-\frac{(A-4B) \tan(c+dx)}{3a^2d} + \frac{(A-2B) \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-2B) \tan(c+dx)}{a^2d(\sec(c+dx)+1)} + \frac{(A-B) \tan(c+dx) \sec^2(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] ((A - 2*B)*ArcTanh[Sin[c + d*x]])/(a^2*d) - ((A - 4*B)*Tan[c + d*x])/(3*a^2*d) - ((A - 2*B)*Tan[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[

$e + f*x](a + b*\text{Csc}[e + f*x])^m)/(b*f*(2*m + 1)), x] + \text{Dist}[1/(b^2*(2*m + 1)), \text{Int}[\text{Csc}[e + f*x](a + b*\text{Csc}[e + f*x])^{m+1}*\text{Simp}[A*b*m - a*B*m + b*B*(2*m + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^n, x_Symbol] \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x\} \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^2} dx &= \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\sec^2(c + dx)(2a(A - B) - a(A - 4B) \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\ &= -\frac{(A - 2B) \tan(c + dx)}{a^2 d (1 + \sec(c + dx))} + \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \sec(c + dx) (-3a^2)}{3a^2} \\ &= -\frac{(A - 2B) \tan(c + dx)}{a^2 d (1 + \sec(c + dx))} + \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(A - 4B) \int \sec^2(c + dx)}{3a^2} \\ &= \frac{(A - 2B) \tanh^{-1}(\sin(c + dx))}{a^2 d} - \frac{(A - 2B) \tan(c + dx)}{a^2 d (1 + \sec(c + dx))} + \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} \\ &= \frac{(A - 2B) \tanh^{-1}(\sin(c + dx))}{a^2 d} - \frac{(A - 4B) \tan(c + dx)}{3a^2 d} - \frac{(A - 2B) \tan(c + dx)}{a^2 d (1 + \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 1.68355, size = 292, normalized size = 2.7

$$2 \cos\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)(A + B \sec(c + dx)) \left(-(A - B) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (B - A) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \cos^3\left(\frac{1}{2}(c + dx)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] (2*Cos[(c + d*x)/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((-A + B)*Sec[c/2]*Sin[(d*x)/2] - 2*(4*A - 7*B)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]^3*(-6*(A - 2*B)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])) + (6*B*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])) - (A - B)*Cos[(c + d*x)/2]*Tan[c/2])/(3*a^2*d*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x])^2)

Maple [A] time = 0.053, size = 205, normalized size = 1.9

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{3A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{5B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{A}{da^2} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{1}{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)

[Out] -1/6/d/a^2*A*tan(1/2*d*x+1/2*c)^3+1/6/d/a^2*B*tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*A*tan(1/2*d*x+1/2*c)+5/2/d/a^2*B*tan(1/2*d*x+1/2*c)+1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*A-2/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*B-1/d/a^2/(tan(1/2*d*x+1/2*c)+1)*B-1/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*A+2/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*B-1/d/a^2/(tan(1/2*d*x+1/2*c)-1)*B

Maxima [B] time = 1.02155, size = 329, normalized size = 3.05

$$B \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 - \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} \right) - A \left(\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)}{\cos(dx+c)}}{a^2} \right)$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{6} * (B * ((15 * \sin(d * x + c) / (\cos(d * x + c) + 1) + \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / a^2 - 12 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) + 1) / a^2 + 12 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) - 1) / a^2 + 12 * \sin(d * x + c) / ((a^2 - a^2 * \sin(d * x + c)^2 / (\cos(d * x + c) + 1)^2) * (\cos(d * x + c) + 1))) - A * ((9 * \sin(d * x + c) / (\cos(d * x + c) + 1) + \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / a^2 - 6 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) + 1) / a^2 + 6 * \log(\sin(d * x + c) / (\cos(d * x + c) + 1) - 1) / a^2)) / d$

Fricas [A] time = 0.490716, size = 501, normalized size = 4.64

$$\frac{3 \left((A - 2B) \cos(dx + c)^3 + 2(A - 2B) \cos(dx + c)^2 + (A - 2B) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - 3 \left((A - 2B) \cos(dx + c) \right)}{6(a^2 d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{6} * (3 * ((A - 2 * B) * \cos(d * x + c)^3 + 2 * (A - 2 * B) * \cos(d * x + c)^2 + (A - 2 * B) * \cos(d * x + c)) * \log(\sin(d * x + c) + 1) - 3 * ((A - 2 * B) * \cos(d * x + c)^3 + 2 * (A - 2 * B) * \cos(d * x + c)^2 + (A - 2 * B) * \cos(d * x + c)) * \log(-\sin(d * x + c) + 1) - 2 * (2 * (2 * A - 5 * B) * \cos(d * x + c)^2 + (5 * A - 14 * B) * \cos(d * x + c) - 3 * B) * \sin(d * x + c)) / (a^2 * d * \cos(d * x + c)^3 + 2 * a^2 * d * \cos(d * x + c)^2 + a^2 * d * \cos(d * x + c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{B \sec^4(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)

[Out] $(\text{Integral}(A \sec(c + d*x)**3/(\sec(c + d*x)**2 + 2*\sec(c + d*x) + 1), x) + \text{Integral}(B*\sec(c + d*x)**4/(\sec(c + d*x)**2 + 2*\sec(c + d*x) + 1), x))/a**2$

Giac [A] time = 1.37016, size = 204, normalized size = 1.89

$$\frac{6(A-2B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{6(A-2B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} - \frac{12B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2-1} - \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 9Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")`

[Out] $1/6*(6*(A - 2*B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*(A - 2*B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^2 - 12*B*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a^2) - (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 9*A*a^4*\tan(1/2*d*x + 1/2*c) - 15*B*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

$$3.93 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=79

$$\frac{(2A-5B) \tan(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{B \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-B) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] (B*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((2*A - 5*B)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.187242, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4008, 3998, 3770, 3794}

$$\frac{(2A-5B) \tan(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{B \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-B) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] (B*ArcTanh[Sin[c + d*x]])/(a^2*d) + ((2*A - 5*B)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(
e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^2} dx &= -\frac{(A - B) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{\sec(c+dx)(-2a(A-B)-3aB \sec(c+dx))}{a+a \sec(c+dx)} dx}{3a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(2A - 5B) \int \frac{\sec(c+dx)}{a+a \sec(c+dx)} dx}{3a} + \frac{B \int \sec(c + dx) dx}{a^2} \\ &= \frac{B \tanh^{-1}(\sin(c + dx))}{a^2 d} - \frac{(A - B) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(2A - 5B) \tan(c + dx)}{3d(a^2 + a^2 \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.53249, size = 169, normalized size = 2.14

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(-(A - B) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (B - A) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) - 2(A - 4B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \cos^2\left(\frac{1}{2}(c + dx)\right) \right)}{3a^2 d (\cos(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]
```

```
[Out] (-2*Cos[(c + d*x)/2]*(6*B*Cos[(c + d*x)/2]^3*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (-A + B)*Sec[c/2]*Sin[(d*x)/2] - 2*(A - 4*B)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] - (A - B)*Cos[(c + d*x)/2]*Tan[c/2))/(3*a^2*d*(1 + Cos[c + d*x])^2)
```

Maple [A] time = 0.051, size = 119, normalized size = 1.5

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{da^2} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)`

[Out] $1/6/d/a^2*A*\tan(1/2*d*x+1/2*c)^3-1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3+1/2/d/a^2*A*\tan(1/2*d*x+1/2*c)-3/2/d/a^2*B*\tan(1/2*d*x+1/2*c)-1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B+1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B$

Maxima [A] time = 0.983702, size = 196, normalized size = 2.48

$$B \frac{\left(\frac{9 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - \frac{A \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] $-1/6*(B*((9*\sin(d*x + c))/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2) - A*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2)/d$

Fricas [A] time = 0.477731, size = 338, normalized size = 4.28

$$\frac{3 \left(B \cos(dx+c)^2 + 2 B \cos(dx+c) + B \right) \log(\sin(dx+c)+1) - 3 \left(B \cos(dx+c)^2 + 2 B \cos(dx+c) + B \right) \log(-\sin(dx+c)+1)}{6 \left(a^2 d \cos(dx+c)^2 + 2 a^2 d \cos(dx+c) + a^2 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")`

[Out] $1/6*(3*(B*\cos(d*x + c)^2 + 2*B*\cos(d*x + c) + B)*\log(\sin(d*x + c) + 1) - 3*(B*\cos(d*x + c)^2 + 2*B*\cos(d*x + c) + B)*\log(-\sin(d*x + c) + 1) + 2*((A - 4*B)*\cos(d*x + c) + 2*A - 5*B)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d)$

$d \cdot \cos(dx + c) + a^2 \cdot d$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec^3(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(A+B*sec(dx+c))/(a+a*sec(dx+c))**2,x)

[Out] (Integral(A*sec(c + dx)**2/(sec(c + dx)**2 + 2*sec(c + dx) + 1), x) + Integral(B*sec(c + dx)**3/(sec(c + dx)**2 + 2*sec(c + dx) + 1), x))/a**2

Giac [A] time = 1.30213, size = 151, normalized size = 1.91

$$\frac{\frac{6B \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^2} - \frac{6B \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 9Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c))/(a+a*sec(dx+c))^2,x, algorithm="giac")

[Out] 1/6*(6*B*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*B*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 + 3*A*a^4*tan(1/2*d*x + 1/2*c) - 9*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.94 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=65

$$\frac{(A+2B) \tan(c+dx)}{3d(a^2 \sec(c+dx) + a^2)} + \frac{(A-B) \tan(c+dx)}{3d(a \sec(c+dx) + a)^2}$$

[Out] ((A - B)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) + ((A + 2*B)*Tan[c + d*x])/(3*d*(a^2 + a^2*Sec[c + d*x]))

Rubi [A] time = 0.0797186, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$, Rules used = {4000, 3794}

$$\frac{(A+2B) \tan(c+dx)}{3d(a^2 \sec(c+dx) + a^2)} + \frac{(A-B) \tan(c+dx)}{3d(a \sec(c+dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] ((A - B)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) + ((A + 2*B)*Tan[c + d*x])/(3*d*(a^2 + a^2*Sec[c + d*x]))

Rule 4000

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^2} dx = \frac{(A-B)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(A+2B)\int \frac{\sec(c+dx)}{a+a\sec(c+dx)} dx}{3a}$$

$$= \frac{(A-B)\tan(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(A+2B)\tan(c+dx)}{3d(a^2+a^2\sec(c+dx))}$$

Mathematica [A] time = 0.199152, size = 76, normalized size = 1.17

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left((2A+B)\sin\left(c+\frac{3dx}{2}\right)+3(A+B)\sin\left(\frac{dx}{2}\right)-3A\sin\left(c+\frac{dx}{2}\right)\right)}{3a^2d(\cos(c+dx)+1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(3*(A + B)*Sin[(d*x)/2] - 3*A*Sin[c + (d*x)/2] + (2*A + B)*Sin[c + (3*d*x)/2]))/(3*a^2*d*(1 + Cos[c + d*x])^2)

Maple [A] time = 0.049, size = 60, normalized size = 0.9

$$\frac{1}{2da^2}\left(-\frac{A}{3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{B}{3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+A\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+B\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)

[Out] 1/2/d/a^2*(-1/3*A*tan(1/2*d*x+1/2*c)^3+1/3*B*tan(1/2*d*x+1/2*c)^3+A*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c))

Maxima [A] time = 0.977688, size = 126, normalized size = 1.94

$$\frac{B\left(\frac{3\sin(dx+c)}{\cos(dx+c)+1}+\frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^2}+\frac{A\left(\frac{3\sin(dx+c)}{\cos(dx+c)+1}-\frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^2}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{6} * (B * (3 * \sin(d * x + c) / (\cos(d * x + c) + 1) + \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / a^2 + A * (3 * \sin(d * x + c) / (\cos(d * x + c) + 1) - \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / a^2) / d$

Fricas [A] time = 0.43814, size = 144, normalized size = 2.22

$$\frac{((2A + B) \cos(dx + c) + A + 2B) \sin(dx + c)}{3(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{3} * ((2 * A + B) * \cos(d * x + c) + A + 2 * B) * \sin(d * x + c) / (a^2 * d * \cos(d * x + c)^2 + 2 * a^2 * d * \cos(d * x + c) + a^2 * d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec^2(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.23922, size = 81, normalized size = 1.25

$$\frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 3 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{6 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] -1/6*(A*tan(1/2*d*x + 1/2*c)^3 - B*tan(1/2*d*x + 1/2*c)^3 - 3*A*tan(1/2*d*x + 1/2*c) - 3*B*tan(1/2*d*x + 1/2*c))/(a^2*d)
```

$$3.95 \quad \int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=70

$$-\frac{(4A-B) \tan(c+dx)}{3a^2 d(\sec(c+dx)+1)} + \frac{Ax}{a^2} - \frac{(A-B) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] (A*x)/a^2 - ((4*A - B)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.112471, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3922, 3919, 3794}

$$-\frac{(4A-B) \tan(c+dx)}{3a^2 d(\sec(c+dx)+1)} + \frac{Ax}{a^2} - \frac{(A-B) \tan(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^2,x]

[Out] (A*x)/a^2 - ((4*A - B)*Tan[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Tan[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x]
&& EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{(a + a \sec(c + dx))^2} dx &= -\frac{(A - B) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{-3aA + a(A - B) \sec(c + dx)}{a + a \sec(c + dx)} dx}{3a^2} \\ &= \frac{Ax}{a^2} - \frac{(A - B) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(4A - B) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx}{3a} \\ &= \frac{Ax}{a^2} - \frac{(A - B) \tan(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(4A - B) \tan(c + dx)}{3d(a^2 + a^2 \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.349109, size = 153, normalized size = 2.19

$$\frac{\sec\left(\frac{c}{2}\right) \sec^3\left(\frac{1}{2}(c + dx)\right) \left(12A \sin\left(c + \frac{dx}{2}\right) - 10A \sin\left(c + \frac{3dx}{2}\right) + 9Adx \cos\left(c + \frac{dx}{2}\right) + 3Adx \cos\left(c + \frac{3dx}{2}\right) + 3Adx \cos\left(\frac{c}{2}\right)\right)}{24a^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^2, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(9*A*d*x*Cos[(d*x)/2] + 9*A*d*x*Cos[c + (d*x)/2] + 3*A*d*x*Cos[c + (3*d*x)/2] + 3*A*d*x*Cos[2*c + (3*d*x)/2] - 18*A*Sin[(d*x)/2] + 6*B*Sin[(d*x)/2] + 12*A*Sin[c + (d*x)/2] - 6*B*Sin[c + (d*x)/2] - 10*A*Sin[c + (3*d*x)/2] + 4*B*Sin[c + (3*d*x)/2]))/(24*a^2*d)
```

Maple [A] time = 0.057, size = 97, normalized size = 1.4

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{3A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \arctan\left(\tan\left(\frac{1}{2}(c + dx)\right)\right)}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2, x)
```

[Out] $1/6/d/a^2*A*\tan(1/2*d*x+1/2*c)^3-1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*A*\tan(1/2*d*x+1/2*c)+1/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+2/d/a^2*A*\arctan(\tan(1/2*d*x+1/2*c))$

Maxima [A] time = 1.47369, size = 162, normalized size = 2.31

$$\frac{A \left(\frac{9 \sin(dx+c) - \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - B \left(\frac{3 \sin(dx+c) - \sin(dx+c)^3}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] $-1/6*(A*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 12*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2) - B*(3*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2)/d$

Fricas [A] time = 0.451332, size = 228, normalized size = 3.26

$$\frac{3 A dx \cos(dx+c)^2 + 6 A dx \cos(dx+c) + 3 A dx - ((5 A - 2 B) \cos(dx+c) + 4 A - B) \sin(dx+c)}{3(a^2 d \cos(dx+c)^2 + 2 a^2 d \cos(dx+c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")`

[Out] $1/3*(3*A*d*x*\cos(d*x + c)^2 + 6*A*d*x*\cos(d*x + c) + 3*A*d*x - ((5*A - 2*B)*\cos(d*x + c) + 4*A - B)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B \sec(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.24154, size = 115, normalized size = 1.64

$$\frac{\frac{6(dx+c)A}{a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 9Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{6d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(6*(d*x + c)*A/a^2 + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 9*A*a^4*tan(1/2*d*x + 1/2*c) + 3*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.96 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=98

$$\frac{2(5A-2B) \sin(c+dx)}{3a^2d} - \frac{(2A-B) \sin(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{x(2A-B)}{a^2} - \frac{(A-B) \sin(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

[Out] -(((2*A - B)*x)/a^2) + (2*(5*A - 2*B)*Sin[c + d*x])/(3*a^2*d) - ((2*A - B)*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.23049, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {4020, 3787, 2637, 8}

$$\frac{2(5A-2B) \sin(c+dx)}{3a^2d} - \frac{(2A-B) \sin(c+dx)}{a^2d(\sec(c+dx)+1)} - \frac{x(2A-B)}{a^2} - \frac{(A-B) \sin(c+dx)}{3d(a \sec(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] -(((2*A - B)*x)/a^2) + (2*(5*A - 2*B)*Sin[c + d*x])/(3*a^2*d) - ((2*A - B)*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A-B)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \frac{\cos(c+dx)(a(4A-B)-2a(A-B)\sec(c+dx))}{a+a\sec(c+dx)} dx}{3a^2} \\ &= -\frac{(2A-B)\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A-B)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \cos(c+dx)(2a^2(5A-2B))}{3a^2} \\ &= -\frac{(2A-B)\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A-B)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(2(5A-2B)) \int \cos(c+dx) a}{3a^2} \\ &= -\frac{(2A-B)x}{a^2} + \frac{2(5A-2B)\sin(c+dx)}{3a^2d} - \frac{(2A-B)\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{(A-B)\sin(c+dx)}{3d(a+a\sec(c+dx))} \end{aligned}$$

Mathematica [B] time = 0.586479, size = 245, normalized size = 2.5

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left(-18dx(2A-B) \cos\left(c+\frac{dx}{2}\right) - 18dx(2A-B) \cos\left(\frac{dx}{2}\right) - 30A \sin\left(c+\frac{dx}{2}\right) + 41A \sin\left(c+\frac{3dx}{2}\right) + \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-18*(2*A - B)*d*x*Cos[(d*x)/2] - 18*(2*A - B)*d*x*Cos[c + (d*x)/2] - 12*A*d*x*Cos[c + (3*d*x)/2] + 6*B*d*x*Cos[c + (3*d*x)/2] - 12*A*d*x*Cos[2*c + (3*d*x)/2] + 6*B*d*x*Cos[2*c + (3*d*x)/2] + 66*A*Sin[(d*x)/2] - 36*B*Sin[(d*x)/2] - 30*A*Sin[c + (d*x)/2] + 24*B*Sin[c + (d*x)/2] + 41*A*Sin[c + (3*d*x)/2] - 20*B*Sin[c + (3*d*x)/2] + 9*A*Sin[2*c + (3*d*x)/2] + 3*A*Sin[2*c + (5*d*x)/2] + 3*A*Sin[3*c + (5*d*x)/2]))/(12*a^2*d*(1 + Cos[c + d*x])^2)

Maple [A] time = 0.082, size = 149, normalized size = 1.5

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{5A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \tan(1/2 dx + c)}{da^2 (1 + (\tan(1/2 dx + c))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)

[Out] $-1/6/d/a^2*A*\tan(1/2*d*x+1/2*c)^3+1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*A*\tan(1/2*d*x+1/2*c)-3/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+2/d/a^2*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-4/d/a^2*A*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*B$

Maxima [B] time = 1.49117, size = 258, normalized size = 2.63

$$A \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 + \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) - B \left(\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] $1/6*(A*((15*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 24*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2 + 12*\sin(d*x + c)/((a^2 + a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1))) - B*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 12*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2))/d$

Fricas [A] time = 0.464818, size = 296, normalized size = 3.02

$$\frac{3(2A - B)dx \cos(dx + c)^2 + 6(2A - B)dx \cos(dx + c) + 3(2A - B)dx - (3A \cos(dx + c)^2 + (14A - 5B) \cos(dx + c))}{3(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$-1/3*(3*(2*A - B)*d*x*cos(d*x + c)^2 + 6*(2*A - B)*d*x*cos(d*x + c) + 3*(2*A - B)*d*x - (3*A*cos(d*x + c)^2 + (14*A - 5*B)*cos(d*x + c) + 10*A - 4*B)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)

[Out] (Integral(A*cos(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.20842, size = 163, normalized size = 1.66

$$\frac{6(dx+c)(2A-B)}{a^2} - \frac{12A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 9Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/6*(6*(d*x + c)*(2*A - B)/a^2 - 12*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^4*tan(1/2*d*x + 1/2*c) + 9*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d$$

$$3.97 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=143

$$-\frac{2(8A-5B)\sin(c+dx)}{3a^2d} + \frac{(7A-4B)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(8A-5B)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{x(7A-4B)}{2a^2} - \frac{(A-4B)\cos(c+dx)}{2a^2}$$

[Out] $((7A - 4B)*x)/(2*a^2) - (2*(8A - 5*B)*Sin[c + d*x])/(3*a^2*d) + ((7A - 4*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((8A - 5*B)*Cos[c + d*x]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)$

Rubi [A] time = 0.300401, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4020, 3787, 2635, 8, 2637}

$$-\frac{2(8A-5B)\sin(c+dx)}{3a^2d} + \frac{(7A-4B)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(8A-5B)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{x(7A-4B)}{2a^2} - \frac{(A-4B)\cos(c+dx)}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] $((7A - 4B)*x)/(2*a^2) - (2*(8A - 5*B)*Sin[c + d*x])/(3*a^2*d) + ((7A - 4*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((8A - 5*B)*Cos[c + d*x]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)$

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_)}, x_Symbol] :> -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Sin}[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_*) + (d_*)*(x_)], x_Symbol] :> \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^2} dx &= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\cos^2(c + dx)(a(5A - 2B) - 3a(A - B) \sec(c + dx))}{a + a \sec(c + dx)} dx}{3a^2} \\ &= -\frac{(8A - 5B) \cos(c + dx) \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{(A - B) \cos(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \cos^2(c + dx) dx}{3a^2} \\ &= -\frac{(8A - 5B) \cos(c + dx) \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{(A - B) \cos(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(2(8A - 5B) \cos(c + dx) \sin(c + dx))}{3a^2 d} \\ &= -\frac{2(8A - 5B) \sin(c + dx)}{3a^2 d} + \frac{(7A - 4B) \cos(c + dx) \sin(c + dx)}{2a^2 d} - \frac{(8A - 5B) \cos(c + dx) \sin(c + dx)}{3a^2 d} \\ &= \frac{(7A - 4B)x}{2a^2} - \frac{2(8A - 5B) \sin(c + dx)}{3a^2 d} + \frac{(7A - 4B) \cos(c + dx) \sin(c + dx)}{2a^2 d} - \frac{(8A - 5B) \cos(c + dx) \sin(c + dx)}{3a^2 d} \end{aligned}$$

Mathematica [B] time = 0.74134, size = 315, normalized size = 2.2

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(36dx(7A - 4B) \cos\left(c + \frac{dx}{2}\right) + 36dx(7A - 4B) \cos\left(\frac{dx}{2}\right) + 147A \sin\left(c + \frac{dx}{2}\right) - 239A \sin\left(c + \frac{3dx}{2}\right)\right)}{3a^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] $(\cos[(c + dx)/2] \sec[c/2] (36(7A - 4B) dx \cos[(dx)/2] + 36(7A - 4B) dx \cos[c + (dx)/2] + 84A dx \cos[c + (3dx)/2] - 48B dx \cos[c + (3dx)/2] + 84A dx \cos[2c + (3dx)/2] - 48B dx \cos[2c + (3dx)/2] - 381A \sin[(dx)/2] + 264B \sin[(dx)/2] + 147A \sin[c + (dx)/2] - 120B \sin[c + (dx)/2] - 239A \sin[c + (3dx)/2] + 164B \sin[c + (3dx)/2] - 63A \sin[2c + (3dx)/2] + 36B \sin[2c + (3dx)/2] - 15A \sin[2c + (5dx)/2] + 12B \sin[2c + (5dx)/2] - 15A \sin[3c + (5dx)/2] + 12B \sin[3c + (5dx)/2] + 3A \sin[3c + (7dx)/2] + 3A \sin[4c + (7dx)/2]) / (48a^2 d(1 + \cos[c + dx])^2)$

Maple [A] time = 0.091, size = 252, normalized size = 1.8

$$\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{5B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 5 \frac{A(\tan(1/2 dx + c))}{da^2 (1 + (\tan(1/2 dx + c))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2(A+B\sec(dx+c))/(a+a\sec(dx+c))^2, x)$

[Out] $1/6/d/a^2 A \tan(1/2 dx + 1/2 c)^3 - 1/6/d/a^2 B \tan(1/2 dx + 1/2 c)^3 - 7/2/d/a^2 A \tan(1/2 dx + 1/2 c) + 5/2/d/a^2 B \tan(1/2 dx + 1/2 c) - 5/d/a^2 (1 + \tan(1/2 dx + 1/2 c)^2)^2 A \tan(1/2 dx + 1/2 c)^3 + 2/d/a^2 (1 + \tan(1/2 dx + 1/2 c)^2)^2 B \tan(1/2 dx + 1/2 c)^3 - 3/d/a^2 (1 + \tan(1/2 dx + 1/2 c)^2)^2 A \tan(1/2 dx + 1/2 c) + 2/d/a^2 (1 + \tan(1/2 dx + 1/2 c)^2)^2 B \tan(1/2 dx + 1/2 c) + 7/d/a^2 A \arctan(\tan(1/2 dx + 1/2 c)) - 4/d/a^2 \arctan(\tan(1/2 dx + 1/2 c)) * B$

Maxima [B] time = 1.51315, size = 382, normalized size = 2.67

$$\frac{A \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{42 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - B \left(\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2(A+B\sec(dx+c))/(a+a\sec(dx+c))^2, x, \text{algorithm}="maxima")$

[Out] $-1/6*(A*(6*(3*\sin(dx + c))/(\cos(dx + c) + 1) + 5*\sin(dx + c)^3/(\cos(dx + c) + 1)^3)/(a^2 + 2*a^2*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + a^2*\sin(dx + c)^4/(\cos(dx + c) + 1)^4) - B*(15*\sin(dx + c)/(\cos(dx + c) + 1) - \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/(a^2) - 42*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a^2 - 24*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a^2)$

$$+ c)^4/(\cos(dx + c) + 1)^4 + (21*\sin(dx + c)/(\cos(dx + c) + 1) - \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 42*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a^2 - B*((15*\sin(dx + c)/(\cos(dx + c) + 1) - \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 24*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a^2 + 12*\sin(dx + c)/((a^2 + a^2*\sin(dx + c)^2/(\cos(dx + c) + 1)^2)*(\cos(dx + c) + 1))))/d$$

Fricas [A] time = 0.471908, size = 342, normalized size = 2.39

$$\frac{3(7A - 4B)dx \cos(dx + c)^2 + 6(7A - 4B)dx \cos(dx + c) + 3(7A - 4B)dx + (3A \cos(dx + c)^3 - 6(A - B) \cos(dx + c))}{6(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c))/(a+a*sec(dx+c))^2,x, algorithm="fricas")

[Out] 1/6*(3*(7*A - 4*B)*d*x*cos(dx + c)^2 + 6*(7*A - 4*B)*d*x*cos(dx + c) + 3*(7*A - 4*B)*d*x + (3*A*cos(dx + c)^3 - 6*(A - B)*cos(dx + c)^2 - (43*A - 28*B)*cos(dx + c) - 32*A + 20*B)*sin(dx + c))/(a^2*d*cos(dx + c)^2 + 2*a^2*d*cos(dx + c) + a^2*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \cos^2(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx + \int \frac{B \cos^2(c+dx) \sec(c+dx)}{\sec^2(c+dx)+2 \sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(A+B*sec(dx+c))/(a+a*sec(dx+c))**2,x)

[Out] (Integral(A*cos(c + d*x)**2/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*cos(c + d*x)**2*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [A] time = 1.26574, size = 221, normalized size = 1.55

$$\frac{3(dx+c)(7A-4B)}{a^2} - \frac{6\left(5A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 3A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^2 a^2} + \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 21Aa^4}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/6*(3*(d*x + c)*(7*A - 4*B)/a^2 - 6*(5*A*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^3 + 3*A*tan(1/2*d*x + 1/2*c) - 2*B*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 21*A*a^4*tan(1/2*d*x + 1/2*c) + 15*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d

$$3.98 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=170

$$-\frac{4(3A-2B)\sin^3(c+dx)}{3a^2d} + \frac{4(3A-2B)\sin(c+dx)}{a^2d} - \frac{(10A-7B)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(10A-7B)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

[Out] -((10*A - 7*B)*x)/(2*a^2) + (4*(3*A - 2*B)*Sin[c + d*x])/(a^2*d) - ((10*A - 7*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((10*A - 7*B)*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) - (4*(3*A - 2*B)*Sin[c + d*x]^3)/(3*a^2*d)

Rubi [A] time = 0.319436, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4020, 3787, 2633, 2635, 8}

$$-\frac{4(3A-2B)\sin^3(c+dx)}{3a^2d} + \frac{4(3A-2B)\sin(c+dx)}{a^2d} - \frac{(10A-7B)\sin(c+dx)\cos(c+dx)}{2a^2d} - \frac{(10A-7B)\sin(c+dx)\cos(c+dx)}{3a^2d(\sec(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] -((10*A - 7*B)*x)/(2*a^2) + (4*(3*A - 2*B)*Sin[c + d*x])/(a^2*d) - ((10*A - 7*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d) - ((10*A - 7*B)*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2) - (4*(3*A - 2*B)*Sin[c + d*x]^3)/(3*a^2*d)

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^2} dx &= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \frac{\cos^3(c+dx)(3a(2A-B)-4a(A-B)\sec(c+dx))}{a+a\sec(c+dx)} dx}{3a^2} \\
&= -\frac{(10A-7B)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int c}{3a^2} \\
&= -\frac{(10A-7B)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{(10A-7B)\cos^2(c+dx)\sin(c+dx)}{3a^2d} \\
&= -\frac{(10A-7B)\cos(c+dx)\sin(c+dx)}{2a^2d} - \frac{(10A-7B)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} - \frac{(10A-7B)\cos^2(c+dx)\sin(c+dx)}{3a^2d} \\
&= -\frac{(10A-7B)x}{2a^2} + \frac{4(3A-2B)\sin(c+dx)}{a^2d} - \frac{(10A-7B)\cos(c+dx)\sin(c+dx)}{2a^2d}
\end{aligned}$$

Mathematica [B] time = 0.713892, size = 369, normalized size = 2.17

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-36dx(10A-7B)\cos\left(c+\frac{dx}{2}\right)-36dx(10A-7B)\cos\left(\frac{dx}{2}\right)-156A\sin\left(c+\frac{dx}{2}\right)+342A\sin\left(c+\frac{dx}{2}\right)\right)}{2a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-36*(10*A - 7*B)*d*x*Cos[(d*x)/2] - 36*(10*A - 7*B)*d*x*Cos[c + (d*x)/2] - 120*A*d*x*Cos[c + (3*d*x)/2] + 84*B*d*x*Cos[c + (3*d*x)/2] - 120*A*d*x*Cos[2*c + (3*d*x)/2] + 84*B*d*x*Cos[2*c + (3*d*x)/2] + 516*A*Sin[(d*x)/2] - 381*B*Sin[(d*x)/2] - 156*A*Sin[c + (d*x)/2] + 147*B*Sin[c + (d*x)/2] + 342*A*Sin[c + (3*d*x)/2] - 239*B*Sin[c + (3*d*x)/2] + 118*A*Sin[2*c + (3*d*x)/2] - 63*B*Sin[2*c + (3*d*x)/2] + 30*A*Sin[2*c + (5*d*x)/2] - 15*B*Sin[2*c + (5*d*x)/2] + 30*A*Sin[3*c + (5*d*x)/2] - 15*B*Sin[3*c + (5*d*x)/2] - 3*A*Sin[3*c + (7*d*x)/2] + 3*B*Sin[3*c + (7*d*x)/2] - 3*A*Sin[4*c + (7*d*x)/2] + 3*B*Sin[4*c + (7*d*x)/2] + A*Sin[4*c + (9*d*x)/2] + A*Sin[5*c + (9*d*x)/2]))/(48*a^2*d*(1 + Cos[c + d*x])^2)

Maple [B] time = 0.11, size = 322, normalized size = 1.9

$$-\frac{A}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6da^2} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{9A}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{7B}{2da^2} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 10 \frac{(\tan(1/2 dx + c/2))^3}{da^2 (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)

[Out] -1/6/d/a^2*A*tan(1/2*d*x+1/2*c)^3+1/6/d/a^2*B*tan(1/2*d*x+1/2*c)^3+9/2/d/a^2*A*tan(1/2*d*x+1/2*c)-7/2/d/a^2*B*tan(1/2*d*x+1/2*c)+10/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A-5/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B+40/3/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)^3-8/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)^3+6/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)-3/d/a^2/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)-10/d/a^2*A*arctan(tan(1/2*d*x+1/2*c))+7/d/a^2*arctan(tan(1/2*d*x+1/2*c))*B

Maxima [B] time = 1.53032, size = 502, normalized size = 2.95

$$A \left(\frac{4 \left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 + \frac{3a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{27 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{60 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - B \left(\frac{6 \left(\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \right)$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{6} * (A * (4 * (9 * \sin(d * x + c) / (\cos(d * x + c) + 1) + 20 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3 + 15 * \sin(d * x + c)^5 / (\cos(d * x + c) + 1)^5) / (a^2 + 3 * a^2 * \sin(d * x + c)^2 / (\cos(d * x + c) + 1)^2 + 3 * a^2 * \sin(d * x + c)^4 / (\cos(d * x + c) + 1)^4 + a^2 * \sin(d * x + c)^6 / (\cos(d * x + c) + 1)^6) + (27 * \sin(d * x + c) / (\cos(d * x + c) + 1) - \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / a^2 - 60 * \arctan(\sin(d * x + c) / (\cos(d * x + c) + 1)) / a^2 - B * (6 * (3 * \sin(d * x + c) / (\cos(d * x + c) + 1) + 5 * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / (a^2 + 2 * a^2 * \sin(d * x + c)^2 / (\cos(d * x + c) + 1)^2 + a^2 * \sin(d * x + c)^4 / (\cos(d * x + c) + 1)^4) + (21 * \sin(d * x + c) / (\cos(d * x + c) + 1) - \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3) / a^2 - 42 * \arctan(\sin(d * x + c) / (\cos(d * x + c) + 1)) / a^2) / d$

Fricas [A] time = 0.480637, size = 389, normalized size = 2.29

$$\frac{3(10A - 7B)dx \cos(dx + c)^2 + 6(10A - 7B)dx \cos(dx + c) + 3(10A - 7B)dx - (2A \cos(dx + c)^4 - (2A - 3B) \cos(dx + c))}{6(a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] $-1/6 * (3 * (10 * A - 7 * B) * d * x * \cos(d * x + c)^2 + 6 * (10 * A - 7 * B) * d * x * \cos(d * x + c) + 3 * (10 * A - 7 * B) * d * x - (2 * A * \cos(d * x + c)^4 - (2 * A - 3 * B) * \cos(d * x + c)^3 + 6 * (2 * A - B) * \cos(d * x + c)^2 + (66 * A - 43 * B) * \cos(d * x + c) + 48 * A - 32 * B) * \sin(d * x + c)) / (a^2 * d * \cos(d * x + c)^2 + 2 * a^2 * d * \cos(d * x + c) + a^2 * d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.29931, size = 259, normalized size = 1.52

$$\frac{3(dx+c)(10A-7B)}{a^2} - \frac{2\left(30A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 40A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 24B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 18A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 9B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^2}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/6*(3*(d*x + c)*(10*A - 7*B)/a^2 - 2*(30*A*\tan(1/2*d*x + 1/2*c)^5 - 15*B*\tan(1/2*d*x + 1/2*c)^5 + 40*A*\tan(1/2*d*x + 1/2*c)^3 - 24*B*\tan(1/2*d*x + 1/2*c)^3 + 18*A*\tan(1/2*d*x + 1/2*c) - 9*B*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^2) + (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 27*A*a^4*\tan(1/2*d*x + 1/2*c) + 21*B*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$$

$$3.99 \quad \int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=202

$$\frac{8(9A - 19B) \tan(c + dx)}{15a^3d} - \frac{(6A - 13B) \tanh^{-1}(\sin(c + dx))}{2a^3d} + \frac{4(9A - 19B) \tan(c + dx) \sec^2(c + dx)}{15d(a^3 \sec(c + dx) + a^3)} - \frac{(6A - 13B) \tan(c + dx)}{2a^3d}$$

[Out] $-\left(\frac{(6A - 13B) \operatorname{ArcTanh}[\sin(c + dx)]}{2a^3d} + \frac{8(9A - 19B) \tan(c + dx)}{15a^3d} - \frac{(6A - 13B) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]}{2a^3d} + \frac{(A - B) \operatorname{Sec}[c + dx]^4 \operatorname{Tan}[c + dx]}{5d(a + a \operatorname{Sec}[c + dx])^3} + \frac{(6A - 11B) \operatorname{Sec}[c + dx]^3 \operatorname{Tan}[c + dx]}{15ad(a + a \operatorname{Sec}[c + dx])^2} + \frac{4(9A - 19B) \operatorname{Sec}[c + dx]^2 \operatorname{Tan}[c + dx]}{15d(a^3 + a^3 \operatorname{Sec}[c + dx])}\right)$

Rubi [A] time = 0.474776, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4019, 3787, 3767, 8, 3768, 3770}

$$\frac{8(9A - 19B) \tan(c + dx)}{15a^3d} - \frac{(6A - 13B) \tanh^{-1}(\sin(c + dx))}{2a^3d} + \frac{4(9A - 19B) \tan(c + dx) \sec^2(c + dx)}{15d(a^3 \sec(c + dx) + a^3)} - \frac{(6A - 13B) \tan(c + dx)}{2a^3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + dx]^5(A + B \operatorname{Sec}[c + dx]))/(a + a \operatorname{Sec}[c + dx])^3, x]$

[Out] $-\left(\frac{(6A - 13B) \operatorname{ArcTanh}[\sin(c + dx)]}{2a^3d} + \frac{8(9A - 19B) \tan(c + dx)}{15a^3d} - \frac{(6A - 13B) \operatorname{Sec}[c + dx] \operatorname{Tan}[c + dx]}{2a^3d} + \frac{(A - B) \operatorname{Sec}[c + dx]^4 \operatorname{Tan}[c + dx]}{5d(a + a \operatorname{Sec}[c + dx])^3} + \frac{(6A - 11B) \operatorname{Sec}[c + dx]^3 \operatorname{Tan}[c + dx]}{15ad(a + a \operatorname{Sec}[c + dx])^2} + \frac{4(9A - 19B) \operatorname{Sec}[c + dx]^2 \operatorname{Tan}[c + dx]}{15d(a^3 + a^3 \operatorname{Sec}[c + dx])}\right)$

Rule 4019

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (d_.))^{(n_)} \cdot (\operatorname{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (b_.) + (a_.))^{(m_)} \cdot (\operatorname{csc}[(e_.) + (f_.) \cdot (x_)] \cdot (B_.) + (A_.)), x_Symbol] \rightarrow \operatorname{Simp}[(d \cdot (A \cdot b - a \cdot B) \cdot \operatorname{Cot}[e + f \cdot x] \cdot (a + b \cdot \operatorname{Csc}[e + f \cdot x])^m \cdot (d \cdot \operatorname{Csc}[e + f \cdot x])^{(n - 1)}) / (a \cdot f \cdot (2 \cdot m + 1)), x] - \operatorname{Dist}[1 / (a \cdot b \cdot (2 \cdot m + 1)), \operatorname{Int}[(a + b \cdot \operatorname{Csc}[e + f \cdot x])^{(m + 1)} \cdot (d \cdot \operatorname{Csc}[e + f \cdot x])^{(n - 1)} \cdot \operatorname{Simp}[A \cdot (a \cdot d \cdot (n - 1)) - B \cdot (b \cdot d \cdot (n - 1)) - d \cdot (a \cdot B \cdot (m - n + 1) + A \cdot b \cdot (m + n)) \cdot \operatorname{Csc}[e + f \cdot x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^5(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{\sec^4(c+dx)(4a(A-B)-a(2A-7B)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-11B)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{\int \frac{\sec^3(c+dx)\tan(c+dx)}{a+a\sec(c+dx)} dx}{5a} \\
&= \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-11B)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{4(9A-13B)\sec^2(c+dx)\tan(c+dx)}{15a^2d} \\
&= \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-11B)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{4(9A-13B)\sec^2(c+dx)\tan(c+dx)}{15a^2d} \\
&= -\frac{(6A-13B)\sec(c+dx)\tan(c+dx)}{2a^3d} + \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(6A-11B)\sec^3(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(6A-13B)\tanh^{-1}(\sin(c+dx))}{2a^3d} + \frac{8(9A-19B)\tan(c+dx)}{15a^3d} - \frac{(6A-13B)\sec^2(c+dx)\tan(c+dx)}{15a^2d}
\end{aligned}$$

Mathematica [B] time = 6.16131, size = 610, normalized size = 3.02

$$\frac{1920(6A-13B)\cos^6\left(\frac{1}{2}(c+dx)\right)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)-\log\left(\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)+\dots}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (1920*(6*A - 13*B)*Cos[(c + d*x)/2]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^2*((-870*A + 1235*B)*Sin[(d*x)/2] + 5*(366*A - 761*B)*Sin[(3*d*x)/2] - 2094*A*Sin[c - (d*x)/2] + 4329*B*Sin[c - (d*x)/2] + 1314*A*Sin[c + (d*x)/2] - 1989*B*Sin[c + (d*x)/2] - 1650*A*Sin[2*c + (d*x)/2] + 3575*B*Sin[2*c + (d*x)/2] - 450*A*Sin[c + (3*d*x)/2] + 475*B*Sin[c + (3*d*x)/2] + 1230*A*Sin[2*c + (3*d*x)/2] - 2005*B*Sin[2*c + (3*d*x)/2] - 1050*A*Sin[3*c + (3*d*x)/2] + 2275*B*Sin[3*c + (3*d*x)/2] + 1278*A*Sin[c + (5*d*x)/2] - 2673*B*Sin[c + (5*d*x)/2] - 90*A*Sin[2*c + (5*d*x)/2] - 105*B*Sin[2*c + (5*d*x)/2] + 918*A*Sin[3*c + (5*d*x)/2] - 1593*B*Sin[3*c + (5*d*x)/2] - 450*A*Sin[4*c + (5*d*x)/2] + 975*B*Sin[4*c + (5*d*x)/2] + 630*A*Sin[2*c + (7*d*x)/2] - 1325*B*Sin[2*c + (7*d*x)/2] + 60*A*Sin[3*c + (7*d*x)/2] - 255*B*Sin[3*c + (7*d*x)/2] + 480*A*Sin[4*c + (7*d*x)/2] - 875*B*Sin[4*c + (7*d*x)/2] - 90*A*Sin[5*c + (7*d*x)/2] + 195*B*Sin[5*c + (7*d*x)/2] + 144*A*Sin[3*c + (7*d*x)/2] - 105*B*Sin[3*c + (7*d*x)/2] + 144*A*Sin[3*c + (7*d*x)/2] - 105*B*Sin[3*c + (7*d*x)/2])

$$c + (9dx)/2] - 304B \sin[3c + (9dx)/2] + 30A \sin[4c + (9dx)/2] - 90B \sin[4c + (9dx)/2] + 114A \sin[5c + (9dx)/2] - 214B \sin[5c + (9dx)/2]) / (480a^3 d (1 + \cos[c + dx])^3)$$

Maple [A] time = 0.075, size = 334, normalized size = 1.7

$$\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{2B}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{17A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^5*(A+B*sec(dx+c))/(a+a*sec(dx+c))^3,x)`

[Out] $1/20/d/a^3 \tan(1/2dx+1/2c)^5 A - 1/20/d/a^3 \tan(1/2dx+1/2c)^5 B + 1/2/d/a^3 A \tan(1/2dx+1/2c)^3 - 2/3/d/a^3 B \tan(1/2dx+1/2c)^3 + 17/4/d/a^3 A \tan(1/2dx+1/2c) - 31/4/d/a^3 B \tan(1/2dx+1/2c) + 7/2/d/a^3 / (\tan(1/2dx+1/2c)+1) * B - 1/d/a^3 / (\tan(1/2dx+1/2c)+1) * A - 3/d/a^3 \ln(\tan(1/2dx+1/2c)+1) * A + 13/2/d/a^3 \ln(\tan(1/2dx+1/2c)+1) * B - 1/2/d/a^3 B / (\tan(1/2dx+1/2c)+1)^2 + 3/d/a^3 \ln(\tan(1/2dx+1/2c)-1) * A - 13/2/d/a^3 \ln(\tan(1/2dx+1/2c)-1) * B + 7/2/d/a^3 / (\tan(1/2dx+1/2c)-1) * B - 1/d/a^3 / (\tan(1/2dx+1/2c)-1) * A + 1/2/d/a^3 B / (\tan(1/2dx+1/2c)-1)^2$

Maxima [A] time = 1.07032, size = 509, normalized size = 2.52

$$B \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 - \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} + \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - 3A \left(\frac{\dots}{60d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^5*(A+B*sec(dx+c))/(a+a*sec(dx+c))^3,x, algorithm="maxima")`

[Out] $-1/60*(B*(60*(5*\sin(dx+c))/(\cos(dx+c)+1) - 7*\sin(dx+c)^3/(\cos(dx+c)+1)^3)/(a^3 - 2*a^3*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + a^3*\sin(dx+c)^4/(\cos(dx+c)+1)^4) + (465*\sin(dx+c)/(\cos(dx+c)+1) + 40*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 3*\sin(dx+c)^5/(\cos(dx+c)+1)^5)/a^3 - 390*\log(\sin(dx+c)/(\cos(dx+c)+1) + 1)/a^3 + 390*\log(\sin(dx+c)/(\cos(dx+c)+1) - 1)/a^3)$

+ c)/(cos(d*x + c) + 1) - 1)/a^3) - 3*A*(40*sin(d*x + c)/((a^3 - a^3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1)) + (85*sin(d*x + c)/(cos(d*x + c) + 1) + 10*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 60*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 60*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^3))/d

Fricas [A] time = 0.505824, size = 757, normalized size = 3.75

$$\frac{15((6A - 13B)\cos(dx + c)^5 + 3(6A - 13B)\cos(dx + c)^4 + 3(6A - 13B)\cos(dx + c)^3 + (6A - 13B)\cos(dx + c)^2)1}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] -1/60*(15*((6*A - 13*B)*cos(d*x + c)^5 + 3*(6*A - 13*B)*cos(d*x + c)^4 + 3*(6*A - 13*B)*cos(d*x + c)^3 + (6*A - 13*B)*cos(d*x + c)^2)*log(sin(d*x + c) + 1) - 15*((6*A - 13*B)*cos(d*x + c)^5 + 3*(6*A - 13*B)*cos(d*x + c)^4 + 3*(6*A - 13*B)*cos(d*x + c)^3 + (6*A - 13*B)*cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(16*(9*A - 19*B)*cos(d*x + c)^4 + 3*(114*A - 239*B)*cos(d*x + c)^3 + (234*A - 479*B)*cos(d*x + c)^2 + 15*(2*A - 3*B)*cos(d*x + c) + 15*B)*sin(d*x + c))/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x + c)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^5(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{B \sec^6(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**5/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**6/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.34511, size = 315, normalized size = 1.56

$$\frac{30(6A-13B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{30(6A-13B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} + \frac{60\left(2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-7B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+5B\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] -1/60*(30*(6*A - 13*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 30*(6*A - 13*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 + 60*(2*A*tan(1/2*d*x + 1/2*c)^3 - 7*B*tan(1/2*d*x + 1/2*c)^3 - 2*A*tan(1/2*d*x + 1/2*c) + 5*B*tan(1/2*d*x + 1/2*c)))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 30*A*a^12*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 255*A*a^12*tan(1/2*d*x + 1/2*c) - 465*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

$$3.100 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=156

$$-\frac{(7A-27B)\tan(c+dx)}{15a^3d} + \frac{(A-3B)\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(A-3B)\tan(c+dx)}{d(a^3 \sec(c+dx) + a^3)} + \frac{(A-B)\tan(c+dx)\sec^3(c+dx)}{5d(a \sec(c+dx) + a)^3}$$

[Out] ((A - 3*B)*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((7*A - 27*B)*Tan[c + d*x])/(15*a^3*d) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((4*A - 9*B)*Sec[c + d*x]^2*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((A - 3*B)*Tan[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.428503, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4019, 4008, 3787, 3770, 3767, 8}

$$-\frac{(7A-27B)\tan(c+dx)}{15a^3d} + \frac{(A-3B)\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(A-3B)\tan(c+dx)}{d(a^3 \sec(c+dx) + a^3)} + \frac{(A-B)\tan(c+dx)\sec^3(c+dx)}{5d(a \sec(c+dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] ((A - 3*B)*ArcTanh[Sin[c + d*x]])/(a^3*d) - ((7*A - 27*B)*Tan[c + d*x])/(15*a^3*d) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((4*A - 9*B)*Sec[c + d*x]^2*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((A - 3*B)*Tan[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{\sec^3(c+dx)(3a(A-B)-a(A-6B)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4A-9B)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{\int \frac{\sec^2(c+dx)\tan(c+dx)}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4A-9B)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{d(a+a\sec(c+dx))^2} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4A-9B)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{d(a+a\sec(c+dx))^2} \\
&= \frac{(A-3B)\tanh^{-1}(\sin(c+dx))}{a^3d} + \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(4A-9B)\sec^2(c+dx)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(A-3B)\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{(7A-27B)\tan(c+dx)}{15a^3d} + \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{5d(a+a\sec(c+dx))^3}
\end{aligned}$$

Mathematica [B] time = 3.97864, size = 480, normalized size = 3.08

$$\frac{\sec\left(\frac{c}{2}\right)\sec(c)\cos\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\left(5(32A-51B)\sin\left(\frac{dx}{2}\right)+(567B-167A)\sin\left(\frac{3dx}{2}\right)+170A\sin\left(c-\frac{dx}{2}\right)-170A\right)}{(a+a\sec(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (-960*(A - 3*B)*Cos[(c + d*x)/2]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]*(5*(32*A - 51*B)*Sin[(d*x)/2] + (-167*A + 567*B)*Sin[(3*d*x)/2] + 170*A*Sin[c - (d*x)/2] - 600*B*Sin[c - (d*x)/2] - 170*A*Sin[c + (d*x)/2] + 375*B*Sin[c + (d*x)/2] + 160*A*Sin[2*c + (d*x)/2] - 480*B*Sin[2*c + (d*x)/2] + 75*A*Sin[c + (3*d*x)/2] - 60*B*Sin[c + (3*d*x)/2] - 167*A*Sin[2*c + (3*d*x)/2] + 402*B*Sin[2*c + (3*d*x)/2] + 75*A*Sin[3*c + (3*d*x)/2] - 225*B*Sin[3*c + (3*d*x)/2] - 95*A*Sin[c + (5*d*x)/2] + 315*B*Sin[c + (5*d*x)/2] + 15*A*Sin[2*c + (5*d*x)/2] + 30*B*Sin[2*c + (5*d*x)/2] - 95*A*Sin[3*c + (5*d*x)/2] + 240*B*Sin[3*c + (5*d*x)/2] + 15*A*Sin[4*c + (5*d*x)/2] - 45*B*Sin[4*c + (5*d*x)/2] - 22*A*Sin[2*c + (7*d*x)/2] + 72*B*Sin[2*c + (7*d*x)/2] + 15*B*Sin[3*c + (7*d*x)/2] - 22*A*Sin[4*c + (7*d*x)/2] + 57*B*Sin[4*c + (7*d*x)/2))/(120*a^3*d*(1 + Cos[c + d*x])^3)

Maple [A] time = 0.057, size = 245, normalized size = 1.6

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x)`

[Out]
$$-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*A+1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*B-1/3/d/a^3*A*\tan(1/2*d*x+1/2*c)^3+1/2/d/a^3*B*\tan(1/2*d*x+1/2*c)^3-7/4/d/a^3*A*\tan(1/2*d*x+1/2*c)+17/4/d/a^3*B*\tan(1/2*d*x+1/2*c)+1/d/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)*A-3/d/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d/a^3/(\tan(1/2*d*x+1/2*c)+1)*B-1/d/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)*A+3/d/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B-1/d/a^3/(\tan(1/2*d*x+1/2*c)-1)*B$$

Maxima [A] time = 1.02667, size = 386, normalized size = 2.47

$$3B \left(\frac{40 \sin(dx+c)}{\left(a^3 - \frac{a^3 \sin^2(dx+c)}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} + \frac{3 \sin^5(dx+c)}{(\cos(dx+c)+1)^5} \right) / a^3 - 60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right) / a^3 + 60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right) / a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out]
$$1/60*(3*B*(40*\sin(d*x + c)/((a^3 - a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) + (85*\sin(d*x + c)/(\cos(d*x + c) + 1) + 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^3 + 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^3 - A*((105*\sin(d*x + c)/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^3 + 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^3))/d$$

Fricas [A] time = 0.498247, size = 668, normalized size = 4.28

$$\frac{15 \left((A - 3B) \cos(dx + c)^4 + 3(A - 3B) \cos(dx + c)^3 + 3(A - 3B) \cos(dx + c)^2 + (A - 3B) \cos(dx + c) \right) \log(\sin(dx + c))}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] 1/30*(15*((A - 3*B)*cos(d*x + c)^4 + 3*(A - 3*B)*cos(d*x + c)^3 + 3*(A - 3*B)*cos(d*x + c)^2 + (A - 3*B)*cos(d*x + c))*log(sin(d*x + c) + 1) - 15*((A - 3*B)*cos(d*x + c)^4 + 3*(A - 3*B)*cos(d*x + c)^3 + 3*(A - 3*B)*cos(d*x + c)^2 + (A - 3*B)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(2*(11*A - 36*B)*cos(d*x + c)^3 + 3*(17*A - 57*B)*cos(d*x + c)^2 + (32*A - 117*B)*cos(d*x + c) - 15*B)*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{B \sec^5(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**4/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**5/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.36327, size = 251, normalized size = 1.61

$$\frac{60(A-3B) \log\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)}{a^3} - \frac{60(A-3B) \log\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)}{a^3} - \frac{120B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 20}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] 1/60*(60*(A - 3*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*(A - 3*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 - 120*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 20*A*a^12*tan(1/2*d*x + 1/2*c)^3 - 30*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 105*A*a^12*tan(1/2*d*x + 1/2*c) - 255*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```

$$3.101 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=125

$$\frac{(4A - 29B) \tan(c + dx)}{15d(a^3 \sec(c + dx) + a^3)} + \frac{B \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(A - B) \tan(c + dx) \sec^2(c + dx)}{5d(a \sec(c + dx) + a)^3} - \frac{(2A - 7B) \tan(c + dx)}{15ad(a \sec(c + dx) + a)^2}$$

[Out] (B*ArcTanh[Sin[c + d*x]])/(a^3*d) + ((A - B)*Sec[c + d*x]^2*Tan[c + d*x])/((5*d*(a + a*Sec[c + d*x])^3) - ((2*A - 7*B)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((4*A - 29*B)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x])))

Rubi [A] time = 0.315356, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4019, 4008, 3998, 3770, 3794}

$$\frac{(4A - 29B) \tan(c + dx)}{15d(a^3 \sec(c + dx) + a^3)} + \frac{B \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(A - B) \tan(c + dx) \sec^2(c + dx)}{5d(a \sec(c + dx) + a)^3} - \frac{(2A - 7B) \tan(c + dx)}{15ad(a \sec(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (B*ArcTanh[Sin[c + d*x]])/(a^3*d) + ((A - B)*Sec[c + d*x]^2*Tan[c + d*x])/((5*d*(a + a*Sec[c + d*x])^3) - ((2*A - 7*B)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((4*A - 29*B)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x])))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4008

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[

$e + f*x](a + b*\text{Csc}[e + f*x])^m)/(b*f*(2*m + 1)), x] + \text{Dist}[1/(b^2*(2*m + 1))], \text{Int}[\text{Csc}[e + f*x](a + b*\text{Csc}[e + f*x])^{m+1}*\text{Simp}[A*b*m - a*B*m + b*B*(2*m + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

Rule 3998

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[B/b, \text{Int}[\text{Csc}[e + f*x], x], x] + \text{Dist}[(A*b - a*B)/b, \text{Int}[\text{Csc}[e + f*x]/(a + b*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3794

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -\text{Simp}[\text{Cot}[e + f*x]/(f*(b + a*\text{Csc}[e + f*x])), x] /; \text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^3} dx &= \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\sec^2(c + dx)(2a(A - B) + 5aB \sec(c + dx))}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(2A - 7B) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{\int \frac{\sec(c + dx)(-2a^2)}{a} dx}{15ad} \\ &= \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(2A - 7B) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(4A - 29B) \int \frac{\sec(c + dx)}{a} dx}{15ad} \\ &= \frac{B \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(2A - 7B) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} \end{aligned}$$

Mathematica [A] time = 0.893983, size = 197, normalized size = 1.58

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(5(4A - 29B) \sin\left(\frac{dx}{2}\right) + 10A \sin\left(c + \frac{3dx}{2}\right) + 2A \sin\left(2c + \frac{5dx}{2}\right) + 75B \sin\left(c + \frac{dx}{2}\right) - 95B \sin\left(c\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (-240*B*Cos[(c + d*x)/2]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*(5*(4*A - 29*B)*Sin[(d*x)/2] + 75*B*Sin[c + (d*x)/2] + 10*A*Sin[c + (3*d*x)/2] - 95*B*Sin[c + (3*d*x)/2] + 15*B*Sin[2*c + (3*d*x)/2] + 2*A*Sin[2*c + (5*d*x)/2] - 22*B*Sin[2*c + (5*d*x)/2]))/(30*a^3*d*(1 + Cos[c + d*x])^3)

Maple [A] time = 0.054, size = 159, normalized size = 1.3

$$-\frac{B}{da^3} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) + \frac{A}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{B}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 - \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x)

[Out] -1/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)*B+1/6/d/a^3*A*tan(1/2*d*x+1/2*c)^3-1/3/d/a^3*B*tan(1/2*d*x+1/2*c)^3+1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*B+1/4/d/a^3*A*tan(1/2*d*x+1/2*c)-7/4/d/a^3*B*tan(1/2*d*x+1/2*c)+1/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*B

Maxima [A] time = 1.03031, size = 252, normalized size = 2.02

$$B \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - \frac{A \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] -1/60*(B*((105*sin(d*x + c))/(cos(d*x + c) + 1) + 20*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/a^3 - 60*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^3 + 60*log(sin(d*x + c)/(cos(d*x + c) + 1) -

$$\frac{1}{a^3} - A \frac{(15 \sin(dx + c) / (\cos(dx + c) + 1) + 10 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3}{d}$$

Fricas [A] time = 0.486405, size = 481, normalized size = 3.85

$$\frac{15 (B \cos(dx + c)^3 + 3 B \cos(dx + c)^2 + 3 B \cos(dx + c) + B) \log(\sin(dx + c) + 1) - 15 (B \cos(dx + c)^3 + 3 B \cos(dx + c)^2 + 3 B \cos(dx + c) + B) \log(-\sin(dx + c) + 1) + 2 * (2 * (A - 11 * B) * \cos(dx + c)^2 + 3 * (2 * A - 17 * B) * \cos(dx + c) + 7 * A - 32 * B) * \sin(dx + c)}{30 (a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+B*sec(dx+c))/(a+a*sec(dx+c))^3,x, algorithm="fricas")

[Out] 1/30*(15*(B*cos(dx + c)^3 + 3*B*cos(dx + c)^2 + 3*B*cos(dx + c) + B)*log(sin(dx + c) + 1) - 15*(B*cos(dx + c)^3 + 3*B*cos(dx + c)^2 + 3*B*cos(dx + c) + B)*log(-sin(dx + c) + 1) + 2*(2*(A - 11*B)*cos(dx + c)^2 + 3*(2*A - 17*B)*cos(dx + c) + 7*A - 32*B)*sin(dx + c))/(a^3*d*cos(dx + c)^3 + 3*a^3*d*cos(dx + c)^2 + 3*a^3*d*cos(dx + c) + a^3*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{B \sec^4(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**3*(A+B*sec(dx+c))/(a+a*sec(dx+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**4/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.38604, size = 198, normalized size = 1.58

$$\frac{60 B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{60 B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3} + \frac{3 A a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3 B a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 10 A a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 20 B a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{a^{15}}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] 1/60*(60*B*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*B*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 + (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 + 10*A*a^12*tan(1/2*d*x + 1/2*c)^3 - 20*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 15*A*a^12*tan(1/2*d*x + 1/2*c) - 105*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```


$$3.102 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=102

$$\frac{(3A+7B) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{(3A-8B) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(A-B) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] -((A - B)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((3*A - 8*B)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A + 7*B)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.203119, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4008, 4000, 3794}

$$\frac{(3A+7B) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{(3A-8B) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(A-B) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] -((A - B)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((3*A - 8*B)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A + 7*B)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4000

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]

/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A-B)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{\int \frac{\sec(c+dx)(-3a(A-B)-5aB\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A-B)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A-8B)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(3A+7B)\int \frac{\sec(c+dx)}{a+a\sec(c+dx)}}{15a^2} \\ &= -\frac{(A-B)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A-8B)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(3A+7B)\tan(c+dx)}{15d(a^3+a^3\sec(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.290918, size = 96, normalized size = 0.94

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left((3A+2B)\left(5\sin\left(c+\frac{3dx}{2}\right)+\sin\left(2c+\frac{5dx}{2}\right)\right)+5(3A+4B)\sin\left(\frac{dx}{2}\right)-15A\sin\left(c+\frac{dx}{2}\right)\right)}{30a^3d(\cos(c+dx)+1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3, x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(5*(3*A + 4*B)*Sin[(d*x)/2] - 15*A*Sin[c + (d*x)/2] + (3*A + 2*B)*(5*Sin[c + (3*d*x)/2] + Sin[2*c + (5*d*x)/2]))) / (30*a^3*d*(1 + Cos[c + d*x])^3)

Maple [A] time = 0.052, size = 64, normalized size = 0.6

$$\frac{1}{4da^3} \left(\frac{-A+B}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{2B}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x)`

[Out] $\frac{1}{4} \frac{1}{d} \frac{1}{a^3} \left(\frac{1}{5} (-A+B) \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + \frac{2}{3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \right)$

Maxima [A] time = 1.062, size = 155, normalized size = 1.52

$$\frac{B \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3} + \frac{3A \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $\frac{1}{60} \left(B \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / a^3 + 3A \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / a^3 \right) / d$

Fricas [A] time = 0.439018, size = 227, normalized size = 2.23

$$\frac{\left((3A + 2B) \cos(dx+c)^2 + 3(3A + 2B) \cos(dx+c) + 3A + 7B \right) \sin(dx+c)}{15 \left(a^3 d \cos(dx+c)^3 + 3a^3 d \cos(dx+c)^2 + 3a^3 d \cos(dx+c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] $\frac{1}{15} \left((3A + 2B) \cos(dx+c)^2 + 3(3A + 2B) \cos(dx+c) + 3A + 7B \right) \sin(dx+c) / \left(a^3 d \cos(dx+c)^3 + 3a^3 d \cos(dx+c)^2 + 3a^3 d \cos(dx+c) + a^3 d \right)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{B \sec^3(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**3/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.21226, size = 101, normalized size = 0.99

$$\frac{3A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 10B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] -1/60*(3*A*tan(1/2*d*x + 1/2*c)^5 - 3*B*tan(1/2*d*x + 1/2*c)^5 - 10*B*tan(1/2*d*x + 1/2*c)^3 - 15*A*tan(1/2*d*x + 1/2*c) - 15*B*tan(1/2*d*x + 1/2*c))/(a^3*d)

$$3.103 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=102

$$\frac{(2A+3B) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{(2A+3B) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} + \frac{(A-B) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] ((A - B)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((2*A + 3*B)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((2*A + 3*B)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.114332, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4000, 3796, 3794}

$$\frac{(2A+3B) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{(2A+3B) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} + \frac{(A-B) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] ((A - B)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((2*A + 3*B)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((2*A + 3*B)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4000

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

Rule 3796

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(m + 1)/(a*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

&& IntegerQ[2*m]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(2A+3B) \int \frac{\sec(c+dx)}{(a+a\sec(c+dx))^2} dx}{5a} \\ &= \frac{(A-B)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(2A+3B)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(2A+3B) \int \frac{\sec(c+dx)}{a+a\sec(c+dx)} dx}{15a^2} \\ &= \frac{(A-B)\tan(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(2A+3B)\tan(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(2A+3B)\tan(c+dx)}{15d(a^3+a^3\sec(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.324102, size = 135, normalized size = 1.32

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left(-15(2A+B) \sin\left(c+\frac{dx}{2}\right) + 5(8A+3B) \sin\left(\frac{dx}{2}\right) + 20A \sin\left(c+\frac{3dx}{2}\right) - 15A \sin\left(2c+\frac{3dx}{2}\right) + 7A\right)}{30a^3d(\cos(c+dx)+1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(5*(8*A + 3*B)*Sin[(d*x)/2] - 15*(2*A + B)*Sin[c + (d*x)/2] + 20*A*Sin[c + (3*d*x)/2] + 15*B*Sin[c + (3*d*x)/2] - 15*A*Sin[2*c + (3*d*x)/2] + 7*A*Sin[2*c + (5*d*x)/2] + 3*B*Sin[2*c + (5*d*x)/2]))/(30*a^3*d*(1 + Cos[c + d*x])^3)

Maple [A] time = 0.061, size = 64, normalized size = 0.6

$$\frac{1}{4da^3} \left(\frac{A-B}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{2A}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x)`

[Out] $\frac{1}{4} \frac{1}{d} \frac{1}{a^3} \left(\frac{1}{5} (A-B) \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 - \frac{2}{3} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \right)$

Maxima [A] time = 1.01165, size = 155, normalized size = 1.52

$$\frac{A \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3} + \frac{3 B \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $\frac{1}{60} \left(A \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / a^3 + 3 B \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / a^3 \right) / d$

Fricas [A] time = 0.444781, size = 227, normalized size = 2.23

$$\frac{\left((7A + 3B) \cos(dx+c)^2 + 3(2A + 3B) \cos(dx+c) + 2A + 3B \right) \sin(dx+c)}{15 \left(a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + 3 a^3 d \cos(dx+c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] $\frac{1}{15} \left((7A + 3B) \cos(dx+c)^2 + 3(2A + 3B) \cos(dx+c) + 2A + 3B \right) \sin(dx+c) / \left(a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + 3 a^3 d \cos(dx+c) + a^3 d \right)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{B \sec^2(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.32072, size = 101, normalized size = 0.99

$$\frac{3A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 10A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(3*A*tan(1/2*d*x + 1/2*c)^5 - 3*B*tan(1/2*d*x + 1/2*c)^5 - 10*A*tan(1/2*d*x + 1/2*c)^3 + 15*A*tan(1/2*d*x + 1/2*c) + 15*B*tan(1/2*d*x + 1/2*c))/(a^3*d)

$$3.104 \quad \int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=108

$$-\frac{2(11A-B) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{Ax}{a^3} - \frac{(7A-2B) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(A-B) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

[Out] (A*x)/a^3 - ((A - B)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((7*A - 2*B)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - (2*(11*A - B)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.186089, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3922, 3919, 3794}

$$-\frac{2(11A-B) \tan(c+dx)}{15d(a^3 \sec(c+dx)+a^3)} + \frac{Ax}{a^3} - \frac{(7A-2B) \tan(c+dx)}{15ad(a \sec(c+dx)+a)^2} - \frac{(A-B) \tan(c+dx)}{5d(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^3,x]

[Out] (A*x)/a^3 - ((A - B)*Tan[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((7*A - 2*B)*Tan[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - (2*(11*A - B)*Tan[c + d*x])/(15*d*(a^3 + a^3*Sec[c + d*x]))

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -

a*d, 0]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{(a + a \sec(c + dx))^3} dx &= \frac{(A - B) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{-5aA + 2a(A - B) \sec(c + dx)}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 2B) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{15a^2A - a^2(7A - 2B) \sec(c + dx)}{a + a \sec(c + dx)} dx}{15a^4} \\ &= \frac{Ax}{a^3} - \frac{(A - B) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 2B) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(2(11A - B)) \int \frac{\sec(c + dx)}{a + a \sec(c + dx)} dx}{15a^2} \\ &= \frac{Ax}{a^3} - \frac{(A - B) \tan(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(7A - 2B) \tan(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{2(11A - B) \tan(c + dx)}{15d(a^3 + a^3 \sec(c + dx))} \end{aligned}$$

Mathematica [B] time = 0.566556, size = 241, normalized size = 2.23

$$\frac{\sec\left(\frac{c}{2}\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \left(270A \sin\left(c + \frac{dx}{2}\right) - 230A \sin\left(c + \frac{3dx}{2}\right) + 90A \sin\left(2c + \frac{3dx}{2}\right) - 64A \sin\left(2c + \frac{5dx}{2}\right) + 150A dx \cos\left(2c + \frac{5dx}{2}\right)\right)}{480a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^3,x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(150*A*d*x*Cos[(d*x)/2] + 150*A*d*x*Cos[c + (d*x)/2] + 75*A*d*x*Cos[c + (3*d*x)/2] + 75*A*d*x*Cos[2*c + (3*d*x)/2] + 15*A*d*x*Cos[2*c + (5*d*x)/2] + 15*A*d*x*Cos[3*c + (5*d*x)/2] - 370*A*Sin[(d*x)/2] + 80*B*Sin[(d*x)/2] + 270*A*Sin[c + (d*x)/2] - 60*B*Sin[c + (d*x)/2] - 230*A*Sin[c + (3*d*x)/2] + 40*B*Sin[c + (3*d*x)/2] + 90*A*Sin[2*c + (3*d*x)/2] - 30*B*Sin[2*c + (3*d*x)/2] - 64*A*Sin[2*c + (5*d*x)/2] + 14*B*Sin[2*c + (5*d*x)/2]))/(480*a^3*d)

Maple [A] time = 0.065, size = 137, normalized size = 1.3

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x)

[Out]
$$-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*A+1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*B+1/3/d/a^3*A*\tan(1/2*d*x+1/2*c)^3-1/6/d/a^3*B*\tan(1/2*d*x+1/2*c)^3-7/4/d/a^3*A*\tan(1/2*d*x+1/2*c)+1/4/d/a^3*B*\tan(1/2*d*x+1/2*c)+2/d/a^3*A*\arctan(\tan(1/2*d*x+1/2*c))$$

Maxima [A] time = 1.46819, size = 216, normalized size = 2.

$$\frac{A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - \frac{B \left(\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out]
$$-1/60*(A*((105*\sin(d*x + c)/(\cos(d*x + c) + 1) - 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3) - B*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$$

Fricas [A] time = 0.460595, size = 351, normalized size = 3.25

$$\frac{15 A dx \cos(dx+c)^3 + 45 A dx \cos(dx+c)^2 + 45 A dx \cos(dx+c) + 15 A dx - ((32 A - 7 B) \cos(dx+c)^2 + 3(17 A - 2 B) \cos(dx+c) + 3 B)}{15(a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + 3 a^3 d \cos(dx+c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] $\frac{1}{15}*(15*A*d*x*\cos(d*x + c)^3 + 45*A*d*x*\cos(d*x + c)^2 + 45*A*d*x*\cos(d*x + c) + 15*A*d*x - ((32*A - 7*B)*\cos(d*x + c)^2 + 3*(17*A - 2*B)*\cos(d*x + c) + 22*A - 2*B)*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx + \int \frac{B \sec(c+dx)}{\sec^3(c+dx)+3\sec^2(c+dx)+3\sec(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.29854, size = 163, normalized size = 1.51

$$\frac{\frac{60(dx+c)A}{a^3} - \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 3Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 20Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 10Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 105Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 15Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{60d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] $\frac{1}{60}*(60*(d*x + c)*A/a^3 - (3*A*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 20*A*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 10*B*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 105*A*a^{12}*\tan(1/2*d*x + 1/2*c) - 15*B*a^{12}*\tan(1/2*d*x + 1/2*c))/a^{15}/d$

$$3.105 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=136

$$\frac{2(36A - 11B) \sin(c + dx)}{15a^3d} - \frac{(3A - B) \sin(c + dx)}{d(a^3 \sec(c + dx) + a^3)} - \frac{x(3A - B)}{a^3} - \frac{(9A - 4B) \sin(c + dx)}{15ad(a \sec(c + dx) + a)^2} - \frac{(A - B) \sin(c + dx)}{5d(a \sec(c + dx) + a)^3}$$

[Out] -(((3*A - B)*x)/a^3) + (2*(36*A - 11*B)*Sin[c + d*x])/(15*a^3*d) - ((A - B)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((9*A - 4*B)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((3*A - B)*Sin[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.366747, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {4020, 3787, 2637, 8}

$$\frac{2(36A - 11B) \sin(c + dx)}{15a^3d} - \frac{(3A - B) \sin(c + dx)}{d(a^3 \sec(c + dx) + a^3)} - \frac{x(3A - B)}{a^3} - \frac{(9A - 4B) \sin(c + dx)}{15ad(a \sec(c + dx) + a)^2} - \frac{(A - B) \sin(c + dx)}{5d(a \sec(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] -(((3*A - B)*x)/a^3) + (2*(36*A - 11*B)*Sin[c + d*x])/(15*a^3*d) - ((A - B)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((9*A - 4*B)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((3*A - B)*Sin[c + d*x])/(d*(a^3 + a^3*Sec[c + d*x]))

Rule 4020

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := \text{Simp}[\sin[c + d*x]/d, x] /;$
 $\text{FreeQ}\{c, d\}, x]$

Rule 8

$\text{Int}[a_, x_Symbol] := \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^3} dx &= -\frac{(A - B) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\cos(c+dx)(a(6A-B)-3a(A-B)\sec(c+dx))}{(a+a \sec(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - 4B) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{\cos(c+dx)(a^2(27A-7B)-2a^2(9A-4B)\sec(c+dx))}{a+a \sec(c+dx)} dx}{15a^4} \\ &= -\frac{(A - B) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - 4B) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(3A - B) \sin(c + dx)}{d(a^3 + a^3 \sec(c + dx))} + \frac{(3A - B) \sin(c + dx)}{d(a^3 + a^3 \sec(c + dx))} \\ &= -\frac{(A - B) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - 4B) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(3A - B) \sin(c + dx)}{d(a^3 + a^3 \sec(c + dx))} + \frac{(3A - B) \sin(c + dx)}{d(a^3 + a^3 \sec(c + dx))} \\ &= -\frac{(3A - B)x}{a^3} + \frac{2(36A - 11B) \sin(c + dx)}{15a^3d} - \frac{(A - B) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(9A - 4B) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \end{aligned}$$

Mathematica [B] time = 1.0293, size = 365, normalized size = 2.68

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-300dx(3A - B) \cos\left(c + \frac{dx}{2}\right) - 300dx(3A - B) \cos\left(\frac{dx}{2}\right) - 1125A \sin\left(c + \frac{dx}{2}\right) + 1215A \sin\left(c + \frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-300*(3*A - B)*d*x*Cos[(d*x)/2] - 300*(3*A - B)*d*x*Cos[c + (d*x)/2] - 450*A*d*x*Cos[c + (3*d*x)/2] + 150*B*d*x*Cos[c + (3*d*x)/2] - 450*A*d*x*Cos[2*c + (3*d*x)/2] + 150*B*d*x*Cos[2*c + (3*d*x)/2] - 90*A*d*x*Cos[2*c + (5*d*x)/2] + 30*B*d*x*Cos[2*c + (5*d*x)/2] - 90*A*d*x*

$$\begin{aligned} & \cos[3c + (5dx)/2] + 30Bdx \cos[3c + (5dx)/2] + 1755A \sin[(dx)/2] \\ & - 740B \sin[(dx)/2] - 1125A \sin[c + (dx)/2] + 540B \sin[c + (dx)/2] + 1 \\ & 215A \sin[c + (3dx)/2] - 460B \sin[c + (3dx)/2] - 225A \sin[2c + (3dx)/2] \\ & + 180B \sin[2c + (3dx)/2] + 363A \sin[2c + (5dx)/2] - 128B \sin \\ & [2c + (5dx)/2] + 75A \sin[3c + (5dx)/2] + 15A \sin[3c + (7dx)/2] + \\ & 15A \sin[4c + (7dx)/2]) / (120a^3 d (1 + \cos[c + dx])^3) \end{aligned}$$

Maple [A] time = 0.093, size = 189, normalized size = 1.4

$$\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{A}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{17A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)*(A+B*sec(dx+c))/(a+a*sec(dx+c))^3,x)

[Out] 1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*B-1/2/d/a^3*A*tan(1/2*d*x+1/2*c)^3+1/3/d/a^3*B*tan(1/2*d*x+1/2*c)^3+17/4/d/a^3*A*tan(1/2*d*x+1/2*c)-7/4/d/a^3*B*tan(1/2*d*x+1/2*c)+2/d/a^3*A*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-6/d/a^3*A*arctan(tan(1/2*d*x+1/2*c))+2/d/a^3*arctan(tan(1/2*d*x+1/2*c))*B

Maxima [A] time = 1.48971, size = 312, normalized size = 2.29

$$3A \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - B \left(\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^3} \right)$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+a*sec(dx+c))^3,x, algorithm="maxima")

[Out] 1/60*(3*A*(40*sin(dx + c)/((a^3 + a^3*sin(dx + c)^2/(cos(dx + c) + 1)^2)*(cos(dx + c) + 1)) + (85*sin(dx + c)/(cos(dx + c) + 1) - 10*sin(dx + c)^3/(cos(dx + c) + 1)^3 + sin(dx + c)^5/(cos(dx + c) + 1)^5)/a^3 - 120*arctan(sin(dx + c)/(cos(dx + c) + 1))/a^3) - B*((105*sin(dx + c)/(cos(dx + c) + 1) - 20*sin(dx + c)^3/(cos(dx + c) + 1)^3 + 3*sin(dx + c)^5/(cos

$(d*x + c) + 1)^5/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3)/d$

Fricas [A] time = 0.475016, size = 431, normalized size = 3.17

$$\frac{15(3A - B)dx \cos(dx + c)^3 + 45(3A - B)dx \cos(dx + c)^2 + 45(3A - B)dx \cos(dx + c) + 15(3A - B)dx - (15A \cos(dx + c) + 117A - 32B) \cos(dx + c)^2 + 3(57A - 17B) \cos(dx + c) + 72A - 22B) \sin(dx + c)}{15(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] $-1/15*(15*(3*A - B)*d*x*\cos(d*x + c)^3 + 45*(3*A - B)*d*x*\cos(d*x + c)^2 + 45*(3*A - B)*d*x*\cos(d*x + c) + 15*(3*A - B)*d*x - (15*A*\cos(d*x + c)^3 + (117*A - 32*B)*\cos(d*x + c)^2 + 3*(57*A - 17*B)*\cos(d*x + c) + 72*A - 22*B)*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.42345, size = 212, normalized size = 1.56

$$\frac{60(dx+c)(3A-B)}{a^3} - \frac{120A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 30Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 20Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 255Aa^{12}}{a^{15}}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] -1/60*(60*(d*x + c)*(3*A - B)/a^3 - 120*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 - 30*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 20*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 255*A*a^12*tan(1/2*d*x + 1/2*c) - 105*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```

$$3.106 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=187

$$-\frac{8(19A-9B)\sin(c+dx)}{15a^3d} + \frac{(13A-6B)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{4(19A-9B)\sin(c+dx)\cos(c+dx)}{15d(a^3\sec(c+dx)+a^3)} + \frac{x(13A-6B)}{2a^3}$$

[Out] $((13A - 6B)*x)/(2*a^3) - (8*(19A - 9B)*\text{Sin}[c + d*x])/(15*a^3*d) + ((13A - 6B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^3*d) - ((A - B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - ((11*A - 6*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) - (4*(19*A - 9*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(15*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rubi [A] time = 0.469506, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4020, 3787, 2635, 8, 2637}

$$-\frac{8(19A-9B)\sin(c+dx)}{15a^3d} + \frac{(13A-6B)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{4(19A-9B)\sin(c+dx)\cos(c+dx)}{15d(a^3\sec(c+dx)+a^3)} + \frac{x(13A-6B)}{2a^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]^2*(A + B*\text{Sec}[c + d*x]))/(a + a*\text{Sec}[c + d*x])^3, x]$

[Out] $((13A - 6B)*x)/(2*a^3) - (8*(19A - 9B)*\text{Sin}[c + d*x])/(15*a^3*d) + ((13A - 6B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^3*d) - ((A - B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - ((11*A - 6*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) - (4*(19*A - 9*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(15*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol) :> -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x] *(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^3} dx &= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\cos^2(c + dx)(a(7A - 2B) - 4a(A - B) \sec(c + dx))}{(a + a \sec(c + dx))^2} dx}{5a^2} \\
 &= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(11A - 6B) \cos(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{\cos^2(c + dx)(a(7A - 2B) - 4a(A - B) \sec(c + dx))}{(a + a \sec(c + dx))^2} dx}{5a^2} \\
 &= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(11A - 6B) \cos(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{4(19A - 12B)}{15a^2} \\
 &= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(11A - 6B) \cos(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{4(19A - 12B)}{15a^2} \\
 &= -\frac{8(19A - 9B) \sin(c + dx)}{15a^3d} + \frac{(13A - 6B) \cos(c + dx) \sin(c + dx)}{2a^3d} - \frac{(A - B) \cos(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} \\
 &= \frac{(13A - 6B)x}{2a^3} - \frac{8(19A - 9B) \sin(c + dx)}{15a^3d} + \frac{(13A - 6B) \cos(c + dx) \sin(c + dx)}{2a^3d}
 \end{aligned}$$

Mathematica [B] time = 0.786978, size = 435, normalized size = 2.33

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(600dx(13A - 6B) \cos\left(c + \frac{dx}{2}\right) + 600dx(13A - 6B) \cos\left(\frac{dx}{2}\right) + 7560A \sin\left(c + \frac{dx}{2}\right) - 9230A \sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(600*(13*A - 6*B)*d*x*Cos[(d*x)/2] + 600*(13*A - 6*B)*d*x*Cos[c + (d*x)/2] + 3900*A*d*x*Cos[c + (3*d*x)/2] - 1800*B*d*x*Cos[c + (3*d*x)/2] + 3900*A*d*x*Cos[2*c + (3*d*x)/2] - 1800*B*d*x*Cos[2*c + (3*d*x)/2] + 780*A*d*x*Cos[2*c + (5*d*x)/2] - 360*B*d*x*Cos[2*c + (5*d*x)/2] + 780*A*d*x*Cos[3*c + (5*d*x)/2] - 360*B*d*x*Cos[3*c + (5*d*x)/2] - 12760*A*Sin[(d*x)/2] + 7020*B*Sin[(d*x)/2] + 7560*A*Sin[c + (d*x)/2] - 4500*B*Sin[c + (d*x)/2] - 9230*A*Sin[c + (3*d*x)/2] + 4860*B*Sin[c + (3*d*x)/2] + 930*A*Sin[2*c + (3*d*x)/2] - 900*B*Sin[2*c + (3*d*x)/2] - 2782*A*Sin[2*c + (5*d*x)/2] + 1452*B*Sin[2*c + (5*d*x)/2] - 750*A*Sin[3*c + (5*d*x)/2] + 300*B*Sin[3*c + (5*d*x)/2] - 105*A*Sin[3*c + (7*d*x)/2] + 60*B*Sin[3*c + (7*d*x)/2] - 105*A*Sin[4*c + (7*d*x)/2] + 60*B*Sin[4*c + (7*d*x)/2] + 15*A*Sin[4*c + (9*d*x)/2] + 15*A*Sin[5*c + (9*d*x)/2]))/(480*a^3*d*(1 + Cos[c + d*x])^3)

Maple [A] time = 0.101, size = 292, normalized size = 1.6

$$-\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 + \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 + \frac{2A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{B}{2da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{31A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x)

[Out] -1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*A+1/20/d/a^3*tan(1/2*d*x+1/2*c)^5*B+2/3/d/a^3*A*tan(1/2*d*x+1/2*c)^3-1/2/d/a^3*B*tan(1/2*d*x+1/2*c)^3-31/4/d/a^3*A*tan(1/2*d*x+1/2*c)+17/4/d/a^3*B*tan(1/2*d*x+1/2*c)-7/d/a^3/(1+tan(1/2*d*x+1/2*c)^2)^2*A*tan(1/2*d*x+1/2*c)^3+2/d/a^3/(1+tan(1/2*d*x+1/2*c)^2)^2*B*tan(1/2*d*x+1/2*c)^3-5/d/a^3/(1+tan(1/2*d*x+1/2*c)^2)^2*A*tan(1/2*d*x+1/2*c)+2/d/a^3/(1+tan(1/2*d*x+1/2*c)^2)^2*B*tan(1/2*d*x+1/2*c)+13/d/a^3*A*arctan(tan(1/2*d*x+1/2*c))-6/d/a^3*arctan(tan(1/2*d*x+1/2*c))*B

Maxima [A] time = 1.50664, size = 435, normalized size = 2.33

$$\frac{A \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} - \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{780 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - 3B \left(\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right) (\cos(dx+c)+1)} \right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out]
$$\frac{-1/60*(A*(60*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) + 7*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^3 + 2*a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (465*\sin(d*x + c)/(\cos(d*x + c) + 1) - 40*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 780*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3) - 3*B*(40*\sin(d*x + c)/((a^3 + a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) + (85*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3)/d}$$

Fricas [A] time = 0.484462, size = 495, normalized size = 2.65

$$\frac{15(13A - 6B)dx \cos(dx + c)^3 + 45(13A - 6B)dx \cos(dx + c)^2 + 45(13A - 6B)dx \cos(dx + c) + 15(13A - 6B)dx + 30(a^3d \cos(dx + c)^3 + \dots)}{30(a^3d \cos(dx + c)^3 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\frac{1/30*(15*(13*A - 6*B)*d*x*\cos(d*x + c)^3 + 45*(13*A - 6*B)*d*x*\cos(d*x + c)^2 + 45*(13*A - 6*B)*d*x*\cos(d*x + c) + 15*(13*A - 6*B)*d*x + (15*A*\cos(d*x + c)^4 - 15*(3*A - 2*B)*\cos(d*x + c)^3 - (479*A - 234*B)*\cos(d*x + c)^2 - 3*(239*A - 114*B)*\cos(d*x + c) - 304*A + 144*B)*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \cos^2(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx + \int \frac{B \cos^2(c+dx) \sec(c+dx)}{\sec^3(c+dx)+3 \sec^2(c+dx)+3 \sec(c+dx)+1} dx$$

a^3

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] (Integral(A*cos(c + d*x)**2/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x) + Integral(B*cos(c + d*x)**2*sec(c + d*x)/(sec(c + d*x)**3 + 3*sec(c + d*x)**2 + 3*sec(c + d*x) + 1), x))/a**3

Giac [A] time = 1.27541, size = 270, normalized size = 1.44

$$\frac{30(dx+c)(13A-6B)}{a^3} - \frac{60\left(7A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 5A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2 a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] 1/60*(30*(d*x + c)*(13*A - 6*B)/a^3 - 60*(7*A*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^3 + 5*A*tan(1/2*d*x + 1/2*c) - 2*B*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3 - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 - 40*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 30*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 465*A*a^12*tan(1/2*d*x + 1/2*c) - 255*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d

$$3.107 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=218

$$-\frac{4(34A-19B)\sin^3(c+dx)}{15a^3d} + \frac{4(34A-19B)\sin(c+dx)}{5a^3d} - \frac{(23A-13B)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{(23A-13B)\sin(c+dx)}{3d(a^3\sec(c+dx))}$$

[Out] $-\frac{(23A-13B)x}{2a^3} + \frac{4(34A-19B)\sin[c+dx]}{5a^3d} - \frac{(23A-13B)\cos[c+dx]\sin[c+dx]}{2a^3d} - \frac{(A-B)\cos[c+dx]^2\sin[c+dx]}{5d(a+a\sec[c+dx])^3} - \frac{(13A-8B)\cos[c+dx]^2\sin[c+dx]}{15ad(a+a\sec[c+dx])^2} - \frac{(23A-13B)\cos[c+dx]^2\sin[c+dx]}{3d(a^3+a^3\sec[c+dx])} - \frac{4(34A-19B)\sin[c+dx]^3}{15a^3d}$

Rubi [A] time = 0.49492, antiderivative size = 218, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4020, 3787, 2633, 2635, 8}

$$-\frac{4(34A-19B)\sin^3(c+dx)}{15a^3d} + \frac{4(34A-19B)\sin(c+dx)}{5a^3d} - \frac{(23A-13B)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{(23A-13B)\sin(c+dx)}{3d(a^3\sec(c+dx))}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\cos[c+dx])^3(A+B\sec[c+dx])]/(a+a\sec[c+dx])^3, x]$

[Out] $-\frac{(23A-13B)x}{2a^3} + \frac{4(34A-19B)\sin[c+dx]}{5a^3d} - \frac{(23A-13B)\cos[c+dx]\sin[c+dx]}{2a^3d} - \frac{(A-B)\cos[c+dx]^2\sin[c+dx]}{5d(a+a\sec[c+dx])^3} - \frac{(13A-8B)\cos[c+dx]^2\sin[c+dx]}{15ad(a+a\sec[c+dx])^2} - \frac{(23A-13B)\cos[c+dx]^2\sin[c+dx]}{3d(a^3+a^3\sec[c+dx])} - \frac{4(34A-19B)\sin[c+dx]^3}{15a^3d}$

Rule 4020

$\text{Int}[(\csc[e_+ f_+ x_+])^{n_+}(\csc[e_+ f_+ x_+](b_+ + a_+))^{m_+}(\csc[e_+ f_+ x_+](B_+ + A_+)), x_Symbol] :> -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0]$

] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_.)]^n_, x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n_, x_Symbol] := -Simp[(b*Cos[c + d*x] *(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{\cos^3(c+dx)(a(8A-3B)-5a(A-B)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \int \frac{\cos^3(c+dx)(a(8A-3B)-5a(A-B)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{\int \frac{\cos^3(c+dx)(a(8A-3B)-5a(A-B)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(13A-8B)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{\int \frac{\cos^3(c+dx)(a(8A-3B)-5a(A-B)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(23A-13B)\cos(c+dx)\sin(c+dx)}{2a^3d} - \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{\int \frac{\cos^3(c+dx)(a(8A-3B)-5a(A-B)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(23A-13B)x}{2a^3} + \frac{4(34A-19B)\sin(c+dx)}{5a^3d} - \frac{(23A-13B)\cos(c+dx)\sin(c+dx)}{2a^3d}
\end{aligned}$$

Mathematica [B] time = 1.04269, size = 491, normalized size = 2.25

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-600dx(23A-13B)\cos\left(c+\frac{dx}{2}\right)-600dx(23A-13B)\cos\left(\frac{dx}{2}\right)-11110A\sin\left(c+\frac{dx}{2}\right)+15380\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-600*(23*A - 13*B)*d*x*Cos[(d*x)/2] - 600*(23*A - 13*B)*d*x*Cos[c + (d*x)/2] - 6900*A*d*x*Cos[c + (3*d*x)/2] + 3900*B*d*x*Cos[c + (3*d*x)/2] - 6900*A*d*x*Cos[2*c + (3*d*x)/2] + 3900*B*d*x*Cos[2*c + (3*d*x)/2] - 1380*A*d*x*Cos[2*c + (5*d*x)/2] + 780*B*d*x*Cos[2*c + (5*d*x)/2] - 1380*A*d*x*Cos[3*c + (5*d*x)/2] + 780*B*d*x*Cos[3*c + (5*d*x)/2] + 20410*A*Sin[(d*x)/2] - 12760*B*Sin[(d*x)/2] - 11110*A*Sin[c + (d*x)/2] + 7560*B*Sin[c + (d*x)/2] + 15380*A*Sin[c + (3*d*x)/2] - 9230*B*Sin[c + (3*d*x)/2] - 380*A*Sin[2*c + (3*d*x)/2] + 930*B*Sin[2*c + (3*d*x)/2] + 4777*A*Sin[2*c + (5*d*x)/2] - 2782*B*Sin[2*c + (5*d*x)/2] + 1625*A*Sin[3*c + (5*d*x)/2] - 750*B*Sin[3*c + (5*d*x)/2] + 230*A*Sin[3*c + (7*d*x)/2] - 105*B*Sin[3*c + (7*d*x)/2] + 230*A*Sin[4*c + (7*d*x)/2] - 105*B*Sin[4*c + (7*d*x)/2] - 20*A*Sin[4*c + (9*d*x)/2] + 15*B*Sin[4*c + (9*d*x)/2] - 20*A*Sin[5*c + (9*d*x)/2] + 15*B*Sin[5*c + (9*d*x)/2] + 5*A*Sin[5*c + (11*d*x)/2] + 5*A*Sin[6*c + (11*d*x)/2]))/(480*a^3*d*(1 + Cos[c + d*x])^3)

Maple [A] time = 0.099, size = 362, normalized size = 1.7

$$\frac{A}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{20da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{5A}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{2B}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{49A}{4da^3} \tan\left(\frac{dx}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x)`

[Out] $1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*A-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5*B-5/6/d/a^3*A*\tan(1/2*d*x+1/2*c)^3+2/3/d/a^3*B*\tan(1/2*d*x+1/2*c)^3+49/4/d/a^3*A*\tan(1/2*d*x+1/2*c)-31/4/d/a^3*B*\tan(1/2*d*x+1/2*c)+17/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*A-7/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*B+76/3/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*A*\tan(1/2*d*x+1/2*c)^3-12/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*B*\tan(1/2*d*x+1/2*c)^3+11/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*A*\tan(1/2*d*x+1/2*c)-5/d/a^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*B*\tan(1/2*d*x+1/2*c)-23/d/a^3*A*\arctan(\tan(1/2*d*x+1/2*c))+13/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*B$

Maxima [B] time = 1.50998, size = 556, normalized size = 2.55

$$A \left(\frac{20 \left(\frac{33 \sin(dx+c)}{\cos(dx+c)+1} + \frac{76 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{51 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3 + \frac{3a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^3 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{735 \sin(dx+c)}{\cos(dx+c)+1} - \frac{50 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{1380 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - B \left(\frac{60 \left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} \right)$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] $1/60*(A*(20*(33*\sin(d*x + c)/(\cos(d*x + c) + 1) + 76*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 51*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a^3 + 3*a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a^3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + a^3*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6) + (735*\sin(d*x + c)/(\cos(d*x + c) + 1) - 50*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 1380*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3 - B*(60*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) + 7*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^3 + 2*a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4))$

$\cos(dx + c) + 1)^4 + (465 \sin(dx + c) / (\cos(dx + c) + 1) - 40 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 780 \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^3) / d$

Fricas [A] time = 0.498422, size = 540, normalized size = 2.48

$$\frac{15(23A - 13B)dx \cos(dx + c)^3 + 45(23A - 13B)dx \cos(dx + c)^2 + 45(23A - 13B)dx \cos(dx + c) + 15(23A - 13B)}{30(a^3 \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+B*sec(dx+c))/(a+a*sec(dx+c))^3,x, algorithm="fricas")

[Out] $-1/30*(15*(23*A - 13*B)*d*x*\cos(dx + c)^3 + 45*(23*A - 13*B)*d*x*\cos(dx + c)^2 + 45*(23*A - 13*B)*d*x*\cos(dx + c) + 15*(23*A - 13*B)*d*x - (10*A*\cos(dx + c)^5 - 15*(A - B)*\cos(dx + c)^4 + 5*(19*A - 9*B)*\cos(dx + c)^3 + (869*A - 479*B)*\cos(dx + c)^2 + 3*(429*A - 239*B)*\cos(dx + c) + 544*A - 304*B)*\sin(dx + c)) / (a^3*d*\cos(dx + c)^3 + 3*a^3*d*\cos(dx + c)^2 + 3*a^3*d*\cos(dx + c) + a^3*d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(A+B*sec(dx+c))/(a+a*sec(dx+c))**3,x)

[Out] Timed out

Giac [A] time = 1.34235, size = 308, normalized size = 1.41

$$\frac{30(dx+c)(23A-13B)}{a^3} - \frac{20 \left(51A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 21B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 76A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 36B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 33A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1 \right)^3 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$\frac{-1/60*(30*(d*x + c)*(23*A - 13*B)/a^3 - 20*(51*A*\tan(1/2*d*x + 1/2*c)^5 - 21*B*\tan(1/2*d*x + 1/2*c)^5 + 76*A*\tan(1/2*d*x + 1/2*c)^3 - 36*B*\tan(1/2*d*x + 1/2*c)^3 + 33*A*\tan(1/2*d*x + 1/2*c) - 15*B*\tan(1/2*d*x + 1/2*c))}{((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^3) - (3*A*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 50*A*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 40*B*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 735*A*a^{12}*\tan(1/2*d*x + 1/2*c) - 465*B*a^{12}*\tan(1/2*d*x + 1/2*c))}/a^{15}/d$$

$$3.108 \quad \int \frac{\sec^6(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=238

$$\frac{8(83A - 216B) \tan(c + dx)}{105a^4d} - \frac{(8A - 21B) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(52A - 129B) \tan(c + dx) \sec^3(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{4(83A - 216B) \tan(c + dx)}{105a^4d}$$

[Out] -((8*A - 21*B)*ArcTanh[Sin[c + d*x]])/(2*a^4*d) + (8*(83*A - 216*B)*Tan[c + d*x])/(105*a^4*d) - ((8*A - 21*B)*Sec[c + d*x]*Tan[c + d*x])/(2*a^4*d) + (52*A - 129*B)*Sec[c + d*x]^3*Tan[c + d*x]/(105*a^4*d*(1 + Sec[c + d*x])^2) + (4*(83*A - 216*B)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^5*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((A - 2*B)*Sec[c + d*x]^4*Tan[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.655504, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4019, 3787, 3767, 8, 3768, 3770}

$$\frac{8(83A - 216B) \tan(c + dx)}{105a^4d} - \frac{(8A - 21B) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(52A - 129B) \tan(c + dx) \sec^3(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{4(83A - 216B) \tan(c + dx)}{105a^4d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^6*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] -((8*A - 21*B)*ArcTanh[Sin[c + d*x]])/(2*a^4*d) + (8*(83*A - 216*B)*Tan[c + d*x])/(105*a^4*d) - ((8*A - 21*B)*Sec[c + d*x]*Tan[c + d*x])/(2*a^4*d) + (52*A - 129*B)*Sec[c + d*x]^3*Tan[c + d*x]/(105*a^4*d*(1 + Sec[c + d*x])^2) + (4*(83*A - 216*B)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^5*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((A - 2*B)*Sec[c + d*x]^4*Tan[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt

Q[n, 0]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^6(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^4} dx &= \frac{(A-B)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\sec^5(c+dx)(5a(A-B)-a(2A-9B)\sec(c+dx))}{(a+a\sec(c+dx))^3} dx}{7a^2} \\
&= \frac{(A-B)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(A-2B)\sec^4(c+dx)\tan(c+dx)}{5ad(a+a\sec(c+dx))^3} + \frac{\int \frac{\sec^4(c+dx)(4a(A-B)-a(2A-9B)\sec(c+dx))}{(a+a\sec(c+dx))^2} dx}{7a^2} \\
&= \frac{(52A-129B)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} + \frac{(A-B)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\sec^3(c+dx)(3a(A-B)-a(2A-9B)\sec(c+dx))}{(a+a\sec(c+dx))} dx}{7a^2} \\
&= \frac{(52A-129B)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} + \frac{(A-B)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\sec^2(c+dx)(2a(A-B)-a(2A-9B))}{1} dx}{7a^2} \\
&= \frac{(52A-129B)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} + \frac{(A-B)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\sec(c+dx)(A-B)}{1} dx}{7a^2} \\
&= -\frac{(8A-21B)\sec(c+dx)\tan(c+dx)}{2a^4d} + \frac{(52A-129B)\sec^3(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} + \frac{(A-B)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} \\
&= -\frac{(8A-21B)\tanh^{-1}(\sin(c+dx))}{2a^4d} + \frac{8(83A-216B)\tan(c+dx)}{105a^4d} - \frac{(8A-21B)\sec^5(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4}
\end{aligned}$$

Mathematica [B] time = 6.47336, size = 880, normalized size = 3.7

$$-\frac{8(21B-8A)\log\left(\cos\left(\frac{c}{2}+\frac{dx}{2}\right)-\sin\left(\frac{c}{2}+\frac{dx}{2}\right)\right)\sec^3(c+dx)(A+B\sec(c+dx))\cos^8\left(\frac{c}{2}+\frac{dx}{2}\right)}{d(B+A\cos(c+dx))(\sec(c+dx)a+a)^4} + \frac{8(21B-8A)\log\left(\cos\left(\frac{c}{2}+\frac{dx}{2}\right)-\sin\left(\frac{c}{2}+\frac{dx}{2}\right)\right)}{d(B+A\cos(c+dx))(\sec(c+dx)a+a)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^6*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]

[Out] (-8*(-8*A + 21*B)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*Sec[c + d*x]^3*(A + B*Sec[c + d*x))/(d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^4) + (8*(-8*A + 21*B)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*Sec[c + d*x]^3*(A + B*Sec[c + d*x))/(d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^4) + (Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^5*(A + B*Sec[c + d*x]))*(-38668*A*Sin[(d*x)/2] + 73206*B*Sin[(d*x)/2] + 64384*A*Sin[(3*d*x)/2] - 166668*B*Sin[(3*d*x)/2] - 70896*A*Sin[c - (d*x)/2] + 183162*B*Sin[c - (d*x)/2] + 50316*A*Sin[c + (d*x)/2] - 100842*B*Sin[c + (d*x)/2] - 59248*A*Sin[2*c + (d*x)/2] + 155526*B*Sin[2*c + (d*x)/2] - 22820*A*Sin[c + (3*d*x)/2] + 37380*B*Sin[c + (3*d*x)/2] + 48004*A*Sin[2*c + (3*d*x)/2] - 101148*B*Sin[2*c + (3*d*x)/2] - 39200*A*Sin[3*c + (3*d*x)/2] - 101148*B*Sin[2*c + (3*d*x)/2] - 39200*A*Sin[3*c + (3*d*x)/2] - 101148*B*Sin[2*c + (3*d*x)/2] - 39200*A*Sin[3*c + (3*d*x)/2]

$x)/2] + 102900*B*\sin[3*c + (3*d*x)/2] + 46032*A*\sin[c + (5*d*x)/2] - 119364$
 $*B*\sin[c + (5*d*x)/2] - 8750*A*\sin[2*c + (5*d*x)/2] + 8820*B*\sin[2*c + (5*d$
 $*x)/2] + 35742*A*\sin[3*c + (5*d*x)/2] - 78204*B*\sin[3*c + (5*d*x)/2] - 1904$
 $0*A*\sin[4*c + (5*d*x)/2] + 49980*B*\sin[4*c + (5*d*x)/2] + 24664*A*\sin[2*c +$
 $(7*d*x)/2] - 64053*B*\sin[2*c + (7*d*x)/2] - 1050*A*\sin[3*c + (7*d*x)/2] -$
 $3885*B*\sin[3*c + (7*d*x)/2] + 19834*A*\sin[4*c + (7*d*x)/2] - 44733*B*\sin[4*$
 $c + (7*d*x)/2] - 5880*A*\sin[5*c + (7*d*x)/2] + 15435*B*\sin[5*c + (7*d*x)/2]$
 $+ 8456*A*\sin[3*c + (9*d*x)/2] - 21987*B*\sin[3*c + (9*d*x)/2] + 630*A*\sin[4$
 $*c + (9*d*x)/2] - 3675*B*\sin[4*c + (9*d*x)/2] + 6986*A*\sin[5*c + (9*d*x)/2]$
 $- 16107*B*\sin[5*c + (9*d*x)/2] - 840*A*\sin[6*c + (9*d*x)/2] + 2205*B*\sin[6$
 $*c + (9*d*x)/2] + 1328*A*\sin[4*c + (11*d*x)/2] - 3456*B*\sin[4*c + (11*d*x)/$
 $2] + 210*A*\sin[5*c + (11*d*x)/2] - 840*B*\sin[5*c + (11*d*x)/2] + 1118*A*\sin$
 $[6*c + (11*d*x)/2] - 2616*B*\sin[6*c + (11*d*x)/2]))/(6720*d*(B + A*\cos[c +$
 $d*x))*(a + a*\sec[c + d*x])^4$

Maple [A] time = 0.069, size = 374, normalized size = 1.6

$$\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{B}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{7A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{9B}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{23A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{9B}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{7A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \frac{9B}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + \frac{A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \frac{B}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^6*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] 1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A-1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*B+7/40/d/a^4*tan(1/2*d*x+1/2*c)^5*A-9/40/d/a^4*tan(1/2*d*x+1/2*c)^5*B+23/24/d/a^4*A*tan(1/2*d*x+1/2*c)^3-13/8/d/a^4*B*tan(1/2*d*x+1/2*c)^3+49/8/d/a^4*A*tan(1/2*d*x+1/2*c)-111/8/d/a^4*B*tan(1/2*d*x+1/2*c)+9/2/d/a^4/(tan(1/2*d*x+1/2*c)+1)*B-1/d/a^4/(tan(1/2*d*x+1/2*c)+1)*A-4/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*A+21/2/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*B-1/2/d/a^4*B/(tan(1/2*d*x+1/2*c)+1)^2+4/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*A-21/2/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*B+9/2/d/a^4/(tan(1/2*d*x+1/2*c)-1)*B-1/d/a^4/(tan(1/2*d*x+1/2*c)-1)*A+1/2/d/a^4*B/(tan(1/2*d*x+1/2*c)-1)^2

Maxima [A] time = 0.998842, size = 566, normalized size = 2.38

$$3B \left(\frac{280 \left(\frac{7 \sin(dx+c)}{\cos(dx+c)+1} - \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 - \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{3885 \sin(dx+c)}{\cos(dx+c)+1} + \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^6*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/840*(3*B*(280*(7*\sin(d*x + c))/(\cos(d*x + c) + 1) - 9*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^4 - 2*a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^4*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (3885*\sin(d*x + c))/(\cos(d*x + c) + 1) \\ & + 455*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7/a^4 - 2940*\log(\sin(d*x + c))/(\cos(d*x + c) + 1)/a^4 + 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4 - A*(1680*\sin(d*x + c)/((a^4 - a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) + (5145*\sin(d*x + c))/(\cos(d*x + c) + 1) + 805*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 147*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7/a^4 - 3360*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 3360*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4) \\ & /d \end{aligned}$$

Fricas [A] time = 0.516238, size = 940, normalized size = 3.95

$$105 \left((8A - 21B) \cos(dx + c)^6 + 4(8A - 21B) \cos(dx + c)^5 + 6(8A - 21B) \cos(dx + c)^4 + 4(8A - 21B) \cos(dx + c)^3 + (8A - 21B) \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - 105 \left((8A - 21B) \cos(dx + c)^6 + 4(8A - 21B) \cos(dx + c)^5 + 6(8A - 21B) \cos(dx + c)^4 + 4(8A - 21B) \cos(dx + c)^3 + (8A - 21B) \cos(dx + c)^2 \right) \log(-\sin(dx + c) + 1) - 2 \left(16(83A - 216B) \cos(dx + c)^5 + (4472A - 11619B) \cos(dx + c)^4 + 4(1318A - 3411B) \cos(dx + c)^3 + 4(592A - 1509B) \cos(dx + c)^2 + 210(A - 2B) \cos(dx + c) + 105B \right) \sin(dx + c) / (a^4 d \cos(dx + c)^6 + 4a^4 d \cos(dx + c)^5 + 6a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + a^4 d \cos(dx + c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^6*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/420*(105*((8*A - 21*B)*\cos(d*x + c)^6 + 4*(8*A - 21*B)*\cos(d*x + c)^5 + 6*(8*A - 21*B)*\cos(d*x + c)^4 + 4*(8*A - 21*B)*\cos(d*x + c)^3 + (8*A - 21*B)*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) - 105*((8*A - 21*B)*\cos(d*x + c)^6 + 4*(8*A - 21*B)*\cos(d*x + c)^5 + 6*(8*A - 21*B)*\cos(d*x + c)^4 + 4*(8*A - 21*B)*\cos(d*x + c)^3 + (8*A - 21*B)*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) \\ & - 2*(16*(83*A - 216*B)*\cos(d*x + c)^5 + (4472*A - 11619*B)*\cos(d*x + c)^4 + 4*(1318*A - 3411*B)*\cos(d*x + c)^3 + 4*(592*A - 1509*B)*\cos(d*x + c)^2 + 210*(A - 2*B)*\cos(d*x + c) + 105*B)*\sin(d*x + c)/(a^4*d*\cos(d*x + c)^6 + 4*a^4*d*\cos(d*x + c)^5 + 6*a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + a^4*d*\cos(d*x + c)^2) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec^6(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{B \sec^7(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**6*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A*sec(c + d*x)**6/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**7/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.39089, size = 360, normalized size = 1.51

$$\frac{420(8A-21B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^4} - \frac{420(8A-21B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^4} + \frac{840\left(2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-9B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+7B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^6*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] -1/840*(420*(8*A - 21*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 420*(8*A - 21*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 + 840*(2*A*tan(1/2*d*x + 1/2*c)^3 - 9*B*tan(1/2*d*x + 1/2*c)^3 - 2*A*tan(1/2*d*x + 1/2*c) + 7*B*tan(1/2*d*x + 1/2*c)))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^4) - (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 + 147*A*a^24*tan(1/2*d*x + 1/2*c)^5 - 189*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 805*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 1365*B*a^24*tan(1/2*d*x + 1/2*c)^3 + 5145*A*a^24*tan(1/2*d*x + 1/2*c) - 11655*B*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.109 \quad \int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=194

$$-\frac{(55A - 244B) \tan(c + dx)}{105a^4d} + \frac{(A - 4B) \tanh^{-1}(\sin(c + dx))}{a^4d} + \frac{(25A - 88B) \tan(c + dx) \sec^2(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{(A - 4B) \tan(c + dx)}{a^4d(\sec(c + dx) + 1)}$$

[Out] ((A - 4*B)*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((55*A - 244*B)*Tan[c + d*x])/((105*a^4*d) + ((25*A - 88*B)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - ((A - 4*B)*Tan[c + d*x])/(a^4*d*(1 + Sec[c + d*x]))) + ((A - B)*Sec[c + d*x]^4*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((5*A - 12*B)*Sec[c + d*x]^3*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.616241, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4019, 4008, 3787, 3770, 3767, 8}

$$-\frac{(55A - 244B) \tan(c + dx)}{105a^4d} + \frac{(A - 4B) \tanh^{-1}(\sin(c + dx))}{a^4d} + \frac{(25A - 88B) \tan(c + dx) \sec^2(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{(A - 4B) \tan(c + dx)}{a^4d(\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]

[Out] ((A - 4*B)*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((55*A - 244*B)*Tan[c + d*x])/((105*a^4*d) + ((25*A - 88*B)*Sec[c + d*x]^2*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - ((A - 4*B)*Tan[c + d*x])/(a^4*d*(1 + Sec[c + d*x]))) + ((A - B)*Sec[c + d*x]^4*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((5*A - 12*B)*Sec[c + d*x]^3*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^5(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^4} dx &= \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\sec^4(c+dx)(4a(A-B)-a(A-8B)\sec(c+dx))}{(a+a\sec(c+dx))^3} dx}{7a^2} \\
&= \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(5A-12B)\sec^3(c+dx)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} + \frac{\int}{(a+a\sec(c+dx))^2} \\
&= \frac{(25A-88B)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} + \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int}{(a+a\sec(c+dx))^2} \\
&= \frac{(25A-88B)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} + \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int}{(a+a\sec(c+dx))^2} \\
&= \frac{(25A-88B)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} + \frac{(A-B)\sec^4(c+dx)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int}{(a+a\sec(c+dx))^2} \\
&= \frac{(A-4B)\tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{(25A-88B)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2} + \frac{(A-4B)\tanh^{-1}(\sin(c+dx))}{a^4d} \\
&= \frac{(A-4B)\tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{(55A-244B)\tan(c+dx)}{105a^4d} + \frac{(25A-88B)\sec^2(c+dx)\tan(c+dx)}{105a^4d(1+\sec(c+dx))^2}
\end{aligned}$$

Mathematica [B] time = 6.38583, size = 754, normalized size = 3.89

$$\frac{\sec\left(\frac{c}{2}\right)\sec(c)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)\sec^4(c+dx)\left(4795A\sin\left(c-\frac{dx}{2}\right)-4795A\sin\left(c+\frac{dx}{2}\right)+4165A\sin\left(2c+\frac{dx}{2}\right)+2275A\sin\left(3c+\frac{dx}{2}\right)\right)}{105a^4d(1+\sec(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] (16*(-A + 4*B)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])*Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^4) - (16*(-A + 4*B)*Cos[c/2 + (d*x)/2]^8*Log[Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])*Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^4) + (Cos[c/2 + (d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^4*(A + B*Sec[c + d*x])*(4165*A*Sin[(d*x)/2] - 10780*B*Sin[(d*x)/2] - 4445*A*Sin[(3*d*x)/2] + 18788*B*Sin[(3*d*x)/2] + 4795*A*Sin[c - (d*x)/2] - 20524*B*Sin[c - (d*x)/2] - 4795*A*Sin[c + (d*x)/2] + 14644*B*Sin[c + (d*x)/2] + 4165*A*Sin[2*c + (d*x)/2] - 16660*B*Sin[2*c + (d*x)/2] + 2275*A*Sin[c + (3*d*x)/2] - 4690*B*Sin[c + (3*d*x)/2] - 4445*A*Sin[2*c + (3*d*x)/2] + 14378*B*Sin[2*c + (3*d*x)/2] + 2275*A*Sin[3*c + (3*d*x)/2] - 9100*B*Sin[3

$$*c + (3*d*x)/2] - 2785*A*Sin[c + (5*d*x)/2] + 11668*B*Sin[c + (5*d*x)/2] + 735*A*Sin[2*c + (5*d*x)/2] - 630*B*Sin[2*c + (5*d*x)/2] - 2785*A*Sin[3*c + (5*d*x)/2] + 9358*B*Sin[3*c + (5*d*x)/2] + 735*A*Sin[4*c + (5*d*x)/2] - 2940*B*Sin[4*c + (5*d*x)/2] - 1015*A*Sin[2*c + (7*d*x)/2] + 4228*B*Sin[2*c + (7*d*x)/2] + 105*A*Sin[3*c + (7*d*x)/2] + 315*B*Sin[3*c + (7*d*x)/2] - 1015*A*Sin[4*c + (7*d*x)/2] + 3493*B*Sin[4*c + (7*d*x)/2] + 105*A*Sin[5*c + (7*d*x)/2] - 420*B*Sin[5*c + (7*d*x)/2] - 160*A*Sin[3*c + (9*d*x)/2] + 664*B*Sin[3*c + (9*d*x)/2] + 105*B*Sin[4*c + (9*d*x)/2] - 160*A*Sin[5*c + (9*d*x)/2] + 559*B*Sin[5*c + (9*d*x)/2]))/(1680*d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^4)$$

Maple [A] time = 0.062, size = 285, normalized size = 1.5

$$-\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{B}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{A}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{7B}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{11A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] $-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*B-1/8/d/a^4*\tan(1/2*d*x+1/2*c)^5*A+7/40/d/a^4*\tan(1/2*d*x+1/2*c)^5*B-11/24/d/a^4*A*\tan(1/2*d*x+1/2*c)^3+23/24/d/a^4*B*\tan(1/2*d*x+1/2*c)^3-15/8/d/a^4*A*\tan(1/2*d*x+1/2*c)+49/8/d/a^4*B*\tan(1/2*d*x+1/2*c)+1/d/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)*A-4/d/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d/a^4/(\tan(1/2*d*x+1/2*c)+1)*B-1/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)*A+4/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)*B-1/d/a^4/(\tan(1/2*d*x+1/2*c)-1)*B$

Maxima [A] time = 1.01956, size = 440, normalized size = 2.27

$$B \left(\frac{1680 \sin(dx+c)}{\left(a^4 - \frac{a^4 \sin^2(dx+c)}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} + \frac{805 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} + \frac{147 \sin^5(dx+c)}{(\cos(dx+c)+1)^5} + \frac{15 \sin^7(dx+c)}{(\cos(dx+c)+1)^7}}{a^4} - \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right)$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

```
[Out] 1/840*(B*(1680*sin(d*x + c)/((a^4 - a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2
)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) + 805*sin(d*x
+ c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15
*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 3360*log(sin(d*x + c)/(cos(d*x
+ c) + 1) + 1)/a^4 + 3360*log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^4 - 5
*A*((315*sin(d*x + c)/(cos(d*x + c) + 1) + 77*sin(d*x + c)^3/(cos(d*x + c)
+ 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 3*sin(d*x + c)^7/(cos(d*x
+ c) + 1)^7)/a^4 - 168*log(sin(d*x + c)/(cos(d*x + c) + 1) + 1)/a^4 + 168*
log(sin(d*x + c)/(cos(d*x + c) + 1) - 1)/a^4))/d
```

Fricas [A] time = 0.504279, size = 837, normalized size = 4.31

$$105 \left((A - 4B) \cos(dx + c)^5 + 4(A - 4B) \cos(dx + c)^4 + 6(A - 4B) \cos(dx + c)^3 + 4(A - 4B) \cos(dx + c)^2 + (A - 4B) \cos(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fr
icas")
```

```
[Out] 1/210*(105*((A - 4*B)*cos(d*x + c)^5 + 4*(A - 4*B)*cos(d*x + c)^4 + 6*(A -
4*B)*cos(d*x + c)^3 + 4*(A - 4*B)*cos(d*x + c)^2 + (A - 4*B)*cos(d*x + c))*
log(sin(d*x + c) + 1) - 105*((A - 4*B)*cos(d*x + c)^5 + 4*(A - 4*B)*cos(d*x
+ c)^4 + 6*(A - 4*B)*cos(d*x + c)^3 + 4*(A - 4*B)*cos(d*x + c)^2 + (A - 4*
B)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(8*(20*A - 83*B)*cos(d*x + c)^4
+ (535*A - 2236*B)*cos(d*x + c)^3 + 4*(155*A - 659*B)*cos(d*x + c)^2 + 4*(
65*A - 296*B)*cos(d*x + c) - 105*B)*sin(d*x + c))/(a^4*d*cos(d*x + c)^5 + 4
*a^4*d*cos(d*x + c)^4 + 6*a^4*d*cos(d*x + c)^3 + 4*a^4*d*cos(d*x + c)^2 + a
^4*d*cos(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^5(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{B \sec^6(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)
```

[Out] (Integral(A*sec(c + d*x)**5/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**6/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.33136, size = 297, normalized size = 1.53

$$\frac{840(A-4B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^4} - \frac{840(A-4B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^4} - \frac{1680B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)a^4} - \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7-15Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] 1/840*(840*(A - 4*B)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 840*(A - 4*B)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 - 1680*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^4) - (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 + 105*A*a^24*tan(1/2*d*x + 1/2*c)^5 - 147*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 385*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 805*B*a^24*tan(1/2*d*x + 1/2*c)^3 + 1575*A*a^24*tan(1/2*d*x + 1/2*c) - 5145*B*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.110 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=163

$$\frac{(12A - 215B) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)} - \frac{(6A - 55B) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{B \tanh^{-1}(\sin(c + dx))}{a^4d} + \frac{(A - B) \tan(c + dx) \sec^3(c + dx)}{7d(a \sec(c + dx) + a)^4} + \dots$$

```
[Out] (B*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((6*A - 55*B)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + ((12*A - 215*B)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((3*A - 10*B)*Sec[c + d*x]^2*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)
```

Rubi [A] time = 0.475118, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4019, 4008, 3998, 3770, 3794}

$$\frac{(12A - 215B) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)} - \frac{(6A - 55B) \tan(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} + \frac{B \tanh^{-1}(\sin(c + dx))}{a^4d} + \frac{(A - B) \tan(c + dx) \sec^3(c + dx)}{7d(a \sec(c + dx) + a)^4} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]
```

```
[Out] (B*ArcTanh[Sin[c + d*x]])/(a^4*d) - ((6*A - 55*B)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) + ((12*A - 215*B)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((3*A - 10*B)*Sec[c + d*x]^2*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/(csc[(
e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x],
x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbo
l] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f},
x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^4(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^4} dx &= \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{\int \frac{\sec^3(c + dx)(3a(A - B) + 7aB \sec(c + dx))}{(a + a \sec(c + dx))^3} dx}{7a^2} \\ &= \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(3A - 10B) \sec^2(c + dx) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{\int \frac{\sec^2(c + dx)(3a(A - B) + 7aB \sec(c + dx))}{(a + a \sec(c + dx))^2} dx}{35ad} \\ &= -\frac{(6A - 55B) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} + \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(3A - 10B) \sec^2(c + dx) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} \\ &= -\frac{(6A - 55B) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} + \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(3A - 10B) \sec^2(c + dx) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} \\ &= \frac{B \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(6A - 55B) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} + \frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} \end{aligned}$$

Mathematica [A] time = 1.40435, size = 239, normalized size = 1.47

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(70(3A - 49B) \sin\left(\frac{dx}{2}\right) + 126A \sin\left(c + \frac{3dx}{2}\right) + 42A \sin\left(2c + \frac{5dx}{2}\right) + 6A \sin\left(3c + \frac{7dx}{2}\right) + 2170B\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] (-6720*B*Cos[(c + d*x)/2]^8*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*(70*(3*A - 49*B)*Sin[(d*x)/2] + 2170*B*Sin[c + (d*x)/2] + 126*A*Sin[c + (3*d*x)/2] - 2625*B*Sin[c + (3*d*x)/2] + 735*B*Sin[2*c + (3*d*x)/2] + 42*A*Sin[2*c + (5*d*x)/2] - 1015*B*Sin[2*c + (5*d*x)/2] + 105*B*Sin[3*c + (5*d*x)/2] + 6*A*Sin[3*c + (7*d*x)/2] - 160*B*Sin[3*c + (7*d*x)/2]))/(420*a^4*d*(1 + Cos[c + d*x])^4)

Maple [A] time = 0.06, size = 199, normalized size = 1.2

$$-\frac{B}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) + \frac{A}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{11B}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{3A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 - \frac{B}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] -1/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*B+1/8/d/a^4*A*tan(1/2*d*x+1/2*c)^3-11/24/d/a^4*B*tan(1/2*d*x+1/2*c)^3+3/40/d/a^4*A*tan(1/2*d*x+1/2*c)^5-1/8/d/a^4*B*tan(1/2*d*x+1/2*c)^5+1/56/d/a^4*A*tan(1/2*d*x+1/2*c)^7-1/56/d/a^4*B*tan(1/2*d*x+1/2*c)^7+1/8/d/a^4*A*tan(1/2*d*x+1/2*c)-15/8/d/a^4*B*tan(1/2*d*x+1/2*c)+1/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*B

Maxima [A] time = 1.02132, size = 308, normalized size = 1.89

$$5B \left(\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} + \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right) - \frac{3A \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out]
$$-1/840*(5*B*((315*\sin(d*x + c)/(\cos(d*x + c) + 1) + 77*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 3*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 168*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 168*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4) - 3*A*(35*\sin(d*x + c)/(\cos(d*x + c) + 1) + 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4)/d$$

Fricas [A] time = 0.49079, size = 624, normalized size = 3.83

$$105 (B \cos(dx + c)^4 + 4 B \cos(dx + c)^3 + 6 B \cos(dx + c)^2 + 4 B \cos(dx + c) + B) \log(\sin(dx + c) + 1) - 105 (B \cos(dx + c)^4 + 4 B \cos(dx + c)^3 + 6 B \cos(dx + c)^2 + 4 B \cos(dx + c) + B) \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$1/210*(105*(B*\cos(d*x + c)^4 + 4*B*\cos(d*x + c)^3 + 6*B*\cos(d*x + c)^2 + 4*B*\cos(d*x + c) + B)*\log(\sin(d*x + c) + 1) - 105*(B*\cos(d*x + c)^4 + 4*B*\cos(d*x + c)^3 + 6*B*\cos(d*x + c)^2 + 4*B*\cos(d*x + c) + B)*\log(-\sin(d*x + c) + 1) + 2*(2*(3*A - 80*B)*\cos(d*x + c)^3 + (24*A - 535*B)*\cos(d*x + c)^2 + (39*A - 620*B)*\cos(d*x + c) + 36*A - 260*B)*\sin(d*x + c))/(a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + 6*a^4*d*\cos(d*x + c)^2 + 4*a^4*d*\cos(d*x + c) + a^4*d)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^4(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx + \int \frac{B \sec^5(c+dx)}{\sec^4(c+dx)+4 \sec^3(c+dx)+6 \sec^2(c+dx)+4 \sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)

[Out] $\left(\text{Integral}(A*\sec(c + d*x)**4/(\sec(c + d*x)**4 + 4*\sec(c + d*x)**3 + 6*\sec(c + d*x)**2 + 4*\sec(c + d*x) + 1), x) + \text{Integral}(B*\sec(c + d*x)**5/(\sec(c + d*x)**4 + 4*\sec(c + d*x)**3 + 6*\sec(c + d*x)**2 + 4*\sec(c + d*x) + 1), x)\right)/a**4$

Giac [A] time = 1.24066, size = 244, normalized size = 1.5

$$\frac{840 B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{840 B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4} + \frac{15 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 63 A a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 105 B a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")`

[Out] $\frac{1}{840} * (840 * B * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) / a^4 - 840 * B * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) / a^4 + (15 * A * a^{24} * \tan(1/2 * d * x + 1/2 * c)^7 - 15 * B * a^{24} * \tan(1/2 * d * x + 1/2 * c)^7 + 63 * A * a^{24} * \tan(1/2 * d * x + 1/2 * c)^5 - 105 * B * a^{24} * \tan(1/2 * d * x + 1/2 * c)^5 + 105 * A * a^{24} * \tan(1/2 * d * x + 1/2 * c)^3 - 385 * B * a^{24} * \tan(1/2 * d * x + 1/2 * c)^3 + 105 * A * a^{24} * \tan(1/2 * d * x + 1/2 * c) - 1575 * B * a^{24} * \tan(1/2 * d * x + 1/2 * c)) / a^{28} / d$

$$3.111 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=146

$$\frac{(4A+3B)\tan(c+dx)}{15d(a^4 \sec(c+dx)+a^4)} - \frac{8(4A+3B)\tan(c+dx)}{105d(a^2 \sec(c+dx)+a^2)^2} - \frac{(A-B)\tan(c+dx)\sec^3(c+dx)}{7d(a \sec(c+dx)+a)^4} + \frac{(4A+3B)\tan(c+dx)}{35ad(a \sec(c+dx)+a)^3}$$

[Out] -((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((4*A + 3*B)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3) - (8*(4*A + 3*B)*Tan[c + d*x])/(105*d*(a^2 + a^2*Sec[c + d*x])^2) + ((4*A + 3*B)*Tan[c + d*x])/(15*d*(a^4 + a^4*Sec[c + d*x]))

Rubi [A] time = 0.228662, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4012, 3799, 4000, 3794}

$$\frac{(4A+3B)\tan(c+dx)}{15d(a^4 \sec(c+dx)+a^4)} - \frac{8(4A+3B)\tan(c+dx)}{105d(a^2 \sec(c+dx)+a^2)^2} - \frac{(A-B)\tan(c+dx)\sec^3(c+dx)}{7d(a \sec(c+dx)+a)^4} + \frac{(4A+3B)\tan(c+dx)}{35ad(a \sec(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]

[Out] -((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((4*A + 3*B)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3) - (8*(4*A + 3*B)*Tan[c + d*x])/(105*d*(a^2 + a^2*Sec[c + d*x])^2) + ((4*A + 3*B)*Tan[c + d*x])/(15*d*(a^4 + a^4*Sec[c + d*x]))

Rule 4012

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m, -1]

Rule 3799

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_),
x_Symbol] :> Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)),
x] - Dist[1/(a^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*
(a*m - b*(2*m + 1)*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a
^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4000

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[((A*b - a*B)*Cot[e +
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m +
1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbo
l] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}
, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^4} dx &= -\frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(4A + 3B) \int \frac{\sec^3(c + dx)}{(a + a \sec(c + dx))^3} dx}{7a} \\ &= -\frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(4A + 3B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{(4A + 3B) \int}{105d(a^2 + a^2)} \\ &= -\frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(4A + 3B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{8(4A + 3B)}{105d(a^2 + a^2)} \\ &= -\frac{(A - B) \sec^3(c + dx) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(4A + 3B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{8(4A + 3B)}{105d(a^2 + a^2)} \end{aligned}$$

Mathematica [A] time = 0.340026, size = 109, normalized size = 0.75

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left((4A + 3B) \left(21 \sin\left(c + \frac{3dx}{2}\right) + 7 \sin\left(2c + \frac{5dx}{2}\right) + \sin\left(3c + \frac{7dx}{2}\right) \right) + 35(2A + 3B) \sin\left(\frac{dx}{2}\right) - 70A }{210a^4 d (\cos(c + dx) + 1)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(35*(2*A + 3*B)*Sin[(d*x)/2] - 70*A*Sin[c + (d*x)/2] + (4*A + 3*B)*(21*Sin[c + (3*d*x)/2] + 7*Sin[2*c + (5*d*x)/2] + Sin[3*c + (7*d*x)/2])))/(210*a^4*d*(1 + Cos[c + d*x])^4)

Maple [A] time = 0.058, size = 88, normalized size = 0.6

$$\frac{1}{8da^4} \left(\frac{-A+B}{7} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{-A+3B}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A+3B}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] 1/8/d/a^4*(1/7*(-A+B)*tan(1/2*d*x+1/2*c)^7+1/5*(-A+3*B)*tan(1/2*d*x+1/2*c)^5+1/3*(A+3*B)*tan(1/2*d*x+1/2*c)^3+A*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c))

Maxima [A] time = 1.00143, size = 236, normalized size = 1.62

$$\frac{A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{3B \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(A*(105*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 + 3*B*(35*sin(d*x + c)/(cos(d*x + c) + 1) + 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 5*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4)/d

Fricas [A] time = 0.444594, size = 311, normalized size = 2.13

$$\frac{(2(4A + 3B)\cos(dx + c)^3 + 8(4A + 3B)\cos(dx + c)^2 + 13(4A + 3B)\cos(dx + c) + 13A + 36B)\sin(dx + c)}{105(a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*(2*(4*A + 3*B)*cos(d*x + c)^3 + 8*(4*A + 3*B)*cos(d*x + c)^2 + 13*(4*A + 3*B)*cos(d*x + c) + 13*A + 36*B)*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{B \sec^4(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A*sec(c + d*x)**3/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**4/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.38166, size = 158, normalized size = 1.08

$$\frac{15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 21A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 63B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 35A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{840a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

```
[Out] -1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 - 15*B*tan(1/2*d*x + 1/2*c)^7 + 21*A*ta
n(1/2*d*x + 1/2*c)^5 - 63*B*tan(1/2*d*x + 1/2*c)^5 - 35*A*tan(1/2*d*x + 1/2
*c)^3 - 105*B*tan(1/2*d*x + 1/2*c)^3 - 105*A*tan(1/2*d*x + 1/2*c) - 105*B*t
an(1/2*d*x + 1/2*c))/(a^4*d)
```

$$3.112 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=138

$$\frac{(8A+13B)\tan(c+dx)}{105d(a^4 \sec(c+dx)+a^4)} + \frac{(8A+13B)\tan(c+dx)}{105d(a^2 \sec(c+dx)+a^2)^2} + \frac{(4A-11B)\tan(c+dx)}{35ad(a \sec(c+dx)+a)^3} - \frac{(A-B)\tan(c+dx)}{7d(a \sec(c+dx)+a)^4}$$

[Out] -((A - B)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((4*A - 11*B)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3) + ((8*A + 13*B)*Tan[c + d*x])/(105*d*(a^2 + a^2*Sec[c + d*x])^2) + ((8*A + 13*B)*Tan[c + d*x])/(105*d*(a^4 + a^4*Sec[c + d*x]))

Rubi [A] time = 0.264638, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4008, 4000, 3796, 3794}

$$\frac{(8A+13B)\tan(c+dx)}{105d(a^4 \sec(c+dx)+a^4)} + \frac{(8A+13B)\tan(c+dx)}{105d(a^2 \sec(c+dx)+a^2)^2} + \frac{(4A-11B)\tan(c+dx)}{35ad(a \sec(c+dx)+a)^3} - \frac{(A-B)\tan(c+dx)}{7d(a \sec(c+dx)+a)^4}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] -((A - B)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((4*A - 11*B)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3) + ((8*A + 13*B)*Tan[c + d*x])/(105*d*(a^2 + a^2*Sec[c + d*x])^2) + ((8*A + 13*B)*Tan[c + d*x])/(105*d*(a^4 + a^4*Sec[c + d*x]))

Rule 4008

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4000

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e +

```
f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &
& NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3796

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_
Symbol] := Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x]
+ Dist[(m + 1)/(a*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
&& IntegerQ[2*m]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:= -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x]
&& EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^4} dx &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{\int \frac{\sec(c + dx)(-4a(A - B) - 7aB \sec(c + dx))}{(a + a \sec(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(4A - 11B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{(8A + 13B) \int \frac{\sec(c + dx)}{(a + a \sec(c + dx))} dx}{35a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(4A - 11B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{(8A + 13B) \tan(c + dx)}{105d(a^2 + a^2 \sec(c + dx))} \\ &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{(4A - 11B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{(8A + 13B) \tan(c + dx)}{105d(a^2 + a^2 \sec(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.377154, size = 163, normalized size = 1.18

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-35(5A + 4B) \sin\left(c + \frac{dx}{2}\right) + 140(2A + B) \sin\left(\frac{dx}{2}\right) + 168A \sin\left(c + \frac{3dx}{2}\right) - 105A \sin\left(2c + \frac{3dx}{2}\right)\right)}{420a^4d(\cos(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]
```

[Out] $(\cos[(c + dx)/2] \sec[c/2] (140(2A + B) \sin[(dx)/2] - 35(5A + 4B) \sin[c + (dx)/2] + 168A \sin[c + (3dx)/2] + 168B \sin[c + (3dx)/2] - 105A \sin[2c + (3dx)/2] + 91A \sin[2c + (5dx)/2] + 56B \sin[2c + (5dx)/2] + 13A \sin[3c + (7dx)/2] + 8B \sin[3c + (7dx)/2]) / (420a^4 d (1 + \cos[c + dx])^4)$

Maple [A] time = 0.057, size = 88, normalized size = 0.6

$$\frac{1}{8da^4} \left(\frac{A-B}{7} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{-A-B}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{-A+B}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^2*(A+B*sec(dx+c))/(a+a*sec(dx+c))^4,x)`

[Out] $1/8d/a^4(1/7(A-B)\tan(1/2dx+1/2c)^7+1/5(-A-B)\tan(1/2dx+1/2c)^5+1/3(-A+B)\tan(1/2dx+1/2c)^3+A\tan(1/2dx+1/2c)+B\tan(1/2dx+1/2c))$

Maxima [A] time = 1.00691, size = 235, normalized size = 1.7

$$\frac{B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{A \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$

$840d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^2*(A+B*sec(dx+c))/(a+a*sec(dx+c))^4,x, algorithm="maxima")`

[Out] $1/840*(B*(105*\sin(dx + c)/(\cos(dx + c) + 1) + 35*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 - 21*\sin(dx + c)^5/(\cos(dx + c) + 1)^5 - 15*\sin(dx + c)^7/(\cos(dx + c) + 1)^7)/a^4 + A*(105*\sin(dx + c)/(\cos(dx + c) + 1) - 35*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 - 21*\sin(dx + c)^5/(\cos(dx + c) + 1)^5 + 15*\sin(dx + c)^7/(\cos(dx + c) + 1)^7)/a^4)/d$

Fricas [A] time = 0.450971, size = 309, normalized size = 2.24

$$\frac{((13A + 8B) \cos(dx + c)^3 + 4(13A + 8B) \cos(dx + c)^2 + 4(8A + 13B) \cos(dx + c) + 8A + 13B) \sin(dx + c)}{105(a^4d \cos(dx + c)^4 + 4a^4d \cos(dx + c)^3 + 6a^4d \cos(dx + c)^2 + 4a^4d \cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*((13*A + 8*B)*cos(d*x + c)^3 + 4*(13*A + 8*B)*cos(d*x + c)^2 + 4*(8*A + 13*B)*cos(d*x + c) + 8*A + 13*B)*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{B \sec^3(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A*sec(c + d*x)**2/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**3/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.36398, size = 158, normalized size = 1.14

$$\frac{15 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 21 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 21 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 35 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 35 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 105 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 105 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] 1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 - 15*B*tan(1/2*d*x + 1/2*c)^7 - 21*A*tan(1/2*d*x + 1/2*c)^5 - 21*B*tan(1/2*d*x + 1/2*c)^5 - 35*A*tan(1/2*d*x + 1/2*c)^3 + 35*B*tan(1/2*d*x + 1/2*c)^3 + 105*A*tan(1/2*d*x + 1/2*c) + 105*B*tan(1/2*d*x + 1/2*c))/(a^4*d)

$$3.113 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=138

$$\frac{2(3A+4B) \tan(c+dx)}{105d(a^4 \sec(c+dx) + a^4)} + \frac{2(3A+4B) \tan(c+dx)}{105d(a^2 \sec(c+dx) + a^2)^2} + \frac{(3A+4B) \tan(c+dx)}{35ad(a \sec(c+dx) + a)^3} + \frac{(A-B) \tan(c+dx)}{7d(a \sec(c+dx) + a)^4}$$

[Out] ((A - B)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((3*A + 4*B)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3) + (2*(3*A + 4*B)*Tan[c + d*x])/(105*d*(a^2 + a^2*Sec[c + d*x])^2) + (2*(3*A + 4*B)*Tan[c + d*x])/(105*d*(a^4 + a^4*Sec[c + d*x]))

Rubi [A] time = 0.150658, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {4000, 3796, 3794}

$$\frac{2(3A+4B) \tan(c+dx)}{105d(a^4 \sec(c+dx) + a^4)} + \frac{2(3A+4B) \tan(c+dx)}{105d(a^2 \sec(c+dx) + a^2)^2} + \frac{(3A+4B) \tan(c+dx)}{35ad(a \sec(c+dx) + a)^3} + \frac{(A-B) \tan(c+dx)}{7d(a \sec(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]

[Out] ((A - B)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) + ((3*A + 4*B)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3) + (2*(3*A + 4*B)*Tan[c + d*x])/(105*d*(a^2 + a^2*Sec[c + d*x])^2) + (2*(3*A + 4*B)*Tan[c + d*x])/(105*d*(a^4 + a^4*Sec[c + d*x]))

Rule 4000

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

Rule 3796

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x]

```
+ Dist[(m + 1)/(a*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && IntegerQ[2*m]
```

Rule 3794

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^4} dx &= \frac{(A-B)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(3A+4B)\int \frac{\sec(c+dx)}{(a+a\sec(c+dx))^3} dx}{7a} \\ &= \frac{(A-B)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(3A+4B)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} + \frac{(2(3A+4B))\int \frac{\sec(c+dx)}{(a+a\sec(c+dx))} dx}{35a^2} \\ &= \frac{(A-B)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(3A+4B)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} + \frac{2(3A+4B)\tan(c+dx)}{105d(a^2+a^2\sec(c+dx))^2} \\ &= \frac{(A-B)\tan(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{(3A+4B)\tan(c+dx)}{35ad(a+a\sec(c+dx))^3} + \frac{2(3A+4B)\tan(c+dx)}{105d(a^2+a^2\sec(c+dx))^2} \end{aligned}$$

Mathematica [A] time = 0.444291, size = 193, normalized size = 1.4

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-35(18A+5B)\sin\left(c+\frac{dx}{2}\right)+70(9A+4B)\sin\left(\frac{dx}{2}\right)+441A\sin\left(c+\frac{3dx}{2}\right)-315A\sin\left(2c+\frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]
```

```
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(70*(9*A + 4*B)*Sin[(d*x)/2] - 35*(18*A + 5*B)*Sin[c + (d*x)/2] + 441*A*Sin[c + (3*d*x)/2] + 168*B*Sin[c + (3*d*x)/2] - 315*A*Sin[2*c + (3*d*x)/2] - 105*B*Sin[2*c + (3*d*x)/2] + 147*A*Sin[2*c + (5*d*x)/2] + 91*B*Sin[2*c + (5*d*x)/2] - 105*A*Sin[3*c + (5*d*x)/2] + 36*A*Sin[3*c + (7*d*x)/2] + 13*B*Sin[3*c + (7*d*x)/2]))/(420*a^4*d*(1 + Cos[c + d*x])^4)
```

Maple [A] time = 0.059, size = 90, normalized size = 0.7

$$\frac{1}{8da^4} \left(\frac{-A+B}{7} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{3A-B}{5} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{-3A-B}{3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] 1/8/d/a^4*(1/7*(-A+B)*tan(1/2*d*x+1/2*c)^7+1/5*(3*A-B)*tan(1/2*d*x+1/2*c)^5+1/3*(-3*A-B)*tan(1/2*d*x+1/2*c)^3+A*tan(1/2*d*x+1/2*c)+B*tan(1/2*d*x+1/2*c))

Maxima [A] time = 1.00135, size = 236, normalized size = 1.71

$$\frac{B \left(\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{3A \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] 1/840*(B*(105*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 + 3*A*(35*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 5*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4)/d

Fricas [A] time = 0.451195, size = 308, normalized size = 2.23

$$\frac{((36A + 13B) \cos(dx + c)^3 + 13(3A + 4B) \cos(dx + c)^2 + 8(3A + 4B) \cos(dx + c) + 6A + 8B) \sin(dx + c)}{105(a^4d \cos(dx + c)^4 + 4a^4d \cos(dx + c)^3 + 6a^4d \cos(dx + c)^2 + 4a^4d \cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*((36*A + 13*B)*cos(d*x + c)^3 + 13*(3*A + 4*B)*cos(d*x + c)^2 + 8*(3*A + 4*B)*cos(d*x + c) + 6*A + 8*B)*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{B \sec^2(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx$$

a^4

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] (Integral(A*sec(c + d*x)/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**2/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.27616, size = 158, normalized size = 1.14

$$\frac{15 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 63 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 21 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 105 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 35 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 105 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 105 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] -1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 - 15*B*tan(1/2*d*x + 1/2*c)^7 - 63*A*tan(1/2*d*x + 1/2*c)^5 + 21*B*tan(1/2*d*x + 1/2*c)^5 + 105*A*tan(1/2*d*x + 1/2*c)^3 - 35*B*tan(1/2*d*x + 1/2*c)^3 - 105*A*tan(1/2*d*x + 1/2*c) - 105*B*tan(1/2*d*x + 1/2*c))/(a^4*d)

$$3.114 \quad \int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=138

$$\frac{2(80A-3B) \tan(c+dx)}{105a^4 d(\sec(c+dx)+1)} - \frac{(55A-6B) \tan(c+dx)}{105a^4 d(\sec(c+dx)+1)^2} + \frac{Ax}{a^4} - \frac{(10A-3B) \tan(c+dx)}{35ad(a \sec(c+dx)+a)^3} - \frac{(A-B) \tan(c+dx)}{7d(a \sec(c+dx)+a)^4}$$

[Out] (A*x)/a^4 - ((55*A - 6*B)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (2*(80*A - 3*B)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((10*A - 3*B)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.267809, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$, Rules used = {3922, 3919, 3794}

$$\frac{2(80A-3B) \tan(c+dx)}{105a^4 d(\sec(c+dx)+1)} - \frac{(55A-6B) \tan(c+dx)}{105a^4 d(\sec(c+dx)+1)^2} + \frac{Ax}{a^4} - \frac{(10A-3B) \tan(c+dx)}{35ad(a \sec(c+dx)+a)^3} - \frac{(A-B) \tan(c+dx)}{7d(a \sec(c+dx)+a)^4}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^4, x]

[Out] (A*x)/a^4 - ((55*A - 6*B)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (2*(80*A - 3*B)*Tan[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B)*Tan[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((10*A - 3*B)*Tan[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -

a*d, 0]

Rule 3794

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[Cot[e + f*x]/(f*(b + a*Csc[e + f*x])), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{(a + a \sec(c + dx))^4} dx &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{\int \frac{-7aA + 3a(A - B) \sec(c + dx)}{(a + a \sec(c + dx))^3} dx}{7a^2} \\
 &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(10A - 3B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{\int \frac{35a^2A - 2a^2(10A - 3B) \sec(c + dx)}{(a + a \sec(c + dx))^2} dx}{35a^4} \\
 &= -\frac{(55A - 6B) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(10A - 3B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{\int \frac{-105a^3A}{(a + a \sec(c + dx))^2} dx}{105a^4} \\
 &= \frac{Ax}{a^4} - \frac{(55A - 6B) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(10A - 3B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{2(8A - 3B) \tan(c + dx)}{105a^4} \\
 &= \frac{Ax}{a^4} - \frac{(55A - 6B) \tan(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(10A - 3B) \tan(c + dx)}{35ad(a + a \sec(c + dx))^3} - \frac{2(8A - 3B) \tan(c + dx)}{105a^4}
 \end{aligned}$$

Mathematica [B] time = 0.755103, size = 329, normalized size = 2.38

$$\sec\left(\frac{c}{2}\right) \sec^7\left(\frac{1}{2}(c + dx)\right) \left(8260A \sin\left(c + \frac{dx}{2}\right) - 7140A \sin\left(c + \frac{3dx}{2}\right) + 3780A \sin\left(2c + \frac{3dx}{2}\right) - 2800A \sin\left(2c + \frac{5dx}{2}\right) + 840A \sin\left(2c + \frac{7dx}{2}\right) - 210A \sin\left(3c + \frac{5dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^4, x]

[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(3675*A*d*x*Cos[(d*x)/2] + 3675*A*d*x*Cos[c + (d*x)/2] + 2205*A*d*x*Cos[c + (3*d*x)/2] + 2205*A*d*x*Cos[2*c + (3*d*x)/2] + 735*A*d*x*Cos[2*c + (5*d*x)/2] + 735*A*d*x*Cos[3*c + (5*d*x)/2] + 105*A*d*x*Cos[3*c + (7*d*x)/2] + 105*A*d*x*Cos[4*c + (7*d*x)/2] - 9940*A*Sin[(d*x)/2] + 1260*B*Sin[(d*x)/2] + 8260*A*Sin[c + (d*x)/2] - 1260*B*Sin[c + (d*x)/2] - 7140*A*Sin[c + (3*d*x)/2] + 882*B*Sin[c + (3*d*x)/2] + 3780*A*Sin[2*c + (3*d*x)/2] - 630*B*Sin[2*c + (3*d*x)/2] - 2800*A*Sin[2*c + (5*d*x)/2] + 840*B*Sin[2*c + (5*d*x)/2] + 840*A*Sin[3*c + (5*d*x)/2] - 210*B*Sin[3*c + (5*d*x)/2])

$\frac{dx}{2}] - 520*A*\sin[3*c + (7*dx)/2] + 72*B*\sin[3*c + (7*dx)/2])/(13440*a^4*d)$

Maple [A] time = 0.068, size = 177, normalized size = 1.3

$$\frac{A}{56 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{B}{56 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{A}{8 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{3B}{40 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{11A}{24 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{11B}{24 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{1}{8 da^4} \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)`

[Out] $\frac{1}{56} \frac{d}{a^4} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^7 A - \frac{1}{56} \frac{d}{a^4} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^7 B - \frac{1}{8} \frac{d}{a^4} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 A + \frac{3}{40} \frac{d}{a^4} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^5 B + \frac{11}{24} \frac{d}{a^4} A \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 - \frac{11}{24} \frac{d}{a^4} B \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^3 - \frac{15}{8} \frac{d}{a^4} A \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + \frac{1}{8} \frac{d}{a^4} B \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + \frac{2}{d} \frac{d}{a^4} A \arctan\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)$

Maxima [A] time = 1.47748, size = 271, normalized size = 1.96

$$5A \left(\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{336 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - \frac{3B \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$

$840d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")`

[Out] $-\frac{1}{840} \frac{d}{a^4} \left(5A \left(\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) - 336 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) \right) - 3B \left(\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) \right) / d$

Fricas [A] time = 0.470773, size = 475, normalized size = 3.44

$$\frac{105 A dx \cos(dx + c)^4 + 420 A dx \cos(dx + c)^3 + 630 A dx \cos(dx + c)^2 + 420 A dx \cos(dx + c) + 105 A dx - (4(65A - 9B) \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d)}{105(a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] 1/105*(105*A*d*x*cos(d*x + c)^4 + 420*A*d*x*cos(d*x + c)^3 + 630*A*d*x*cos(d*x + c)^2 + 420*A*d*x*cos(d*x + c) + 105*A*d*x - (4*(65*A - 9*B)*cos(d*x + c)^3 + (620*A - 39*B)*cos(d*x + c)^2 + (535*A - 24*B)*cos(d*x + c) + 160*A - 6*B)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx + \int \frac{B \sec(c+dx)}{\sec^4(c+dx)+4\sec^3(c+dx)+6\sec^2(c+dx)+4\sec(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)

[Out] (Integral(A/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**4 + 4*sec(c + d*x)**3 + 6*sec(c + d*x)**2 + 4*sec(c + d*x) + 1), x))/a**4

Giac [A] time = 1.20594, size = 208, normalized size = 1.51

$$\frac{\frac{840(dx+c)A}{a^4} + \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 105Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 63Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 385Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 105Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{a^{28}}}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

```
[Out] 1/840*(840*(d*x + c)*A/a^4 + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*  
tan(1/2*d*x + 1/2*c)^7 - 105*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 63*B*a^24*tan(  
1/2*d*x + 1/2*c)^5 + 385*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 105*B*a^24*tan(1/2  
*d*x + 1/2*c)^3 - 1575*A*a^24*tan(1/2*d*x + 1/2*c) + 105*B*a^24*tan(1/2*d*x  
+ 1/2*c))/a^28)/d
```

$$3.115 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=166

$$\frac{8(83A - 20B) \sin(c + dx)}{105a^4d} - \frac{(4A - B) \sin(c + dx)}{a^4d(\sec(c + dx) + 1)} - \frac{(88A - 25B) \sin(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{x(4A - B)}{a^4} - \frac{(12A - 5B) \sin(c + dx)}{35ad(a \sec(c + dx) + a)^3}$$

[Out] -(((4*A - B)*x)/a^4) + (8*(83*A - 20*B)*Sin[c + d*x])/(105*a^4*d) - ((88*A - 25*B)*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - ((4*A - B)*Sin[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A - B)*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((12*A - 5*B)*Sin[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.572593, antiderivative size = 166, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {4020, 3787, 2637, 8}

$$\frac{8(83A - 20B) \sin(c + dx)}{105a^4d} - \frac{(4A - B) \sin(c + dx)}{a^4d(\sec(c + dx) + 1)} - \frac{(88A - 25B) \sin(c + dx)}{105a^4d(\sec(c + dx) + 1)^2} - \frac{x(4A - B)}{a^4} - \frac{(12A - 5B) \sin(c + dx)}{35ad(a \sec(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] -(((4*A - B)*x)/a^4) + (8*(83*A - 20*B)*Sin[c + d*x])/(105*a^4*d) - ((88*A - 25*B)*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - ((4*A - B)*Sin[c + d*x])/(a^4*d*(1 + Sec[c + d*x])) - ((A - B)*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((12*A - 5*B)*Sin[c + d*x])/(35*a*d*(a + a*Sec[c + d*x])^3)

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d \cdot \text{Csc}[e + f \cdot x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.) \cdot (x_)], x_Symbol] \text{ :> } \text{Simp}[\text{Sin}[c + d \cdot x]/d, x] /;$
 $\text{FreeQ}[\{c, d\}, x]$

Rule 8

$\text{Int}[a_ , x_Symbol] \text{ :> } \text{Simp}[a \cdot x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^4} dx &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{\int \frac{\cos(c + dx)(a(8A - B) - 4a(A - B) \sec(c + dx))}{(a + a \sec(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(12A - 5B) \sin(c + dx)}{35ad(a + a \sec(c + dx))^3} + \frac{\int \frac{\cos(c + dx)(2a^2(26A - 5B) - 3a^2)}{(a + a \sec(c + dx))^2} dx}{35a^4} \\ &= -\frac{(88A - 25B) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(12A - 5B) \sin(c + dx)}{35ad(a + a \sec(c + dx))^3} \\ &= -\frac{(88A - 25B) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(12A - 5B) \sin(c + dx)}{35ad(a + a \sec(c + dx))^3} \\ &= -\frac{(88A - 25B) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(12A - 5B) \sin(c + dx)}{35ad(a + a \sec(c + dx))^3} \\ &= -\frac{(4A - B)x}{a^4} + \frac{8(83A - 20B) \sin(c + dx)}{105a^4d} - \frac{(88A - 25B) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} \end{aligned}$$

Mathematica [B] time = 1.03939, size = 485, normalized size = 2.92

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-7350dx(4A - B) \cos\left(c + \frac{dx}{2}\right) - 7350dx(4A - B) \cos\left(\frac{dx}{2}\right) - 46130A \sin\left(c + \frac{dx}{2}\right) + 46116A \sin\left(\frac{dx}{2}\right)\right)}{(a + a \sec(c + dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-7350*(4*A - B)*d*x*Cos[(d*x)/2] - 7350*(4*A - B)*d*x*Cos[c + (d*x)/2] - 17640*A*d*x*Cos[c + (3*d*x)/2] + 4410*B*d*x*Cos[c

$$\begin{aligned}
& + (3*d*x)/2] - 17640*A*d*x*\text{Cos}[2*c + (3*d*x)/2] + 4410*B*d*x*\text{Cos}[2*c + (3* \\
& d*x)/2] - 5880*A*d*x*\text{Cos}[2*c + (5*d*x)/2] + 1470*B*d*x*\text{Cos}[2*c + (5*d*x)/2] \\
& - 5880*A*d*x*\text{Cos}[3*c + (5*d*x)/2] + 1470*B*d*x*\text{Cos}[3*c + (5*d*x)/2] - 840* \\
& A*d*x*\text{Cos}[3*c + (7*d*x)/2] + 210*B*d*x*\text{Cos}[3*c + (7*d*x)/2] - 840*A*d*x*\text{Cos} \\
& [4*c + (7*d*x)/2] + 210*B*d*x*\text{Cos}[4*c + (7*d*x)/2] + 60830*A*\text{Sin}[(d*x)/2] - \\
& 19880*B*\text{Sin}[(d*x)/2] - 46130*A*\text{Sin}[c + (d*x)/2] + 16520*B*\text{Sin}[c + (d*x)/2] \\
& + 46116*A*\text{Sin}[c + (3*d*x)/2] - 14280*B*\text{Sin}[c + (3*d*x)/2] - 18060*A*\text{Sin}[2* \\
& c + (3*d*x)/2] + 7560*B*\text{Sin}[2*c + (3*d*x)/2] + 19292*A*\text{Sin}[2*c + (5*d*x)/2] \\
& - 5600*B*\text{Sin}[2*c + (5*d*x)/2] - 2100*A*\text{Sin}[3*c + (5*d*x)/2] + 1680*B*\text{Sin}[3 \\
& *c + (5*d*x)/2] + 3791*A*\text{Sin}[3*c + (7*d*x)/2] - 1040*B*\text{Sin}[3*c + (7*d*x)/2] \\
& + 735*A*\text{Sin}[4*c + (7*d*x)/2] + 105*A*\text{Sin}[4*c + (9*d*x)/2] + 105*A*\text{Sin}[5*c \\
& + (9*d*x)/2]))/(1680*a^4*d*(1 + \text{Cos}[c + d*x])^4)
\end{aligned}$$

Maple [A] time = 0.1, size = 229, normalized size = 1.4

$$-\frac{A}{56 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{B}{56 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{7A}{40 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{8 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{23A}{24 da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] $-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*B+7/40/d/a^4*\tan(1/2*d*x+1/2*c)^5*A-1/8/d/a^4*\tan(1/2*d*x+1/2*c)^5*B-23/24/d/a^4*A*\tan(1/2*d*x+1/2*c)^3+11/24/d/a^4*B*\tan(1/2*d*x+1/2*c)^3+49/8/d/a^4*A*\tan(1/2*d*x+1/2*c)-15/8/d/a^4*B*\tan(1/2*d*x+1/2*c)+2/d/a^4*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-8/d/a^4*A*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*B$

Maxima [A] time = 1.52736, size = 366, normalized size = 2.2

$$\frac{A \left(\frac{1680 \sin(dx+c)}{\left(a^4 + \frac{a^4 \sin^2(dx+c)}{(\cos(dx+c)+1)^2} \right) (\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} - \frac{805 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} + \frac{147 \sin^5(dx+c)}{(\cos(dx+c)+1)^5} - \frac{15 \sin^7(dx+c)}{(\cos(dx+c)+1)^7}}{a^4} - \frac{6720 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - 5B \left(\frac{315 \sin(dx+c)}{\cos(dx+c)+1} \right)}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

```
[Out] 1/840*(A*(1680*sin(d*x + c)/((a^4 + a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)
)*(cos(d*x + c) + 1)) + (5145*sin(d*x + c)/(cos(d*x + c) + 1) - 805*sin(d*x
+ c)^3/(cos(d*x + c) + 1)^3 + 147*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15
*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 6720*arctan(sin(d*x + c)/(cos(d
*x + c) + 1))/a^4 - 5*B*((315*sin(d*x + c)/(cos(d*x + c) + 1) - 77*sin(d*x
+ c)^3/(cos(d*x + c) + 1)^3 + 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 3*s
in(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 336*arctan(sin(d*x + c)/(cos(d*x
+ c) + 1))/a^4))/d
```

Fricas [A] time = 0.486195, size = 574, normalized size = 3.46

$$\frac{105(4A - B)dx \cos(dx + c)^4 + 420(4A - B)dx \cos(dx + c)^3 + 630(4A - B)dx \cos(dx + c)^2 + 420(4A - B)dx \cos(dx + c) + 105(4A - B)dx}{105(a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fric
as")
```

```
[Out] -1/105*(105*(4*A - B)*d*x*cos(d*x + c)^4 + 420*(4*A - B)*d*x*cos(d*x + c)^3
+ 630*(4*A - B)*d*x*cos(d*x + c)^2 + 420*(4*A - B)*d*x*cos(d*x + c) + 105*
(4*A - B)*d*x - (105*A*cos(d*x + c)^4 + 4*(296*A - 65*B)*cos(d*x + c)^3 + 4
*(659*A - 155*B)*cos(d*x + c)^2 + (2236*A - 535*B)*cos(d*x + c) + 664*A - 1
60*B)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*
d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)
```

```
[Out] Timed out
```

Giac [A] time = 1.32156, size = 257, normalized size = 1.55

$$\frac{840(dx+c)(4A-B)}{a^4} - \frac{1680A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)a^4} + \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 147Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 105Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 805Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 385Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 5145Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1575Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{28}}$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] -1/840*(840*(d*x + c)*(4*A - B)/a^4 - 1680*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 - 147*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 105*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 805*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 385*B*a^24*tan(1/2*d*x + 1/2*c)^3 - 5145*A*a^24*tan(1/2*d*x + 1/2*c) + 1575*B*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.116 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=223

$$-\frac{8(216A - 83B) \sin(c + dx)}{105a^4d} + \frac{(21A - 8B) \sin(c + dx) \cos(c + dx)}{2a^4d} - \frac{4(216A - 83B) \sin(c + dx) \cos(c + dx)}{105a^4d(\sec(c + dx) + 1)} - \frac{(129A - 52B) \cos[c + dx] \sin[c + dx]}{105a^4d(1 + \sec[c + dx])^2} - \frac{4(216A - 83B) \cos[c + dx] \sin[c + dx]}{105a^4d(1 + \sec[c + dx])} - \frac{(A - B) \cos[c + dx] \sin[c + dx]}{7d(a + a \sec[c + dx])^4} - \frac{(2A - B) \cos[c + dx] \sin[c + dx]}{5a^4d(a + a \sec[c + dx])^3}$$

[Out] ((21*A - 8*B)*x)/(2*a^4) - (8*(216*A - 83*B)*Sin[c + d*x])/(105*a^4*d) + ((21*A - 8*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*d) - ((129*A - 52*B)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (4*(216*A - 83*B)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((2*A - B)*Cos[c + d*x]*Sin[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rubi [A] time = 0.648995, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4020, 3787, 2635, 8, 2637}

$$-\frac{8(216A - 83B) \sin(c + dx)}{105a^4d} + \frac{(21A - 8B) \sin(c + dx) \cos(c + dx)}{2a^4d} - \frac{4(216A - 83B) \sin(c + dx) \cos(c + dx)}{105a^4d(\sec(c + dx) + 1)} - \frac{(129A - 52B) \cos[c + dx] \sin[c + dx]}{105a^4d(1 + \sec[c + dx])^2} - \frac{4(216A - 83B) \cos[c + dx] \sin[c + dx]}{105a^4d(1 + \sec[c + dx])} - \frac{(A - B) \cos[c + dx] \sin[c + dx]}{7d(a + a \sec[c + dx])^4} - \frac{(2A - B) \cos[c + dx] \sin[c + dx]}{5a^4d(a + a \sec[c + dx])^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]

[Out] ((21*A - 8*B)*x)/(2*a^4) - (8*(216*A - 83*B)*Sin[c + d*x])/(105*a^4*d) + ((21*A - 8*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*d) - ((129*A - 52*B)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])^2) - (4*(216*A - 83*B)*Cos[c + d*x]*Sin[c + d*x])/(105*a^4*d*(1 + Sec[c + d*x])) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(7*d*(a + a*Sec[c + d*x])^4) - ((2*A - B)*Cos[c + d*x]*Sin[c + d*x])/(5*a*d*(a + a*Sec[c + d*x])^3)

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x] *(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :=> Simp[a*x, x] /; FreeQ[a, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :=> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^4} dx &= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} + \frac{\int \frac{\cos^2(c + dx)(a(9A - 2B) - 5a(A - B) \sec(c + dx))}{(a + a \sec(c + dx))^3} dx}{7a^2} \\
 &= -\frac{(A - B) \cos(c + dx) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(2A - B) \cos(c + dx) \sin(c + dx)}{5ad(a + a \sec(c + dx))^3} + \frac{\int \frac{\cos^2(c + dx)(a(9A - 2B) - 5a(A - B) \sec(c + dx))}{(a + a \sec(c + dx))^3} dx}{7a^2} \\
 &= -\frac{(129A - 52B) \cos(c + dx) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \cos(c + dx) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(2A - B) \cos(c + dx) \sin(c + dx)}{5ad(a + a \sec(c + dx))^3} \\
 &= -\frac{(129A - 52B) \cos(c + dx) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \cos(c + dx) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(2A - B) \cos(c + dx) \sin(c + dx)}{5ad(a + a \sec(c + dx))^3} \\
 &= -\frac{(129A - 52B) \cos(c + dx) \sin(c + dx)}{105a^4d(1 + \sec(c + dx))^2} - \frac{(A - B) \cos(c + dx) \sin(c + dx)}{7d(a + a \sec(c + dx))^4} - \frac{(2A - B) \cos(c + dx) \sin(c + dx)}{5ad(a + a \sec(c + dx))^3} \\
 &= -\frac{8(216A - 83B) \sin(c + dx)}{105a^4d} + \frac{(21A - 8B) \cos(c + dx) \sin(c + dx)}{2a^4d} - \frac{(129A - 52B) \cos(c + dx) \sin(c + dx)}{105a^4d} \\
 &= \frac{(21A - 8B)x}{2a^4} - \frac{8(216A - 83B) \sin(c + dx)}{105a^4d} + \frac{(21A - 8B) \cos(c + dx) \sin(c + dx)}{2a^4d}
 \end{aligned}$$

Mathematica [B] time = 1.11128, size = 555, normalized size = 2.49

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(14700dx(21A-8B)\cos\left(c+\frac{dx}{2}\right)+14700dx(21A-8B)\cos\left(\frac{dx}{2}\right)+386190A\sin\left(c+\frac{dx}{2}\right)-422\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(14700*(21*A - 8*B)*d*x*Cos[(d*x)/2] + 14700*(21*A - 8*B)*d*x*Cos[c + (d*x)/2] + 185220*A*d*x*Cos[c + (3*d*x)/2] - 70560*B*d*x*Cos[c + (3*d*x)/2] + 185220*A*d*x*Cos[2*c + (3*d*x)/2] - 70560*B*d*x*Cos[2*c + (3*d*x)/2] + 61740*A*d*x*Cos[2*c + (5*d*x)/2] - 23520*B*d*x*Cos[2*c + (5*d*x)/2] + 61740*A*d*x*Cos[3*c + (5*d*x)/2] - 23520*B*d*x*Cos[3*c + (5*d*x)/2] + 8820*A*d*x*Cos[3*c + (7*d*x)/2] - 3360*B*d*x*Cos[3*c + (7*d*x)/2] + 8820*A*d*x*Cos[4*c + (7*d*x)/2] - 3360*B*d*x*Cos[4*c + (7*d*x)/2] - 539490*A*Sin[(d*x)/2] + 243320*B*Sin[(d*x)/2] + 386190*A*Sin[c + (d*x)/2] - 184520*B*Sin[c + (d*x)/2] - 422478*A*Sin[c + (3*d*x)/2] + 184464*B*Sin[c + (3*d*x)/2] + 132930*A*Sin[2*c + (3*d*x)/2] - 72240*B*Sin[2*c + (3*d*x)/2] - 181461*A*Sin[2*c + (5*d*x)/2] + 77168*B*Sin[2*c + (5*d*x)/2] + 3675*A*Sin[3*c + (5*d*x)/2] - 8400*B*Sin[3*c + (5*d*x)/2] - 36003*A*Sin[3*c + (7*d*x)/2] + 15164*B*Sin[3*c + (7*d*x)/2] - 9555*A*Sin[4*c + (7*d*x)/2] + 2940*B*Sin[4*c + (7*d*x)/2] - 945*A*Sin[4*c + (9*d*x)/2] + 420*B*Sin[4*c + (9*d*x)/2] - 945*A*Sin[5*c + (9*d*x)/2] + 420*B*Sin[5*c + (9*d*x)/2] + 105*A*Sin[5*c + (11*d*x)/2] + 105*A*Sin[6*c + (11*d*x)/2]))/(6720*a^4*d*(1 + Cos[c + d*x])^4)

Maple [A] time = 0.1, size = 332, normalized size = 1.5

$$\frac{A}{56da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7-\frac{B}{56da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7-\frac{9A}{40da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5+\frac{7B}{40da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5+\frac{13A}{8da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] 1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A-1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*B-9/40/d/a^4*tan(1/2*d*x+1/2*c)^5*A+7/40/d/a^4*tan(1/2*d*x+1/2*c)^5*B+13/8/d/a^4*A*tan(1/2*d*x+1/2*c)^3-23/24/d/a^4*B*tan(1/2*d*x+1/2*c)^3-111/8/d/a^4*A*tan(1/2*d*x+1/2*c)+49/8/d/a^4*B*tan(1/2*d*x+1/2*c)-9/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)

$2)^2 A \tan(1/2 dx + 1/2 c)^3 + 2/d/a^4 / (1 + \tan(1/2 dx + 1/2 c))^2 B \tan(1/2 dx + 1/2 c)^3 - 7/d/a^4 / (1 + \tan(1/2 dx + 1/2 c))^2 A \tan(1/2 dx + 1/2 c) + 2/d/a^4 / (1 + \tan(1/2 dx + 1/2 c))^2 B \tan(1/2 dx + 1/2 c) + 21/d/a^4 A \arctan(\tan(1/2 dx + 1/2 c)) - 8/d/a^4 \arctan(\tan(1/2 dx + 1/2 c)) B$

Maxima [A] time = 1.52523, size = 491, normalized size = 2.2

$$3A \left(\frac{280 \left(\frac{7 \sin(dx+c)}{\cos(dx+c)+1} + \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 + \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{3885 \sin(dx+c)}{\cos(dx+c)+1} - \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{5880 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - B \left(\frac{1680 \sin(dx+c)}{a^4 + \frac{a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \right)$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

[Out] $-1/840*(3*A*(280*(7*\sin(d*x + c)/(\cos(d*x + c) + 1) + 9*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^4 + 2*a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^4*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (3885*\sin(d*x + c)/(\cos(d*x + c) + 1) - 455*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 5880*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^4) - B*(1680*\sin(d*x + c)/((a^4 + a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) + (5145*\sin(d*x + c)/(\cos(d*x + c) + 1) - 805*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 147*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 6720*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^4)/d$

Fricas [A] time = 0.49927, size = 645, normalized size = 2.89

$$105(21A - 8B)dx \cos(dx + c)^4 + 420(21A - 8B)dx \cos(dx + c)^3 + 630(21A - 8B)dx \cos(dx + c)^2 + 420(21A - 8B)dx \cos(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fricas")

[Out] $1/210*(105*(21*A - 8*B)*d*x*\cos(d*x + c)^4 + 420*(21*A - 8*B)*d*x*\cos(d*x + c)^3 + 630*(21*A - 8*B)*d*x*\cos(d*x + c)^2 + 420*(21*A - 8*B)*d*x*\cos(d*x + c)$

+ c) + 105*(21*A - 8*B)*d*x + (105*A*cos(d*x + c)^5 - 210*(2*A - B)*cos(d*x + c)^4 - 4*(1509*A - 592*B)*cos(d*x + c)^3 - 4*(3411*A - 1318*B)*cos(d*x + c)^2 - (11619*A - 4472*B)*cos(d*x + c) - 3456*A + 1328*B)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)

[Out] Timed out

Giac [A] time = 1.47962, size = 315, normalized size = 1.41

$$\frac{420(dx+c)(21A-8B)}{a^4} - \frac{840\left(9A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 7A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^2 a^4} + \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 15Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7}{a^{28}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out] 1/840*(420*(d*x + c)*(21*A - 8*B)/a^4 - 840*(9*A*tan(1/2*d*x + 1/2*c)^3 - 2*B*tan(1/2*d*x + 1/2*c)^3 + 7*A*tan(1/2*d*x + 1/2*c) - 2*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 - 189*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 147*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 1365*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 805*B*a^24*tan(1/2*d*x + 1/2*c)^3 - 11655*A*a^24*tan(1/2*d*x + 1/2*c) + 5145*B*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d

$$3.117 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^4} dx$$

Optimal. Leaf size=256

$$-\frac{8(227A-108B)\sin^3(c+dx)}{105a^4d} + \frac{8(227A-108B)\sin(c+dx)}{35a^4d} - \frac{(44A-21B)\sin(c+dx)\cos(c+dx)}{2a^4d} - \frac{(44A-21B)\sin(c+dx)}{3a^4d(\sec(c+dx))}$$

[Out] $-\frac{((44A-21B)x)}{(2a^4)} + \frac{(8(227A-108B)\sin[c+dx])}{(35a^4d)} - \frac{((44A-21B)\cos[c+dx]\sin[c+dx])}{(2a^4d)} - \frac{((178A-87B)\cos[c+dx]^2\sin[c+dx])}{(105a^4d(1+\sec[c+dx])^2)} - \frac{((44A-21B)\cos[c+dx]^2\sin[c+dx])}{(3a^4d(1+\sec[c+dx]))} - \frac{((A-B)\cos[c+dx]^2\sin[c+dx])}{(7d(a+a\sec[c+dx])^4)} - \frac{((16A-9B)\cos[c+dx]^2\sin[c+dx])}{(35ad(a+a\sec[c+dx])^3)} - \frac{(8(227A-108B)\sin[c+dx]^3)}{(105a^4d)}$

Rubi [A] time = 0.705455, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4020, 3787, 2633, 2635, 8}

$$-\frac{8(227A-108B)\sin^3(c+dx)}{105a^4d} + \frac{8(227A-108B)\sin(c+dx)}{35a^4d} - \frac{(44A-21B)\sin(c+dx)\cos(c+dx)}{2a^4d} - \frac{(44A-21B)\sin(c+dx)}{3a^4d(\sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4,x]

[Out] $-\frac{((44A-21B)x)}{(2a^4)} + \frac{(8(227A-108B)\sin[c+dx])}{(35a^4d)} - \frac{((44A-21B)\cos[c+dx]\sin[c+dx])}{(2a^4d)} - \frac{((178A-87B)\cos[c+dx]^2\sin[c+dx])}{(105a^4d(1+\sec[c+dx])^2)} - \frac{((44A-21B)\cos[c+dx]^2\sin[c+dx])}{(3a^4d(1+\sec[c+dx]))} - \frac{((A-B)\cos[c+dx]^2\sin[c+dx])}{(7d(a+a\sec[c+dx])^4)} - \frac{((16A-9B)\cos[c+dx]^2\sin[c+dx])}{(35ad(a+a\sec[c+dx])^3)} - \frac{(8(227A-108B)\sin[c+dx]^3)}{(105a^4d)}$

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n]/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x]]

```
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0]
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^4} dx &= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} + \frac{\int \frac{\cos^3(c+dx)(a(10A-3B)-6a(A-B)\sec(c+dx))}{(a+a\sec(c+dx))^3} dx}{7a^2} \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{(16A-9B)\cos^2(c+dx)\sin(c+dx)}{35ad(a+a\sec(c+dx))^3} + \frac{\int \frac{c}{dx}}{dx} \\
&= -\frac{(178A-87B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{c}{dx}}{dx} \\
&= -\frac{(178A-87B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{c}{dx}}{dx} \\
&= -\frac{(178A-87B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} - \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\sec(c+dx))^4} - \frac{\int \frac{c}{dx}}{dx} \\
&= -\frac{(44A-21B)\cos(c+dx)\sin(c+dx)}{2a^4d} - \frac{(178A-87B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\sec(c+dx))^2} \\
&= -\frac{(44A-21B)x}{2a^4} + \frac{8(227A-108B)\sin(c+dx)}{35a^4d} - \frac{(44A-21B)\cos(c+dx)\sin(c+dx)}{2a^4d}
\end{aligned}$$

Mathematica [B] time = 1.62759, size = 611, normalized size = 2.39

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-14700dx(44A-21B)\cos\left(c+\frac{dx}{2}\right)-14700dx(44A-21B)\cos\left(\frac{dx}{2}\right)-687260A\sin\left(c+\frac{dx}{2}\right)+8\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^4, x]

[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(-14700*(44*A - 21*B)*d*x*Cos[(d*x)/2] - 14700*(44*A - 21*B)*d*x*Cos[c + (d*x)/2] - 388080*A*d*x*Cos[c + (3*d*x)/2] + 185220*B*d*x*Cos[c + (3*d*x)/2] - 388080*A*d*x*Cos[2*c + (3*d*x)/2] + 185220*B*d*x*Cos[2*c + (3*d*x)/2] - 129360*A*d*x*Cos[2*c + (5*d*x)/2] + 61740*B*d*x*Cos[2*c + (5*d*x)/2] - 129360*A*d*x*Cos[3*c + (5*d*x)/2] + 61740*B*d*x*Cos[3*c + (5*d*x)/2] - 18480*A*d*x*Cos[3*c + (7*d*x)/2] + 8820*B*d*x*Cos[3*c + (7*d*x)/2] - 18480*A*d*x*Cos[4*c + (7*d*x)/2] + 8820*B*d*x*Cos[4*c + (7*d*x)/2] + 1010660*A*Sin[(d*x)/2] - 539490*B*Sin[(d*x)/2] - 687260*A*Sin[c + (d*x)/2] + 386190*B*Sin[c + (d*x)/2] + 814107*A*Sin[c + (3*d*x)/2] - 422478*B*Sin[c + (3*d*x)/2] - 204645*A*Sin[2*c + (3*d*x)/2] + 132930*B*Sin[2*c + (3*d*x)/2] + 357609*A*Sin[2*c + (5*d*x)/2] - 181461*B*Sin[2*c + (5*d*x)/2] + 1

8025*A*Sin[3*c + (5*d*x)/2] + 3675*B*Sin[3*c + (5*d*x)/2] + 72522*A*Sin[3*c + (7*d*x)/2] - 36003*B*Sin[3*c + (7*d*x)/2] + 24010*A*Sin[4*c + (7*d*x)/2] - 9555*B*Sin[4*c + (7*d*x)/2] + 2310*A*Sin[4*c + (9*d*x)/2] - 945*B*Sin[4*c + (9*d*x)/2] + 2310*A*Sin[5*c + (9*d*x)/2] - 945*B*Sin[5*c + (9*d*x)/2] - 175*A*Sin[5*c + (11*d*x)/2] + 105*B*Sin[5*c + (11*d*x)/2] - 175*A*Sin[6*c + (11*d*x)/2] + 105*B*Sin[6*c + (11*d*x)/2] + 35*A*Sin[6*c + (13*d*x)/2] + 35*A*Sin[7*c + (13*d*x)/2]))/(6720*a^4*d*(1 + Cos[c + d*x])^4)

Maple [A] time = 0.111, size = 402, normalized size = 1.6

$$-\frac{A}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{B}{56da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{11A}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{9B}{40da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{59A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{59B}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x)

[Out] -1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*tan(1/2*d*x+1/2*c)^7*B+11/40/d/a^4*tan(1/2*d*x+1/2*c)^5*A-9/40/d/a^4*tan(1/2*d*x+1/2*c)^5*B-59/24/d/a^4*A*tan(1/2*d*x+1/2*c)^3+13/8/d/a^4*B*tan(1/2*d*x+1/2*c)^3+209/8/d/a^4*A*tan(1/2*d*x+1/2*c)-111/8/d/a^4*B*tan(1/2*d*x+1/2*c)+26/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A-9/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B+124/3/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)^3-16/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)^3+18/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)-7/d/a^4/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)-44/d/a^4*A*arctan(tan(1/2*d*x+1/2*c))+21/d/a^4*arctan(tan(1/2*d*x+1/2*c))*B

Maxima [A] time = 1.64083, size = 610, normalized size = 2.38

$$A \left(\frac{560 \left(\frac{27 \sin(dx+c)}{\cos(dx+c)+1} + \frac{62 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{39 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^4 + \frac{3a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^4 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{21945 \sin(dx+c)}{\cos(dx+c)+1} - \frac{2065 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{231 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{36960 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) -$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="maxima")

```
[Out] 1/840*(A*(560*(27*sin(d*x + c))/(cos(d*x + c) + 1) + 62*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 39*sin(d*x + c)^5/(cos(d*x + c) + 1)^5)/(a^4 + 3*a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*a^4*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + a^4*sin(d*x + c)^6/(cos(d*x + c) + 1)^6) + (21945*sin(d*x + c)/(cos(d*x + c) + 1) - 2065*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 231*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 36960*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4 - 3*B*(280*(7*sin(d*x + c)/(cos(d*x + c) + 1) + 9*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a^4 + 2*a^4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a^4*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) + (3885*sin(d*x + c)/(cos(d*x + c) + 1) - 455*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 63*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 5*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/a^4 - 5880*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^4)/d
```

Fricas [A] time = 0.50868, size = 701, normalized size = 2.74

$$105(44A - 21B)dx \cos(dx + c)^4 + 420(44A - 21B)dx \cos(dx + c)^3 + 630(44A - 21B)dx \cos(dx + c)^2 + 420(44A - 21B)dx \cos(dx + c) + 105(44A - 21B)d^2x \cos(dx + c) + 140(7A - 3B)\cos(dx + c)^4 + 4*(3196A - 1509B)\cos(dx + c)^3 + 4*(7184A - 3411B)\cos(dx + c)^2 + (24436A - 11619B)\cos(dx + c) + 7264A - 3456B \sin(dx + c) / (a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] -1/210*(105*(44*A - 21*B)*d*x*cos(d*x + c)^4 + 420*(44*A - 21*B)*d*x*cos(d*x + c)^3 + 630*(44*A - 21*B)*d*x*cos(d*x + c)^2 + 420*(44*A - 21*B)*d*x*cos(d*x + c) + 105*(44*A - 21*B)*d*x - (70*A*cos(d*x + c)^6 - 35*(4*A - 3*B)*cos(d*x + c)^5 + 140*(7*A - 3*B)*cos(d*x + c)^4 + 4*(3196*A - 1509*B)*cos(d*x + c)^3 + 4*(7184*A - 3411*B)*cos(d*x + c)^2 + (24436*A - 11619*B)*cos(d*x + c) + 7264*A - 3456*B)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**4,x)
```

[Out] Timed out

Giac [A] time = 1.25121, size = 352, normalized size = 1.38

$$\frac{420(dx+c)(44A-21B)}{a^4} - \frac{280\left(78A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 27B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 124A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 48B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 54A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 21B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/840*(420*(d*x + c)*(44*A - 21*B)/a^4 - 280*(78*A*\tan(1/2*d*x + 1/2*c)^5 \\ & - 27*B*\tan(1/2*d*x + 1/2*c)^5 + 124*A*\tan(1/2*d*x + 1/2*c)^3 - 48*B*\tan(1/2 \\ & *d*x + 1/2*c)^3 + 54*A*\tan(1/2*d*x + 1/2*c) - 21*B*\tan(1/2*d*x + 1/2*c))/((\\ & \tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^4) + (15*A*a^24*\tan(1/2*d*x + 1/2*c)^7 - 15 \\ & *B*a^24*\tan(1/2*d*x + 1/2*c)^7 - 231*A*a^24*\tan(1/2*d*x + 1/2*c)^5 + 189*B* \\ & a^24*\tan(1/2*d*x + 1/2*c)^5 + 2065*A*a^24*\tan(1/2*d*x + 1/2*c)^3 - 1365*B*a \\ & ^24*\tan(1/2*d*x + 1/2*c)^3 - 21945*A*a^24*\tan(1/2*d*x + 1/2*c) + 11655*B*a^ \\ & 24*\tan(1/2*d*x + 1/2*c))/a^28)/d \end{aligned}$$

$$3.118 \quad \int \sec^4(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=187

$$\frac{2a(9A + 8B) \tan(c + dx) \sec^3(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} + \frac{4(9A + 8B) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{105ad} - \frac{8(9A + 8B) \tan(c + dx) \sqrt{a \sec(c + dx)}}{315d}$$

[Out] (4*a*(9*A + 8*B)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(9*A + 8*B)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*B*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) - (8*(9*A + 8*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (4*(9*A + 8*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*a*d)

Rubi [A] time = 0.338126, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4016, 3803, 3800, 4001, 3792}

$$\frac{2a(9A + 8B) \tan(c + dx) \sec^3(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} + \frac{4(9A + 8B) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{105ad} - \frac{8(9A + 8B) \tan(c + dx) \sqrt{a \sec(c + dx)}}{315d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (4*a*(9*A + 8*B)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(9*A + 8*B)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*B*Sec[c + d*x]^4*Tan[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]]) - (8*(9*A + 8*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (4*(9*A + 8*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*a*d)

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && ! LtQ[n, 0]

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_),
x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^4(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx))dx &= \frac{2aB\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} + \frac{1}{9}(9A+8B)\int \sec^4(c+dx)\sqrt{a+a\sec(c+dx)}dx \\
&= \frac{2a(9A+8B)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aB\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a(9A+8B)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aB\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a(9A+8B)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aB\sec^4(c+dx)\tan(c+dx)}{9d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4a(9A+8B)\tan(c+dx)}{45d\sqrt{a+a\sec(c+dx)}} + \frac{2a(9A+8B)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.537751, size = 98, normalized size = 0.52

$$\frac{2a \tan(c+dx) (5(9A+8B)\sec^3(c+dx) + 6(9A+8B)\sec^2(c+dx) + 8(9A+8B)\sec(c+dx) + 16(9A+8B) + 35B\sec^4(c+dx))}{315d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (2*a*(16*(9*A + 8*B) + 8*(9*A + 8*B)*Sec[c + d*x] + 6*(9*A + 8*B)*Sec[c + d*x]^2 + 5*(9*A + 8*B)*Sec[c + d*x]^3 + 35*B*Sec[c + d*x]^4)*Tan[c + d*x]/(315*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.324, size = 138, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx+c)) (144 A (\cos(dx+c))^4 + 128 B (\cos(dx+c))^4 + 72 A (\cos(dx+c))^3 + 64 B (\cos(dx+c))^3 + 54 A (\cos(dx+c))^2 + 48 B (\cos(dx+c))^2 + 45 A \cos(dx+c) + 45 B)}{315 d (\cos(dx+c))^4 \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)), x)

[Out] -2/315/d*(-1+cos(d*x+c))*(144*A*cos(d*x+c)^4+128*B*cos(d*x+c)^4+72*A*cos(d*x+c)^3+64*B*cos(d*x+c)^3+54*A*cos(d*x+c)^2+48*B*cos(d*x+c)^2+45*A*cos(d*x+c)+45*B)

) + 40*B*cos(d*x+c) + 35*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^4/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.474214, size = 308, normalized size = 1.65

$$\frac{2(16(9A + 8B)\cos(dx + c)^4 + 8(9A + 8B)\cos(dx + c)^3 + 6(9A + 8B)\cos(dx + c)^2 + 5(9A + 8B)\cos(dx + c) + 35B)\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c)}{315(d\cos(dx + c)^5 + d\cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 2/315*(16*(9*A + 8*B)*cos(d*x + c)^4 + 8*(9*A + 8*B)*cos(d*x + c)^3 + 6*(9*A + 8*B)*cos(d*x + c)^2 + 5*(9*A + 8*B)*cos(d*x + c) + 35*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)}(A + B \sec(c + dx)) \sec^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))*sec(c + d*x)**4, x)
```

Giac [A] time = 4.94975, size = 362, normalized size = 1.94

$$2 \left(315 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) - \left(630 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 420 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 2/315*(315*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 315*sqrt(2)*B*a^5*sgn(cos(d*x + c)) - (630*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 420*sqrt(2)*B*a^5*sgn(cos(d*x + c)) - (756*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 882*sqrt(2)*B*a^5*sgn(cos(d*x + c)) - (522*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 324*sqrt(2)*B*a^5*sgn(cos(d*x + c)) - (81*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 107*sqrt(2)*B*a^5*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^4*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

$$3.119 \quad \int \sec^3(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=144

$$\frac{2(7A + 6B) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{35ad} - \frac{4(7A + 6B) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a(7A + 6B) \tan(c + dx)}{15d \sqrt{a \sec(c + dx) + a}}$$

[Out] (2*a*(7*A + 6*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*B*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) - (4*(7*A + 6*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*A + 6*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*a*d)

Rubi [A] time = 0.276674, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4016, 3800, 4001, 3792}

$$\frac{2(7A + 6B) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{35ad} - \frac{4(7A + 6B) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a(7A + 6B) \tan(c + dx)}{15d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*a*(7*A + 6*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*B*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) - (4*(7*A + 6*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*A + 6*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*a*d)

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && ! LtQ[n, 0]

Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_),
x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^3(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{2aB \sec^3(c + dx) \tan(c + dx)}{7d\sqrt{a + a \sec(c + dx)}} + \frac{1}{7}(7A + 6B) \int \sec^3(c + dx) \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2aB \sec^3(c + dx) \tan(c + dx)}{7d\sqrt{a + a \sec(c + dx)}} + \frac{2(7A + 6B)(a + a \sec(c + dx))}{35ad} \\ &= \frac{2aB \sec^3(c + dx) \tan(c + dx)}{7d\sqrt{a + a \sec(c + dx)}} - \frac{4(7A + 6B)\sqrt{a + a \sec(c + dx)}}{105d} \\ &= \frac{2a(7A + 6B) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2aB \sec^3(c + dx) \tan(c + dx)}{7d\sqrt{a + a \sec(c + dx)}} - \frac{4(7A + 6B)\sqrt{a + a \sec(c + dx)}}{105d} \end{aligned}$$

Mathematica [A] time = 0.264548, size = 81, normalized size = 0.56

$$\frac{2a \tan(c + dx) (3(7A + 6B) \sec^2(c + dx) + 4(7A + 6B) \sec(c + dx) + 8(7A + 6B) + 15B \sec^3(c + dx))}{105d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]
```

[Out] $(2*a*(8*(7*A + 6*B) + 4*(7*A + 6*B)*\text{Sec}[c + d*x] + 3*(7*A + 6*B)*\text{Sec}[c + d*x]^2 + 15*B*\text{Sec}[c + d*x]^3)*\text{Tan}[c + d*x]) / (105*d*\text{Sqrt}[a*(1 + \text{Sec}[c + d*x])])$
)

Maple [A] time = 0.28, size = 116, normalized size = 0.8

$$\frac{(-2 + 2 \cos(dx + c)) (56 A (\cos(dx + c))^3 + 48 B (\cos(dx + c))^3 + 28 A (\cos(dx + c))^2 + 24 B (\cos(dx + c))^2 + 21 A \cos(dx + c) + 15 B) \text{Sec}(dx + c) \tan(dx + c)}{105 d (\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x)`

[Out] $-2/105/d*(-1+\cos(d*x+c))*(56*A*\cos(d*x+c)^3+48*B*\cos(d*x+c)^3+28*A*\cos(d*x+c)^2+24*B*\cos(d*x+c)^2+21*A*\cos(d*x+c)+18*B*\cos(d*x+c)+15*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)^3/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.470775, size = 265, normalized size = 1.84

$$\frac{2 \left(8 (7 A + 6 B) \cos(dx + c)^3 + 4 (7 A + 6 B) \cos(dx + c)^2 + 3 (7 A + 6 B) \cos(dx + c) + 15 B \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{105 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{2}{105} \cdot (8 \cdot (7A + 6B) \cdot \cos(dx + c)^3 + 4 \cdot (7A + 6B) \cdot \cos(dx + c)^2 + 3 \cdot (7A + 6B) \cdot \cos(dx + c) + 15B) \cdot \sqrt{\frac{a \cdot \cos(dx + c) + a}{\cos(dx + c)}} \cdot \sin(dx + c) / (d \cdot \cos(dx + c)^4 + d \cdot \cos(dx + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)} (A + B \sec(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))*sec(c + d*x)**3, x)

Giac [A] time = 4.88182, size = 300, normalized size = 2.08

$$2 \left(105 \sqrt{2} A a^4 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} B a^4 \operatorname{sgn}(\cos(dx + c)) - \left(175 \sqrt{2} A a^4 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} B a^4 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $-\frac{2}{105} \cdot (105 \cdot \sqrt{2} \cdot A \cdot a^4 \cdot \operatorname{sgn}(\cos(dx + c)) + 105 \cdot \sqrt{2} \cdot B \cdot a^4 \cdot \operatorname{sgn}(\cos(dx + c)) - (175 \cdot \sqrt{2} \cdot A \cdot a^4 \cdot \operatorname{sgn}(\cos(dx + c)) + 105 \cdot \sqrt{2} \cdot B \cdot a^4 \cdot \operatorname{sgn}(\cos(dx + c))) \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 \cdot \tan(1/2 \cdot dx + 1/2 \cdot c) / ((a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 - a)^3 \cdot \sqrt{-a \cdot \tan(1/2 \cdot dx + 1/2 \cdot c)^2 + a}) \cdot d)$

$$3.120 \quad \int \sec^2(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=101

$$\frac{2(5A - 2B) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{15d} + \frac{2a(5A + 7B) \tan(c + dx)}{15d \sqrt{a \sec(c + dx) + a}} + \frac{2B \tan(c + dx) (a \sec(c + dx) + a)^{3/2}}{5ad}$$

[Out] (2*a*(5*A + 7*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*A - 2*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*B*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*a*d)

Rubi [A] time = 0.227687, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {4010, 4001, 3792}

$$\frac{2(5A - 2B) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{15d} + \frac{2a(5A + 7B) \tan(c + dx)}{15d \sqrt{a \sec(c + dx) + a}} + \frac{2B \tan(c + dx) (a \sec(c + dx) + a)^{3/2}}{5ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*a*(5*A + 7*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*A - 2*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*B*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*a*d)

Rule 4010

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)

)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx &= \frac{2B(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5ad} + \frac{2 \int \sec(c + dx)\sqrt{a + a \sec(c + dx)} dx}{5ad} \\ &= \frac{2(5A - 2B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2B(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{15d} \\ &= \frac{2a(5A + 7B) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2(5A - 2B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \end{aligned}$$

Mathematica [A] time = 0.277759, size = 80, normalized size = 0.79

$$\frac{2 \tan(c + dx) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)}((5A + 4B) \cos(c + dx) + (5A + 4B) \cos(2(c + dx)) + 5A + 7B)}{15d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*(5*A + 7*B + (5*A + 4*B)*Cos[c + d*x] + (5*A + 4*B)*Cos[2*(c + d*x)])*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*Tan[c + d*x])/(15*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.331, size = 94, normalized size = 0.9

$$\frac{(-2 + 2 \cos(dx + c)) \left(10 A (\cos(dx + c))^2 + 8 B (\cos(dx + c))^2 + 5 A \cos(dx + c) + 4 B \cos(dx + c) + 3 B \right)}{15 d (\cos(dx + c))^2 \sin(dx + c)} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x)`

[Out] $-2/15/d*(-1+\cos(dx+c))*(10*A*\cos(dx+c)^2+8*B*\cos(dx+c)^2+5*A*\cos(dx+c)+4*B*\cos(dx+c)+3*B)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^2/\sin(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.464324, size = 217, normalized size = 2.15

$$\frac{2\left(2(5A+4B)\cos(dx+c)^2+(5A+4B)\cos(dx+c)+3B\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sin(dx+c)}{15\left(d\cos(dx+c)^3+d\cos(dx+c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $2/15*(2*(5*A+4*B)*\cos(dx+c)^2+(5*A+4*B)*\cos(dx+c)+3*B)*\sqrt{(a*\cos(dx+c)+a)/\cos(dx+c)}*\sin(dx+c)/(d*\cos(dx+c)^3+d*\cos(dx+c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c+dx)+1)}(A+B\sec(c+dx))\sec^2(c+dx)dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))*sec(c + d*x)**2, x)

Giac [A] time = 4.81692, size = 238, normalized size = 2.36

$$\frac{2 \left(15 \sqrt{2} A a^3 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} B a^3 \operatorname{sgn}(\cos(dx + c)) - \left(20 \sqrt{2} A a^3 \operatorname{sgn}(\cos(dx + c)) + 10 \sqrt{2} B a^3 \operatorname{sgn}(\cos(dx + c)) \right) \right)}{15 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^2} \sqrt{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 2/15*(15*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 15*sqrt(2)*B*a^3*sgn(cos(d*x + c)) - (20*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 10*sqrt(2)*B*a^3*sgn(cos(d*x + c)) - (5*sqrt(2)*A*a^3*sgn(cos(d*x + c)) + 7*sqrt(2)*B*a^3*sgn(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)

3.121 $\int \sec(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx))dx$

Optimal. Leaf size=62

$$\frac{2a(3A+B)\tan(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2B\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{3d}$$

[Out] $(2*a*(3*A + B)*\text{Tan}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]) + (2*B*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(3*d)$

Rubi [A] time = 0.0944036, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$, Rules used = {4001, 3792}

$$\frac{2a(3A+B)\tan(c+dx)}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2B\tan(c+dx)\sqrt{a\sec(c+dx)+a}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(2*a*(3*A + B)*\text{Tan}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]) + (2*B*\text{Sqrt}[a + a*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(3*d)$

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1))/(b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, A, B, e, f, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[a*B*m + A*b*(m + 1), 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

Rule 3792

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*b*\text{Cot}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\int \sec(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx = \frac{2B \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + \frac{1}{3} (3A + B) \int \sec(c + dx)$$

$$= \frac{2a(3A + B) \tan(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} + \frac{2B \sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d}$$

Mathematica [A] time = 0.158314, size = 53, normalized size = 0.85

$$\frac{2 \tan(c + dx) \sqrt{a(\sec(c + dx) + 1)} ((3A + 2B) \cos(c + dx) + B)}{3d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*(B + (3*A + 2*B)*Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[c + d*x])/(3*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.273, size = 70, normalized size = 1.1

$$\frac{(-2 + 2 \cos(dx + c))(3A \cos(dx + c) + 2B \cos(dx + c) + B)}{3d \sin(dx + c) \cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x)

[Out] -2/3/d*(-1+cos(d*x+c))*(3*A*cos(d*x+c)+2*B*cos(d*x+c)+B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.462124, size = 169, normalized size = 2.73

$$\frac{2((3A + 2B)\cos(dx + c) + B)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sin(dx + c)}{3(d\cos(dx + c)^2 + d\cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 2/3*((3*A + 2*B)*cos(d*x + c) + B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^2 + d*cos(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)}(A + B\sec(c + dx))\sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))*sec(c + d*x), x)

Giac [B] time = 4.60645, size = 174, normalized size = 2.81

$$\frac{2\left(3\sqrt{2}Aa^2\operatorname{sgn}(\cos(dx + c)) + 3\sqrt{2}Ba^2\operatorname{sgn}(\cos(dx + c)) - (3\sqrt{2}Aa^2\operatorname{sgn}(\cos(dx + c)) + \sqrt{2}Ba^2\operatorname{sgn}(\cos(dx + c)))\right)}{3\left(a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a\right)\sqrt{-a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] -2/3*(3*sqrt(2)*A*a^2*sgn(cos(d*x + c)) + 3*sqrt(2)*B*a^2*sgn(cos(d*x + c))
- (3*sqrt(2)*A*a^2*sgn(cos(d*x + c)) + sqrt(2)*B*a^2*sgn(cos(d*x + c))))*ta
n(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*
sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```


3.122 $\int \sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=66

$$\frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aB \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

[Out] (2*Sqrt[a]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*B*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.0882574, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {3915, 3774, 203, 3792}

$$\frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aB \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*Sqrt[a]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*B*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 3915

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx &= A \int \sqrt{a + a \sec(c + dx)} dx + B \int \sec(c + dx) \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2aB \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} - \frac{(2aA) \operatorname{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} \\ &= \frac{2\sqrt{a}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{2aB \tan(c + dx)}{d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.301342, size = 76, normalized size = 1.15

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}A \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \sqrt{\cos(c + dx)} + 2B \sin\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*A*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*B*Sin[(c + d*x)/2]))/d

Maple [B] time = 0.253, size = 118, normalized size = 1.8

$$-\frac{1}{d \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(A \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sqrt{2} \operatorname{Artanh}\left(\frac{\sqrt{2} \sin(dx + c)}{2 \cos(dx + c)} \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}}\right) \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x)`

[Out] $-1/d*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)+2*B*\cos(d*x+c)-2*B)/\sin(d*x+c)$

Maxima [B] time = 1.66367, size = 198, normalized size = 3.

$A\sqrt{a} \operatorname{arctan}\left(\left(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1\right)^{\frac{1}{4}} \sin\left(\frac{1}{2} \operatorname{arctan}(\sin(2dx+2c), \cos(2dx+2c))\right)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $A*\sqrt{a}*\operatorname{arctan}2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\operatorname{arctan}2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\operatorname{arctan}2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \cos(d*x + c))/d$

Fricas [A] time = 0.511988, size = 620, normalized size = 9.39

$$\frac{(A \cos(dx+c) + A)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2B \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{d \cos(dx+c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $[((A*\cos(d*x + c) + A)*\sqrt{-a})*\log((2*a*\cos(d*x + c)^2 - 2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)})*\cos(d*x + c)*\sin(d*x + c) + a*\cos(d*x + c) - a)/(\cos(d*x + c) + 1)) + 2*B*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/(d*\cos(d*x + c) + d), -2*((A*\cos(d*x + c) + A)*\sqrt{a})*\operatorname{arctan}(s$

```

qrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))
- B*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)
+ d)]

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)}(A + B \sec(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x)), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.123 $\int \cos(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx))dx$

Optimal. Leaf size=68

$$\frac{\sqrt{a}(A+2B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{aA\sin(c+dx)}{d\sqrt{a\sec(c+dx)+a}}$$

[Out] (Sqrt[a]*(A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (a*A*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.106384, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4015, 3774, 203}

$$\frac{\sqrt{a}(A+2B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{aA\sin(c+dx)}{d\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a]*(A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (a*A*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cos(c+dx)\sqrt{a+a\sec(c+dx)}(A+B\sec(c+dx))dx &= \frac{aA\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{1}{2}(A+2B) \int \sqrt{a+a\sec(c+dx)}dx \\ &= \frac{aA\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} - \frac{(a(A+2B))\text{Subst}\left(\int \frac{1}{a+x^2}dx, x, -\frac{a\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{d} \\ &= \frac{\sqrt{a}(A+2B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{d} + \frac{aA\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.235309, size = 93, normalized size = 1.37

$$\frac{\sqrt{\cos(c+dx)}\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(\sqrt{2}(A+2B)\sin^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + 2A\sin\left(\frac{1}{2}(c+dx)\right)\sqrt{\cos(c+dx)}}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(A + 2*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*A*Sqrt[Cos[c + d*x]]*Sin[(c + d*x)/2]))/(2*d)
```

Maple [B] time = 0.292, size = 198, normalized size = 2.9

$$-\frac{1}{2d\sin(dx+c)}\left(A\sqrt{-2\frac{\cos(dx+c)}{\cos(dx+c)+1}}\sqrt{2}\text{Artanh}\left(\frac{\sqrt{2}\sin(dx+c)}{2\cos(dx+c)}\sqrt{-2\frac{\cos(dx+c)}{\cos(dx+c)+1}}\right)\sin(dx+c) + 2B\sqrt{2}\text{Artanh}\left(\frac{\sqrt{2}\sin(dx+c)}{2\cos(dx+c)}\sqrt{-2\frac{\cos(dx+c)}{\cos(dx+c)+1}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)), x)
```

```
[Out] -1/2/d*(A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctanh(1/2*2^(1/2)*
(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+2*B*
2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)
/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*A*cos(d*x+c)
^2-2*A*cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.00085, size = 1268, normalized size = 18.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="
maxima")
```

```
[Out] 1/4*(4*B*sqrt(a)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2
*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) +
1)) + sin(d*x + c), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x
+ 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))
+ cos(d*x + c)) + (2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*
x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1
)))*sin(d*x + c) - (cos(d*x + c) - 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(
2*d*x + 2*c) + 1)))*sqrt(a) + sqrt(a)*(arctan2(-(cos(2*d*x + 2*c)^2 + sin(2
*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x +
2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) + 1))) + 1) - arctan2(-(cos(2*d*x + 2*c)^2 + sin(
2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(s
in(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x +
2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2
*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*
x + 2*c), cos(2*d*x + 2*c) + 1))) - 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(
2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2
*c) + 1)) + 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2
*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) +
1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1
/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1)))A/d
```

Fricas [A] time = 0.606879, size = 694, normalized size = 10.21

$$\frac{2 A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + ((A+2B) \cos(dx+c) + A+2B) \sqrt{-a} \log\left(\frac{2 a \cos(dx+c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c)}{\cos(dx+c)}\right)}{2(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + ((A + 2*B)*cos(d*x + c) + A + 2*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)))/(d*cos(d*x + c) + d), (A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - ((A + 2*B)*cos(d*x + c) + A + 2*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c) + d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)} (A + B \sec(c + dx)) \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))*cos(c + d*x), x)

Giac [B] time = 6.47288, size = 450, normalized size = 6.62

$$\left(A \sqrt{-a} \operatorname{sgn}(\cos(dx+c)) + 2 B \sqrt{-a} \operatorname{sgn}(\cos(dx+c))\right) \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - a\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] -1/2*((A*sqrt(-a)*sgn(cos(d*x + c)) + 2*B*sqrt(-a)*sgn(cos(d*x + c)))*log(a
bs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2
- a*(2*sqrt(2) + 3))) - (A*sqrt(-a)*sgn(cos(d*x + c)) + 2*B*sqrt(-a)*sgn(co
s(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x +
1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*
x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a*sgn(cos(d*
x + c)) - A*sqrt(-a)*a^2*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c)
- sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c
) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2))/d
```

3.124 $\int \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=117

$$\frac{a(3A + 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(3A + 4B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aA \sin(c + dx) \cos(c + dx)}{2d\sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[a]*(3*A + 4*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a*(3*A + 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.177077, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4015, 3805, 3774, 203}

$$\frac{a(3A + 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(3A + 4B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aA \sin(c + dx) \cos(c + dx)}{2d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a]*(3*A + 4*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a*(3*A + 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a

+ b*Csc[e + f*x]], x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} + \frac{1}{4}(3A + 4B) \int \cos(c + dx)\sqrt{a + a \sec(c + dx)} dx \\ &= \frac{a(3A + 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} + \frac{1}{8}(3A + 4B) \int \cos(c + dx)\sqrt{a + a \sec(c + dx)} dx \\ &= \frac{a(3A + 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} - \frac{1}{8}(3A + 4B) \int \cos(c + dx)\sqrt{a + a \sec(c + dx)} dx \\ &= \frac{\sqrt{a}(3A + 4B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{a(3A + 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 0.388255, size = 117, normalized size = 1.

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right)\sqrt{a(\sec(c + dx) + 1)}\left(2A\sqrt{1 - \sec(c + dx)}\text{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, 1 - \sec(c + dx)\right) + B(\cos(c + dx) + \sec(c + dx))\right)}{d\sqrt{1 - \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] ((B*(ArcTanh[Sqrt[1 - Sec[c + d*x]])] + Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]]) + 2*A*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])

x]])*Sqrt[a*(1 + Sec[c + d*x]])*Tan[(c + d*x)/2]]/(d*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.34, size = 398, normalized size = 3.4

$$\frac{1}{16 d \cos(dx + c) \sin(dx + c)} \left(3 A \sin(dx + c) \cos(dx + c) \left(-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1} \right)^{3/2} \operatorname{Arctanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx + c)}{\cos(dx + c)} \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x)

[Out] 1/16/d*(3*A*sin(d*x+c)*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+4*B*sin(d*x+c)*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+3*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+4*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)-8*A*cos(d*x+c)^4-4*A*cos(d*x+c)^3-16*B*cos(d*x+c)^3+12*A*cos(d*x+c)^2+16*B*cos(d*x+c)^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)/sin(d*x+c)

Maxima [B] time = 2.33912, size = 2499, normalized size = 21.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/16*((2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - (cos(2*d*x + 2*c) - 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(2*d*x + 2*c))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + ((cos(2*d*x + 2*c) - 2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - cos(2*d*x + 2*c) + 2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d

$$\begin{aligned}
 & *x + 2*c) + 1))) * \text{sqrt}(a) + 3 * \text{sqrt}(a) * (\text{arctan2}((\cos(2*d*x + 2*c)^2 + \sin(2*d \\
 & *x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2*\text{arctan2}(\sin(2*d*x + 2* \\
 & c), \cos(2*d*x + 2*c)))) * \sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + \\
 & 1)) - \cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\text{arc} \\
 & \text{tan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x \\
 & + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c) \\
 & , \cos(2*d*x + 2*c) + 1)) * \cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
 &)) + \sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\text{arcta} \\
 & \text{n2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - \text{arctan2}((\cos(2*d*x + 2*c)^2 \\
 & + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2*\text{arctan2}(\sin(\\
 & 2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d* \\
 & x + 2*c) + 1)) - \cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \text{sin} \\
 & \text{in}(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \\
 & \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2*\text{arctan2}(\sin(2* \\
 & d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2* \\
 & d*x + 2*c))) + \sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \text{sin} \\
 & (1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 1) - \text{arctan2}((\cos(2*d* \\
 & x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2*\text{arc} \\
 & \text{tan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2* \\
 & d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \cos(1/2*\text{arctan2}(\sin(2*d*x + 2* \\
 & c), \cos(2*d*x + 2*c) + 1)) + 1) + \text{arctan2}((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + \\
 & 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \text{c} \\
 & \text{os}(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d \\
 & *x + 2*c) + 1)^{(1/4)} * \cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1 \\
 &)) - 1))) * A + 4 * (2 * (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + \\
 & 2*c) + 1)^{(1/4)} * (\cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \\
 & \sin(d*x + c) - (\cos(d*x + c) - 1) * \sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d \\
 & *x + 2*c) + 1))) * \text{sqrt}(a) + \text{sqrt}(a) * (\text{arctan2}(-(\cos(2*d*x + 2*c)^2 + \sin(2*d* \\
 & x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c) \\
 &), \cos(2*d*x + 2*c) + 1)) * \sin(d*x + c) - \cos(d*x + c) * \sin(1/2*\text{arctan2}(\sin(2 \\
 & *d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c \\
 &)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(d*x + c) * \cos(1/2*\text{arctan2}(\sin(2*d*x \\
 & + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c) * \sin(1/2*\text{arctan2}(\sin(2*d*x + \\
 & 2*c), \cos(2*d*x + 2*c) + 1)))) + 1) - \text{arctan2}(-(\cos(2*d*x + 2*c)^2 + \sin(2*d \\
 & *x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2*\text{arctan2}(\sin(2*d*x + 2* \\
 & c), \cos(2*d*x + 2*c) + 1)) * \sin(d*x + c) - \cos(d*x + c) * \sin(1/2*\text{arctan2}(\sin(\\
 & 2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2* \\
 & c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(d*x + c) * \cos(1/2*\text{arctan2}(\sin(2*d* \\
 & x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c) * \sin(1/2*\text{arctan2}(\sin(2*d*x + \\
 & 2*c), \cos(2*d*x + 2*c) + 1)))) - 1) - \text{arctan2}((\cos(2*d*x + 2*c)^2 + \sin(2*d \\
 & *x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c \\
 &), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos \\
 & (2*d*x + 2*c) + 1)^{(1/4)} * \cos(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
 & + 1)) + 1) + \text{arctan2}((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d* \\
 & x + 2*c) + 1)^{(1/4)} * \sin(1/2*\text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)
 \end{aligned}$$

), $(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}$
 $\cdot \cos(1/2 \arctan(2 \frac{\sin(2dx + 2c)}{\cos(2dx + 2c) + 1}) - 1)) \cdot B) / d$

Fricas [A] time = 0.617674, size = 801, normalized size = 6.85

$$\frac{\left((3A + 4B) \cos(dx + c) + 3A + 4B \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2 \left(2A \cos(dx+c) + \dots \right)}{8(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/8*(((3*A + 4*B)*cos(d*x + c) + 3*A + 4*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*A*cos(d*x + c)^2 + (3*A + 4*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/4*(((3*A + 4*B)*cos(d*x + c) + 3*A + 4*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (2*A*cos(d*x + c)^2 + (3*A + 4*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 6.80222, size = 851, normalized size = 7.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*((3*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) + 4*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c))) * \log \\ & (\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3))) - (3*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) + 4*B*\sqrt{-a}*\operatorname{sgn} \\ & (\cos(dx + c))) * \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d \\ & *x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) - 4*\sqrt{2}*(5*(\sqrt{-a}*\tan(1/ \\ & 2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a*\operatorname{sgn}(\cos \\ & (dx + c)) - 12*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2 \\ & *c)^2 + a})^6*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) + 19*(\sqrt{-a}*\tan(1/2*d*x + 1 \\ & /2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + \\ & c)) + 76*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + \\ & a})^4*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) - 17*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) \\ & - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) \\ & - 36*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 \\ & *B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) + A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 4*B \\ & *\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a* \\ & \tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a \\ & *\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^2)/d \end{aligned}$$

$$3.125 \quad \int \cos^3(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=160

$$\frac{a(5A + 6B) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(5A + 6B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{8d} + \frac{a(5A + 6B) \sin(c + dx) \cos(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} + \frac{aA \sin(c + dx) \cos(c + dx)}{3d\sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[a]*(5*A + 6*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(5*A + 6*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(5*A + 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.242449, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4015, 3805, 3774, 203}

$$\frac{a(5A + 6B) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(5A + 6B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{8d} + \frac{a(5A + 6B) \sin(c + dx) \cos(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} + \frac{aA \sin(c + dx) \cos(c + dx)}{3d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a]*(5*A + 6*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(5*A + 6*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(5*A + 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cos[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805


```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{1}{6}(5A + 6B) \int \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} dx \\
&= \frac{a(5A + 6B) \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{a(5A + 6B) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{a(5A + 6B) \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{a(5A + 6B) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{a(5A + 6B) \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{\sqrt{a}(5A + 6B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a(5A + 6B) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 0.172956, size = 70, normalized size = 0.44

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(A \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 4, \frac{3}{2}, 1 - \sec(c + dx)\right) + B \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 4, \frac{3}{2}, 1 - \sec(c + dx)\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*(B*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]] + A*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/d

Maple [B] time = 0.405, size = 580, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x)

[Out]
$$\begin{aligned} & -1/192/d*(15*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{5/2} \\ & * \operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)) \\ & * 2^{1/2} + 18*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{5/2} \\ & * \operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)) \\ & * 2^{1/2} + 30*A*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{5/2} \\ & * \operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)) \\ & * 2^{1/2} + 36*B*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{5/2} \\ & * \operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)) \\ & * 2^{1/2} + 15*A*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{5/2} * \operatorname{arctanh}(1/2*2^{1/2} \\ & * (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)) * \sin(d*x+c) \\ & + 18*B*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{5/2} * \operatorname{arctanh}(1/2*2^{1/2} \\ & * (-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)) * \sin(d*x+c) \\ & + 64*A*\cos(d*x+c)^6 + 16*A*\cos(d*x+c)^5 + 96*B*\cos(d*x+c)^5 + 40*A*\cos(d*x+c)^4 \\ & + 48*B*\cos(d*x+c)^4 - 120*A*\cos(d*x+c)^3 - 144*B*\cos(d*x+c)^3 * (a*(\cos(d*x+c)+1) \\ & / \cos(d*x+c))^{1/2} / \cos(d*x+c)^2 / \sin(d*x+c) \end{aligned}$$

Maxima [B] time = 2.8863, size = 4024, normalized size = 25.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

```
[Out] 1/96*((4*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*
arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*
x + 3*c), cos(3*d*x + 3*c))) + 1)^(3/4)*(cos(3/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1))*sin(3*d*x + 3*c) - (cos(3*d*x + 3*c) - 1)*sin(3/2*arcta
n2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))*sqrt(a) + 6*(cos(2/3*arctan2(sin(
3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) +
1)^(1/4)*((sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 5*sin(1/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*cos(1/2*arctan2(sin(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c))) + 1)) - (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c))) + 3*cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - 4)*sin(1
/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*ar
ctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))*sqrt(a) + 15*sqrt(a)*(arc
tan2(-(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arc
tan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*
x + 3*c))) + 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos
(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*a
rctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*
c), cos(3*d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*co
s(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*
sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2
/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) + 1) - arctan2(-(cos
(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c
), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
+ 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos(1/3*arcta
n2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin
(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*
d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^
2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arctan2(sin(3*
d*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c
))) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*ar
ctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2
```

$$\begin{aligned}
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) - 1) - \arctan2((\cos(2/3*\arctan \\
& 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c) \\
& , \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3* \\
& c))) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)), (\cos \\
& (2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3 \\
& *d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c))) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c) \\
& , \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& + 1)) + 1) + \arctan2((\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^ \\
& 2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arct \\
& an2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2/3 \\
& *\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))) + 1)), (\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d* \\
& x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*c \\
& os(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*\cos(1/2*\arct \\
& an2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(s \\
& in(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - 1))) * A + 6*(2*(\cos(2*d*x + 2*c) \\
& ^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*((\cos(1/2*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2*c) - (\cos(2*d*x + 2*c) - \\
& 2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(2*d*x + 2*c)) \\
& * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + ((\cos(2*d*x + 2 \\
& *c) - 2)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(2*d*x + \\
& 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - \cos(2*d*x + 2* \\
& c) + 2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sqrt{a} + \\
& 3*\sqrt{a}*(\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x \\
& + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \sin \\
& (1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + \\
& 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * c \\
& os(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(1/2*\arctan2(\sin(2 \\
& *d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2 \\
& *d*x + 2*c)))) + 1) - \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2* \\
& \cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*c \\
& os(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c) + 1)) * \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2*arc \\
& tan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c)))) - 1) - \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2 \\
& *c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x \\
& + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))
\end{aligned}$$

+ 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))) * B) / d

Fricas [A] time = 0.632572, size = 898, normalized size = 5.61

$$\left[\frac{3((5A + 6B)\cos(dx + c) + 5A + 6B)\sqrt{-a} \log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + a\cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2(8A\cos(dx+c) + 2(5A + 6B)\cos(dx+c)^2 + 3(5A + 6B)\cos(dx+c))\sqrt{(a\cos(dx+c) + a)/\cos(dx+c)}\sin(dx+c)/(d\cos(dx+c) + d)}{48(d\cos(dx+c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/48*(3*((5*A + 6*B)*cos(d*x + c) + 5*A + 6*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*cos(d*x + c)^3 + 2*(5*A + 6*B)*cos(d*x + c)^2 + 3*(5*A + 6*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((5*A + 6*B)*cos(d*x + c) + 5*A + 6*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*cos(d*x + c)^3 + 2*(5*A + 6*B)*cos(d*x + c)^2 + 3*(5*A + 6*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 7.13563, size = 1156, normalized size = 7.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/48*(3*(5*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) + 6*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c))))* \\ & \log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}) \\ &)^2 - a*(2*\sqrt{2} + 3))) - 3*(5*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) + 6*B*\sqrt{-a} \\ &)*\operatorname{sgn}(\cos(dx + c))*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}) \\ &)^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(63*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10} \\ &)*A*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) - 30*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10} \\ &)*B*\sqrt{-a}*\operatorname{sgn}(\cos(dx + c)) - 369*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8 \\ &)*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 66*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8 \\ &)*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 1638*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6 \\ &)*A*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) + 756*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6 \\ &)*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) - 1074*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 \\ &)*A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) - 732*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 \\ &)*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 171*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 \\ &)*A*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) + 138*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 \\ &)*B*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) - 13*A*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) - 6*B*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) \\ &)/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^3)/d \end{aligned}$$

3.126 $\int \cos^4(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=203

$$\frac{5a(7A + 8B) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{5\sqrt{a}(7A + 8B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{64d} + \frac{a(7A + 8B) \sin(c + dx) \cos^2(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{5a(7A + 8B)}{96d\sqrt{a}}$$

```
[Out] (5*Sqrt[a]*(7*A + 8*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(64*d) + (5*a*(7*A + 8*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (5*a*(7*A + 8*B)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(7*A + 8*B)*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.298097, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4015, 3805, 3774, 203}

$$\frac{5a(7A + 8B) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{5\sqrt{a}(7A + 8B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{64d} + \frac{a(7A + 8B) \sin(c + dx) \cos^2(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{5a(7A + 8B)}{96d\sqrt{a}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]
```

```
[Out] (5*Sqrt[a]*(7*A + 8*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(64*d) + (5*a*(7*A + 8*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (5*a*(7*A + 8*B)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(7*A + 8*B)*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^3*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cos[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{1}{8}(7A + 8B) \int \cos^3(c + dx) \sqrt{a + a \sec(c + dx)} dx \\
&= \frac{a(7A + 8B) \cos^2(c + dx) \sin(c + dx)}{24d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{5a(7A + 8B) \cos(c + dx) \sin(c + dx)}{96d\sqrt{a + a \sec(c + dx)}} + \frac{a(7A + 8B) \cos^2(c + dx) \sin(c + dx)}{24d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{5a(7A + 8B) \sin(c + dx)}{64d\sqrt{a + a \sec(c + dx)}} + \frac{5a(7A + 8B) \cos(c + dx) \sin(c + dx)}{96d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{5a(7A + 8B) \sin(c + dx)}{64d\sqrt{a + a \sec(c + dx)}} + \frac{5a(7A + 8B) \cos(c + dx) \sin(c + dx)}{96d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{5\sqrt{a}(7A + 8B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{64d} + \frac{5a(7A + 8B) \sin(c + dx)}{64d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 0.171044, size = 70, normalized size = 0.34

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(A \text{Hypergeometric2F1}\left(\frac{1}{2}, 5, \frac{3}{2}, 1 - \sec(c + dx)\right) + B \text{Hypergeometric2F1}\left(\frac{1}{2}, 4, \frac{3}{2}, 1 - \sec(c + dx)\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*(B*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]] + A*Hypergeometric2F1[1/2, 5, 3/2, 1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x]))*Tan[(c + d*x)/2])/d

Maple [B] time = 0.343, size = 762, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x)

[Out] 1/3072/d*(105*A*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+120*B*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+315*A*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+360*B*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+315*A*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+360*B*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+105*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)*sin(d*x+c)+120*B*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)*sin(d*x+c)-768*A*cos(d*x+c)^8-128*A*cos(d*x+c)^7-1024*B*cos(d*x+c)^7-224*A*cos(d*x+c)^6-256*B*cos(d*x+c)^6-560*A*cos(d*x+c)^5-640*B*cos(d*x+c)^5+1680*A*cos(d*x+c)^4+1920*B*cos(d*x+c)^4*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^3

Maxima [B] time = 4.10205, size = 11557, normalized size = 56.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm
="maxima")
```

```
[Out] 1/768*(8*(4*(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2
/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(3/4)*(cos(3/2*arctan2(sin(2/3*arctan2
(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), co
s(3*d*x + 3*c))) + 1))*sin(3*d*x + 3*c) - (cos(3*d*x + 3*c) - 1)*sin(3/2*ar
ctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2
(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))*sqrt(a) + 6*(cos(2/3*arctan2(s
in(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), c
os(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))
) + 1)^(1/4)*((sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 5*sin
(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*cos(1/2*arctan2(sin(2/3*
arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3
*c), cos(3*d*x + 3*c))) + 1)) - (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*
x + 3*c))) + 3*cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - 4)*si
n(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3
*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))*sqrt(a) + 15*sqrt(a)*(
arctan2(-(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*
arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*
x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))) + 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) -
cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*
d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2
*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*a
rctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/3*arctan2
(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), co
s(3*d*x + 3*c))) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)
))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), co
s(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) + 1) - arctan2(-(
cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c),
cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c
))) + 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos(1/3*ar
ctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)
```

$$\begin{aligned}
&))^{2} + \sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + 2 \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))) + 1)^{1/4} * (\cos(1/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))) * \cos(1/2 \arctan2(\sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))), \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))) + 1)) + \sin(1/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))) * \sin(1/2 \arctan2(\sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))), \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))) + 1))) - 1) - \arctan2((\cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + \sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + 2 \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))) + 1)^{1/4} * \sin(1/2 \arctan2(\sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))), \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))) + 1)), (\cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + \sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + 2 \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))) + 1)^{1/4} * \cos(1/2 \arctan2(\sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))), \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))) + 1)) + 1) + \arctan2((\cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + \sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + 2 \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))) + 1)^{1/4} * \sin(1/2 \arctan2(\sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))), \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))) + 1)), (\cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + \sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))^{2} + 2 \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))) + 1)^{1/4} * \cos(1/2 \arctan2(\sin(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c))), \cos(2/3 \arctan2(\sin(3d*x + 3c), \cos(3d*x + 3c)))) + 1)) - 1))) * B - (2 * (\cos(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c)))^{2} + \sin(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c)))^{2} + 2 \cos(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c))) + 1)^{3/4} * ((36 * (\sin(4d*x + 4c))^{3} + (\cos(4d*x + 4c))^{2} - 2 \cos(4d*x + 4c) + 1) * \sin(4d*x + 4c)) * \cos(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c)))^{2} + 9 \cos(4d*x + 4c)^{2} * \sin(4d*x + 4c) + 9 \sin(4d*x + 4c)^{3} + 36 * (\sin(4d*x + 4c))^{3} + (\cos(4d*x + 4c))^{2} + 2 \cos(4d*x + 4c) + 1) * \sin(4d*x + 4c)) * \sin(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c)))^{2} + 9 * (2 \cos(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c))) * \sin(4d*x + 4c) - 2 * (\cos(4d*x + 4c) + 1) * \sin(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c)))) + \sin(4d*x + 4c)) * \cos(3/4 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c))) + 36 * (\sin(4d*x + 4c))^{3} + (\cos(4d*x + 4c))^{2} - \cos(4d*x + 4c)) * \sin(4d*x + 4c)) * \cos(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c))) - (32 * (\cos(4d*x + 4c))^{2} + \sin(4d*x + 4c)^{2} - 2 \cos(4d*x + 4c) + 1) * \cos(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c)))^{2} + 32 * (\cos(4d*x + 4c))^{2} + \sin(4d*x + 4c)^{2} + 2 \cos(4d*x + 4c) + 1) * \sin(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c)))^{2} + 8 \cos(4d*x + 4c)^{2} + 2 * (16 \cos(4d*x + 4c)^{2} + 16 \sin(4d*x + 4c)^{2} - 7 \cos(4d*x + 4c) - 9) * \cos(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c))) + 8 \sin(4d*x + 4c)^{2} - 2 * (64 \cos(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c))) * \sin(4d*x + 4c) + 7 \sin(4d*x + 4c)) * \sin(1/2 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c))) + 9 \cos(4d*x + 4c) * \sin(3/4 \arctan2(\sin(4d*x + 4c), \cos(4d*x + 4c))) - 36 * (4 \cos(1/2 \arctan2(\sin(
\end{aligned}$$

$$\begin{aligned}
& 4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(3/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (9 * \cos(4*d*x + 4*c)^3 + 4 * (9 * \cos(4*d*x + 4*c)^3 + (9 * \cos(4*d*x + 4*c) + 8) * \sin(4*d*x + 4*c)^2 - 10 * \cos(4*d*x + 4*c)^2 - 7 * \cos(4*d*x + 4*c) + 8) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + (9 * \cos(4*d*x + 4*c) + 8) * \sin(4*d*x + 4*c)^2 + 4 * (9 * \cos(4*d*x + 4*c)^3 + (9 * \cos(4*d*x + 4*c) + 8) * \sin(4*d*x + 4*c)^2 + 26 * \cos(4*d*x + 4*c)^2 + 25 * \cos(4*d*x + 4*c) + 8) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 8 * \cos(4*d*x + 4*c)^2 - (32 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2 * \cos(4*d*x + 4*c) + 1) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 32 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2 * \cos(4*d*x + 4*c) + 1) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 8 * \cos(4*d*x + 4*c)^2 + 2 * (16 * \cos(4*d*x + 4*c)^2 + 16 * \sin(4*d*x + 4*c)^2 - 7 * \cos(4*d*x + 4*c) - 9) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 8 * \sin(4*d*x + 4*c)^2 - 2 * (64 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 7 * \sin(4*d*x + 4*c)) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 9 * \cos(4*d*x + 4*c) * \cos(3/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 4 * (9 * \cos(4*d*x + 4*c)^3 + (9 * \cos(4*d*x + 4*c) + 8) * \sin(4*d*x + 4*c)^2 - \cos(4*d*x + 4*c)^2 - 8 * \cos(4*d*x + 4*c)) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 9 * (2 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) - 2 * (\cos(4*d*x + 4*c) + 1) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + \sin(4*d*x + 4*c)) * \sin(3/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4 * (4 * (9 * \cos(4*d*x + 4*c) + 8) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + (9 * \cos(4*d*x + 4*c) + 8) * \sin(4*d*x + 4*c)) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(3/2 * \arctan2(\sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1))) * \sqrt{a - 6 * (\cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1}^{1/4} * ((64 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2 * \cos(4*d*x + 4*c) + 1) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^3 + 20 * (\sin(4*d*x + 4*c)^3 + (\cos(4*d*x + 4*c)^2 - 2 * \cos(4*d*x + 4*c) + 1) * \sin(4*d*x + 4*c) + 8 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2 * \cos(4*d*x + 4*c) + 1) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 5 * \cos(4*d*x + 4*c)^2 * \sin(4*d*x + 4*c) + 5 * \sin(4*d*x + 4*c)^3 + 4 * (5 * \sin(4*d*x + 4*c)^3 + (5 * \cos(4*d*x + 4*c)^2 + 10 * \cos(4*d*x + 4*c) - 11) * \sin(4*d*x + 4*c) - 64 * \cos(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 40 * (\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2 * \cos(4*d*x + 4*c) + 1) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(1/2 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 10 * (2 * \sin(4*d*x + 4*c)^3 + 2 * (\cos(4*d*x + 4*c)^2 - \cos(4*d*x + 4*c)) * \sin(4*d*x + 4*c) + \cos(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(4*d*x + 4*c) + (16 * \cos(4*d*x + 4*c)^2 + 16 * \sin(4*d*x + 4*c)^2 - 17 * \cos(4*d*x + 4*c) + 1) * \sin(1/4 * \arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))
\end{aligned}$$

$$\begin{aligned}
& x + 4c)))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 5*\cos(1/ \\
& 4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 2*(32*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8*\cos(4*d*x + 4*c)^2 + 8*(4*\cos(4*d*x + 4*c)^2 - \sin(4*d*x + 4*c)^2 - 40*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) - 4*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 5*(\cos(4*d*x + 4*c) + 1)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*\sin(4*d*x + 4*c)^2 - 85*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 5*(8*\cos(4*d*x + 4*c)^2 + 8*\sin(4*d*x + 4*c)^2 - \cos(4*d*x + 4*c))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (64*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 5*\cos(4*d*x + 4*c)^3 + 4*(5*\cos(4*d*x + 4*c)^3 + (5*\cos(4*d*x + 4*c) - 8)*\sin(4*d*x + 4*c)^2 - 18*\cos(4*d*x + 4*c)^2 + 8*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 37*\cos(4*d*x + 4*c) - 24)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (5*\cos(4*d*x + 4*c) - 24)*\sin(4*d*x + 4*c)^2 + 4*(5*\cos(4*d*x + 4*c)^3 + (5*\cos(4*d*x + 4*c) - 24)*\sin(4*d*x + 4*c)^2 - 14*\cos(4*d*x + 4*c)^2 + 16*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 8*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2*\cos(4*d*x + 4*c) + 1)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 43*\cos(4*d*x + 4*c) - 24)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 - 24*\cos(4*d*x + 4*c)^2 + 2*(10*\cos(4*d*x + 4*c)^3 + 10*(\cos(4*d*x + 4*c) - 4)*\sin(4*d*x + 4*c)^2 - 50*\cos(4*d*x + 4*c)^2 + (16*\cos(4*d*x + 4*c)^2 + 16*\sin(4*d*x + 4*c)^2 - 21*\cos(4*d*x + 4*c) + 5)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 5*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 48*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + (8*\cos(4*d*x + 4*c)^2 + 8*\sin(4*d*x + 4*c)^2 - 5*\cos(4*d*x + 4*c))*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(128*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2*\sin(4*d*x + 4*c) + 8*(5*(\cos(4*d*x + 4*c) - 4)*\sin(4*d*x + 4*c) + 8*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(5*\cos(4*d*x + 4*c) - 24)*\sin(4*d*x + 4*c) + 21*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) - 5*(\cos(4*d*x + 4*c) + 1)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 5*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)))*\sqrt{a} - 105*((4*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2*\cos(4*d*x + 4*c) + 1)*\sin(1/2*\arctan2(\sin(4
\end{aligned}$$

$$\begin{aligned}
& *d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \cos(4*d*x + 4*c)^2 + 4*(\cos(4*d*x + 4*c) \\
&)^2 + \sin(4*d*x + 4*c)^2 - \cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4* \\
& c), \cos(4*d*x + 4*c))) + \sin(4*d*x + 4*c)^2 - 4*(4*\cos(1/2*\arctan2(\sin(4*d* \\
& x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + \sin(4*d*x + 4*c))*\sin(1/2*a \\
& rctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\arctan2(-(\cos(1/2*\arctan2(\sin(\\
& 4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(\\
& 4*d*x + 4*c))))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + \\
& 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4* \\
& c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1))*\sin(1/4*ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos(1/4*\arctan2(\sin(4*d*x + 4* \\
& c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), co \\
& s(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1) \\
&)), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*arcta \\
& n2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c)))*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) + \sin(1 \\
& /4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*arc \\
& tan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c) \\
& , \cos(4*d*x + 4*c)))) + 1))) + 1) - (4*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c) \\
&)^2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))^2 + 4*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2*\cos(4*d*x + 4*c) \\
& + 1)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \cos(4*d*x + \\
& 4*c)^2 + 4*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 - \cos(4*d*x + 4*c))*\cos \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + \sin(4*d*x + 4*c)^2 - 4* \\
& (4*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + \\
& \sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*arc \\
& tan2(-(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*arc \\
& tan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4 \\
& *d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c)))) + 1))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos \\
& (1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*a \\
& rctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4* \\
& c), \cos(4*d*x + 4*c)))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*co \\
& s(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/4*arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\arctan2(\sin(1/2*\arctan2(si \\
& n(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c))) + 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))* \\
& \sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1 \\
& /2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1))) - 1) - (4*(\cos(4*d*x \\
& + 4*c)^2 + \sin(4*d*x + 4*c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(si \\
& n(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + \\
& 4*c)^2 + 2*\cos(4*d*x + 4*c) + 1)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*
\end{aligned}$$

$$\begin{aligned}
& x + 4*c))\wedge 2 + \cos(4*d*x + 4*c)\wedge 2 + 4*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c) \\
&)\wedge 2 - \cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
&) + \sin(4*d*x + 4*c)\wedge 2 - 4*(4*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))*\sin(4*d*x + 4*c) + \sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))))*\arctan2((\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
&)\wedge 2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))\wedge 2 + 2*\cos \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)\wedge(1/4)*\sin(1/2*\arct \\
& an2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c) \\
&), \cos(4*d*x + 4*c))\wedge 2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
&))\wedge 2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)\wedge(1/4)*\cos \\
& (1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/ \\
& 2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) + 1) + (4*(\cos(4*d*x + \\
& 4*c)\wedge 2 + \sin(4*d*x + 4*c)\wedge 2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(\\
& 4*d*x + 4*c), \cos(4*d*x + 4*c))\wedge 2 + 4*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c) \\
&)\wedge 2 + 2*\cos(4*d*x + 4*c) + 1)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))\wedge 2 + \cos(4*d*x + 4*c)\wedge 2 + 4*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c)\wedge \\
& 2 - \cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& + \sin(4*d*x + 4*c)\wedge 2 - 4*(4*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c)))*\sin(4*d*x + 4*c) + \sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c) \\
& , \cos(4*d*x + 4*c))))*\arctan2((\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))\wedge 2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))\wedge 2 + 2*\cos \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)\wedge(1/4)*\sin(1/2*\arctan \\
& 2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))\wedge 2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
&)\wedge 2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)\wedge(1/4)*\cos \\
& (1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2* \\
& arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - 1))*\sqrt{a})*A/(4*(\cos \\
& (4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c)\wedge 2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))\wedge 2 + 4*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4* \\
& d*x + 4*c)\wedge 2 + 2*\cos(4*d*x + 4*c) + 1)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c))\wedge 2 + \cos(4*d*x + 4*c)\wedge 2 + 4*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x \\
& + 4*c)\wedge 2 - \cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c))) + \sin(4*d*x + 4*c)\wedge 2 - 4*(4*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c)))*\sin(4*d*x + 4*c) + \sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d* \\
& x + 4*c), \cos(4*d*x + 4*c)))))/d
\end{aligned}$$

Fricas [A] time = 0.714751, size = 995, normalized size = 4.9

$$\left[\frac{15((7A + 8B)\cos(dx + c) + 7A + 8B)\sqrt{-a} \log\left(\frac{2a\cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) + a\cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2(48A\cos(dx+c)^4 + 8(7A + 8B)\cos(dx+c)^3 + 10(7A + 8B)\cos(dx+c)^2 + 15(7A + 8B)\cos(dx+c))\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sin(dx+c)}{384(d\cos(dx+c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/384*(15*((7*A + 8*B)*cos(d*x + c) + 7*A + 8*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*cos(d*x + c)^4 + 8*(7*A + 8*B)*cos(d*x + c)^3 + 10*(7*A + 8*B)*cos(d*x + c)^2 + 15*(7*A + 8*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(15*((7*A + 8*B)*cos(d*x + c) + 7*A + 8*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*cos(d*x + c)^4 + 8*(7*A + 8*B)*cos(d*x + c)^3 + 10*(7*A + 8*B)*cos(d*x + c)^2 + 15*(7*A + 8*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(1/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 7.29261, size = 1458, normalized size = 7.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(1/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/384*(15*(7*A*\sqrt{-a}*\operatorname{sgn}(\cos(d*x + c)) + 8*B*\sqrt{-a}*\operatorname{sgn}(\cos(d*x + c))) \\ & * \log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3))) - 15*(7*A*\sqrt{-a}*\operatorname{sgn}(\cos(d*x + c)) + 8*B*\sqrt{-a} \\ & * \operatorname{sgn}(\cos(d*x + c))) * \log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) - 4*\sqrt{2}*(279*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*A*\sqrt{-a} \\ & * a*\operatorname{sgn}(\cos(d*x + c)) - 504*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{14}*B*\sqrt{-a} * a*\operatorname{sgn}(\cos(d*x + c)) + 285*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*A*\sqrt{-a} * a^2*\operatorname{sgn}(\cos(d*x + c)) \\ & + 5976*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{12}*B*\sqrt{-a} * a^2*\operatorname{sgn}(\cos(d*x + c)) - 4605*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*A*\sqrt{-a} * a^3*\operatorname{sgn}(\cos(d*x + c)) \\ & - 31320*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^{10}*B*\sqrt{-a} * a^3*\operatorname{sgn}(\cos(d*x + c)) + 37281*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*A*\sqrt{-a} * a^4*\operatorname{sgn}(\cos(d*x + c)) \\ & + 90168*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^8*B*\sqrt{-a} * a^4*\operatorname{sgn}(\cos(d*x + c)) - 35643*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a} * a^5*\operatorname{sgn}(\cos(d*x + c)) \\ & - 66024*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a} * a^5*\operatorname{sgn}(\cos(d*x + c)) + 9175*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a} * a^6*\operatorname{sgn}(\cos(d*x + c)) \\ & + 16904*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a} * a^6*\operatorname{sgn}(\cos(d*x + c)) - 1311*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a} * a^7*\operatorname{sgn}(\cos(d*x + c)) \\ & - 1992*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a} * a^7*\operatorname{sgn}(\cos(d*x + c)) + 43*A*\sqrt{-a} * a^8*\operatorname{sgn}(\cos(d*x + c)) + 104*B*\sqrt{-a} * a^8*\operatorname{sgn}(\cos(d*x + c)))/((\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^4)/d \end{aligned}$$

$$3.127 \quad \int \sec^3(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=189

$$\frac{2a^2(9A + 10B) \tan(c + dx) \sec^3(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(39A + 34B) \tan(c + dx)}{45d\sqrt{a \sec(c + dx) + a}} + \frac{2(39A + 34B) \tan(c + dx)(a \sec(c + dx) + a)^3}{105d}$$

[Out] (2*a^2*(39*A + 34*B)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(9*A + 10*B)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a*(39*A + 34*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*B*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(9*d) + (2*(39*A + 34*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d)

Rubi [A] time = 0.461041, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4018, 4016, 3800, 4001, 3792}

$$\frac{2a^2(9A + 10B) \tan(c + dx) \sec^3(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(39A + 34B) \tan(c + dx)}{45d\sqrt{a \sec(c + dx) + a}} + \frac{2(39A + 34B) \tan(c + dx)(a \sec(c + dx) + a)^3}{105d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (2*a^2*(39*A + 34*B)*Tan[c + d*x])/(45*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(9*A + 10*B)*Sec[c + d*x]^3*Tan[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a*(39*A + 34*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*B*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(9*d) + (2*(39*A + 34*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3800

```
Int[csc[(e_.) + (f_.)*(x_.)]^3*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_),
x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m +
1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && !LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= \frac{2aB\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{9d} + \frac{2}{9}\int \sec^3(c+dx)dx \\
&= \frac{2a^2(9A+10B)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aB\sec^3(c+dx)}{9d} \\
&= \frac{2a^2(9A+10B)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aB\sec^3(c+dx)}{9d} \\
&= \frac{2a^2(9A+10B)\sec^3(c+dx)\tan(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} - \frac{4a(39A+34B)\sec^3(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^2(39A+34B)\tan(c+dx)}{45d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(9A+10B)\sec^3(c+dx)}{63d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.734687, size = 100, normalized size = 0.53

$$\frac{2a^2 \tan(c+dx) (5(9A+17B)\sec^3(c+dx) + 3(39A+34B)\sec^2(c+dx) + 4(39A+34B)\sec(c+dx) + 8(39A+34B) + 315d\sqrt{a(\sec(c+dx)+1)})}{315d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (2*a^2*(8*(39*A + 34*B) + 4*(39*A + 34*B)*Sec[c + d*x] + 3*(39*A + 34*B)*Sec[c + d*x]^2 + 5*(9*A + 17*B)*Sec[c + d*x]^3 + 35*B*Sec[c + d*x]^4)*Tan[c + d*x])/(315*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.282, size = 139, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx+c)) (312A(\cos(dx+c))^4 + 272B(\cos(dx+c))^4 + 156A(\cos(dx+c))^3 + 136B(\cos(dx+c))^3 + 117A(\cos(dx+c))^2 + 102B(\cos(dx+c))^2 + 45A(\cos(dx+c)) + 85B(\cos(dx+c)) + 35B) (a(\cos(dx+c)+1)/\cos(dx+c))^{1/2}}{315d(\cos(dx+c))^4 \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)

[Out] -2/315/d*a*(-1+cos(d*x+c))*(312*A*cos(d*x+c)^4+272*B*cos(d*x+c)^4+156*A*cos(d*x+c)^3+136*B*cos(d*x+c)^3+117*A*cos(d*x+c)^2+102*B*cos(d*x+c)^2+45*A*cos(d*x+c)+85*B*cos(d*x+c)+35*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)

)⁴/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)³*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.486077, size = 329, normalized size = 1.74

$$\frac{2(8(39A + 34B)a \cos(dx + c)^4 + 4(39A + 34B)a \cos(dx + c)^3 + 3(39A + 34B)a \cos(dx + c)^2 + 5(9A + 17B)a \cos(dx + c) + 35B^2a) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c)}{315(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)³*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 2/315*(8*(39*A + 34*B)*a*cos(d*x + c)⁴ + 4*(39*A + 34*B)*a*cos(d*x + c)³ + 3*(39*A + 34*B)*a*cos(d*x + c)² + 5*(9*A + 17*B)*a*cos(d*x + c) + 35*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)⁵ + d*cos(d*x + c)⁴)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 5.12644, size = 362, normalized size = 1.92

$$4 \left(315 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) - \left(735 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 525 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\frac{4}{315} \left(315 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) - (735 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 525 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c))) \right) - \frac{819 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 819 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) - (513 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 423 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c))) - 2(57 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 47 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c))) \tan^2(1/2 dx + 1/2 c) \tan(1/2 dx + 1/2 c)}{(a \tan(1/2 dx + 1/2 c))^2 - a^4 \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a}} d$$

3.128 $\int \sec^2(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=138

$$\frac{8a^2(21A + 19B) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{2(7A - 2B) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{35d} + \frac{2a(21A + 19B) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d}$$

```
[Out] (8*a^2*(21*A + 19*B)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(21*A + 19*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*A - 2*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*B*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*a*d)
```

Rubi [A] time = 0.297271, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4010, 4001, 3793, 3792}

$$\frac{8a^2(21A + 19B) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{2(7A - 2B) \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{35d} + \frac{2a(21A + 19B) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (8*a^2*(21*A + 19*B)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(21*A + 19*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*A - 2*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*B*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*a*d)
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{2B(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7ad} + \frac{2 \int \sec(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx}{7ad} \\ &= \frac{2(7A - 2B)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{35d} + \frac{2B(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{35d} \\ &= \frac{2a(21A + 19B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} + \frac{2(7A - 2B)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{105d} \\ &= \frac{8a^2(21A + 19B) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{2a(21A + 19B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \end{aligned}$$

Mathematica [A] time = 0.38045, size = 82, normalized size = 0.59

$$\frac{2a^2 \tan(c + dx) \left((3(7A + 13B) \sec^2(c + dx) + (63A + 52B) \sec(c + dx) + 2(63A + 52B) + 15B \sec^3(c + dx)) \right)}{105d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```


[Out] $(2*a^2*(2*(63*A + 52*B) + (63*A + 52*B)*\text{Sec}[c + d*x] + 3*(7*A + 13*B)*\text{Sec}[c + d*x]^2 + 15*B*\text{Sec}[c + d*x]^3)*\text{Tan}[c + d*x])/(105*d*\text{Sqrt}[a*(1 + \text{Sec}[c + d*x])])$

Maple [A] time = 0.241, size = 117, normalized size = 0.9

$$\frac{2a(-1 + \cos(dx + c))(126A(\cos(dx + c))^3 + 104B(\cos(dx + c))^3 + 63A(\cos(dx + c))^2 + 52B(\cos(dx + c))^2 + 21A\cos(dx + c) + 15B)}{105d(\cos(dx + c))^3 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^2*(a+a*\sec(d*x+c))^{(3/2)}*(A+B*\sec(d*x+c)), x)$

[Out] $-2/105/d*a*(-1+\cos(d*x+c))*(126*A*\cos(d*x+c)^3+104*B*\cos(d*x+c)^3+63*A*\cos(d*x+c)^2+52*B*\cos(d*x+c)^2+21*A*\cos(d*x+c)+39*B*\cos(d*x+c)+15*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^3/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(d*x+c)^2*(a+a*\sec(d*x+c))^{(3/2)}*(A+B*\sec(d*x+c)), x, \text{algorithm} = "maxima")$

[Out] Timed out

Fricas [A] time = 0.47617, size = 279, normalized size = 2.02

$$\frac{2\left(2(63A + 52B)a\cos(dx + c)^3 + (63A + 52B)a\cos(dx + c)^2 + 3(7A + 13B)a\cos(dx + c) + 15Ba\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}}{105\left(d\cos(dx + c)^4 + d\cos(dx + c)^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 2/105*(2*(63*A + 52*B)*a*cos(d*x + c)^3 + (63*A + 52*B)*a*cos(d*x + c)^2 + 3*(7*A + 13*B)*a*cos(d*x + c) + 15*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 5.00943, size = 300, normalized size = 2.17

$$4 \left(105 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) - \left(210 \sqrt{2} A a^5 \operatorname{sgn}(\cos(dx + c)) + 140 \sqrt{2} B a^5 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -4/105*(105*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 105*sqrt(2)*B*a^5*sgn(cos(d*x + c)) - (210*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 140*sqrt(2)*B*a^5*sgn(cos(d*x + c)) - (147*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 133*sqrt(2)*B*a^5*sgn(cos(d*x + c)) - 2*(21*sqrt(2)*A*a^5*sgn(cos(d*x + c)) + 19*sqrt(2)*B*a^5*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```

3.129 $\int \sec(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=101

$$\frac{8a^2(5A + 3B) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a(5A + 3B) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2B \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{5d}$$

[Out] (8*a^2*(5*A + 3*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(5*A + 3*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*B*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rubi [A] time = 0.140036, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4001, 3793, 3792}

$$\frac{8a^2(5A + 3B) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a(5A + 3B) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2B \tan(c + dx)(a \sec(c + dx) + a)^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (8*a^2*(5*A + 3*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(5*A + 3*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*B*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rule 4001

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3793

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]

/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[2*m]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{2B(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{1}{5}(5A + 3B) \int \sec(c + dx) dx \\ &= \frac{2a(5A + 3B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2B(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{15d} \\ &= \frac{8a^2(5A + 3B) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a(5A + 3B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \end{aligned}$$

Mathematica [A] time = 0.284577, size = 70, normalized size = 0.69

$$\frac{2a\sqrt{a(\sec(c + dx) + 1)}((25A + 18B) \sin(c + dx) + \tan(c + dx)(5A + 3B \sec(c + dx) + 9B))}{15d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (2*a*Sqrt[a*(1 + Sec[c + d*x])]*((25*A + 18*B)*Sin[c + d*x] + (5*A + 9*B + 3*B*Sec[c + d*x])*Tan[c + d*x]))/(15*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.227, size = 95, normalized size = 0.9

$$\frac{2a(-1 + \cos(dx + c)) \left(25A(\cos(dx + c))^2 + 18B(\cos(dx + c))^2 + 5A \cos(dx + c) + 9B \cos(dx + c) + 3B \right)}{15d(\cos(dx + c))^2 \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c) + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)

[Out]
$$-2/15/d*a*(-1+\cos(d*x+c))*(25*A*\cos(d*x+c)^2+18*B*\cos(d*x+c)^2+5*A*\cos(d*x+c)+9*B*\cos(d*x+c)+3*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^2/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.468321, size = 225, normalized size = 2.23

$$\frac{2 \left((25A + 18B)a \cos(dx + c)^2 + (5A + 9B)a \cos(dx + c) + 3Ba \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{15 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out]
$$2/15*((25*A + 18*B)*a*\cos(d*x + c)^2 + (5*A + 9*B)*a*\cos(d*x + c) + 3*B*a)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^3 + d*\cos(d*x + c)^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(\sec(c + dx) + 1))^{\frac{3}{2}} (A + B \sec(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Integral((a*(sec(c + d*x) + 1))**(3/2)*(A + B*sec(c + d*x))*sec(c + d*x), x)

Giac [A] time = 5.31794, size = 238, normalized size = 2.36

$$\frac{4 \left(15 \sqrt{2} A a^4 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} B a^4 \operatorname{sgn}(\cos(dx + c)) - \left(25 \sqrt{2} A a^4 \operatorname{sgn}(\cos(dx + c)) + 15 \sqrt{2} B a^4 \operatorname{sgn}(\cos(dx + c)) \right) \right)}{15 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 4/15*(15*sqrt(2)*A*a^4*sgn(cos(d*x + c)) + 15*sqrt(2)*B*a^4*sgn(cos(d*x + c)) - (25*sqrt(2)*A*a^4*sgn(cos(d*x + c)) + 15*sqrt(2)*B*a^4*sgn(cos(d*x + c)) - 2*(5*sqrt(2)*A*a^4*sgn(cos(d*x + c)) + 3*sqrt(2)*B*a^4*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)

3.130 $\int (a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=105

$$\frac{2a^2(3A + 4B) \tan(c + dx)}{3d\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aB \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{3d}$$

[Out] $(2*a^{(3/2)}*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(3*A + 4*B)*Tan[c + d*x]/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*B*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)$

Rubi [A] time = 0.146275, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3917, 3915, 3774, 203, 3792}

$$\frac{2a^2(3A + 4B) \tan(c + dx)}{3d\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aB \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Sec}[c + d*x])^{(3/2)}*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(2*a^{(3/2)}*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(3*A + 4*B)*Tan[c + d*x]/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*B*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3*d)$

Rule 3917

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)})/(f*m), x] + \text{Dist}[1/m, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[a*c*m + (b*c*m + a*d*(2*m - 1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{GtQ}[m, 1] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$

Rule 3915

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> \text{Dist}[c, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
  Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
  x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int (a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx &= \frac{2aB\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \sqrt{a + a \sec(c + dx)} \left(\frac{3aA}{2} + \frac{1}{3} \right) dx \\ &= \frac{2aB\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} + (aA) \int \sqrt{a + a \sec(c + dx)} dx + \frac{1}{3} \int \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2a^2(3A + 4B) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2aB\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} - \frac{(2a^2)}{3} \int \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2a^{3/2} A \tan^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{2a^2(3A + 4B) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2aB\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.571275, size = 102, normalized size = 0.97

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((3A + 5B) \cos(c + dx) + B) + 3\sqrt{2}A \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a*Sec[(c + d*x)/2]*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*A*Ar
cSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + 2*(B + (3*A + 5*B)*Cos[
```


$c + d*x])*\text{Sin}[(c + d*x)/2]))/(3*d)$

Maple [B] time = 0.25, size = 237, normalized size = 2.3

$$\frac{a}{6d \cos(dx+c) \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(3A \sin(dx+c) \cos(dx+c) \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{3/2} \text{Artanh} \left(\frac{1}{2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)`

[Out] $\frac{1}{6} \frac{a}{d} \frac{a(\cos(dx+c)+1)}{\cos(dx+c)}^{1/2} (3A \sin(dx+c) \cos(dx+c) \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2} \text{arctanh}\left(\frac{1}{2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\right) + \sin(dx+c) \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} + 3A \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2} \text{arctanh}\left(\frac{1}{2} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\right) \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} - 12A \cos(dx+c)^2 - 20B \cos(dx+c)^2 + 12A \cos(dx+c) + 16B \cos(dx+c) + 4B) / \cos(dx+c) / \sin(dx+c)$

Maxima [B] time = 1.95186, size = 1347, normalized size = 12.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{2} \left(\left(a \arctan^2(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1)^{1/4} \left(\cos\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c))\right) \sin\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c) + 1)\right) - \cos\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c) + 1)\right) \sin\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c))\right) \right) \right) \right) \left(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1 \right)^{1/4} \left(\cos\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c) + 1)\right) \cos\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c))\right) + \sin\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c) + 1)\right) \sin\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c))\right) \right) + 1 - a \arctan^2(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1)^{1/4} \left(\cos\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c))\right) \sin\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c) + 1)\right) - \cos\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c) + 1)\right) \sin\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c))\right) \right) \right) \left(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1 \right)^{1/4} \left(\cos\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c))\right) \sin\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c) + 1)\right) - \cos\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c) + 1)\right) \sin\left(\frac{1}{2} \arctan^2(\sin(2dx+2c), \cos(2dx+2c))\right) \right) \right)$

$$\begin{aligned}
& (2dx + 2c) + 1)^{1/4} (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) \\
& + 1)) \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2 \arctan2(\sin(2dx + 2c), \\
& \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - 1) - a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) + 1) + a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - 1)) (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sqrt{a} + 4(a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - (a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \sqrt{a}) A / ((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} d)
\end{aligned}$$

Fricas [A] time = 0.52786, size = 814, normalized size = 7.75

$$\left[\frac{3 \left(Aa \cos(dx + c)^2 + Aa \cos(dx + c) \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2((3A + 5B)a \cos(dx + c) + B^2 a^2)}{3(d \cos(dx + c)^2 + d \cos(dx + c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/3*(3*(A*a*cos(d*x + c)^2 + A*a*cos(d*x + c))*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*((3*A + 5*B)*a*cos(d*x + c) + B^2*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), -2/3*(3*(A*a*cos(d*x + c)^2 + A*a*cos(d*x + c))*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((3*A + 5*B)*a*cos(d*x + c) + B^2*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(\sec(c + dx) + 1))^{\frac{3}{2}} (A + B \sec(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Integral((a*(sec(c + d*x) + 1))**(3/2)*(A + B*sec(c + d*x)), x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.131 \quad \int \cos(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=103

$$\frac{a^2(A - 2B) \sin(c + dx)}{d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(3A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d} + \frac{2aB \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{d}$$

[Out] (a^(3/2)*(3*A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^2*(A - 2*B)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.241394, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4018, 4015, 3774, 203}

$$\frac{a^2(A - 2B) \sin(c + dx)}{d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(3A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d} + \frac{2aB \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(3/2)*(3*A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^2*(A - 2*B)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cosot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{2aB\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + 2 \int \cos(c + dx)\sqrt{a + a \sec(c + dx)} dx \\ &= \frac{a^2(A - 2B) \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{2aB\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} \\ &= \frac{a^2(A - 2B) \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + \frac{2aB\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} \\ &= \frac{a^{3/2}(3A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{a^2(A - 2B) \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.422956, size = 97, normalized size = 0.94

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(3A + 2B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right) (A \cos(c + dx) + B)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

[Out] $(a \operatorname{Sec}[(c + d*x)/2] \operatorname{Sqrt}[a*(1 + \operatorname{Sec}[c + d*x])] * (\operatorname{Sqrt}[2]*(3*A + 2*B) * \operatorname{ArcSin}[\operatorname{Sqrt}[2] * \operatorname{Sin}[(c + d*x)/2]] * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] + 2*(2*B + A * \operatorname{Cos}[c + d*x]) * \operatorname{Sin}[(c + d*x)/2])) / (2*d)$

Maple [B] time = 0.278, size = 212, normalized size = 2.1

$$-\frac{a}{2d \sin(dx+c)} \left(3A \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sqrt{2} \operatorname{Arctanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx+c)}{\cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sin(dx+c) + 2B \sqrt{2} A \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)`

[Out] $-1/2/d*a*(3*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*2^(1/2)*\operatorname{arctanh}(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)+2*B*2^(1/2)*\operatorname{arctanh}(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)/\cos(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+2*A*\cos(d*x+c)^2-2*A*\cos(d*x+c)+4*B*\cos(d*x+c)-4*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\sin(d*x+c)$

Maxima [B] time = 2.30279, size = 2431, normalized size = 23.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/4*((2*(a*\cos(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - (a*\cos(d*x + c) - a)*\sin(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*\operatorname{sqrt}(a) + 3*(a*\operatorname{arctan2}(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^(1/4)*(\cos(d*x + c)*\cos(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + 1) - a*\operatorname{arctan2}(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)$

$$\begin{aligned}
&^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2 \\
&*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2 \\
&*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2* \\
&\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \\
&\cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
&(2*d*x + 2*c) + 1))) - 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2* \\
&c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(\\
&2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x \\
&+ 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) \\
&+ 1) + a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2 \\
&*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos \\
&(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(\\
&1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*\sqrt{a})*A + 2*(\\
&(a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + \\
&1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(1/2*\arct \\
&an2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + \\
&2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
&2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\
&^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\ar \\
&ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(1/2*\arctan2(\sin(2*d*x + 2* \\
&c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
&c)))) + 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d \\
&*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))* \\
&\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\\
&\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \\
&\cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x \\
&+ 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1) \\
&))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(1/2*\arctan2(\sin \\
&(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
&(2*d*x + 2*c)))) - 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 \\
&+ 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
&x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2* \\
&c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) \\
&+ a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) \\
&+ 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2 \\
&*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2* \\
&\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*(\cos(2*d*x + 2*c)^2 \\
&+ \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sqrt{a} + 4*(a*\cos(1/2 \\
&*arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x \\
&+ 2*c), \cos(2*d*x + 2*c)))) - (a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
&x + 2*c)))) - a)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sqrt{a} \\
&)*B/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\
&^{(1/4)})/d
\end{aligned}$$

Fricas [A] time = 0.616499, size = 755, normalized size = 7.33

$$\left[\frac{((3A + 2B)a \cos(dx + c) + (3A + 2B)a)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2(Aa \cos(dx+c) + 2Ba)}{2(d \cos(dx + c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(((3*A + 2*B)*a*cos(d*x + c) + (3*A + 2*B)*a)*sqrt(-a)*log((2*a*cos(d*x + c))^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(A*a*cos(d*x + c) + 2*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d), -(((3*A + 2*B)*a*cos(d*x + c) + (3*A + 2*B)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (A*a*cos(d*x + c) + 2*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 6.77829, size = 544, normalized size = 5.28

$$\frac{4\sqrt{2}\sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + aBa^2 \operatorname{sgn}(\cos(dx+c)) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a} + (3A\sqrt{-a} \operatorname{sgn}(\cos(dx+c)) + 2B\sqrt{-a} \operatorname{sgn}(\cos(dx+c))) \log\left(\left(\sqrt{\dots}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] -1/2*(4*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*B*a^2*sgn(cos(d*x + c))
*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 - a) + (3*A*sqrt(-a)*a*sgn(
cos(d*x + c)) + 2*B*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2
*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))
) - (3*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 2*B*sqrt(-a)*a*sgn(cos(d*x + c)))*l
og(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)
)^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - s
qrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) - A*
sqrt(-a)*a^3*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*t
an(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*
tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2))/d
```

$$3.132 \quad \int \cos^2(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=119

$$\frac{a^2(5A + 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(7A + 12B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aA \sin(c + dx) \cos(c + dx) \sqrt{a \sec(c + dx) + a}}{2d}$$

[Out] (a^(3/2)*(7*A + 12*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^2*(5*A + 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.272987, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4017, 4015, 3774, 203}

$$\frac{a^2(5A + 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(7A + 12B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aA \sin(c + dx) \cos(c + dx) \sqrt{a \sec(c + dx) + a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(3/2)*(7*A + 12*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^2*(5*A + 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \cos^2(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx \\ &= \frac{a^2(5A + 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} \\ &= \frac{a^2(5A + 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d} \\ &= \frac{a^{3/2}(7A + 12B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{4d} + \frac{a^2(5A + 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.597141, size = 111, normalized size = 0.93

$$\frac{a\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(7A + 12B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

[Out] $(a\sqrt{\cos[c + dx]}\sec[(c + dx)/2]\sqrt{a(1 + \sec[c + dx])}(\sqrt{2}(7A + 12B)\operatorname{ArcSin}[\sqrt{2}\sin[(c + dx)/2]] + 2\sqrt{\cos[c + dx]}(7A + 4B + 2A\cos[c + dx])\sin[(c + dx)/2]))/(8d)$

Maple [B] time = 0.296, size = 399, normalized size = 3.4

$$\frac{a}{16d \cos(dx+c) \sin(dx+c)} \left(7A \sin(dx+c) \cos(dx+c) \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{3/2} \operatorname{Arctanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx+c)}{\cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)`

[Out] $1/16/d*a*(7*A*\sin(d*x+c)*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\operatorname{arctanh}(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)/\cos(d*x+c))*2^(1/2)+12*B*\sin(d*x+c)*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\operatorname{arctanh}(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)/\cos(d*x+c))*2^(1/2)+7*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\operatorname{arctanh}(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)/\cos(d*x+c))*2^(1/2)*\sin(d*x+c)+12*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\operatorname{arctanh}(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)/\cos(d*x+c))*2^(1/2)*\sin(d*x+c)-8*A*\cos(d*x+c)^4-20*A*\cos(d*x+c)^3-16*B*\cos(d*x+c)^3+28*A*\cos(d*x+c)^2+16*B*\cos(d*x+c)^2)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.616904, size = 833, normalized size = 7.

$$\left[\frac{((7A + 12B)a \cos(dx + c) + (7A + 12B)a)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right) + 2 \left(2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a\right)}{8(d \cos(dx + c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/8*(((7*A + 12*B)*a*cos(d*x + c) + (7*A + 12*B)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*A*a*cos(d*x + c)^2 + (7*A + 4*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/4*(((7*A + 12*B)*a*cos(d*x + c) + (7*A + 12*B)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (2*A*a*cos(d*x + c)^2 + (7*A + 4*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 7.10897, size = 863, normalized size = 7.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] -1/8*((7*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 12*B*sqrt(-a)*a*sgn(cos(d*x + c))
)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 +
a))^2 - a*(2*sqrt(2) + 3))) - (7*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 12*B*sqrt
(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a
*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(7*(sqrt(
-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a
)*a^2*sgn(cos(d*x + c)) + 12*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1
/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) - 95*(sqrt(-a)*t
an(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^3
*sgn(cos(d*x + c)) - 76*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*
x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 53*(sqrt(-a)*tan(1/
2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^4*sgn(
cos(d*x + c)) + 36*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1
/2*c)^2 + a))^2*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 5*A*sqrt(-a)*a^5*sgn(cos
(d*x + c)) - 4*B*sqrt(-a)*a^5*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1
/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x +
1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^2)/d
```

3.133 $\int \cos^3(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=164

$$\frac{a^2(11A + 14B) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(11A + 14B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{8d} + \frac{a^2(7A + 6B) \sin(c + dx) \cos(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} + \frac{aA \sin(c + dx)}{3d}$$

[Out] (a^(3/2)*(11*A + 14*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*d) + (a^2*(11*A + 14*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(7*A + 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.365126, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4017, 4015, 3805, 3774, 203}

$$\frac{a^2(11A + 14B) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(11A + 14B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{8d} + \frac{a^2(7A + 6B) \sin(c + dx) \cos(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} + \frac{aA \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(3/2)*(11*A + 14*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*d) + (a^2*(11*A + 14*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(7*A + 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e
+ f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} \int \cos^3(c + dx)(a + a \sec(c + dx))^{3/2} dx \\
&= \frac{a^2(7A + 6B) \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} + \frac{aA \cos^2(c + dx)\sqrt{a + a \sec(c + dx)}}{3d} \\
&= \frac{a^2(11A + 14B) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{a^2(7A + 6B) \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(11A + 14B) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{a^2(7A + 6B) \cos(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^{3/2}(11A + 14B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a^2(11A + 14B) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.997973, size = 137, normalized size = 0.84

$$\frac{a \cos(c + dx)\sqrt{a(\sec(c + dx) + 1)} \left(\sin(c + dx)\sqrt{1 - \sec(c + dx)}(2(11A + 6B) \cos(c + dx) + 4A \cos(2(c + dx)) + 37A + 4B) \right)}{24d(\cos(c + dx) + 1)\sqrt{1 - \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (a*cos[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*((37*A + 42*B + 2*(11*A + 6*B)*Cos[c + d*x] + 4*A*Cos[2*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 3*(11*A + 14*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]]*Tan[c + d*x]))/(24*d*(1 + Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.365, size = 581, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)

[Out] -1/192/d*a*(33*A*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(

$$\begin{aligned}
& d*x+c)) * 2^{(1/2)} + 42*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1)) \\
& ^{(5/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/ \\
& \cos(d*x+c))*2^{(1/2)} + 66*A*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1) \\
&))^{(5/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c) \\
&)/\cos(d*x+c))*2^{(1/2)} + 84*B*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c) \\
& +1))^{(5/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x \\
& +c)/\cos(d*x+c))*2^{(1/2)} + 33*A*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*a \\
& rctanh(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+ \\
& c))*\sin(d*x+c) + 42*B*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\operatorname{arctanh}(1/ \\
& 2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))*\sin(d \\
& *x+c) + 64*A*\cos(d*x+c)^6 + 112*A*\cos(d*x+c)^5 + 96*B*\cos(d*x+c)^5 + 88*A*\cos(d*x+c) \\
&)^4 + 240*B*\cos(d*x+c)^4 - 264*A*\cos(d*x+c)^3 - 336*B*\cos(d*x+c)^3*(a*(\cos(d*x+c) \\
& +1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^2/\sin(d*x+c)
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.627092, size = 949, normalized size = 5.79

$$\left[\frac{3((11A + 14B)a \cos(dx + c) + (11A + 14B)a)\sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right) + 2}{48(d \cos(dx + c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

```
[Out] [1/48*(3*((11*A + 14*B)*a*cos(d*x + c) + (11*A + 14*B)*a)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*a*cos(d*x + c)^3 + 2*(11*A + 6*B)*a*cos(d*x + c)^2 + 3*(11*A + 14*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((11*A + 14*B)*a*cos(d*x + c) + (11*A + 14*B)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*a*cos(d*x + c)^3 + 2*(11*A + 6*B)*a*cos(d*x + c)^2 + 3*(11*A + 14*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 7.22666, size = 1166, normalized size = 7.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/48*(3*(11*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 14*B*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(11*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 14*B*sqrt(-a)*a*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(33*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 42*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^2*sgn(cos(d*x + c)) - 303*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*s
```

$$\begin{aligned} & \text{qrt}(-a)*a^3*\text{sgn}(\cos(d*x + c)) - 822*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(- \\ & a*\tan(1/2*d*x + 1/2*c)^2 + a))^8*B*\text{sqrt}(-a)*a^3*\text{sgn}(\cos(d*x + c)) + 2394*(\text{s} \\ & \text{qrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^6*A*\text{sqrt} \\ & \text{rt}(-a)*a^4*\text{sgn}(\cos(d*x + c)) + 3780*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a \\ & *\tan(1/2*d*x + 1/2*c)^2 + a))^6*B*\text{sqrt}(-a)*a^4*\text{sgn}(\cos(d*x + c)) - 1806*(\text{sq} \\ & \text{rt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^4*A*\text{sqrt} \\ & (-a)*a^5*\text{sgn}(\cos(d*x + c)) - 2508*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a* \\ & \tan(1/2*d*x + 1/2*c)^2 + a))^4*B*\text{sqrt}(-a)*a^5*\text{sgn}(\cos(d*x + c)) + 309*(\text{sqrt} \\ & (-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*A*\text{sqrt}(- \\ & a)*a^6*\text{sgn}(\cos(d*x + c)) + 498*(\text{sqrt}(-a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan \\ & (1/2*d*x + 1/2*c)^2 + a))^2*B*\text{sqrt}(-a)*a^6*\text{sgn}(\cos(d*x + c)) - 19*A*\text{sqrt}(-a \\ &)*a^7*\text{sgn}(\cos(d*x + c)) - 30*B*\text{sqrt}(-a)*a^7*\text{sgn}(\cos(d*x + c)))/((\text{sqrt}(-a)*\text{t} \\ & \text{an}(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(\text{sqrt}(-a)* \\ & \tan(1/2*d*x + 1/2*c) - \text{sqrt}(-a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^3)/d \end{aligned}$$

$$3.134 \quad \int \cos^4(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=209

$$\frac{a^2(75A + 88B) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(75A + 88B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{64d} + \frac{a^2(9A + 8B) \sin(c + dx) \cos^2(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(75A + 88B)}{64d}$$

[Out] (a^(3/2)*(75*A + 88*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(64*d) + (a^2*(75*A + 88*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(75*A + 88*B)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(9*A + 8*B)*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.448674, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4017, 4015, 3805, 3774, 203}

$$\frac{a^2(75A + 88B) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(75A + 88B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{64d} + \frac{a^2(9A + 8B) \sin(c + dx) \cos^2(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(75A + 88B)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(3/2)*(75*A + 88*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(64*d) + (a^2*(75*A + 88*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(75*A + 88*B)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(9*A + 8*B)*Cos[c + d*x]^2*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*A*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= \frac{aA\cos^3(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} + \frac{1}{4}\int \cos^2(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx \\
&= \frac{a^2(9A+8B)\cos^2(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{aA\cos^3(c+dx)\sqrt{a+a\sec(c+dx)}}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(75A+88B)\cos(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(9A+8B)\cos^3(c+dx)\sqrt{a+a\sec(c+dx)}}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(75A+88B)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(75A+88B)\cos(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(75A+88B)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(75A+88B)\cos(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{3/2}(75A+88B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a^2(75A+88B)\cos(c+dx)}{64d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.3009, size = 154, normalized size = 0.74

$$\frac{a\cos(c+dx)\sqrt{a(\sec(c+dx)+1)}(\sin(c+dx)\sqrt{1-\sec(c+dx)}(2(93A+88B)\cos(c+dx)+4(15A+8B)\cos(2(c+dx)))}{192d(\cos(c+dx)+1)\sqrt{1-\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (a*Cos[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*((285*A + 296*B + 2*(93*A + 88*B)*Cos[c + d*x] + 4*(15*A + 8*B)*Cos[2*(c + d*x)] + 12*A*Cos[3*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 3*(75*A + 88*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]]*Tan[c + d*x])/(192*d*(1 + Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.294, size = 763, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)

```
[Out] 1/3072/d*a*(225*A*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1
))^(7/2)*2^(1/2)+264*B*sin(d*x+c)*cos(d*x+c)^3*arctanh(1/2*2^(1/2)*(-2*cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x
+c)+1))^(7/2)*2^(1/2)+675*A*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2)*(-2
*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(co
s(d*x+c)+1))^(7/2)*2^(1/2)+792*B*sin(d*x+c)*cos(d*x+c)^2*arctanh(1/2*2^(1/2
))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c
)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+675*A*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*2^(
1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+792*B*sin(d*x+c)*cos(d*x+c)*arctanh(1/2*
2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos
(d*x+c)/(cos(d*x+c)+1))^(7/2)*2^(1/2)+225*A*arctanh(1/2*2^(1/2)*(-2*cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)
+1))^(7/2)*2^(1/2)*sin(d*x+c)+264*B*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos
(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/
2)*2^(1/2)*sin(d*x+c)-768*A*cos(d*x+c)^8-1152*A*cos(d*x+c)^7-1024*B*cos(d*x
+c)^7-480*A*cos(d*x+c)^6-1792*B*cos(d*x+c)^6-1200*A*cos(d*x+c)^5-1408*B*cos
(d*x+c)^5+3600*A*cos(d*x+c)^4+4224*B*cos(d*x+c)^4)*(a*(cos(d*x+c)+1)/cos(d*
x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^3
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.717182, size = 1049, normalized size = 5.02

$$\left[\frac{3((75A + 88B)a \cos(dx + c) + (75A + 88B)a)\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right)}{\dots} \right] + 2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] [1/384*(3*((75*A + 88*B)*a*cos(d*x + c) + (75*A + 88*B)*a)*sqrt(-a)*log((2*
a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d
*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*a*
cos(d*x + c)^4 + 8*(15*A + 8*B)*a*cos(d*x + c)^3 + 2*(75*A + 88*B)*a*cos(d*
x + c)^2 + 3*(75*A + 88*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*
x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*((75*A + 88*B)*a*cos(
d*x + c) + (75*A + 88*B)*a)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*
x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*a*cos(d*x + c)^4 + 8*(
15*A + 8*B)*a*cos(d*x + c)^3 + 2*(75*A + 88*B)*a*cos(d*x + c)^2 + 3*(75*A +
88*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)
)/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 7.80016, size = 1469, normalized size = 7.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] -1/384*(3*(75*A*sqrt(-a)*a*sgn(cos(d*x + c)) + 88*B*sqrt(-a)*a*sgn(cos(d*x
+ c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)
)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(75*A*sqrt(-a)*a*sgn(cos(d*x + c)) +
```

$$\begin{aligned}
& 88*B*\sqrt{-a}*a*\operatorname{sgn}(\cos(dx + c)) * \log(\operatorname{abs}((\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \\
& \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(\\
& 225*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 4*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 264*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 4*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) - 6 \\
& 261*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 2*A*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) - 4008*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \\
& \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 2*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) + \\
& 35925*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 10*A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 33960*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 10*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) \\
& - 127449*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 8*A*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) - 131784*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 8*B*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c)) + 101667*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 6*A*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) + 108312*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 6*B*\sqrt{-a}*a^6*\operatorname{sgn}(\cos(dx + c)) - 26079*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 4*A*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(dx + c)) - 29432*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 4*B*\sqrt{-a}*a^7*\operatorname{sgn}(\cos(dx + c)) + 3303*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 2*A*\sqrt{-a}*a^8*\operatorname{sgn}(\cos(dx + c)) + 3384*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) \\
& - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^1 \\
& 2*B*\sqrt{-a}*a^8*\operatorname{sgn}(\cos(dx + c)) - 147*A*\sqrt{-a}*a^9*\operatorname{sgn}(\cos(dx + c)) \\
& - 152*B*\sqrt{-a}*a^9*\operatorname{sgn}(\cos(dx + c)))/((\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a})*\tan(1/2*dx + 1/2*c) - \sqrt{-a*\tan(1/2*dx + 1/2*c)^2 + a})^2*a + a^2)^4)/d
\end{aligned}$$

3.135 $\int \sec^3(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=237

$$\frac{2a^3(209A + 194B) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(11A + 14B) \tan(c + dx) \sec^3(c + dx)\sqrt{a \sec(c + dx) + a}}{99d} + \frac{2a^3(803A + 710B) \tan(c + dx)}{495d\sqrt{a \sec(c + dx) + a}}$$

```
[Out] (2*a^3*(803*A + 710*B)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(209*A + 194*B)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a^2*(803*A + 710*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a^2*(11*A + 14*B)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(99*d) + (2*a*(803*A + 710*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d) + (2*a*B*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)
```

Rubi [A] time = 0.656926, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4018, 4016, 3800, 4001, 3792}

$$\frac{2a^3(209A + 194B) \tan(c + dx) \sec^3(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(11A + 14B) \tan(c + dx) \sec^3(c + dx)\sqrt{a \sec(c + dx) + a}}{99d} + \frac{2a^3(803A + 710B) \tan(c + dx)}{495d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*a^3*(803*A + 710*B)*Tan[c + d*x])/(495*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(209*A + 194*B)*Sec[c + d*x]^3*Tan[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) - (4*a^2*(803*A + 710*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(3465*d) + (2*a^2*(11*A + 14*B)*Sec[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(99*d) + (2*a*(803*A + 710*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(1155*d) + (2*a*B*Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(11*d)
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
```

*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3800

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*(b*(m + 1) - a*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3792

Int[csc[(e_.) + (f_.)*(x_)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= \frac{2aB\sec^3(c+dx)(a+a\sec(c+dx))^{3/2}\tan(c+dx)}{11d} + \frac{2}{11} \int \sec^3(c+dx)(a+a\sec(c+dx))^{5/2}dx \\
&= \frac{2a^2(11A+14B)\sec^3(c+dx)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{99d} \\
&= \frac{2a^3(209A+194B)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(11A+14B)\sec^3(c+dx)\tan(c+dx)}{99d} \\
&= \frac{2a^3(209A+194B)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(11A+14B)\sec^3(c+dx)\tan(c+dx)}{99d} \\
&= \frac{2a^3(209A+194B)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} - \frac{4a^2(803A+710B)\tan(c+dx)}{495d\sqrt{a+a\sec(c+dx)}} + \frac{2a^3(209A+194B)\sec^3(c+dx)\tan(c+dx)}{693d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [B] time = 6.16646, size = 487, normalized size = 2.05

$$\frac{2A \tan(c+dx) \sec^3(c+dx) (a(\sec(c+dx)+1))^{5/2}}{9d(\sec(c+dx)+1)^2} + \frac{38A \tan(c+dx) \sec^3(c+dx) (a(\sec(c+dx)+1))^{5/2}}{63d(\sec(c+dx)+1)^3} + \frac{146A \tan(c+dx) \sec^3(c+dx) (a(\sec(c+dx)+1))^{5/2}}{99d(\sec(c+dx)+1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

[Out] (1168*A*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(315*d*(1 + Sec[c + d*x])^3) + (2272*B*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(693*d*(1 + Sec[c + d*x])^3) + (584*A*Sec[c + d*x]*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(315*d*(1 + Sec[c + d*x])^3) + (1136*B*Sec[c + d*x]*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(693*d*(1 + Sec[c + d*x])^3) + (146*A*Sec[c + d*x]^2*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(105*d*(1 + Sec[c + d*x])^3) + (284*B*Sec[c + d*x]^2*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(231*d*(1 + Sec[c + d*x])^3) + (38*A*Sec[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(63*d*(1 + Sec[c + d*x])^3) + (710*B*Sec[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(693*d*(1 + Sec[c + d*x])^3) + (46*B*Sec[c + d*x]^4*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(99*d*(1 + Sec[c + d*x])^3) + (2*A*Sec[c + d*x]^3*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(9*d*(1 + Sec[c + d*x])^2) + (2*B*Sec[c + d*x]^4*(a*(1 + Sec[c + d*x]))^(5/2)*Tan[c + d*x])/(11*d*(1 + Sec[c + d*x])^2)

Maple [A] time = 0.276, size = 163, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx + c)) \left(6424A(\cos(dx + c))^5 + 5680B(\cos(dx + c))^5 + 3212A(\cos(dx + c))^4 + 2840B(\cos(dx + c))^4 \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)`

[Out] `-2/3465/d*a^2*(-1+cos(d*x+c))*(6424*A*cos(d*x+c)^5+5680*B*cos(d*x+c)^5+3212*A*cos(d*x+c)^4+2840*B*cos(d*x+c)^4+2409*A*cos(d*x+c)^3+2130*B*cos(d*x+c)^3+1430*A*cos(d*x+c)^2+1775*B*cos(d*x+c)^2+385*A*cos(d*x+c)+1120*B*cos(d*x+c)+315*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^5/sin(d*x+c)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.49293, size = 409, normalized size = 1.73

$$\frac{2 \left(8(803A + 710B)a^2 \cos(dx + c)^5 + 4(803A + 710B)a^2 \cos(dx + c)^4 + 3(803A + 710B)a^2 \cos(dx + c)^3 + 5(286A + 355B)a^2 \cos(dx + c)^2 + 3(803A + 710B)a \cos(dx + c) + 5(286A + 355B) \right)}{3465 \left(d \cos(dx + c)^6 + d \cos(dx + c)^5 + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `2/3465*(8*(803*A + 710*B)*a^2*cos(d*x + c)^5 + 4*(803*A + 710*B)*a^2*cos(d*x + c)^4 + 3*(803*A + 710*B)*a^2*cos(d*x + c)^3 + 5*(286*A + 355*B)*a^2*cos(d*x + c)^2 + 3*(803*A + 710*B)*a*cos(d*x + c) + 5*(286*A + 355*B))`

$$(d*x + c)^2 + 35*(11*A + 32*B)*a^2*\cos(d*x + c) + 315*B*a^2)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c))*\sin(d*x + c)/(d*\cos(d*x + c)^6 + d*\cos(d*x + c)^5)}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [A] time = 5.7378, size = 424, normalized size = 1.79

$$8 \left(3465 \sqrt{2} A a^8 \operatorname{sgn}(\cos(dx + c)) + 3465 \sqrt{2} B a^8 \operatorname{sgn}(\cos(dx + c)) - \left(10395 \sqrt{2} A a^8 \operatorname{sgn}(\cos(dx + c)) + 8085 \sqrt{2} B a^8 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$-8/3465*(3465*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(d*x + c)) + 3465*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(d*x + c)) - (10395*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(d*x + c)) + 8085*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(d*x + c)) - (15939*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(d*x + c)) + 15015*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(d*x + c)) - (14157*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(d*x + c)) + 12375*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(d*x + c)) - 4*(1573*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(d*x + c)) + 1375*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(d*x + c)) - 2*(143*\sqrt{2}*A*a^8*\operatorname{sgn}(\cos(d*x + c)) + 125*\sqrt{2}*B*a^8*\operatorname{sgn}(\cos(d*x + c))))*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)/((a*\tan(1/2*d*x + 1/2*c)^2 - a)^5*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})*d)$$

3.136 $\int \sec^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=175

$$\frac{16a^2(15A + 13B) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(15A + 13B) \tan(c + dx)}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2(9A - 2B) \tan(c + dx)(a \sec(c + dx))^{5/2}}{63d}$$

```
[Out] (64*a^3*(15*A + 13*B)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(15*A + 13*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*(15*A + 13*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d) + (2*(9*A - 2*B)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*d) + (2*B*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*a*d)
```

Rubi [A] time = 0.352722, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4010, 4001, 3793, 3792}

$$\frac{16a^2(15A + 13B) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{315d} + \frac{64a^3(15A + 13B) \tan(c + dx)}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2(9A - 2B) \tan(c + dx)(a \sec(c + dx))^{5/2}}{63d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]
```

```
[Out] (64*a^3*(15*A + 13*B)*Tan[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(15*A + 13*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(315*d) + (2*a*(15*A + 13*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(105*d) + (2*(9*A - 2*B)*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*d) + (2*B*(a + a*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*a*d)
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]
```


Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{2B(a + a \sec(c + dx))^{7/2} \tan(c + dx)}{9ad} + \frac{2 \int \sec(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx}{9ad} \\ &= \frac{2(9A - 2B)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{63d} + \frac{2B(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{63d} \\ &= \frac{2a(15A + 13B)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{105d} + \frac{2(9A - 2B)(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{63d} \\ &= \frac{16a^2(15A + 13B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{315d} + \frac{2a(15A + 13B)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{315d} \\ &= \frac{64a^3(15A + 13B) \tan(c + dx)}{315d\sqrt{a + a \sec(c + dx)}} + \frac{16a^2(15A + 13B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{315d} \end{aligned}$$

Mathematica [A] time = 0.642996, size = 96, normalized size = 0.55

$$\frac{2a^3 \tan(c + dx) (5(9A + 26B) \sec^3(c + dx) + 3(60A + 73B) \sec^2(c + dx) + (345A + 292B) \sec(c + dx) + 690A + 35B)}{315d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] $(2a^3(690A + 584B + (345A + 292B)\text{Sec}[c + d*x] + 3(60A + 73B)\text{Sec}[c + d*x]^2 + 5(9A + 26B)\text{Sec}[c + d*x]^3 + 35B\text{Sec}[c + d*x]^4)\text{Tan}[c + d*x]) / (315d\sqrt{a(1 + \text{Sec}[c + d*x])})$

Maple [A] time = 0.254, size = 141, normalized size = 0.8

$$\frac{2a^2(-1 + \cos(dx + c))\left(690A(\cos(dx + c))^4 + 584B(\cos(dx + c))^4 + 345A(\cos(dx + c))^3 + 292B(\cos(dx + c))^3 + 180A(\cos(dx + c))^2 + 219B(\cos(dx + c))^2 + 45A(\cos(dx + c)) + 130B(\cos(dx + c)) + 35B\right)}{315d(\cos(dx + c))^4 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)

[Out] $-2/315/d*a^2*(-1+\cos(d*x+c))*(690*A*\cos(d*x+c)^4+584*B*\cos(d*x+c)^4+345*A*\cos(d*x+c)^3+292*B*\cos(d*x+c)^3+180*A*\cos(d*x+c)^2+219*B*\cos(d*x+c)^2+45*A*\cos(d*x+c)+130*B*\cos(d*x+c)+35*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\cos(d*x+c)^4/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.486768, size = 346, normalized size = 1.98

$$\frac{2\left(2(345A + 292B)a^2 \cos(dx + c)^4 + (345A + 292B)a^2 \cos(dx + c)^3 + 3(60A + 73B)a^2 \cos(dx + c)^2 + 5(9A + 26B)a^2 \cos(dx + c) + 35Ba^2\right)}{315\left(d \cos(dx + c)^5 + d \cos(dx + c)^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] 2/315*(2*(345*A + 292*B)*a^2*cos(d*x + c)^4 + (345*A + 292*B)*a^2*cos(d*x +
c)^3 + 3*(60*A + 73*B)*a^2*cos(d*x + c)^2 + 5*(9*A + 26*B)*a^2*cos(d*x + c
) + 35*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(d*cos(d
*x + c)^5 + d*cos(d*x + c)^4)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 5.28357, size = 362, normalized size = 2.07

$$8 \left(315 \sqrt{2} A a^7 \operatorname{sgn}(\cos(dx + c)) + 315 \sqrt{2} B a^7 \operatorname{sgn}(\cos(dx + c)) - \left(840 \sqrt{2} A a^7 \operatorname{sgn}(\cos(dx + c)) + 630 \sqrt{2} B a^7 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] 8/315*(315*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 315*sqrt(2)*B*a^7*sgn(cos(d*x
+ c)) - (840*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 630*sqrt(2)*B*a^7*sgn(cos(d*
x + c)) - (945*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 819*sqrt(2)*B*a^7*sgn(cos(
d*x + c)) - 4*(135*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 117*sqrt(2)*B*a^7*sgn(
cos(d*x + c)) - 2*(15*sqrt(2)*A*a^7*sgn(cos(d*x + c)) + 13*sqrt(2)*B*a^7*sg
n(cos(d*x + c)))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*
x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x
```

$$+ \frac{1}{2}c^2 - a^4 \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} * d$$

3.137 $\int \sec(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=138

$$\frac{64a^3(7A + 5B) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{16a^2(7A + 5B) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a(7A + 5B) \tan(c + dx)(a \sec(c + dx))}{35d}$$

[Out] (64*a^3*(7*A + 5*B)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(7*A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*a*(7*A + 5*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*B*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)

Rubi [A] time = 0.183963, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4001, 3793, 3792}

$$\frac{64a^3(7A + 5B) \tan(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{16a^2(7A + 5B) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a(7A + 5B) \tan(c + dx)(a \sec(c + dx))}{35d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (64*a^3*(7*A + 5*B)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(7*A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*a*(7*A + 5*B)*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*B*(a + a*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3793

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_
Symbol] := -Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] +
Dist[(a*(2*m - 1))/m, Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1), x], x]
/; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && IntegerQ[
2*m]
```

Rule 3792

```
Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; Free
Q[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{2B(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{1}{7}(7A + 5B) \int \sec(c + dx) dx \\ &= \frac{2a(7A + 5B)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{35d} + \frac{2B(a + a \sec(c + dx))^{5/2} \tan(c + dx)}{105d} \\ &= \frac{16a^2(7A + 5B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} + \frac{2a(7A + 5B)(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{105d} \\ &= \frac{64a^3(7A + 5B) \tan(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{16a^2(7A + 5B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{105d} \end{aligned}$$

Mathematica [A] time = 0.47565, size = 89, normalized size = 0.64

$$\frac{2a^2\sqrt{a(\sec(c + dx) + 1)}\left((301A + 230B)\sin(c + dx) + \tan(c + dx)\left(3(7A + 20B)\sec(c + dx) + 98A + 15B\sec^2(c + dx) + 15B\right)\right)}{105d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]
```

```
[Out] (2*a^2*Sqrt[a*(1 + Sec[c + d*x])]*((301*A + 230*B)*Sin[c + d*x] + (98*A + 1
15*B + 3*(7*A + 20*B)*Sec[c + d*x] + 15*B*Sec[c + d*x]^2)*Tan[c + d*x]))/(1
05*d*(1 + Cos[c + d*x]))
```

Maple [A] time = 0.231, size = 119, normalized size = 0.9

$$\frac{2a^2(-1 + \cos(dx + c))\left(301A(\cos(dx + c))^3 + 230B(\cos(dx + c))^3 + 98A(\cos(dx + c))^2 + 115B(\cos(dx + c))^2 + 215B\cos(dx + c) + 15B\right)\sin(dx + c)}{105d(\cos(dx + c))^3\sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)`

[Out]
$$-2/105/d*a^2*(-1+\cos(d*x+c))*(301*A*\cos(d*x+c)^3+230*B*\cos(d*x+c)^3+98*A*\cos(d*x+c)^2+115*B*\cos(d*x+c)^2+21*A*\cos(d*x+c)+60*B*\cos(d*x+c)+15*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^3/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.479549, size = 292, normalized size = 2.12

$$\frac{2\left((301A + 230B)a^2 \cos(dx + c)^3 + (98A + 115B)a^2 \cos(dx + c)^2 + 3(7A + 20B)a^2 \cos(dx + c) + 15Ba^2\right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{105\left(d \cos(dx + c)^4 + d \cos(dx + c)^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out]
$$2/105*((301*A + 230*B)*a^2*\cos(d*x + c)^3 + (98*A + 115*B)*a^2*\cos(d*x + c)^2 + 3*(7*A + 20*B)*a^2*\cos(d*x + c) + 15*B*a^2)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c)^4 + d*\cos(d*x + c)^3)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 5.07358, size = 300, normalized size = 2.17

$$8 \left(105 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 105 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) - \left(245 \sqrt{2} A a^6 \operatorname{sgn}(\cos(dx + c)) + 175 \sqrt{2} B a^6 \operatorname{sgn}(\cos(dx + c)) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -8/105*(105*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 105*sqrt(2)*B*a^6*sgn(cos(d*x + c)) - (245*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 175*sqrt(2)*B*a^6*sgn(cos(d*x + c)) - 4*(49*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 35*sqrt(2)*B*a^6*sgn(cos(d*x + c)) - 2*(7*sqrt(2)*A*a^6*sgn(cos(d*x + c)) + 5*sqrt(2)*B*a^6*sgn(cos(d*x + c))))*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*d)
```


3.138 $\int (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=142

$$\frac{2a^3(35A + 32B) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(5A + 8B) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aB \tan(c + dx)}{5d}$$

[Out] (2*a^(5/2)*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(35*A + 32*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(5*A + 8*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*a*B*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rubi [A] time = 0.222714, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3917, 3915, 3774, 203, 3792}

$$\frac{2a^3(35A + 32B) \tan(c + dx)}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(5A + 8B) \tan(c + dx)\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{2aB \tan(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*a^(5/2)*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(35*A + 32*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(5*A + 8*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*d) + (2*a*B*(a + a*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)

Rule 3917

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*c*m + (b*c*m + a*d*(2*m - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3915

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[Sqrt[a + b*Csc[e + f*x]], x], x] + Dis

`t[d, Int[Sqrt[a + b*Csc[e + f*x]]*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]`

Rule 3774

`Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]`

Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

Rule 3792

`Int[csc[(e_.) + (f_.)*(x_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]`

Rubi steps

$$\begin{aligned}
 \int (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx &= \frac{2aB(a + a \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2}{5} \int (a + a \sec(c + dx))^{3/2} \left(\frac{5aA}{2} \right. \\
 &= \frac{2a^2(5A + 8B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2aB(a + a \sec(c + dx))^3}{5d} \\
 &= \frac{2a^2(5A + 8B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2aB(a + a \sec(c + dx))^3}{5d} \\
 &= \frac{2a^3(35A + 32B) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(5A + 8B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d} \\
 &= \frac{2a^{5/2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a^3(35A + 32B) \tan(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(5A + 8B)\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{15d}
 \end{aligned}$$

Mathematica [A] time = 1.04268, size = 128, normalized size = 0.9

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2(5A + 14B) \cos(c + dx) + (40A + 43B) \cos(2(c + dx)))\right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]^2*Sqrt[a*(1 + Sec[c + d*x])]*(30*Sqrt[2]*A*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(5/2) + 2*(40*A + 49*B + 2*(5*A + 14*B)*Cos[c + d*x] + (40*A + 43*B)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(30*d)

Maple [B] time = 0.262, size = 341, normalized size = 2.4

$$-\frac{a^2}{60 d \sin(dx+c) (\cos(dx+c))^2} \sqrt{\frac{a (\cos(dx+c)+1)}{\cos(dx+c)}} \left(15 A (\cos(dx+c))^2 \sin(dx+c) \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{5/2} \operatorname{Arctan} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)

[Out] -1/60/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(15*A*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+30*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+15*A*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+320*A*cos(d*x+c)^3+344*B*cos(d*x+c)^3-280*A*cos(d*x+c)^2-232*B*cos(d*x+c)^2-40*A*cos(d*x+c)-88*B*cos(d*x+c)-24*B)/sin(d*x+c)/cos(d*x+c)^2

Maxima [B] time = 2.08581, size = 1885, normalized size = 13.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/6*(30*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(3/4)*a^(5/2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 2*

$$\begin{aligned}
& (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot ((12a^2\cos(3/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))\sin(2dx + 2c) \\
&) - 3a^2\sin(2dx + 2c) - 4(3a^2\cos(2dx + 2c) + 4a^2)\sin(3/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) \\
&) \cdot \cos(3/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + (12a^2\sin(2dx + 2c)\sin(3/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
&) + 3a^2\cos(2dx + 2c) - a^2 + 4(3a^2\cos(2dx + 2c) + 4a^2)\cos(3/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
&) \cdot \sin(3/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \cdot \sqrt{a} + 3((a^2\cos(2dx + 2c)^2 + a^2\sin(2dx + 2c)^2 + 2a^2\cos(2dx + 2c) + a^2) \\
&) \cdot \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
&) \cdot \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \\
&) \cdot \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \\
&) \cdot (\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
&) + \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) \\
&) + 1) - (a^2\cos(2dx + 2c)^2 + a^2\sin(2dx + 2c)^2 + 2a^2\cos(2dx + 2c) + a^2) \cdot \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \\
&) \cdot (\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \cdot \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \\
&) \cdot \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \\
&) \cdot (\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) \\
&) + \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 1) - (a^2\cos(2dx + 2c)^2 + a^2\sin(2dx + 2c)^2 + 2a^2\cos(2dx + 2c) + a^2) \\
&) \cdot \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \\
&) \cdot \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + (a^2\cos(2dx + 2c)^2 + a^2\sin(2dx + 2c)^2 + 2a^2\cos(2dx + 2c) + a^2) \cdot \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \\
&) \cdot \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \\
&) \cdot \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) \cdot \sqrt{a} \\
&) \cdot A / ((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1) \cdot d)
\end{aligned}$$

Fricas [A] time = 0.540248, size = 954, normalized size = 6.72

$$\left[\frac{15 \left(Aa^2 \cos(dx+c)^3 + Aa^2 \cos(dx+c)^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right)}{15 \left(d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)} \right] + 2 \left((40A + 43B)a^2 \cos(dx+c)^2 + (5A + 14B)a^2 \cos(dx+c) + 3Ba^2 \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c) / (d \cos(dx+c)^3 + d \cos(dx+c)^2) - \left((40A + 43B)a^2 \cos(dx+c)^2 + (5A + 14B)a^2 \cos(dx+c) + 3Ba^2 \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c) / (d \cos(dx+c)^3 + d \cos(dx+c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/15*(15*(A*a^2*cos(d*x + c)^3 + A*a^2*cos(d*x + c)^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*((40*A + 43*B)*a^2*cos(d*x + c)^2 + (5*A + 14*B)*a^2*cos(d*x + c) + 3*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), -2/15*(15*(A*a^2*cos(d*x + c)^3 + A*a^2*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((40*A + 43*B)*a^2*cos(d*x + c)^2 + (5*A + 14*B)*a^2*cos(d*x + c) + 3*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.139 \quad \int \cos(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=143

$$-\frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(A + 2B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{d} + \frac{a^{5/2}(5A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d} + \frac{2aB}{d}$$

[Out] (a^(5/2)*(5*A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d - (a^3*(3*A + 14*B)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(A + 2*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.410515, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4018, 4015, 3774, 203}

$$-\frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(A + 2B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{d} + \frac{a^{5/2}(5A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d} + \frac{2aB}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

[Out] (a^(5/2)*(5*A + 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d - (a^3*(3*A + 14*B)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(A + 2*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{2aB(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{2}{3} \int \cos(c + dx)(a + a \sec(c + dx))^{5/2} dx \\ &= \frac{2a^2(A + 2B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + \frac{2aB(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\ &= -\frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(A + 2B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} \\ &= -\frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(A + 2B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} \\ &= \frac{a^{5/2}(5A + 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} - \frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.836745, size = 126, normalized size = 0.88

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(3\sqrt{2}(5A + 2B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \cos^{\frac{3}{2}}(c + dx) + \sin\left(\frac{1}{2}(c + dx)\right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sec[c + d*x]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(5*A + 2*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + (3*A + 4*B + 4*(3*A + 8*B)*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(6*d)

Maple [B] time = 0.292, size = 256, normalized size = 1.8

$$-\frac{a^2}{6d \cos(dx+c) \sin(dx+c)} \left(15 A \sqrt{2} \sin(dx+c) \cos(dx+c) \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \operatorname{Artanh} \left(\frac{1}{2} \frac{\sqrt{2} \sin(dx+c)}{\cos(dx+c)} \sqrt{-2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)

[Out] -1/6/d*a^2*(15*A*2^(1/2)*sin(d*x+c)*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+6*B*2^(1/2)*sin(d*x+c)*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))+6*A*cos(d*x+c)^3+6*A*cos(d*x+c)^2+32*B*cos(d*x+c)^2-12*A*cos(d*x+c)-28*B*cos(d*x+c)-4*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)/sin(d*x+c)

Maxima [B] time = 2.52101, size = 3753, normalized size = 26.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(3*(18*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(3/4)*a^(5/2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 2*(cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(4*a^2*sin(3*d*x + 3*c) + 5*a^2*sin(2*d*x + 2*c) + 4*a^2*sin(d*x + c))*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (a^2*cos(2*d*x +

$$\begin{aligned}
& 2*c)^2*\sin(d*x + c) + a^2*\sin(2*d*x + 2*c)^2*\sin(d*x + c) + 2*a^2*\cos(2*d*x \\
& + 2*c)*\sin(d*x + c) + a^2*\sin(d*x + c))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c) + 1)) - (4*a^2*\cos(3*d*x + 3*c) + 5*a^2*\cos(2*d*x + 2*c) + \\
& 4*a^2*\cos(d*x + c) + 5*a^2)*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c) + 1)) - ((a^2*\cos(d*x + c) - a^2)*\cos(2*d*x + 2*c)^2 + a^2*\cos(d*x + c) \\
&) + (a^2*\cos(d*x + c) - a^2)*\sin(2*d*x + 2*c)^2 - a^2 + 2*(a^2*\cos(d*x + c) \\
& - a^2)*\cos(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&) + 1))) * \sqrt{a} + 5*((a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2* \\
& a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c) \\
& ^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2 \\
& *d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2* \\
& \cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c) + 1))) + 1) - (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c) \\
& ^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x \\
& + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c) \\
& ^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c) + 1))) - 1) - (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x \\
& + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin \\
& (2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 \\
& *\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c) + 1)) + 1) + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2* \\
& \cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + \\
& 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) \\
& + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*\sqrt{a} \\
&) * A / ((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\
&) + 2*(30*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\
&)^{3/4} * a^{5/2} * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \\
& 2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4} * \\
& ((12*a^2*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2 \\
& *c) - 3*a^2*\sin(2*d*x + 2*c) - 4*(3*a^2*\cos(2*d*x + 2*c) + 4*a^2)*\sin(3/2*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \cos(3/2*\arctan2(\sin(2*d*x + 2* \\
& c), \cos(2*d*x + 2*c) + 1)) + (12*a^2*\sin(2*d*x + 2*c)*\sin(3/2*\arctan2(\sin(2 \\
& *d*x + 2*c), \cos(2*d*x + 2*c)))) + 3*a^2*\cos(2*d*x + 2*c) - a^2 + 4*(3*a^2*c \\
& os(2*d*x + 2*c) + 4*a^2)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)) * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sqrt{a} + 3*(\\
& (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + \\
& a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) \\
& + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \sin(1/2*a
\end{aligned}$$

```

rctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) +
1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c)))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*co
s(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*a
rctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*co
s(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arc
tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c)))) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2
*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d
*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos
(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
+ 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(
2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*co
s(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)
^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(
a))*B/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 0.62804, size = 968, normalized size = 6.77

$$\frac{3 \left((5A + 2B)a^2 \cos(dx + c)^2 + (5A + 2B)a^2 \cos(dx + c) \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)}{6 \left(d \cos(dx + c) \right)^2 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] [1/6*(3*((5*A + 2*B)*a^2*cos(d*x + c)^2 + (5*A + 2*B)*a^2*cos(d*x + c))*sqr
t(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*
```

$$\begin{aligned} & x + c)) * \cos(dx + c) * \sin(dx + c) + a * \cos(dx + c) - a) / (\cos(dx + c) + 1)) \\ & + 2 * (3 * A * a^2 * \cos(dx + c)^2 + 2 * (3 * A + 8 * B) * a^2 * \cos(dx + c) + 2 * B * a^2) * \sqrt{ \\ & \text{rt}((a * \cos(dx + c) + a) / \cos(dx + c)) * \sin(dx + c)) / (d * \cos(dx + c)^2 + d * \cos(dx + c))}, \\ & - 1/3 * (3 * ((5 * A + 2 * B) * a^2 * \cos(dx + c)^2 + (5 * A + 2 * B) * a^2 * \cos(dx + c)) * \sqrt{a} * \arctan(\sqrt{ \\ & (a * \cos(dx + c) + a) / \cos(dx + c)) * \cos(dx + c) / (\sqrt{a} * \sin(dx + c))}) - (3 * A * a^2 * \cos(dx + c)^2 + 2 * (3 * A + 8 * B) * a^2 * \cos(dx + c) + 2 * B * a^2) * \sqrt{ \\ & (a * \cos(dx + c) + a) / \cos(dx + c)) * \sin(dx + c) / (d * \cos(dx + c)^2 + d * \cos(dx + c))}] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 7.15887, size = 644, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6 * (3 * (5 * A * \sqrt{-a} * a^2 * \text{sgn}(\cos(dx + c)) + 2 * B * \sqrt{-a} * a^2 * \text{sgn}(\cos(dx + c))) * \log(\text{abs}((\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 - a * (2 * \sqrt{2} + 3))) - 3 * (5 * A * \sqrt{-a} * a^2 * \text{sgn}(\cos(dx + c)) + 2 * B * \sqrt{-a} * a^2 * \text{sgn}(\cos(dx + c))) * \log(\text{abs}((\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 + a * (2 * \sqrt{2} - 3))) + 12 * \sqrt{2} * (3 * (\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 * A * \sqrt{-a} * a^3 * \text{sgn}(\cos(dx + c)) - A * \sqrt{-a} * a^4 * \text{sgn}(\cos(dx + c))) / ((\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^4 - 6 * (\sqrt{-a} * \tan(1/2 * dx + 1/2 * c) - \sqrt{-a * \tan(1/2 * dx + 1/2 * c)^2 + a})^2 * a + a^2) + 4 * (3 * \sqrt{2} * A * a^4 * \text{sgn}(\cos(dx + c)) + 9 * \sqrt{2} * B * a^4 * \text{sgn}(\cos(dx + c)) - (3 * \sqrt{2} * A * a^4 * \text{sgn}(\cos(dx + c)) + 7 * \sqrt{2} * B * a^4 * \text{sgn}(\cos(dx + c))) \end{aligned}$$

$$\begin{aligned} &)) * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*d*x + 1/2*c) / ((a * \tan(1/2*d*x + 1/2*c)^2 \\ &- a) * \sqrt{-a * \tan(1/2*d*x + 1/2*c)^2 + a}) / d \end{aligned}$$

$$3.140 \quad \int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=154

$$\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(A - 4B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{2d} + \frac{a^{5/2}(19A + 20B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aA \sin(c + dx)}{2d}$$

[Out] (a^(5/2)*(19*A + 20*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a^3*(9*A - 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(A - 4*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.41877, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4017, 4018, 4015, 3774, 203}

$$\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} - \frac{a^2(A - 4B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{2d} + \frac{a^{5/2}(19A + 20B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aA \sin(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(5/2)*(19*A + 20*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a^3*(9*A - 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(A - 4*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= \frac{aA\cos(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{2d} + \frac{1}{2}\int \cos^2(c+dx)(a+a\sec(c+dx))^{5/2}dx \\
&= -\frac{a^2(A-4B)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{2d} + \frac{aA\cos(c+dx)(a+a\sec(c+dx))^{5/2}}{2d} \\
&= \frac{a^3(9A-4B)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} - \frac{a^2(A-4B)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{2d} \\
&= \frac{a^3(9A-4B)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} - \frac{a^2(A-4B)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{2d} \\
&= \frac{a^{5/2}(19A+20B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4d} + \frac{a^3(9A-4B)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.80738, size = 116, normalized size = 0.75

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\sqrt{2}(19A+20B)\sin^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\sqrt{\cos(c+dx)} + 2\sin\left(\frac{1}{2}(c+dx)\right)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(19*A + 20*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(A + 8*B + (11*A + 4*B)*Cos[c + d*x] + A*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(8*d)

Maple [B] time = 0.325, size = 410, normalized size = 2.7

$$\frac{a^2}{16d\cos(dx+c)\sin(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(19A\sin(dx+c)\cos(dx+c)\left(-2\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{3/2}\operatorname{Artanh}\left(\frac{1}{2}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)), x)

[Out] 1/16/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(19*A*sin(d*x+c)*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*a^(1/2)*(-2*cos(d*x+c)/co

$$\begin{aligned} & (\cos(dx+c)+1)^{1/2} \sin(dx+c) / \cos(dx+c) * 2^{1/2} + 20*B*\sin(dx+c)*\cos(dx+c) \\ & * (-2*\cos(dx+c) / (\cos(dx+c)+1))^{3/2} * \operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c) * 2^{1/2} + 19*A*(-2*\cos(dx+c) / (\cos(dx+c)+1))^{3/2} * \operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c) * 2^{1/2} * \sin(dx+c) + 20*B*(-2*\cos(dx+c) / (\cos(dx+c)+1))^{3/2} * \operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) / \cos(dx+c) * 2^{1/2} * \sin(dx+c) - 8*A*\cos(dx+c)^4 - 36*A*\cos(dx+c)^3 - 16*B*\cos(dx+c)^3 + 44*A*\cos(dx+c)^2 - 16*B*\cos(dx+c)^2 + 32*B*\cos(dx+c)) / \cos(dx+c) / \sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a+a*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.631955, size = 890, normalized size = 5.78

$$\left[\frac{\left((19A + 20B)a^2 \cos(dx+c) + (19A + 20B)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c) + a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c) + 1} \right)}{8(d \cos(dx+c) + d)} \right] +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a+a*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] [1/8*(((19*A + 20*B)*a^2*cos(dx + c) + (19*A + 20*B)*a^2)*sqrt(-a)*log((2*a*cos(dx + c)^2 - 2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*cos(dx + c)*sin(dx + c) + a*cos(dx + c) - a)/(cos(dx + c) + 1)) + 2*(2*A*a^2*cos(dx + c)^2 + (11*A + 4*B)*a^2*cos(dx + c) + 8*B*a^2)*sqrt((a*cos(dx

$$+ c) + a)/\cos(dx + c))\sin(dx + c))/(d\cos(dx + c) + d), -1/4*(((19*A + 20*B)*a^2*\cos(dx + c) + (19*A + 20*B)*a^2)*\sqrt{a}*\arctan(\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c))*\cos(dx + c)/(\sqrt{a}*\sin(dx + c)))) - (2*A*a^2*\cos(dx + c)^2 + (11*A + 4*B)*a^2*\cos(dx + c) + 8*B*a^2)*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c))*\sin(dx + c))/(d*\cos(dx + c) + d)]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(a+a*sec(dx+c))**(5/2)*(A+B*sec(dx+c)),x)

[Out] Timed out

Giac [B] time = 7.37288, size = 957, normalized size = 6.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a+a*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="giac")

[Out]
$$-1/8*(16*\sqrt{2}*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*B*a^3*\operatorname{sgn}(\cos(dx + c)) * \tan(1/2*d*x + 1/2*c)/(a*\tan(1/2*d*x + 1/2*c)^2 - a) + (19*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 20*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c))))*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3))) - (19*A*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c)) + 20*B*\sqrt{-a}*a^2*\operatorname{sgn}(\cos(dx + c))))*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3))) + 4*\sqrt{2}*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) + 12*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a}*a^3*\operatorname{sgn}(\cos(dx + c)) - 171*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) - 76*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a}*a^4*\operatorname{sgn}(\cos(dx + c)) + 89*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^5*\operatorname{sgn}(\cos(dx + c))$$

$$\begin{aligned}
& + 36*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}) \\
& ^2*B*\sqrt{-a}*a^5*\text{sgn}(\cos(d*x + c)) - 9*A*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)) - \\
& 4*B*\sqrt{-a}*a^6*\text{sgn}(\cos(d*x + c)))/((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^2)/d
\end{aligned}$$

$$3.141 \quad \int \cos^3(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=164

$$\frac{a^3(49A + 54B) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(25A + 38B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{8d} + \frac{a^2(3A + 2B) \sin(c + dx) \cos(c + dx) \sqrt{a \sec(c + dx)}}{4d}$$

[Out] (a^(5/2)*(25*A + 38*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*d) + (a^3*(49*A + 54*B)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(3*A + 2*B)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.45647, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4017, 4015, 3774, 203}

$$\frac{a^3(49A + 54B) \sin(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(25A + 38B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{8d} + \frac{a^2(3A + 2B) \sin(c + dx) \cos(c + dx) \sqrt{a \sec(c + dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(5/2)*(25*A + 38*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(8*d) + (a^3*(49*A + 54*B)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(3*A + 2*B)*Cos[c + d*x]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*A*Cos[c + d*x]^2*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{1}{3} \int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx \\ &= \frac{a^2(3A + 2B) \cos(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} + \frac{1}{3} \int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx \\ &= \frac{a^3(49A + 54B) \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(3A + 2B) \cos(c + dx) \sqrt{a + a \sec(c + dx)}}{4d} + \frac{1}{3} \int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx \\ &= \frac{a^3(49A + 54B) \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(3A + 2B) \cos(c + dx) \sqrt{a + a \sec(c + dx)}}{4d} + \frac{1}{3} \int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx \\ &= \frac{a^{5/2}(25A + 38B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a^3(49A + 54B) \sin(c + dx)}{24d \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.04461, size = 312, normalized size = 1.9

$$a^2 \cos(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(-192A \tan(c + dx) \sqrt{1 - \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 4, \frac{3}{2}, 1 - \sec(c + dx)\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] -(a^2*cos[c + d*x]*Sqrt[a*(1 + Sec[c + d*x]))*(-165*A*Sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 18*B*Sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 8*A*cos[c + d*x]^2*Sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] - 31*A*Sqrt[1 - Sec[c + d*x]]*Sin[2*(c + d*x)] + 54*B*Sqrt[1 - Sec[c + d*x]]*Sin[2*(c + d*x)] - 165*A*ArcTanh[Sqrt[1 - Sec[c + d*x]]]*Tan[c + d*x] - 126*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]]*Tan[c + d*x] - 576*B*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]]*Tan[c + d*x] - 192*A*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]]*Tan[c + d*x]))/(72*d*(1 + Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])
```

Maple [B] time = 0.342, size = 583, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] -1/192/d*a^2*(75*A*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+114*B*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+150*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+228*B*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+75*A*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+114*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+64*A*cos(d*x+c)^6+208*A*cos(d*x+c)^5+96*B*cos(d*x+c)^5+328*A*cos(d*x+c)^4+432*B*cos(d*x+c)^4-600*A*cos(d*x+c)^3-528*B*cos(d*x+c)^3)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^2/sin(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.635559, size = 976, normalized size = 5.95

$$\left[\frac{3 \left((25A + 38B)a^2 \cos(dx + c) + (25A + 38B)a^2 \right) \sqrt{-a} \log \left(\frac{2a \cos(dx+c)^2 - 2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1} \right)}{48(d \cos(dx+c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/48*(3*((25*A + 38*B)*a^2*cos(d*x + c) + (25*A + 38*B)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(8*A*a^2*cos(d*x + c)^3 + 2*(17*A + 6*B)*a^2*cos(d*x + c)^2 + 3*(25*A + 22*B)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/24*(3*((25*A + 38*B)*a^2*cos(d*x + c) + (25*A + 38*B)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (8*A*a^2*cos(d*x + c)^3 + 2*(17*A + 6*B)*a^2*cos(d*x + c)^2 + 3*(25*A + 22*B)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 7.64893, size = 1177, normalized size = 7.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/48*(3*(25*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 38*B*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(25*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 38*B*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(75*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 114*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 1125*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 1710*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 6174*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 6804*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 4314*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 4284*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 807*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 858*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 49*A*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 54*B*sqrt(-a)*a^8*sgn(cos(d*x + c)))/(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^3)/d
```


$$3.142 \quad \int \cos^4(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=209

$$\frac{a^3(163A + 200B) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(163A + 200B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{64d} + \frac{a^2(11A + 8B) \sin(c + dx) \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}}{24d}$$

[Out] (a^(5/2)*(163*A + 200*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(163*A + 200*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(95*A + 104*B)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(11*A + 8*B)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.580095, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4017, 4015, 3805, 3774, 203}

$$\frac{a^3(163A + 200B) \sin(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(163A + 200B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{64d} + \frac{a^2(11A + 8B) \sin(c + dx) \cos^2(c + dx) \sqrt{a \sec(c + dx) + a}}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(5/2)*(163*A + 200*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(163*A + 200*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(95*A + 104*B)*Cos[c + d*x]*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(11*A + 8*B)*Cos[c + d*x]^2*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*A*Cos[c + d*x]^3*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /

```
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos^3(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^2(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx \\
&= \frac{a^2(11A + 8B) \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{24d} \\
&= \frac{a^3(95A + 104B) \cos(c + dx) \sin(c + dx)}{96d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(11A + 8B) \cos^2(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{24d} \\
&= \frac{a^3(163A + 200B) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(95A + 104B) \cos(c + dx) \sin(c + dx)}{96d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(163A + 200B) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(95A + 104B) \cos(c + dx) \sin(c + dx)}{96d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^{5/2}(163A + 200B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{64d} + \frac{a^3(163A + 200B) \sin(c + dx)}{64d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 1.292, size = 366, normalized size = 1.75

$$a^2 \sin(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(4608A \sqrt{1 - \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 5, \frac{3}{2}, 1 - \sec(c + dx)\right) + 7680B \sqrt{1 - \sec(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(6075*A*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 6600*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 2079*A*Sqrt[1 - Sec[c + d*x]] + 1240*B*Sqrt[1 - Sec[c + d*x]] + 7641*A*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 6360*B*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 2097*A*Cos[2*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 1240*B*Cos[2*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 522*A*Cos[3*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] - 80*B*Cos[3*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 18*A*Cos[4*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 7680*B*Hypergeometric2F1[1/2, 4, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]] + 4608*A*Hypergeometric2F1[1/2, 5, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(2880*d*(1 + Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.285, size = 765, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^4(a+a\sec(dx+c))^{5/2}(A+B\sec(dx+c)),x)$

[Out] $\frac{1}{3072}d^2a^2(489A\sin(dx+c)\cos(dx+c)^3\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+600B\sin(dx+c)\cos(dx+c)^3\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+1467A\sin(dx+c)\cos(dx+c)^2\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+1800B\sin(dx+c)\cos(dx+c)^2\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+1467A\sin(dx+c)\cos(dx+c)\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+1800B\sin(dx+c)\cos(dx+c)\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}+489A\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}\sin(dx+c)+600B\operatorname{arctanh}\left(\frac{1}{2}2^{1/2}(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}\sin(dx+c)/\cos(dx+c)\right)*(-2\cos(dx+c)/(\cos(dx+c)+1))^{7/2}2^{1/2}\sin(dx+c)-768A\cos(dx+c)^8-2176A\cos(dx+c)^7-1024B\cos(dx+c)^7-2272A\cos(dx+c)^6-3328B\cos(dx+c)^6-2608A\cos(dx+c)^5-5248B\cos(dx+c)^5+7824A\cos(dx+c)^4+9600B\cos(dx+c)^4*(a(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)/\cos(dx+c)^3$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^4(a+a\sec(dx+c))^{5/2}(A+B\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.719529, size = 1103, normalized size = 5.28

$$\left[\frac{3 \left((163 A + 200 B) a^2 \cos(dx + c) + (163 A + 200 B) a^2 \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx+c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/384*(3*((163*A + 200*B)*a^2*cos(d*x + c) + (163*A + 200*B)*a^2)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(48*A*a^2*cos(d*x + c)^4 + 8*(23*A + 8*B)*a^2*cos(d*x + c)^3 + 2*(163*A + 136*B)*a^2*cos(d*x + c)^2 + 3*(163*A + 200*B)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d), -1/192*(3*((163*A + 200*B)*a^2*cos(d*x + c) + (163*A + 200*B)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (48*A*a^2*cos(d*x + c)^4 + 8*(23*A + 8*B)*a^2*cos(d*x + c)^3 + 2*(163*A + 136*B)*a^2*cos(d*x + c)^2 + 3*(163*A + 200*B)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 8.43719, size = 1480, normalized size = 7.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] -1/384*(3*(163*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 200*B*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(163*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 200*B*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(489*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 600*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*B*sqrt(-a)*a^3*sgn(cos(d*x + c)) - 10269*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 12600*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*B*sqrt(-a)*a^4*sgn(cos(d*x + c)) + 69885*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 103992*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a)*a^5*sgn(cos(d*x + c)) - 259233*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 339864*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 209979*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^7*sgn(cos(d*x + c)) + 262920*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 55511*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^8*sgn(cos(d*x + c)) - 73640*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^8*sgn(cos(d*x + c)) + 6687*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^9*sgn(cos(d*x + c)) + 8808*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^9*sgn(cos(d*x + c)) - 299*A*sqrt(-a)*a^10*sgn(cos(d*x + c)) - 392*B*sqrt(-a)*a^10*sgn(cos(d*x + c)))/((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^4)/d
```

$$3.143 \quad \int \cos^5(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=254

$$\frac{a^3(283A + 326B) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(283A + 326B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{128d} + \frac{a^2(13A + 10B) \sin(c + dx) \cos^3(c + dx)\sqrt{a}}{40d}$$

[Out] (a^(5/2)*(283*A + 326*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(283*A + 326*B)*Sin[c + d*x])/((128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(283*A + 326*B)*Cos[c + d*x]*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(157*A + 170*B)*Cos[c + d*x]^2*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(13*A + 10*B)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (a*A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.653945, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4017, 4015, 3805, 3774, 203}

$$\frac{a^3(283A + 326B) \sin(c + dx)}{128d\sqrt{a \sec(c + dx) + a}} + \frac{a^{5/2}(283A + 326B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{128d} + \frac{a^2(13A + 10B) \sin(c + dx) \cos^3(c + dx)\sqrt{a}}{40d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(5/2)*(283*A + 326*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(128*d) + (a^3*(283*A + 326*B)*Sin[c + d*x])/((128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(283*A + 326*B)*Cos[c + d*x]*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(157*A + 170*B)*Cos[c + d*x]^2*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(13*A + 10*B)*Cos[c + d*x]^3*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (a*A*Cos[c + d*x]^4*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis

```
t[b/(a*d^n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d,
Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos^4(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^4(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx \\
&= \frac{a^2(13A + 10B) \cos^3(c + dx) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{40d} \\
&= \frac{a^3(157A + 170B) \cos^2(c + dx) \sin(c + dx)}{240d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(13A + 10B) \cos(c + dx) \sin(c + dx)}{240d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(283A + 326B) \cos(c + dx) \sin(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(157A + 170B) \cos^2(c + dx) \sin(c + dx)}{240d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(283A + 326B) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(283A + 326B) \cos(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(283A + 326B) \sin(c + dx)}{128d \sqrt{a + a \sec(c + dx)}} + \frac{a^3(283A + 326B) \cos(c + dx)}{192d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^{5/2}(283A + 326B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{128d} + \frac{a^3(283A + 326B)}{128d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 1.78594, size = 416, normalized size = 1.64

$$a^2 \sin(c + dx) \sqrt{a(\sec(c + dx) + 1)} \left(15360A \sqrt{1 - \sec(c + dx)} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 6, \frac{3}{2}, 1 - \sec(c + dx)\right) + 21504B \sqrt{1 - \sec(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(25935*A*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 28350*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 11651*A*Sqrt[1 - Sec[c + d*x]] + 9702*B*Sqrt[1 - Sec[c + d*x]] + 37029*A*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 35658*B*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 12653*A*Cos[2*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 9786*B*Cos[2*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 3818*A*Cos[3*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 2436*B*Cos[3*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 1002*A*Cos[4*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 84*B*Cos[4*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 72*A*Cos[5*(c + d*x)]*Sqrt[1 - Sec[c + d*x]] + 21504*B*Hypergeometric2F1[1/2, 5, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]] + 15360*A*Hypergeometric2F1[1/2, 6, 3/2, 1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])*Sin[c + d*x]]/(13440*d*(1 + Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.323, size = 947, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^5*(a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)), x)$

[Out]
$$-1/61440/d*a^2*(4245*A*\cos(dx+c)^4*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+4890*B*\cos(dx+c)^4*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+16980*A*\cos(dx+c)^3*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+19560*B*\cos(dx+c)^3*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+25470*A*\cos(dx+c)^2*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+29340*B*\cos(dx+c)^2*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+16980*A*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+19560*B*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+4245*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+4890*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{9/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*\sin(dx+c)+12288*A*\cos(dx+c)^{10}+32256*A*\cos(dx+c)^9+15360*B*\cos(dx+c)^9+27904*A*\cos(dx+c)^8+43520*B*\cos(dx+c)^8+18112*A*\cos(dx+c)^7+45440*B*\cos(dx+c)^7+45280*A*\cos(dx+c)^6+52160*B*\cos(dx+c)^6-135840*A*\cos(dx+c)^5-156480*B*\cos(dx+c)^5)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\cos(dx+c)^4/\sin(dx+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.737078, size = 1227, normalized size = 4.83

$$15 \left((283 A + 326 B) a^2 \cos(dx + c) + (283 A + 326 B) a^2 \right) \sqrt{-a} \log \left(\frac{2 a \cos(dx+c)^2 - 2 \sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + a \cos(dx+c)}{\cos(dx+c)+1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] [1/3840*(15*((283*A + 326*B)*a^2*cos(d*x + c) + (283*A + 326*B)*a^2)*sqrt(-
a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) +
2*(384*A*a^2*cos(d*x + c)^5 + 48*(29*A + 10*B)*a^2*cos(d*x + c)^4 + 8*(283*
A + 230*B)*a^2*cos(d*x + c)^3 + 10*(283*A + 326*B)*a^2*cos(d*x + c)^2 + 15*
(283*A + 326*B)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*s
in(d*x + c))/(d*cos(d*x + c) + d), -1/1920*(15*((283*A + 326*B)*a^2*cos(d*x
+ c) + (283*A + 326*B)*a^2)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d
*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (384*A*a^2*cos(d*x + c)^5 +
48*(29*A + 10*B)*a^2*cos(d*x + c)^4 + 8*(283*A + 230*B)*a^2*cos(d*x + c)^3
+ 10*(283*A + 326*B)*a^2*cos(d*x + c)^2 + 15*(283*A + 326*B)*a^2*cos(d*x +
c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)
+ d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 8.60132, size = 1782, normalized size = 7.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] -1/3840*(15*(283*A*sqrt(-a)*a^2*sgn(cos(d*x + c)) + 326*B*sqrt(-a)*a^2*sgn(
cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x
+ 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 15*(283*A*sqrt(-a)*a^2*sgn(cos(
d*x + c)) + 326*B*sqrt(-a)*a^2*sgn(cos(d*x + c)))*log(abs((sqrt(-a)*tan(1/2
*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)
) + 4*sqrt(2)*(4245*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x +
1/2*c)^2 + a))^18*A*sqrt(-a)*a^3*sgn(cos(d*x + c)) + 4890*(sqrt(-a)*tan(1/2
*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^18*B*sqrt(-a)*a^3*sgn(
cos(d*x + c)) - 114615*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x
+ 1/2*c)^2 + a))^16*A*sqrt(-a)*a^4*sgn(cos(d*x + c)) - 132030*(sqrt(-a)*ta
n(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^16*B*sqrt(-a)*a^4
*sgn(cos(d*x + c)) + 1298820*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1
/2*d*x + 1/2*c)^2 + a))^14*A*sqrt(-a)*a^5*sgn(cos(d*x + c)) + 1319880*(sqrt
(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^14*B*sqrt(
-a)*a^5*sgn(cos(d*x + c)) - 6176700*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(
-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*A*sqrt(-a)*a^6*sgn(cos(d*x + c)) - 688812
0*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^12*
B*sqrt(-a)*a^6*sgn(cos(d*x + c)) + 16394598*(sqrt(-a)*tan(1/2*d*x + 1/2*c)
- sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a)*a^7*sgn(cos(d*x + c))
+ 18352620*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2
+ a))^10*B*sqrt(-a)*a^7*sgn(cos(d*x + c)) - 14042770*(sqrt(-a)*tan(1/2*d*x
+ 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a^8*sgn(cos(d*
x + c)) - 15746180*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1
/2*c)^2 + a))^8*B*sqrt(-a)*a^8*sgn(cos(d*x + c)) + 4791060*(sqrt(-a)*tan(1/
2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^9*sgn(
cos(d*x + c)) + 5497320*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*
x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^9*sgn(cos(d*x + c)) - 860300*(sqrt(-a)*ta
n(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^10
*sgn(cos(d*x + c)) - 959320*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/
```

$$\begin{aligned}
& 2*d*x + 1/2*c)^2 + a))^4*B*\sqrt{-a}*a^{10}*sgn(\cos(d*x + c)) + 75885*(\sqrt{-a} \\
&)*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*A*\sqrt{-a}* \\
& a^{11}*sgn(\cos(d*x + c)) + 84810*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan \\
& (1/2*d*x + 1/2*c)^2 + a))^2*B*\sqrt{-a}*a^{11}*sgn(\cos(d*x + c)) - 2671*A*\sqrt \\
& (-a)*a^{12}*sgn(\cos(d*x + c)) - 2990*B*\sqrt{-a}*a^{12}*sgn(\cos(d*x + c)))/((\sqrt \\
& t(-a)*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(\sqrt \\
& t(-a)*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^ \\
& 2)^5)/d
\end{aligned}$$

$$3.144 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=202

$$\frac{2(7A - B) \tan(c + dx) \sec^2(c + dx)}{35d\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(7A - 31B) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{105ad}$$

[Out] -((Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (4*(49*A - 37*B)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(7*A - B)*Sec[c + d*x]^2*Tan[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*B*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(7*A - 31*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*a*d)

Rubi [A] time = 0.605622, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4021, 4010, 4001, 3795, 203}

$$\frac{2(7A - B) \tan(c + dx) \sec^2(c + dx)}{35d\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{2(7A - 31B) \tan(c + dx) \sqrt{a \sec(c + dx) + a}}{105ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] -((Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (4*(49*A - 37*B)*Tan[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(7*A - B)*Sec[c + d*x]^2*Tan[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*B*Sec[c + d*x]^3*Tan[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(7*A - 31*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(105*a*d)

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Coth[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2B\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^3(c+dx)\left(3aB+\frac{1}{2}a(7A-B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{7a} \\
&= \frac{2(7A-B)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2B\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{4\int \frac{\sec^2(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{7a} \\
&= \frac{2(7A-B)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2B\sec^3(c+dx)\tan(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} - \frac{2(7A-31B)}{7a} \\
&= \frac{4(49A-37B)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(7A-B)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2B\sec^3(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4(49A-37B)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(7A-B)\sec^2(c+dx)\tan(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2B\sec^3(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{4(49A-37B)\tan(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2(7A-B)}{35d}
\end{aligned}$$

Mathematica [A] time = 0.52584, size = 140, normalized size = 0.69

$$\frac{\tan(c+dx)\left(2\sqrt{1-\sec(c+dx)}\left(3(7A-B)\sec^2(c+dx)+(31B-7A)\sec(c+dx)+91A+15B\sec^3(c+dx)-43B\right)-10\right)}{105d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((-105*Sqrt[2]*(A - B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + 2*Sqrt[1 - Sec[c + d*x]]*(91*A - 43*B + (-7*A + 31*B)*Sec[c + d*x] + 3*(7*A - B)*Sec[c + d*x]^2 + 15*B*Sec[c + d*x]^3))*Tan[c + d*x])/(105*d*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x])]

Maple [B] time = 0.34, size = 785, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^4*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{(1/2)},x)$

[Out]
$$\begin{aligned} & -1/840/d/a*(-105*A*\cos(dx+c)^3*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(7/2)} \\ & * \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c) \\ & +105*B*\cos(dx+c)^3*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(7/2)} \\ & * \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c) \\ & -315*A*\cos(dx+c)^2*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(7/2)} \\ & * \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c) \\ & +315*B*\cos(dx+c)^2*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(7/2)} \\ & * \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c) \\ & -315*A*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(7/2)} \\ & * \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c) \\ & +315*B*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(7/2)} \\ & * \ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c) \\ & -105*A*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c) \\ & *(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(7/2)}*\sin(dx+c)+105*B*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(1/2)} \\ & * \sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(7/2)} \\ & * \sin(dx+c)+1456*A*\cos(dx+c)^4-688*B*\cos(dx+c)^4-1568*A*\cos(dx+c)^3 \\ & +1184*B*\cos(dx+c)^3+448*A*\cos(dx+c)^2-544*B*\cos(dx+c)^2-336*A*\cos(dx+c) \\ & +288*B*\cos(dx+c)-240*B)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}/\cos(dx+c)^3/\sin(dx+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^4*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.598308, size = 1116, normalized size = 5.52

$$\frac{105 \sqrt{2} \left((A - B) a \cos(dx + c)^4 + (A - B) a \cos(dx + c)^3 \right) \sqrt{-\frac{1}{a}} \log \left(-\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) - 3 \cos(dx+c)^2 - 2 \cos(dx+c) + 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{210 (ad \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/210*(105*sqrt(2)*((A - B)*a*cos(d*x + c)^4 + (A - B)*a*cos(d*x + c)^3)*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((91*A - 43*B)*cos(d*x + c)^3 - (7*A - 31*B)*cos(d*x + c)^2 + 3*(7*A - B)*cos(d*x + c) + 15*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3), 1/105*(2*((91*A - 43*B)*cos(d*x + c)^3 - (7*A - 31*B)*cos(d*x + c)^2 + 3*(7*A - B)*cos(d*x + c) + 15*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 105*sqrt(2)*((A - B)*a*cos(d*x + c)^4 + (A - B)*a*cos(d*x + c)^3)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^4(c + dx)}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**4/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 9.47519, size = 387, normalized size = 1.92

$$\frac{105\sqrt{2}(A-B)\log\left(\left|-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{2\left(\frac{105\sqrt{2}Aa^3}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \left(\frac{\sqrt{2}(119Aa^3-92Ba^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{7\sqrt{2}(37Aa^3-16Ba^3)}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)^3\sqrt{2}}$$

105d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] -1/105*(105*sqrt(2)*(A - B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 2*(105*sqrt(2)*A*a^3/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - ((sqrt(2)*(119*A*a^3 - 92*B*a^3)*tan(1/2*d*x + 1/2*c)^2/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 7*sqrt(2)*(37*A*a^3 - 16*B*a^3)/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2 + 35*sqrt(2)*(7*A*a^3 - 4*B*a^3)/sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) *tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^3*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d

$$3.145 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=159

$$\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a \sec(c+dx)+a}}}\right)}{\sqrt{ad}} + \frac{2(5A-B) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{15ad} - \frac{4(5A-7B) \tan(c+dx)}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2B \tan(c+dx)}{5d \sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(5*A - 7*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*B*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*A - B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*a*d)

Rubi [A] time = 0.419656, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4021, 4010, 4001, 3795, 203}

$$\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a \sec(c+dx)+a}}}\right)}{\sqrt{ad}} + \frac{2(5A-B) \tan(c+dx) \sqrt{a \sec(c+dx)+a}}{15ad} - \frac{4(5A-7B) \tan(c+dx)}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2B \tan(c+dx)}{5d \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - (4*(5*A - 7*B)*Tan[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*B*Sec[c + d*x]^2*Tan[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]]) + (2*(5*A - B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(15*a*d)

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] :> -Simp[(B*d*Cosot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(
csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Cs
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2B\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2\int \frac{\sec^2(c+dx)\left(2aB+\frac{1}{2}a(5A-B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{5a} \\
&= \frac{2B\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2(5A-B)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} + \frac{4\int}{15} \\
&= -\frac{4(5A-7B)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2B\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2(5A-B)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} \\
&= -\frac{4(5A-7B)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2B\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{2(5A-B)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{15ad} \\
&= \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{4(5A-7B)\tan(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2B\sec^2(c+dx)\tan(c+dx)}{5d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.373977, size = 123, normalized size = 0.77

$$\frac{\tan(c+dx)\left(2\sqrt{1-\sec(c+dx)}\left((5A-B)\sec(c+dx)-5A+3B\sec^2(c+dx)+13B\right)+15\sqrt{2}(A-B)\tanh^{-1}\left(\frac{\sqrt{1-\sec(c+dx)}}{\sqrt{2}}\right)\right)}{15d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((15*Sqrt[2]*(A - B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + 2*Sqrt[1 - Sec[c + d*x]]*(-5*A + 13*B + (5*A - B)*Sec[c + d*x] + 3*B*Sec[c + d*x]^2))*Tan[c + d*x])/(15*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.306, size = 595, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2), x)

```
[Out] 1/60/d/a*(15*A*sin(d*x+c)*cos(d*x+c)^2*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)-15*B*sin(d*x+c)*cos(d*x+c)^2*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)+30*A*sin(d*x+c)*cos(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)-30*B*sin(d*x+c)*cos(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)+15*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-15*B*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)+40*A*cos(d*x+c)^3-104*B*cos(d*x+c)^3-80*A*cos(d*x+c)^2+112*B*cos(d*x+c)^2+40*A*cos(d*x+c)-32*B*cos(d*x+c)+24*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)^2/sin(d*x+c)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^3}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^3/sqrt(a*sec(d*x + c) + a), x)
```

Fricas [A] time = 0.580259, size = 1019, normalized size = 6.41

$$\left[\frac{15\sqrt{2}((A-B)a \cos(dx+c)^3 + (A-B)a \cos(dx+c)^2) \sqrt{-\frac{1}{a}} \log \left(\frac{2\sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)^2 + 2 \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{30(ad \cos(dx+c)^3 + ad \cos(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/30*(15*sqrt(2)*((A - B)*a*cos(d*x + c)^3 + (A - B)*a*cos(d*x + c)^2)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((5*A - 13*B)*cos(d*x + c)^2 - (5*A - B)*cos(d*x + c) - 3*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2), -1/15*(2*((5*A - 13*B)*cos(d*x + c)^2 - (5*A - B)*cos(d*x + c) - 3*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 15*sqrt(2)*((A - B)*a*cos(d*x + c)^3 + (A - B)*a*cos(d*x + c)^2)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 9.60731, size = 366, normalized size = 2.3

$$\frac{15(\sqrt{2A}-\sqrt{2B})\log\left(-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{2\left(\left(10\sqrt{2}Aa^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)-20\sqrt{2}Ba^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)\right)-\left(10\sqrt{2}Aa^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)-20\sqrt{2}Ba^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)\right)\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

15d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")


```
[Out] 1/15*(15*(sqrt(2)*A - sqrt(2)*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + s
qrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 -
1)) - 2*((10*sqrt(2)*A*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 20*sqrt(2)*B*
a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - (10*sqrt(2)*A*a^2*sgn(tan(1/2*d*x + 1
/2*c)^2 - 1) - 17*sqrt(2)*B*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*
x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)^2 + 15*sqrt(2)*B*a^2/sgn(tan(1/2*d*x + 1
/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-
a*tan(1/2*d*x + 1/2*c)^2 + a))/d
```

$$3.146 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=118

$$-\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(3A-2B) \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2B \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{3ad}$$

[Out] $-\left(\left(\text{Sqrt}[2]*(A-B)*\text{ArcTan}\left[\left(\text{Sqrt}[a]*\text{Tan}[c+d*x]\right)/\left(\text{Sqrt}[2]*\text{Sqrt}[a+a*\text{Sec}[c+d*x]]\right)\right]\right)/\left(\text{Sqrt}[a]*d\right)\right) + \left(2*(3*A-2*B)*\text{Tan}[c+d*x]\right)/\left(3*d*\text{Sqrt}[a+a*\text{Sec}[c+d*x]]\right) + \left(2*B*\text{Sqrt}[a+a*\text{Sec}[c+d*x]]*\text{Tan}[c+d*x]\right)/\left(3*a*d\right)$

Rubi [A] time = 0.256772, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4010, 4001, 3795, 203}

$$-\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a} \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2(3A-2B) \tan(c+dx)}{3d\sqrt{a \sec(c+dx)+a}} + \frac{2B \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{3ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}\left[\left(\text{Sec}[c+d*x]^2*(A+B*\text{Sec}[c+d*x])\right)/\text{Sqrt}[a+a*\text{Sec}[c+d*x]],x\right]$

[Out] $-\left(\left(\text{Sqrt}[2]*(A-B)*\text{ArcTan}\left[\left(\text{Sqrt}[a]*\text{Tan}[c+d*x]\right)/\left(\text{Sqrt}[2]*\text{Sqrt}[a+a*\text{Sec}[c+d*x]]\right)\right]\right)/\left(\text{Sqrt}[a]*d\right)\right) + \left(2*(3*A-2*B)*\text{Tan}[c+d*x]\right)/\left(3*d*\text{Sqrt}[a+a*\text{Sec}[c+d*x]]\right) + \left(2*B*\text{Sqrt}[a+a*\text{Sec}[c+d*x]]*\text{Tan}[c+d*x]\right)/\left(3*a*d\right)$

Rule 4010

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*B*(m+1) + (A*b*(m+2) - a*B)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& !\text{LtQ}[m, -1]$

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(B*\text{Cot}[e + f*x]*(a$

+ b*Csc[e + f*x]^(m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx &= \frac{2B\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3ad} + \frac{2 \int \frac{\sec(c+dx)\left(\frac{aB}{2} + \frac{1}{2}a(3A-2B)\sec(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} dx}{3a} \\ &= \frac{2(3A - 2B) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2B\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3ad} + (-A + B) \int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{2(3A - 2B) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2B\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3ad} + \frac{(2(A - B)) \operatorname{Subst}\left[\int \frac{1}{\sqrt{a + a \sec(c + dx)}} dx\right]}{3ad} \\ &= -\frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2(3A - 2B) \tan(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2B\sqrt{a + a \sec(c + dx)} \tan(c + dx)}{3ad} \end{aligned}$$

Mathematica [A] time = 0.292916, size = 106, normalized size = 0.9

$$\frac{\tan(c + dx) \left(2\sqrt{1 - \sec(c + dx)}(3A + B \sec(c + dx) - B) - 3\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{1 - \sec(c + dx)}}{\sqrt{2}}\right) \right)}{3d\sqrt{1 - \sec(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] $((-3\sqrt{2}*(A - B)*\text{ArcTanh}[\sqrt{1 - \text{Sec}[c + d*x]}/\sqrt{2}] + 2*\sqrt{1 - \text{Sec}[c + d*x]})*(3*A - B + B*\text{Sec}[c + d*x]))*\text{Tan}[c + d*x]/(3*d*\sqrt{1 - \text{Sec}[c + d*x]})*\sqrt{a*(1 + \text{Sec}[c + d*x])})$

Maple [B] time = 0.293, size = 405, normalized size = 3.4

$$-\frac{1}{6ad \sin(dx+c) \cos(dx+c)} \left(-3A \cos(dx+c) \sin(dx+c) \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{3/2} \ln \left(-\frac{1}{\sin(dx+c)} \left(-\sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2), x)`

[Out] $-1/6/d/a*(-3*A*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+3*B*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-3*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+3*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)+12*A*\cos(d*x+c)^2-4*B*\cos(d*x+c)^2-12*A*\cos(d*x+c)+8*B*\cos(d*x+c)-4*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^2}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/sqrt(a*sec(d*x + c) + a), x)`

Fricas [A] time = 0.576071, size = 917, normalized size = 7.77

$$\frac{3\sqrt{2}\left((A-B)a\cos(dx+c)^2+(A-B)a\cos(dx+c)\right)\sqrt{-\frac{1}{a}}\log\left(\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)-3\cos(dx+c)^2-2\cos(dx+c)+1}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{6\left(ad\cos(dx+c)^2+ad\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/6*(3*sqrt(2)*((A - B)*a*cos(d*x + c)^2 + (A - B)*a*cos(d*x + c))*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((3*A - B)*cos(d*x + c) + B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c)), 1/3*(2*((3*A - B)*cos(d*x + c) + B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) + 3*sqrt(2)*((A - B)*a*cos(d*x + c)^2 + (A - B)*a*cos(d*x + c))*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [A] time = 9.41653, size = 251, normalized size = 2.13

$$\frac{3\sqrt{2}(A-B)\log\left(\left|-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{2\left(\frac{\sqrt{2}(3Aa-2Ba)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{3\sqrt{2}Aa}{\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] -1/3*(3*sqrt(2)*(A - B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 2*(sqrt(2)*(3*A*a - 2*B*a)*tan(1/2*d*x + 1/2*c)^2/sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 3*sqrt(2)*A*a/sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))/d

$$3.147 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=78

$$\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*B*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.107447, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4001, 3795, 203}

$$\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \tan(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*B*Tan[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{2B \tan(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + (A-B) \int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx \\ &= \frac{2B \tan(c+dx)}{d\sqrt{a+a\sec(c+dx)}} - \frac{(2(A-B)) \text{Subst}\left(\int \frac{1}{2a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{d} \\ &= \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2B \tan(c+dx)}{d\sqrt{a+a\sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.165721, size = 88, normalized size = 1.13

$$\frac{\tan(c+dx) \left(\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{1-\sec(c+dx)}}{\sqrt{2}}\right) + 2B\sqrt{1-\sec(c+dx)} \right)}{d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((Sqrt[2]*(A - B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + 2*B*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x]))]

Maple [B] time = 0.24, size = 200, normalized size = 2.6

$$\frac{1}{ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(A \ln \left(-\frac{1}{\sin(dx+c)} \left(-\sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) + \cos(dx+c) - 1 \right) \right) \right) \sqrt{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x)

[Out] $1/d/a*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-B*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-2*B*\cos(d*x+c)+2*B)/\sin(d*x+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)/sqrt(a*sec(d*x + c) + a), x)`

Fricas [A] time = 0.565507, size = 751, normalized size = 9.63

$$\frac{\sqrt{2}((A - B)a \cos(dx + c) + (A - B)a)\sqrt{-\frac{1}{a}} \log\left(\frac{2\sqrt{2}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) + 3 \cos(dx+c)^2 + 2 \cos(dx+c) - 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right) - 4B\sqrt{\dots}}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] $[-1/2*(\sqrt{2})*((A - B)*a*\cos(d*x + c) + (A - B)*a)*\sqrt{-1/a}*\log((2*\sqrt{2})*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{-1/a}*\cos(d*x + c)*\sin(d*x + c) + 3*\cos(d*x + c)^2 + 2*\cos(d*x + c) - 1)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 4*B*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d), (2*B*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c) - \sqrt{2})*((A - B)*a*\cos(d*x + c) + (A - B)*a)*\arctan(\sqrt{2}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)/(\sqrt{a}*\sin(d*x + c)))/\sqrt{a}$

)/(a*d*cos(d*x + c) + a*d]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [B] time = 9.1963, size = 194, normalized size = 2.49

$$\frac{2\sqrt{2}\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+aB\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{(\sqrt{2}A-\sqrt{2}B)\log\left(\left|-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] (2*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*B*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + (sqrt(2)*A - sqrt(2)*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.148 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=91

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d)

Rubi [A] time = 0.107178, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$, Rules used = {3920, 3774, 203, 3795}

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d)

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_) + (f_)*(x_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx &= \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a} - (A - B) \int \frac{\sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{(2A) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} + \frac{(2(A - B)) \text{Subst}\left(\int \frac{1}{2a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{d} \\ &= \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} \end{aligned}$$

Mathematica [A] time = 0.280624, size = 92, normalized size = 1.01

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left((B - A) \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos(c+dx)}}\right) + \sqrt{2} A \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (2*(Sqrt[2]*A*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + (-A + B)*ArcTan[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]])*Cos[(c + d*x)/2]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.236, size = 194, normalized size = 2.1

$$-\frac{1}{ad} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \left(A \ln \left(-\frac{1}{\sin(dx+c)} \left(-\sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sin(dx+c) + \cos(dx+c) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x)

[Out] $-1/d/a*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(A*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-B*\ln(-(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))+A*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c)))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.45452, size = 814, normalized size = 8.95

$$\left[\frac{\sqrt{2}(A-B)a\sqrt{-\frac{1}{a}} \log \left(-\frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}\cos(dx+c)\sin(dx+c)-3\cos(dx+c)^2-2\cos(dx+c)+1}{\cos(dx+c)^2+2\cos(dx+c)+1} \right) + 2A\sqrt{-a} \log \left(\frac{2a\cos(dx+c)^2+2\sqrt{-a}}{\dots} \right)}{2ad} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

```
[Out] [-1/2*(sqrt(2)*(A - B)*a*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 2*A*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)))/(a*d)
, (sqrt(2)*(A - B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*A*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/(a*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))/sqrt(a*(sec(c + d*x) + 1)), x)
```

Giac [B] time = 11.2814, size = 302, normalized size = 3.32

$$\frac{\sqrt{2}(A-B) \log\left(\left|\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}\right|\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{2A \log\left(\left|\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} - a(2\sqrt{2} + 3)\right|\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{2A \log\left(\left|\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} + a(2\sqrt{2} + 3)\right|\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \frac{1}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*(sqrt(2)*(A - B)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 2*A*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 2*A*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))/d
```

$$3.149 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=119

$$-\frac{(A-2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

[Out] -(((A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (A*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.229464, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4022, 3920, 3774, 203, 3795}

$$-\frac{(A-2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx)}{d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -(((A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a + a*Sec[c + d*x]]])/(Sqrt[a]*d) + (A*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d^n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{A\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{-\frac{1}{2}a(A-2B)+\frac{1}{2}aA\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{a} \\ &= \frac{A\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} - \frac{(A-2B)\int \sqrt{a+a\sec(c+dx)} dx}{2a} + (A-B)\int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx \\ &= \frac{A\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{(A-2B)\text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{d} - \frac{(A-B)\int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{2(A-B)} \\ &= -\frac{(A-2B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{A\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} \end{aligned}$$

Mathematica [C] time = 26.457, size = 10104, normalized size = 84.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] Result too large to show

Maple [B] time = 0.299, size = 353, normalized size = 3.

$$\frac{1}{2ad \sin(dx+c)} \left(A \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \sqrt{2} \operatorname{Artanh} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \sin(dx+c) - 2B \sqrt{2} \operatorname{Arctan} \left(\frac{\sqrt{2} \sin(dx+c)}{2 \cos(dx+c)} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x)

[Out] 1/2/d/a*(A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)-2*B*2^(1/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*A*cos(d*x+c)^2+2*A*cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \cos(dx+c)}{\sqrt{a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 3.14261, size = 1214, normalized size = 10.2

$$2 A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) - \sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \sqrt{-\frac{1}{a}} \log \left(\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c)}{\cos(dx+c)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="
fricas")
```

```
[Out] [1/2*(2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c)
- sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*log((2*sqrt(2)*s
qrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c)
+ 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c)
+ 1)) + ((A - 2*B)*cos(d*x + c) + A - 2*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2
+ 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x
+ c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)))/(a*d*cos(d*x + c) + a*d), (
A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + ((A -
2*B)*cos(d*x + c) + A - 2*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(
d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - sqrt(2)*((A - B)*a*cos(d*x
+ c) + (A - B)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*
cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos(c + dx)}{\sqrt{a} (\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)/sqrt(a*(sec(c + d*x) + 1)), x)
```

Giac [B] time = 11.2844, size = 531, normalized size = 4.46

$$\frac{\sqrt{2}(A-B)\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} + \frac{(A-2B)\log\left(\left(\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}+3)\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{(A-2B)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] 1/2*(sqrt(2)*(A - B)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + (A - 2*B)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (A - 2*B)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 4*sqrt(2)*(3*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a) - A*sqrt(-a)*a)/(((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.150 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=165

$$-\frac{(A-4B) \sin(c+dx)}{4d\sqrt{a \sec(c+dx)+a}} + \frac{(7A-4B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx) \cos(c+dx)}{2d\sqrt{a \sec(c+dx)+a}}$$

[Out] ((7*A - 4*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - ((A - 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.368799, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4022, 3920, 3774, 203, 3795}

$$-\frac{(A-4B) \sin(c+dx)}{4d\sqrt{a \sec(c+dx)+a}} + \frac{(7A-4B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx) \cos(c+dx)}{2d\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((7*A - 4*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) - ((A - 4*B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*m), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx &= \frac{A \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} + \frac{\int \frac{\cos(c+dx)\left(-\frac{1}{2}a(A-4B)+\frac{3}{2}aA \sec(c+dx)\right)}{\sqrt{a+a \sec(c+dx)}} dx}{2a} \\ &= -\frac{(A - 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{A \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} + \frac{\int \frac{\frac{1}{4}a^2(7A-4B)-\frac{1}{4}a^2(A-4B) \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\ &= -\frac{(A - 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{A \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} + \frac{(7A - 4B) \int \sqrt{a + a \sec(c + dx)}}{8a} \\ &= -\frac{(A - 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} + \frac{A \cos(c + dx) \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}} - \frac{(7A - 4B) \text{Subst}\left(\int \frac{1}{a + \sec^2(x)} dx\right)}{4} \\ &= \frac{(7A - 4B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{(A - 4B) \sin(c + dx)}{4d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.41544, size = 135, normalized size = 0.82

$$\frac{\tan(c + dx) \left(\cos(c + dx) \sqrt{1 - \sec(c + dx)} (2A \cos(c + dx) - A + 4B) + (7A - 4B) \tanh^{-1} \left(\sqrt{1 - \sec(c + dx)} \right) - 4\sqrt{2}(A - \right.}{4d\sqrt{1 - \sec(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (((7*A - 4*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]] - 4*Sqrt[2]*(A - B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + Cos[c + d*x]*(-A + 4*B + 2*A*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]]*Tan[c + d*x])/(4*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x]))]

Maple [B] time = 0.374, size = 717, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x)

[Out] 1/16/d/a*(7*A*sin(d*x+c)*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)-4*B*sin(d*x+c)*cos(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+8*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+7*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)-8*B*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-4*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)*sin(d*x+c)+8*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-8*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-8*A*cos(d*x+c)^4+12*A*cos(d*x+c)^3-16*B*cos(d*x+c)^3-4*A*cos(d*x+c)^2+16*B*cos(d*x+c)^2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/cos(d*x+c)/sin(d*x+c)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^2}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^2/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 5.70298, size = 1323, normalized size = 8.02

$$4 \sqrt{2}((A - B)a \cos(dx + c) + (A - B)a) \sqrt{-\frac{1}{a}} \log \left(-\frac{2 \sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} \cos(dx+c) \sin(dx+c) - 3 \cos(dx+c)^2 - 2 \cos(dx+c) + 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right) - ((7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/8*(4*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*log(-(2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) - 3*cos(d*x + c)^2 - 2*cos(d*x + c) + 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - ((7*A - 4*B)*cos(d*x + c) + 7*A - 4*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 2*(2*A*cos(d*x + c)^2 - (A - 4*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/(a*d*cos(d*x + c) + a*d), -1/4*(((7*A - 4*B)*cos(d*x + c) + 7*A - 4*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - (2*A*cos(d*x + c)^2 - (A - 4*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 4*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)))]

c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))/sqrt(a))/(a*d*cos(d*x + c) + a*d)
]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos^2(c + dx)}{\sqrt{a(\sec(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)**2/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [B] time = 11.5748, size = 876, normalized size = 5.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(4*\sqrt{2}*(A - B)*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/(\sqrt{-a}*sgn(\tan(1/2*d*x + 1/2*c)^2 - 1)) + (7*A \\ & - 4*B)*\log(\text{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*sgn(\tan(1/2*d*x + 1/2*c)^2 - 1)) \\ & - (7*A - 4*B)*\log(\text{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*sgn(\tan(1/2*d*x + 1/2*c)^2 - 1)) \\ & + 4*\sqrt{2}*(17*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{-a} - 12*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{-a} \\ & - 57*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*\sqrt{-a}*a + 76*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*\sqrt{-a} \\ & *a + 19*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{-a}*a^2 - 36*(\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*\sqrt{-a}*a^2 \\ & - 3*A*\sqrt{-a}*a^3 + 4*B*\sqrt{-a}*a^3)/(((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 \end{aligned}$$

$$\frac{-6(\sqrt{-a}\tan(1/2dx + 1/2c) - \sqrt{-a\tan(1/2dx + 1/2c)^2 + a})^2 + a^2 \operatorname{sgn}(\tan(1/2dx + 1/2c)^2 - 1)}{d}$$

$$3.151 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=206

$$\frac{(7A - 2B) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} - \frac{(9A - 14B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(A - 6B) \sin(c + dx)}{12d\sqrt{a \sec(c + dx)}}$$

[Out] -((9*A - 14*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((7*A - 2*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - ((A - 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.554567, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4022, 3920, 3774, 203, 3795}

$$\frac{(7A - 2B) \sin(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} - \frac{(9A - 14B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(A - 6B) \sin(c + dx)}{12d\sqrt{a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -((9*A - 14*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((7*A - 2*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) - ((A - 6*B)*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,

m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos^2(c+dx)\left(-\frac{1}{2}a(A-6B)+\frac{5}{2}aA\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{3a} \\
&= -\frac{(A-6B)\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos(c+dx)\left(\frac{3}{4}\right)}{\sqrt{a+a\sec(c+dx)}} dx}{3a} \\
&= \frac{(7A-2B)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{(A-6B)\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(7A-2B)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{(A-6B)\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(7A-2B)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} - \frac{(A-6B)\cos(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(9A-14B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8\sqrt{ad}} + \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{(7A-2B)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.675438, size = 150, normalized size = 0.73

$$\frac{\tan(c+dx)\left(\cos(c+dx)\sqrt{1-\sec(c+dx)}\left(-2(A-6B)\cos(c+dx)+8A\cos^2(c+dx)+21A-6B\right)+(42B-27A)\tanh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\right)}{24d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (((-27*A + 42*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]] + 24*Sqrt[2]*(A - B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] + Cos[c + d*x]*(21*A - 6*B - 2*(A - 6*B)*Cos[c + d*x] + 8*A*Cos[c + d*x]^2)*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(24*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.312, size = 1067, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x)

[Out] 1/192/d/a*(27*A*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)-42*B*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+54*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)+48*A*sin(d*x+c)*cos(d*x+c)^2*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)-84*B*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)-48*B*sin(d*x+c)*cos(d*x+c)^2*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)+27*A*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)+96*A*sin(d*x+c)*cos(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)-42*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*x+c)-96*B*sin(d*x+c)*cos(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)+48*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-48*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-64*A*cos(d*x+c)^6+80*A*cos(d*x+c)^5-96*B*cos(d*x+c)^5-184*A*cos(d*x+c)^4+144*B*cos(d*x+c)^4+168*A*cos(d*x+c)^3-48*B*cos(d*x+c)^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^2

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^3}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^3/sqrt(a*sec(d*x + c) + a), x)

Fricas [A] time = 5.72163, size = 1426, normalized size = 6.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/48*(24*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*log((2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*cos(d*x + c)*sin(d*x + c) + 3*cos(d*x + c)^2 + 2*cos(d*x + c) - 1)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 3*((9*A - 14*B)*cos(d*x + c) + 9*A - 14*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 2*(8*A*cos(d*x + c)^3 - 2*(A - 6*B)*cos(d*x + c)^2 + 3*(7*A - 2*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d), 1/24*(3*((9*A - 14*B)*cos(d*x + c) + 9*A - 14*B)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + (8*A*cos(d*x + c)^3 - 2*(A - 6*B)*cos(d*x + c)^2 + 3*(7*A - 2*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c) - 24*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [B] time = 11.9008, size = 1142, normalized size = 5.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm
="giac")
```

```
[Out] 1/48*(24*sqrt(2)*(A - B)*log((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 3*(9*A - 14*B)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - 3*(9*A - 14*B)*log(abs((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/(sqrt(-a)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + 4*sqrt(2)*(165*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*sqrt(-a) - 102*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*sqrt(-a) - 1323*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*A*sqrt(-a)*a + 954*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^8*B*sqrt(-a)*a + 3906*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(-a)*a^2 - 2268*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(-a)*a^2 - 2118*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*sqrt(-a)*a^3 + 1044*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*sqrt(-a)*a^3 + 393*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(-a)*a^4 - 222*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*sqrt(-a)*a^4 - 31*A*sqrt(-a)*a^5 + 18*B*sqrt(-a)*a^5)/(((sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(-a)*tan(1/2*d*x + 1/2*c) - sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```

$$3.152 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=216

$$\frac{(11A - 15B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(35A - 39B) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{30a^2d} + \frac{(A - B) \tan(c+dx) \sec^3(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] ((11*A - 15*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((65*A - 93*B)*Tan[c + d*x])/(15*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((5*A - 9*B)*Sec[c + d*x]^2*Tan[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((35*A - 39*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(30*a^2*d)

Rubi [A] time = 0.632908, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 4021, 4010, 4001, 3795, 203}

$$\frac{(11A - 15B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(35A - 39B) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{30a^2d} + \frac{(A - B) \tan(c+dx) \sec^3(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((11*A - 15*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((65*A - 93*B)*Tan[c + d*x])/(15*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((5*A - 9*B)*Sec[c + d*x]^2*Tan[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((35*A - 39*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(30*a^2*d)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m

$-n + 1) + A*b*(m + n)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_1}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})*\text{Simp}[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4010

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_1}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*B*(m + 1) + (A*b*(m + 2) - a*B)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_1}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1))/(b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /;$ FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

$\text{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] :> \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sec^3(c+dx)\left(3a(A-B)-\frac{1}{2}a(5A-9B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(5A-9B)\sec^2(c+dx)\tan(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sec^4(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(5A-9B)\sec^2(c+dx)\tan(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} + \frac{(35A-9B)\sec^2(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(65A-93B)\tan(c+dx)}{15ad\sqrt{a+a\sec(c+dx)}} - \frac{(5A-9B)\sec^2(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(65A-93B)\tan(c+dx)}{15ad\sqrt{a+a\sec(c+dx)}} - \frac{(5A-9B)\sec^2(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(11A-15B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(65A-93B)\tan(c+dx)}{15ad\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.37172, size = 160, normalized size = 0.74

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}\left(4(5A-3B)\sec^2(c+dx)-12(5A-9B)\sec(c+dx)-95A+12B\sec^3(c+dx)+147B\right)+30d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{3/2}\right)}{30d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((15*sqrt(2)*(11*A - 15*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/sqrt(2)]*Cos[(c + d*x)/2]^2*Sec[c + d*x] + Sqrt[1 - Sec[c + d*x]]*(-95*A + 147*B - 12*(5*A - 9*B)*Sec[c + d*x] + 4*(5*A - 3*B)*Sec[c + d*x]^2 + 12*B*Sec[c + d*x]^3))*Tan[c + d*x]/(30*d*sqrt(1 - Sec[c + d*x])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.299, size = 793, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^4*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{3/2},x)$

[Out]
$$\begin{aligned} & -1/240/d/a^2*(-1+\cos(dx+c))*(165*A*\sin(dx+c)*\cos(dx+c)^3*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}-225*B*\sin(dx+c)*\cos(dx+c)^3*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}+495*A*\sin(dx+c)*\cos(dx+c)^2*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}-675*B*\sin(dx+c)*\cos(dx+c)^2*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}+495*A*\sin(dx+c)*\cos(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}-675*B*\sin(dx+c)*\cos(dx+c)*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}+165*A*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\sin(dx+c)-225*B*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\sin(dx+c)+760*A*\cos(dx+c)^4-1176*B*\cos(dx+c)^4-280*A*\cos(dx+c)^3+312*B*\cos(dx+c)^3-640*A*\cos(dx+c)^2+960*B*\cos(dx+c)^2+160*A*\cos(dx+c)-192*B*\cos(dx+c)+96*B)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^3/\cos(dx+c)^2 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^4*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{3/2},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.610318, size = 1315, normalized size = 6.09

$$\left[\frac{15\sqrt{2}((11A - 15B)\cos(dx + c)^4 + 2(11A - 15B)\cos(dx + c)^3 + (11A - 15B)\cos(dx + c)^2)\sqrt{-a}\log\left(-\frac{2\sqrt{2}\sqrt{-a}\sqrt{\frac{a\cos(dx + c) + a}{\cos(dx + c)}}}{\cos(dx + c)}\right)}{120(a^2d\cos(dx + c)^4 + 2a^2d\cos(dx + c)^3 + a^2d\cos(dx + c)^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/120*(15*sqrt(2)*((11*A - 15*B)*cos(d*x + c)^4 + 2*(11*A - 15*B)*cos(d*x + c)^3 + (11*A - 15*B)*cos(d*x + c)^2)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((95*A - 147*B)*cos(d*x + c)^3 + 12*(5*A - 9*B)*cos(d*x + c)^2 - 4*(5*A - 3*B)*cos(d*x + c) - 12*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2), -1/60*(15*sqrt(2)*((11*A - 15*B)*cos(d*x + c)^4 + 2*(11*A - 15*B)*cos(d*x + c)^3 + (11*A - 15*B)*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((95*A - 147*B)*cos(d*x + c)^3 + 12*(5*A - 9*B)*cos(d*x + c)^2 - 4*(5*A - 3*B)*cos(d*x + c) - 12*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^4(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**4/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 9.68822, size = 421, normalized size = 1.95

$$\frac{15\sqrt{2}(11A-15B)\log\left(-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{-a}\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\left(\left(\frac{15\sqrt{2}(Aa^3-Ba^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\sqrt{2}(245Aa^3-381Ba^3)}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + \frac{\sqrt{2}(245Aa^3-381Ba^3)}{a^2\operatorname{sgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)}\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-a\right)^2}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] 1/60*(15*sqrt(2)*(11*A - 15*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (((15*sqrt(2)*(A*a^3 - B*a^3)*tan(1/2*d*x + 1/2*c)^2/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(245*A*a^3 - 381*B*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))))*tan(1/2*d*x + 1/2*c)^2 + 5*sqrt(2)*(73*A*a^3 - 105*B*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2 - 15*sqrt(2)*(9*A*a^3 - 17*B*a^3)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)^2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/d

$$3.153 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=171

$$-\frac{(7A-11B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(3A-7B) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{6a^2d} + \frac{(A-B) \tan(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} + \dots$$

[Out] -((7*A - 11*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^2*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((9*A - 13*B)*Tan[c + d*x])/(3*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((3*A - 7*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(6*a^2*d)

Rubi [A] time = 0.461061, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4019, 4010, 4001, 3795, 203}

$$-\frac{(7A-11B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(3A-7B) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{6a^2d} + \frac{(A-B) \tan(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((7*A - 11*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^2*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((9*A - 13*B)*Tan[c + d*x])/(3*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((3*A - 7*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(6*a^2*d)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt

Q[n, 0]

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Cs
c[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Cs
c[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,
0] && !LtQ[m, -1]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sec^2(c+dx)\left(2a(A-B)-\frac{1}{2}a(3A-7B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3A-7B)\sqrt{a+a\sec(c+dx)}\tan(c+dx)}{6a^2d} + \\
&= \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(9A-13B)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}} - \frac{(3A-7B)\sqrt{a+a\sec(c+dx)}}{6a^2d} \\
&= \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(9A-13B)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}} - \frac{(3A-7B)\sqrt{a+a\sec(c+dx)}}{6a^2d} \\
&= -\frac{(7A-11B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(9A-13B)\tan(c+dx)}{3ad\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.36585, size = 141, normalized size = 0.82

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}\left(12(A-B)\sec(c+dx)+15A+4B\sec^2(c+dx)-19B\right)-3\sqrt{2}(7A-11B)\cos^2\left(\frac{1}{2}(c+dx)\right)\right)}{6d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((-3*Sqrt[2]*(7*A - 11*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sec[c + d*x] + Sqrt[1 - Sec[c + d*x]]*(15*A - 19*B + 12*(A - B)*Sec[c + d*x] + 4*B*Sec[c + d*x]^2))*Tan[c + d*x]/(6*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.26, size = 603, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x)


```
[Out] -1/24/d/a^2*(-1+cos(d*x+c))*(21*A*sin(d*x+c)*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-33*B*sin(d*x+c)*cos(d*x+c)^2*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+42*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))-66*B*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))+21*A*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-33*B*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*sin(d*x+c)-60*A*cos(d*x+c)^3+76*B*cos(d*x+c)^3+12*A*cos(d*x+c)^2-28*B*cos(d*x+c)^2+48*A*cos(d*x+c)-64*B*cos(d*x+c)+16*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^3/cos(d*x+c)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.591592, size = 1189, normalized size = 6.95

$$\left[\frac{3\sqrt{2}((7A-11B)\cos(dx+c)^3 + 2(7A-11B)\cos(dx+c)^2 + (7A-11B)\cos(dx+c))\sqrt{-a} \log\left(\frac{2\sqrt{2}\sqrt{-a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}}{\cos(dx+c)}\right)}{24(a^2d\cos(dx+c))^3 + \dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [1/24*(3*sqrt(2)*((7*A - 11*B)*cos(d*x + c)^3 + 2*(7*A - 11*B)*cos(d*x + c)
^2 + (7*A - 11*B)*cos(d*x + c))*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos
s(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^
2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((15*A
- 19*B)*cos(d*x + c)^2 + 12*(A - B)*cos(d*x + c) + 4*B)*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x
+ c)^2 + a^2*d*cos(d*x + c)), 1/12*(3*sqrt(2)*((7*A - 11*B)*cos(d*x + c)^3
+ 2*(7*A - 11*B)*cos(d*x + c)^2 + (7*A - 11*B)*cos(d*x + c))*sqrt(a)*arcta
n(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin
(d*x + c))) + 2*((15*A - 19*B)*cos(d*x + c)^2 + 12*(A - B)*cos(d*x + c) + 4
*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x +
c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2), x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/(a*(sec(c + d*x) + 1))**(3/2)
, x)
```

Giac [A] time = 9.4651, size = 400, normalized size = 2.34

$$\left(\frac{3 \left(\sqrt{2} A \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - \sqrt{2} B \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a} - \frac{2 \left(15 \sqrt{2} A \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - 23 \sqrt{2} B \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right)}{a} \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + \frac{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right) \sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a}}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right) \sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a}}$$

12d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x, algorithm
="giac")
```

```
[Out] 1/12*(((3*(sqrt(2)*A*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*B*a*sgn(ta
n(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a - 2*(15*sqrt(2)*A*a*sgn
```

$$\begin{aligned} & (\tan(1/2*d*x + 1/2*c)^2 - 1) - 23*\sqrt{2}*B*a*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - \\ & 1))/a)*\tan(1/2*d*x + 1/2*c)^2 + 27*(\sqrt{2}*A*a*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 \\ & - 1) - \sqrt{2}*B*a*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))/a)*\tan(1/2*d*x + 1/2*c) \\ & /((a*\tan(1/2*d*x + 1/2*c)^2 - a)*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}) - 3*(\\ & 7*\sqrt{2}*A - 11*\sqrt{2}*B)*\log(\text{abs}(-\sqrt{-a})*\tan(1/2*d*x + 1/2*c) + \sqrt{- \\ & a*\tan(1/2*d*x + 1/2*c)^2 + a}))/(\sqrt{-a}*a*\text{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) \\ &))/d \end{aligned}$$

$$3.154 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=118

$$\frac{(3A-7B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} + \frac{2B \tan(c+dx)}{ad\sqrt{a \sec(c+dx)+a}}$$

[Out] ((3*A - 7*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (2*B*Tan[c + d*x])/(a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.258882, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4008, 4001, 3795, 203}

$$\frac{(3A-7B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} + \frac{2B \tan(c+dx)}{ad\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((3*A - 7*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (2*B*Tan[c + d*x])/(a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4001

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a

+ b*Csc[e + f*x]^(m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\sec(c+dx)\left(-\frac{3}{2}a(A-B)-2aB\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\ &= -\frac{(A-B)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{2B\tan(c+dx)}{ad\sqrt{a+a\sec(c+dx)}} + \frac{(3A-7B)\int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}}}{4a} \\ &= -\frac{(A-B)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{2B\tan(c+dx)}{ad\sqrt{a+a\sec(c+dx)}} - \frac{(3A-7B)\text{Subst}\left(\int \frac{1}{2a+x^2}\right)}{2aa} \\ &= \frac{(3A-7B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{2B\tan(c+dx)}{ad\sqrt{a+a\sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.750288, size = 125, normalized size = 1.06

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}(-A+4B\sec(c+dx)+5B)+\sqrt{2}(3A-7B)\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\tanh^{-1}\left(\frac{\sqrt{1-\sec(c+dx)}}{\sqrt{2}}\right)\right)}{2d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((Sqrt[2]*(3*A - 7*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Sec[c + d*x] + Sqrt[1 - Sec[c + d*x]]*(-A + 5*B + 4*B*Sec[c + d*x]))*Tan[c + d*x]/(2*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.241, size = 405, normalized size = 3.4

$$-\frac{-1 + \cos(dx + c)}{4da^2(\sin(dx + c))^3} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(3A \sin(dx + c) \cos(dx + c) \ln \left(-\frac{1}{\sin(dx + c)} \left(-\sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sin(dx + c) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x)

[Out] -1/4/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(3*A*sin(d*x+c)*cos(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-7*B*sin(d*x+c)*cos(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+3*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-7*B*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1)))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*A*cos(d*x+c)^2-10*B*cos(d*x+c)^2-2*A*cos(d*x+c)+2*B*cos(d*x+c)+8*B)/sin(d*x+c)^3

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [A] time = 0.575898, size = 1003, normalized size = 8.5

$$\left[\frac{\sqrt{2} \left((3A - 7B) \cos(dx + c)^2 + 2(3A - 7B) \cos(dx + c) + 3A - 7B \right) \sqrt{-a} \log \left(\frac{2\sqrt{2}\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) - 3a}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{8 \left(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [1/8*(sqrt(2)*((3*A - 7*B)*cos(d*x + c)^2 + 2*(3*A - 7*B)*cos(d*x + c) + 3*A - 7*B)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((A - 5*B)*cos(d*x + c) - 4*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((3*A - 7*B)*cos(d*x + c)^2 + 2*(3*A - 7*B)*cos(d*x + c) + 3*A - 7*B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((A - 5*B)*cos(d*x + c) - 4*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [A] time = 9.31143, size = 257, normalized size = 2.18

$$\frac{\left(\frac{\sqrt{2}(Aa^2 - Ba^2) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^3 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{\sqrt{2}(Aa^2 - 9Ba^2)}{a^3 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}} - \frac{\sqrt{2}(3A - 7B) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right|\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

$4d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] -1/4*((sqrt(2)*(A*a^2 - B*a^2)*tan(1/2*d*x + 1/2*c)^2/(a^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(A*a^2 - 9*B*a^2)/(a^3*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c)/sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a) - sqrt(2)*(3*A - 7*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```


$$3.155 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=87

$$\frac{(A+3B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] ((A + 3*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.121754, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4000, 3795, 203}

$$\frac{(A+3B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2),x]

[Out] ((A + 3*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4000

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[

$a + b \cdot \text{Csc}[e + f \cdot x]]], x] /; \text{FreeQ}\{a, b, e, f, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a + b \cdot (x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTan}[(\text{Rt}[b, 2] \cdot x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \frac{(A-B)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A+3B) \int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{4a} \\ &= \frac{(A-B)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(A+3B) \text{Subst}\left(\int \frac{1}{2a+x^2} dx, x, -\frac{a\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{2ad} \\ &= \frac{(A+3B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B)\tan(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.79939, size = 127, normalized size = 1.46

$$\frac{2(A-B)\sin(c+dx)\sqrt{1-\sec(c+dx)} + 2\sqrt{2}(A+3B)\cos^2\left(\frac{1}{2}(c+dx)\right)\tan(c+dx)\tanh^{-1}\left(\frac{\sqrt{1-\sec(c+dx)}}{\sqrt{2}}\right)}{4ad(\cos(c+dx)+1)\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (2*(A - B)*Sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 2*Sqrt[2]*(A + 3*B)*ArcTan[h[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^2*Tan[c + d*x]]/(4*a*d*(1 + Cos[c + d*x]))*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.19, size = 402, normalized size = 4.6

$$\frac{1}{4da^2(\cos(dx+c)+1)\sin(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(A\sin(dx+c)\cos(dx+c)\ln\left(-\frac{1}{\sin(dx+c)}\left(-\sqrt{-2}\frac{\cos(dx+c)}{\cos(dx+c)}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x)`

[Out] $\frac{1}{4} \frac{d}{a^2} (a \cos(dx+c) + 1) / \cos(dx+c)^{1/2} (A \sin(dx+c) \cos(dx+c) \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c))$
 $\cdot (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} + 3B \sin(dx+c) \cos(dx+c) \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c))$
 $\cdot (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} + A \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c))$
 $\cdot (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + 3B \ln(-(-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c))$
 $\cdot (-2 \cos(dx+c) / (\cos(dx+c) + 1))^{1/2} \sin(dx+c) - 2A \cos(dx+c)^2 + 2B \cos(dx+c)^2 + 2A \cos(dx+c) - 2B \cos(dx+c)) / (\cos(dx+c) + 1) / \sin(dx+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(a*sec(d*x + c) + a)^(3/2), x)`

Fricas [B] time = 0.57218, size = 957, normalized size = 11.

$$\left[\frac{4(A-B) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \cos(dx+c) \sin(dx+c) - \sqrt{2} \left((A+3B) \cos(dx+c)^2 + 2(A+3B) \cos(dx+c) + A+3B \right) \sqrt{\dots}}{8(a^2 d \cos(dx+c)^2 + 2a^2 d \cos(dx+c) + a^2 d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")`

```
[Out] [1/8*(4*(A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((A + 3*B)*cos(d*x + c)^2 + 2*(A + 3*B)*cos(d*x + c) + A + 3*B)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(2*(A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((A + 3*B)*cos(d*x + c)^2 + 2*(A + 3*B)*cos(d*x + c) + A + 3*B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))]/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2), x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(a*(sec(c + d*x) + 1))**(3/2), x)
```

Giac [B] time = 9.22598, size = 208, normalized size = 2.39

$$\frac{(\sqrt{2}A+3\sqrt{2}B)\log\left(\left|-\sqrt{-a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{\sqrt{-a}\operatorname{asgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)} - \frac{\left(\sqrt{2}A\operatorname{asgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)-\sqrt{2}B\operatorname{asgn}\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)\right)\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}}{a^3}$$

4d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x, algorithm="giac")
```

```
[Out] 1/4*((sqrt(2)*A + 3*sqrt(2)*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - (sqrt(2)*A*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*B*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*tan(1/2*d*x + 1
```

$$/2*c)/a^3)/d$$

$$3.156 \quad \int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=127

$$-\frac{(5A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A-B) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) - ((5*A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.181414, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3922, 3920, 3774, 203, 3795}

$$-\frac{(5A-B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A-B) \tan(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) - ((5*A - B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Tan[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{\int \frac{-2aA + \frac{1}{2}a(A-B) \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a^2} - \frac{(5A - B) \int \frac{\sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{4a} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} - \frac{(2A) \operatorname{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{ad} + \frac{(5A - B) \operatorname{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{ad} \\ &= \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{a^{3/2}d} - \frac{(5A - B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \tan(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} \end{aligned}$$

Mathematica [C] time = 26.548, size = 10115, normalized size = 79.65

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(3/2), x]

[Out] Result too large to show

Maple [B] time = 0.201, size = 554, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x)

[Out]
$$-1/4/d/a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(4*A*2^{1/2}*\sin(d*x+c)*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))+4*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*2^{1/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*\sin(d*x+c)+5*A*\sin(d*x+c)*\cos(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}-B*\sin(d*x+c)*\cos(d*x+c)*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}+5*A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-B*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-2*A*\cos(d*x+c)^2+2*B*\cos(d*x+c)^2+2*A*\cos(d*x+c)-2*B*\cos(d*x+c))/(\cos(d*x+c)+1)/\sin(d*x+c)$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(3/2), x)

Fricas [B] time = 7.62681, size = 1416, normalized size = 11.15

$$\left[\frac{4(A-B)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\cos(dx+c)\sin(dx+c) - \sqrt{2}\left((5A-B)\cos(dx+c)^2 + 2(5A-B)\cos(dx+c) + 5A-B\right)\sqrt{\dots}}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/8*(4*(A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((5*A - B)*cos(d*x + c)^2 + 2*(5*A - B)*cos(d*x + c) + 5*A - B)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 8*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(2*(A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - sqrt(2)*((5*A - B)*cos(d*x + c)^2 + 2*(5*A - B)*cos(d*x + c) + 5*A - B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 8*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [B] time = 11.3232, size = 417, normalized size = 3.28

$$\frac{\sqrt{2}(5A-B) \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{8A \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - a(2\sqrt{2}+3)\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{8A \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - a(2\sqrt{2}-3)\right)}{\sqrt{-a} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(\sqrt{2}*(5*A - B)*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + 8* \\ & A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - \\ & 8*A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) \\ & - 2*(\sqrt{2}*A*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) - \sqrt{2}*B*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1))*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*\tan(1/2*d*x + 1/2*c)/a^3)/d \end{aligned}$$

$$3.157 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=170

$$-\frac{(3A-2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(9A-5B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3A-B) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(A-B) \sin(c+dx)}{2d(a \sec(c+dx)+a)}$$

[Out] -(((3*A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(3/2)*d) + ((9*A - 5*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*A - B)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.405304, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$-\frac{(3A-2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(9A-5B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3A-B) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}} - \frac{(A-B) \sin(c+dx)}{2d(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -(((3*A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(3/2)*d) + ((9*A - 5*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((3*A - B)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos(c+dx)\left(a(3A-B)-\frac{3}{2}a(A-B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A-B)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A-B)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{-a^2(3A-2B)+\frac{1}{2}a^2(3A-B)\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^3} \\
&= -\frac{(A-B)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A-B)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{(9A-5B)\int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{4a} \\
&= -\frac{(A-B)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A-B)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{(9A-5B)\text{Subst}\left(\int \frac{1}{2a+x} dx\right)}{2a} \\
&= -\frac{(3A-2B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{3/2}d} + \frac{(9A-5B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 26.727, size = 10898, normalized size = 64.11

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] Result too large to show

Maple [B] time = 0.279, size = 713, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x)

[Out]
$$\begin{aligned}
& -1/4/d/a^2*(-1+\cos(d*x+c))*(6*A*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*(-2*\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
&)*\sin(d*x+c)/\cos(d*x+c))-4*B*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*(-2*\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))
\end{aligned}$$

$$\begin{aligned} & \left(\frac{1}{2}\right) \sin(dx+c) / \cos(dx+c) + 9A \sin(dx+c) \cos(dx+c) \ln\left(-\left(-\left(-2\cos(dx+c)\right) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c) \right) \cdot \left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} + 6A \cdot \left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \cdot 2^{\frac{1}{2}} \cdot \operatorname{arctanh}\left(\frac{1}{2} \cdot 2^{\frac{1}{2}} \cdot \left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \cdot \sin(dx+c) / \cos(dx+c)\right) \cdot \sin(dx+c) - 5B \sin(dx+c) \cos(dx+c) \ln\left(-\left(-\left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c)\right) \cdot \left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} - 4B \cdot 2^{\frac{1}{2}} \cdot \operatorname{arctanh}\left(\frac{1}{2} \cdot 2^{\frac{1}{2}} \cdot \left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \cdot \sin(dx+c) / \cos(dx+c)\right) \cdot \left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \cdot \sin(dx+c) + 9A \ln\left(-\left(-\left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c)\right) \cdot \left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \cdot \sin(dx+c) - 4A \cos(dx+c)^3 - 5B \ln\left(-\left(-\left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \sin(dx+c) + \cos(dx+c) - 1\right) / \sin(dx+c)\right) \cdot \left(-2\cos(dx+c) / \left(\cos(dx+c)+1\right)\right)^{\frac{1}{2}} \cdot \sin(dx+c) - 2A \cos(dx+c)^2 + 2B \cos(dx+c)^2 + 6A \cos(dx+c) - 2B \cos(dx+c)\right) \cdot \left(a \cdot \left(\cos(dx+c)+1\right) / \cos(dx+c)\right)^{\frac{1}{2}} / \sin(dx+c)^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \cos(dx+c)}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+a*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*cos(dx+c)/(a*sec(dx+c) + a)^(3/2), x)

Fricas [A] time = 9.97088, size = 1575, normalized size = 9.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+a*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] [1/8*(sqrt(2))*((9*A - 5*B)*cos(dx+c)^2 + 2*(9*A - 5*B)*cos(dx+c) + 9*A - 5*B)*sqrt(-a)*log(-2*sqrt(2)*sqrt(-a)*sqrt((a*cos(dx+c) + a)/cos(dx+c)))*cos(dx+c)*sin(dx+c) - 3*a*cos(dx+c)^2 - 2*a*cos(dx+c) +

$$\frac{a}{(\cos(dx + c)^2 + 2\cos(dx + c) + 1)} + 4((3A - 2B)\cos(dx + c)^2 + 2(3A - 2B)\cos(dx + c) + 3A - 2B)\sqrt{-a}\log((2a\cos(dx + c)^2 + 2\sqrt{-a}\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)})\cos(dx + c)\sin(dx + c) + a\cos(dx + c) - a)/(\cos(dx + c) + 1)) + 4(2A\cos(dx + c)^2 + (3A - B)\cos(dx + c))\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c)/ (a^2d\cos(dx + c)^2 + 2a^2d\cos(dx + c) + a^2d), -1/4(\sqrt{2}((9A - 5B)\cos(dx + c)^2 + 2(9A - 5B)\cos(dx + c) + 9A - 5B)\sqrt{a}\arctan(\sqrt{2}\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\cos(dx + c)/(\sqrt{a}\sin(dx + c))) - 4((3A - 2B)\cos(dx + c)^2 + 2(3A - 2B)\cos(dx + c) + 3A - 2B)\sqrt{a}\arctan(\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\cos(dx + c)/(\sqrt{a}\sin(dx + c))) - 2(2A\cos(dx + c)^2 + (3A - B)\cos(dx + c))\sqrt{(a\cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c))/(a^2d\cos(dx + c)^2 + 2a^2d\cos(dx + c) + a^2d)]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+a*sec(dx+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)/(a*(sec(c + d*x) + 1))**(3/2), x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+a*sec(dx+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.158 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=221

$$\frac{(19A - 12B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A - 9B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A - 6B) \sin(c+dx)}{4ad\sqrt{a \sec(c+dx)+a}} + \frac{(2A - B) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}}$$

[Out] ((19*A - 12*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*a^(3/2)*d) - ((13*A - 9*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((7*A - 6*B)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((2*A - B)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.583225, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$\frac{(19A - 12B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A - 9B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A - 6B) \sin(c+dx)}{4ad\sqrt{a \sec(c+dx)+a}} + \frac{(2A - B) \sin(c+dx)}{2ad\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((19*A - 12*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*a^(3/2)*d) - ((13*A - 9*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((7*A - 6*B)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((2*A - B)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x]]], x]

$f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0]$
 $\&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

Rule 4022

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(B_.) + (A_.)], x_Symbol] \text{:>} \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*A*m - b*B*n - A*b*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, 0]$

Rule 3920

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.) + (c_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[c/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(b*c - a*d)/a, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[c_.] + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/\text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x_Symbol] \text{:>} \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rule 3795

$\text{Int}[\text{csc}[e_.] + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos^2(c+dx)\left(2a(2A-B)-\frac{5}{2}a(A-B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(2A-B)\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{2a} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A-6B)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} + \frac{(2A-B)\cos(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A-6B)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} + \frac{(2A-B)\cos(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(7A-6B)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} + \frac{(2A-B)\cos(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(19A-12B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4a^{3/2}d} - \frac{(13A-9B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\cos(c+dx)}{2a}
\end{aligned}$$

Mathematica [C] time = 2.28628, size = 395, normalized size = 1.79

$$\frac{\sec(c+dx)\left(-40A\sqrt{1-\sec(c+dx)}(\sin(c+dx)+\tan(c+dx))\text{Hypergeometric2F1}\left(\frac{1}{2},3,\frac{3}{2},1-\sec(c+dx)\right)+(91A-12B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)-(13A-9B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)-\frac{(A-B)\cos(c+dx)}{2a}\right)}{4a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Sec[c + d*x]*(-52*sqrt[2]*A*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Sin[c + d*x] + 36*sqrt[2]*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Sin[c + d*x] - 13*A*sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 24*B*sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + 18*A*cos[c + d*x]^2*sqrt[1 - Sec[c + d*x]]*Sin[c + d*x] + (13*A*sqrt[1 - Sec[c + d*x]]*Sin[2*(c + d*x)])/2 + 8*B*sqrt[1 - Sec[c + d*x]]*Sin[2*(c + d*x)] - 52*sqrt[2]*A*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Tan[c + d*x] + 36*sqrt[2]*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Tan[c + d*x] + (91*A - 48*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]]*(Sin[c + d*x] + Tan[c + d*x]) - 40*A*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]]*sqrt[1 - Sec[c + d*x]]*(Sin[c + d*x] + Tan[c + d*x]))/(16*d*sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.333, size = 1075, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2(A+B\sec(dx+c)) / (a+a\sec(dx+c))^{3/2}, x)$

[Out]
$$\begin{aligned} & -1/16/d/a^2*(-1+\cos(dx+c))*(19*A*\sin(dx+c)*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))-12*B*\sin(dx+c)*\cos(dx+c)^2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))+26*A*\sin(dx+c)*\cos(dx+c)^2*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))+38*A*\sin(dx+c)*\cos(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}-18*B*\sin(dx+c)*\cos(dx+c)^2*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))-24*B*\sin(dx+c)*\cos(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}+52*A*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))+19*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*\sin(dx+c)-36*B*\cos(dx+c)*\sin(dx+c)*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))-12*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\operatorname{arctanh}(1/2*2^{1/2}*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)/\cos(dx+c))*2^{1/2}*\sin(dx+c)+26*A*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)-8*A*\cos(dx+c)^5-18*B*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\ln(-(-2*\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+\cos(dx+c)-1)/\sin(dx+c))*\sin(dx+c)+20*A*\cos(dx+c)^4-16*B*\cos(dx+c)^4+16*A*\cos(dx+c)^3-8*B*\cos(dx+c)^3-28*A*\cos(dx+c)^2+24*B*\cos(dx+c)^2*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}/\sin(dx+c)^3/\cos(dx+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \cos(dx+c)^2}{(a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^2/(a*sec(d*x + c) + a)^(3/2), x
)
```

Fricas [A] time = 14.6731, size = 1673, normalized size = 7.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm
="fricas")
```

```
[Out] [1/8*(sqrt(2)*((13*A - 9*B)*cos(d*x + c)^2 + 2*(13*A - 9*B)*cos(d*x + c) +
13*A - 9*B)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(
d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c)
- a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + ((19*A - 12*B)*cos(d*x + c)^
2 + 2*(19*A - 12*B)*cos(d*x + c) + 19*A - 12*B)*sqrt(-a)*log((2*a*cos(d*x +
c)^2 - 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin
(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 2*(2*A*cos(d*x + c)^3
- (3*A - 4*B)*cos(d*x + c)^2 - (7*A - 6*B)*cos(d*x + c))*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*
x + c) + a^2*d), 1/4*(sqrt(2)*((13*A - 9*B)*cos(d*x + c)^2 + 2*(13*A - 9*B)
*cos(d*x + c) + 13*A - 9*B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a
)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - ((19*A - 12*B)*cos(d
*x + c)^2 + 2*(19*A - 12*B)*cos(d*x + c) + 19*A - 12*B)*sqrt(a)*arctan(sqrt
((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) +
(2*A*cos(d*x + c)^3 - (3*A - 4*B)*cos(d*x + c)^2 - (7*A - 6*B)*cos(d*x + c)
)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)
^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)**2/(a*(sec(c + d*x) + 1))**(3/2), x)
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.159 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=268

$$-\frac{(47A-38B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8a^{3/2}d} + \frac{(17A-13B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{7(3A-2B) \sin(c+dx)}{8ad\sqrt{a \sec(c+dx)+a}} + \frac{(5A-3B) \sin(c+dx)}{6ad\sqrt{a \sec(c+dx)+a}}$$

```
[Out] -((47*A - 38*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8
*a^(3/2)*d) + ((17*A - 13*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a
+ a*Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Cos[c + d*x]^2*Sin[c
+ d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (7*(3*A - 2*B)*Sin[c + d*x])/(8*
a*d*Sqrt[a + a*Sec[c + d*x]]) - ((13*A - 12*B)*Cos[c + d*x]*Sin[c + d*x])/(
12*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A - 3*B)*Cos[c + d*x]^2*Sin[c + d*x]
)/(6*a*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.779661, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$-\frac{(47A-38B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8a^{3/2}d} + \frac{(17A-13B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{7(3A-2B) \sin(c+dx)}{8ad\sqrt{a \sec(c+dx)+a}} + \frac{(5A-3B) \sin(c+dx)}{6ad\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]
```

```
[Out] -((47*A - 38*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8
*a^(3/2)*d) + ((17*A - 13*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[2]*Sqrt[a
+ a*Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Cos[c + d*x]^2*Sin[c
+ d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + (7*(3*A - 2*B)*Sin[c + d*x])/(8*
a*d*Sqrt[a + a*Sec[c + d*x]]) - ((13*A - 12*B)*Cos[c + d*x]*Sin[c + d*x])/(
12*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((5*A - 3*B)*Cos[c + d*x]^2*Sin[c + d*x]
)/(6*a*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
```

1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos^3(c+dx)\left(a(5A-3B)-\frac{7}{2}a(A-B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(5A-3B)\cos^2(c+dx)\sin(c+dx)}{6ad\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\cos^3(c+dx)\left(a(5A-3B)-\frac{7}{2}a(A-B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(13A-12B)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} + \frac{(5A-3B)\cos^2(c+dx)\sin(c+dx)}{6ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{7(3A-2B)\sin(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} - \frac{(13A-12B)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{7(3A-2B)\sin(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} - \frac{(13A-12B)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{7(3A-2B)\sin(c+dx)}{8ad\sqrt{a+a\sec(c+dx)}} - \frac{(13A-12B)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(47A-38B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8a^{3/2}d} + \frac{(17A-13B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(13A-12B)\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.14309, size = 502, normalized size = 1.87

$$\frac{A(\sec(c+dx)+1)^{3/2} \left(\frac{336 \tan(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{2}, 1 - \sec(c+dx)\right)}{d\sqrt{\sec(c+dx)+1}} + \frac{17 \tan(c+dx) \left(-8 \cos^3(c+dx)\sqrt{1-\sec(c+dx)} + 2 \cos^2(c+dx)\sqrt{1-\sec(c+dx)}\right)}{2a^2} \right)}{96(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -(B*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a*(1 + Sec[c + d*x]))^(3/2)) - (A*Cos[c + d*x]^2*Sin[c + d*x])/(2*d*(a*(1 + Sec[c + d*x]))^(3/2)) - (B*(1 + Sec[c + d*x])^(3/2)*((40*Hypergeometric2F1[1/2, 3, 3/2, 1 - Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 + Sec[c + d*x]]) - (13*(7*ArcTanh[Sqrt[1 - Sec[c + d*x]]) - 4*Sqrt[2]*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]] - Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]] + 2*Cos[c + d*x]^2*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x]))/(d


```
*Sqrt[1 - Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]])))/(16*(a*(1 + Sec[c + d*x])
)^(3/2)) - (A*(1 + Sec[c + d*x])^(3/2)*((336*Hypergeometric2F1[1/2, 4, 3/2,
1 - Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 + Sec[c + d*x]]) + (17*(3*(9*Arc
Tanh[Sqrt[1 - Sec[c + d*x]]] - 8*Sqrt[2]*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqr
t[2]] - 7*Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]]) + 2*Cos[c + d*x]^2*Sqrt[1 -
Sec[c + d*x]] - 8*Cos[c + d*x]^3*Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(d*S
qrt[1 - Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]])))/(96*(a*(1 + Sec[c + d*x]))^
(3/2))
```

Maple [B] time = 0.292, size = 1425, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x)
```

```
[Out] -1/192/d/a^2*(-1+cos(d*x+c))*(204*A*sin(d*x+c)*cos(d*x+c)^3*ln(-(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(5/2)-156*B*sin(d*x+c)*cos(d*x+c)^3*ln(-(-2*cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c
)/(cos(d*x+c)+1))^(5/2)+423*A*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*si
n(d*x+c)/cos(d*x+c))*2^(1/2)-342*B*cos(d*x+c)^2*sin(d*x+c)*(-2*cos(d*x+c)/(
cos(d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*sin(d*x+c)/cos(d*x+c))*2^(1/2)-336*B*cos(d*x+c)^3+204*A*ln(-(-2*cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x
+c)/(cos(d*x+c)+1))^(5/2)*sin(d*x+c)-156*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+
1))^(5/2)*sin(d*x+c)+612*A*sin(d*x+c)*cos(d*x+c)^2*ln(-(-2*cos(d*x+c)/(co
s(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos
(d*x+c)+1))^(5/2)-468*B*sin(d*x+c)*cos(d*x+c)^2*ln(-(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*
x+c)+1))^(5/2)+612*A*sin(d*x+c)*cos(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+
1))^(5/2)-468*B*sin(d*x+c)*cos(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
5/2)-208*A*cos(d*x+c)^4+423*A*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(d*x
+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(
d*x+c)/cos(d*x+c))*2^(1/2)-342*B*cos(d*x+c)*sin(d*x+c)*(-2*cos(d*x+c)/(cos(
d*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*s
in(d*x+c)/cos(d*x+c))*2^(1/2)+112*A*cos(d*x+c)^6-344*A*cos(d*x+c)^5+240*B*c
```

```

os(d*x+c)^5+192*B*cos(d*x+c)^4+504*A*cos(d*x+c)^3-64*A*cos(d*x+c)^7-96*B*cos
s(d*x+c)^6+141*A*sin(d*x+c)*cos(d*x+c)^3*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)
+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x
+c)/cos(d*x+c))-114*B*sin(d*x+c)*cos(d*x+c)^3*2^(1/2)*(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(5/2)*arctanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*si
n(d*x+c)/cos(d*x+c))+141*A*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arc
tanh(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c)
)*sin(d*x+c)-114*B*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*arctanh(1/2
*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)/cos(d*x+c))*sin(d*
x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^3/cos(d*x+c)^2

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^3}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^3/(a*sec(d*x + c) + a)^(3/2), x
)
```

Fricas [A] time = 14.7118, size = 1789, normalized size = 6.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm
="fricas")
```

```
[Out] [1/48*(6*sqrt(2)*((17*A - 13*B)*cos(d*x + c)^2 + 2*(17*A - 13*B)*cos(d*x +
c) + 17*A - 13*B)*sqrt(-a)*log(-(2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d
*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 3*((47*A - 38*B)*cos(
d*x + c)^2 + 2*(47*A - 38*B)*cos(d*x + c) + 47*A - 38*B)*sqrt(-a)*log((2*a*
cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x

```

$$\begin{aligned}
& + c) \sin(dx + c) + a \cos(dx + c) - a) / (\cos(dx + c) + 1)) + 2(8A \cos(dx + c)^4 - 6(A - 2B) \cos(dx + c)^3 + (37A - 18B) \cos(dx + c)^2 + 21(3A - 2B) \cos(dx + c)) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c) / (a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2 d), \\
& -1/24(6 \sqrt{2} ((17A - 13B) \cos(dx + c)^2 + 2(17A - 13B) \cos(dx + c) + 17A - 13B) \sqrt{a} \arctan(\sqrt{2} \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \cos(dx + c) / (\sqrt{a} \sin(dx + c))) - 3((47A - 38B) \cos(dx + c)^2 + 2(47A - 38B) \cos(dx + c) + 47A - 38B) \sqrt{a} \arctan(\sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \cos(dx + c) / (\sqrt{a} \sin(dx + c))) - (8A \cos(dx + c)^4 - 6(A - 2B) \cos(dx + c)^3 + (37A - 18B) \cos(dx + c)^2 + 21(3A - 2B) \cos(dx + c)) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c) / (a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2 d)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**3*(A+B*sec(dx+c))/(a+a*sec(dx+c))**(3/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+B*sec(dx+c))/(a+a*sec(dx+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.160 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=216

$$-\frac{(75A - 163B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(39A - 95B) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{48a^3d} + \frac{(93A - 197B) \tan(c+dx)}{24a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(A - B) \sec(c+dx)^3 \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}}$$

[Out] -((75*A - 163*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((9*A - 17*B)*Sec[c + d*x]^2*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((93*A - 197*B)*Tan[c + d*x])/(24*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 95*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(48*a^3*d)

Rubi [A] time = 0.654887, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4019, 4010, 4001, 3795, 203}

$$-\frac{(75A - 163B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(39A - 95B) \tan(c+dx)\sqrt{a \sec(c+dx)+a}}{48a^3d} + \frac{(93A - 197B) \tan(c+dx)}{24a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(A - B) \sec(c+dx)^3 \tan(c+dx)}{4d(a + a \sec(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((75*A - 163*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((9*A - 17*B)*Sec[c + d*x]^2*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((93*A - 197*B)*Tan[c + d*x])/(24*a^2*d*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 95*B)*Sqrt[a + a*Sec[c + d*x]]*Tan[c + d*x])/(48*a^3*d)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m

$-n + 1) + A*b*(m + n)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4010

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*B*(m + 1) + (A*b*(m + 2) - a*B)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4001

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*B*m + A*b*(m + 1))/(b*(m + 1)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m, x], x] /;$ FreeQ[{a, b, A, B, e, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && !LtQ[m, -2^(-1)]

Rule 3795

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /;$ FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{-1}, x_Symbol] := \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{\int \frac{\sec^3(c+dx)\left(3a(A-B)-\frac{1}{2}a(3A-11B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9A-17B)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sec^2(c+dx)\left(3a(A-B)-\frac{1}{2}a(3A-11B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9A-17B)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(39A-17B)\sec(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9A-17B)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(93A-17B)\sec(c+dx)\tan(c+dx)}{24ad(a+a\sec(c+dx))^{3/2}} \\
&= \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(9A-17B)\sec^2(c+dx)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(93A-17B)\sec(c+dx)\tan(c+dx)}{24ad(a+a\sec(c+dx))^{3/2}} \\
&= -\frac{(75A-163B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\sec^3(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(93A-17B)\sec(c+dx)\tan(c+dx)}{24ad(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 2.57115, size = 161, normalized size = 0.75

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}\left(32(3A-5B)\sec^2(c+dx)+(255A-503B)\sec(c+dx)+147A+32B\sec^3(c+dx)-299B\right)\right)}{48d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((-6*Sqrt[2]*(75*A - 163*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^4*Sec[c + d*x]^2 + Sqrt[1 - Sec[c + d*x]]*(147*A - 299*B + (255*A - 503*B)*Sec[c + d*x] + 32*(3*A - 5*B)*Sec[c + d*x]^2 + 32*B*Sec[c + d*x]^3))*Tan[c + d*x])/(48*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.275, size = 795, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^4*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{5/2},x)$

[Out] $\frac{1}{192} \frac{d}{a^3} (-1 + \cos(dx+c))^2 * (225A \sin(dx+c) \cos(dx+c)^3 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c)-1) / \sin(dx+c) - 489B \sin(dx+c) \cos(dx+c)^3 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c)-1) / \sin(dx+c)) + 675A \sin(dx+c) \cos(dx+c)^2 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c)-1) / \sin(dx+c)) - 1467B \sin(dx+c) \cos(dx+c)^2 (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c)-1) / \sin(dx+c)) + 675A \cos(dx+c) \sin(dx+c) * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c)-1) / \sin(dx+c)) - 1467B \cos(dx+c) \sin(dx+c) * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c)-1) / \sin(dx+c)) + 225A * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c)-1) / \sin(dx+c)) * \sin(dx+c) - 489B * (-2 \cos(dx+c) / (\cos(dx+c)+1))^{3/2} \ln(-(-2 \cos(dx+c) / (\cos(dx+c)+1))^{1/2} \sin(dx+c) + \cos(dx+c)-1) / \sin(dx+c)) * \sin(dx+c) - 588A \cos(dx+c)^4 + 1196B \cos(dx+c)^4 - 432A \cos(dx+c)^3 + 816B \cos(dx+c)^3 + 636A \cos(dx+c)^2 - 1372B \cos(dx+c)^2 + 384A \cos(dx+c) - 768B \cos(dx+c) + 128B * (a * (\cos(dx+c) + 1) / \cos(dx+c))^{1/2} / \sin(dx+c)^5 / \cos(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^4*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{5/2},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.613782, size = 1474, normalized size = 6.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/192*(3*sqrt(2)*((75*A - 163*B)*cos(d*x + c)^4 + 3*(75*A - 163*B)*cos(d*x + c)^3 + 3*(75*A - 163*B)*cos(d*x + c)^2 + (75*A - 163*B)*cos(d*x + c))*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((147*A - 299*B)*cos(d*x + c)^3 + (255*A - 503*B)*cos(d*x + c)^2 + 32*(3*A - 5*B)*cos(d*x + c) + 32*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c)), 1/96*(3*sqrt(2)*((75*A - 163*B)*cos(d*x + c)^4 + 3*(75*A - 163*B)*cos(d*x + c)^3 + 3*(75*A - 163*B)*cos(d*x + c)^2 + (75*A - 163*B)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((147*A - 299*B)*cos(d*x + c)^3 + (255*A - 503*B)*cos(d*x + c)^2 + 32*(3*A - 5*B)*cos(d*x + c) + 32*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^4(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**4/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 10.1536, size = 420, normalized size = 1.94

$$\frac{\left(\left(\frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^6 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{\sqrt{2}(15Aa^5 - 23Ba^5)}{a^6 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - \frac{4\sqrt{2}(75Aa^5 - 167Ba^5)}{a^6 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \frac{3\sqrt{2}(83Aa^5 - 155Ba^5)}{a^6 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right) \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}}$$

96 d

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm
="giac")
```

```
[Out] 1/96*(((3*(2*sqrt(2)*(A*a^5 - B*a^5))*tan(1/2*d*x + 1/2*c)^2/(a^6*sgn(tan(1/
2*d*x + 1/2*c)^2 - 1)) + sqrt(2)*(15*A*a^5 - 23*B*a^5)/(a^6*sgn(tan(1/2*d*x
+ 1/2*c)^2 - 1))) * tan(1/2*d*x + 1/2*c)^2 - 4*sqrt(2)*(75*A*a^5 - 167*B*a^5
)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))) * tan(1/2*d*x + 1/2*c)^2 + 3*sqrt(2)
*(83*A*a^5 - 155*B*a^5)/(a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))) * tan(1/2*d*x
+ 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - a)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a
)) - 3*sqrt(2)*(75*A - 163*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt
(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2
- 1)))/d
```

$$3.161 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=169

$$\frac{(19A - 75B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - 9B) \tan(c+dx)}{4a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(A - B) \tan(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx)+a)^{5/2}} - \frac{(5A - 13B) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{5/2}}$$

[Out] ((19*A - 75*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sec[c + d*x]^2*Tan[c + d*x]/(4*d*(a + a*Sec[c + d*x])^(5/2))) - ((5*A - 13*B)*Tan[c + d*x]/(16*a*d*(a + a*Sec[c + d*x])^(3/2))) - ((A - 9*B)*Tan[c + d*x]/(4*a^2*d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.454957, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4019, 4008, 4001, 3795, 203}

$$\frac{(19A - 75B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - 9B) \tan(c+dx)}{4a^2d\sqrt{a \sec(c+dx)+a}} + \frac{(A - B) \tan(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx)+a)^{5/2}} - \frac{(5A - 13B) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((19*A - 75*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sec[c + d*x]^2*Tan[c + d*x]/(4*d*(a + a*Sec[c + d*x])^(5/2))) - ((5*A - 13*B)*Tan[c + d*x]/(16*a*d*(a + a*Sec[c + d*x])^(3/2))) - ((A - 9*B)*Tan[c + d*x]/(4*a^2*d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt

Q[n, 0]

Rule 4008

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*
(2*m + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A
*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 4001

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(b*(m + 1
)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m, x], x] /; FreeQ[{a, b, A, B, e
, f, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m
+ 1), 0] && !LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[
a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{\int \frac{\sec^2(c+dx)\left(2a(A-B)-\frac{1}{2}a(A-9B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(5A-13B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{\int \frac{\sec(c+dx)\left(-\frac{3}{4}a^2\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(5A-13B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(A-9B)\tan(c+dx)}{4a^2d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(5A-13B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(A-9B)\tan(c+dx)}{4a^2d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(19A-75B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\sec^2(c+dx)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(5A-13B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.50288, size = 144, normalized size = 0.85

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}\left((85B-13A)\sec(c+dx)-9A+32B\sec^2(c+dx)+49B\right)+2\sqrt{2}(19A-75B)\cos^4\left(\frac{1}{2}(c+dx)\right)\right)}{16d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((2*Sqrt[2]*(19*A - 75*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^4*Sec[c + d*x]^2 + Sqrt[1 - Sec[c + d*x]]*(-9*A + 49*B + (-13*A + 85*B)*Sec[c + d*x] + 32*B*Sec[c + d*x]^2))*Tan[c + d*x])/(16*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.259, size = 597, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x)

```
[Out] 1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(19*A*sin(d*x+c)*cos(d*x+c)^2*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-75*B*sin(d*x+c)*cos(d*x+c)^2*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+38*A*sin(d*x+c)*cos(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-150*B*sin(d*x+c)*cos(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+19*A*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+18*A*cos(d*x+c)^3-75*B*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-98*B*cos(d*x+c)^3+8*A*cos(d*x+c)^2-72*B*cos(d*x+c)^2-26*A*cos(d*x+c)+106*B*cos(d*x+c)+64*B)/sin(d*x+c)^5
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.591538, size = 1273, normalized size = 7.53

$$\left[\frac{\sqrt{2}((19A - 75B)\cos(dx + c)^3 + 3(19A - 75B)\cos(dx + c)^2 + 3(19A - 75B)\cos(dx + c) + 19A - 75B)\sqrt{-a} \log\left(\frac{\sqrt{2}((19A - 75B)\cos(dx + c)^3 + 3(19A - 75B)\cos(dx + c)^2 + 3(19A - 75B)\cos(dx + c) + 19A - 75B)\sqrt{-a}}{64(a^3 d \cos(dx + c) + 64B)}\right)}{64(a^3 d \cos(dx + c) + 64B)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [1/64*(sqrt(2)*((19*A - 75*B)*cos(d*x + c)^3 + 3*(19*A - 75*B)*cos(d*x + c)
^2 + 3*(19*A - 75*B)*cos(d*x + c) + 19*A - 75*B)*sqrt(-a)*log(-(2*sqrt(2)*s
qrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) -
3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x + c
) + 1)) - 4*((9*A - 49*B)*cos(d*x + c)^2 + (13*A - 85*B)*cos(d*x + c) - 32*
B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c
)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2
)*((19*A - 75*B)*cos(d*x + c)^3 + 3*(19*A - 75*B)*cos(d*x + c)^2 + 3*(19*A
- 75*B)*cos(d*x + c) + 19*A - 75*B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) + 2*((9*A - 49
*B)*cos(d*x + c)^2 + (13*A - 85*B)*cos(d*x + c) - 32*B)*sqrt((a*cos(d*x + c
) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x
+ c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/(a*(sec(c + d*x) + 1))**(5/2)
, x)
```

Giac [A] time = 9.93491, size = 390, normalized size = 2.31

$$\frac{\left(\frac{2 \left(\sqrt{2} A a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - \sqrt{2} B a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{a^8} + \frac{9 \sqrt{2} A a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) - 17 \sqrt{2} B a^6 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right)}{a^8} \right) \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2}{\sqrt{-a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm
="giac")
```

```
[Out] -1/32*(((2*(sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))*tan(1/2*d*x + 1/2*c)^2/a^8 + (9*sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 17*sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^8)*tan(1/2*d*x + 1/2*c)^2 - (11*sqrt(2)*A*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1) - 83*sqrt(2)*B*a^6*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/a^8)*tan(1/2*d*x + 1/2*c)/sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a) - (19*sqrt(2)*A - 75*sqrt(2)*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```

$$3.162 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=126

$$\frac{(5A + 19B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(5A - 13B) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A - B) \tan(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

[Out] ((5*A + 19*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A - 13*B)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.275904, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4008, 4000, 3795, 203}

$$\frac{(5A + 19B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(5A - 13B) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A - B) \tan(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] ((5*A + 19*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A - 13*B)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4008

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(b^2*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[A*b*m - a*B*m + b*B*(2*m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 4000


```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A-B)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{\int \frac{\sec(c+dx)\left(-\frac{5}{2}a(A-B)-4aB\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A-B)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(5A-13B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(5A+19B)\int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}} dx}{32a^2} \\ &= -\frac{(A-B)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(5A-13B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(5A+19B)\text{Subst}\left(\int \frac{1}{\sqrt{a+u}} du\right)}{32a^2} \\ &= \frac{(5A+19B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A-B)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(5A-13B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 1.57384, size = 131, normalized size = 1.04

$$\frac{\tan(c+dx)\left(\sqrt{1-\sec(c+dx)}((5A-13B)\sec(c+dx)+A-9B)+2\sqrt{2}(5A+19B)\cos^4\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\tanh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\right)}{16d\sqrt{1-\sec(c+dx)}(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2),
x]
```

```
[Out] ((2*Sqrt[2]*(5*A + 19*B)*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d
*x)/2]^4*Sec[c + d*x]^2 + Sqrt[1 - Sec[c + d*x]]*(A - 9*B + (5*A - 13*B)*Se
c[c + d*x]))*Tan[c + d*x]/(16*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x
]))^(5/2))
```

Maple [B] time = 0.244, size = 602, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x)
```

```
[Out] -1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(5*A*sin(d*
x+c)*cos(d*x+c)^2*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos
(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+19*B*sin(d*x+c)
*cos(d*x+c)^2*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x
+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+10*A*sin(d*x+c)*cos
(d*x+c)*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)
/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+38*B*sin(d*x+c)*cos(d*x+c)
*ln(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d
*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+5*A*ln(-(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)-2*A*cos(d*x+c)^3+19*B*ln(-(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*sin(d*x+c)+18*B*cos(d*x+c)^3-8*A*cos(d*x+c)^2+8*B*cos(d*x+c)
^2+10*A*cos(d*x+c)-26*B*cos(d*x+c))/(cos(d*x+c)+1)/sin(d*x+c)^3
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm
="maxima")
```

[Out] Timed out

Fricas [A] time = 0.582109, size = 1233, normalized size = 9.79

$$\frac{\sqrt{2}((5A + 19B)\cos(dx + c)^3 + 3(5A + 19B)\cos(dx + c)^2 + 3(5A + 19B)\cos(dx + c) + 5A + 19B)\sqrt{-a}\log\left(\frac{2\sqrt{2}}{\dots}\right)}{64(a^3d\cos(dx + c)^3 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/64*(sqrt(2)*((5*A + 19*B)*cos(d*x + c)^3 + 3*(5*A + 19*B)*cos(d*x + c)^2 + 3*(5*A + 19*B)*cos(d*x + c) + 5*A + 19*B)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((A - 9*B)*cos(d*x + c)^2 + (5*A - 13*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((5*A + 19*B)*cos(d*x + c)^3 + 3*(5*A + 19*B)*cos(d*x + c)^2 + 3*(5*A + 19*B)*cos(d*x + c) + 5*A + 19*B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((A - 9*B)*cos(d*x + c)^2 + (5*A - 13*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 9.83643, size = 258, normalized size = 2.05

$$\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} + \frac{\sqrt{2}(3Aa^5 - 11Ba^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \frac{\sqrt{2}(5A + 19B) \log\left(\left| -\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{-aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right|\right)}{\sqrt{-aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] -1/32*(sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 - B*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) + sqrt(2)*(3*A*a^5 - 11*B*a^5)/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c) - sqrt(2)*(5*A + 19*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.163 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=126

$$\frac{(3A + 5B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(3A + 5B) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} + \frac{(A - B) \tan(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

[Out] ((3*A + 5*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((3*A + 5*B)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.164641, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4000, 3796, 3795, 203}

$$\frac{(3A + 5B) \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(3A + 5B) \tan(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} + \frac{(A - B) \tan(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] ((3*A + 5*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((3*A + 5*B)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4000

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*B*m + A*b*(m + 1))/(a*b*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[a*B*m + A*b*(m + 1), 0] && LtQ[m, -2^(-1)]

Rule 3796

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(b*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[(m + 1)/(a*(2*m + 1)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1), x], x]

), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
&& IntegerQ[2*m]

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \frac{(A-B)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(3A+5B)\int \frac{\sec(c+dx)}{(a+a\sec(c+dx))^{3/2}} dx}{8a} \\ &= \frac{(A-B)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(3A+5B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(3A+5B)\int \frac{\sec(c+dx)}{\sqrt{a+a\sec(c+dx)}}}{32a^2} \\ &= \frac{(A-B)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(3A+5B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(3A+5B)\text{Subst}\left(\int \frac{1}{2a+x}\right)}{16a^2} \\ &= \frac{(3A+5B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\tan(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(3A+5B)\tan(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} \end{aligned}$$

Mathematica [C] time = 1.50567, size = 206, normalized size = 1.63

$$\frac{64A \sin\left(\frac{1}{2}(c+dx)\right) \cos^5\left(\frac{1}{2}(c+dx)\right) \sqrt{1-\sec(c+dx)} \sec(c+dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, \frac{1}{2}(1-\sec(c+dx))\right) + B \sqrt{1-\sec(c+dx)}}{32a^2d(\cos(c+dx)+1)^2\sqrt{1-\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (40*Sqrt[2]*B*ArcTanh[Sqrt[1 - Sec[c + d*x]]/Sqrt[2]]*Cos[(c + d*x)/2]^5*Sec[c + d*x]*Sin[(c + d*x)/2] + 64*A*Cos[(c + d*x)/2]^5*Hypergeometric2F1[1/2,

, 3, 3/2, (1 - Sec[c + d*x])/2]*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]*Sin[(c + d*x)/2] + B*Sqrt[1 - Sec[c + d*x]]*(10*Sin[c + d*x] + Sin[2*(c + d*x)]))/ (32*a^2*d*(1 + Cos[c + d*x])^2*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.191, size = 594, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x)

[Out] 1/32/d/a^3*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*A*sin(d*x+c)*cos(d*x+c)^2*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+5*B*sin(d*x+c)*cos(d*x+c)^2*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+6*A*sin(d*x+c)*cos(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+10*B*sin(d*x+c)*cos(d*x+c)*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+3*A*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-14*A*cos(d*x+c)^3+5*B*ln(-(-(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+cos(d*x+c)-1)/sin(d*x+c))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-2*B*cos(d*x+c)^3+8*A*cos(d*x+c)^2-8*B*cos(d*x+c)^2+6*A*cos(d*x+c)+10*B*cos(d*x+c))/(cos(d*x+c)+1)^2/sin(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.589359, size = 1219, normalized size = 9.67

$$\frac{\sqrt{2}((3A + 5B)\cos(dx + c)^3 + 3(3A + 5B)\cos(dx + c)^2 + 3(3A + 5B)\cos(dx + c) + 3A + 5B)\sqrt{-a}\log\left(\frac{2\sqrt{2}\sqrt{-a}\sqrt{a}}{\dots}\right)}{64(a^3d\cos(dx + c)^3 + 3a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/64*(sqrt(2)*((3*A + 5*B)*cos(d*x + c)^3 + 3*(3*A + 5*B)*cos(d*x + c)^2 + 3*(3*A + 5*B)*cos(d*x + c) + 3*A + 5*B)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((7*A + B)*cos(d*x + c)^2 + (3*A + 5*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((3*A + 5*B)*cos(d*x + c)^3 + 3*(3*A + 5*B)*cos(d*x + c)^2 + 3*(3*A + 5*B)*cos(d*x + c) + 3*A + 5*B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((7*A + B)*cos(d*x + c)^2 + (3*A + 5*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(a (\sec(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(a*(sec(c + d*x) + 1))**(5/2), x)

Giac [A] time = 9.39635, size = 258, normalized size = 2.05

$$\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left(\frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} - \frac{\sqrt{2}(5Aa^5 + 3Ba^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \frac{\sqrt{2}(3A + 5B) \log\left(\left| \frac{-\sqrt{-a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}} \right.\right)}{\sqrt{-aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)}}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] 1/32*(sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 - B*a^5)*tan(1/2*d*x + 1/2*c)^2/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)) - sqrt(2)*(5*A*a^5 + 3*B*a^5)/(a^8*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)))*tan(1/2*d*x + 1/2*c) + sqrt(2)*(3*A + 5*B)*log(abs(-sqrt(-a)*tan(1/2*d*x + 1/2*c) + sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)))/(sqrt(-a)*a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.164 \quad \int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=164

$$-\frac{(43A-3B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A-3B) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{3/2}} - \frac{(A-B) \tan(c+dx)}{4d(a \sec(c+dx)+a)^{5/2}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*A - 3*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((11*A - 3*B)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.253715, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3922, 3920, 3774, 203, 3795}

$$-\frac{(43A-3B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A-3B) \tan(c+dx)}{16ad(a \sec(c+dx)+a)^{3/2}} - \frac{(A-B) \tan(c+dx)}{4d(a \sec(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*A - 3*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Tan[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((11*A - 3*B)*Tan[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 3922

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> -Simp[((b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(b*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[a*c*(2*m + 1) - (b*c - a*d)*(m + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && EqQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{\int \frac{-4aA + \frac{3}{2}a(A-B) \sec(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx}{4a^2} \\
 &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(11A - 3B) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{8a^2A - \frac{1}{4}a^2(11A-3B) \sec(c+dx)}{\sqrt{a+a \sec(c+dx)}} dx}{8a^4} \\
 &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(11A - 3B) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \sec(c + dx)} dx}{a^3} - \frac{(4A - 3B) \tan(c + dx)}{4a^2} \\
 &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(11A - 3B) \tan(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} - \frac{(2A) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, -\frac{a \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{a^2d} \\
 &= \frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{a^{5/2}d} - \frac{(43A - 3B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a+a \sec(c+dx)}}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B) \tan(c + dx)}{4d(a + a \sec(c + dx))^{5/2}}
 \end{aligned}$$

Mathematica [C] time = 26.6766, size = 10177, normalized size = 62.05

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.204, size = 824, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x)

[Out]
$$\begin{aligned} & -1/32/d/a^3*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(32*A*\sin(d*x+c)*\cos(d*x+c) \\ & ^2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))+43*A*\sin(d*x+c)*\cos(d* \\ & x+c)^2*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/ \\ & \sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+64*A*2^{(1/2)}*\sin(d*x+c)*\cos \\ & (d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d \\ & *x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)/\cos(d*x+c))-3*B*\sin(d*x+c)*\cos(d*x+c) \\ &)^2*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin \\ & (d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+86*A*\sin(d*x+c)*\cos(d*x+c)*\ln \\ & (-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c) \\ &))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+32*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1)) \\ & ^{(1/2)}*2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin \\ & (d*x+c)/\cos(d*x+c))*\sin(d*x+c)-6*B*\sin(d*x+c)*\cos(d*x+c)*\ln(-(-2*\cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^{(1/2)}+43*A*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin \\ & (d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin \\ & (d*x+c)-30*A*\cos(d*x+c)^3-3*B*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin \\ & (d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\sin \\ & (d*x+c)+14*B*\cos(d*x+c)^3+8*A*\cos(d*x+c)^2-8*B*\cos(d*x+c)^2+22*A*\cos(d*x+c)- \\ & 6*B*\cos(d*x+c))/(\cos(d*x+c)+1)^2/\sin(d*x+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(5/2), x)

Fricas [B] time = 16.1611, size = 1754, normalized size = 10.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((43*A - 3*B)*cos(d*x + c)^3 + 3*(43*A - 3*B)*cos(d*x + c)^2 + 3*(43*A - 3*B)*cos(d*x + c) + 43*A - 3*B)*sqrt(-a)*log((2*sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + 3*a*cos(d*x + c)^2 + 2*a*cos(d*x + c) - a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 64*(A*cos(d*x + c)^3 + 3*A*cos(d*x + c)^2 + 3*A*cos(d*x + c) + A)*sqrt(-a)*log((2*a*cos(d*x + c)^2 + 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x + c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) - 4*((15*A - 7*B)*cos(d*x + c)^2 + (11*A - 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*((43*A - 3*B)*cos(d*x + c)^3 + 3*(43*A - 3*B)*cos(d*x + c)^2 + 3*(43*A - 3*B)*cos(d*x + c) + 43*A - 3*B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 64*(A*cos(d*x + c)^3 + 3*A*cos(d*x + c)^2 + 3*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 2*((15*A - 7*B)*cos(d*x + c)^2 + (11*A - 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x)

[Out] Timed out

Giac [B] time = 11.3761, size = 471, normalized size = 2.87

$$2\sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \left(\frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} - \frac{\sqrt{2}(13Aa^5 - 5Ba^5)}{a^8 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{\sqrt{2}(43A - 3B) \log\left(\left(\sqrt{-a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right)\right)}{\sqrt{-aa^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/64*(2*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a}*(2*\sqrt{2}*(A*a^5 - B*a^5)*\tan \\ & (1/2*d*x + 1/2*c)^2/(a^8*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) - \sqrt{2}*(13*A*a \\ & ^5 - 5*B*a^5)/(a^8*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)))*\tan(1/2*d*x + 1/2*c) + \\ & \sqrt{2}*(43*A - 3*B)*\log((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2* \\ & d*x + 1/2*c)^2 + a})^2)/(\sqrt{-a}*a^2*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)) + 64 \\ & *A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 \\ & + a})^2 - a*(2*\sqrt{2} + 3)))/(\sqrt{-a}*a^2*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1) \\ &) - 64*A*\log(\operatorname{abs}((\sqrt{-a}*\tan(1/2*d*x + 1/2*c) - \sqrt{-a*\tan(1/2*d*x + 1/2 \\ & *c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/(\sqrt{-a}*a^2*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 \\ & - 1)))/d \end{aligned}$$

$$3.165 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=207

$$\frac{(35A - 11B) \sin(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(5A - 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2} d} + \frac{(115A - 43B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(15A - 7B) \sin(c + dx)}{16ad(a \sec(c + dx) + a)}$$

[Out] -(((5*A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(5/2)*d) + ((115*A - 43*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((15*A - 7*B)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((35*A - 11*B)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.557752, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$\frac{(35A - 11B) \sin(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(5A - 2B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2} d} + \frac{(115A - 43B) \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(15A - 7B) \sin(c + dx)}{16ad(a \sec(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -(((5*A - 2*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(a^(5/2)*d) + ((115*A - 43*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((15*A - 7*B)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((35*A - 11*B)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0]

] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A-B)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{\int \frac{\cos(c+dx)\left(a(5A-B)-\frac{5}{2}a(A-B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A-B)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos(c+dx)\left(\frac{1}{2}a^2(35A-11B)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{16a^2d} \\
&= -\frac{(A-B)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A-11B)\sin(c+dx)}{16a^2d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A-11B)\sin(c+dx)}{16a^2d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A-11B)\sin(c+dx)}{16a^2d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(15A-7B)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{(35A-11B)\sin(c+dx)}{16a^2d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(5A-2B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{5/2}d} + \frac{(115A-43B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{4}{4}
\end{aligned}$$

Mathematica [C] time = 26.9387, size = 10956, normalized size = 52.93

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] Result too large to show

Maple [B] time = 0.303, size = 1065, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x)

[Out] $\frac{1}{32}d/a^3(-1+\cos(d*x+c))^{2*}(80*A*\sin(d*x+c)*\cos(d*x+c)^{2*}2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)))$

$$\begin{aligned}
&+1)^{(1/2)} \cdot \sin(dx+c) / \cos(dx+c) - 32 \cdot B \cdot 2^{(1/2)} \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot (-2 \cdot \\
&\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) / \cos(dx+c)) \\
&+ 160 \cdot A \cdot 2^{(1/2)} \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) / \cos(dx+c)) \\
&+ 115 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot \ln(-(-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \\
&\cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} - 64 \cdot B \cdot 2^{(1/2)} \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) / \cos(dx+c)) \\
&- 43 \cdot B \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot \ln(-(-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \\
&+ 80 \cdot A \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot 2^{(1/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) / \cos(dx+c)) \cdot \sin(dx+c) \\
&+ 230 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot \ln(-(-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \\
&- 32 \cdot A \cdot \cos(dx+c)^4 - 32 \cdot B \cdot 2^{(1/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) / \cos(dx+c)) \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) \\
&- 86 \cdot B \cdot \sin(dx+c) \cdot \cos(dx+c) \cdot \ln(-(-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \\
&+ 115 \cdot A \cdot \ln(-(-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) \\
&- 78 \cdot A \cdot \cos(dx+c)^3 - 43 \cdot B \cdot \ln(-(-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) + \cos(dx+c) - 1) / \sin(dx+c)) \cdot (-2 \cdot \cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \cdot \sin(dx+c) \\
&+ 30 \cdot B \cdot \cos(dx+c)^3 + 40 \cdot A \cdot \cos(dx+c)^2 - 8 \cdot B \cdot \cos(dx+c)^2 + 70 \cdot A \cdot \cos(dx+c) - 22 \cdot B \cdot \cos(dx+c) \cdot (a \cdot (\cos(dx+c)+1) / \cos(dx+c))^{(1/2)} / \sin(dx+c)^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \cos(dx+c)}{(a \sec(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+a*sec(dx+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*cos(dx+c)/(a*sec(dx+c) + a)^(5/2), x)

Fricas [A] time = 21.2551, size = 1948, normalized size = 9.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="
fricas")
```

```
[Out] [1/64*(sqrt(2)*((115*A - 43*B)*cos(d*x + c)^3 + 3*(115*A - 43*B)*cos(d*x +
c)^2 + 3*(115*A - 43*B)*cos(d*x + c) + 115*A - 43*B)*sqrt(-a)*log(-(2*sqrt(
2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x +
c) - 3*a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/(cos(d*x + c)^2 + 2*cos(d*x
+ c) + 1)) + 32*((5*A - 2*B)*cos(d*x + c)^3 + 3*(5*A - 2*B)*cos(d*x + c)^2
+ 3*(5*A - 2*B)*cos(d*x + c) + 5*A - 2*B)*sqrt(-a)*log((2*a*cos(d*x + c)^2
+ 2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)*sin(d*x
+ c) + a*cos(d*x + c) - a)/(cos(d*x + c) + 1)) + 4*(16*A*cos(d*x + c)^3 + 5
*(11*A - 3*B)*cos(d*x + c)^2 + (35*A - 11*B)*cos(d*x + c))*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d
*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((115*A - 43*B)*c
os(d*x + c)^3 + 3*(115*A - 43*B)*cos(d*x + c)^2 + 3*(115*A - 43*B)*cos(d*x
+ c) + 115*A - 43*B)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d
*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - 32*((5*A - 2*B)*cos(d*x + c
)^3 + 3*(5*A - 2*B)*cos(d*x + c)^2 + 3*(5*A - 2*B)*cos(d*x + c) + 5*A - 2*B
)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*cos(d*x + c)/(sqrt
(a)*sin(d*x + c))) - 2*(16*A*cos(d*x + c)^3 + 5*(11*A - 3*B)*cos(d*x + c)^2
+ (35*A - 11*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(
d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x
+ c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.166 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=264

$$-\frac{7(9A-5B)\sin(c+dx)}{16a^2d\sqrt{a\sec(c+dx)+a}} + \frac{(39A-20B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A-115B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(31A-15B)\cos(c+dx)}{16a^2}$$

```
[Out] ((39*A - 20*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(5/2)*d) - ((219*A - 115*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((19*A - 11*B)*Cos[c + d*x]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - (7*(9*A - 5*B)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((31*A - 15*B)*Cos[c + d*x]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.790338, antiderivative size = 264, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$-\frac{7(9A-5B)\sin(c+dx)}{16a^2d\sqrt{a\sec(c+dx)+a}} + \frac{(39A-20B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A-115B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(31A-15B)\cos(c+dx)}{16a^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]
```

```
[Out] ((39*A - 20*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(5/2)*d) - ((219*A - 115*B)*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Cos[c + d*x]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((19*A - 11*B)*Cos[c + d*x]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - (7*(9*A - 5*B)*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((31*A - 15*B)*Cos[c + d*x]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
```

```
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{\int \frac{\cos^2(c+dx)\left(2a(3A-B)-\frac{7}{2}a(A-B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A-11B)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \frac{\int -}{\dots} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A-11B)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + (31) \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A-11B)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{7(}{16a} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A-11B)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{7(}{16a} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A-11B)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{7(}{16a} \\
&= -\frac{(A-B)\cos(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(19A-11B)\cos(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{7(}{16a} \\
&= \frac{(39A-20B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4a^{5/2}d} - \frac{(219A-115B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d}
\end{aligned}$$

Mathematica [C] time = 6.16367, size = 512, normalized size = 1.94

$$\frac{A(\sec(c+dx)+1)^{5/2} \left(\frac{760 \tan(c+dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, 3, \frac{3}{2}, 1-\sec(c+dx)\right)}{d\sqrt{\sec(c+dx)+1}} + \frac{152 \sin(c+dx) \cos(c+dx)}{d(\sec(c+dx)+1)^{3/2}} - \frac{219 \tan(c+dx) \left(2 \cos^2(c+dx) \sqrt{1-\sec(c+dx)}\right)}{d(\sec(c+dx)+1)^{3/2}} \right)}{128(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -(B*Sin[c + d*x])/(4*d*(a*(1 + Sec[c + d*x]))^(5/2)) - (A*Cos[c + d*x]*Sin[c + d*x])/(4*d*(a*(1 + Sec[c + d*x]))^(5/2)) - (5*B*(1 + Sec[c + d*x])^(5/2))*((6*Sin[c + d*x])/(d*(1 + Sec[c + d*x])^(3/2)) + (9*(Cos[c + d*x] + ArcTan[Sqrt[1 - Sec[c + d*x]]]/Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/(d*Sqrt[1 + Sec[c + d*x]]) + (23*(ArcTanh[Sqrt[1 - Sec[c + d*x]]] - Sqrt[2]*ArcTanh[Sqrt[1 - Sec[c + d*x]]]/Sqrt[2]) - Cos[c + d*x]*Sqrt[1 - Sec[c + d*x]])*Tan[c

$$\begin{aligned} & + d*x))/(d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]])))/(32*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)} - (A*(1 + \text{Sec}[c + d*x])^{(5/2)}*((152*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(d*(1 + \text{Sec}[c + d*x])^{(3/2)}) + (760*\text{Hypergeometric2F1}[1/2, 3, 3/2, 1 - \text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(d*\text{Sqrt}[1 + \text{Sec}[c + d*x]]) - (219*(7*\text{ArcTanh}[\text{Sqrt}[1 - \text{Sec}[c + d*x]]) - 4*\text{Sqrt}[2]*\text{ArcTanh}[\text{Sqrt}[1 - \text{Sec}[c + d*x]])/\text{Sqrt}[2]] - \text{Cos}[c + d*x]*\text{Sqrt}[1 - \text{Sec}[c + d*x]] + 2*\text{Cos}[c + d*x]^2*\text{Sqrt}[1 - \text{Sec}[c + d*x]])*\text{Tan}[c + d*x])/(d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]])))/(128*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) \end{aligned}$$

Maple [B] time = 0.388, size = 1427, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x)`

[Out] $\frac{1}{64}d/a^3(-1+\cos(d*x+c))^{2*(468*A*\sin(d*x+c)*\cos(d*x+c)^{2^{1/2}}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2})*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c)+468*A*\sin(d*x+c)*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2})*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*2^{1/2}+219*A*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)-115*B*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))*\sin(d*x+c)-240*B*\sin(d*x+c)*\cos(d*x+c)^{2^{1/2}}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2})*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))-240*B*\sin(d*x+c)*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\text{arctanh}(1/2*2^{1/2})*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)/\cos(d*x+c))*2^{1/2}+80*B*\cos(d*x+c)^3+300*A*\cos(d*x+c)^4+657*A*\sin(d*x+c)*\cos(d*x+c)^{2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-345*B*\sin(d*x+c)*\cos(d*x+c)^{2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-345*B*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-32*A*\cos(d*x+c)^6+112*A*\cos(d*x+c)^5-64*B*\cos(d*x+c)^5-156*B*\cos(d*x+c)^4-128*A*\cos(d*x+c)^3+140*B*\cos(d*x+c)^2+219*A*\sin(d*x+c)*\cos(d*x+c)^3*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-15*B*\sin(d*x+c)*\cos(d*x+c)^3*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{3/2}*\ln(-(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+\cos(d*x+c)-1)/\sin(d*x+c))-252*A*\cos(d*x+c)^2+657*A*\cos(d*x+c)*\sin(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{($

$$\begin{aligned} & \frac{3}{2} \ln\left(-\left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{1/2} \sin(d*x+c) + \cos(d*x+c) - 1\right) / \sin(d*x+c) \\ & + 156*A*\sin(d*x+c)*\cos(d*x+c)^3*2^{1/2}*\operatorname{arctanh}\left(1/2*2^{1/2}\left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{1/2} \sin(d*x+c)/\cos(d*x+c)\right) \\ & * \left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{3/2} - 80*B*\sin(d*x+c)*\cos(d*x+c)^3*2^{1/2}*\operatorname{arctanh}\left(1/2*2^{1/2}\left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{1/2} \sin(d*x+c)/\cos(d*x+c)\right) \\ & * \left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{3/2} + 156*A*\left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{3/2}*\operatorname{arctanh}\left(1/2*2^{1/2}\left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{1/2} \sin(d*x+c)/\cos(d*x+c)\right) \\ & * 2^{1/2}*\sin(d*x+c) - 80*B*\left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{3/2}*\operatorname{arctanh}\left(1/2*2^{1/2}\left(-2\cos(d*x+c)/(\cos(d*x+c)+1)\right)^{1/2} \sin(d*x+c)/\cos(d*x+c)\right) \\ & * 2^{1/2}*\sin(d*x+c) \left(a*\cos(d*x+c)+1\right)/\cos(d*x+c)^{1/2}/\sin(d*x+c)^5/\cos(d*x+c) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 28.2047, size = 2059, normalized size = 7.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & \frac{1}{64}*\sqrt{2}*((219*A - 115*B)*\cos(d*x + c)^3 + 3*(219*A - 115*B)*\cos(d*x + c)^2 + 3*(219*A - 115*B)*\cos(d*x + c) + 219*A - 115*B)*\sqrt{-a}*\log((2*\sqrt{2})*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)*\sin(d*x + c) + 3*a*\cos(d*x + c)^2 + 2*a*\cos(d*x + c) - a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) + 8*((39*A - 20*B)*\cos(d*x + c)^3 + 3*(39*A - 20*B)*\cos(d*x + c)^2 + 3*(39*A - 20*B)*\cos(d*x + c) + 39*A - 20*B)*\sqrt{-a}*\log((2*a*\cos(d*x + c)^2 - 2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\cos(d*x + c)*\sin(d*x + c) + a*\cos(d*x + c) - a)/(\cos(d*x + c) + 1)) + 4*(8*A*\cos(d*x + c)^4 - 4*(5*A - 4*B)*\cos(d*x + c)^3 - 5*(19*A - 11*B)*\cos(d*x + c)^2 - 7*(\end{aligned}$$

$$\begin{aligned}
& 9*A - 5*B) * \cos(d*x + c) * \sqrt{(a * \cos(d*x + c) + a) / \cos(d*x + c)} * \sin(d*x + c) \\
&) / (a^3 * d * \cos(d*x + c)^3 + 3 * a^3 * d * \cos(d*x + c)^2 + 3 * a^3 * d * \cos(d*x + c) + \\
& a^3 * d), 1/32 * (\sqrt{2} * ((219*A - 115*B) * \cos(d*x + c)^3 + 3 * (219*A - 115*B) * \\
& \cos(d*x + c)^2 + 3 * (219*A - 115*B) * \cos(d*x + c) + 219*A - 115*B) * \sqrt{a} * \arctan(\sqrt{2} * \sqrt{(a * \cos(d*x + c) + a) / \cos(d*x + c)} * \cos(d*x + c) / (\sqrt{a} * \sin(d*x + c))) - 8 * ((39*A - 20*B) * \cos(d*x + c)^3 + 3 * (39*A - 20*B) * \cos(d*x + c)^2 + 3 * (39*A - 20*B) * \cos(d*x + c) + 39*A - 20*B) * \sqrt{a} * \arctan(\sqrt{(a * \cos(d*x + c) + a) / \cos(d*x + c)} * \cos(d*x + c) / (\sqrt{a} * \sin(d*x + c))) + 2 * (8*A * \cos(d*x + c)^4 - 4 * (5*A - 4*B) * \cos(d*x + c)^3 - 5 * (19*A - 11*B) * \cos(d*x + c)^2 - 7 * (9*A - 5*B) * \cos(d*x + c)) * \sqrt{(a * \cos(d*x + c) + a) / \cos(d*x + c)} * \sin(d*x + c) / (a^3 * d * \cos(d*x + c)^3 + 3 * a^3 * d * \cos(d*x + c)^2 + 3 * a^3 * d * \cos(d*x + c) + a^3 * d)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.167 \quad \int \frac{A + A \sec(c+dx)}{\sqrt{a-a \sec(c+dx)}} dx$$

Optimal. Leaf size=89

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(Sqrt[a]*d) - (2*Sqrt[2]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[a]*d)

Rubi [A] time = 0.146448, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {3904, 3887, 481, 203}

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + A*Sec[c + d*x])/Sqrt[a - a*Sec[c + d*x]],x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(Sqrt[a]*d) - (2*Sqrt[2]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[a]*d)

Rule 3904

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.), x_Symbol] :> Dist[(-a*c)^(m), Int[Cot[e + f*x]^(2*m)*(c + d*Csc[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[m] && RationalQ[n] && !(IntegerQ[n] && GtQ[m - n, 0])

Rule 3887

Int[cot[(c_.) + (d_.)*(x_.)]^(m_.)*(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^(n_.), x_Symbol] :> Dist[(-2*a^(m/2 + n + 1/2))/d, Subst[Int[(x^m*(2 + a*x^2)^(m/2 + n - 1/2))/(1 + a*x^2), x], x, Cot[c + d*x]/Sqrt[a + b*Csc[c + d*x]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[m/2] && In

tegerQ[n - 1/2]

Rule 481

```
Int[((e_.)*(x_))^(m_.)/(((a_) + (b_.)*(x_)^(n_.))*((c_) + (d_.)*(x_)^(n_.))),
  x_Symbol] := -Dist[(a*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(a + b*x^n), x],
  x] + Dist[(c*e^n)/(b*c - a*d), Int[(e*x)^(m - n)/(c + d*x^n), x], x] /; Fr
eeQ[{a, b, c, d, e, m}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LeQ[n, m,
2*n - 1]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + A \sec(c + dx)}{\sqrt{a - a \sec(c + dx)}} dx &= - \left((aA) \int \frac{\tan^2(c + dx)}{(a - a \sec(c + dx))^{3/2}} dx \right) \\ &= \frac{(2aA) \operatorname{Subst} \left(\int \frac{x^2}{(1+ax^2)(2+ax^2)} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{d} \\ &= -\frac{(2A) \operatorname{Subst} \left(\int \frac{1}{1+ax^2} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{d} + \frac{(4A) \operatorname{Subst} \left(\int \frac{1}{2+ax^2} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{d} \\ &= \frac{2A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}} \right)}{\sqrt{ad}} \end{aligned}$$

Mathematica [C] time = 0.5378, size = 140, normalized size = 1.57

$$\frac{iA(-1 + e^{i(c+dx)}) \left(\sqrt{2} \sinh^{-1} \left(e^{i(c+dx)} \right) - 4 \tanh^{-1} \left(\frac{1 + e^{i(c+dx)}}{\sqrt{2}\sqrt{1 + e^{2i(c+dx)}}} \right) + \sqrt{2} \tanh^{-1} \left(\sqrt{1 + e^{2i(c+dx)}} \right) \right)}{\sqrt{2}d\sqrt{1 + e^{2i(c+dx)}}\sqrt{a - a \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + A*Sec[c + d*x])/Sqrt[a - a*Sec[c + d*x]], x]
```

```
[Out] ((-I)*A*(-1 + E^(I*(c + d*x)))*(Sqrt[2]*ArcSinh[E^(I*(c + d*x))]) - 4*ArcTan
h[(1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + Sqrt[2]*
```

$\text{ArcTanh}[\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]])/(\text{Sqrt}[2]*d*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}])* \text{Sqrt}[a - a*\text{Sec}[c + d*x]]]$

Maple [A] time = 0.243, size = 120, normalized size = 1.4

$$\frac{A\sqrt{2}(\cos(dx+c)+1)}{d \sin(dx+c) a} \left(\sqrt{2} \arctan\left(\frac{1}{\sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}}}\right) + \arctan\left(\frac{\sqrt{2}}{2} \sqrt{-2 \frac{\cos(dx+c)}{\cos(dx+c)+1}}\right) \right) \sqrt{\frac{a(-1+\cos(dx+c))}{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+A*\text{sec}(d*x+c))/(a-a*\text{sec}(d*x+c))^{(1/2)}, x)$

[Out] $A/d*2^{(1/2)}*(2^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}))* (a*(-1+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1)/\sin(d*x+c)/a$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+A*\text{sec}(d*x+c))/(a-a*\text{sec}(d*x+c))^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 0.505888, size = 780, normalized size = 8.76

$$\frac{\sqrt{2}Aa\sqrt{-\frac{1}{a}} \log\left(\frac{2\sqrt{2}(\cos(dx+c)^2+\cos(dx+c))\sqrt{\frac{a\cos(dx+c)-a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}}-(3\cos(dx+c)+1)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)}\right) - A\sqrt{-a} \log\left(\frac{2(\cos(dx+c)^2+\cos(dx+c))\sqrt{-a}}{\cos(dx+c)-1}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [(sqrt(2)*A*a*sqrt(-1/a)*log(-(2*sqrt(2)*(cos(d*x + c))^2 + cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*sqrt(-1/a) - (3*cos(d*x + c) + 1)*sin(d*x + c))/((cos(d*x + c) - 1)*sin(d*x + c))) - A*sqrt(-a)*log((2*(cos(d*x + c))^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c))/(a*d), 2*(sqrt(2)*A*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))) - A*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))))/(a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$A \left(\int \frac{\sec(c + dx)}{\sqrt{-a \sec(c + dx) + a}} dx + \int \frac{1}{\sqrt{-a \sec(c + dx) + a}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x)

[Out] A*(Integral(sec(c + d*x)/sqrt(-a*sec(c + d*x) + a), x) + Integral(1/sqrt(-a*sec(c + d*x) + a), x))

Giac [C] time = 1.88414, size = 225, normalized size = 2.53

$$\frac{2 \left(Aa \left(\frac{\sqrt{2} \arctan \left(\frac{\sqrt{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a}}{\sqrt{a}} \right)}{a^{\frac{3}{2}} \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} - \frac{\arctan \left(\frac{\sqrt{2} \sqrt{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a}}{2 \sqrt{a}} \right)}{a^{\frac{3}{2}} \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} \right) + \frac{(\sqrt{2} A \sqrt{a} \arctan(-i) - A \sqrt{a} \arctan(-\frac{1}{2} i \sqrt{a}))}{a} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="giac")

```
[Out] -2*(A*a*(sqrt(2)*arctan(sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)
)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - arctan(1/2*s
qrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sgn(tan(1/2*d*x
+ 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)))) + (sqrt(2)*A*sqrt(a)*arctan(-I
) - A*sqrt(a)*arctan(-1/2*I*sqrt(2)))*sgn(tan(1/2*d*x + 1/2*c))/a)/d
```

$$3.168 \quad \int \frac{\cos(c+dx)(A+A \sec(c+dx))}{\sqrt{a-a \sec(c+dx)}} dx$$

Optimal. Leaf size=115

$$\frac{A \sin(c+dx)}{d\sqrt{a-a \sec(c+dx)}} + \frac{3A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}}$$

[Out] (3*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(Sqrt[a]*d) - (2*Sqrt[2]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[a]*d) + (A*Sin[c + d*x])/(d*Sqrt[a - a*Sec[c + d*x]])

Rubi [A] time = 0.220891, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4022, 3920, 3774, 203, 3795}

$$\frac{A \sin(c+dx)}{d\sqrt{a-a \sec(c+dx)}} + \frac{3A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + A*Sec[c + d*x]))/Sqrt[a - a*Sec[c + d*x]],x]

[Out] (3*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(Sqrt[a]*d) - (2*Sqrt[2]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[a]*d) + (A*Sin[c + d*x])/(d*Sqrt[a - a*Sec[c + d*x]])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; Fre

$eQ[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/Sqrt[a + b*\text{Csc}[c + d*x]]], x] /;$ $\text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[\text{Rt}[b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /;$ $\text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rule 3795

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]/Sqrt[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x])/Sqrt[a + b*\text{Csc}[e + f*x]]], x] /;$ $\text{FreeQ}[\{a, b, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + A \sec(c + dx))}{\sqrt{a - a \sec(c + dx)}} dx &= \frac{A \sin(c + dx)}{d\sqrt{a - a \sec(c + dx)}} - \frac{\int \frac{-\frac{3aA}{2} - \frac{1}{2}aA \sec(c+dx)}{\sqrt{a-a \sec(c+dx)}} dx}{a} \\ &= \frac{A \sin(c + dx)}{d\sqrt{a - a \sec(c + dx)}} + (2A) \int \frac{\sec(c + dx)}{\sqrt{a - a \sec(c + dx)}} dx + \frac{(3A) \int \sqrt{a - a \sec(c + dx)}}{2a} \\ &= \frac{A \sin(c + dx)}{d\sqrt{a - a \sec(c + dx)}} + \frac{(3A) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, \frac{a \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{d} - \frac{(4A) \text{Subst}\left(\int \frac{1}{a+x^2} dx, x, \frac{a \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{d} \\ &= \frac{3A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{A \sin(c + dx)}{d\sqrt{a - a \sec(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.49979, size = 269, normalized size = 2.34

$$\frac{Ae^{-\frac{1}{2}i(c+dx)} \sin\left(\frac{1}{2}(c+dx)\right) \sec(c+dx) \left(\cos\left(\frac{1}{2}(c+dx)\right) + i \sin\left(\frac{1}{2}(c+dx)\right)\right) \left(3e^{-\frac{1}{2}i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \sinh^{-1}\left(e^{i(c+dx)}\right) + \dots\right)}{2d\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + A*Sec[c + d*x]))/Sqrt[a - a*Sec[c + d*x]],x]

[Out] (A*((3*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))])/E^((I/2)*(c + d*x)) + (1 + E^((-I)*(c + d*x)) + E^(I*(c + d*x)) + E^((2*I)*(c + d*x)) - 4*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 + E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + 3*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])/E^((I/2)*(c + d*x))*Sec[c + d*x]*(Cos[(c + d*x)/2] + I*Sin[(c + d*x)/2])*Sin[(c + d*x)/2])/(2*d*E^((I/2)*(c + d*x)))*Sqrt[a - a*Sec[c + d*x]])

Maple [A] time = 0.299, size = 155, normalized size = 1.4

$$\frac{A\sqrt{2}(\cos(dx+c)+1)}{2d\sin(dx+c)a} \left(2 \arctan \left(\frac{1}{\sqrt{-2\frac{\cos(dx+c)}{\cos(dx+c)+1}}} \right) \sqrt{-2\frac{\cos(dx+c)}{\cos(dx+c)+1}} \sqrt{2} + 3 \arctan \left(\frac{1}{2\sqrt{2}\sqrt{-2\frac{\cos(dx+c)}{\cos(dx+c)+1}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x)

[Out] 1/2*A/d*2^(1/2)*(cos(d*x+c)+1)*(2*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*2^(1/2)+3*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-cos(d*x+c)*2^(1/2))*(a*(-1+cos(d*x+c))/cos(d*x+c))^(1/2)/sin(d*x+c)/a

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(dx+c) + A) \cos(dx+c)}{\sqrt{-a \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((A*sec(d*x + c) + A)*cos(d*x + c)/sqrt(-a*sec(d*x + c) + a), x)

Fricas [A] time = 0.527598, size = 1112, normalized size = 9.67

$$\left[\frac{2\sqrt{2}Aa\sqrt{-\frac{1}{a}} \log\left(\frac{2\sqrt{2}(\cos(dx+c)^2 + \cos(dx+c))\sqrt{\frac{a\cos(dx+c)-a}{\cos(dx+c)}}\sqrt{-\frac{1}{a}} - (3\cos(dx+c)+1)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)} \right) \sin(dx+c) - 3A\sqrt{-a} \log\left(\frac{2(\cos(dx+c)+1)\sin(dx+c)}{2ad\sin(dx+c)} \right)}{2ad\sin(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2*(2*sqrt(2)*A*a*sqrt(-1/a)*log(-(2*sqrt(2)*(cos(d*x + c))^2 + cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*sqrt(-1/a) - (3*cos(d*x + c) + 1)*sin(d*x + c))/((cos(d*x + c) - 1)*sin(d*x + c))*sin(d*x + c) - 3*A*sqrt(-a)*log((2*(cos(d*x + c))^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c))*sin(d*x + c) - 2*(A*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/(a*d*sin(d*x + c)), (2*sqrt(2)*A*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 3*A*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - (A*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/(a*d*sin(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$A \left(\int \frac{\cos(c + dx)}{\sqrt{-a \sec(c + dx) + a}} dx + \int \frac{\cos(c + dx) \sec(c + dx)}{\sqrt{-a \sec(c + dx) + a}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(1/2),x)

[Out] A*(Integral(cos(c + d*x)/sqrt(-a*sec(c + d*x) + a), x) + Integral(cos(c + d*x)*sec(c + d*x)/sqrt(-a*sec(c + d*x) + a), x))

Giac [C] time = 1.92026, size = 346, normalized size = 3.01

$$Aa \left(\frac{2\sqrt{2} \arctan\left(\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{3 \arctan\left(\frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{2\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a\right) a \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} \right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] -(A*a*(2*sqrt(2)*arctan(sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - 3*arctan(1/2*sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/((a*tan(1/2*d*x + 1/2*c)^2 + a)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)))) + (2*I*sqrt(2)*A*sqrt(-a)*arctan(-I) - 3*I*A*sqrt(-a)*arctan(-1/2*I*sqrt(2)) - sqrt(2)*A*sqrt(-a))*sgn(tan(1/2*d*x + 1/2*c))/a)/d

$$3.169 \quad \int \frac{\cos^2(c+dx)(A+A \sec(c+dx))}{\sqrt{a-a \sec(c+dx)}} dx$$

Optimal. Leaf size=155

$$\frac{5A \sin(c+dx)}{4d\sqrt{a-a \sec(c+dx)}} + \frac{11A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{4\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx) \cos(c+dx)}{2d\sqrt{a-a \sec(c+dx)}}$$

[Out] (11*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (2*Sqrt[2]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[a]*d) + (5*A*Sin[c + d*x])/(4*d*Sqrt[a - a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a - a*Sec[c + d*x]])

Rubi [A] time = 0.361976, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4022, 3920, 3774, 203, 3795}

$$\frac{5A \sin(c+dx)}{4d\sqrt{a-a \sec(c+dx)}} + \frac{11A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{4\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx) \cos(c+dx)}{2d\sqrt{a-a \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + A*Sec[c + d*x]))/Sqrt[a - a*Sec[c + d*x]],x]

[Out] (11*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(4*Sqrt[a]*d) - (2*Sqrt[2]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[a]*d) + (5*A*Sin[c + d*x])/(4*d*Sqrt[a - a*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*d*Sqrt[a - a*Sec[c + d*x]])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(c+dx)(A+A \sec(c+dx))}{\sqrt{a-a \sec(c+dx)}} dx &= \frac{A \cos(c+dx) \sin(c+dx)}{2d\sqrt{a-a \sec(c+dx)}} - \int \frac{\cos(c+dx) \left(-\frac{5aA}{2} - \frac{3}{2}aA \sec(c+dx) \right)}{\sqrt{a-a \sec(c+dx)}} dx \\
 &= \frac{5A \sin(c+dx)}{4d\sqrt{a-a \sec(c+dx)}} + \frac{A \cos(c+dx) \sin(c+dx)}{2d\sqrt{a-a \sec(c+dx)}} + \int \frac{\frac{11a^2A}{4} + \frac{5}{4}a^2A \sec(c+dx)}{\sqrt{a-a \sec(c+dx)}} dx \\
 &= \frac{5A \sin(c+dx)}{4d\sqrt{a-a \sec(c+dx)}} + \frac{A \cos(c+dx) \sin(c+dx)}{2d\sqrt{a-a \sec(c+dx)}} + (2A) \int \frac{\sec(c+dx)}{\sqrt{a-a \sec(c+dx)}} dx \\
 &= \frac{5A \sin(c+dx)}{4d\sqrt{a-a \sec(c+dx)}} + \frac{A \cos(c+dx) \sin(c+dx)}{2d\sqrt{a-a \sec(c+dx)}} + \frac{(11A) \text{Subst} \left(\int \frac{1}{a+x^2} dx, x \right)}{4d} \\
 &= \frac{11A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{4\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2\sqrt{a-a \sec(c+dx)}}} \right)}{\sqrt{ad}} + \frac{5A \sin(c+dx)}{4d\sqrt{a-a \sec(c+dx)}}
 \end{aligned}$$

Mathematica [C] time = 1.62897, size = 297, normalized size = 1.92

$$Ae^{-\frac{1}{2}i(c+dx)} \sin\left(\frac{1}{2}(c+dx)\right) \sec(c+dx) \left(\cos\left(\frac{1}{2}(c+dx)\right) + i \sin\left(\frac{1}{2}(c+dx)\right)\right) \left(11e^{-\frac{1}{2}i(c+dx)} \sqrt{1+e^{2i(c+dx)}} \sinh^{-1}\left(e^{i(c+dx)}\right) + \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + A*Sec[c + d*x]))/Sqrt[a - a*Sec[c + d*x]],x]

[Out] (A*((11*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))])/E^((I/2)*(c + d*x)) + (7 + 6/E^(I*(c + d*x)) + 7*E^(I*(c + d*x)) + E^((-2*I)*(c + d*x)) + 6*E^((2*I)*(c + d*x)) + E^((3*I)*(c + d*x)) - 16*Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 + E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + 11*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])/E^((I/2)*(c + d*x))*Sec[c + d*x]*(Cos[(c + d*x)/2] + I*Sin[(c + d*x)/2])*Sin[(c + d*x)/2])/(8*d*E^((I/2)*(c + d*x))*Sqrt[a - a*Sec[c + d*x]])

Maple [B] time = 0.345, size = 367, normalized size = 2.4

$$\frac{A\sqrt{2}(-1 + \cos(dx + c))^2}{24d(\sin(dx + c))^3} \left(6(\cos(dx + c))^3 \sqrt{2} \sqrt{-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}} - 16 \cos(dx + c) \sqrt{2} \left(-2 \frac{\cos(dx + c)}{\cos(dx + c) + 1}\right)^{3/2} + 2 \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x)

[Out] 1/24*A/d*2^(1/2)*(-1+cos(d*x+c))^2*(6*cos(d*x+c)^3*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-16*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)+27*cos(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)-16*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)+4*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+48*cos(d*x+c)*2^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+66*cos(d*x+c)*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+15*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+48*2^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+66*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)))/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)/(a*(-1+cos(d*x+c))/cos(d*x+c))^(1/2)/sin(d*x+c)^3

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(dx + c) + A) \cos(dx + c)^2}{\sqrt{-a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((A*sec(d*x + c) + A)*cos(d*x + c)^2/sqrt(-a*sec(d*x + c) + a), x)

Fricas [A] time = 0.538782, size = 1188, normalized size = 7.66

$$\left[\frac{8 \sqrt{2} A a \sqrt{-\frac{1}{a}} \log \left(-\frac{2 \sqrt{2} (\cos(dx+c)^2 + \cos(dx+c)) \sqrt{\frac{a \cos(dx+c) - a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} - (3 \cos(dx+c) + 1) \sin(dx+c)}{(\cos(dx+c) - 1) \sin(dx+c)} \right) \sin(dx+c) - 11 A \sqrt{-a} \log \left(\frac{2 (\cos(dx+c)^2 + \cos(dx+c)) \sqrt{-a} \sqrt{\frac{a \cos(dx+c) - a}{\cos(dx+c)}} - (3 \cos(dx+c) + 1) \sin(dx+c)}{(\cos(dx+c) - 1) \sin(dx+c)} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/8*(8*sqrt(2)*A*a*sqrt(-1/a)*log(-(2*sqrt(2))*(cos(d*x + c))^2 + cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*sqrt(-1/a) - (3*cos(d*x + c) + 1)*sin(d*x + c))/((cos(d*x + c) - 1)*sin(d*x + c)))*sin(d*x + c) - 11*A*sqrt(-a)*log((2*(cos(d*x + c))^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c))*sin(d*x + c) - 2*(2*A*cos(d*x + c)^3 + 7*A*cos(d*x + c)^2 + 5*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))/(a*d*sin(d*x + c)), 1/4*(8*sqrt(2)*A*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 11*A*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - (2*A*cos(d*x + c)^3 + 7*A*cos(d*x + c)^2 + 5*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))/(a*d*sin(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$A \left(\int \frac{\cos^2(c + dx)}{\sqrt{-a \sec(c + dx) + a}} dx + \int \frac{\cos^2(c + dx) \sec(c + dx)}{\sqrt{-a \sec(c + dx) + a}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(1/2), x)

[Out] A*(Integral(cos(c + d*x)**2/sqrt(-a*sec(c + d*x) + a), x) + Integral(cos(c + d*x)**2*sec(c + d*x)/sqrt(-a*sec(c + d*x) + a), x))

Giac [C] time = 2.01873, size = 379, normalized size = 2.45

$$Aa \left(\frac{8\sqrt{2} \arctan\left(\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{11 \arctan\left(\frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{2\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{\sqrt{2} \left(3 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a\right)^{\frac{3}{2}} + 10 \sqrt{a}\right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a\right)^2 a \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} \right)$$

4d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2), x, algorithm="giac")

[Out] $-1/4*(A*a*(8*\sqrt{2}*\arctan(\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a}/\sqrt{a}))/a^{3/2}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)) - 11*\arctan(1/2*\sqrt{2}*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a}/\sqrt{a}))/a^{3/2}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)) - \sqrt{2}*(3*(a*\tan(1/2*d*x + 1/2*c)^2 - a)^{3/2} + 10*\sqrt{a*a})/((a*\tan(1/2*d*x + 1/2*c)^2 + a)^2*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))) + (8*I*\sqrt{2})*A*\sqrt{-a}*\arctan(-I) - 11*I*A*\sqrt{-a}*\arctan(-1/2*I*\sqrt{2}) - 7*\sqrt{2})*A*\sqrt{-a})*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))/a/d$

$$3.170 \quad \int \frac{\cos^3(c+dx)(A+A \sec(c+dx))}{\sqrt{a-a \sec(c+dx)}} dx$$

Optimal. Leaf size=192

$$\frac{9A \sin(c+dx)}{8d\sqrt{a-a \sec(c+dx)}} + \frac{23A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{8\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx) \cos^2(c+dx)}{3d\sqrt{a-a \sec(c+dx)}} + \frac{7A \sin(c+dx)}{12d\sqrt{a-a \sec(c+dx)}}$$

[Out] (23*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(8*Sqrt[a]*d) - (2*Sqrt[2]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[a]*d) + (9*A*Sin[c + d*x])/(8*d*Sqrt[a - a*Sec[c + d*x]]) + (7*A*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a - a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a - a*Sec[c + d*x]])

Rubi [A] time = 0.524277, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {4022, 3920, 3774, 203, 3795}

$$\frac{9A \sin(c+dx)}{8d\sqrt{a-a \sec(c+dx)}} + \frac{23A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{8\sqrt{ad}} - \frac{2\sqrt{2}A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{A \sin(c+dx) \cos^2(c+dx)}{3d\sqrt{a-a \sec(c+dx)}} + \frac{7A \sin(c+dx)}{12d\sqrt{a-a \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + A*Sec[c + d*x]))/Sqrt[a - a*Sec[c + d*x]],x]

[Out] (23*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(8*Sqrt[a]*d) - (2*Sqrt[2]*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[a]*d) + (9*A*Sin[c + d*x])/(8*d*Sqrt[a - a*Sec[c + d*x]]) + (7*A*Cos[c + d*x]*Sin[c + d*x])/(12*d*Sqrt[a - a*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*d*Sqrt[a - a*Sec[c + d*x]])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+A\sec(c+dx))}{\sqrt{a-a\sec(c+dx)}} dx &= \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a-a\sec(c+dx)}} - \frac{\int \frac{\cos^2(c+dx)\left(-\frac{7aA}{2}-\frac{5}{2}aA\sec(c+dx)\right)}{\sqrt{a-a\sec(c+dx)}} dx}{3a} \\
&= \frac{7A\cos(c+dx)\sin(c+dx)}{12d\sqrt{a-a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a-a\sec(c+dx)}} + \frac{\int \frac{\cos(c+dx)\left(\frac{27a^2A}{4}+\frac{21}{4}a\right)}{\sqrt{a-a\sec(c+dx)}} dx}{6a^2} \\
&= \frac{9A\sin(c+dx)}{8d\sqrt{a-a\sec(c+dx)}} + \frac{7A\cos(c+dx)\sin(c+dx)}{12d\sqrt{a-a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a-a\sec(c+dx)}} \\
&= \frac{9A\sin(c+dx)}{8d\sqrt{a-a\sec(c+dx)}} + \frac{7A\cos(c+dx)\sin(c+dx)}{12d\sqrt{a-a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a-a\sec(c+dx)}} \\
&= \frac{9A\sin(c+dx)}{8d\sqrt{a-a\sec(c+dx)}} + \frac{7A\cos(c+dx)\sin(c+dx)}{12d\sqrt{a-a\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3d\sqrt{a-a\sec(c+dx)}} \\
&= \frac{23A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a-a\sec(c+dx)}}\right)}{8\sqrt{ad}} - \frac{2\sqrt{2}A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a-a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{9A\sin(c+dx)}{8d\sqrt{a-a\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 1.88793, size = 330, normalized size = 1.72

$$Ae^{-4i(c+dx)} \sin\left(\frac{1}{2}(c+dx)\right) \sec(c+dx) \left(\cos\left(\frac{1}{2}(c+dx)\right) + i \sin\left(\frac{1}{2}(c+dx)\right)\right) \left(9e^{i(c+dx)} + 40e^{2i(c+dx)} + 47e^{3i(c+dx)} + 47e^{4i(c+dx)}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + A*Sec[c + d*x]))/Sqrt[a - a*Sec[c + d*x]],x]

[Out] (A*(2 + 9*E^(I*(c + d*x)) + 40*E^((2*I)*(c + d*x)) + 47*E^((3*I)*(c + d*x)) + 47*E^((4*I)*(c + d*x)) + 40*E^((5*I)*(c + d*x)) + 9*E^((6*I)*(c + d*x)) + 2*E^((7*I)*(c + d*x)) + 69*E^((3*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))])*ArcSinh[E^(I*(c + d*x))] - 96*Sqrt[2]*E^((3*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))])*ArcTanh[(1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + 69*E^((3*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))])*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]*(Cos[(c + d*x)/2] + I*Sin[(c + d*x)/2])*Sin[(c + d*x)/2]/(48*d*E^((4*I)*(c + d*x))*Sqrt[a - a*Sec[c + d*x]]))

Maple [B] time = 0.404, size = 625, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x)`

[Out]
$$\begin{aligned} & -1/240*A/d*2^{(1/2)}*(-1+\cos(d*x+c))^{3*(96*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)} \\ & *\cos(d*x+c)^{2*2^{(1/2)}+192*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\cos(d*x+c) \\ & *2^{(1/2)}+40*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^{5*2^{(1/2)}+96*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*2^{(1/2)}-160*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\cos(d*x+c)^{2*2^{(1/2)}+190*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^{4*2^{(1/2)}-320*\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+465*\cos(d*x+c)^{3*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-160*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}-49*\cos(d*x+c)^{2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+480*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^{2*2^{(1/2)}+155*\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+960*\cos(d*x+c)*2^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+690*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^{2+135*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+480*2^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+1380*\cos(d*x+c)*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+690*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}/(a*(-1+\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(dx + c) + A) \cos(dx + c)^3}{\sqrt{-a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((A*sec(d*x + c) + A)*cos(d*x + c)^3/sqrt(-a*sec(d*x + c) + a), x)`

Fricas [A] time = 0.548307, size = 1258, normalized size = 6.55

$$\left[48 \sqrt{2} A a \sqrt{-\frac{1}{a}} \log \left(\frac{2 \sqrt{2} (\cos(dx+c)^2 + \cos(dx+c)) \sqrt{\frac{a \cos(dx+c) - a}{\cos(dx+c)}} \sqrt{-\frac{1}{a}} - (3 \cos(dx+c) + 1) \sin(dx+c)}{(\cos(dx+c) - 1) \sin(dx+c)} \right) \sin(dx+c) - 69 A \sqrt{-a} \log \left(\frac{2 (\cos(dx+c)^2 + \cos(dx+c)) \sqrt{-a} \sqrt{\frac{a \cos(dx+c) - a}{\cos(dx+c)}} - (2 a \cos(dx+c) + a) \sin(dx+c)}{\sin(dx+c)} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/48*(48*sqrt(2)*A*a*sqrt(-1/a)*log(-(2*sqrt(2)*(cos(d*x + c)^2 + cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*sqrt(-1/a) - (3*cos(d*x + c) + 1)*sin(d*x + c))/((cos(d*x + c) - 1)*sin(d*x + c)))*sin(d*x + c) - 69*A*sqrt(-a)*log((2*(cos(d*x + c)^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c))*sin(d*x + c) - 2*(8*A*cos(d*x + c)^4 + 22*A*cos(d*x + c)^3 + 41*A*cos(d*x + c)^2 + 27*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/(a*d*sin(d*x + c)), 1/24*(48*sqrt(2)*A*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 69*A*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - (8*A*cos(d*x + c)^4 + 22*A*cos(d*x + c)^3 + 41*A*cos(d*x + c)^2 + 27*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/(a*d*sin(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [C] time = 2.21682, size = 412, normalized size = 2.15

$$Aa \left(\frac{48 \sqrt{2} \arctan \left(\frac{\sqrt{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a}}{\sqrt{a}} \right)}{a^{\frac{3}{2}} \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} - \frac{69 \arctan \left(\frac{\sqrt{2} \sqrt{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a}}{2 \sqrt{a}} \right)}{a^{\frac{3}{2}} \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} - \frac{\sqrt{2} \left(21 \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right)^{\frac{5}{2}} + 80 \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right)^{\frac{3}{2}} \right)}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a \right)^3 a \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} \right)$$

24d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] -1/24*(A*a*(48*sqrt(2)*arctan(sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a)))/(a^(3/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - 69*arctan(1/2*sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - sqrt(2)*(21*(a*tan(1/2*d*x + 1/2*c)^2 - a)^(5/2) + 80*(a*tan(1/2*d*x + 1/2*c)^2 - a)^(3/2)*a + 108*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)*a^2)/((a*tan(1/2*d*x + 1/2*c)^2 + a)^3*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)))) + (48*I*sqrt(2)*A*sqrt(-a)*arctan(-I) - 69*I*A*sqrt(-a)*arctan(-1/2*I*sqrt(2)) - 49*sqrt(2)*A*sqrt(-a))*sgn(tan(1/2*d*x + 1/2*c))/a)/d

$$3.171 \quad \int \frac{A + A \sec(c + dx)}{(a - a \sec(c + dx))^{3/2}} dx$$

Optimal. Leaf size=116

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a - a \sec(c + dx)}}\right)}{a^{3/2}d} - \frac{3A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a - a \sec(c + dx)}}\right)}{\sqrt{2}a^{3/2}d} - \frac{A \tan(c + dx)}{d(a - a \sec(c + dx))^{3/2}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(a^(3/2)*d) - (3*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[2]*a^(3/2)*d) - (A*Tan[c + d*x])/(d*(a - a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.199528, antiderivative size = 133, normalized size of antiderivative = 1.15, number of steps used = 6, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {3904, 3887, 471, 522, 203}

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a - a \sec(c + dx)}}\right)}{a^{3/2}d} - \frac{3A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a - a \sec(c + dx)}}\right)}{\sqrt{2}a^{3/2}d} + \frac{A \sin(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right)}{2ad\sqrt{a - a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + A*Sec[c + d*x])/(a - a*Sec[c + d*x])^(3/2), x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(a^(3/2)*d) - (3*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[2]*a^(3/2)*d) + (A*Csc[(c + d*x)/2]^2*Sin[c + d*x])/(2*a*d*Sqrt[a - a*Sec[c + d*x]])

Rule 3904

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^(m_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)^(n_.), x_Symbol] :> Dist[(-a*c)^(m), Int[Cot[e + f*x]^(2*m)*(c + d*Csc[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[m] && RationalQ[n] && !(IntegerQ[n] && GtQ[m - n, 0])

Rule 3887

Int[cot[(c_.) + (d_.)*(x_.)]^(m_.)*(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)^(n_.), x_Symbol] :> Dist[(-2*a^(m/2 + n + 1/2))/d, Subst[Int[(x^m*(2 + a*x^2)^(m/2 + n - 1/2))/(1 + a*x^2), x], x, Cot[c + d*x]/Sqrt[a + b*Csc[c + d*x]]

], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[m/2] && IntegerQ[n - 1/2]

Rule 471

Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p)*((c_) + (d_.)*(x_)^(n_.))^q], x_Symbol] :> Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 522

Int[((e_) + (f_.)*(x_)^(n_.))/((a_) + (b_.)*(x_)^(n_.))*((c_) + (d_.)*(x_)^(n_.))], x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + A \sec(c + dx)}{(a - a \sec(c + dx))^{3/2}} dx &= - \left((aA) \int \frac{\tan^2(c + dx)}{(a - a \sec(c + dx))^{5/2}} dx \right) \\
&= \frac{(2A) \text{Subst} \left(\int \frac{x^2}{(1+ax^2)(2+ax^2)^2} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{d} \\
&= \frac{A \csc^2 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{2ad\sqrt{a - a \sec(c + dx)}} - \frac{A \text{Subst} \left(\int \frac{1-ax^2}{(1+ax^2)(2+ax^2)} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{ad} \\
&= \frac{A \csc^2 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{2ad\sqrt{a - a \sec(c + dx)}} - \frac{(2A) \text{Subst} \left(\int \frac{1}{1+ax^2} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{ad} + \frac{(3A) \text{Subst} \left(\int \frac{1}{1+ax^2} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{ad} \\
&= \frac{2A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{a^{3/2}d} - \frac{3A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}} \right)}{\sqrt{2}a^{3/2}d} + \frac{A \csc^2 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{2ad\sqrt{a - a \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.59493, size = 322, normalized size = 2.78

$$A \left(\frac{\sin^3 \left(\frac{c}{2} + \frac{dx}{2} \right) \sec^2(c + dx) \left(-\frac{4 \sin\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right)}{d} + \frac{4 \cos\left(\frac{c}{2}\right) \cos\left(\frac{dx}{2}\right)}{d} - \frac{2 \cot\left(\frac{c}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} + \frac{2 \csc\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \csc^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} \right)}{(a - a \sec(c + dx))^{3/2}} - 2\sqrt{2}e^{-\frac{1}{2}i(c+dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + A*Sec[c + d*x])/(a - a*Sec[c + d*x])^(3/2), x]

[Out] A*((-2*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(ArcSinh[E^(I*(c + d*x))]) - (3*ArcTanh[(1 + E^(I*(c + d*x)))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x)))]])/Sqrt[2] + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(3/2)*Sin[c/2 + (d*x)/2]^3)/(d*E^((I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(3/2)) + (Sec[c + d*x]^2*((4*Cos[c/2]*Cos[(d*x)/2])/d - (2*Cot[c/2]*Csc[c/2 + (d*x)/2])/d + (2*Csc[c/2]*Csc[c/2 + (d*x)/2]^2*Sin[(d*x)/2])/d - (4*Sin[c/2]*Sin[(d*x)/2])/d)*Sin[c/2 + (d*x)/2]^3)/(a - a*Sec[c + d*x])^(3/2))

Maple [B] time = 0.23, size = 298, normalized size = 2.6

$$-\frac{A\sqrt{2}(-1+\cos(dx+c))^2}{d(\sin(dx+c))^3} \left(\cos(dx+c) \sqrt{2} \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{\frac{3}{2}} + \sqrt{2} \left(-2 \frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{\frac{3}{2}} + \cos(dx+c) \sqrt{2} \sqrt{-} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2), x)

[Out]
$$-A/d*2^{(1/2)}*(-1+\cos(d*x+c))^{2*(\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)+2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)+\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)+3*\cos(d*x+c)*2^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)+4*\cos(d*x+c)*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2))-2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)-3*2^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2))-4*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2))})/(a*(-1+\cos(d*x+c))/\cos(d*x+c))^{(3/2)}/\sin(d*x+c)^3/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec(dx+c) + A}{(-a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((A*sec(d*x + c) + A)/(-a*sec(d*x + c) + a)^(3/2), x)

Fricas [B] time = 0.53126, size = 1285, normalized size = 11.08

$$\left[\frac{3\sqrt{2}(A\cos(dx+c)-A)\sqrt{-a} \log \left(\frac{2\sqrt{2}(\cos(dx+c)^2+\cos(dx+c))\sqrt{-a}\sqrt{\frac{a\cos(dx+c)-a}{\cos(dx+c)}}+(3a\cos(dx+c)+a)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)} \right)}{\sin(dx+c)+4(A\cos(dx+c)-A)\sqrt{-a}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*(3*\sqrt{2}*(A*\cos(d*x + c) - A)*\sqrt{-a}*\log((2*\sqrt{2}*(\cos(d*x + c) \\ & ^2 + \cos(d*x + c))*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) - a)/\cos(d*x + c)} + (3*a* \\ & \cos(d*x + c) + a)*\sin(d*x + c))/((\cos(d*x + c) - 1)*\sin(d*x + c)))*\sin(d*x \\ & + c) + 4*(A*\cos(d*x + c) - A)*\sqrt{-a}*\log((2*(\cos(d*x + c)^2 + \cos(d*x + c) \\ &))*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) - a)/\cos(d*x + c)} - (2*a*\cos(d*x + c) + a \\ &)*\sin(d*x + c))/\sin(d*x + c))*\sin(d*x + c) - 4*(A*\cos(d*x + c)^2 + A*\cos(d* \\ & x + c))*\sqrt{(a*\cos(d*x + c) - a)/\cos(d*x + c))}/((a^2*d*\cos(d*x + c) - a^2 \\ & *d)*\sin(d*x + c)), 1/2*(3*\sqrt{2}*(A*\cos(d*x + c) - A)*\sqrt{a}*\arctan(\sqrt{2} \\ &)*\sqrt{(a*\cos(d*x + c) - a)/\cos(d*x + c)}*\cos(d*x + c)/(\sqrt{a}*\sin(d*x + \\ & c)))*\sin(d*x + c) - 4*(A*\cos(d*x + c) - A)*\sqrt{a}*\arctan(\sqrt{(a*\cos(d*x + \\ & c) - a)/\cos(d*x + c)}*\cos(d*x + c)/(\sqrt{a}*\sin(d*x + c)))*\sin(d*x + c) + \\ & 2*(A*\cos(d*x + c)^2 + A*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) - a)/\cos(d*x + c} \\ &))/((a^2*d*\cos(d*x + c) - a^2*d)*\sin(d*x + c))] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$A \left(\int \frac{\sec(c + dx)}{-a\sqrt{-a\sec(c + dx) + a}\sec(c + dx) + a\sqrt{-a\sec(c + dx) + a}} dx + \int \frac{1}{-a\sqrt{-a\sec(c + dx) + a}\sec(c + dx) + a\sqrt{-a\sec(c + dx) + a}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x)

[Out]
$$A*(\text{Integral}(\sec(c + d*x)/(-a*\sqrt{-a*\sec(c + d*x) + a})*\sec(c + d*x) + a*\sqrt{-a*\sec(c + d*x) + a}), x) + \text{Integral}(1/(-a*\sqrt{-a*\sec(c + d*x) + a})*\sec(c + d*x) + a*\sqrt{-a*\sec(c + d*x) + a}), x)$$

Giac [A] time = 1.87604, size = 262, normalized size = 2.26

$$A \left(\frac{3\sqrt{2} \arctan\left(\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{4 \arctan\left(\frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{2\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{a^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] -1/2*A*(3*sqrt(2)*arctan(sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - 4*arctan(1/2*sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))*tan(1/2*d*x + 1/2*c)^2))/d
```

$$3.172 \quad \int \frac{\cos(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=146

$$\frac{5A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{a^{3/2}d} - \frac{7A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} + \frac{2A \sin(c+dx)}{ad\sqrt{a-a \sec(c+dx)}} - \frac{A \sin(c+dx)}{d(a-a \sec(c+dx))^{3/2}}$$

[Out] (5*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(a^(3/2)*d) - (7*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[2]*a^(3/2)*d) - (A*Sin[c + d*x])/(d*(a - a*Sec[c + d*x])^(3/2)) + (2*A*Sin[c + d*x])/(a*d*Sqrt[a - a*Sec[c + d*x]])

Rubi [A] time = 0.354706, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$\frac{5A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{a^{3/2}d} - \frac{7A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} + \frac{2A \sin(c+dx)}{ad\sqrt{a-a \sec(c+dx)}} - \frac{A \sin(c+dx)}{d(a-a \sec(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(3/2), x]

[Out] (5*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(a^(3/2)*d) - (7*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[2]*a^(3/2)*d) - (A*Sin[c + d*x])/(d*(a - a*Sec[c + d*x])^(3/2)) + (2*A*Sin[c + d*x])/(a*d*Sqrt[a - a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+A\sec(c+dx))}{(a-a\sec(c+dx))^{3/2}} dx &= -\frac{A\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos(c+dx)(4aA+3A\sec(c+dx))}{\sqrt{a-a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{A\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{2A\sin(c+dx)}{ad\sqrt{a-a\sec(c+dx)}} - \frac{\int \frac{-5a^2A-2a^2A\sec(c+dx)}{\sqrt{a-a\sec(c+dx)}} dx}{2a^3} \\
&= -\frac{A\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{2A\sin(c+dx)}{ad\sqrt{a-a\sec(c+dx)}} + \frac{(5A)\int \sqrt{a-a\sec(c+dx)} dx}{2a^2} \\
&= -\frac{A\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{2A\sin(c+dx)}{ad\sqrt{a-a\sec(c+dx)}} + \frac{(5A)\text{Subst}\left(\int \frac{1}{a+x^2} dx, x, \frac{a}{\sqrt{a-a\sec(c+dx)}}\right)}{ad} \\
&= \frac{5A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a-a\sec(c+dx)}}\right)}{a^{3/2}d} - \frac{7A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a-a\sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} - \frac{A\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 6.61696, size = 361, normalized size = 2.47

$$A \left(\frac{\sin^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2(c+dx) \left(-\frac{2\sin\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{d} + \frac{2\sin\left(\frac{3c}{2}\right)\sin\left(\frac{3dx}{2}\right)}{d} + \frac{2\cos\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{d} - \frac{2\cos\left(\frac{3c}{2}\right)\cos\left(\frac{3dx}{2}\right)}{d} - \frac{2\cot\left(\frac{c}{2}\right)\csc\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} + \frac{2\cot\left(\frac{c}{2}\right)\csc\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} \right)}{(a-a\sec(c+dx))^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(3/2), x]

[Out] A*((Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))])*(-5*ArcSinh[E^(I*(c + d*x))]] + 7*Sqrt[2]*ArcTanh[(1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])] - 5*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(3/2)*Sin[c/2 + (d*x)/2]^3)/(d*E^((I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(3/2)) + (Sec[c + d*x]^2*((2*Cos[c/2]*Cos[(d*x)/2])/d - (2*Cos[(3*c)/2]*Cos[(3*d*x)/2])/d - (2*Cot[c/2]*Csc[c/2 + (d*x)/2])/d + (2*Csc[c/2]*Csc[c/2 + (d*x)/2]^2*Sin[(d*x)/2])/d - (2*Sin[c/2]*Sin[(d*x)/2])/d + (2*Sin[(3*c)/2]*Sin[(3*d*x)/2])/d)*Sin[c/2 + (d*x)/2]^3)/(a - a*Sec[c + d*x])^(3/2))

Maple [B] time = 0.283, size = 462, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x)`

[Out] $\frac{1}{3}A/d^{2^{1/2}}*(-1+\cos(dx+c))^{3/2}*(-3*(-2\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)^{2^{1/2}}-6*(-2\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*\cos(dx+c)*2^{1/2}-7*(-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2}*\cos(dx+c)^{2^{1/2}}-3*(-2\cos(dx+c)/(\cos(dx+c)+1))^{5/2}*2^{1/2}+3*\cos(dx+c)^{3^{1/2}}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}+21*\arctan(1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)^{2^{1/2}}-2*\cos(dx+c)^{2^{1/2}}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}+7*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2}+30*\arctan(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})*\cos(dx+c)^{2^{1/2}}+5*\cos(dx+c)*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}-21*2^{1/2}*\arctan(1/(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2})-6*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}-30*\arctan(1/2*2^{1/2}*(-2\cos(dx+c)/(\cos(dx+c)+1))^{1/2}))/(-2\cos(dx+c)/(\cos(dx+c)+1))^{3/2}/(a*(-1+\cos(dx+c))/\cos(dx+c))^{3/2}/\sin(dx+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(dx+c) + A) \cos(dx+c)}{(-a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((A*sec(d*x + c) + A)*cos(d*x + c)/(-a*sec(d*x + c) + a)^(3/2), x)`

Fricas [A] time = 0.541201, size = 1345, normalized size = 9.21

$$\left[\frac{7\sqrt{2}(A\cos(dx+c) - A)\sqrt{-a} \log\left(\frac{2\sqrt{2}(\cos(dx+c)^2 + \cos(dx+c))\sqrt{-a}\sqrt{\frac{a\cos(dx+c)-a}{\cos(dx+c)}} + (3a\cos(dx+c)+a)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)}\right)}{\sin(dx+c)} + 10(A \dots) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/4*(7*sqrt(2)*(A*cos(d*x + c) - A)*sqrt(-a)*log((2*sqrt(2)*(cos(d*x + c))^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) + (3*a*cos(d*x + c) + a)*sin(d*x + c))/((cos(d*x + c) - 1)*sin(d*x + c)))*sin(d*x + c) + 10*(A*cos(d*x + c) - A)*sqrt(-a)*log((2*(cos(d*x + c))^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c))*sin(d*x + c) + 4*(A*cos(d*x + c)^3 - A*cos(d*x + c)^2 - 2*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/((a^2*d*cos(d*x + c) - a^2*d)*sin(d*x + c)), 1/2*(7*sqrt(2)*(A*cos(d*x + c) - A)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 10*(A*cos(d*x + c) - A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 2*(A*cos(d*x + c)^3 - A*cos(d*x + c)^2 - 2*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/((a^2*d*cos(d*x + c) - a^2*d)*sin(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$A \left(\int \frac{\cos(c + dx)}{-a\sqrt{-a \sec(c + dx) + a \sec(c + dx) + a\sqrt{-a \sec(c + dx) + a}} dx + \int \frac{\cos(c + dx) \sec(c + dx)}{-a\sqrt{-a \sec(c + dx) + a \sec(c + dx) + a\sqrt{-a \sec(c + dx) + a}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(3/2),x)

[Out] A*(Integral(cos(c + d*x)/(-a*sqrt(-a*sec(c + d*x) + a)*sec(c + d*x) + a*sqrt(-a*sec(c + d*x) + a)), x) + Integral(cos(c + d*x)*sec(c + d*x)/(-a*sqrt(-a*sec(c + d*x) + a)*sec(c + d*x) + a*sqrt(-a*sec(c + d*x) + a)), x))

Giac [B] time = 2.06882, size = 344, normalized size = 2.36

$$A \left(\frac{7\sqrt{2} \arctan\left(\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{\sqrt{2} \left(3 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^{\frac{3}{2}} + 4 \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - aa} \right)}{\left(\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^2 + 3 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right) a + 2 a^2 \right) a \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm="
giac")
```

```
[Out] -1/2*A*(7*sqrt(2)*arctan(sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/
2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - sqrt(2)*(3*
(a*tan(1/2*d*x + 1/2*c)^2 - a)^(3/2) + 4*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)
*a)/(((a*tan(1/2*d*x + 1/2*c)^2 - a)^2 + 3*(a*tan(1/2*d*x + 1/2*c)^2 - a)*a
+ 2*a^2)*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - 10
*arctan(1/2*sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sg
n(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)))/d
```

$$3.173 \quad \int \frac{\cos^2(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=194

$$\frac{31A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{4a^{3/2}d} - \frac{11A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} + \frac{13A \sin(c+dx)}{4ad\sqrt{a-a \sec(c+dx)}} + \frac{3A \sin(c+dx) \cos(c+dx)}{2ad\sqrt{a-a \sec(c+dx)}} - \frac{A \sin(c+dx)}{d(a-a \sec(c+dx))}$$

[Out] (31*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(4*a^(3/2)*d) - (11*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[2]*a^(3/2)*d) - (A*Cos[c + d*x]*Sin[c + d*x])/(d*(a - a*Sec[c + d*x])^(3/2)) + (13*A*Sin[c + d*x])/(4*a*d*Sqrt[a - a*Sec[c + d*x]]) + (3*A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a - a*Sec[c + d*x]])

Rubi [A] time = 0.529145, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$\frac{31A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{4a^{3/2}d} - \frac{11A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} + \frac{13A \sin(c+dx)}{4ad\sqrt{a-a \sec(c+dx)}} + \frac{3A \sin(c+dx) \cos(c+dx)}{2ad\sqrt{a-a \sec(c+dx)}} - \frac{A \sin(c+dx)}{d(a-a \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(3/2), x]

[Out] (31*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(4*a^(3/2)*d) - (11*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[2]*a^(3/2)*d) - (A*Cos[c + d*x]*Sin[c + d*x])/(d*(a - a*Sec[c + d*x])^(3/2)) + (13*A*Sin[c + d*x])/(4*a*d*Sqrt[a - a*Sec[c + d*x]]) + (3*A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a - a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 3920

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]

Rule 3774

Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 3795

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+A\sec(c+dx))}{(a-a\sec(c+dx))^{3/2}} dx &= -\frac{A\cos(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos^2(c+dx)(6aA+5aA\sec(c+dx))}{\sqrt{a-a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{3A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a-a\sec(c+dx)}} - \frac{\int \frac{\cos(c+dx)(-13a^2A-9aA\sec(c+dx))}{\sqrt{a-a\sec(c+dx)}} dx}{4a^3} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{13A\sin(c+dx)}{4ad\sqrt{a-a\sec(c+dx)}} + \frac{3A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{13A\sin(c+dx)}{4ad\sqrt{a-a\sec(c+dx)}} + \frac{3A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{13A\sin(c+dx)}{4ad\sqrt{a-a\sec(c+dx)}} + \frac{3A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a-a\sec(c+dx)}} \\
&= \frac{31A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a-a\sec(c+dx)}}\right)}{4a^{3/2}d} - \frac{11A \tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a-a\sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} - \frac{A\cos(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 6.66512, size = 408, normalized size = 2.1

$$A \frac{\sin^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2(c+dx) \left(\frac{3\sin\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{2d} + \frac{5\sin\left(\frac{3c}{2}\right)\sin\left(\frac{3dx}{2}\right)}{d} + \frac{\sin\left(\frac{5c}{2}\right)\sin\left(\frac{5dx}{2}\right)}{2d} - \frac{3\cos\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{2d} - \frac{5\cos\left(\frac{3c}{2}\right)\cos\left(\frac{3dx}{2}\right)}{d} - \frac{\cos\left(\frac{5c}{2}\right)\cos\left(\frac{5dx}{2}\right)}{2d} \right)}{(a-a\sec(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(3/2), x]

[Out] A*(-(Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(31*ArcSinh[E^(I*(c + d*x))] - 44*Sqrt[2]*ArcTanh[(1 + E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + 31*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(3/2)*Sin[c/2 + (d*x)/2]^3)/(2*Sqrt[2]*d*E^((I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(3/2)) + (Sec[c + d*x]^2*((-3*Cos[c/2]*Cos[(d*x)/2])/(2*d) - (5*Cos[(3*c)/2]*Cos[(3*d*x)/2])/d - (Cos[(5*c)/2]*Cos[(5*d*x)/2])/(2*d) - (2*Cot[c/2]*Csc[c/2 + (d*x)/2])/d + (2*Csc[c/2]*Csc[c/2 + (d*x)/2]^2*Sin[(d*x)/2])/d + (3*Sin[c/2]*Sin[(d*x)/2])/(2*d) + (5*Sin[(3*c)/2]*Sin[(3*d*x)/2])/d + (Sin[(5*c)/2]*Sin[(5*d*x)/2])/(2*d))*Sin[c/2 +

$$(d*x)/2]^3)/(a - a*\text{Sec}[c + d*x])^(3/2))$$

Maple [B] time = 0.351, size = 883, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^2*(A+A*\text{sec}(d*x+c))/(a-a*\text{sec}(d*x+c))^(3/2), x)$

[Out]
$$\begin{aligned} & -1/60*A/d*2^(1/2)*(-1+\cos(d*x+c))^4*(-278*\cos(d*x+c)^3*2^(1/2)*(-2*\cos(d*x+c) \\ & /(\cos(d*x+c)+1))^(1/2)-930*\arctan(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+ \\ & 1))^(1/2))+132*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*\cos(d*x+c)^2*2^(1/2)+18 \\ & 0*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\cos(d*x+c)^2*2^(1/2)+180*(-2*\cos(d*x \\ & +c)/(\cos(d*x+c)+1))^(7/2)*\cos(d*x+c)*2^(1/2)+132*(-2*\cos(d*x+c)/(\cos(d*x+c) \\ & +1))^(5/2)*\cos(d*x+c)^3*2^(1/2)-220*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)*\cos \\ & (d*x+c)^3*2^(1/2)+660*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2))*\cos(d \\ & *x+c)^3*2^(1/2)+60*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*\cos(d*x+c)^3*2^(1/2) \\ &)-132*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*2^(1/2)+930*\arctan(1/2*2^(1/2)*(- \\ & 2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2))*\cos(d*x+c)^2-195*2^(1/2)*(-2*\cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^(1/2)-660*2^(1/2)*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1)) \\ & ^{(1/2)})-132*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(5/2)*\cos(d*x+c)*2^(1/2)+30*(-2* \\ & \cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)*\cos(d*x+c)^5*2^(1/2)-220*(-2*\cos(d*x+c)/(\\ & \cos(d*x+c)+1))^(3/2)*\cos(d*x+c)^2*2^(1/2)+195*(-2*\cos(d*x+c)/(\cos(d*x+c)+1)) \\ & ^{(1/2)*\cos(d*x+c)^4*2^(1/2)+660*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/ \\ & 2))*\cos(d*x+c)^2*2^(1/2)+220*\cos(d*x+c)*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+ \\ & 1))^(3/2)+288*\cos(d*x+c)^2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)-40* \\ & \cos(d*x+c)*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2)-660*\cos(d*x+c)*2^(1 \\ & /2)*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2))+220*2^(1/2)*(-2*\cos(d*x+ \\ & c)/(\cos(d*x+c)+1))^(3/2)-930*\cos(d*x+c)*\arctan(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\\ & \cos(d*x+c)+1))^(1/2))+60*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(7/2)*2^(1/2)+930*a \\ & \text{rctan}(1/2*2^(1/2)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^(1/2))*\cos(d*x+c)^3/(-2*c \\ & \cos(d*x+c)/(\cos(d*x+c)+1))^(3/2)/(a*(-1+\cos(d*x+c))/\cos(d*x+c))^(3/2)/\sin(d* \\ & x+c)^7 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(dx + c) + A) \cos(dx + c)^2}{(-a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm
="maxima")
```

```
[Out] integrate((A*sec(d*x + c) + A)*cos(d*x + c)^2/(-a*sec(d*x + c) + a)^(3/2),
x)
```

Fricas [A] time = 0.55599, size = 1415, normalized size = 7.29

$$\left[\frac{22\sqrt{2}(A\cos(dx+c) - A)\sqrt{-a} \log\left(\frac{2\sqrt{2}(\cos(dx+c)^2 + \cos(dx+c))\sqrt{-a}\sqrt{\frac{a\cos(dx+c)-a}{\cos(dx+c)}} + (3a\cos(dx+c)+a)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)}\right)}{\sin(dx+c)} + 31(A\cos(dx+c) - A)\sqrt{-a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm
="fricas")
```

```
[Out] [-1/8*(22*sqrt(2)*(A*cos(d*x + c) - A)*sqrt(-a)*log((2*sqrt(2)*(cos(d*x + c)
)^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) + (3*a
*cos(d*x + c) + a)*sin(d*x + c))/((cos(d*x + c) - 1)*sin(d*x + c)))*sin(d*x
+ c) + 31*(A*cos(d*x + c) - A)*sqrt(-a)*log((2*(cos(d*x + c)^2 + cos(d*x +
c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) +
a)*sin(d*x + c))/sin(d*x + c))*sin(d*x + c) + 2*(2*A*cos(d*x + c)^4 + 9*A*
cos(d*x + c)^3 - 6*A*cos(d*x + c)^2 - 13*A*cos(d*x + c))*sqrt((a*cos(d*x +
c) - a)/cos(d*x + c)))/((a^2*d*cos(d*x + c) - a^2*d)*sin(d*x + c)), 1/4*(22
*sqrt(2)*(A*cos(d*x + c) - A)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) -
a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 31*(A
*cos(d*x + c) - A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*c
os(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - (2*A*cos(d*x + c)^4 + 9*
A*cos(d*x + c)^3 - 6*A*cos(d*x + c)^2 - 13*A*cos(d*x + c))*sqrt((a*cos(d*x
+ c) - a)/cos(d*x + c)))/((a^2*d*cos(d*x + c) - a^2*d)*sin(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$A \left(\int \frac{\cos^2(c + dx)}{-a\sqrt{-a \sec(c + dx) + a} \sec(c + dx) + a\sqrt{-a \sec(c + dx) + a}} dx + \int \frac{\cos^2(c + dx) \sec(c + dx)}{-a\sqrt{-a \sec(c + dx) + a} \sec(c + dx) + a\sqrt{-a \sec(c + dx) + a}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(3/2),x)

[Out] A*(Integral(cos(c + d*x)**2/(-a*sqrt(-a*sec(c + d*x) + a)*sec(c + d*x) + a*sqrt(-a*sec(c + d*x) + a)), x) + Integral(cos(c + d*x)**2*sec(c + d*x)/(-a*sqrt(-a*sec(c + d*x) + a)*sec(c + d*x) + a*sqrt(-a*sec(c + d*x) + a)), x))

Giac [A] time = 2.17359, size = 393, normalized size = 2.03

$$A \left[\frac{22\sqrt{2} \arctan\left(\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{31 \arctan\left(\frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{2\sqrt{a}}\right)}{a^{\frac{3}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{\sqrt{2} \left(7 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a\right)^{\frac{3}{2}} + 18 \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a\right)^2 a \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2} \right]$$

4 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] -1/4*A*(22*sqrt(2)*arctan(sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - 31*arctan(1/2*sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(3/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - sqrt(2)*(7*(a*tan(1/2*d*x + 1/2*c)^2 - a)^(3/2) + 18*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)*a)/((a*tan(1/2*d*x + 1/2*c)^2 + a)^2*a*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - 2*sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/(a^2*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))*tan(1/2*d*x + 1/2*c)^2)/d

$$3.174 \quad \int \frac{\cos^3(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=236

$$\frac{85A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{8a^{3/2}d} - \frac{15A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} + \frac{35A \sin(c+dx)}{8ad\sqrt{a-a \sec(c+dx)}} + \frac{4A \sin(c+dx) \cos^2(c+dx)}{3ad\sqrt{a-a \sec(c+dx)}} - \frac{A \sin(c+dx)}{d}$$

[Out] (85*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(8*a^(3/2)*d) - (15*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[2]*a^(3/2)*d) - (A*Cos[c + d*x]^2*Sin[c + d*x])/(d*(a - a*Sec[c + d*x])^(3/2)) + (35*A*Sin[c + d*x])/(8*a*d*Sqrt[a - a*Sec[c + d*x]]) + (25*A*Cos[c + d*x]*Sin[c + d*x])/(12*a*d*Sqrt[a - a*Sec[c + d*x]]) + (4*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*a*d*Sqrt[a - a*Sec[c + d*x]])

Rubi [A] time = 0.701116, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$\frac{85A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{8a^{3/2}d} - \frac{15A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} + \frac{35A \sin(c+dx)}{8ad\sqrt{a-a \sec(c+dx)}} + \frac{4A \sin(c+dx) \cos^2(c+dx)}{3ad\sqrt{a-a \sec(c+dx)}} - \frac{A \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(3/2), x]

[Out] (85*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(8*a^(3/2)*d) - (15*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(Sqrt[2]*a^(3/2)*d) - (A*Cos[c + d*x]^2*Sin[c + d*x])/(d*(a - a*Sec[c + d*x])^(3/2)) + (35*A*Sin[c + d*x])/(8*a*d*Sqrt[a - a*Sec[c + d*x]]) + (25*A*Cos[c + d*x]*Sin[c + d*x])/(12*a*d*Sqrt[a - a*Sec[c + d*x]]) + (4*A*Cos[c + d*x]^2*Sin[c + d*x])/(3*a*d*Sqrt[a - a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x]]], x]

$f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0]$
 $\&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

Rule 4022

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(B_.) + (A_.)], x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*A*m - b*B*n - A*b*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, 0]$

Rule 3920

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.) + (c_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(b*c - a*d)/a, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[c_.] + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2), x], x, (b*\text{Cot}[c + d*x])/\text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rule 3795

$\text{Int}[\text{csc}[e_.] + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2), x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+A\sec(c+dx))}{(a-a\sec(c+dx))^{3/2}} dx &= -\frac{A\cos^2(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos^3(c+dx)(8aA+7aA\sec(c+dx))}{\sqrt{a-a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{4A\cos^2(c+dx)\sin(c+dx)}{3ad\sqrt{a-a\sec(c+dx)}} - \frac{\int \frac{\cos^2(c+dx)(-25a^2A)}{\sqrt{a-a\sec(c+dx)}} dx}{6} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{25A\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a-a\sec(c+dx)}} + \frac{4A\cos^2(c+dx)\sin(c+dx)}{3ad\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{35A\sin(c+dx)}{8ad\sqrt{a-a\sec(c+dx)}} + \frac{25A\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{35A\sin(c+dx)}{8ad\sqrt{a-a\sec(c+dx)}} + \frac{25A\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}} + \frac{35A\sin(c+dx)}{8ad\sqrt{a-a\sec(c+dx)}} + \frac{25A\cos(c+dx)\sin(c+dx)}{12ad\sqrt{a-a\sec(c+dx)}} \\
&= \frac{85A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a-a\sec(c+dx)}}\right)}{8a^{3/2}d} - \frac{15A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a-a\sec(c+dx)}}\right)}{\sqrt{2}a^{3/2}d} - \frac{A\cos^2(c+dx)\sin(c+dx)}{d(a-a\sec(c+dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 6.68658, size = 452, normalized size = 1.92

$$A \left(\frac{\sin^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2(c+dx) \left(\frac{65\sin\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{12d} + \frac{25\sin\left(\frac{3c}{2}\right)\sin\left(\frac{3dx}{2}\right)}{3d} + \frac{5\sin\left(\frac{5c}{2}\right)\sin\left(\frac{5dx}{2}\right)}{4d} + \frac{\sin\left(\frac{7c}{2}\right)\sin\left(\frac{7dx}{2}\right)}{6d} - \frac{65\cos\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{12d} - \frac{25\cos\left(\frac{3c}{2}\right)\cos\left(\frac{3dx}{2}\right)}{3d} - \frac{5\cos\left(\frac{5c}{2}\right)\cos\left(\frac{5dx}{2}\right)}{4d} - \frac{\cos\left(\frac{7c}{2}\right)\cos\left(\frac{7dx}{2}\right)}{6d} \right)}{(a-a\sec(c+dx))^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(3/2), x]

[Out] A*((-5*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))])*(17*ArcSinh[E^(I*(c + d*x))] - 24*sqrt[2]*ArcTanh[(1 + E^(I*(c + d*x)))/(sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]])] + 17*ArcTanh[sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(3/2)*Sin[c/2 + (d*x)/2]^3)/(4*sqrt[2]*d*E^((I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(3/2)) + (Sec[c + d*x]^2*(-65*Cos[c/2 + (d*x)/2]^3)/(4*sqrt[2]*d*E^((I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(3/2)) - 15*ArcTanh[sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]])/sqrt[2]*a^(3/2) - A*Cos[c + d*x]^2*Sin[c + d*x]/(d*(a - a*Sec[c + d*x])^(3/2)))

$$\begin{aligned} & 2] * \text{Cos}[(d*x)/2]) / (12*d) - (25 * \text{Cos}[(3*c)/2] * \text{Cos}[(3*d*x)/2]) / (3*d) - (5 * \text{Cos}[(5*c)/2] * \text{Cos}[(5*d*x)/2]) / (4*d) - (\text{Cos}[(7*c)/2] * \text{Cos}[(7*d*x)/2]) / (6*d) - (2 * \text{Cot}[c/2] * \text{Csc}[c/2 + (d*x)/2]) / d + (2 * \text{Csc}[c/2] * \text{Csc}[c/2 + (d*x)/2]^2 * \text{Sin}[(d*x)/2]) / d + (65 * \text{Sin}[c/2] * \text{Sin}[(d*x)/2]) / (12*d) + (25 * \text{Sin}[(3*c)/2] * \text{Sin}[(3*d*x)/2]) / (3*d) + (5 * \text{Sin}[(5*c)/2] * \text{Sin}[(5*d*x)/2]) / (4*d) + (\text{Sin}[(7*c)/2] * \text{Sin}[(7*d*x)/2]) / (6*d) * \text{Sin}[c/2 + (d*x)/2]^3 / (a - a * \text{Sec}[c + d*x])^{(3/2)} \end{aligned}$$

Maple [B] time = 0.326, size = 1104, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^3 * (A + A * \sec(d*x+c)) / (a - a * \sec(d*x+c))^{(3/2)}, x)$

[Out] $\begin{aligned} & 1/168 * A / d * 2^{(1/2)} * (-1 + \cos(d*x+c))^{(5/2)} * (1130 * \cos(d*x+c)^3 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} - 3570 * \arctan(1/2 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)}) + 720 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(7/2)} * \cos(d*x+c) * 2^{(1/2)} + 1008 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(5/2)} * \cos(d*x+c)^3 * 2^{(1/2)} - 1680 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(3/2)} * \cos(d*x+c)^3 * 2^{(1/2)} + 5040 * \arctan(1 / (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)}) * \cos(d*x+c)^3 * 2^{(1/2)} - 720 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(7/2)} * \cos(d*x+c)^3 * 2^{(1/2)} - 504 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(5/2)} * 2^{(1/2)} - 735 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} - 2520 * 2^{(1/2)} * \arctan(1 / (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)}) - 1008 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(5/2)} * \cos(d*x+c) * 2^{(1/2)} + 1225 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c)^5 * 2^{(1/2)} - 2103 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c)^4 * 2^{(1/2)} - 168 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(9/2)} + 3570 * \cos(d*x+c)^4 * \arctan(1/2 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)}) + 1680 * \cos(d*x+c) * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(3/2)} + 952 * \cos(d*x+c)^2 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} - 875 * \cos(d*x+c) * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} - 5040 * \cos(d*x+c) * 2^{(1/2)} * \arctan(1 / (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)}) + 840 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(3/2)} - 7140 * \cos(d*x+c) * \arctan(1/2 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)}) + 360 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(7/2)} * 2^{(1/2)} + 7140 * \arctan(1/2 * 2^{(1/2)} * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)}) * \cos(d*x+c)^3 - 672 * 2^{(1/2)} * \cos(d*x+c) * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(9/2)} + 504 * 2^{(1/2)} * \cos(d*x+c)^4 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(5/2)} - 840 * 2^{(1/2)} * \cos(d*x+c)^4 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(3/2)} + 2520 * 2^{(1/2)} * \cos(d*x+c)^4 * \arctan(1 / (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)}) + 56 * 2^{(1/2)} * \cos(d*x+c)^7 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} + 350 * 2^{(1/2)} * \cos(d*x+c)^6 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(1/2)} - 168 * 2^{(1/2)} * \cos(d*x+c)^4 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(9/2)} - 672 * 2^{(1/2)} * \cos(d*x+c)^3 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(9/2)} - 360 * 2^{(1/2)} * \cos(d*x+c)^4 * (-2 * \cos(d*x+c) / (\cos(d*x+c)+1))^{(7/2)} - 1008 * 2^{(1/2)} \end{aligned}$

$(1/2)*\cos(dx+c)^2*(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(9/2)}/(-2*\cos(dx+c)/(\cos(dx+c)+1))^{(3/2)}/(a*(-1+\cos(dx+c))/\cos(dx+c))^{(3/2)}/\sin(dx+c)^9$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(dx+c) + A) \cos(dx+c)^3}{(-a \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+A*sec(dx+c))/(a-a*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((A*sec(dx+c) + A)*cos(dx+c)^3/(-a*sec(dx+c) + a)^(3/2), x)

Fricas [A] time = 0.572233, size = 1490, normalized size = 6.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3*(A+A*sec(dx+c))/(a-a*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] $[-1/48*(180*\sqrt{2}*(A*\cos(dx+c) - A)*\sqrt{-a}*\log((2*\sqrt{2}*(\cos(dx+c)^2 + \cos(dx+c))*\sqrt{-a}*\sqrt{(a*\cos(dx+c) - a)/\cos(dx+c)} + (3*a*\cos(dx+c) + a)*\sin(dx+c))/((\cos(dx+c) - 1)*\sin(dx+c)))*\sin(dx+c) + 255*(A*\cos(dx+c) - A)*\sqrt{-a}*\log((2*(\cos(dx+c)^2 + \cos(dx+c))*\sqrt{-a}*\sqrt{(a*\cos(dx+c) - a)/\cos(dx+c)} - (2*a*\cos(dx+c) + a)*\sin(dx+c))/\sin(dx+c))*\sin(dx+c) + 2*(8*A*\cos(dx+c)^5 + 26*A*\cos(dx+c)^4 + 73*A*\cos(dx+c)^3 - 50*A*\cos(dx+c)^2 - 105*A*\cos(dx+c))*\sqrt{(a*\cos(dx+c) - a)/\cos(dx+c)})/((a^2*d*\cos(dx+c) - a^2*d)*\sin(dx+c)), 1/24*(180*\sqrt{2}*(A*\cos(dx+c) - A)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{(a*\cos(dx+c) - a)/\cos(dx+c)}*\cos(dx+c)/(\sqrt{a}*\sin(dx+c)))*\sin(dx+c) - 255*(A*\cos(dx+c) - A)*\sqrt{a}*\arctan(\sqrt{(a*\cos(dx+c) - a)/\cos(dx+c)}*\cos(dx+c)/(\sqrt{a}*\sin(dx+c)))*\sin(dx+c) - (8*A*\cos(dx+c)^5 + 26*A*\cos(dx+c)^4 + 73*A*\cos(dx+c)^3 - 50*A*\cos(dx+c)^2 - 105*A*\cos(dx+c))*\sqrt{(a*\cos(dx+c) - a)/\cos(dx+c)}$

c)))/((a^2*d*cos(d*x + c) - a^2*d)*sin(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [A] time = 2.23083, size = 425, normalized size = 1.8

$$A \left[\frac{180 \sqrt{2} \arctan \left(\frac{\sqrt{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a}}{\sqrt{a}} \right)}{a^{\frac{3}{2}} \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} - \frac{255 \arctan \left(\frac{\sqrt{2} \sqrt{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a}}{2 \sqrt{a}} \right)}{a^{\frac{3}{2}} \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} - \frac{\sqrt{2} \left(63 \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right)^{\frac{5}{2}} + 272 \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right)^{\frac{3}{2}} \right) a \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a \right)^3 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} \right]$$

24d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out]
$$-1/24*A*(180*\sqrt{2}*\arctan(\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a}/\sqrt{a}))/((a^{3/2}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))) - 255*\arctan(1/2*\sqrt{2}*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a}/\sqrt{a}))/((a^{3/2}*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))) - \sqrt{2}*(63*(a*\tan(1/2*d*x + 1/2*c)^2 - a)^{5/2} + 272*(a*\tan(1/2*d*x + 1/2*c)^2 - a)^{3/2})*a + 324*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a}*a^2)/((a*\tan(1/2*d*x + 1/2*c)^2 + a)^3*a*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))) - 12*\sqrt{2})*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a}/(a^2*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))*\tan(1/2*d*x + 1/2*c)^2))/d$$

$$3.175 \quad \int \frac{A + A \sec(c + dx)}{(a - a \sec(c + dx))^{5/2}} dx$$

Optimal. Leaf size=152

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a - a \sec(c + dx)}}\right)}{a^{5/2}d} - \frac{23A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a - a \sec(c + dx)}}\right)}{8\sqrt{2}a^{5/2}d} - \frac{7A \tan(c + dx)}{8ad(a - a \sec(c + dx))^{3/2}} - \frac{A \tan(c + dx)}{2d(a - a \sec(c + dx))^{5/2}}$$

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(a^(5/2)*d) - (23*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(8*Sqrt[2]*a^(5/2)*d) - (A*Tan[c + d*x])/(2*d*(a - a*Sec[c + d*x])^(5/2)) - (7*A*Tan[c + d*x])/(8*a*d*(a - a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.206017, antiderivative size = 185, normalized size of antiderivative = 1.22, number of steps used = 7, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {3904, 3887, 471, 527, 522, 203}

$$\frac{2A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a - a \sec(c + dx)}}\right)}{a^{5/2}d} - \frac{23A \tan^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{2}\sqrt{a - a \sec(c + dx)}}\right)}{8\sqrt{2}a^{5/2}d} + \frac{7A \sin(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right)}{16a^2d\sqrt{a - a \sec(c + dx)}} - \frac{A \sin(c + dx) \cos(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right)}{8a^2d\sqrt{a - a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + A*Sec[c + d*x])/(a - a*Sec[c + d*x])^(5/2), x]

[Out] (2*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(a^(5/2)*d) - (23*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(8*Sqrt[2]*a^(5/2)*d) + (7*A*Csc[(c + d*x)/2]^2*Sin[c + d*x])/(16*a^2*d*Sqrt[a - a*Sec[c + d*x]]) - (A*Cos[c + d*x]*Csc[(c + d*x)/2]^4*Sin[c + d*x])/(8*a^2*d*Sqrt[a - a*Sec[c + d*x]])

Rule 3904

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.), x_Symbol] :> Dist[(-a*c)^(m), Int[Cot[e + f*x]^(2*m)*(c + d*Csc[e + f*x])^(n - m), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && EqQ[b*c + a*d, 0] && EqQ[a^2 - b^2, 0] && IntegerQ[m] && RationalQ[n] && !(IntegerQ[n] && GtQ[m - n, 0])

Rule 3887


```
Int[cot[(c_.) + (d_.)*(x_)]^(m_.)*(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_.), x_Symbol] := Dist[(-2*a^(m/2 + n + 1/2))/d, Subst[Int[(x^m*(2 + a*x^2)^(m/2 + n - 1/2))/(1 + a*x^2), x], x, Cot[c + d*x]/Sqrt[a + b*Csc[c + d*x]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[m/2] && IntegerQ[n - 1/2]
```

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m - n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n + 1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + A \sec(c + dx)}{(a - a \sec(c + dx))^{5/2}} dx &= - \left((aA) \int \frac{\tan^2(c + dx)}{(a - a \sec(c + dx))^{7/2}} dx \right) \\
&= \frac{(2A) \text{Subst} \left(\int \frac{x^2}{(1+ax^2)(2+ax^2)^3} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{ad} \\
&= - \frac{A \cos(c + dx) \csc^4 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{8a^2 d \sqrt{a - a \sec(c + dx)}} - \frac{A \text{Subst} \left(\int \frac{1-3ax^2}{(1+ax^2)(2+ax^2)^2} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{2a^2 d} \\
&= \frac{7A \csc^2 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{16a^2 d \sqrt{a - a \sec(c + dx)}} - \frac{A \cos(c + dx) \csc^4 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{8a^2 d \sqrt{a - a \sec(c + dx)}} - \frac{A \text{Subst} \left(\int \frac{1-3ax^2}{(1+ax^2)(2+ax^2)^2} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{2a^2 d} \\
&= \frac{7A \csc^2 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{16a^2 d \sqrt{a - a \sec(c + dx)}} - \frac{A \cos(c + dx) \csc^4 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{8a^2 d \sqrt{a - a \sec(c + dx)}} - \frac{A \text{Subst} \left(\int \frac{1-3ax^2}{(1+ax^2)(2+ax^2)^2} dx, x, -\frac{\tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{2a^2 d} \\
&= \frac{2A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}} \right)}{a^{5/2} d} - \frac{23A \tan^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}} \right)}{8\sqrt{2}a^{5/2} d} + \frac{7A \csc^2 \left(\frac{1}{2}(c + dx) \right) \sin(c + dx)}{16a^2 d \sqrt{a - a \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.73887, size = 387, normalized size = 2.55

$$A \left[\frac{\sin^5 \left(\frac{c}{2} + \frac{dx}{2} \right) \sec^3(c + dx) \left(\frac{11 \sin \left(\frac{c}{2} \right) \sin \left(\frac{dx}{2} \right)}{d} - \frac{11 \cos \left(\frac{c}{2} \right) \cos \left(\frac{dx}{2} \right)}{d} - \frac{\cot \left(\frac{c}{2} \right) \csc^3 \left(\frac{c}{2} + \frac{dx}{2} \right)}{d} + \frac{15 \cot \left(\frac{c}{2} \right) \csc \left(\frac{c}{2} + \frac{dx}{2} \right)}{2d} + \frac{\csc \left(\frac{c}{2} \right) \sin \left(\frac{dx}{2} \right) \csc^4 \left(\frac{c}{2} + \frac{dx}{2} \right)}{d} \right]}{(a - a \sec(c + dx))^{5/2}} \right]$$

Antiderivative was successfully verified.

[In] Integrate[(A + A*Sec[c + d*x])/(a - a*Sec[c + d*x])^(5/2), x]

[Out] A*((Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))])*(8*ArcSinh[E^(I*(c + d*x))] - (23*ArcTanh[(1 + E^(I*(c + d*x)))]/Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))])]/Sqrt[2] + 8*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(5/2)*Sin[c/2 + (d*x)/2]^5)/(Sqrt[2]*d*E^((I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(5/2)) + (Sec[c + d*x]^3*((-11*Cos[c/2]*Cos[(d*x)/2])/d + (15*Cot[c/2]*Csc[c/2 + (d*x)/2])/(2*d) - (Cot[c/2]*Csc[c/2 + (d*x)/2]^3)/d - (15*Csc[c/2]*Csc[c/2 + (d*x)/2]^2*Sin[(d*x)/2])/(2*d) + (Csc[c/2]*Csc[c/2 + (d*x)/2]^4*Sin[(d*x)/2])/d + (11*Sin[c/2]*Sin[(d*x)/2])/d)

$d) \cdot \sin\left[\frac{c}{2} + \frac{(d \cdot x)}{2}\right]^5 / (a - a \cdot \sec[c + d \cdot x])^{5/2}$

Maple [B] time = 0.257, size = 695, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x)`

[Out]
$$\begin{aligned} & -1/12 \cdot A/d \cdot 2^{1/2} \cdot (-1 + \cos(dx+c))^4 \cdot (21 \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{5/2} \\ & \cdot \cos(dx+c)^3 \cdot 2^{1/2} + 33 \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{5/2} \cdot \cos(dx+c)^2 \\ & \cdot 2^{1/2} + 23 \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{3/2} \cdot \cos(dx+c)^3 \cdot 2^{1/2} + 3 \cdot (-2 \\ & \cdot \cos(dx+c)/(\cos(dx+c)+1))^{5/2} \cdot \cos(dx+c) \cdot 2^{1/2} - 23 \cdot (-2 \cdot \cos(dx+c)/(\cos \\ & (dx+c)+1))^{3/2} \cdot \cos(dx+c)^2 \cdot 2^{1/2} - 9 \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{5/2} \\ & \cdot 2^{1/2} - 5 \cdot \cos(dx+c)^3 \cdot 2^{1/2} \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2} - 69 \cdot a \\ & \cdot \arctan(1/(-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2}) \cdot \cos(dx+c)^3 \cdot 2^{1/2} - 23 \cdot \cos(dx+c) \\ & \cdot 2^{1/2} \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{3/2} - 96 \cdot \arctan(1/2 \cdot 2^{1/2}) \cdot (-2 \\ & \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2}) \cdot \cos(dx+c)^3 - 11 \cdot \cos(dx+c)^2 \cdot 2^{1/2} \cdot (-2 \\ & \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2} + 69 \cdot \arctan(1/(-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2}) \\ & \cdot \cos(dx+c)^2 \cdot 2^{1/2} + 23 \cdot 2^{1/2} \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{3/2} + 96 \cdot \arctan(1/2 \cdot 2^{1/2}) \\ & \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2}) \cdot \cos(dx+c)^2 + 37 \cdot \cos(dx+c) \cdot 2^{1/2} \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\ & + 69 \cdot \cos(dx+c) \cdot 2^{1/2} \cdot \arctan(1/(-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2}) + 96 \cdot \cos(dx+c) \cdot \arctan \\ & (1/2 \cdot 2^{1/2}) \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2} - 21 \cdot 2^{1/2} \cdot (-2 \cdot \cos(dx+c) \\ &)/(\cos(dx+c)+1))^{1/2} - 69 \cdot 2^{1/2} \cdot \arctan(1/(-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2}) \\ & - 96 \cdot \arctan(1/2 \cdot 2^{1/2}) \cdot (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{1/2} / (a \cdot (-1 + \cos(dx+c)) \\ & / \cos(dx+c))^{5/2} / \sin(dx+c)^7 / (-2 \cdot \cos(dx+c)/(\cos(dx+c)+1))^{5/2} \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A \sec(dx+c) + A}{(-a \sec(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] integrate((A*sec(d*x + c) + A)/(-a*sec(d*x + c) + a)^(5/2), x)

Fricas [B] time = 0.543397, size = 1544, normalized size = 10.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/32*(23*sqrt(2)*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(-a)*log((2*sqrt(2)*(cos(d*x + c)^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) + (3*a*cos(d*x + c) + a)*sin(d*x + c))/((cos(d*x + c) - 1)*sin(d*x + c)))*sin(d*x + c) + 32*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(-a)*log((2*(cos(d*x + c)^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c))*sin(d*x + c) - 4*(11*A*cos(d*x + c)^3 + 4*A*cos(d*x + c)^2 - 7*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/((a^3*d*cos(d*x + c)^2 - 2*a^3*d*cos(d*x + c) + a^3*d)*sin(d*x + c)), 1/16*(23*sqrt(2)*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 32*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) + 2*(11*A*cos(d*x + c)^3 + 4*A*cos(d*x + c)^2 - 7*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/((a^3*d*cos(d*x + c)^2 - 2*a^3*d*cos(d*x + c) + a^3*d)*sin(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$A \left(\int \frac{\sec(c + dx)}{a^2 \sqrt{-a \sec(c + dx) + a} \sec^2(c + dx) - 2a^2 \sqrt{-a \sec(c + dx) + a} \sec(c + dx) + a^2 \sqrt{-a \sec(c + dx) + a}} dx + \int \frac{1}{a^2 \sqrt{-a \sec(c + dx) + a}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x)

[Out] A*(Integral(sec(c + d*x)/(a**2*sqrt(-a*sec(c + d*x) + a)*sec(c + d*x)**2 - 2*a**2*sqrt(-a*sec(c + d*x) + a)*sec(c + d*x) + a**2*sqrt(-a*sec(c + d*x) + a)), x) + Integral(1/(a**2*sqrt(-a*sec(c + d*x) + a)*sec(c + d*x)**2 - 2*a**2*sqrt(-a*sec(c + d*x) + a)*sec(c + d*x) + a**2*sqrt(-a*sec(c + d*x) + a)

), x))

Giac [A] time = 2.03052, size = 296, normalized size = 1.95

$$A \left[\frac{23\sqrt{2} \arctan\left(\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{\sqrt{a}}\right)}{a^{\frac{5}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{32 \arctan\left(\frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{2\sqrt{a}}\right)}{a^{\frac{5}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{\sqrt{2} \left(9 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a\right)^{\frac{3}{2}} + 7 \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}\right)}{a^4 \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} \right] \frac{1}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] -1/16*A*(23*sqrt(2)*arctan(sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(5/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - 32*arctan(1/2*sqrt(2)*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(5/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - sqrt(2)*(9*(a*tan(1/2*d*x + 1/2*c)^2 - a)^(3/2) + 7*sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)*a)/(a^4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))*tan(1/2*d*x + 1/2*c)^4)/d

$$3.176 \quad \int \frac{\cos(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=184

$$\frac{23A \sin(c+dx)}{8a^2d\sqrt{a-a \sec(c+dx)}} + \frac{7A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{a^{5/2}d} - \frac{79A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} - \frac{11A \sin(c+dx)}{8ad(a-a \sec(c+dx))^{3/2}} - \frac{A}{2d(a-a \sec(c+dx))^{3/2}}$$

[Out] (7*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(a^(5/2)*d) - (79*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(8*Sqrt[2]*a^(5/2)*d - (A*Sin[c + d*x])/(2*d*(a - a*Sec[c + d*x])^(5/2)) - (11*A*Sin[c + d*x])/(8*a*d*(a - a*Sec[c + d*x])^(3/2)) + (23*A*Sin[c + d*x])/(8*a^2*d*Sqrt[a - a*Sec[c + d*x]])

Rubi [A] time = 0.505332, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$\frac{23A \sin(c+dx)}{8a^2d\sqrt{a-a \sec(c+dx)}} + \frac{7A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{a^{5/2}d} - \frac{79A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} - \frac{11A \sin(c+dx)}{8ad(a-a \sec(c+dx))^{3/2}} - \frac{A}{2d(a-a \sec(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(5/2), x]

[Out] (7*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(a^(5/2)*d) - (79*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(8*Sqrt[2]*a^(5/2)*d - (A*Sin[c + d*x])/(2*d*(a - a*Sec[c + d*x])^(5/2)) - (11*A*Sin[c + d*x])/(8*a*d*(a - a*Sec[c + d*x])^(3/2)) + (23*A*Sin[c + d*x])/(8*a^2*d*Sqrt[a - a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+A\sec(c+dx))}{(a-a\sec(c+dx))^{5/2}} dx &= -\frac{A\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} + \frac{\int \frac{\cos(c+dx)(6aA+5aA\sec(c+dx))}{(a-a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{A\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{11A\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos(c+dx)\left(23a^2A+\frac{33}{2}a^2A\sec(c+dx)\right)}{\sqrt{a-a\sec(c+dx)}}}{8a^4} \\
&= -\frac{A\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{11A\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{23A\sin(c+dx)}{8a^2d\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{11A\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{23A\sin(c+dx)}{8a^2d\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{11A\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{23A\sin(c+dx)}{8a^2d\sqrt{a-a\sec(c+dx)}} \\
&= \frac{7A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a-a\sec(c+dx)}}\right)}{a^{5/2}d} - \frac{79A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a-a\sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} - \frac{A\sin(c+dx)}{2d(a-a\sec(c+dx))}
\end{aligned}$$

Mathematica [C] time = 6.79081, size = 423, normalized size = 2.3

$$A \left(\frac{\sin^5\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^3(c+dx) \left(\frac{15\sin\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{d} - \frac{4\sin\left(\frac{3c}{2}\right)\sin\left(\frac{3dx}{2}\right)}{d} - \frac{15\cos\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{d} + \frac{4\cos\left(\frac{3c}{2}\right)\cos\left(\frac{3dx}{2}\right)}{d} - \frac{\cot\left(\frac{c}{2}\right)\csc^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} + \dots \right)}{(a-a\sec(c+dx))^{5/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(5/2), x]

[Out] A*((Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))])*(28*ArcSinh[E^(I*(c + d*x))] - (79*ArcTanh[(1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[2] + 28*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(5/2)*Sin[c/2 + (d*x)/2]^5)/(Sqrt[2]*d*E^((I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(5/2)) + (Sec[c + d*x]^3*((-15*Cos[c/2]*Cos[(d*x)/2])/d + (4*Cos[(3*c)/2]*Cos[(3*d*x)/2])/d + (23*Cot[c/2]*Csc[c/2 + (d*x)/2])/(2*d) - (Cot[c/2]*Csc[c/2 + (d*x)/2]^3)/d - (23*Csc[c/2]*Csc[c/2 + (d*x)/2]^2*Sin[(d*x)/2])/(2*d) + (Csc[c/2]*Csc[c/2 + (d*x)/2]^4*Sin[(d*x)/2])/d + (15*Sin[c/2]*Sin[(d*x)/2])/d - (4*Sin[(3*c)/2]*Sin[(3*d*x)/2])/d

) * Sin[c/2 + (d*x)/2]^5)/(a - a*Sec[c + d*x])^(5/2))

Maple [B] time = 0.342, size = 788, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2), x)

[Out]
$$\begin{aligned} & -1/60*A/d*2^{(1/2)}*(-1+\cos(d*x+c))^{5/2}*(195*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^{(7/2)}+450*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*\cos(d*x+c) \\ & ^3*2^{(1/2)}+237*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}+18 \\ & 0*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*\cos(d*x+c)^2*2^{(1/2)}-210*(-2*\cos(d*x \\ & +c)/(\cos(d*x+c)+1))^{(7/2)}*\cos(d*x+c)*2^{(1/2)}-395*2^{(1/2)}*\cos(d*x+c)^4*(-2*c \\ & \cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}-474*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*co \\ & s(d*x+c)^2*2^{(1/2)}-135*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}+120*(-2 \\ & * \cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^5*2^{(1/2)}-343*(-2*\cos(d*x+c)/(\\ & \cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^4*2^{(1/2)}+1185*2^{(1/2)}*\cos(d*x+c)^4*\arctan(\\ & 1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+790*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(\\ & 3/2)}*\cos(d*x+c)^2*2^{(1/2)}+237*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*2^{(1/2)} \\ & +1680*\cos(d*x+c)^4*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}) \\ & +736*\cos(d*x+c)^3*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-578*\cos(d*x+ \\ & c)^2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-2370*\arctan(1/(-2*\cos(d*x \\ & +c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^2*2^{(1/2)}-395*2^{(1/2)}*(-2*\cos(d*x+c)/ \\ & (\cos(d*x+c)+1))^{(3/2)}-3360*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1) \\ &)^{(1/2)})*\cos(d*x+c)^2-280*\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1)) \\ & ^{(1/2)}+345*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+1185*2^{(1/2)}*\arctan \\ & (1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+1680*\arctan(1/2*2^{(1/2)}*(-2*\cos(d* \\ & x+c)/(\cos(d*x+c)+1))^{(1/2)})/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}/(a*(-1+\cos \\ & (d*x+c))/\cos(d*x+c))^{(5/2)}/\sin(d*x+c)^9 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(dx + c) + A) \cos(dx + c)}{(-a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="
maxima")
```

```
[Out] integrate((A*sec(d*x + c) + A)*cos(d*x + c)/(-a*sec(d*x + c) + a)^(5/2), x)
```

Fricas [A] time = 0.55588, size = 1609, normalized size = 8.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="
fricas")
```

```
[Out] [-1/32*(79*sqrt(2)*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(-a)*log((
2*sqrt(2)*(cos(d*x + c)^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) - a
)/cos(d*x + c)) + (3*a*cos(d*x + c) + a)*sin(d*x + c))/((cos(d*x + c) - 1)*
sin(d*x + c)))*sin(d*x + c) + 112*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A
)*sqrt(-a)*log((2*(cos(d*x + c)^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x +
c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c))
*sin(d*x + c) + 4*(8*A*cos(d*x + c)^4 - 27*A*cos(d*x + c)^3 - 12*A*cos(d*x
+ c)^2 + 23*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/((a^3*
d*cos(d*x + c)^2 - 2*a^3*d*cos(d*x + c) + a^3*d)*sin(d*x + c)), 1/16*(79*sq
rt(2)*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt(2)*sqrt
((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*si
n(d*x + c) - 112*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(s
qrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c))
)*sin(d*x + c) - 2*(8*A*cos(d*x + c)^4 - 27*A*cos(d*x + c)^3 - 12*A*cos(d*x
+ c)^2 + 23*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/((a^3*
d*cos(d*x + c)^2 - 2*a^3*d*cos(d*x + c) + a^3*d)*sin(d*x + c)]]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(5/2),x)
```

[Out] Timed out

Giac [A] time = 2.26015, size = 393, normalized size = 2.14

$$A \left(\frac{79\sqrt{2} \arctan\left(\frac{\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a}}{\sqrt{a}}\right)}{a^{\frac{5}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)} - \frac{112 \arctan\left(\frac{\sqrt{2}\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a}}{2\sqrt{a}}\right)}{a^{\frac{5}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)} - \frac{16\sqrt{2}\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - a}}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a\right) a^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \right)$$

16d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/16*A*(79*\sqrt{2}*\arctan(\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a}/\sqrt{a})/(a^{(5/2)}* \\ & \operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))) - 112*\arctan(\\ & 1/2*\sqrt{2}*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a}/\sqrt{a})/(a^{(5/2)}* \\ & \operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))) - 16*\sqrt{2}*\sqrt{a*\tan(\\ & 1/2*d*x + 1/2*c)^2 - a}/((a*\tan(1/2*d*x + 1/2*c)^2 + a)*a^2* \\ & \operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))) - \sqrt{2}*(17*(a*\tan(1/2*d*x + \\ & 1/2*c)^2 - a)^{(3/2)} + 15*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 - a})*a/(a^4* \\ & \operatorname{sgn}(\tan(1/2*d*x + 1/2*c)^2 - 1)*\operatorname{sgn}(\tan(1/2*d*x + 1/2*c))*\tan(1/2*d*x + 1/2*c)^4) \\ & /d \end{aligned}$$

$$3.177 \quad \int \frac{\cos^2(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=236

$$\frac{49A \sin(c+dx)}{8a^2d\sqrt{a-a \sec(c+dx)}} + \frac{59A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{4a^{5/2}d} - \frac{167A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} + \frac{23A \sin(c+dx) \cos(c+dx)}{8a^2d\sqrt{a-a \sec(c+dx)}} - \frac{1}{1}$$

[Out] (59*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(4*a^(5/2)*d) - (167*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(8*Sqrt[2]*a^(5/2)*d) - (A*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a - a*Sec[c + d*x])^(5/2)) - (15*A*Cos[c + d*x]*Sin[c + d*x])/(8*a*d*(a - a*Sec[c + d*x])^(3/2)) + (49*A*Sin[c + d*x])/(8*a^2*d*Sqrt[a - a*Sec[c + d*x]]) + (23*A*Cos[c + d*x]*Sin[c + d*x])/(8*a^2*d*Sqrt[a - a*Sec[c + d*x]])

Rubi [A] time = 0.730891, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$\frac{49A \sin(c+dx)}{8a^2d\sqrt{a-a \sec(c+dx)}} + \frac{59A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{4a^{5/2}d} - \frac{167A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} + \frac{23A \sin(c+dx) \cos(c+dx)}{8a^2d\sqrt{a-a \sec(c+dx)}} - \frac{1}{1}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(5/2), x]

[Out] (59*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]]])/(4*a^(5/2)*d) - (167*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]])])/(8*Sqrt[2]*a^(5/2)*d) - (A*Cos[c + d*x]*Sin[c + d*x])/(2*d*(a - a*Sec[c + d*x])^(5/2)) - (15*A*Cos[c + d*x]*Sin[c + d*x])/(8*a*d*(a - a*Sec[c + d*x])^(3/2)) + (49*A*Sin[c + d*x])/(8*a^2*d*Sqrt[a - a*Sec[c + d*x]]) + (23*A*Cos[c + d*x]*Sin[c + d*x])/(8*a^2*d*Sqrt[a - a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +

$f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0]$
 $\&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

Rule 4022

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)*(x_.))*(B_.) + (A_.)], x_Symbol] \text{:>} \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*A*m - b*B*n - A*b*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, 0]$

Rule 3920

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.) + (c_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[c/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(b*c - a*d)/a, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3774

$\text{Int}[\text{Sqrt}[\text{csc}[c_.] + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[(-2*b)/d, \text{Subst}[\text{Int}[1/(a + x^2)], x], x, (b*\text{Cot}[c + d*x])/\text{Sqrt}[a + b*\text{Csc}[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 203

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x_Symbol] \text{:>} \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{GtQ}[b, 0])$

Rule 3795

$\text{Int}[\text{csc}[e_.] + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{:>} \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/(2*a + x^2)], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+A\sec(c+dx))}{(a-a\sec(c+dx))^{5/2}} dx &= -\frac{A\cos(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} + \frac{\int \frac{\cos^2(c+dx)(8aA+7aA\sec(c+dx))}{(a-a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{15A\cos(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos^2(c+dx)(46a^2A+}{\sqrt{a-a\sec(c+dx)}} dx}{8a^2} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{15A\cos(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{23A\cos(c+dx)\sin(c+dx)}{8a^2d\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{15A\cos(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{49A\sin(c+dx)}{8a^2d\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{15A\cos(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{49A\sin(c+dx)}{8a^2d\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{15A\cos(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{49A\sin(c+dx)}{8a^2d\sqrt{a-a\sec(c+dx)}} \\
&= \frac{59A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a-a\sec(c+dx)}}\right)}{4a^{5/2}d} - \frac{167A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a-a\sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} - \frac{A\cos(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [C] time = 6.81463, size = 458, normalized size = 1.94

$$A \left[\frac{\sin^5\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^3(c+dx) \left(\frac{12\sin\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{d} - \frac{14\sin\left(\frac{3c}{2}\right)\sin\left(\frac{3dx}{2}\right)}{d} - \frac{\sin\left(\frac{5c}{2}\right)\sin\left(\frac{5dx}{2}\right)}{d} - \frac{12\cos\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{d} + \frac{14\cos\left(\frac{3c}{2}\right)\cos\left(\frac{3dx}{2}\right)}{d} + \frac{\cos\left(\frac{5c}{2}\right)\cos\left(\frac{5dx}{2}\right)}{d} \right)}{(a-a\sec(c+dx))^{5/2}} \right]$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(5/2), x]

[Out] A*((Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))])*(59*ArcSinh[E^(I*(c + d*x))] - (167*ArcTanh[(1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[2] + 59*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sec[c + d*x]^(5/2)*Sin[c/2 + (d*x)/2]^5)/(Sqrt[2]*d*E^((I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(5/2)) + (Sec[c + d*x]^3*((-12*Cos[c/2]

$$\begin{aligned} & * \cos[(d*x)/2])/d + (14*\cos[(3*c)/2]*\cos[(3*d*x)/2])/d + (\cos[(5*c)/2]*\cos[(5*d*x)/2])/d + (31*\cot[c/2]*\csc[c/2 + (d*x)/2])/(2*d) - (\cot[c/2]*\csc[c/2 + (d*x)/2]^3)/d - (31*\csc[c/2]*\csc[c/2 + (d*x)/2]^2*\sin[(d*x)/2])/(2*d) + (\csc[c/2]*\csc[c/2 + (d*x)/2]^4*\sin[(d*x)/2])/d + (12*\sin[c/2]*\sin[(d*x)/2])/d - (14*\sin[(3*c)/2]*\sin[(3*d*x)/2])/d - (\sin[(5*c)/2]*\sin[(5*d*x)/2])/d * \sin[c/2 + (d*x)/2]^5)/(a - a*\sec[c + d*x])^(5/2) \end{aligned}$$

Maple [B] time = 0.34, size = 1475, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^2*(A+A*\sec(d*x+c))/(a-a*\sec(d*x+c))^(5/2), x)$

[Out] $\begin{aligned} & 1/420*A/d*2^{(1/2)}*(-1+\cos(d*x+c))^{6*(-1322*\cos(d*x+c)^3*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+24780*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-7014*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\cos(d*x+c)^2*2^{(1/2)}+5010*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*\cos(d*x+c)^2*2^{(1/2)}-2505*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*\cos(d*x+c)*2^{(1/2)}-7014*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\cos(d*x+c)^3*2^{(1/2)}+11690*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\cos(d*x+c)^3*2^{(1/2)}-35070*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^3*2^{(1/2)}+5010*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*\cos(d*x+c)^3*2^{(1/2)}+3507*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*2^{(1/2)}-49560*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^2+5145*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+17535*2^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+3507*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}*\cos(d*x+c)*2^{(1/2)}-11633*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^5*2^{(1/2)}+11690*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}*\cos(d*x+c)^2*2^{(1/2)}+15573*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)^4*2^{(1/2)}-35070*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^2*2^{(1/2)}+1575*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(9/2)}+24780*\cos(d*x+c)^4*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-5845*\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}-12768*\cos(d*x+c)^2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+1015*\cos(d*x+c)*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+17535*\cos(d*x+c)*2^{(1/2)}*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+24780*\cos(d*x+c)^5*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-1995*2^{(1/2)}*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(9/2)}-2505*2^{(1/2)}*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}+3507*2^{(1/2)}*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}-5845*2^{(1/2)}*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+17535*2^{(1/2)}*\cos(d*x+c)^5*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-5845*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+24780*\cos \end{aligned}$

$$d*x+c)*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-2505*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}*2^{(1/2)}-49560*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^3+4305*2^{(1/2)}*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(9/2)}+3507*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}-5845*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+17535*2^{(1/2)}*\cos(d*x+c)^4*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+420*2^{(1/2)}*\cos(d*x+c)^7*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+3570*2^{(1/2)}*\cos(d*x+c)^6*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-6405*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(9/2)}-5670*2^{(1/2)}*\cos(d*x+c)^3*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(9/2)}-2505*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}+1470*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(9/2)})/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}/(a*(-1+\cos(d*x+c))/\cos(d*x+c))^{(5/2)}/\sin(d*x+c)^{11}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.574989, size = 1671, normalized size = 7.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$[-1/32*(167*\sqrt{2}*(A*\cos(d*x + c)^2 - 2*A*\cos(d*x + c) + A)*\sqrt{-a}*\log((2*\sqrt{2}*(\cos(d*x + c)^2 + \cos(d*x + c))*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) - a)/\cos(d*x + c)} + (3*a*\cos(d*x + c) + a)*\sin(d*x + c))/((\cos(d*x + c) - 1)*\sin(d*x + c)))*\sin(d*x + c) + 236*(A*\cos(d*x + c)^2 - 2*A*\cos(d*x + c) + A)*\sqrt{-a}*\log((2*(\cos(d*x + c)^2 + \cos(d*x + c))*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) - a)/\cos(d*x + c)} - (2*a*\cos(d*x + c) + a)*\sin(d*x + c))/\sin(d*x + c)$$


```
)*sin(d*x + c) + 4*(4*A*cos(d*x + c)^5 + 22*A*cos(d*x + c)^4 - 57*A*cos(d*x + c)^3 - 26*A*cos(d*x + c)^2 + 49*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))/((a^3*d*cos(d*x + c)^2 - 2*a^3*d*cos(d*x + c) + a^3*d)*sin(d*x + c)), 1/16*(167*sqrt(2)*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 236*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 2*(4*A*cos(d*x + c)^5 + 22*A*cos(d*x + c)^4 - 57*A*cos(d*x + c)^3 - 26*A*cos(d*x + c)^2 + 49*A*cos(d*x + c))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c))/((a^3*d*cos(d*x + c)^2 - 2*a^3*d*cos(d*x + c) + a^3*d)*sin(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [A] time = 3.15859, size = 409, normalized size = 1.73

$$A \left[\frac{167\sqrt{2} \arctan\left(\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{\sqrt{a}}\right)}{a^{\frac{5}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{236 \arctan\left(\frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a}}{2\sqrt{a}}\right)}{a^{\frac{5}{2}} \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{\sqrt{2} \left(69 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^{\frac{7}{2}} + 315 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right) \right)}{\left(\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^2 + 3 \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right) \right)} \right]$$

16 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] -1/16*A*(167*sqrt(2)*arctan(sqrt(a*tan(1/2*d*x + 1/2*c)^2 - a)/sqrt(a))/(a^(5/2)*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c))) - 236*arct

$$\frac{\sqrt{a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - a} / \sqrt{a}}{a^{5/2} \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)} - \sqrt{2} \left(69 \left(a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - a \right)^{7/2} + 315 \left(a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - a \right)^{5/2} a + 444 \left(a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - a \right)^{3/2} a^2 + 196 \sqrt{a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - a} a^3 \right) / \left(\left(a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - a \right)^2 + 3 \left(a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - a \right) a + 2 a^2 \right)^2 a^2 \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \right) / d$$

$$3.178 \quad \int \frac{\cos^3(c+dx)(A+A \sec(c+dx))}{(a-a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=280

$$\frac{21A \sin(c+dx)}{2a^2 d \sqrt{a-a \sec(c+dx)}} + \frac{203A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{8a^{5/2}d} - \frac{287A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} + \frac{77A \sin(c+dx) \cos^2(c+dx)}{24a^2 d \sqrt{a-a \sec(c+dx)}}$$

```
[Out] (203*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(8*a^(5/2)*
d) - (287*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]
])]/(8*Sqrt[2]*a^(5/2)*d) - (A*Cos[c + d*x]^2*Sin[c + d*x])/(2*d*(a - a*Sec
[c + d*x])^(5/2)) - (19*A*Cos[c + d*x]^2*Sin[c + d*x])/(8*a*d*(a - a*Sec[c
+ d*x])^(3/2)) + (21*A*Sin[c + d*x])/(2*a^2*d*Sqrt[a - a*Sec[c + d*x]]) + (
119*A*Cos[c + d*x]*Sin[c + d*x])/(24*a^2*d*Sqrt[a - a*Sec[c + d*x]]) + (77*
A*Cos[c + d*x]^2*Sin[c + d*x])/(24*a^2*d*Sqrt[a - a*Sec[c + d*x]])
```

Rubi [A] time = 0.906291, antiderivative size = 280, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {4020, 4022, 3920, 3774, 203, 3795}

$$\frac{21A \sin(c+dx)}{2a^2 d \sqrt{a-a \sec(c+dx)}} + \frac{203A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a-a \sec(c+dx)}}\right)}{8a^{5/2}d} - \frac{287A \tan^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{2}\sqrt{a-a \sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} + \frac{77A \sin(c+dx) \cos^2(c+dx)}{24a^2 d \sqrt{a-a \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(5/2), x]
```

```
[Out] (203*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/Sqrt[a - a*Sec[c + d*x]])/(8*a^(5/2)*
d) - (287*A*ArcTan[(Sqrt[a]*Tan[c + d*x])/(Sqrt[2]*Sqrt[a - a*Sec[c + d*x]
])]/(8*Sqrt[2]*a^(5/2)*d) - (A*Cos[c + d*x]^2*Sin[c + d*x])/(2*d*(a - a*Sec
[c + d*x])^(5/2)) - (19*A*Cos[c + d*x]^2*Sin[c + d*x])/(8*a*d*(a - a*Sec[c
+ d*x])^(3/2)) + (21*A*Sin[c + d*x])/(2*a^2*d*Sqrt[a - a*Sec[c + d*x]]) + (
119*A*Cos[c + d*x]*Sin[c + d*x])/(24*a^2*d*Sqrt[a - a*Sec[c + d*x]]) + (77*
A*Cos[c + d*x]^2*Sin[c + d*x])/(24*a^2*d*Sqrt[a - a*Sec[c + d*x]])
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
```

```
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 3920

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c/a, Int[Sqrt[a + b*Csc[e + f*x]], x], x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3774

```
Int[Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b)/d, Subst[Int[1/(a + x^2), x], x, (b*Cot[c + d*x])/Sqrt[a + b*Csc[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 3795

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[-2/f, Subst[Int[1/(2*a + x^2), x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+A\sec(c+dx))}{(a-a\sec(c+dx))^{5/2}} dx &= -\frac{A\cos^2(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} + \frac{\int \frac{\cos^3(c+dx)(10aA+9aA\sec(c+dx))}{(a-a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{19A\cos^2(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{\int \frac{\cos^3(c+dx)(77a}{\sqrt{a-}}}{24a^2d\sqrt{a-}} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{19A\cos^2(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{77A\cos^2(c+dx)\sin(c+dx)}{24a^2d\sqrt{a-}} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{19A\cos^2(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{119A\cos(c+dx)\sin(c+dx)}{24a^2d\sqrt{a-}} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{19A\cos^2(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{21A\sin(c+dx)}{2a^2d\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{19A\cos^2(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{21A\sin(c+dx)}{2a^2d\sqrt{a-a\sec(c+dx)}} \\
&= -\frac{A\cos^2(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}} - \frac{19A\cos^2(c+dx)\sin(c+dx)}{8ad(a-a\sec(c+dx))^{3/2}} + \frac{21A\sin(c+dx)}{2a^2d\sqrt{a-a\sec(c+dx)}} \\
&= \frac{203A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a-a\sec(c+dx)}}\right)}{8a^{5/2}d} - \frac{287A\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{2}\sqrt{a-a\sec(c+dx)}}\right)}{8\sqrt{2}a^{5/2}d} - \frac{A\cos^2(c+dx)\sin(c+dx)}{2d(a-a\sec(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [C] time = 6.8404, size = 514, normalized size = 1.84

$$A \left(\sin^5\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^3(c+dx) \left(\frac{7\sin\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{6d} - \frac{92\sin\left(\frac{3c}{2}\right)\sin\left(\frac{3dx}{2}\right)}{3d} - \frac{7\sin\left(\frac{5c}{2}\right)\sin\left(\frac{5dx}{2}\right)}{2d} - \frac{\sin\left(\frac{7c}{2}\right)\sin\left(\frac{7dx}{2}\right)}{3d} - \frac{7\cos\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{6d} + \frac{92\cos\left(\frac{3c}{2}\right)\cos\left(\frac{3dx}{2}\right)}{3d} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + A*Sec[c + d*x]))/(a - a*Sec[c + d*x])^(5/2), x]

[Out] A*((7*sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))])*(29*ArcSinh[E^(I*(c + d*x))] - 41*sqrt[2]*ArcTanh[(1 + E^(I*(c + d*x)))]/(sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]]) + 29*ArcTanh[sqrt[1 + E^((2*I)*(c + d*x))]])

```
I)*(c + d*x))]]]*Sec[c + d*x]^(5/2)*Sin[c/2 + (d*x)/2]^5)/(2*sqrt[2]*d*E^((
I/2)*(c + d*x))*(a - a*Sec[c + d*x])^(5/2)) + (Sec[c + d*x]^3*((-7*cos[c/2]
*cos[(d*x)/2])/(6*d) + (92*cos[(3*c)/2]*cos[(3*d*x)/2])/(3*d) + (7*cos[(5*c)
]/2)*cos[(5*d*x)/2])/(2*d) + (cos[(7*c)/2]*cos[(7*d*x)/2])/(3*d) + (39*cot[
c/2]*Csc[c/2 + (d*x)/2])/(2*d) - (cot[c/2]*Csc[c/2 + (d*x)/2]^3)/d - (39*Csc
c[c/2]*Csc[c/2 + (d*x)/2]^2*sin[(d*x)/2])/(2*d) + (Csc[c/2]*Csc[c/2 + (d*x)
/2]^4*sin[(d*x)/2])/d + (7*sin[c/2]*sin[(d*x)/2])/(6*d) - (92*sin[(3*c)/2]*
sin[(3*d*x)/2])/(3*d) - (7*sin[(5*c)/2]*sin[(5*d*x)/2])/(2*d) - (sin[(7*c)/
2]*sin[(7*d*x)/2])/(3*d))*sin[c/2 + (d*x)/2]^5)/(a - a*Sec[c + d*x])^(5/2))
```

Maple [B] time = 0.44, size = 1964, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2), x)
```

```
[Out] -1/180*A/d*2^(1/2)*(-1+cos(d*x+c))^7*(-10335*cos(d*x+c)^3*2^(1/2)*(-2*cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)-945*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(11/
2)+18270*cos(d*x+c)^6*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/
2))+18270*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))-2583*(-2
*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)^2*2^(1/2)+1845*(-2*cos(d*x+c)/
(cos(d*x+c)+1))^(7/2)*cos(d*x+c)^2*2^(1/2)-3690*(-2*cos(d*x+c)/(cos(d*x+c)+
1))^(7/2)*cos(d*x+c)*2^(1/2)-10332*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos
(d*x+c)^3*2^(1/2)+17220*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)*cos(d*x+c)^3*2
^(1/2)-51660*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^3*2^
(1/2)+7380*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(7/2)*cos(d*x+c)^3*2^(1/2)+2583*(
-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*2^(1/2)-18270*arctan(1/2*2^(1/2)*(-2*co
s(d*x+c)/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^2+3780*2^(1/2)*(-2*cos(d*x+c)/(c
os(d*x+c)+1))^(1/2)+12915*2^(1/2)*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2))+5166*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(5/2)*cos(d*x+c)*2^(1/2)+14285*(-
2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*cos(d*x+c)^5*2^(1/2)+4305*(-2*cos(d*x+c)
/(cos(d*x+c)+1))^(3/2)*cos(d*x+c)^2*2^(1/2)+6254*(-2*cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*cos(d*x+c)^4*2^(1/2)-12915*arctan(1/(-2*cos(d*x+c)/(cos(d*x+c)+1
))^(1/2))*cos(d*x+c)^2*2^(1/2)+1435*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
9/2)-18270*cos(d*x+c)^4*arctan(1/2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(
1/2))-8610*cos(d*x+c)*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(3/2)-8652*co
s(d*x+c)^2*2^(1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+4515*cos(d*x+c)*2^(
1/2)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)+25830*cos(d*x+c)*2^(1/2)*arctan(1
/(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+36540*cos(d*x+c)^5*arctan(1/2*2^(1/2)
)*(-2*cos(d*x+c)/(cos(d*x+c)+1))^(1/2))+2870*2^(1/2)*cos(d*x+c)^5*(-2*cos(d
```

$$\begin{aligned} & *x+c)/(\cos(d*x+c)+1))^{(9/2)}-3690*2^{(1/2)}*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d \\ & *x+c)+1))^{(7/2)}+5166*2^{(1/2)}*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5 \\ & /2)}-8610*2^{(1/2)}*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+25830*2^{(\\ & 1/2)}*\cos(d*x+c)^5*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+120*2^{(1/ \\ & 2)}*\cos(d*x+c)^9*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+930*2^{(1/2)}*\cos(d*x+c) \\ & ^8*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}+1125*2^{(1/2)}*\cos(d*x+c)^6*(-2*\cos(d \\ & *x+c)/(\cos(d*x+c)+1))^{(11/2)}+4680*2^{(1/2)}*\cos(d*x+c)^5*(-2*\cos(d*x+c)/(\cos(\\ & d*x+c)+1))^{(11/2)}+1435*2^{(1/2)}*\cos(d*x+c)^6*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(\\ & 9/2)}+6525*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(11/2)}+1800* \\ & 2^{(1/2)}*\cos(d*x+c)^3*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(11/2)}-1845*2^{(1/2)}*\cos \\ & (d*x+c)^6*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}-3825*2^{(1/2)}*\cos(d*x+c)^2*(- \\ & 2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(11/2)}-3600*2^{(1/2)}*\cos(d*x+c)*(-2*\cos(d*x+c)/ \\ & (\cos(d*x+c)+1))^{(11/2)}+2583*2^{(1/2)}*\cos(d*x+c)^6*(-2*\cos(d*x+c)/(\cos(d*x+c) \\ & +1))^{(5/2)}-4305*2^{(1/2)}*\cos(d*x+c)^6*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+1 \\ & 2915*2^{(1/2)}*\cos(d*x+c)^6*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-43 \\ & 05*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}+36540*\cos(d*x+c)*\arctan(1/2 \\ & *2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})-1845*(-2*\cos(d*x+c)/(\cos(d*x \\ & +c)+1))^{(7/2)}*2^{(1/2)}-73080*\arctan(1/2*2^{(1/2)}*(-2*\cos(d*x+c)/(\cos(d*x+c)+1 \\ &))^{(1/2)})*\cos(d*x+c)^3+2870*2^{(1/2)}*\cos(d*x+c)*(-2*\cos(d*x+c)/(\cos(d*x+c)+1 \\ &))^{(9/2)}-2583*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(5/2)}+430 \\ & 5*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(3/2)}-12915*2^{(1/2)}*\cos \\ & (d*x+c)^4*\arctan(1/(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)})+4215*2^{(1/2)}*\cos \\ & (d*x+c)^7*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-15112*2^{(1/2)}*\cos(d*x+c)^6*(\\ & -2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}-1435*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^{(9/2)}-5740*2^{(1/2)}*\cos(d*x+c)^3*(-2*\cos(d*x+c)/(\cos(d*x+c) \\ & +1))^{(9/2)}+1845*2^{(1/2)}*\cos(d*x+c)^4*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(7/2)}- \\ & 1435*2^{(1/2)}*\cos(d*x+c)^2*(-2*\cos(d*x+c)/(\cos(d*x+c)+1))^{(9/2)})/(-2*\cos(d*x \\ & +c)/(\cos(d*x+c)+1))^{(5/2)}/(a*(-1+\cos(d*x+c))/\cos(d*x+c))^{(5/2)}/\sin(d*x+c)^1 \\ & 3 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm
="maxima")

[Out] Timed out

Fricas [A] time = 0.612642, size = 1744, normalized size = 6.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm
="fricas")
```

```
[Out] [-1/96*(861*sqrt(2)*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(-a)*log(
(2*sqrt(2)*(cos(d*x + c)^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x + c) -
a)/cos(d*x + c)) + (3*a*cos(d*x + c) + a)*sin(d*x + c))/((cos(d*x + c) - 1)
*sin(d*x + c)))*sin(d*x + c) + 1218*(A*cos(d*x + c)^2 - 2*A*cos(d*x + c) +
A)*sqrt(-a)*log((2*(cos(d*x + c)^2 + cos(d*x + c))*sqrt(-a)*sqrt((a*cos(d*x
+ c) - a)/cos(d*x + c)) - (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c
))*sin(d*x + c) + 4*(8*A*cos(d*x + c)^6 + 30*A*cos(d*x + c)^5 + 113*A*cos(d
*x + c)^4 - 294*A*cos(d*x + c)^3 - 133*A*cos(d*x + c)^2 + 252*A*cos(d*x + c
))*sqrt((a*cos(d*x + c) - a)/cos(d*x + c)))/((a^3*d*cos(d*x + c)^2 - 2*a^3*
d*cos(d*x + c) + a^3*d)*sin(d*x + c)), 1/48*(861*sqrt(2)*(A*cos(d*x + c)^2
- 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) - a)/co
s(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 1218*(A*cos
(d*x + c)^2 - 2*A*cos(d*x + c) + A)*sqrt(a)*arctan(sqrt((a*cos(d*x + c) - a
)/cos(d*x + c))*cos(d*x + c)/(sqrt(a)*sin(d*x + c)))*sin(d*x + c) - 2*(8*A*
cos(d*x + c)^6 + 30*A*cos(d*x + c)^5 + 113*A*cos(d*x + c)^4 - 294*A*cos(d*x
+ c)^3 - 133*A*cos(d*x + c)^2 + 252*A*cos(d*x + c))*sqrt((a*cos(d*x + c) -
a)/cos(d*x + c)))/((a^3*d*cos(d*x + c)^2 - 2*a^3*d*cos(d*x + c) + a^3*d)*s
in(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```


Giac [A] time = 3.04878, size = 459, normalized size = 1.64

$$A \left(\frac{861 \sqrt{2} \arctan \left(\frac{\sqrt{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a}}{\sqrt{a}} \right)}{a^{\frac{5}{2}} \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} - \frac{1218 \arctan \left(\frac{\sqrt{2} \sqrt{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a}}{2 \sqrt{a}} \right)}{a^{\frac{5}{2}} \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right) \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} - \frac{2 \sqrt{2} \left(129 \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right)^{\frac{5}{2}} + 560 \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - a \right)^{\frac{3}{2}} \right)}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + a \right)^3 a^2 \operatorname{sgn} \left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)} \right)$$

48 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+A*sec(d*x+c))/(a-a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out]
$$-1/48 * A * (861 * \sqrt{2} * \arctan(\sqrt{a * \tan(1/2 * d * x + 1/2 * c)^2 - a} / \sqrt{a}) / (a^{(5/2)} * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c))) - 1218 * \arctan(\sqrt{2} * \sqrt{a * \tan(1/2 * d * x + 1/2 * c)^2 - a} / (2 * \sqrt{a})) / (a^{(5/2)} * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c))) - 2 * \sqrt{2} * (129 * (a * \tan(1/2 * d * x + 1/2 * c)^2 - a)^{(5/2)} + 560 * (a * \tan(1/2 * d * x + 1/2 * c)^2 - a)^{(3/2}) * a + 636 * \sqrt{a * \tan(1/2 * d * x + 1/2 * c)^2 - a} * a^2) / ((a * \tan(1/2 * d * x + 1/2 * c)^2 + a)^3 * a^2 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c))) - 3 * \sqrt{2} * (33 * (a * \tan(1/2 * d * x + 1/2 * c)^2 - a)^{(3/2)} + 31 * \sqrt{a * \tan(1/2 * d * x + 1/2 * c)^2 - a} * a) / (a^4 * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)^2 - 1) * \operatorname{sgn}(\tan(1/2 * d * x + 1/2 * c)) * \tan(1/2 * d * x + 1/2 * c)^4) / d$$

$$3.179 \quad \int \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=199

$$\frac{2a(7A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a(A + B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{2a(7A + 5B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{21d}$$

[Out] (-6*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(7*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (6*a*(A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*(7*A + 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*a*(A + B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d) + (2*a*B*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.179355, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3997, 3787, 3768, 3771, 2641, 2639}

$$\frac{2a(A + B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{2a(7A + 5B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{6a(A + B)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{2a(7A + 5B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{21d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (-6*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(7*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (6*a*(A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*(7*A + 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*a*(A + B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d) + (2*a*B*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,

-1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))(A+B\sec(c+dx))dx &= \frac{2aB\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{5}{2}}(c+dx)\left(\frac{1}{2}a(7A+5B)\right. \\
&= \frac{2aB\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{7d} + (a(A+B))\int \sec^{\frac{7}{2}}(c+dx)dx \\
&= \frac{2a(7A+5B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{21d} + \frac{2a(A+B)\sec^{\frac{5}{2}}(c+dx)}{5d} \\
&= \frac{6a(A+B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2a(7A+5B)\sec^{\frac{3}{2}}(c+dx)}{21d} \\
&= \frac{2a(7A+5B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{21d} + \frac{6a(A+B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d} \\
&= -\frac{6a(A+B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d} + \frac{2a(7A+5B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{21d}
\end{aligned}$$

Mathematica [A] time = 0.739832, size = 200, normalized size = 1.01

$$a \sec^2\left(\frac{1}{2}(c+dx)\right)(\sec(c+dx)+1)(A+B\sec(c+dx))\left(5(7A+5B)\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx),2\right)-63(A+B)\sqrt{\cos(c+dx)}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*Sec[(c + d*x)/2]^2*(1 + Sec[c + d*x])*(A + B*Sec[c + d*x])*(-63*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 5*(7*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 63*A*Sin[c + d*x] + 63*B*Sin[c + d*x] + 35*A*Tan[c + d*x] + 25*B*Tan[c + d*x] + 21*A*Sec[c + d*x]*Tan[c + d*x] + 21*B*Sec[c + d*x]*Tan[c + d*x] + 15*B*Sec[c + d*x]^2*Tan[c + d*x]))/(105*d*(B + A*Cos[c + d*x])*Sec[c + d*x]^(3/2))

Maple [B] time = 5.554, size = 691, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] $-a * (-(-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * A * (-1/6 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (\cos(1/2 * d * x + 1/2 * c) ^ 2 - 1/2) ^ 2 + 1/3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2))) - 4/5 * (1/2 * A + 1/2 * B) / (8 * \sin(1/2 * d * x + 1/2 * c) ^ 6 - 12 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + 6 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) / \sin(1/2 * d * x + 1/2 * c) ^ 2 * (12 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * \sin(1/2 * d * x + 1/2 * c) ^ 4 - 24 * \sin(1/2 * d * x + 1/2 * c) ^ 6 * \cos(1/2 * d * x + 1/2 * c) - 12 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 24 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + 3 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) - 8 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c)) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) + 2 * B * (-1/56 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (\cos(1/2 * d * x + 1/2 * c) ^ 2 - 1/2) ^ 4 - 5/42 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (\cos(1/2 * d * x + 1/2 * c) ^ 2 - 1/2) ^ 2 + 5/21 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)))) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sec(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \sec(dx + c)^4 + (A + B)a \sec(dx + c)^3 + Aa \sec(dx + c)^2\right)\sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*a*sec(d*x + c)^4 + (A + B)*a*sec(d*x + c)^3 + A*a*sec(d*x + c)^
2)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sec(d*x + c)^(5/2), x)
```

$$3.180 \quad \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=172

$$\frac{2a(A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(A + B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2a(5A + 3B)\sin(c + dx)}{3d}$$

[Out] (-2*a*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(5*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*(A + B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*a*B*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.164512, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2a(A + B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2a(5A + 3B)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{2a(A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx), 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (-2*a*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(5*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*(A + B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*a*B*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))(A+B\sec(c+dx))dx &= \frac{2aB\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5}\int \sec^{\frac{3}{2}}(c+dx)\left(\frac{1}{2}a(5A+B)\right. \\
&= \frac{2aB\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + (a(A+B))\int \sec^{\frac{5}{2}}(c+dx)dx \\
&= \frac{2a(5A+3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2a(A+B)\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{2a(5A+3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2a(A+B)\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2a(5A+3B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d} + \dots
\end{aligned}$$

Mathematica [A] time = 0.643106, size = 168, normalized size = 0.98

$$\frac{a\sec^2\left(\frac{1}{2}(c+dx)\right)(\sec(c+dx)+1)(A+B\sec(c+dx))\left(5(A+B)\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx),2\right)-3(5A+3B)\sqrt{\sec(c+dx)}\right)}{15d\sec^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*Sec[(c + d*x)/2]^2*(1 + Sec[c + d*x])*(A + B*Sec[c + d*x])*(-3*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 5*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 15*A*Sin[c + d*x] + 9*B*Sin[c + d*x] + 5*A*Tan[c + d*x] + 5*B*Tan[c + d*x] + 3*B*Sec[c + d*x]*Tan[c + d*x]))/(15*d*(B + A*Cos[c + d*x])*Sec[c + d*x]^(3/2))

Maple [B] time = 5.197, size = 662, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

```
[Out] -a*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*(1/2*A+1/2*B)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))-2/5*B/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*A*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \sec(dx+c)^3 + (A+B)a \sec(dx+c)^2 + Aa \sec(dx+c)\right)\sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*a*sec(d*x + c)^3 + (A + B)*a*sec(d*x + c)^2 + A*a*sec(d*x + c))
*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)), x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)
```

$$3.181 \quad \int \sqrt{\sec(c + dx)}(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=135

$$\frac{2a(3A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(A + B)\sin(c + dx)\sqrt{\sec(c + dx)}}{d} - \frac{2a(A + B)\sqrt{\cos(c + dx)}}{d}$$

[Out] (-2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(3*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.14369, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a(A + B)\sin(c + dx)\sqrt{\sec(c + dx)}}{d} + \frac{2a(3A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a(A + B)\sqrt{\cos(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (-2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(3*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*a*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c + dx)}(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{2aB \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{\sec(c + dx)} \left(\frac{1}{2} a(3A + B) \right. \\
 &= \frac{2aB \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + (a(A + B)) \int \sec^{\frac{3}{2}}(c + dx) \\
 &= \frac{2a(A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2aB \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
 &= \frac{2a(3A + B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2aB \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
 &= -\frac{2a(A + B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2aB \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.515784, size = 94, normalized size = 0.7

$$\frac{a \sec^{\frac{3}{2}}(c + dx) \left(2(3A + B) \cos^{\frac{3}{2}}(c + dx) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - 6(A + B) \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2 \sin(c + dx) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*Sec[c + d*x]^(3/2)*(-6*(A + B)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 2*(3*A + B)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 2*(B + 3*(A + B)*Cos[c + d*x])*Sin[c + d*x]))/(3*d)

Maple [B] time = 4.205, size = 427, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x)

[Out] -a*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2))/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+4*(1/2*A+1/2*B)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa\right)\sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)*sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)

$$3.182 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=106

$$\frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{d} + \frac{2a(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aB \sin(c+dx)}{d}$$

[Out] (2*a*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.134114, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3997, 3787, 3771, 2639, 2641}

$$\frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aB \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (2*a*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2aB\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + 2 \int \frac{\frac{1}{2}a(A - B) + \frac{1}{2}a(A + B) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{2aB\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (a(A - B)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + (a(A + B)) \int \frac{\sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{2aB\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (a(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (a(A + B)) \int \frac{\sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{2a(A - B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} + \frac{2a(A + B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} + B \sin(c + dx)
 \end{aligned}$$

Mathematica [A] time = 0.298746, size = 77, normalized size = 0.73

$$\frac{2a\sqrt{\sec(c + dx)}\left((A + B)\sqrt{\cos(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + (A - B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) + B \sin(c + dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (2*a*Sqrt[Sec[c + d*x]]*((A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + (A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + B*Sin[c + d*x])/d

Maple [A] time = 1.761, size = 240, normalized size = 2.3

$$a \left(A \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \sqrt{(\sin(1/2 dx + c/2))^2} \operatorname{EllipticF}(\cos(1/2 dx + c/2), \sqrt{2}) - A \sqrt{2 (\sin(1/2 dx + c/2))^2} \right) - 2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] $-2*a*(A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{Ba \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sqrt(sec(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sqrt{\sec(c + dx)}} dx + \int A \sqrt{\sec(c + dx)} dx + \int B \sqrt{\sec(c + dx)} dx + \int B \sec^{\frac{3}{2}}(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] a*(Integral(A/sqrt(sec(c + d*x)), x) + Integral(A*sqrt(sec(c + d*x)), x) + Integral(B*sqrt(sec(c + d*x)), x) + Integral(B*sec(c + d*x)**(3/2), x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)
```

$$3.183 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=110

$$\frac{2a(A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} +$$

[Out] (2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.12956, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3996, 3787, 3771, 2639, 2641}

$$\frac{2a(A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aA \sin}{3d\sqrt{\sec}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*a*(A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d \cdot \text{Csc}[e + f \cdot x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.) \cdot (x_)] \cdot (b_.)^{(n_)}), x_Symbol] := \text{Dist}[(b \cdot \text{Csc}[c + d \cdot x])^n \cdot \text{Sin}[c + d \cdot x]^n, \text{Int}[1/\text{Sin}[c + d \cdot x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.) \cdot (x_)]], x_Symbol] := \text{Simp}[(2 \cdot \text{EllipticE}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.) \cdot (x_)]], x_Symbol] := \text{Simp}[(2 \cdot \text{EllipticF}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}a(A + B) - \frac{1}{2}a(A + 3B) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + (a(A + B)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + \frac{1}{3}(a(A + 3B)) \int \sqrt{\cos(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + (a(A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\ &= \frac{2a(A + B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} + \frac{2a(A + 3B)\sqrt{\cos(c + dx)}}{3d} \end{aligned}$$

Mathematica [A] time = 0.307421, size = 83, normalized size = 0.75

$$\frac{a\sqrt{\sec(c + dx)}\left(2(A + 3B)\sqrt{\cos(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 6(A + B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) + A \sin(2(c + dx))\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] $(a\sqrt{\sec[c + dx]}(6(A + B)\sqrt{\cos[c + dx]}\text{EllipticE}[(c + dx)/2, 2] + 2(A + 3B)\sqrt{\cos[c + dx]}\text{EllipticF}[(c + dx)/2, 2] + A\sin[2(c + dx)]))/(3d)$

Maple [B] time = 1.844, size = 321, normalized size = 2.9

$$-\frac{2a}{3d}\sqrt{\left(2\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(4A\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + A\sqrt{2}\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(dx+c))*(A+B*sec(dx+c))/sec(dx+c)^(3/2), x)`

[Out] $-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(4*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2)^{(1/2)}-3*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2)^{(1/2)}-2*A*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+3*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2)^{(1/2)}-3*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(dx+c))*(A+B*sec(dx+c))/sec(dx+c)^(3/2), x, algorithm="maxima")`

[Out] `integrate((B*sec(dx + c) + A)*(a*sec(dx + c) + a)/sec(dx + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sec(d*x + c)^(3/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a\left(\int \frac{A}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{A}{\sqrt{\sec(c + dx)}} dx + \int \frac{B}{\sqrt{\sec(c + dx)}} dx + \int B\sqrt{\sec(c + dx)} dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] a*(Integral(A/sec(c + d*x)**(3/2), x) + Integral(A/sqrt(sec(c + d*x)), x) + Integral(B/sqrt(sec(c + d*x)), x) + Integral(B*sqrt(sec(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

$$3.184 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=141

$$\frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a(A+B)\sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2a(3A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

[Out] (2*a*(3*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(A + B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.153239, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a(A+B)\sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(3A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (2*a*(3*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(A + B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787


```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(A + B) - \frac{1}{2}a(3A + 5B) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + \frac{1}{5}(a(3A + 5B)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3}(a(A + B)) \int \sqrt{\sec(c + dx)} dx \\
&= \frac{2a(3A + 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(3A + 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(A + B) \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 0.562546, size = 99, normalized size = 0.7

$$\frac{a \sqrt{\sec(c + dx)} \left(10(A + B) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(2(c + dx))(5(A + B) + 3A \cos(c + dx)) + 6(3A + 5B) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (a*Sqrt[Sec[c + d*x]]*(6*(3*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 10*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (5*(A + B) + 3*A*Cos[c + d*x])*Sin[2*(c + d*x)]))/(15*d)

Maple [B] time = 1.652, size = 355, normalized size = 2.5

$$-\frac{2a}{15d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (44A + 20B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x)

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(-24*A*cos(
1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(44*A+20*B)*sin(1/2*d*x+1/2*c)^4*cos(1/
2*d*x+1/2*c)+(-16*A-10*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+5*A*(2*si
n(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*
d*x+1/2*c),2^(1/2))-9*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c
)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+5*B*(2*sin(1/2*d*x+1/2*c)^
2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2
))-15*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellip
ticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*
c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="
maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa}{\sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="
fricas")
```

```
[Out] integral((B*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sec(d*x + c)^(
5/2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sec^{\frac{5}{2}}(c+dx)} dx + \int \frac{A}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{B}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{B}{\sqrt{\sec(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2),x)

[Out] a*(Integral(A/sec(c + d*x)**(5/2), x) + Integral(A/sec(c + d*x)**(3/2), x) + Integral(B/sec(c + d*x)**(3/2), x) + Integral(B/sqrt(sec(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(a \sec(dx+c) + a)}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

$$3.185 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=172

$$\frac{2a(5A+7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a(A+B)\sin(c+dx)}{5d\sec^{\frac{3}{2}}(c+dx)} + \frac{2a(5A+7B)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} +$$

```
[Out] (6*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(5*d) + (2*a*(5*A + 7*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) +
(2*a*(A + B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(5*A + 7*B)*Sin[
c + d*x])/(21*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 0.161307, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{2a(A+B)\sin(c+dx)}{5d\sec^{\frac{3}{2}}(c+dx)} + \frac{2a(5A+7B)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2a(5A+7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{6a(A+B)\sin(c+dx)}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (6*a*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(5*d) + (2*a*(5*A + 7*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) +
(2*a*(A + B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(5*A + 7*B)*Sin[
c + d*x])/(21*d*Sqrt[Sec[c + d*x]])
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}a(A + B) - \frac{1}{2}a(5A + 7B) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + \frac{1}{7}(a(5A + 7B)) \int \frac{\sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 7B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2a(5A + 7B)}{21d} \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 7B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2a(5A + 7B)}{21d} \\
&= \frac{6a(A + B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(5A + 7B) \sqrt{\sec(c + dx)}}{21d}
\end{aligned}$$

Mathematica [A] time = 0.969435, size = 113, normalized size = 0.66

$$\frac{a \sqrt{\sec(c + dx)} \left(20(5A + 7B) \sqrt{\cos(c + dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(2(c + dx))(42(A + B) \cos(c + dx) + 15A \cos(2(c + dx))) \right)}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (a*Sqrt[Sec[c + d*x]]*(252*(A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(5*A + 7*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (65*A + 70*B + 42*(A + B)*Cos[c + d*x] + 15*A*Cos[2*(c + d*x)])*Sin[2*(c + d*x)])/(210*d)

Maple [A] time = 1.702, size = 383, normalized size = 2.2

$$-\frac{2a}{105d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-528A - 168B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + 168B \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + 528A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + 168B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2), x)

```
[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(240*A*cos
(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-528*A-168*B)*sin(1/2*d*x+1/2*c)^6*cos
s(1/2*d*x+1/2*c)+(448*A+308*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-12
2*A-112*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+25*A*(2*sin(1/2*d*x+1/2*
c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(
1/2))-63*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2))+35*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*B*(2*s
in(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2
*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/
sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="
maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ba \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa}{\sec(dx + c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="
fricas")
```

```
[Out] integral((B*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sec(d*x + c)^(
7/2), x)
```


Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

$$3.186 \quad \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=234

$$\frac{4a^2(7A + 6B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2a^2(7A + 9B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{35d} + \frac{4a^2(7A + 6B)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d}$$

[Out] (-4*a^2*(4*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(7*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^2*(4*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (4*a^2*(7*A + 6*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*a^2*(7*A + 9*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*B*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.342083, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4018, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2a^2(7A + 9B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{35d} + \frac{4a^2(7A + 6B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{4a^2(4A + 3B)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (-4*a^2*(4*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(7*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^2*(4*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (4*a^2*(7*A + 6*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*a^2*(7*A + 9*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*B*Sec[c + d*x]^(5/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(7*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cosot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n *Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc

$[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2(A+B\sec(c+dx))dx &= \frac{2B\sec^{\frac{5}{2}}(c+dx)(a^2+a^2\sec(c+dx))\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{2a^2(7A+9B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{35d} + \frac{2B\sec^{\frac{5}{2}}(c+dx)(a^2+a^2\sec(c+dx))\sin(c+dx)}{7d} \\
&= \frac{2a^2(7A+9B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{35d} + \frac{2B\sec^{\frac{5}{2}}(c+dx)(a^2+a^2\sec(c+dx))\sin(c+dx)}{7d} \\
&= \frac{4a^2(4A+3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{4a^2(7A+6B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d} \\
&= \frac{4a^2(4A+3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{4a^2(7A+6B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d} \\
&= -\frac{4a^2(4A+3B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d} + \dots
\end{aligned}$$

Mathematica [C] time = 4.45944, size = 463, normalized size = 1.98

$$a^2 \csc(c)e^{-idx} \cos^3(c+dx) \sec^4\left(\frac{1}{2}(c+dx)\right) (\sec(c+dx)+1)^2 (A+B\sec(c+dx)) \left(7\sqrt{2}(-1+e^{2ic})(4A+3B)e^{2idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*Cos[c + d*x]^3*Csc[c]*Sec[(c + d*x)/2]^4*(7*Sqrt[2]*(4*A + 3*B)*E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x))]]*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]] - ((-1 + E^((2*I)*c))*(7*A*(-5 + 9*E^(I*(c + d*x))) - 5*E^((2*I)*(c + d*x))) + 36*E^((3*I)*(c + d*x)) + 5*E^((4*I)*(c + d*x)) + 39*E^((5*I)*(c + d*x)) + 5*E^((6*I)*(c + d*x)) + 12*E^((7*I)*(c + d*x))) + 3*B*(-10 + 7*E^(I*(c + d*x)) - 20*E^((2*I)*(c + d*x)) + 63*E^((3*I)*(c + d*x)) + 20*E^((4*I)*(c + d*x)) + 77*E^((5*I)*(c + d*x)) + 10*E^((6*I)*(c + d*x)) + 21*E^((7*I)*(c + d*x))) + (5*I)*(7*A + 6*B)*(1 + E^((2*I)*(c + d*x)))^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2])*Sqrt[Sec[c + d*x]]/(E^(I*(c - d*x))*(1 + E^((2*I)*(c + d*x)))^3)*(1 + Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/(210*d*E^(I*d*x)*(B + A*Cos[c + d*x]))

Maple [B] time = 6.524, size = 852, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{2*(A+B*\sec(dx+c))}, x)$

[Out] $-a^2*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(8*(1/2*A+1/4*B)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-8/5*(1/4*A+1/2*B)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*B*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{2*(A+B*\sec(dx+c))}, x, \text{algorithm} = "maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((B*a^2*sec(dx+c)^4 + (A+2*B)*a^2*sec(dx+c)^3 + (2*A+B)*a^2*sec(dx+c)^2 + A*a^2*sec(dx+c))*sqrt(sec(dx+c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*a^2*sec(d*x+c)^4 + (A+2*B)*a^2*sec(d*x+c)^3 + (2*A+B)*a^2*sec(d*x+c)^2 + A*a^2*sec(d*x+c))*sqrt(sec(d*x+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(a \sec(dx+c) + a)^2 \sec(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x+c) + A)*(a*sec(d*x+c) + a)^2*sec(d*x+c)^(3/2), x)

$$3.187 \quad \int \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=199

$$\frac{4a^2(2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a^2(5A + 7B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{15d} + \frac{4a^2(5A + 4B)\sin(c + dx)\sqrt{\sec(c + dx)}}{3d}$$

[Out] (-4*a^2*(5*A + 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^2*(5*A + 4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a^2*(5*A + 7*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*B*Sec[c + d*x]^(3/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.299393, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a^2(5A + 7B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{15d} + \frac{4a^2(5A + 4B)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (-4*a^2*(5*A + 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^2*(5*A + 4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a^2*(5*A + 7*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*B*Sec[c + d*x]^(3/2)*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))^2(A+B\sec(c+dx))dx &= \frac{2B\sec^{\frac{3}{2}}(c+dx)(a^2+a^2\sec(c+dx))\sin(c+dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{2a^2(5A+7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15d} + \frac{2B\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} \\
&= \frac{2a^2(5A+7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15d} + \frac{2B\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} \\
&= \frac{4a^2(5A+4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2a^2(5A+7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} \\
&= \frac{4a^2(2A+B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3d} + \frac{4a^2(5A+4B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 6.2851, size = 321, normalized size = 1.61

$$a^2 e^{-ic} (-1 + e^{2ic}) \csc(c) \sec^4\left(\frac{1}{2}(c+dx)\right) (\sec(c+dx) + 1)^2 (A + B \sec(c+dx)) \left(2(5A + 4B)e^{i(c+dx)} (1 + e^{2i(c+dx)})^{5/2} \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{\frac{1}{2}(c+dx)}\right]\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (a^2*(-1 + E^((2*I)*c))*Csc[c]*(5*A + 10*B - 30*A*E^(I*(c + d*x)) - 18*B*E^(I*(c + d*x)) - 60*A*E^((3*I)*(c + d*x)) - 54*B*E^((3*I)*(c + d*x)) - 5*A*E^((4*I)*(c + d*x)) - 10*B*E^((4*I)*(c + d*x)) - 30*A*E^((5*I)*(c + d*x)) - 24*B*E^((5*I)*(c + d*x)) - (10*I)*(2*A + B)*(1 + E^((2*I)*(c + d*x)))^2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 2*(5*A + 4*B)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/(60*d*E^(I*c)*(1 + E^((2*I)*(c + d*x)))^2*(B + A*Cos[c + d*x])*Sec[c + d*x])^(5/2)

Maple [B] time = 5.715, size = 743, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x)`

[Out]
$$-a^2 * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 8 * (1/4 * A + 1/2 * B) * (-1/6 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d * x + 1/2 * c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)})) - 2/5 * B / (8 * \sin(1/2 * d * x + 1/2 * c)^6 - 12 * \sin(1/2 * d * x + 1/2 * c)^4 + 6 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) / \sin(1/2 * d * x + 1/2 * c)^2 * (12 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^4 - 24 * \sin(1/2 * d * x + 1/2 * c)^6 * \cos(1/2 * d * x + 1/2 * c) - 12 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 + 24 * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) + 3 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} - 8 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 8 * (1/2 * A + 1/4 * B) * (-\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 2 * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 / \sin(1/2 * d * x + 1/2 * c)^2 / (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ba² sec(dx + c)³ + (A + 2B)a² sec(dx + c)² + (2A + B)a² sec(dx + c) + Aa²)sqrt(sec(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a²*sec(d*x + c)³ + (A + 2*B)*a²*sec(d*x + c)² + (2*A + B)*a²*sec(d*x + c) + A*a²)*sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c))*sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)

$$3.188 \quad \int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=160

$$\frac{4a^2(3A+2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a^2(3A+5B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} + \frac{2B\sin(c+dx)\sqrt{\sec(c+dx)}}{3d}$$

[Out] (-4*a^2*B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (4*a^2*(3*A + 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(3*A + 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*B*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.278166, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a^2(3A+5B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} + \frac{4a^2(3A+2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B\sin(c+dx)\sqrt{\sec(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (-4*a^2*B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (4*a^2*(3*A + 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(3*A + 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*B*Sqrt[Sec[c + d*x]]*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2B\sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a^2(3A + 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B\sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} \\
&= \frac{2a^2(3A + 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B\sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} \\
&= \frac{2a^2(3A + 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B\sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} \\
&= -\frac{4a^2B\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{4a^2(3A + 2B)\sqrt{\cos(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 3.07969, size = 310, normalized size = 1.94

$$a^2 \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + B \sec(c + dx)) \left(\frac{-3 \csc(c) \cos(dx) (A \cos(2c) - A - 4B) + 6A \cos(c) \sin(dx) + 2B \tan(c + dx)}{\sec^2(c + dx)} - \frac{4i\sqrt{2}e^{-id}}{\sec^2(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (a^2*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + B*Sec[c + d*x])*(((−4*I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*(3*B*E^(I*c)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] + E^(I*d*x)*((3*A + 2*B)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))] + B*E^(I*(c + d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])))/(E^(I*d*x)*(-1 + E^((2*I)*c))) + (-3*(-A - 4*B + A*Cos[2*c])*Cos[d*x]*Csc[c] + 6*A*Cos[c]*Sin[d*x] + 2*B*Tan[c + d*x])/Sec[c + d*x]^(5/2))/(12*d*(B + A*Cos[c + d*x]))

Maple [B] time = 2.067, size = 513, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x)`

[Out]
$$-4/3*a^2*(6*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+2*B)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A+7*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+3*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(3/2)}/\sin(1/2*d*x+1/2*c)/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \sec(dx + c)^3 + (A + 2B)a^2 \sec(dx + c)^2 + (2A + B)a^2 \sec(dx + c) + Aa^2}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^2*sec(d*x + c)^3 + (A + 2*B)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)
```


$$3.189 \quad \int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=158

$$\frac{4a^2(2A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a^2(A-3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} + \frac{2A\sin(c+dx)}{3d}$$

[Out] (4*a^2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (4*a^2*(2*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.255765, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4017, 3997, 3787, 3771, 2639, 2641}

$$-\frac{2a^2(A-3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} + \frac{4a^2(2A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2A\sin(c+dx)}{3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (4*a^2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (4*a^2*(2*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*a^2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + a \sec(c + dx)) \left(\frac{1}{2}a(5A + B)\right)}{\sqrt{\sec(c + dx)}} dx \\
&= -\frac{2a^2(A - 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{2a^2(A - 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{2a^2(A - 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^2 A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{4a^2(2A + 3B)\sqrt{\cos(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 2.40561, size = 320, normalized size = 2.03

$$a^2 \sec^4\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^2 (A + B \sec(c + dx)) \left(\frac{-3(2A - B) \csc(c) \cos(dx) - 3(2A + B) \csc(c) \cos(2c + dx) + A \sin(2(c + dx))}{4d \sec^{\frac{5}{2}}(c + dx)} + \frac{i\sqrt{2}e^{-i(c + dx)}}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (a^2*Sec[(c + d*x)/2]^4*(1 + Sec[c + d*x])^2*(A + B*Sec[c + d*x]))*((I*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^3*(3*A*E^(I*c)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] + E^(I*d*x)*(-(2*A + 3*B)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]) + A*E^(I*(c + d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])))/(d*E^(I*d*x)*(-1 + E^((2*I)*c)) + (-3*(2*A - B)*Cos[d*x]*Csc[c] - 3*(2*A + B)*Cos[2*c + d*x]*Csc[c] + A*Sin[2*(c + d*x)])/(4*d*Sec[c + d*x]^(5/2)))/(3*(B + A*Cos[c + d*x]))

Maple [B] time = 1.832, size = 388, normalized size = 2.5

$$-\frac{4a^2}{3d} \left(2A \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4} - \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x)

[Out]
$$-4/3*a^2*(2*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A+3*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-3*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/((2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ba^2 \sec(dx + c)^3 + (A + 2B)a^2 \sec(dx + c)^2 + (2A + B)a^2 \sec(dx + c) + Aa^2}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^2*sec(d*x + c)^3 + (A + 2*B)*a^2*sec(d*x + c)^2 + (2*A + B)*a
^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(3/2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{2A}{\sqrt{\sec(c + dx)}} dx + \int A \sqrt{\sec(c + dx)} dx + \int \frac{B}{\sqrt{\sec(c + dx)}} dx + \int 2B \sqrt{\sec(c + dx)} dx + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2),x)
```

```
[Out] a**2*(Integral(A/sec(c + d*x)**(3/2), x) + Integral(2*A/sqrt(sec(c + d*x)),
x) + Integral(A*sqrt(sec(c + d*x)), x) + Integral(B/sqrt(sec(c + d*x)), x)
+ Integral(2*B*sqrt(sec(c + d*x)), x) + Integral(B*sec(c + d*x)**(3/2), x)
)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(3/2), x
)
```

$$3.190 \quad \int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=166

$$\frac{4a^2(A+2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a^2(7A+5B)\sin(c+dx)}{15d\sqrt{\sec(c+dx)}} + \frac{4a^2(4A+5B)\sqrt{\cos(c+dx)}}{5d}$$

[Out] (4*a^2*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(A + 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(7*A + 5*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.260026, antiderivative size = 166, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2a^2(7A+5B)\sin(c+dx)}{15d\sqrt{\sec(c+dx)}} + \frac{4a^2(A+2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(4A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (4*a^2*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(A + 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(7*A + 5*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \sec(c + dx)) \left(\frac{1}{2}a(7A + B) - \frac{1}{2}a(7A - B) \sec(c + dx)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2(7A + 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{4}{15} \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2(7A + 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{3} (2a \sqrt{\sec(c + dx)} - \frac{2}{3} \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx) \\
&= \frac{2a^2(7A + 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2A (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{3} (2a \sqrt{\sec(c + dx)} - \frac{2}{3} \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx) \\
&= \frac{4a^2(4A + 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(A + 2B) \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 1.78556, size = 153, normalized size = 0.92

$$\frac{a^2 \sqrt{\sec(c + dx)} \left(-4i(4A + 5B)e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 20(A + 2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (a^2*Sqrt[Sec[c + d*x]]*(20*(A + 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (4*I)*(4*A + 5*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((48*I)*A + (60*I)*B + 10*(2*A + B)*Sin[c + d*x] + 3*A*Sin[2*(c + d*x)])))/(15*d)

Maple [A] time = 1.663, size = 357, normalized size = 2.2

$$-\frac{4a^2}{15d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-12A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^6 + (32A + 10B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x)`

[Out]
$$-4/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(-12*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(32*A+10*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-13*A-5*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-12*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+10*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \sec(dx+c)^3 + (A+2B)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")`

[Out] `integral((B*a^2*sec(d*x+c)^3+(A+2*B)*a^2*sec(d*x+c)^2+(2*A+B)*a^2*sec(d*x+c)+A*a^2)/sec(d*x+c)^(5/2),x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\sec^{\frac{5}{2}}(c+dx)} dx + \int \frac{2A}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{A}{\sqrt{\sec(c+dx)}} dx + \int \frac{B}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{2B}{\sqrt{\sec(c+dx)}} dx + \int B \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2),x)

[Out] a**2*(Integral(A/sec(c + d*x)**(5/2), x) + Integral(2*A/sec(c + d*x)**(3/2), x) + Integral(A/sqrt(sec(c + d*x)), x) + Integral(B/sec(c + d*x)**(3/2), x) + Integral(2*B/sqrt(sec(c + d*x)), x) + Integral(B*sqrt(sec(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(a \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(5/2), x)

$$3.191 \quad \int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=201

$$\frac{4a^2(6A+7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a^2(9A+7B)\sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(6A+7B)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}}$$

[Out] (4*a^2*(3*A + 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(6*A + 7*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(9*A + 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (4*a^2*(6*A + 7*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.289876, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a^2(9A+7B)\sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(6A+7B)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{4a^2(6A+7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^2(6A+7B)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (4*a^2*(3*A + 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^2*(6*A + 7*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(9*A + 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (4*a^2*(6*A + 7*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] / ; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] / ; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] / ; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] / ; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] / ; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \sec(c + dx)) \left(\frac{1}{2}a(9A + 7B) \sec(c + dx)\right)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{4}{35} \int \frac{a \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{1}{5} \int \frac{a \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^2(6A + 7B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2A (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^2(3A + 4B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^2(3A + 4B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(6A + 7B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 2.35129, size = 193, normalized size = 0.96

$$a^2 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56i(3A + 4B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (a^2*sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(40*(6*A + 7*B)*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(3*A + 4*B)*E^(I*(c + d*x))*sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + Cos[c + d*x]*((504*I)*A + (672*I)*B + 5*(51*A + 56*B)*Sin[c + d*x] + 42*(2*A + B)*Sin[2*(c + d*x)] + 15*A*Sin[3*(c + d*x)])))/(210*d*E^(I*d*x))

Maple [A] time = 1.915, size = 385, normalized size = 1.9

$$-\frac{4a^2}{105d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(120A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 + (-348A - 84B) \left(\sin(1/2 dx + c/2)\right)^6 + (-17A - 91B) \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 + 30A (\sin(1/2 dx + c/2))^2 (\cos(1/2 dx + c/2))^2 + 30A (\sin(1/2 dx + c/2))^2 - 63A (\sin(1/2 dx + c/2))^2 (\cos(1/2 dx + c/2))^2 + 35B (\sin(1/2 dx + c/2))^2 (\cos(1/2 dx + c/2))^2 - 84B (\sin(1/2 dx + c/2))^2 (\cos(1/2 dx + c/2))^2 + (-2 \sin(1/2 dx + c/2))^4 + \sin(1/2 dx + c/2)^2\right) / \left(\sin(1/2 dx + c/2) / (2 \cos(1/2 dx + c/2)^2 - 1)\right)^{1/2} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x)

[Out] -4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(120*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-348*A-84*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(378*A+224*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-17*A-91*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+30*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+35*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-84*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ba^2 \sec(dx+c)^3 + (A+2B)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{7/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^2*sec(d*x + c)^3 + (A + 2*B)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(7/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(7/2), x)
```

$$3.192 \quad \int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=234

$$\frac{4a^2(5A+6B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{4a^2(8A+9B)\sin(c+dx)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a^2(11A+9B)\sin(c+dx)}{63d \sec^{\frac{5}{2}}(c+dx)}$$

[Out] (4*a^2*(8*A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (4*a^2*(5*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^2*(11*A + 9*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (4*a^2*(8*A + 9*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (4*a^2*(5*A + 6*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.320409, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4017, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{4a^2(8A+9B)\sin(c+dx)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a^2(11A+9B)\sin(c+dx)}{63d \sec^{\frac{5}{2}}(c+dx)} + \frac{4a^2(5A+6B)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{4a^2(5A+6B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (4*a^2*(8*A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (4*a^2*(5*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^2*(11*A + 9*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (4*a^2*(8*A + 9*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (4*a^2*(5*A + 6*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*A*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp


```
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + a \sec(c + dx)) \left(\frac{1}{2}a(11A + 9B)\right)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a^2(11A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{4}{63} \int \frac{a^2}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a^2(11A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{1}{7} \int \frac{a^2}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a^2(11A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2(8A + 9B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^2(5A + 6B)}{21d \sqrt{\sec(c + dx)}} \\
&= \frac{2a^2(11A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2(8A + 9B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^2(5A + 6B)}{21d \sqrt{\sec(c + dx)}} \\
&= \frac{4a^2(8A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{4a^2(5A + 6B)}{21d}
\end{aligned}$$

Mathematica [C] time = 2.9442, size = 217, normalized size = 0.93

$$\frac{a^2 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-112i(8A + 9B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - \dots\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (a^2*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(240*(5*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(8*A + 9*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((2688*I)*A + (3024*I)*B + 30*(46*A + 51*B)*Sin[c + d*x] + 14*(37*A + 36*B)*Sin[2*(c + d*x)] + 180*A*Sin[3*(c + d*x)] + 90*B*Sin[3*(c + d*x)] + 35*A*Sin[4*(c + d*x)])))/(1260*d*E^(I*d*x))

Maple [A] time = 1.755, size = 413, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c))/\sec(dx+c)^{(9/2)},x)$

[Out]
$$-4/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(-560*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(1840*A+360*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-2368*A-1044*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(1568*A+1134*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-387*A-351*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+75*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-168*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+90*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c))/\sec(dx+c)^{(9/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \sec(dx+c)^3 + (A+2B)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^2*(A+B*\sec(dx+c))/\sec(dx+c)^{(9/2)},x, \text{algorithm}="fricas")$

[Out] `integral((B*a^2*sec(d*x + c)^3 + (A + 2*B)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sec(d*x + c)^(9/2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))*2*(A+B*sec(d*x+c))/sec(d*x+c)**(9/2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sec(d*x + c)^(9/2), x)`

$$3.193 \quad \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=277

$$\frac{4a^3(13A + 11B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^3(24A + 23B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{105d} + \frac{4a^3(13A + 11B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{63d}$$

[Out] $(-4*a^3*(21*A + 17*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*d) + (4*a^3*(13*A + 11*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (4*a^3*(21*A + 17*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (4*a^3*(13*A + 11*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (4*a^3*(24*A + 23*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(105*d) + (2*a*B*\text{Sec}[c + d*x]^{(5/2)}*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d) + (2*(9*A + 13*B)*\text{Sec}[c + d*x]^{(5/2)}*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(63*d)$

Rubi [A] time = 0.540878, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4018, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{4a^3(24A + 23B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{105d} + \frac{4a^3(13A + 11B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2(9A + 13B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{63d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(-4*a^3*(21*A + 17*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*d) + (4*a^3*(13*A + 11*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (4*a^3*(21*A + 17*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (4*a^3*(13*A + 11*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (4*a^3*(24*A + 23*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(105*d) + (2*a*B*\text{Sec}[c + d*x]^{(5/2)}*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d) + (2*(9*A + 13*B)*\text{Sec}[c + d*x]^{(5/2)}*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(63*d)$

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(b*B*Cot[
e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[
e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx &= \frac{2aB\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} + \frac{2}{9}\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx \\
&= \frac{2aB\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{9d} + \frac{2(9A+9B)}{9d} \\
&= \frac{4a^3(24A+23B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{105d} + \frac{2aB\sec^{\frac{5}{2}}(c+dx)}{105d} \\
&= \frac{4a^3(24A+23B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{105d} + \frac{2aB\sec^{\frac{5}{2}}(c+dx)}{105d} \\
&= \frac{4a^3(21A+17B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15d} + \frac{4a^3(13A+11B)}{15d} \\
&= \frac{4a^3(21A+17B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15d} + \frac{4a^3(13A+11B)}{15d} \\
&= -\frac{4a^3(21A+17B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{15d}
\end{aligned}$$

Mathematica [C] time = 6.80617, size = 793, normalized size = 2.86

$$\frac{7A \csc(c) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos^4(c+dx) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) \left((-1+e^{2ic}) e^{2idx} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right)\right)}{30\sqrt{2}d(A\cos(c+dx)+B)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (7*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^4*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^6*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/(30*Sqrt[2]*d*E^(I*d*x)*(B + A*Cos[c + d*x])) + (17*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^4*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2 + (d*x)/2]^6*(a +

$$\begin{aligned} & a \operatorname{Sec}[c + d*x]^3 * (A + B * \operatorname{Sec}[c + d*x]) / (90 * \operatorname{Sqrt}[2] * d * E^{(I*d*x)} * (B + A * \operatorname{Cos}[c + d*x])) \\ & + (13 * A * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] * \operatorname{EllipticF}[(c + d*x)/2, 2] * \operatorname{Sec}[c/2 + (d*x)/2]^6 * (a + a * \operatorname{Sec}[c + d*x])^3 * (A + B * \operatorname{Sec}[c + d*x])) / (42 * d * (B + A * \operatorname{Cos}[c + d*x]) * \operatorname{Sec}[c + d*x]^{(7/2)}) \\ & + (11 * B * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] * \operatorname{EllipticF}[(c + d*x)/2, 2] * \operatorname{Sec}[c/2 + (d*x)/2]^6 * (a + a * \operatorname{Sec}[c + d*x])^3 * (A + B * \operatorname{Sec}[c + d*x])) / (42 * d * (B + A * \operatorname{Cos}[c + d*x]) * \operatorname{Sec}[c + d*x]^{(7/2)}) \\ & + (\operatorname{Sec}[c/2 + (d*x)/2]^6 * (a + a * \operatorname{Sec}[c + d*x])^3 * (A + B * \operatorname{Sec}[c + d*x]) * ((21 * A + 17 * B) * \operatorname{Cos}[d*x] * \operatorname{Csc}[c]) / (30 * d) \\ & + (B * \operatorname{Sec}[c] * \operatorname{Sec}[c + d*x]^4 * \operatorname{Sin}[d*x]) / (36 * d) + (\operatorname{Sec}[c] * \operatorname{Sec}[c + d*x]^3 * (7 * B * \operatorname{Sin}[c] + 9 * A * \operatorname{Sin}[d*x] + 27 * B * \operatorname{Sin}[d*x])) / (252 * d) \\ & + (\operatorname{Sec}[c] * \operatorname{Sec}[c + d*x]^2 * (45 * A * \operatorname{Sin}[c] + 135 * B * \operatorname{Sin}[c] + 189 * A * \operatorname{Sin}[d*x] + 238 * B * \operatorname{Sin}[d*x])) / (1260 * d) \\ & + (\operatorname{Sec}[c] * \operatorname{Sec}[c + d*x] * (189 * A * \operatorname{Sin}[c] + 238 * B * \operatorname{Sin}[c] + 390 * A * \operatorname{Sin}[d*x] + 330 * B * \operatorname{Sin}[d*x])) / (1260 * d) \\ & + ((13 * A + 11 * B) * \operatorname{Tan}[c]) / (42 * d)) / ((B + A * \operatorname{Cos}[c + d*x]) * \operatorname{Sec}[c + d*x]^{(7/2)}) \end{aligned}$$

Maple [B] time = 8.211, size = 1180, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -a^3 * (-(-2 * \operatorname{cos}(1/2 * d*x + 1/2 * c)^{2+1} * \operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (16 * (3/8 * A + 1/8 * B) * (-1/6 * \operatorname{cos}(1/2 * d*x + 1/2 * c) * (-2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 + \operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\operatorname{cos}(1/2 * d*x + 1/2 * c)^2 - 1/2)^{2+1/3} * (\operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \operatorname{cos}(1/2 * d*x + 1/2 * c)^{2+1})^{(1/2)} / (-2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 + \operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \operatorname{EllipticF}(\operatorname{cos}(1/2 * d*x + 1/2 * c), 2^{(1/2)}) - 16/5 * (3/8 * A + 3/8 * B) / (8 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^6 - 12 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 + 6 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^2 - 1) / \operatorname{sin}(1/2 * d*x + 1/2 * c)^2 * (12 * \operatorname{EllipticE}(\operatorname{cos}(1/2 * d*x + 1/2 * c), 2^{(1/2)}) * (2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} * (\operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 - 24 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^6 * \operatorname{cos}(1/2 * d*x + 1/2 * c) - 12 * \operatorname{EllipticE}(\operatorname{cos}(1/2 * d*x + 1/2 * c), 2^{(1/2)}) * (2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} * (\operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \operatorname{sin}(1/2 * d*x + 1/2 * c)^2 + 24 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 * \operatorname{cos}(1/2 * d*x + 1/2 * c) + 3 * \operatorname{EllipticE}(\operatorname{cos}(1/2 * d*x + 1/2 * c), 2^{(1/2)}) * (2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^2 - 1)^{(1/2)} * (\operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} - 8 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^2 * \operatorname{cos}(1/2 * d*x + 1/2 * c)) * (-2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 + \operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} + 16 * (1/8 * A + 3/8 * B) * (-1/56 * \operatorname{cos}(1/2 * d*x + 1/2 * c) * (-2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 + \operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\operatorname{cos}(1/2 * d*x + 1/2 * c)^2 - 1/2)^4 - 5/42 * \operatorname{cos}(1/2 * d*x + 1/2 * c) * (-2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 + \operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\operatorname{cos}(1/2 * d*x + 1/2 * c)^2 - 1/2)^2 + 5/21 * (\operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \operatorname{cos}(1/2 * d*x + 1/2 * c)^{2+1})^{(1/2)} / (-2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 + \operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \operatorname{EllipticF}(\operatorname{cos}(1/2 * d*x + 1/2 * c), 2^{(1/2)}) + 2 * B * (-1/144 * \operatorname{cos}(1/2 * d*x + 1/2 * c) * (-2 * \operatorname{sin}(1/2 * d*x + 1/2 * c)^4 + \operatorname{sin}(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\operatorname{cos}(1/2 * d*x + 1/2 * c)^2 - 1/2)^5 - 7/ \end{aligned}$$

$$180 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) \left(-2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} / \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^{3/2} - 14/15 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left(-(-2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1) \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} + 7/15 \left(\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} \left(-2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^{1/2} / \left(-2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} \left(\text{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), 2^{1/2}\right) - 7/15 \left(\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} \left(-2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^{1/2} / \left(-2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} \left(\text{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), 2^{1/2}\right) - \text{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), 2^{1/2}\right)\right) + 2A \left(-\left(\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} \left(2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^{1/2} \text{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), 2^{1/2}\right) \left(-2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} + 2 \left(-2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right)^{1/2} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 / \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 / \left(2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right) / \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left(2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^{1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(a+a*sec(dx+c))^3*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ba^3 sec(dx+c)^5 + (A+3B)a^3 sec(dx+c)^4 + 3(A+B)a^3 sec(dx+c)^3 + (3A+B)a^3 sec(dx+c)^2 + Aa^3 sec(dx+c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(a+a*sec(dx+c))^3*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] integral((B*a^3*sec(dx+c)^5 + (A+3*B)*a^3*sec(dx+c)^4 + 3*(A+B)*a^3*sec(dx+c)^3 + (3*A+B)*a^3*sec(dx+c)^2 + A*a^3*sec(dx+c))*sqrt(sec(dx+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)

$$3.194 \quad \int \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=244

$$\frac{4a^3(21A + 13B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^3(42A + 41B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{105d} + \frac{2(7A + 11B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)(a^3 \sec(c + dx) + a^3)}{35d} + \frac{4a^3(9A + 7B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{35d}$$

[Out] $(-4*a^3*(9*A + 7*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^3*(21*A + 13*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (4*a^3*(9*A + 7*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (4*a^3*(42*A + 41*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(105*d) + (2*a*B*\text{Sec}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d) + (2*(7*A + 11*B)*\text{Sec}[c + d*x]^{(3/2)}*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(35*d)$

Rubi [A] time = 0.438735, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{4a^3(42A + 41B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{105d} + \frac{2(7A + 11B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)(a^3 \sec(c + dx) + a^3)}{35d} + \frac{4a^3(9A + 7B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{35d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(-4*a^3*(9*A + 7*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^3*(21*A + 13*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (4*a^3*(9*A + 7*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (4*a^3*(42*A + 41*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(105*d) + (2*a*B*\text{Sec}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(7*d) + (2*(7*A + 11*B)*\text{Sec}[c + d*x]^{(3/2)}*(a^3 + a^3*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(35*d)$

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x]$

```
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx &= \frac{2aB\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{7d} + \frac{2}{7}\int \sqrt{\sec(c+dx)}(a+a\sec(c+dx))^3(A+B\sec(c+dx))dx \\
&= \frac{2aB\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2\sin(c+dx)}{7d} + \frac{2(7A-7B)}{7d} \\
&= \frac{4a^3(42A+41B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{105d} + \frac{2aB\sec^{\frac{3}{2}}(c+dx)}{7d} \\
&= \frac{4a^3(42A+41B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{105d} + \frac{2aB\sec^{\frac{3}{2}}(c+dx)}{7d} \\
&= \frac{4a^3(9A+7B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{4a^3(42A+41B)}{5d} \\
&= \frac{4a^3(21A+13B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{21d} \\
&= -\frac{4a^3(9A+7B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 5.13715, size = 465, normalized size = 1.91

$$a^3 \csc(c)e^{-idx} \cos^4(c+dx) \sec^6\left(\frac{1}{2}(c+dx)\right) (\sec(c+dx)+1)^3 (A+B\sec(c+dx)) \left(7\sqrt{2}(-1+e^{2ic})(9A+7B)e^{2idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (a^3*Cos[c + d*x]^4*Csc[c]*Sec[(c + d*x)/2]^6*(7*Sqrt[2]*(9*A + 7*B)*E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) - ((-1 + E^((2*I)*c))*(21*A*(-5 + 16*E^(I*(c + d*x)) - 5*E^((2*I)*(c + d*x))) + 54*E^((3*I)*(c + d*x)) + 5*E^((4*I)*(c + d*x)) + 56*E^((5*I)*(c + d*x)) + 5*E^((6*I)*(c + d*x)) + 18*E^((7*I)*(c + d*x))) + 2*B*(-65 + 84*E^(I*(c + d*x)) - 95*E^((2*I)*(c + d*x)) + 441*E^((3*I)*(c + d*x)) + 95*E^((4*I)*(c + d*x)) + 504*E^((5*I)*(c + d*x)) + 65*E^((6*I)*(c + d*x)) + 147*E^((7*I)*(c + d*x))) + (10*I)*(21*A + 13*B)*(1 + E^((2*I)*(c + d*x)))^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2])*Sqrt[Sec[c + d*x]])/(2*E^(I*(c - d*x))*(1 + E^((2*I)*(c + d*x)))^3)*(1 + Sec[c + d*x])^3*(A + B*Sec[c + d*x])

$x)))/(420*d*E^{(I*d*x)*(B + A*\cos[c + d*x])})$

Maple [B] time = 6.857, size = 931, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^3*(A+B*\sec(d*x+c))*\sec(d*x+c)^{(1/2)}, x)$

[Out] $-a^3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+16*(3/8*A+3/8*B)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-16/5*(1/8*A+3/8*B)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*B*(-1/56*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+16*(3/8*A+1/8*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^3 \sec(dx+c)^4 + (A+3B)a^3 \sec(dx+c)^3 + 3(A+B)a^3 \sec(dx+c)^2 + (3A+B)a^3 \sec(dx+c) + Aa^3\right)\sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^3*sec(d*x + c)^4 + (A + 3*B)*a^3*sec(d*x + c)^3 + 3*(A + B)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)*sqrt(sec(d*x + c)),
x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(a \sec(dx+c) + a)^3 \sqrt{\sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)
```


$$3.195 \quad \int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=211

$$\frac{4a^3(5A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{4a^3(20A+21B)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{2(5A+9B)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3 \sec(c+dx) + a^3)}{15d} + \frac{4a^3(5A+3B)}{15d}$$

```
[Out] (-4*a^3*(5*A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^3*(20*A + 21*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*B*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(5*d) + (2*(5*A + 9*B)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)
```

Rubi [A] time = 0.415908, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(20A+21B)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{2(5A+9B)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3 \sec(c+dx) + a^3)}{15d} + \frac{4a^3(5A+3B)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (-4*a^3*(5*A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^3*(20*A + 21*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*B*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(5*d) + (2*(5*A + 9*B)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d)
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
```

B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2aB \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aB \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2(5A + 9B) \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= \frac{4a^3 (20A + 21B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= \frac{4a^3 (20A + 21B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= \frac{4a^3 (20A + 21B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= -\frac{4a^3 (5A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3 (5A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 2.31908, size = 244, normalized size = 1.16

$$a^3 e^{-idx} \sec^{\frac{5}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(2i(5A + 9B) e^{-i(c+dx)} (1 + e^{2i(c+dx)})^{5/2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(((a + a*Sec[c + d*x]))^3*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (a^3*Sec[c + d*x]^(5/2)*(Cos[d*x] + I*Sin[d*x])*((-90*I)*A*Cos[c + d*x] - (162*I)*B*Cos[c + d*x] - (30*I)*A*Cos[3*(c + d*x)] - (54*I)*B*Cos[3*(c + d*x)]) + 40*(5*A + 3*B)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + ((2*I)*(5*A + 9*B)*(1 + E^((2*I)*(c + d*x)))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) + 45*A*Sin[c + d*x] + 66*B*Sin[c + d*x] + 10*A*Sin[2*(c + d*x)] + 30*B*Sin[2*(c + d*x)] + 45*A*Sin[3*(c + d*x)] + 54*B*Sin[3*(c + d*x)])/(30*d*E^(I*d*x))

Maple [B] time = 5.977, size = 916, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x)`

[Out]
$$\frac{4}{15}a^3 \left(-(-2\cos(\frac{1}{2}dx + \frac{1}{2}c)^2 + 1) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} / (8\sin(\frac{1}{2}dx + \frac{1}{2}c)^6 - 12\sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 6\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1) / \sin(\frac{1}{2}dx + \frac{1}{2}c)^3 \left(60A \operatorname{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \right) \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 100A \operatorname{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 - 180A \cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^6 + 108B \operatorname{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 60B \operatorname{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 - 216B \cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^6 - 60A \operatorname{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 100A \operatorname{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 + 190A \cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 - 108B \operatorname{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 60B \operatorname{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 + 246B \cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + 15A \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \operatorname{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) + 25A \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \operatorname{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) - 50A \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \cos(\frac{1}{2}dx + \frac{1}{2}c) + 27B \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \operatorname{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) + 15B \left(2\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1 \right)^{\frac{1}{2}} \left(\sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} \operatorname{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) - 72B \cos(\frac{1}{2}dx + \frac{1}{2}c) \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \left(-2\sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 \right)^{\frac{1}{2}} / (2\cos(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^{\frac{1}{2}} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^3 \sec(dx + c)^4 + (A + 3B)a^3 \sec(dx + c)^3 + 3(A + B)a^3 \sec(dx + c)^2 + (3A + B)a^3 \sec(dx + c) + Aa^3}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a^3*sec(d*x + c)^4 + (A + 3*B)*a^3*sec(d*x + c)^3 + 3*(A + B)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sqrt(sec(d*x + c)), x  
)
```

$$3.196 \quad \int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=199

$$\frac{20a^3(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{4a^3(A+4B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} - \frac{2(A-B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d}$$

[Out] (4*a^3*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (20*a^3*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^3*(A + 4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(A - B)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.40942, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4017, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(A+4B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d} - \frac{2(A-B)\sin(c+dx)\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)}{3d} + \frac{20a^3(A+B)\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (4*a^3*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (20*a^3*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (4*a^3*(A + 4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) - (2*(A - B)*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + a \sec(c + dx))^2 \left(\frac{1}{2}a(7A + B)\right)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2(A - B)\sqrt{\sec(c + dx)}(a^3 + a^3 \sec^2(c + dx))}{3d} \\
&= \frac{4a^3(A + 4B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(A + 4B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(A + 4B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(A - B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{20a^3(A + B)\sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 1.94521, size = 202, normalized size = 1.02

$$a^3 e^{-idx} \sec^{\frac{3}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left(-4i(A - B) (1 + e^{2i(c+dx)})^{3/2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 40(A + B) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (a^3*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*((12*I)*A - (12*I)*B + (12*I)*A*Cos[2*(c + d*x)] - (12*I)*B*Cos[2*(c + d*x)] + 40*(A + B)*Cos[c + d*x])^(3/2)*EllipticF[(c + d*x)/2, 2] - (4*I)*(A - B)*(1 + E^((2*I)*(c + d*x)))^(3/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + A*Sin[c + d*x] + 4*B*Sin[c + d*x] + 6*A*Sin[2*(c + d*x)] + 18*B*Sin[2*(c + d*x)] + A*Sin[3*(c + d*x)])/(6*d*E^(I*d*x))

Maple [B] time = 2.202, size = 654, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x)`

[Out]
$$-4/3*a^3*(-4*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A+9*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A+5*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+5*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-3*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+3*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(3/2)}/\sin(1/2*d*x+1/2*c)/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^3 \sec(dx+c)^4 + (A+3B)a^3 \sec(dx+c)^3 + 3(A+B)a^3 \sec(dx+c)^2 + (3A+B)a^3 \sec(dx+c) + Aa^3}{\sec(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^3*sec(d*x + c)^4 + (A + 3*B)*a^3*sec(d*x + c)^3 + 3*(A + B)*a
^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(3/2),
x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(a \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(3/2), x
)
```

$$3.197 \quad \int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=211

$$\frac{4a^3(3A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{4a^3(6A-5B)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{2(9A+5B)}{3d}$$

[Out] (4*a^3*(9*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(3*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (4*a^3*(6*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(9*A + 5*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.413033, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4017, 3997, 3787, 3771, 2639, 2641}

$$-\frac{4a^3(6A-5B)\sin(c+dx)\sqrt{\sec(c+dx)}}{15d} + \frac{2(9A+5B)\sin(c+dx)(a^3\sec(c+dx)+a^3)}{15d\sqrt{\sec(c+dx)}} + \frac{4a^3(3A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (4*a^3*(9*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^3*(3*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (4*a^3*(6*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(9*A + 5*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp

```
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \sec(c + dx))^2 \left(\frac{1}{2}a(9A + 5B)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(9A + 5B)(a^3 + a^3 \sec(c + dx))}{15d \sqrt{\sec(c + dx)}} \\
&= -\frac{4a^3(6A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{4a^3(6A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{4a^3(6A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(9A + 5B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3(3A + 5B)}{5d}
\end{aligned}$$

Mathematica [C] time = 1.6948, size = 207, normalized size = 0.98

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-8i(9A + 5B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 4 \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x]))*((216*I)*A*Cos[c + d*x] + (120*I)*B*Cos[c + d*x] + 40*(3*A + 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (8*I)*(9*A + 5*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 3*A*Sin[c + d*x] + 60*B*Sin[c + d*x] + 30*A*Sin[2*(c + d*x)] + 10*B*Sin[2*(c + d*x)] + 3*A*Sin[3*(c + d*x)])/(30*d*E^(I*d*x))

Maple [B] time = 1.976, size = 519, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(5/2)},x)$

[Out]
$$-4/15*a^3*(-12*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(21*A+5*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(9*A+10*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-27*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-15*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(5/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Ba^3 \sec(dx+c)^4 + (A+3B)a^3 \sec(dx+c)^3 + 3(A+B)a^3 \sec(dx+c)^2 + (3A+B)a^3 \sec(dx+c) + Aa^3}{\sec(dx+c)^{5/2}}, x \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(5/2)},x, \text{algorithm}="fricas")$

```
[Out] integral((B*a^3*sec(d*x + c)^4 + (A + 3*B)*a^3*sec(d*x + c)^3 + 3*(A + B)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(5/2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^3 \left(\int \frac{A}{\sec^{\frac{5}{2}}(c + dx)} dx + \int \frac{3A}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{3A}{\sqrt{\sec(c + dx)}} dx + \int A\sqrt{\sec(c + dx)} dx + \int \frac{B}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{3B}{\sqrt{\sec(c + dx)}} dx + \int B\sqrt{\sec(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**3*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2), x)
```

```
[Out] a**3*(Integral(A/sec(c + d*x)**(5/2), x) + Integral(3*A/sec(c + d*x)**(3/2), x) + Integral(3*A/sqrt(sec(c + d*x)), x) + Integral(A*sqrt(sec(c + d*x)), x) + Integral(B/sec(c + d*x)**(3/2), x) + Integral(3*B/sqrt(sec(c + d*x)), x) + Integral(3*B*sqrt(sec(c + d*x)), x) + Integral(B*sec(c + d*x)**(3/2), x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(5/2), x)
```


$$3.198 \quad \int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=211

$$\frac{4a^3(13A + 21B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2(11A + 7B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{35d \sec^3(c + dx)} + \dots$$

```
[Out] (4*a^3*(7*A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(13*A + 21*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(41*A + 42*B)*Sin[c + d*x])/(10*5*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(11*A + 7*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))
```

Rubi [A] time = 0.437065, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2(11A + 7B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{35d \sec^3(c + dx)} + \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{4a^3(13A + 21B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (4*a^3*(7*A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(13*A + 21*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(41*A + 42*B)*Sin[c + d*x])/(10*5*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(11*A + 7*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
```

```
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \sec(c + dx))^2 \left(\frac{1}{2}a(11A + 7B) \sec(c + dx) + \frac{1}{2}a^3 \sec^3(c + dx)\right)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(11A + 7B)(a^3 + a^3 \sec(c + dx))}{35d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a^3(13A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a^3(13A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a^3(13A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{4a^3(7A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3(13A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 2.51958, size = 194, normalized size = 0.92

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-56i(7A + 9B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(40*(13*A + 21*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (56*I)*(7*A + 9*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((168*I)*(7*A + 9*B) + 5*(107*A + 84*B)*Sin[c + d*x] + 42*(3*A + B)*Sin[2*(c + d*x)] + 15*A*Sin[3*(c + d*x)])))/(210*d*E^(I*d*x))

Maple [A] time = 1.741, size = 385, normalized size = 1.8

$$-\frac{4a^3}{105d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(120 A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 + (-432 A - 84 B) \left(\sin(1/2 dx + c/2)\right)^8 + (-432 A - 84 B) \left(\sin(1/2 dx + c/2)\right)^6 \cos(1/2 dx + c/2) + (602 A + 294 B) \sin(1/2 dx + c/2)^4 \cos(1/2 dx + c/2) + (-208 A - 126 B) \sin(1/2 dx + c/2)^2 \cos(1/2 dx + c/2) + 65 A (2 \sin(1/2 dx + c/2)^2 - 1)^{1/2} (\sin(1/2 dx + c/2)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + c/2), 2^{1/2}) - 147 A (2 \sin(1/2 dx + c/2)^2 - 1)^{1/2} (\sin(1/2 dx + c/2)^2)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + c/2), 2^{1/2}) + 105 B (2 \sin(1/2 dx + c/2)^2 - 1)^{1/2} (\sin(1/2 dx + c/2)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + c/2), 2^{1/2}) - 189 B (2 \sin(1/2 dx + c/2)^2 - 1)^{1/2} (\sin(1/2 dx + c/2)^2)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + c/2), 2^{1/2})\right) / (-2 \sin(1/2 dx + c/2)^4 + \sin(1/2 dx + c/2)^2)^{1/2} / \sin(1/2 dx + c/2) / (2 \cos(1/2 dx + c/2)^2 - 1)^{1/2} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x)

[Out] -4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(120*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-432*A-84*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(602*A+294*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-208*A-126*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+65*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+105*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-189*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{Ba^3 \sec(dx+c)^4 + (A+3B)a^3 \sec(dx+c)^3 + 3(A+B)a^3 \sec(dx+c)^2 + (3A+B)a^3 \sec(dx+c) + Aa^3}{\sec(dx+c)^{7/2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^3*sec(d*x + c)^4 + (A + 3*B)*a^3*sec(d*x + c)^3 + 3*(A + B)*a
^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(7/2),
x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(7/2), x
)
```

$$3.199 \quad \int \frac{(a+a \sec(c+dx))^3 (A+B \sec(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=244

$$\frac{4a^3(11A + 13B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(13A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)}$$

[Out] (4*a^3*(17*A + 21*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(11*A + 13*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(23*A + 24*B)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (4*a^3*(11*A + 13*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(13*A + 9*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.476664, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{4a^3(23A + 24B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(13A + 9B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(11A + 13B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{4a^3(11A + 13B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (4*a^3*(17*A + 21*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(11*A + 13*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(23*A + 24*B)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)) + (4*a^3*(11*A + 13*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(13*A + 9*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2))

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co

```
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + a \sec(c + dx))^2 \left(\frac{1}{2}a(13A + 9B) + B \sec(c + dx)\right)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \sec(c + dx))}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \sec(c + dx))}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \sec(c + dx))}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(11A + 13B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(17A + 21B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{4a^3(23A + 24B) \sin(c + dx)}{105d} \\
&= \frac{4a^3(17A + 21B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{4a^3(11A + 13B) \sin(c + dx)}{21d} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 2.78518, size = 196, normalized size = 0.8

$$\frac{a^3 \sqrt{\sec(c + dx)} \left(-112i(17A + 21B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) + 240(11A + 13B) \sqrt{\cos(c + dx)} \right)}{1260d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (a^3*sqrt[Sec[c + d*x]]*(240*(11*A + 13*B)*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(17*A + 21*B)*E^(I*(c + d*x))*sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((5712*I)*A + (7056*I)*B + 30*(97*A + 107*B)*Sin[c + d*x] + 14*(73*A + 54*B)*Sin[2*(c + d*x)] + 270*A*Ssin[3*(c + d*x)] + 90*B*Ssin[3*(c + d*x)] + 35*A*Ssin[4*(c + d*x)])))/(1260*d)

Maple [A] time = 1.717, size = 413, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(9/2)}, x)$

[Out]
$$-4/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(-560*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(2200*A+360*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-3412*A-1296*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(2702*A+1806*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-738*A-624*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+165*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-357*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+195*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-441*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(9/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Ba^3 \sec(dx+c)^4 + (A+3B)a^3 \sec(dx+c)^3 + 3(A+B)a^3 \sec(dx+c)^2 + (3A+B)a^3 \sec(dx+c) + Aa^3}{\sec(dx+c)^{\frac{9}{2}}} \right), x$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^3*sec(d*x + c)^4 + (A + 3*B)*a^3*sec(d*x + c)^3 + 3*(A + B)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(9/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*3*(A+B*sec(d*x+c))/sec(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(9/2), x)
```

$$3.200 \quad \int \frac{(a+a \sec(c+dx))^3(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=277

$$\frac{4a^3(105A + 121B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d} + \frac{4a^3(15A + 17B)\sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{20a^3(21A + 22B)}{693d \sec^{\frac{5}{2}}(c + dx)}$$

[Out] (4*a^3*(15*A + 17*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(105*A + 121*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (20*a^3*(21*A + 22*B)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)) + (4*a^3*(15*A + 17*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (4*a^3*(105*A + 121*B)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (2*(15*A + 11*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.510461, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4017, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{4a^3(15A + 17B)\sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{20a^3(21A + 22B)\sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(15A + 11B)\sin(c + dx)(a^3 \sec(c + dx) + a^3)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{4a^3(105A + 121B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{231d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(11/2), x]

[Out] (4*a^3*(15*A + 17*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (4*a^3*(105*A + 121*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(231*d) + (20*a^3*(21*A + 22*B)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)) + (4*a^3*(15*A + 17*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (4*a^3*(105*A + 121*B)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^2*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2)) + (2*(15*A + 11*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2))

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 3996

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2}{11} \int \frac{(a + a \sec(c + dx))^2 \left(\frac{1}{2}a(1\right.}{\sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2(15A + 11B)(a^3 + a^3 \sec(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{20a^3(21A + 22B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \\
&= \frac{20a^3(21A + 22B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{2aA(a + a \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \\
&= \frac{20a^3(21A + 22B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(15A + 17B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(105}{2} \\
&= \frac{20a^3(21A + 22B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(15A + 17B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(105}{2} \\
&= \frac{4a^3(15A + 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{4a^3(105}{2}
\end{aligned}$$

Mathematica [C] time = 3.49177, size = 239, normalized size = 0.86

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(-2464i(15A + 17B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1} \left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(11/2), x]

[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(480*(105*A + 121*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (2464*I)*(15*A + 17*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((110880*I)*A + (125664*I)*B + 30*(1953*A + 2134*B)*Sin[c + d*x] + 308*(75*A + 73*B)*Sin[2*(c + d*x)] + 8505*A*Sin[3*(c + d*x)] + 5940*B*Sin[3*(c + d*x)] + 2310*A*Sin[4*(c + d*x)] + 770*B*Sin[4*(c + d*x)] + 315*A*Sin[5*(c + d*x)])))/(27720*d*E^(I*d*x))

Maple [A] time = 1.659, size = 441, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(11/2)}, x)$

[Out] $-4/3465*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(10080*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{12}+(-43680*A-6160*B)*\sin(1/2*d*x+1/2*c)^{10}*\cos(1/2*d*x+1/2*c)+(77280*A+24200*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-72240*A-37532*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(39270*A+29722*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-8820*A-8118*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+1575*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3465*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1815*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3927*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(11/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{Ba^3 \sec(dx+c)^4 + (A+3B)a^3 \sec(dx+c)^3 + 3(A+B)a^3 \sec(dx+c)^2 + (3A+B)a^3 \sec(dx+c) + Aa^3}{\sec(dx+c)^{\frac{11}{2}}}, x \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^3*sec(d*x + c)^4 + (A + 3*B)*a^3*sec(d*x + c)^3 + 3*(A + B)*a^3*sec(d*x + c)^2 + (3*A + B)*a^3*sec(d*x + c) + A*a^3)/sec(d*x + c)^(11/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^3/sec(d*x + c)^(11/2), x)
```

$$3.201 \quad \int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=229

$$\frac{5(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{(A-B)\sin(c+dx)\sec^{\frac{7}{2}}(c+dx)}{d(a\sec(c+dx)+a)} - \frac{(5A-7B)\sin(c+dx)}{5ad}$$

[Out] (3*(5*A - 7*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) + (5*(A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) - (3*(5*A - 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*a*d) + (5*(A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) - ((5*A - 7*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*a*d) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.24767, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 3787, 3768, 3771, 2641, 2639}

$$\frac{(A-B)\sin(c+dx)\sec^{\frac{7}{2}}(c+dx)}{d(a\sec(c+dx)+a)} - \frac{(5A-7B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{5ad} + \frac{5(A-B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3ad} - \frac{3(5A-7B)\sin(c+dx)}{5ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (3*(5*A - 7*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) + (5*(A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) - (3*(5*A - 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*a*d) + (5*(A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) - ((5*A - 7*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*a*d) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m

$-n + 1) + A*b*(m + n)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{n-1})/(d*(n-1)), x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{n-2}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx))}{a+a\sec(c+dx)} dx &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \sec^{\frac{5}{2}}(c+dx)\left(\frac{5}{2}a(A-B) - \frac{1}{2}a(5A-7B)\sec(c+dx)\right) dx}{a^2} \\
&= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(5A-7B)\int \sec^{\frac{7}{2}}(c+dx) dx}{2a} + \frac{(5(A-B))\int \sec^{\frac{5}{2}}(c+dx)\sin(c+dx) dx}{a^2} \\
&= \frac{5(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} - \frac{(5A-7B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5ad} + \frac{(A-B)\int \sec^{\frac{3}{2}}(c+dx)\sin(c+dx) dx}{a^2} \\
&= -\frac{3(5A-7B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5ad} + \frac{5(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} - \frac{(A-B)\int \sec^{\frac{3}{2}}(c+dx)\sin(c+dx) dx}{a^2} \\
&= \frac{5(A-B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3ad} - \frac{3(5A-7B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5ad} \\
&= \frac{3(5A-7B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5ad} + \frac{5(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5ad}
\end{aligned}$$

Mathematica [C] time = 7.51226, size = 814, normalized size = 3.55

$$\frac{Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}\left(-1+e^{2ic}\right)\text{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)\sec\left(\frac{c}{2}+\frac{(d*x)}{2}\right)}{\sqrt{2d(B+A\cos(c+dx))(\sec(c+dx)a+a)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] -((A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x]))/(sqrt[2]*d*E^(I*d*x)*(B + A*cos[c + d*x])*(a + a*Sec[c + d*x])) + (7*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*(A + B*Sec[c + d*x]))/(5*sqrt[2]*d*E^(I*d*x)*(B + A*cos[c + d*x])*(a + a*Sec[c + d*x])) + (5*A*cos[c/2 + (d*x)/2]^2*sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x])*Sin[c])/(3*d*(B + A*cos[c + d*x])*(a + a*Sec[c + d*x])) - (5*B*cos[c/2 + (d*x)/2]^2*sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*sqrt[Sec[c + d*x]]*(A + B*

$$\begin{aligned} & \text{Sec}[c + d*x] * \text{Sin}[c] / (3*d*(B + A*\text{Cos}[c + d*x])*(a + a*\text{Sec}[c + d*x])) + (\text{Cos}[c/2 + (d*x)/2]^2 * \text{Sqrt}[\text{Sec}[c + d*x]] * (A + B*\text{Sec}[c + d*x]) * ((3*(-5*A + 7*B) \\ & * \text{Cos}[d*x] * \text{Csc}[c/2] * \text{Sec}[c/2]) / (5*d) - ((-A + B) * \text{Sec}[c/2] * \text{Sec}[c] * (-\text{Sin}[c/2] + \\ & 5*\text{Sin}[(3*c)/2])) / (3*d) - (2*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (-A*\text{Sin}[(d*x)/2]) \\ & + B*\text{Sin}[(d*x)/2])) / d + (4*B*\text{Sec}[c] * \text{Sec}[c + d*x]^2 * \text{Sin}[d*x]) / (5*d) + (4*\text{Sec}[c] \\ & * \text{Sec}[c + d*x] * (3*B*\text{Sin}[c] + 5*A*\text{Sin}[d*x] - 5*B*\text{Sin}[d*x])) / (15*d)) / ((B + A*\text{Cos}[c + d*x]) * (a + a*\text{Sec}[c + d*x])) \end{aligned}$$

Maple [B] time = 6.423, size = 806, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{(7/2)}*(A+B*\sec(d*x+c))/(a+a*\sec(d*x+c)), x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*((2*A-2*B)*(-1 \\ & /6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/ \\ & (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\ & \text{llipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2/5*B/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(\\ & 1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{Ellipti} \\ & \text{cE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+ \\ & 1/2*c)-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c \\ &)^4*\cos(1/2*d*x+1/2*c)+3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d* \\ & x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*c \\ & \text{os}(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(A- \\ & B)*(\cos(1/2*d*x+1/2*c)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2 \\ & -1)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), \\ & 2^{(1/2)}))-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c \\ &)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(-2*A+2*B)*(-(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d* \\ & x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(- \\ & 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1 \\ & /2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d \\ & *x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^4 + A \sec(dx+c)^3)\sqrt{\sec(dx+c)}}{a \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^{\frac{7}{2}}}{a \sec(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(a*sec(d*x + c) + a), x)
```

$$3.202 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=192

$$\frac{(3A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{(A-B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{d(a \sec(c+dx)+a)} - \frac{(3A-5B)\sin(c+dx)}{3ad}$$

[Out] (-3*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - ((3*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + (3*(A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) - ((3*A - 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.227129, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 3787, 3768, 3771, 2639, 2641}

$$\frac{(A-B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{d(a \sec(c+dx)+a)} - \frac{(3A-5B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3ad} + \frac{3(A-B)\sin(c+dx)\sqrt{\sec(c+dx)}}{ad} - \frac{(3A-5B)\sin(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (-3*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - ((3*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + (3*(A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) - ((3*A - 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*d) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt

Q[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{a+a\sec(c+dx)} dx &= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(A-B) - \frac{1}{2}a(3A-5B)\right) dx}{a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(3A-5B)\int \sec^{\frac{5}{2}}(c+dx) dx}{2a} + \frac{(3(A-B))\int \sec^{\frac{3}{2}}(c+dx) dx}{a^2} \\
&= \frac{3(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} - \frac{(3A-5B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{(A-B)\sec^{\frac{1}{2}}(c+dx)\sin(c+dx)}{a^2} \\
&= \frac{3(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} - \frac{(3A-5B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{(A-B)\sec^{\frac{1}{2}}(c+dx)\sin(c+dx)}{a^2} \\
&= -\frac{3(A-B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} - \frac{(3A-5B)\sqrt{\cos(c+dx)}}{ad}
\end{aligned}$$

Mathematica [C] time = 3.29854, size = 372, normalized size = 1.94

$$e^{-\frac{1}{2}i(c+dx)} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)}(A+B\sec(c+dx)) \left(i \left(3(A-B)e^{i(c+dx)}\sqrt{1+e^{2i(c+dx)}} \left(e^{i(c+dx)} + e^{2i(c+dx)} + e^{3i(c+dx)} + \dots \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]*(-(3*A - 5*B)*(1 + E^(I*(c + d*x)) + E^((2*I)*(c + d*x)) + E^((3*I)*(c + d*x)))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]) + I*(-3*A + 5*B - 6*A*E^(I*(c + d*x)) + 8*B*E^(I*(c + d*x)) - 12*A*E^((2*I)*(c + d*x)) + 10*B*E^((2*I)*(c + d*x)) - 6*A*E^((3*I)*(c + d*x)) + 4*B*E^((3*I)*(c + d*x)) - 9*A*E^((4*I)*(c + d*x)) + 9*B*E^((4*I)*(c + d*x)) + 3*(A - B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*(1 + E^(I*(c + d*x)) + E^((2*I)*(c + d*x)) + E^((3*I)*(c + d*x)))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(3*a*d*E^((I/2)*(c + d*x))*(1 + E^((2*I)*(c + d*x)))*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x])))

Maple [B] time = 5.281, size = 493, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*(2*B*(-1/6*\cos \\ & (1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1 \\ & /2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*(-2*\cos(1/2*d*x+1/2 \\ & *c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticF} \\ & (\cos(1/2*d*x+1/2*c),2^{(1/2)})+(-A+B)*(\cos(1/2*d*x+1/2*c)*(\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)*(\text{EllipticF}(\cos(1/2*d*x+1/2*c) \\ & ,2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ & (1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)+(2*A-2*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*(2*\sin(1/2*d*x+1/2 \\ & *c)^2-1)^{(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c) \\ & ^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\ &)^2)^{(1/2)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2 \\ & * \sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/ \\ & 2)}/d \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c)^3 + A \sec(dx + c)^2) \sqrt{\sec(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(sec(d*x + c))/(a*sec(d*
x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a), x)
```

$$3.203 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=153

$$\frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} + \frac{(A-B)\sin(c+dx)\sec^3(c+dx)}{d(a \sec(c+dx)+a)} - \frac{(A-3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{ad}$$

[Out] ((A - 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - ((A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) + ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.186229, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(A-B)\sin(c+dx)\sec^3(c+dx)}{d(a \sec(c+dx)+a)} - \frac{(A-3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{ad} + \frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] ((A - 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - ((A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*d) + ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{a+a\sec(c+dx)} dx &= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \sqrt{\sec(c+dx)} \left(\frac{1}{2}a(A-B) - \frac{1}{2}a(A-3B) \right)}{a^2} \\
&= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(A-3B)\int \sec^{\frac{3}{2}}(c+dx) dx}{2a} + \frac{(A-B)\int \sqrt{\sec(c+dx)}}{a} \\
&= -\frac{(A-3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} + \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{(A-B)\int \sqrt{\sec(c+dx)}}{a} \\
&= \frac{(A-B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} - \frac{(A-3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} \\
&= \frac{(A-3B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} + \frac{(A-B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad}
\end{aligned}$$

Mathematica [C] time = 4.37199, size = 420, normalized size = 2.75

$$\cos^2\left(\frac{1}{2}(c+dx)\right)(A+B\sec(c+dx))\left(-2\sqrt{2}A\csc(c)e^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\left((-1+e^{2ic})e^{2idx}\text{Hypergeometric2F1}\left[\frac{1}{2},\frac{3}{4},\frac{7}{4},-E^{\left(\frac{1}{2}(c+dx)\right)}\right]\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (Cos[(c + d*x)/2]^2*(A + B*Sec[c + d*x])*((-2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])]/E^(I*d*x) + (6*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])]/E^(I*d*x) + 12*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] - 12*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] - 6*Sqrt[Sec[c + d*x]]*(2*(A - 3*B)*Cos[d*x]*Csc[c] + 2*(-A + B)*Tan[(c + d*x)/2]))/(6*a*d*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x]))

Maple [A] time = 3.819, size = 318, normalized size = 2.1

$$-\frac{1}{ad} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*(-\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-3*B)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-5*B)*\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/\sin(1/2*d*x+1/2*c)^3/(2*\sin(1/2*d*x+1/2*c)^2-1)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c)^2 + A \sec(dx + c)) \sqrt{\sec(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x)
```

$$3.204 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=123

$$\frac{(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} + \frac{(A-B)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx) + a)} - \frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

[Out] -(((A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d)) + ((A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.170815, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4019, 3787, 3771, 2639, 2641}

$$\frac{(A-B)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx) + a)} + \frac{(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] -(((A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d)) + ((A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c + d*x]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787


```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{a+a\sec(c+dx)} dx &= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \frac{-\frac{1}{2}a(A-B)+\frac{1}{2}a(A+B)\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2} \\
 &= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{(A-B)\int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} + \frac{(A+B)\int \sqrt{\sec(c+dx)} dx}{2a} \\
 &= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{((A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})\int \sqrt{\sec(c+dx)} dx}{2a} \\
 &= -\frac{(A-B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} + \frac{(A+B)\sqrt{\cos(c+dx)}\int \sqrt{\sec(c+dx)} dx}{2a}
 \end{aligned}$$

Mathematica [C] time = 1.12843, size = 200, normalized size = 1.63

$$(-1 + e^{2ic}) e^{-\frac{1}{2}i(4c+dx)} \left(\csc\left(\frac{c}{2}\right) + i \sec\left(\frac{c}{2}\right) \right) \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} \left((A-B) \left(e^{i(c+dx)} (1 + e^{i(c+dx)}) \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hyp} \right) \right)$$

24

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] ((-1 + E^((2*I)*c))*((-3*I)*(A + B)*(1 + E^(I*(c + d*x))))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (A - B)*(-3*(1 + E^((2*I)*(c + d*x))) + E^(I*(c + d*x))*(1 + E^(I*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*(Csc[c/2] + I*Sec[c/2])*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]/(24*a*d*E^((I/2)*(4*c + d*x)))

Maple [A] time = 1.793, size = 243, normalized size = 2.

$$-\frac{1}{ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(A \text{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right), 2\right) + (A - B) \left(-3 \left(1 + E^{\left(\frac{I}{2} (4c + dx)\right)}\right) + E^{\left(\frac{I}{2} (4c + dx)\right)}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x)

[Out] -((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))))+(2*A-2*B)*sin(1/2*d*x+1/2*c)^4+(-A+B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A\sqrt{\sec(c+dx)}}{\sec(c+dx)+1} dx + \int \frac{B \sec^{\frac{3}{2}}(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sqrt(sec(c + d*x))/(sec(c + d*x) + 1), x) + Integral(B*sec(c + d*x)**(3/2)/(sec(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a), x)

$$3.205 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=128

$$\frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{(A-B)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(3A-B)\sqrt{\cos(c+dx)}}{ad}$$

```
[Out] ((3*A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a*d) - ((A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c +
d*x]])/(a*d) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c +
d*x]))
```

Rubi [A] time = 0.177518, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4020, 3787, 3771, 2639, 2641}

$$-\frac{(A-B)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} - \frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} + \frac{(3A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])),x]
```

```
[Out] ((3*A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a*d) - ((A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c +
d*x]])/(a*d) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*(a + a*Sec[c +
d*x]))
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} dx &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(3A - B) - \frac{1}{2}a(A - B) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{a^2} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - B) \int \sqrt{\sec(c + dx)} dx}{2a} + \frac{(3A - B) \int \sqrt{\sec(c + dx)} dx}{2a} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{((A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a} \\
&= \frac{(3A - B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{(A - B)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad}
\end{aligned}$$

Mathematica [C] time = 2.63117, size = 445, normalized size = 3.48

$$\cos^2\left(\frac{1}{2}(c + dx)\right) (A + B \sec(c + dx)) \left(-6\sqrt{2}A \csc(c) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \left((-1+e^{2ic}) e^{2idx} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; -e^{2i(c+dx)}\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])),x]

[Out] (Cos[(c + d*x)/2]^2*((-6*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + (2*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) - (6*((2*A - B)*Cos[(c - d*x)/2] + A*Cos[(3*c + d*x)/2])*Csc[c/2]*Sec[c/2]*Sec[(c + d*x)/2])/Sqrt[Sec[c + d*x]] - 12*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] + 12*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(6*a*d*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x]))

Maple [A] time = 1.739, size = 244, normalized size = 1.9

$$\frac{1}{ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right) \left(A \text{Ellip} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] ((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+(2*A-2*B)*sin(1/2*d*x+1/2*c)^4+(-A+B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a \sec(dx + c)^2 + a \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^2 + a*sec(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^2(c+dx)+\sqrt{\sec(c+dx)}} dx + \int \frac{B \sec(c+dx)}{\sec^2(c+dx)+\sqrt{\sec(c+dx)}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] (Integral(A/(sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```


$$3.206 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=164

$$\frac{(5A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{(5A-3B)\sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} - \frac{(A-B)\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a\sec(c+dx)+a)}$$

[Out] (-3*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((5*A - 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((5*A - 3*B)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A - B)*Sin[c + d*x])/(d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.194242, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{(5A-3B)\sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} - \frac{(A-B)\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a\sec(c+dx)+a)} + \frac{(5A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(A-B)\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a\sec(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])),x]

[Out] (-3*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) + ((5*A - 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((5*A - 3*B)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A - B)*Sin[c + d*x])/(d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} dx &= -\frac{(A - B) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(5A-3B) - \frac{3}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} + \frac{(5A - 3B) \int \frac{1}{\sec^{\frac{3}{2}}(c+dx)} dx}{2a} - \frac{(3(A - B)) \int \frac{1}{\sec^{\frac{3}{2}}(c+dx)} dx}{2a} \\
&= \frac{(5A - 3B) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{(A - B) \sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} + \frac{(5A - 3B) \int \sqrt{\sec(c + dx)}}{6a} \\
&= -\frac{3(A - B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(5A - 3B) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} \\
&= -\frac{3(A - B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(5A - 3B)\sqrt{\cos(c + dx)}}{3ad\sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 2.36257, size = 232, normalized size = 1.41

$$e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx)(\cos(dx) + i \sin(dx)) \left(3i(A - B)e^{\frac{1}{2}i(c+dx)} (1 + e^{i(c+dx)}) \sqrt{1 + e^{2i(c+dx)}} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right]\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])),x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(Cos[d*x] + I*Sin[d*x])*(2*(5*A - 3*B)*Cos[(c + d*x)/2]*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (3*I)*(A - B)*E^((I/2)*(c + d*x))*(1 + E^(I*(c + d*x)))*Sqrt[1 + E^((2*I)*(c + d*x))]) *Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 2*Cos[c + d*x]*((-9*I)*(A - B)*Cos[(c + d*x)/2] + (5*A - 3*B + 2*A*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*a*d*E^(I*d*x)*(1 + Sec[c + d*x]))

Maple [A] time = 1.688, size = 262, normalized size = 1.6

$$-\frac{1}{3ad} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1} \left(5A - 3B + 2A \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \frac{3(A-B)}{2} \frac{1}{\sec^{\frac{3}{2}}(c+dx)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x)`

[Out]
$$-1/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c))*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(5*A*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9*A*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-8*A*\sin(1/2*d*x+1/2*c)^6+(18*A-6*B)*\sin(1/2*d*x+1/2*c)^4+(-7*A+3*B)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a \sec(dx + c)^3 + a \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^3 + a*sec(d*x + c)^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^{\frac{5}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A/(sec(c + d*x)**(5/2) + sec(c + d*x)**(3/2)), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**(5/2) + sec(c + d*x)**(3/2)), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

$$3.207 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=197

$$\frac{5(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{(A-B)\sin(c+dx)}{d \sec^{\frac{3}{2}}(c+dx)(a \sec(c+dx) + a)} + \frac{(7A-5B)\sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (3*(7*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - (5*(A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((7*A - 5*B)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - (5*(A - B)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A - B)*Sin[c + d*x])/(d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.212539, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 3787, 3769, 3771, 2639, 2641}

$$-\frac{(A-B)\sin(c+dx)}{d \sec^{\frac{3}{2}}(c+dx)(a \sec(c+dx) + a)} + \frac{(7A-5B)\sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)} - \frac{5(A-B)\sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} - \frac{5(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])),x]

[Out] (3*(7*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) - (5*(A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a*d) + ((7*A - 5*B)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - (5*(A - B)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]) - ((A - B)*Sin[c + d*x])/(d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x]))

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0]

] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx &= -\frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(7A-5B) - \frac{5}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} + \frac{(7A - 5B) \int \frac{1}{\sec^{\frac{5}{2}}(c+dx)} dx}{2a} - \frac{(5(A - B)) \int \frac{1}{\sec^{\frac{5}{2}}(c+dx)} dx}{2a} \\
&= \frac{(7A - 5B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{5(A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
&= \frac{(7A - 5B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{5(A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
&= \frac{3(7A - 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} - \frac{5(A - B) \sqrt{\cos(c + dx)}}{5ad}
\end{aligned}$$

Mathematica [C] time = 3.75535, size = 540, normalized size = 2.74

$$\cos^2\left(\frac{1}{2}(c + dx)\right) (A + B \sec(c + dx)) \left(-84\sqrt{2}A \csc(c) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \left((-1 + e^{2ic}) e^{2idx} \text{Hypergeometric2F1} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])),x]

[Out] (Cos[(c + d*x)/2]^2*(A + B*Sec[c + d*x])*((-84*sqrt[2]*A*sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + (60*sqrt[2]*B*sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) - 200*A*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]] + 200*B*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]] + sqrt[Sec[c + d*x]]*(-3*(51*A - 40*B + (33*A - 20*B)*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2] - 40*(A - B)*Cos[2*d*x]*Sin[2*c] + 12*A*Cos[3*d*x]*Sin[3*c] + 120*(A - B)*Sec[c/2]*Sec[(c + d*x)/2]*Sin[(d*x)/2] + 12*(33*A - 20*B)*Cos[c]*Sin[d*x] - 40*(A - B)*Cos[2*c]*Sin[2*d*x] + 12*A*Cos[3*c]*Sin[3*d*x] + 120*(A - B)*Tan

$[c/2])))/(60*a*d*(B + A*\cos[c + d*x])*(1 + \sec[c + d*x]))$

Maple [A] time = 1.807, size = 282, normalized size = 1.4

$$-\frac{1}{15ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x)`

[Out] $-1/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(25*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+63*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-25*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-45*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+48*A*\sin(1/2*d*x+1/2*c)^8+(-56*A-40*B)*\sin(1/2*d*x+1/2*c)^6+(-30*A+90*B)*\sin(1/2*d*x+1/2*c)^4+(23*A-35*B)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(5/2)), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a \sec(dx + c)^4 + a \sec(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^4 + a*sec(
d*x + c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(5/2)), x
)
```

$$3.208 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=230

$$\frac{5(9A-7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21ad} - \frac{(A-B)\sin(c+dx)}{d \sec^{\frac{5}{2}}(c+dx)(a \sec(c+dx)+a)} - \frac{7(A-B)\sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (-21*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) + (5*(9*A - 7*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*a*d) + ((9*A - 7*B)*Sin[c + d*x])/(7*a*d*Sec[c + d*x]^(5/2)) - (7*(A - B)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) + (5*(9*A - 7*B)*Sin[c + d*x])/(21*a*d*Sqrt[Sec[c + d*x]]) - ((A - B)*Sin[c + d*x])/(d*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x]))

Rubi [A] time = 0.230189, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 3787, 3769, 3771, 2641, 2639}

$$-\frac{(A-B)\sin(c+dx)}{d \sec^{\frac{5}{2}}(c+dx)(a \sec(c+dx)+a)} - \frac{7(A-B)\sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)} + \frac{(9A-7B)\sin(c+dx)}{7ad \sec^{\frac{5}{2}}(c+dx)} + \frac{5(9A-7B)\sin(c+dx)}{21ad\sqrt{\sec(c+dx)}} + \frac{5(9A-7B)\sin(c+dx)}{21ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])),x]

[Out] (-21*(A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a*d) + (5*(9*A - 7*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*a*d) + ((9*A - 7*B)*Sin[c + d*x])/(7*a*d*Sec[c + d*x]^(5/2)) - (7*(A - B)*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) + (5*(9*A - 7*B)*Sin[c + d*x])/(21*a*d*Sqrt[Sec[c + d*x]]) - ((A - B)*Sin[c + d*x])/(d*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x]))

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :- Simp[((A*B - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e

```

+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))} dx &= -\frac{(A - B) \sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(9A-7B) - \frac{7}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{7}{2}}(c+dx)} dx}{a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} + \frac{(9A - 7B) \int \frac{1}{\sec^{\frac{7}{2}}(c+dx)} dx}{2a} - \frac{(7(A - B)) \int}{2} \\
&= \frac{(9A - 7B) \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{7(A - B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} \\
&= \frac{(9A - 7B) \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} - \frac{7(A - B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} + \frac{5(9A - 7B) \sin(c + dx)}{21ad \sqrt{\sec(c + dx)}} - \frac{7(A - B) \sin(c + dx)}{d \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} \\
&= -\frac{21(A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} + \frac{(9A - 7B) \sin(c + dx)}{7ad \sec^{\frac{5}{2}}(c + dx)} \\
&= -\frac{21(A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} + \frac{5(9A - 7B) \sqrt{\cos(c + dx)}}{7ad \sec^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 3.93781, size = 568, normalized size = 2.47

$$\cos^2\left(\frac{1}{2}(c + dx)\right) (A + B \sec(c + dx)) \left(588\sqrt{2}A \csc(c) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \left((-1 + e^{2ic}) e^{2idx} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{\left(\frac{1}{2}(c + dx)\right)}\right]\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])),x]

[Out] (Cos[(c + d*x)/2]^2*(A + B*Sec[c + d*x])*((588*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) - (588*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + 1800*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] - 1400*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] + Sqrt[Sec[c + d*x]]*(63*(A - B)*(17 + 11*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2] + 20*(27*

$$\frac{(A - 14B)\cos[2dx]\sin[2c] - 84(A - B)\cos[3dx]\sin[3c] + 30A\cos[4dx]\sin[4c] - 840(A - B)\sec[c/2]\sec[(c + dx)/2]\sin[(dx)/2] - 2772(A - B)\cos[c]\sin[dx] + 20(27A - 14B)\cos[2c]\sin[2dx] - 84(A - B)\cos[3c]\sin[3dx] + 30A\cos[4c]\sin[4dx] - 840(A - B)\tan[c/2])}{420a d (B + A\cos[c + dx])(1 + \sec[c + dx])}$$

Maple [A] time = 1.687, size = 300, normalized size = 1.3

$$-\frac{1}{105ad} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(dx+c))/sec(dx+c)^(7/2)/(a+a*sec(dx+c)),x)

[Out] -1/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(225*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+441*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-175*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-441*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-480*A*sin(1/2*d*x+1/2*c)^10+(864*A+336*B)*sin(1/2*d*x+1/2*c)^8+(-888*A-392*B)*sin(1/2*d*x+1/2*c)^6+(930*A-210*B)*sin(1/2*d*x+1/2*c)^4+(-321*A+161*B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))/sec(dx+c)^(7/2)/(a+a*sec(dx+c)),x, algorithm="maxima")

[Out] integrate((B*sec(dx + c) + A)/((a*sec(dx + c) + a)*sec(dx + c)^(7/2)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a \sec(dx + c)^5 + a \sec(dx + c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c)^5 + a*sec(d*x + c)^4), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(7/2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sec(d*x + c)^(7/2)), x)

$$3.209 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=237

$$\frac{5(A-2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(4A-7B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} - \frac{5(A-2B)\sin(c+dx)}{3a^2d}$$

[Out] -(((4*A - 7*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)) - (5*(A - 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((4*A - 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) - (5*(A - 2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d) + ((4*A - 7*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.371134, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 3787, 3768, 3771, 2639, 2641}

$$\frac{(4A-7B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} - \frac{5(A-2B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3a^2d} + \frac{(4A-7B)\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d} - \frac{5(A-2B)\sin(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] -(((4*A - 7*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)) - (5*(A - 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((4*A - 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) - (5*(A - 2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d) + ((4*A - 7*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m

$-n + 1) + A*b*(m + n)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{n-1})/(d*(n-1)), x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{n-2}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^2} dx &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{3}{2}a(A-3B)\sec(c+dx)\right)}{a+a\sec(c+dx)} dx \\
&= \frac{(4A-7B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \int \sec \\
&= \frac{(4A-7B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(4A-7B)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} \\
&= \frac{(4A-7B)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} - \frac{5(A-2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d} + \frac{(4A-7B)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} \\
&= \frac{(4A-7B)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} - \frac{5(A-2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d} + \frac{(4A-7B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} \\
&= -\frac{(4A-7B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} - \frac{5(A-2B)\sqrt{\cos(c+dx)}}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 7.80913, size = 865, normalized size = 3.65

$$\frac{4\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{3d(B+A\cos(c+dx))(\sec(c+dx)a+a)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2, x]

[Out] (4*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x]))/(3*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) - (7*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x]))/(3*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) - (10*A*Cos[c/2 + (d*x)/2]^4*sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x])*Sin[c])/(3*d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) + (20*B*

$$\begin{aligned} & \cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^4 \sqrt{\cos[c + d*x]} * \csc\left[\frac{c}{2}\right] * \text{EllipticF}\left[\frac{c + d*x}{2}, 2\right] * \\ & \sec\left[\frac{c}{2}\right] * \sec[c + d*x]^{3/2} * (A + B * \sec[c + d*x]) * \sin[c] / (3*d * (B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x])^2) + \\ & (\cos\left[\frac{c}{2} + \frac{d*x}{2}\right]^4 * \sec[c + d*x]^{3/2} * (A + B * \sec[c + d*x]) * ((-2 * (-4*A + 7*B) * \cos[d*x] * \csc\left[\frac{c}{2}\right] * \sec\left[\frac{c}{2}\right]) / d + (2 * \sec\left[\frac{c}{2}\right] * \sec\left[\frac{c}{2} + \frac{d*x}{2}\right]^3 * (-A * \sin\left[\frac{d*x}{2}\right]) + B * \sin\left[\frac{d*x}{2}\right])) / (3*d) + \\ & (4 * \sec\left[\frac{c}{2}\right] * \sec\left[\frac{c}{2} + \frac{d*x}{2}\right] * (-5 * A * \sin\left[\frac{d*x}{2}\right] + 8 * B * \sin\left[\frac{d*x}{2}\right])) / (3*d) + \\ & (8 * B * \sec[c] * \sec[c + d*x] * \sin[d*x]) / (3*d) + (4 * (2 * B - 5 * A * \cos[c] + 10 * B * \cos[c]) * \sec[c] * \tan\left[\frac{c}{2}\right]) / (3*d) + (2 * (-A + B) * \sec\left[\frac{c}{2} + \frac{d*x}{2}\right]^2 * \tan\left[\frac{c}{2}\right]) / (3*d)) / ((B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x])^2) \end{aligned}$$

Maple [B] time = 6.082, size = 750, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x)`

[Out]
$$\begin{aligned} & -1/2 * (-(-2 * \cos(1/2*d*x+1/2*c)^2 + 1) * \sin(1/2*d*x+1/2*c)^2)^{1/2} / a^2 * (4*B*(-1 \\ & /6 * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / \\ & (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 1/3 * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2 * \cos(1/2*d \\ & *x+1/2*c)^2 + 1)^{1/2} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * E \\ & \text{llipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})) + 1/3 * (-A+B) * (2 * (2 * \sin(1/2*d*x+1/2*c)^2 \\ & - 1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2 * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) \\ & - 3 * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}))) * \cos(1/2*d*x+1/2*c) * \sin(1/2*d \\ & x+1/2*c)^2 - 2 * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * \\ & (2 * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 3 * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2})) \\ & * \cos(1/2*d*x+1/2*c) - 12 * \sin(1/2*d*x+1/2*c)^6 + 20 * \sin(1/2*d*x+1/2*c)^4 - 7 \\ & * \sin(1/2*d*x+1/2*c)^2) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & / \cos(1/2*d*x+1/2*c) / (\sin(1/2*d*x+1/2*c)^2 - 1) + (-2 * A + 4 * B) * (\cos(1/2*d*x+1/2*c) \\ & * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) \\ & - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}))) - 2 * \sin(1/2 \\ & *d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2) / \cos(1/2*d*x+1/2*c) / (-2 * \sin(1/2*d*x+1/2 \\ & c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} + (4 * A - 8 * B) * (-\sin(1/2*d*x+1/2*c)^2)^{1/2} * (\\ & 2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (-2 * \sin(1/2 \\ & *d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} + 2 * (-2 * \sin(1/2*d*x+1/2*c)^4 + \\ & \sin(1/2*d*x+1/2*c)^2)^{1/2} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2) / \sin(1/ \\ & 2*d*x+1/2*c)^2 / (2 * \sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d \\ & x+1/2*c)^2 - 1)^{1/2} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^4 + A \sec(dx+c)^3)\sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^2 + 2a^2 \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^{\frac{7}{2}}}{(a \sec(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(a*sec(d*x + c) + a)^2, x)
```

$$3.210 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=204

$$\frac{(2A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(2A-5B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} - \frac{(A-4B)\sin(c+dx)}{a^2d}$$

[Out] ((A - 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((2*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((A - 4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + ((2*A - 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.345241, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(2A-5B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} - \frac{(A-4B)\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d} + \frac{(2A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] ((A - 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((2*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) - ((A - 4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d) + ((2*A - 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m

$-n + 1) + A*b*(m + n)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n], x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n], x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])* (b*\text{Csc}[c + d*x])^{n-1}/(d*(n-1)), x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{n-2}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^2} dx &= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(A-B)-\frac{1}{2}a(A-7B)\sec(c+dx)\right)}{a+a\sec(c+dx)} dx}{3a^2} \\
&= \frac{(2A-5B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \sqrt{\sec(c+dx)}}{3a^2d} \\
&= \frac{(2A-5B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(2A-5B)\sqrt{\sec(c+dx)}}{3a^2d} \\
&= -\frac{(A-4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} + \frac{(2A-5B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(2A-5B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3a^2d} - \frac{(A-4B)\sqrt{\sec(c+dx)}}{a^2d} \\
&= \frac{(A-4B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} + \frac{(2A-5B)\sqrt{\cos(c+dx)}}{a^2d}
\end{aligned}$$

Mathematica [C] time = 6.6399, size = 455, normalized size = 2.23

$$\cos^4\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)(A+B\sec(c+dx))\left(-2\sqrt{2}A\csc(c)e^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\left((-1+e^{2ic})e^{2idx}\text{Hypergeometric2F1}\left[\frac{1}{2},\frac{3}{4},\frac{7}{4},-E^{\left(\frac{1}{2}(c+dx)\right)}\right]\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2, x]

[Out] (Cos[(c + d*x)/2]^4*Sec[c + d*x]*(A + B*Sec[c + d*x])*((-2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + (8*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + 8*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] - 20*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] - 2*Sqrt[Sec[c + d*x]]*(6*(A - 4*B)*Cos[d*x]*Csc[c] - (3*(A - 2*B) + (2*A - 5*B)*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(3*a^2*d*(B + A*Cos[c + d*x]))

$d*x])*(1 + \text{Sec}[c + d*x])^2)$

Maple [B] time = 2.295, size = 492, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{(5/2)}*(A+B*\sec(d*x+c))/(a+a*\sec(d*x+c))^2,x)$

[Out] $\frac{1}{6}*(2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-5*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+12*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-5*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+12*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-12*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-4*B)*\sin(1/2*d*x+1/2*c)^6+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(10*A-43*B)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(7*A-37*B)*\sin(1/2*d*x+1/2*c)^2)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(d*x+c)^{(5/2)}*(A+B*\sec(d*x+c))/(a+a*\sec(d*x+c))^2,x, \text{algorithm} = "maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^3 + A \sec(dx+c)^2)\sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^2 + 2a^2 \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^{\frac{5}{2}}}{(a \sec(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^2, x)
```

$$3.211 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=161

$$\frac{(A+2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{B \sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

```
[Out] (B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)
+ ((A + 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x
]])/(3*a^2*d) - (B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x
])) + ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2
)
```

Rubi [A] time = 0.302637, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4019, 3787, 3771, 2639, 2641}

$$\frac{(A+2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{B \sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]
```

```
[Out] (B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)
+ ((A + 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x
]])/(3*a^2*d) - (B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x
])) + ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2
)
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
```

Q[n, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{3}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^2} dx &= \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \int \frac{\sqrt{\sec(c + dx)} \left(\frac{1}{2}a(A - B) + \frac{1}{2}a(A + 5B) \sec(c + dx) \right)}{a + a \sec(c + dx)} dx \\
 &= -\frac{B \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} + \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \int \frac{\frac{3a^2 B}{2} + \frac{1}{2}a^2(A + 5B) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
 &= -\frac{B \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} + \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{B \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a^2} \\
 &= -\frac{B \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} + \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(B \sqrt{\cos(c + dx)})}{3a^2 d} \\
 &= \frac{B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{(A + 2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d}
 \end{aligned}$$

Mathematica [C] time = 2.60395, size = 256, normalized size = 1.59

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{5}{2}}(c+dx) \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(8(A+2B) \cos^3\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)} \text{EllipticF}\left[\frac{c+dx}{2}, 2\right]\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2, x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(((-I)*B*(1 + E^(I*(c + d*x)))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) + 8*(A + 2*B)*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + (2*I)*Cos[c + d*x]*(-A + 7*B + (A + 5*B)*Cos[c + d*x] - I*(A - B)*Sin[c + d*x]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(6*a^2*d*E^(I*d*x)*(1 + Sec[c + d*x])^2)

Maple [A] time = 1.937, size = 350, normalized size = 2.2

$$-\frac{1}{6a^2d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(2A(\cos(1/2 dx + c/2))^3 \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 - 1} + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2, x)

[Out] -1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-12*B*cos(1/2*d*x+1/2*c)^6+4*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-6*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+2*A*cos(1/2*d*x+1/2*c)^4+16*B*cos(1/2*d*x+1/2*c)^4-3*A*cos(1/2*d*x+1/2*c)^2-3*B*cos(1/2*d*x+1/2*c)^2+A-B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^2 + A \sec(dx+c))\sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^2 + 2a^2 \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^{\frac{3}{2}}}{(a \sec(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^2, x)
```

$$3.212 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=168

$$\frac{(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(2A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3a^2d(\sec(c+dx)+1)} - \frac{A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

[Out] -((A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((2*A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x]))^2)

Rubi [A] time = 0.309636, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(2A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3a^2d(\sec(c+dx)+1)} + \frac{(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] -((A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + ((2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + ((2*A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Sec[c + d*x])) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x]))^2)

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt

Q[n, 0]

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{(a+a\sec(c+dx))^2} dx &= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \frac{-\frac{1}{2}a(A-B)+\frac{3}{2}a(A+B)\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))} dx}{3a^2} \\
&= \frac{(2A+B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \frac{3a^2}{2}}{3a^2} \\
&= \frac{(2A+B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{A \int \frac{3a^2}{2}}{3a^2d} \\
&= \frac{(2A+B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a^2d(1+\sec(c+dx))} + \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{(A\sqrt{c})}{3a^2d} \\
&= -\frac{A\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} + \frac{(2A+B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d}
\end{aligned}$$

Mathematica [C] time = 3.24178, size = 256, normalized size = 1.52

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{5}{2}}(c+dx) \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(i \left(Ae^{-i(c+dx)} (1 + e^{i(c+dx)})^3 \sqrt{1 + e^{2i(c+dx)}} \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{\left((2I)(c+dx)\right)}\right]/E^{(I)(c+dx)} - 2\cos[c+dx] \right) \right) \left(\cos\left[\frac{1}{2}(c+3dx)\right] + i \sin\left[\frac{1}{2}(c+3dx)\right]\right) / (6a^2dE^{(I)dx}(1+\sec[c+dx])^2)$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2, x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(8*(2*A + B)*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + I*((A*(1 + E^(I*(c + d*x)))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]/E^(I*(c + d*x)) - 2*Cos[c + d*x]*(5*A + B + (7*A - B)*Cos[c + d*x] - I*(A - B)*Sin[c + d*x]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(6*a^2*d*E^(I*d*x)*(1 + Sec[c + d*x])^2)

Maple [A] time = 1.894, size = 350, normalized size = 2.1

$$-\frac{1}{6a^2d} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(12A(\cos(1/2 dx + c/2))^6 + 4A(\cos(1/2 dx + c/2))^3 \sqrt{(\sin(1/2 dx + c/2))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x)`

[Out]
$$-1/6*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^6+4*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+6*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-20*A*\cos(1/2*d*x+1/2*c)^4+2*B*\cos(1/2*d*x+1/2*c)^4+9*A*\cos(1/2*d*x+1/2*c)^2-3*B*\cos(1/2*d*x+1/2*c)^2-A+B)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^2 + 2a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A\sqrt{\sec(c+dx)}}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B\sec^{\frac{3}{2}}(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*sqrt(sec(c + d*x))/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) +
Integral(B*sec(c + d*x)**(3/2)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))
/a**2

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^2, x
)

$$3.213 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=177

$$\frac{(5A-2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(5A-2B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3a^2d(\sec(c+dx)+1)} + \frac{(4A-B)\sqrt{\cos(c+dx)}}{3a^2d}$$

```
[Out] ((4*A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a^2*d) - ((5*A - 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[S
ec[c + d*x]])/(3*a^2*d) - ((5*A - 2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*
a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*
(a + a*Sec[c + d*x])^2)
```

Rubi [A] time = 0.325614, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4020, 3787, 3771, 2639, 2641}

$$-\frac{(5A-2B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3a^2d(\sec(c+dx)+1)} - \frac{(5A-2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(4A-B)\sqrt{\cos(c+dx)}}{3a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2), x]
```

```
[Out] ((4*A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])
/(a^2*d) - ((5*A - 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[S
ec[c + d*x]])/(3*a^2*d) - ((5*A - 2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*
a^2*d*(1 + Sec[c + d*x])) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*
(a + a*Sec[c + d*x])^2)
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0]
&& EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))^2}} dx &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(7A - B) - \frac{3}{2}a(A - B)\sec(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))}} dx}{3a^2} \\
 &= -\frac{(5A - 2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{3}{2}a(A - B)\sec(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))}} dx}{3a^2} \\
 &= -\frac{(5A - 2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(5A - 2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} \\
 &= -\frac{(5A - 2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(5A - 2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} \\
 &= \frac{(4A - B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)} - (5A - 2B)\sqrt{\cos(c + dx)}}{a^2d}
 \end{aligned}$$

Mathematica [C] time = 6.75206, size = 854, normalized size = 4.82

$$\frac{4\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{3d(B+A\cos(c+dx))(\sec(c+dx)a+a)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2), x]

[Out] (-4*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x]))/(3*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) + (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x]))/(3*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) - (10*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x])*Sin[c])/(3*d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) + (4*B*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x])*Sin[c])/(3*d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d*x)/2]^4*Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x])*((-2*(3*A - B + A*Cos[2*c])*Cos[d*x]*Csc[c/2]*Sec[c/2])/d + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(-A*Sin[(d*x)/2] + B*Sin[(d*x)/2]))/(3*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(-7*A*Sin[(d*x)/2] + 4*B*Sin[(d*x)/2]))/(3*d) + (8*A*Cos[c]*Sin[d*x])/d - (4*(-7*A + 4*B)*Tan[c/2])/(3*d) + (2*(-A + B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2)

Maple [A] time = 2.047, size = 421, normalized size = 2.4

$$\frac{1}{6a^2d}\sqrt{\left(2(\cos(1/2dx + c/2))^2 - 1\right)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(24A(\cos(1/2dx + c/2))^6 + 10A(\cos(1/2dx + c/2))^3\sqrt{\sin(1/2dx + c/2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x)`

[Out]
$$\frac{1}{6}a^{-2} \left((2\cos(1/2dx+1/2c)^{-2}-1)\sin(1/2dx+1/2c)^2 \right)^{1/2} \left(24A\cos(1/2dx+1/2c)^6 + 10A\cos(1/2dx+1/2c)^3(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^{2+1})^{1/2} \right. \\ \left. \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 24A\cos(1/2dx+1/2c)^3(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^{2+1})^{1/2} \right. \\ \left. \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) - 12B\cos(1/2dx+1/2c)^6 - 4B\cos(1/2dx+1/2c)^3(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^{2+1})^{1/2} \right. \\ \left. \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) - 6B\cos(1/2dx+1/2c)^3(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^{2+1})^{1/2} \right. \\ \left. \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) - 38A\cos(1/2dx+1/2c)^4 + 20B\cos(1/2dx+1/2c)^4 + 15A\cos(1/2dx+1/2c)^2 - 9B\cos(1/2dx+1/2c)^2 - A + B \right) \\ \left. \frac{3}{(-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{1/2}} \frac{1}{\sin(1/2dx+1/2c)} \frac{1}{(2\cos(1/2dx+1/2c)^{-2}-1)^{1/2}} \right) / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx+c) + A) \sqrt{\sec(dx+c)}}{a^2 \sec(dx+c)^3 + 2a^2 \sec(dx+c)^2 + a^2 \sec(dx+c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^3 + 2*a^2*sec(d*x + c)^2 + a^2*sec(d*x + c)), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sec^{\frac{5}{2}}(c+dx) + 2\sec^{\frac{3}{2}}(c+dx) + \sqrt{\sec(c+dx)}} dx + \int \frac{B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx) + 2\sec^{\frac{3}{2}}(c+dx) + \sqrt{\sec(c+dx)}} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2/sec(d*x+c)**(1/2),x)

[Out] (Integral(A/(sec(c + d*x)**(5/2) + 2*sec(c + d*x)**(3/2) + sqrt(sec(c + d*x)))), x) + Integral(B*sec(c + d*x)/(sec(c + d*x)**(5/2) + 2*sec(c + d*x)**(3/2) + sqrt(sec(c + d*x))), x))/a**2

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)

$$3.214 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=211

$$\frac{5(2A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3a^2d} + \frac{5(2A - B)\sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}} - \frac{(7A - 4B)\sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}(\sec(c + dx) + 1)}$$

[Out] -(((7*A - 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a^2*d)) + (5*(2*A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*a^2*d) + (5*(2*A - B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]])) - ((7*A - 4*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]*(1 + Sec[c + d*x])) - ((A - B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))^2)

Rubi [A] time = 0.356715, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{5(2A - B)\sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}} - \frac{(7A - 4B)\sin(c + dx)}{3a^2d\sqrt{\sec(c + dx)}(\sec(c + dx) + 1)} + \frac{5(2A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} - \dots$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] -(((7*A - 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a^2*d)) + (5*(2*A - B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*a^2*d) + (5*(2*A - B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]])) - ((7*A - 4*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]*(1 + Sec[c + d*x])) - ((A - B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x]))^2)

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x]]], x]

```
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0]
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= -\frac{(A - B) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} + \int \frac{\frac{\frac{3}{2}a(3A-B) - \frac{5}{2}a(A-B)\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))} dx}{3a^2} \\
&= -\frac{(7A - 4B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} + \dots \\
&= -\frac{(7A - 4B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} + \dots \\
&= \frac{5(2A - B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(7A - 4B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{(A - B)}{3d\sqrt{\sec(c + dx)}} + \dots \\
&= -\frac{(7A - 4B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a^2 d} + \frac{5(2A - B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} + \dots \\
&= -\frac{(7A - 4B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a^2 d} + \frac{5(2A - B)\sqrt{\cos(c + dx)}}{3a^2 d} + \dots
\end{aligned}$$

Mathematica [C] time = 6.80139, size = 899, normalized size = 4.26

$$\frac{7\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}\left(-1+e^{2ic}\right)\text{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{3d(B+A\cos(c+dx))(\sec(c+dx)a+a)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (7*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])]/(3*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) - (4*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])]/(3*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) + (20*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*

$$\begin{aligned} & \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B * \text{Sec}[c \\ & + d*x]) * \text{Sin}[c] / (3*d*(B + A*\text{Cos}[c + d*x]) * (a + a*\text{Sec}[c + d*x])^2) - (10*B* \\ & \text{Cos}[c/2 + (d*x)/2]^4 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \\ & \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(3/2)} * (A + B*\text{Sec}[c + d*x]) * \text{Sin}[c]) / (3*d*(B + A*\text{Cos}[c \\ & + d*x]) * (a + a*\text{Sec}[c + d*x])^2) + (\text{Cos}[c/2 + (d*x)/2]^4 * \text{Sec}[c + d*x]^{(3/2)} * \\ & (A + B*\text{Sec}[c + d*x]) * ((-2*(-5*A + 3*B - 2*A*\text{Cos}[2*c] + B*\text{Cos}[2*c]) * \text{Cos}[d*x] \\ & * \text{Csc}[c/2] * \text{Sec}[c/2]) / d + (4*A*\text{Cos}[2*d*x] * \text{Sin}[2*c]) / (3*d) - (2*\text{Sec}[c/2] * \text{Sec}[c \\ & /2 + (d*x)/2]^3 * (-A*\text{Sin}[(d*x)/2]) + B*\text{Sin}[(d*x)/2])) / (3*d) + (4*\text{Sec}[c/2] * \text{S} \\ & \text{ec}[c/2 + (d*x)/2] * (-10*A*\text{Sin}[(d*x)/2] + 7*B*\text{Sin}[(d*x)/2])) / (3*d) + (8*(-2*A \\ & + B) * \text{Cos}[c] * \text{Sin}[d*x]) / d + (4*A*\text{Cos}[2*c] * \text{Sin}[2*d*x]) / (3*d) + (4*(-10*A + 7* \\ & B) * \text{Tan}[c/2]) / (3*d) - (2*(-A + B) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (3*d)) / ((B \\ & + A*\text{Cos}[c + d*x]) * (a + a*\text{Sec}[c + d*x])^2) \end{aligned}$$

Maple [A] time = 1.951, size = 435, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x)

[Out]
$$\begin{aligned} & -1/6/a^2 * ((2*\cos(1/2*d*x+1/2*c)^2-1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (16*A*\cos(\\ & 1/2*d*x+1/2*c)^8 + 12*A*\cos(1/2*d*x+1/2*c)^6 + 20*A*\cos(1/2*d*x+1/2*c)^3 * (\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos(1/2* \\ & d*x+1/2*c), 2^{(1/2)}) + 42*A*\cos(1/2*d*x+1/2*c)^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 24* \\ & B*\cos(1/2*d*x+1/2*c)^6 - 10*B*\cos(1/2*d*x+1/2*c)^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - \\ & 24*B*\cos(1/2*d*x+1/2*c)^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2* \\ & c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 48*A*\cos(1/2*d*x+1/2*c) \\ & ^4 + 38*B*\cos(1/2*d*x+1/2*c)^4 + 21*A*\cos(1/2*d*x+1/2*c)^2 - 15*B*\cos(1/2*d*x+1/2 \\ & *c)^2 - A + B) / \cos(1/2*d*x+1/2*c)^3 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^4 + 2a^2 \sec(dx + c)^3 + a^2 \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm
="fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^4 + 2*a^
2*sec(d*x + c)^3 + a^2*sec(d*x + c)^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*sec(d*x + c)^(3/2)),  
x)
```

$$3.215 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=244

$$\frac{5(3A-2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(3A-2B)\sin(c+dx)}{a^2d \sec^{\frac{3}{2}}(c+dx)(\sec(c+dx)+1)} + \frac{7(8A-5B)\sin(c+dx)}{15a^2d \sec^{\frac{3}{2}}(c+dx)}$$

[Out] (7*(8*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^2*d) - (5*(3*A - 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + (7*(8*A - 5*B)*Sin[c + d*x])/(15*a^2*d*Sec[c + d*x]^(3/2)) - (5*(3*A - 2*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((3*A - 2*B)*Sin[c + d*x])/(a^2*d*Sec[c + d*x]^(3/2)*(1 + Sec[c + d*x])) - ((A - B)*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2)

Rubi [A] time = 0.381588, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 3787, 3769, 3771, 2639, 2641}

$$-\frac{(3A-2B)\sin(c+dx)}{a^2d \sec^{\frac{3}{2}}(c+dx)(\sec(c+dx)+1)} + \frac{7(8A-5B)\sin(c+dx)}{15a^2d \sec^{\frac{3}{2}}(c+dx)} - \frac{5(3A-2B)\sin(c+dx)}{3a^2d \sqrt{\sec(c+dx)}} - \frac{5(3A-2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (7*(8*A - 5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^2*d) - (5*(3*A - 2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*d) + (7*(8*A - 5*B)*Sin[c + d*x])/(15*a^2*d*Sec[c + d*x]^(3/2)) - (5*(3*A - 2*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]]) - ((3*A - 2*B)*Sin[c + d*x])/(a^2*d*Sec[c + d*x]^(3/2)*(1 + Sec[c + d*x])) - ((A - B)*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2)

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e


```

+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= -\frac{(A - B) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(11A-5B) - \frac{7}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx}{3a^2} \\
&= -\frac{(3A - 2B) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} + \dots \\
&= -\frac{(3A - 2B) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} + \dots \\
&= \frac{7(8A - 5B) \sin(c + dx)}{15a^2 d \sec^{\frac{3}{2}}(c + dx)} - \frac{5(3A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(3A - 2B) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} \\
&= \frac{7(8A - 5B) \sin(c + dx)}{15a^2 d \sec^{\frac{3}{2}}(c + dx)} - \frac{5(3A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{(3A - 2B) \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} \\
&= \frac{7(8A - 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5a^2 d} - \frac{5(3A - 2B) \sqrt{\cos(c + dx)}}{5a^2 d}
\end{aligned}$$

Mathematica [C] time = 6.90719, size = 946, normalized size = 3.88

$$\frac{56\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \csc\left(\frac{c}{2}\right) \left(e^{2idx} (-1+e^{2ic}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(B+A\cos(c+dx))(\sec(c+dx)a+a)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (-56*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])]/(15*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) + (7*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])

```
*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x]))/(3*d*E^(I*d*x)*(B + A*Cos[c +
d*x]))*(a + a*Sec[c + d*x])^2) - (10*A*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x
]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sec[c + d*x]^(3/2)*(A + B*Se
c[c + d*x])*Sin[c])/(d*(B + A*Cos[c + d*x]))*(a + a*Sec[c + d*x])^2) + (20*B
*Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]
*Sec[c/2]*Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x])*Sin[c])/(3*d*(B + A*Cos[c
+ d*x]))*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d*x)/2]^4*Sec[c + d*x]^(3/2)
*(A + B*Sec[c + d*x])*((-151*A + 100*B - 73*A*Cos[2*c] + 40*B*Cos[2*c])*Co
s[d*x]*Csc[c/2]*Sec[c/2])/(10*d) + (4*(-2*A + B)*Cos[2*d*x]*Sin[2*c])/(3*d)
+ (2*A*Cos[3*d*x]*Sin[3*c])/(5*d) + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(-(A*
Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/(3*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(-1
3*A*Sin[(d*x)/2] + 10*B*Sin[(d*x)/2]))/(3*d) - (2*(-73*A + 40*B)*Cos[c]*Sin
[d*x])/(5*d) + (4*(-2*A + B)*Cos[2*c]*Sin[2*d*x])/(3*d) + (2*A*Cos[3*c]*Sin
[3*d*x])/(5*d) - (4*(-13*A + 10*B)*Tan[c/2])/(3*d) + (2*(-A + B)*Sec[c/2 +
(d*x)/2]^2*Tan[c/2])/(3*d)))/((B + A*Cos[c + d*x))*(a + a*Sec[c + d*x])^2)
```

Maple [A] time = 2.023, size = 465, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x)
```

```
[Out] -1/30/a^2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(96*A*cos
(1/2*d*x+1/2*c)^10-352*A*cos(1/2*d*x+1/2*c)^8+80*B*cos(1/2*d*x+1/2*c)^8+120
*A*cos(1/2*d*x+1/2*c)^6-150*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)
)-336*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+
1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+60*B*cos(1/2*d*x+1/2
*c)^6+100*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d
*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+210*B*cos(1/2*d*
x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*E
llipticE(cos(1/2*d*x+1/2*c),2^(1/2))+266*A*cos(1/2*d*x+1/2*c)^4-240*B*cos(1
/2*d*x+1/2*c)^4-135*A*cos(1/2*d*x+1/2*c)^2+105*B*cos(1/2*d*x+1/2*c)^2+5*A-5
*B)/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/
2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^2 \sec(dx + c)^5 + 2a^2 \sec(dx + c)^4 + a^2 \sec(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm
="fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^2*sec(d*x + c)^5 + 2*a^
2*sec(d*x + c)^4 + a^2*sec(d*x + c)^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)
```

$$3.216 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=292

$$\frac{(13A - 33B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{7(7A - 17B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{30d(a^3 \sec(c+dx) + a^3)} - \frac{(13A - 33B)}{6a^3d}$$

[Out] (-7*(7*A - 17*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(10*a^3*d) - ((13*A - 33*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(6*a^3*d) + (7*(7*A - 17*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) - ((13*A - 33*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*a^3*d) + ((A - B)*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((A - 2*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*a*d*(a + a*Sec[c + d*x])^2) + (7*(7*A - 17*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.559542, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 3787, 3768, 3771, 2639, 2641}

$$\frac{7(7A - 17B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{30d(a^3 \sec(c+dx) + a^3)} - \frac{(13A - 33B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{6a^3d} + \frac{7(7A - 17B)\sin(c+dx)\sqrt{\sec(c+dx)}}{10a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(9/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (-7*(7*A - 17*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(10*a^3*d) - ((13*A - 33*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(6*a^3*d) + (7*(7*A - 17*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) - ((13*A - 33*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*a^3*d) + ((A - B)*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((A - 2*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*a*d*(a + a*Sec[c + d*x])^2) + (7*(7*A - 17*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4019

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{9}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sec^{\frac{7}{2}}(c+dx)\left(\frac{7}{2}a(A-B)-\frac{1}{2}a(3A-13B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(A-B)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-2B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\sec(c+dx))^2} + \int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(A-B)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-2B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\sec(c+dx))^2} + \frac{7(7A-17B)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} \\
&= \frac{(A-B)\sec^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-2B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\sec(c+dx))^2} + \frac{7(7A-17B)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} - \frac{(13A-33B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6a^3d} \\
&= \frac{7(7A-17B)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} - \frac{(13A-33B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6a^3d} \\
&= \frac{7(7A-17B)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} - \frac{(13A-33B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6a^3d} \\
&= -\frac{7(7A-17B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} - \frac{(13A-33B)\sqrt{\cos(c+dx)}}{6a^3d}
\end{aligned}$$

Mathematica [C] time = 7.96317, size = 953, normalized size = 3.26

$$\frac{49\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}\left(-1+e^{2ic}\right)\text{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(B+A\cos(c+dx))(\sec(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(9/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3, x]

[Out] (49*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(15*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) - (119*sqrt[2]*B*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))])*C

$$\begin{aligned} & \cos[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * (-3 * \text{Sqrt}[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d \\ & *x) * (-1 + E^((2*I)*c)) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x) \\ &)]) * \text{Sec}[c/2] * \text{Sec}[c + d*x]^2 * (A + B * \text{Sec}[c + d*x]) / (15 * d * E^{(I*d*x)} * (B + A * \text{Co} \\ & s[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3) - (26 * A * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c \\ & + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(5/2)} * (A \\ & + B * \text{Sec}[c + d*x]) * \text{Sin}[c]) / (3 * d * (B + A * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3) \\ & + (22 * B * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d* \\ & x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(5/2)} * (A + B * \text{Sec}[c + d*x]) * \text{Sin}[c]) / (d * (B + A \\ & * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sec}[c + d*x] \\ & ^{(5/2)} * (A + B * \text{Sec}[c + d*x]) * ((-14 * (-7 * A + 17 * B) * \text{Cos}[d*x] * \text{Csc}[c/2] * \text{Sec}[c/2]) \\ & / (5 * d) + (2 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (-A * \text{Sin}[(d*x)/2]) + B * \text{Sin}[(d*x)/ \\ & 2])) / (5 * d) + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (-8 * A * \text{Sin}[(d*x)/2] + 13 * B * \text{Sin} \\ & [(d*x)/2])) / (15 * d) + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (-13 * A * \text{Sin}[(d*x)/2] + 2 \\ & 9 * B * \text{Sin}[(d*x)/2])) / (3 * d) + (16 * B * \text{Sec}[c] * \text{Sec}[c + d*x] * \text{Sin}[d*x]) / (3 * d) + (4 * (\\ & 4 * B - 13 * A * \text{Cos}[c] + 33 * B * \text{Cos}[c]) * \text{Sec}[c] * \text{Tan}[c/2]) / (3 * d) + (4 * (-8 * A + 13 * B) * \\ & \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15 * d) + (2 * (-A + B) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Ta} \\ & n[c/2]) / (5 * d)) / ((B + A * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3) \end{aligned}$$

Maple [B] time = 2.949, size = 876, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{(9/2)} * (A+B*\sec(d*x+c)) / (a+a*\sec(d*x+c))^3, x)$

[Out]
$$\begin{aligned} & -1/60 * (4 * (-2 * \sin(1/2*d*x+1/2*c))^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d* \\ & x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (65 * A * \text{EllipticF}(\cos(1/2*d*x \\ & +1/2*c), 2^{(1/2)}) - 147 * A * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 165 * B * \text{Ellipti} \\ & cF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 357 * B * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) \\ & * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^6 - 10 * (-2 * \sin(1/2*d*x+1/2*c))^4 + \sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)} * (65 * A * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 147 * A * \text{EllipticE}(\cos(1/ \\ & 2*d*x+1/2*c), 2^{(1/2)}) - 165 * B * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 357 * B * \text{Ell} \\ & ipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) * \sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) \\ & + 8 * (-2 * \sin(1/2*d*x+1/2*c))^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2* \\ & c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (65 * A * \text{EllipticF}(\cos(1/2*d*x+1/2* \\ & c), 2^{(1/2)}) - 147 * A * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 165 * B * \text{EllipticF}(\cos \\ & (1/2*d*x+1/2*c), 2^{(1/2)}) + 357 * B * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) * \sin(1 \\ & /2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) - 2 * (-2 * \sin(1/2*d*x+1/2*c))^4 + \sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &) * (65 * A * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 147 * A * \text{EllipticE}(\cos(1/2*d*x+1 \end{aligned}$$

$$\begin{aligned} & /2*c), 2^{(1/2)}) - 165*B*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 357*B*EllipticE(\\ & \cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c) - 168*(-2*\sin(1/2*d*x+1/2*c)^4 + \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (7*A-17*B) * \sin(1/2*d*x+1/2*c)^{10} + 8*(-2*\sin(1/2*d*x+1/2*c)^4 + \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (482*A-1167*B) * \sin(1/2*d*x+1/2*c)^8 - 10*(-2*\sin(1/2*d*x+1/2*c)^4 + \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (461*A-1111*B) * \sin(1/2*d*x+1/2*c)^6 + 14*(-2*\sin(1/2*d*x+1/2*c)^4 + \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (169*A-404*B) * \sin(1/2*d*x+1/2*c)^4 - (-2*\sin(1/2*d*x+1/2*c)^4 + \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (439*A-1029*B) * \sin(1/2*d*x+1/2*c)^2 / (2*\cos(1/2*d*x+1/2*c)^2 \\ & - 1)^{(3/2)} / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(9/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^5 + A \sec(dx+c)^4) \sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(9/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^5 + A*sec(d*x + c)^4)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(9/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{9}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(9/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(9/2)/(a*sec(d*x + c) + a)^3, x)

$$3.217 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=261

$$\frac{(3A-13B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(3A-13B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{6d(a^3\sec(c+dx)+a^3)} - \frac{(9A-49B)\sin(c+dx)}{10a^3d}$$

[Out] ((9*A - 49*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((3*A - 13*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((9*A - 49*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((3*A - 8*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A - 13*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.536257, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{(3A-13B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{6d(a^3\sec(c+dx)+a^3)} - \frac{(9A-49B)\sin(c+dx)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(3A-13B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] ((9*A - 49*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((3*A - 13*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((9*A - 49*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((3*A - 8*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) + ((3*A - 13*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b

```

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{1}{2}a(A-11B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A-8B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \int \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{(a+a\sec(c+dx))^2} dx \\
&= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A-8B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(3A-11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A-8B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(3A-11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(9A-49B)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} + \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A-11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(3A-13B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{6a^3d} - \frac{(9A-49B)\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} \\
&= \frac{(9A-49B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(3A-13B)\sqrt{\cos(c+dx)}}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 7.24829, size = 924, normalized size = 3.54

$$\frac{3\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\operatorname{csc}\left(\frac{c}{2}\right)\left(e^{2idx}\left(-1+e^{2ic}\right)\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{5d(B+A\cos(c+dx))(\sec(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3, x]

[Out] (-3*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(5*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) + (49*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos

$$\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(69*A-439*B)*\sin(1/2*d*x+1/2*c)^2)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^4 + A \sec(dx+c)^3)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3 a^3 \sec(dx+c)^2 + 3 a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(a*sec(d*x + c) + a)^3, x
)

$$3.218 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=220

$$\frac{(A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(A+9B)\sin(c+dx)\sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} + \frac{(A+9B)\sqrt{\cos(c+dx)}}{10a^3}$$

[Out] ((A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((A - 6*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((A + 9*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.48983, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4019, 3787, 3771, 2639, 2641}

$$-\frac{(A+9B)\sin(c+dx)\sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d} + \frac{(A+9B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] ((A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) + ((A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) + ((A - 6*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((A + 9*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(

$d \cdot \text{Csc}[e + f \cdot x]^{(n-1)} \cdot \text{Simp}[A \cdot (a \cdot d \cdot (n-1)) - B \cdot (b \cdot d \cdot (n-1)) - d \cdot (a \cdot B \cdot (m - n + 1) + A \cdot b \cdot (m + n)) \cdot \text{Csc}[e + f \cdot x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_{.}) + (f_{.}) \cdot (x_{.})] \cdot (d_{.}))^{(n_{.})} \cdot (\text{csc}[(e_{.}) + (f_{.}) \cdot (x_{.})] \cdot (b_{.}) + (a_{.}))], x_{\text{Symbol}}] \text{ :> } \text{Dist}[a, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$\text{Int}[(\text{csc}[(c_{.}) + (d_{.}) \cdot (x_{.})] \cdot (b_{.}))^{(n_{.})}], x_{\text{Symbol}}] \text{ :> } \text{Dist}[(b \cdot \text{Csc}[c + d \cdot x])^n \cdot \text{Sin}[c + d \cdot x]^n, \text{Int}[1/\text{Sin}[c + d \cdot x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_{.}) + (d_{.}) \cdot (x_{.})]], x_{\text{Symbol}}] \text{ :> } \text{Simp}[(2 \cdot \text{EllipticE}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_{.}) + (d_{.}) \cdot (x_{.})]], x_{\text{Symbol}}] \text{ :> } \text{Simp}[(2 \cdot \text{EllipticF}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(A-B)+\frac{1}{2}a(A+9B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-6B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{\int \frac{\sqrt{\sec(c+dx)}}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-6B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(A+9B)\sqrt{\cos(c+dx)}}{10a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-6B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(A+9B)\sqrt{\cos(c+dx)}}{10a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-6B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(A+9B)\sqrt{\cos(c+dx)}}{10a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(A-6B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{(A+9B)\sqrt{\cos(c+dx)}}{10a^2} \\
&= \frac{(A+9B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(A+3B)\sqrt{\cos(c+dx)}}{10a^2}
\end{aligned}$$

Mathematica [C] time = 6.88495, size = 919, normalized size = 4.18

$$\frac{\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(B+A\cos(c+dx))(\sec(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3, x]

[Out] -(Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(15*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) - (3*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(5*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3)

$$\begin{aligned}
& d*x])*(a + a*\text{Sec}[c + d*x])^3) + (2*A*\text{Cos}[c/2 + (d*x)/2]^6*\text{Sqrt}[\text{Cos}[c + d*x]] \\
&]*\text{Csc}[c/2]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]^{(5/2)}*(A + B*\text{Sec} \\
& [c + d*x])*\text{Sin}[c])/(3*d*(B + A*\text{Cos}[c + d*x])*(a + a*\text{Sec}[c + d*x])^3) + (2* \\
& B*\text{Cos}[c/2 + (d*x)/2]^6*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c/2]*\text{EllipticF}[(c + d*x)/2, 2] \\
&]*\text{Sec}[c/2]*\text{Sec}[c + d*x]^{(5/2)}*(A + B*\text{Sec}[c + d*x])*\text{Sin}[c])/(d*(B + A*\text{Cos}[c \\
& + d*x])*(a + a*\text{Sec}[c + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6*\text{Sec}[c + d*x]^{(5/2)}* \\
& (A + B*\text{Sec}[c + d*x]))*(-2*(A + 9*B)*\text{Cos}[d*x]*\text{Csc}[c/2]*\text{Sec}[c/2])/(5*d) + (2* \\
& \text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^5*(-(A*\text{Sin}[(d*x)/2]) + B*\text{Sin}[(d*x)/2]))/(5*d) + \\
& (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d*x)/2] + 3*B*\text{Sin}[(d*x)/2]))/(3*d) \\
& + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(2*A*\text{Sin}[(d*x)/2] + 3*B*\text{Sin}[(d*x)/2]))/(\\
& 15*d) + (4*(A + 3*B)*\text{Tan}[c/2])/(3*d) + (4*(2*A + 3*B)*\text{Sec}[c/2 + (d*x)/2]^2* \\
& \text{Tan}[c/2])/(15*d) + (2*(-A + B)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5*d)))/((B + \\
& A*\text{Cos}[c + d*x])*(a + a*\text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [A] time = 2.099, size = 451, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{(5/2)}*(A+B*\sec(dx+c)))/(a+a*\sec(dx+c))^3, x$

[Out] $\frac{1}{60}*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^8-10*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+6*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+108*B*\cos(1/2*d*x+1/2*c)^8-30*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+54*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-22*A*\cos(1/2*d*x+1/2*c)^6-138*B*\cos(1/2*d*x+1/2*c)^6+6*A*\cos(1/2*d*x+1/2*c)^4+24*B*\cos(1/2*d*x+1/2*c)^4+7*A*\cos(1/2*d*x+1/2*c)^2+3*B*\cos(1/2*d*x+1/2*c)^2-3*A+3*B)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^3 + A \sec(dx+c)^2)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^{\frac{5}{2}}}{(a \sec(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^3, x)
```

$$3.219 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=216

$$\frac{(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} - \frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3d}$$

```
[Out] -((A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/
(10*a^3*d) + ((A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec
[c + d*x]])/(6*a^3*d) + ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a +
a*Sec[c + d*x])^3) - ((A + 4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(
a + a*Sec[c + d*x])^2) + ((A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^
3 + a^3*Sec[c + d*x]))
```

Rubi [A] time = 0.483609, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d} - \frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] -((A - B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/
(10*a^3*d) + ((A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec
[c + d*x]])/(6*a^3*d) + ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a +
a*Sec[c + d*x])^3) - ((A + 4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(
a + a*Sec[c + d*x])^2) + ((A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^
3 + a^3*Sec[c + d*x]))
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
```


$d \cdot \text{Csc}[e + f \cdot x]^{(n-1)} \cdot \text{Simp}[A \cdot (a \cdot d \cdot (n-1)) - B \cdot (b \cdot d \cdot (n-1)) - d \cdot (a \cdot B \cdot (m - n + 1) + A \cdot b \cdot (m + n)) \cdot \text{Csc}[e + f \cdot x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4020

$\text{Int}[(\text{csc}[(e_{.}) + (f_{.}) \cdot (x_{.})] \cdot (d_{.}))^{(n_{.})} \cdot (\text{csc}[(e_{.}) + (f_{.}) \cdot (x_{.})] \cdot (b_{.}) + (a_{.}))^{(m_{.})} \cdot (\text{csc}[(e_{.}) + (f_{.}) \cdot (x_{.})] \cdot (B_{.}) + (A_{.}))], x_Symbol] :> -\text{Simp}[(A \cdot b - a \cdot B) \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m \cdot (d \cdot \text{Csc}[e + f \cdot x])^n / (b \cdot f \cdot (2 \cdot m + 1)), x] - \text{Dist}[1 / (a^2 \cdot (2 \cdot m + 1)), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{(m+1)} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n \cdot \text{Simp}[b \cdot B \cdot n - a \cdot A \cdot (2 \cdot m + n + 1) + (A \cdot b - a \cdot B) \cdot (m + n + 1) \cdot \text{Csc}[e + f \cdot x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_{.}) + (f_{.}) \cdot (x_{.})] \cdot (d_{.}))^{(n_{.})} \cdot (\text{csc}[(e_{.}) + (f_{.}) \cdot (x_{.})] \cdot (b_{.}) + (a_{.}))], x_Symbol] :> \text{Dist}[a, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d \cdot \text{Csc}[e + f \cdot x])^{(n+1)}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$\text{Int}[(\text{csc}[(c_{.}) + (d_{.}) \cdot (x_{.})] \cdot (b_{.}))^{(n_{.})}], x_Symbol] :> \text{Dist}[(b \cdot \text{Csc}[c + d \cdot x])^n \cdot \text{Sin}[c + d \cdot x]^n, \text{Int}[1 / \text{Sin}[c + d \cdot x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_{.}) + (d_{.}) \cdot (x_{.})]], x_Symbol] :> \text{Simp}[(2 \cdot \text{EllipticE}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2]) / d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1 / \text{Sqrt}[\text{sin}[(c_{.}) + (d_{.}) \cdot (x_{.})]], x_Symbol] :> \text{Simp}[(2 \cdot \text{EllipticF}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2]) / d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(A-B)+\frac{1}{2}a(3A+7B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A+4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{\int \frac{\frac{1}{2}a^2(c+dx)}{\sqrt{\sec(c+dx)}} dx}{5a^2} \\
&= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A+4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(A+B)\cos(c+dx)}{6a} \\
&= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A+4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(A+B)\cos(c+dx)}{6a} \\
&= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A+4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(A+B)\cos(c+dx)}{6a} \\
&= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{(A+4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(A+B)\cos(c+dx)}{6a} \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(A+B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a}
\end{aligned}$$

Mathematica [C] time = 6.86815, size = 918, normalized size = 4.25

$$\frac{\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}\left(-1+e^{2ic}\right)\text{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{15d(B+A\cos(c+dx))(\sec(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3, x]

[Out] (Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(15*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) - (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(15*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) + (2*A*Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]

$$\begin{aligned} & *Csc[c/2]*EllipticF[(c+d*x)/2, 2]*Sec[c/2]*Sec[c+d*x]^{(5/2)}*(A+B*Sec[\\ & c+d*x])*Sin[c]/(3*d*(B+A*Cos[c+d*x])*(a+a*Sec[c+d*x])^3) + (2*B* \\ & Cos[c/2+(d*x)/2]^6*sqrt[Cos[c+d*x]]*Csc[c/2]*EllipticF[(c+d*x)/2, 2]* \\ & Sec[c/2]*Sec[c+d*x]^{(5/2)}*(A+B*Sec[c+d*x])*Sin[c]/(3*d*(B+A*Cos[c \\ & +d*x])*(a+a*Sec[c+d*x])^3) + (Cos[c/2+(d*x)/2]^6*Sec[c+d*x]^{(5/2)}* \\ & (A+B*Sec[c+d*x])*((-2*(-A+B)*Cos[d*x]*Csc[c/2]*Sec[c/2])/(5*d) - (2*S \\ & ec[c/2]*Sec[c/2+(d*x)/2]^5*(-(A*Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/(5*d) + \\ & (4*Sec[c/2]*Sec[c/2+(d*x)/2]*(A*Sin[(d*x)/2] + B*Sin[(d*x)/2]))/(3*d) + (\\ & 4*Sec[c/2]*Sec[c/2+(d*x)/2]^3*(-7*A*Sin[(d*x)/2] + 2*B*Sin[(d*x)/2]))/(15 \\ & *d) + (4*(A+B)*Tan[c/2])/(3*d) + (4*(-7*A+2*B)*Sec[c/2+(d*x)/2]^2*Tan \\ & [c/2])/(15*d) - (2*(-A+B)*Sec[c/2+(d*x)/2]^4*Tan[c/2])/(5*d))/((B+A* \\ & Cos[c+d*x])*(a+a*Sec[c+d*x])^3) \end{aligned}$$

Maple [A] time = 2.077, size = 451, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^3, x)$

[Out]
$$\begin{aligned} & -1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2 \\ & *d*x+1/2*c)^8+10*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos \\ & (1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+6*A*\cos(1 \\ & /2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\ & /2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*B*\cos(1/2*d*x+1/2*c)^8+10*B*\cos \\ & (1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1) \\ & ^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-6*B*\cos(1/2*d*x+1/2*c)^5*(\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(\cos(1/2 \\ & *d*x+1/2*c), 2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)^6+22*B*\cos(1/2*d*x+1/2*c)^6-24* \\ & A*\cos(1/2*d*x+1/2*c)^4-6*B*\cos(1/2*d*x+1/2*c)^4+17*A*\cos(1/2*d*x+1/2*c)^2-7 \\ & *B*\cos(1/2*d*x+1/2*c)^2-3*A+3*B)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c \\ &)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^2 + A \sec(dx+c))\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + 3a^3 \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^{\frac{3}{2}}}{(a \sec(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^3, x)
```

$$3.220 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=222

$$\frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(3A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} - \frac{(9A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3d}$$

```
[Out] -((9*A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(10*a^3*d) + ((3*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(6*a^3*d) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*
(a + a*Sec[c + d*x])^3) + ((3*A + 2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15
*a*d*(a + a*Sec[c + d*x])^2) + ((3*A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/
(6*d*(a^3 + a^3*Sec[c + d*x]))
```

Rubi [A] time = 0.489448, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(3A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d} - \frac{(9A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] -((9*A + B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]
)/(10*a^3*d) + ((3*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt
[Sec[c + d*x]])/(6*a^3*d) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*
(a + a*Sec[c + d*x])^3) + ((3*A + 2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15
*a*d*(a + a*Sec[c + d*x])^2) + ((3*A + B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/
(6*d*(a^3 + a^3*Sec[c + d*x]))
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
```

$-n + 1) + A*b*(m + n)*\text{Csc}[e + f*x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$ FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{\int \frac{-\frac{1}{2}a(A-B)+\frac{5}{2}a(A+B)\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{\int \frac{-\frac{1}{2}a(A-B)+\frac{5}{2}a(A+B)\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d(a+a\sec(c+dx))^3} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} + \frac{(3A+2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{(9A+B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} + \frac{(3A+B)\sqrt{\cos(c+dx)}}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 6.96037, size = 919, normalized size = 4.14

$$\frac{3\sqrt{2}Ae^{-idx}\sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}\sqrt{1+e^{2i(c+dx)}}\csc\left(\frac{c}{2}\right)\left(e^{2idx}(-1+e^{2ic})\operatorname{Hypergeometric2F1}\left(\frac{1}{2},\frac{3}{4},\frac{7}{4},-e^{2i(c+dx)}\right)-3\sqrt{1+e^{2i(c+dx)}}\right)}{5d(B+A\cos(c+dx))(\sec(c+dx)a+a)^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3, x]

[Out] (3*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(5*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) + (Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(15*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) + (2*A*Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]


```

]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec[c/2]*Sec[c + d*x]^(5/2)*(A + B*Sec
[c + d*x])*Sin[c])/(d*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) + (2*B*C
os[c/2 + (d*x)/2]^6*sqrt[Cos[c + d*x]]*Csc[c/2]*EllipticF[(c + d*x)/2, 2]*S
ec[c/2]*Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x])*Sin[c])/(3*d*(B + A*Cos[c +
d*x])*(a + a*Sec[c + d*x])^3) + (Cos[c/2 + (d*x)/2]^6*Sec[c + d*x]^(5/2)*(
A + B*Sec[c + d*x])*((2*(9*A + B)*Cos[d*x]*Csc[c/2]*Sec[c/2])/(5*d) + (4*Se
c[c/2]*Sec[c/2 + (d*x)/2]*(-9*A*Sin[(d*x)/2] + B*Sin[(d*x)/2]))/(3*d) + (2*
Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(-(A*Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/(5*d) -
(4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(-12*A*Sin[(d*x)/2] + 7*B*Sin[(d*x)/2]))/
(15*d) + (4*(-9*A + B)*Tan[c/2])/(3*d) - (4*(-12*A + 7*B)*Sec[c/2 + (d*x)/2
]^2*Tan[c/2])/(15*d) + (2*(-A + B)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(
(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3)

```

Maple [A] time = 1.961, size = 451, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x)

```

[Out] -1/60/a^3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(108*A*co
s(1/2*d*x+1/2*c)^8+30*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(
-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+54*A
*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^
2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+12*B*cos(1/2*d*x+1/2*c)^8+1
0*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c
)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+6*B*cos(1/2*d*x+1/2*c)^5
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(c
os(1/2*d*x+1/2*c),2^(1/2))-198*A*cos(1/2*d*x+1/2*c)^6-2*B*cos(1/2*d*x+1/2*c
)^6+114*A*cos(1/2*d*x+1/2*c)^4-24*B*cos(1/2*d*x+1/2*c)^4-27*A*cos(1/2*d*x+1
/2*c)^2+17*B*cos(1/2*d*x+1/2*c)^2+3*A-3*B)/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x
+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^3 \sec(dx + c)^3 + 3a^3 \sec(dx + c)^2 + 3a^3 \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^
3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^3, x  
)
```

$$3.221 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=228

$$\frac{(13A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(13A-3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3\sec(c+dx)+a^3)} + \frac{(49A-9B)\sqrt{\cos(c+dx)}}{6a^3d}$$

[Out] ((49*A - 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((13*A - 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((8*A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((13*A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.498514, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4020, 3787, 3771, 2639, 2641}

$$\frac{(13A-3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3\sec(c+dx)+a^3)} - \frac{(13A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(49A-9B)\sqrt{\cos(c+dx)}}{6a^3d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] ((49*A - 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((13*A - 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - ((8*A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - ((13*A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x]]], x]

$f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0]$
 $] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ \text{!GtQ}[n, 0]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \text{:>} \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{P}i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{P}i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} dx &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(11A - B) - \frac{5}{2}a(A - B)\sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\int \frac{1}{2}a(11A - B) - \frac{5}{2}a(A - B)\sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{\int \frac{1}{2}a(11A - B) - \frac{5}{2}a(A - B)\sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{\int \frac{1}{2}a(11A - B) - \frac{5}{2}a(A - B)\sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{\int \frac{1}{2}a(11A - B) - \frac{5}{2}a(A - B)\sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= \frac{(49A - 9B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{10a^3d} - \frac{(13A - 3B)\sqrt{\cos(c + dx)}}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 6.5179, size = 364, normalized size = 1.6

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) (\cos(dx) + i \sin(dx)) (A + B \sec(c + dx)) \left(i(49A - 9B) e^{-\frac{3}{2}i(c + dx)} \sqrt{1 + e^{2i(c + dx)}} (1 + e^{i(c + dx)}) \right)}{10a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] -(Cos[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x])*(Cos[d*x] + I*Sin[d*x]))*(160*(13*A - 3*B)*Cos[(c + d*x)/2]^5*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (I*(49*A - 9*B)*(1 + E^(I*(c + d*x)))^5*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(((3*I)/2)*(c + d*x)) + 2*Cos[c + d*x]*((-30*I)*(49*A - 9*B)*Cos[(c + d*x)/2] - (15*I)*(49*A - 9*B)*Cos[(3*(c + d*x))/2] - (147*I)*A*Cos[(5*(c + d*x))/2] + (27*I)*B*Cos[(5*(c + d*x))/2] + 142*A*Sin[(c + d*x)/2] - 42*B*Sin[(c + d*x)/2] + 205*A*Sin[(3*(c + d*x))/2] - 45*B*Sin[(3*(c + d*x))/2] + 87*A*Sin[(5*(c + d*x))/2] - 27*B*Sin[(5*(c + d*x))/2]))/(120*a^3*d*E^(I*d*x)*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x])^3)

Maple [A] time = 1.895, size = 451, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c))/(a+a*\sec(dx+c))^3/\sec(dx+c)^{(1/2)}, x)$

[Out] $\frac{1}{60}a^{-3}((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(348*A*\cos(1/2*d*x+1/2*c)^8+130*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+294*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-108*B*\cos(1/2*d*x+1/2*c)^8-30*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-54*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-578*A*\cos(1/2*d*x+1/2*c)^6+198*B*\cos(1/2*d*x+1/2*c)^6+264*A*\cos(1/2*d*x+1/2*c)^4-114*B*\cos(1/2*d*x+1/2*c)^4-37*A*\cos(1/2*d*x+1/2*c)^2+27*B*\cos(1/2*d*x+1/2*c)^2+3*A-3*B)/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(dx+c))/(a+a*\sec(dx+c))^3/\sec(dx+c)^{(1/2)}, x, \text{algorithm} = "maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c) + A)\sqrt{\sec(dx+c)}}{a^3 \sec(dx+c)^4 + 3a^3 \sec(dx+c)^3 + 3a^3 \sec(dx+c)^2 + a^3 \sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^4 + 3*a^
3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + a^3*sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*sqrt(sec(d*x + c))),
x)
```


$$3.222 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=261

$$\frac{(33A - 13B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(33A - 13B) \sin(c+dx)}{6a^3d\sqrt{\sec(c+dx)}} - \frac{7(17A - 7B) \sin(c+dx)}{30d\sqrt{\sec(c+dx)}(a^3 \sec(c+dx) + a^3)}$$

[Out] $(-7*(17*A - 7*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) + ((33*A - 13*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(6*a^3*d) + ((33*A - 13*B)*\text{Sin}[c + d*x])/(6*a^3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - ((A - B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^3) - ((2*A - B)*\text{Sin}[c + d*x])/(3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^2) - (7*(17*A - 7*B)*\text{Sin}[c + d*x])/(30*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rubi [A] time = 0.553005, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{(33A - 13B) \sin(c+dx)}{6a^3d\sqrt{\sec(c+dx)}} - \frac{7(17A - 7B) \sin(c+dx)}{30d\sqrt{\sec(c+dx)}(a^3 \sec(c+dx) + a^3)} + \frac{(33A - 13B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x])]/(\text{Sec}[c + d*x]^{(3/2)}*(a + a*\text{Sec}[c + d*x])^3), x]$

[Out] $(-7*(17*A - 7*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) + ((33*A - 13*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(6*a^3*d) + ((33*A - 13*B)*\text{Sin}[c + d*x])/(6*a^3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - ((A - B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^3) - ((2*A - B)*\text{Sin}[c + d*x])/(3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^2) - (7*(17*A - 7*B)*\text{Sin}[c + d*x])/(30*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(a^3 + a^3*\text{Sec}[c + d*x]))$

Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)])*(d_.)^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))), x_Symbol] :> -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m +$

```
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*
b*Csc[c + d*x])^(n + 1)/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(13A-3B) - \frac{7}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
&= \frac{(33A - 13B) \sin(c + dx)}{6a^3d\sqrt{\sec(c + dx)}} - \frac{(A - B) \sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} \\
&= -\frac{7(17A - 7B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{10a^3d} + \frac{(33A - 13B) \sin(c + dx)}{6a^3d\sqrt{\sec(c + dx)}} \\
&= -\frac{7(17A - 7B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{10a^3d} + \frac{(33A - 13B)\sqrt{\cos(c + dx)}}{6a^3d\sqrt{\sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.89894, size = 377, normalized size = 1.44

$$e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) (\cos(dx) + i \sin(dx)) (A + B \sec(c + dx)) \left(7i(17A - 7B)e^{-\frac{3}{2}i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} (1 + e^{i(c+dx)})\right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x])*(Cos[d*x] + I*Sin[d*x])*(160*(33*A - 13*B)*Cos[(c + d*x)/2]^5*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + ((7*I)*(17*A - 7*B)*(1 + E^(I*(c + d*x)))^5*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(((3*I)/2)*(c + d*x)) + 2*Cos[c + d*x]*((-210*I)*(17*A - 7*B)*Cos[(c + d*x)/2] - (105*I)*(17*A - 7*B)*Cos[(3*(c + d*x))/2] - (357*I)*A*Cos[(5*(c + d*x))

$$\begin{aligned} &)/2] + (147*I)*B*\text{Cos}[(5*(c + d*x))/2] + 352*A*\text{Sin}[(c + d*x)/2] - 142*B*\text{Sin}[(c + d*x)/2] \\ & + 545*A*\text{Sin}[(3*(c + d*x))/2] - 205*B*\text{Sin}[(3*(c + d*x))/2] + 227*A*\text{Sin}[(5*(c + d*x))/2] \\ & - 87*B*\text{Sin}[(5*(c + d*x))/2] + 10*A*\text{Sin}[(7*(c + d*x))/2]))/(120*a^3*d*E^{I*d*x}*(B + A*\text{Cos}[c + d*x])*(1 + \text{Sec}[c + d*x])^3) \end{aligned}$$

Maple [A] time = 2.198, size = 465, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x)`

[Out]
$$\begin{aligned} & -1/60/a^3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(160*A*\cos(1/2*d*x+1/2*c)^{10} \\ & +468*A*\cos(1/2*d*x+1/2*c)^8+330*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+714*A*\cos(1/2*d*x+1/2*c)^5 \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ &)-348*B*\cos(1/2*d*x+1/2*c)^8-130*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-294*B*\cos(1/2*d*x+1/2*c)^5 \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ &)-1058*A*\cos(1/2*d*x+1/2*c)^6+578*B*\cos(1/2*d*x+1/2*c)^6+474*A*\cos(1/2*d*x+1/2*c)^4-264*B*\cos(1/2*d*x+1/2*c)^4 \\ & -47*A*\cos(1/2*d*x+1/2*c)^2+37*B*\cos(1/2*d*x+1/2*c)^2+3*A-3*B)/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & /(\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^3 \sec(dx + c)^5 + 3 a^3 \sec(dx + c)^4 + 3 a^3 \sec(dx + c)^3 + a^3 \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^5 + 3*a^3*sec(d*x + c)^4 + 3*a^3*sec(d*x + c)^3 + a^3*sec(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2)), x)

$$3.223 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=294

$$\frac{(21A - 11B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{2a^3d} - \frac{3(21A - 11B) \sin(c + dx)}{10d \sec^{\frac{3}{2}}(c + dx) (a^3 \sec(c + dx) + a^3)} + \frac{7(33A - 17B)}{30a^3d \sec(c + dx)}$$

[Out] (7*(33*A - 17*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((21*A - 11*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(2*a^3*d) + (7*(33*A - 17*B)*Sin[c + d*x])/(30*a^3*d*Sec[c + d*x]^(3/2)) - ((21*A - 11*B)*Sin[c + d*x])/(2*a^3*d*Sqrt[Sec[c + d*x]]) - ((A - B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3) - ((12*A - 7*B)*Sin[c + d*x])/(15*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2) - (3*(21*A - 11*B)*Sin[c + d*x])/(10*d*Sec[c + d*x]^(3/2)*(a^3 + a^3*Sec[c + d*x]))

Rubi [A] time = 0.570189, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4020, 3787, 3769, 3771, 2639, 2641}

$$-\frac{3(21A - 11B) \sin(c + dx)}{10d \sec^{\frac{3}{2}}(c + dx) (a^3 \sec(c + dx) + a^3)} + \frac{7(33A - 17B) \sin(c + dx)}{30a^3d \sec^{\frac{3}{2}}(c + dx)} - \frac{(21A - 11B) \sin(c + dx)}{2a^3d \sqrt{\sec(c + dx)}} - \frac{(21A - 11B)\sqrt{\cos(c + dx)}}{30a^3d \sec(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

[Out] (7*(33*A - 17*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((21*A - 11*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(2*a^3*d) + (7*(33*A - 17*B)*Sin[c + d*x])/(30*a^3*d*Sec[c + d*x]^(3/2)) - ((21*A - 11*B)*Sin[c + d*x])/(2*a^3*d*Sqrt[Sec[c + d*x]]) - ((A - B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3) - ((12*A - 7*B)*Sin[c + d*x])/(15*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2) - (3*(21*A - 11*B)*Sin[c + d*x])/(10*d*Sec[c + d*x]^(3/2)*(a^3 + a^3*Sec[c + d*x]))

Rule 4020

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3769

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= -\frac{(A - B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} + \frac{\int \frac{\frac{5}{2}a(3A-B) - \frac{9}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{(12A - 7B) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} + \dots \\
&= -\frac{(A - B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{(12A - 7B) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} + \dots \\
&= -\frac{(A - B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} - \frac{(12A - 7B) \sin(c + dx)}{15ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} + \dots \\
&= \frac{7(33A - 17B) \sin(c + dx)}{30a^3d \sec^{\frac{3}{2}}(c + dx)} - \frac{(21A - 11B) \sin(c + dx)}{2a^3d \sqrt{\sec(c + dx)}} - \frac{(A - B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} + \dots \\
&= \frac{7(33A - 17B) \sin(c + dx)}{30a^3d \sec^{\frac{3}{2}}(c + dx)} - \frac{(21A - 11B) \sin(c + dx)}{2a^3d \sqrt{\sec(c + dx)}} - \frac{(A - B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} + \dots \\
&= \frac{7(33A - 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(21A - 11B) \sqrt{\cos(c + dx)}}{10a^3d}
\end{aligned}$$

Mathematica [C] time = 7.36201, size = 1032, normalized size = 3.51

$$\frac{77\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \operatorname{csc}\left(\frac{c}{2}\right) \left(e^{2idx} (-1+e^{2ic}) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}}\right)}{5d(B+A \cos(c+dx))(\sec(c+dx)a+a)^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

[Out] (-77*sqrt[2]*A*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*(-3*sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4,

$$\begin{aligned}
& -E^{((2I)*(c + d*x))}] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^2 * (A + B * \text{Sec}[c + d*x]) / (5*d * E^{(I*d*x)} * (B + A * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3) + (119 * \text{Sqrt}[2] * B * \text{Sqrt}[E^{(I*(c + d*x))} / (1 + E^{((2I)*(c + d*x))})] * \text{Sqrt}[1 + E^{((2I)*(c + d*x))}] * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * (-3 * \text{Sqrt}[1 + E^{((2I)*(c + d*x))}] + E^{((2I)*d*x)} * (-1 + E^{((2I)*c)}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2I)*(c + d*x))}]) * \text{Sec}[c/2] * \text{Sec}[c + d*x]^2 * (A + B * \text{Sec}[c + d*x]) / (15*d * E^{(I*d*x)} * (B + A * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3) - (42 * A * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(5/2)} * (A + B * \text{Sec}[c + d*x]) * \text{Sin}[c]) / (d * (B + A * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3) + (22 * B * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/2] * \text{Sec}[c + d*x]^{(5/2)} * (A + B * \text{Sec}[c + d*x]) * \text{Sin}[c]) / (d * (B + A * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3) + (\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sec}[c + d*x]^{(5/2)} * (A + B * \text{Sec}[c + d*x]) * ((-329 * A + 178 * B - 133 * A * \text{Cos}[2*c] + 60 * B * \text{Cos}[2*c]) * \text{Cos}[d*x] * \text{Csc}[c/2] * \text{Sec}[c/2]) / (5*d) + (8 * (-3 * A + B) * \text{Cos}[2*d*x] * \text{Sin}[2*c]) / (3*d) + (4 * A * \text{Cos}[3*d*x] * \text{Sin}[3*c]) / (5*d) - (2 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (-A * \text{Sin}[(d*x)/2] + B * \text{Sin}[(d*x)/2])) / (5*d) + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (-27 * A * \text{Sin}[(d*x)/2] + 22 * B * \text{Sin}[(d*x)/2])) / (15*d) - (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (-69 * A * \text{Sin}[(d*x)/2] + 43 * B * \text{Sin}[(d*x)/2])) / (3*d) - (4 * (-133 * A + 60 * B) * \text{Cos}[c] * \text{Sin}[d*x]) / (5*d) + (8 * (-3 * A + B) * \text{Cos}[2*c] * \text{Sin}[2*d*x]) / (3*d) + (4 * A * \text{Cos}[3*c] * \text{Sin}[3*d*x]) / (5*d) - (4 * (-69 * A + 43 * B) * \text{Tan}[c/2]) / (3*d) + (4 * (-27 * A + 22 * B) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15*d) - (2 * (-A + B) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (5*d)) / ((B + A * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^3)
\end{aligned}$$

Maple [A] time = 2.108, size = 493, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c))/\text{sec}(d*x+c)^{(5/2)}/(a+a*\text{sec}(d*x+c))^3,x)$

[Out] $-1/60/a^3*((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(192*A*\text{cos}(1/2*d*x+1/2*c)^{12}-864*A*\text{cos}(1/2*d*x+1/2*c)^{10}+160*B*\text{cos}(1/2*d*x+1/2*c)^{10}-228*A*\text{cos}(1/2*d*x+1/2*c)^8-630*A*\text{cos}(1/2*d*x+1/2*c)^5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-1386*A*\text{cos}(1/2*d*x+1/2*c)^5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+468*B*\text{cos}(1/2*d*x+1/2*c)^8+330*B*\text{cos}(1/2*d*x+1/2*c)^5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+714*B*\text{cos}(1/2*d*x+1/2*c)^5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+1590*A*\text{cos}(1/2*d*x+1/2*c)^6-1058*B*\text{cos}(1/2*d*x+1/2*c)^6-744*A*\text{cos}(1/2*d*x+1/2*c)^4+474*B*\text{cos}(1/2*d*x+1/2*c)$

$$\frac{\cos^4\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 47B\cos^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 3A + 3B}{\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5} \frac{(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^{1/2}}{\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)} \frac{1}{(2\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1)^{1/2}} \frac{1}{d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{a^3 \sec(dx + c)^6 + 3a^3 \sec(dx + c)^5 + 3a^3 \sec(dx + c)^4 + a^3 \sec(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a^3*sec(d*x + c)^6 + 3*a^3*sec(d*x + c)^5 + 3*a^3*sec(d*x + c)^4 + a^3*sec(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*sec(d*x + c)^(5/2)), x)

$$3.224 \quad \int \sec^2(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$$

Optimal. Leaf size=176

$$\frac{a(6A+5B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{12d\sqrt{a \sec(c+dx)+a}} + \frac{a(6A+5B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{8d\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(6A+5B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{aB}{a}$$

[Out] (Sqrt[a]*(6*A + 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(6*A + 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(6*A + 5*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.288429, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4016, 3803, 3801, 215}

$$\frac{a(6A+5B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{12d\sqrt{a \sec(c+dx)+a}} + \frac{a(6A+5B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{8d\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(6A+5B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{8d} + \frac{aB}{a}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a]*(6*A + 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a*(6*A + 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a*(6*A + 5*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !

LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{aB \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{1}{6}(6A + 5B) \int \sec^{\frac{5}{2}}(c + dx) dx \\
 &= \frac{a(6A + 5B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} + \frac{aB \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a(6A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{a(6A + 5B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a(6A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}} + \frac{a(6A + 5B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{\sqrt{a}(6A + 5B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{8d} + \frac{a(6A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d\sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.38198, size = 131, normalized size = 0.74

$$\frac{\sqrt{a(\sec(c+dx)+1)} \left(\tan\left(\frac{1}{2}(c+dx)\right) \sec^3(c+dx) (4(6A+5B)\cos(c+dx) + 3(6A+5B)\cos(2(c+dx)) + 18A + 31B) + \right)}{48d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(6*A + 5*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Sec[(c + d*x)/2] + (18*A + 31*B + 4*(6*A + 5*B)*Cos[c + d*x] + 3*(6*A + 5*B)*Cos[2*(c + d*x)])*Sec[c + d*x]^3*Tan[(c + d*x)/2]))/(48*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.355, size = 408, normalized size = 2.3

$$\frac{(\cos(dx+c))^2 - 1}{96d(\sin(dx+c))^2} \left(18A(\cos(dx+c))^3 \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1+\sin(dx+c))}\right) \sqrt{2} + \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2), x)

[Out] 1/96/d*(18*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)+18*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*2^(1/2)+15*B*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)+15*B*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*2^(1/2)+36*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+30*B*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+24*A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+20*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+16*B*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*(1/cos(d*x+c))^(5/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)^2-1)

Maxima [B] time = 2.73419, size = 4512, normalized size = 25.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/96*(6*(12*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(7/2*arctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(5/2*arctan2(sin(d*x + c), cos(d*x + c))) - 4*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))) - 12*(sqrt(2)*sin(4*d*x + 4*c) + 2*sqrt(2)*sin(2*d*x + 2*c))*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 3*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + 3*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 3*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + 3*(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - 12*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(7/2*arctan2(sin(d*x + c), cos(d*x + c))) - 4*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(5/2*arctan2(sin(d*x + c), cos(d*x + c))) + 4*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) + 12*(sqrt(2)*cos(4*d*x + 4*c) + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*A*sqrt(a)/(2*(2*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2 + 4*cos(2*d*x + 2*c) + 1) + (60*(sqrt(2)*sin(6*d*x + 6*c) + 3*sqrt(2)*sin(4*d*x + 4*c) + 3*sqrt(2)*sin(2*d*x + 2*c))*cos(11/2*arctan2(sin(d*x + c), cos(d*x
```

$$\begin{aligned}
& + c))) + 20*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 168*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 168*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 20*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 60*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) + 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - 60*(\sqrt{2}*\cos(6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(11/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 20*(\sqrt{2}*\cos(6*d*x + 6*c) + 3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 168*(
\end{aligned}$$

$$\begin{aligned} & \sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{7}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) + 168(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{5}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) + 20(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{3}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right) + 60(\sqrt{2} \cos(6dx + 6c) + 3\sqrt{2} \cos(4dx + 4c) + 3\sqrt{2} \cos(2dx + 2c) + \sqrt{2} \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right)\right)) * B \sqrt{a} / (2 * (3 \cos(4dx + 4c) + 3 \cos(2dx + 2c) + 1) \cos(6dx + 6c) + \cos(6dx + 6c)^2 + 6 * (3 \cos(2dx + 2c) + 1) \cos(4dx + 4c) + 9 \cos(4dx + 4c)^2 + 9 \cos(2dx + 2c)^2 + 6 * (\sin(4dx + 4c) + \sin(2dx + 2c)) \sin(6dx + 6c) + \sin(6dx + 6c)^2 + 9 \sin(4dx + 4c)^2 + 18 \sin(4dx + 4c) \sin(2dx + 2c) + 9 \sin(2dx + 2c)^2 + 6 \cos(2dx + 2c) + 1) / d \end{aligned}$$

Fricas [A] time = 0.760887, size = 1152, normalized size = 6.55

$$\left[\frac{3 \left((6A + 5B) \cos(dx + c)^3 + (6A + 5B) \cos(dx + c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - \frac{4(\cos(dx + c)^2 - 2 \cos(dx + c)) \sqrt{a} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{\sqrt{\cos(dx + c)}}}{\cos(dx + c)^3 + \cos(dx + c)^2} \right)}{96 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)*(A+B*sec(dx+c))*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/96*(3*((6*A + 5*B)*cos(dx + c)^3 + (6*A + 5*B)*cos(dx + c)^2)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4*(3*(6*A + 5*B)*cos(dx + c)^2 + 2*(6*A + 5*B)*cos(dx + c) + 8*B)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^3 + d*cos(dx + c)^2), 1/48*(3*((6*A + 5*B)*cos(dx + c)^3 + (6*A + 5*B)*cos(dx + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)) + 2*(3*(6*A + 5*B)*cos(dx + c)^2 + 2*(6*A + 5*B)*cos(dx + c) + 8*B)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^3 + d*cos(dx + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(5/2), x)

$$3.225 \quad \int \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=131

$$\frac{a(4A + 3B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(4A + 3B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aB \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{2d \sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[a]*(4*A + 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a*(4*A + 3*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.237136, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4016, 3803, 3801, 215}

$$\frac{a(4A + 3B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d \sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{a}(4A + 3B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aB \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{2d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a]*(4*A + 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a*(4*A + 3*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && ! LtQ[n, 0]

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b]]/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned} \int \sec^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx &= \frac{aB \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d \sqrt{a+a \sec(c+dx)}} + \frac{1}{4} (4A+3B) \int \sec^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} dx \\ &= \frac{a(4A+3B) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d \sqrt{a+a \sec(c+dx)}} + \frac{aB \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d \sqrt{a+a \sec(c+dx)}} \\ &= \frac{a(4A+3B) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d \sqrt{a+a \sec(c+dx)}} + \frac{aB \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2d \sqrt{a+a \sec(c+dx)}} \\ &= \frac{\sqrt{a}(4A+3B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{4d} + \frac{a(4A+3B) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d \sqrt{a+a \sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.488002, size = 106, normalized size = 0.81

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\sqrt{2}(4A+3B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c+dx)\right) \sec(c+dx) (4A+2B)}{8d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(4*A + 3*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(4*A + 3*B + 2*B*Sec[c + d*x])*Sin[(c + d*x)/2]))/(8*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.363, size = 344, normalized size = 2.6

$$-\frac{-1 + \cos(dx + c)}{8d(\sin(dx + c))^2} \left(4A(\cos(dx + c))^2 \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 + \sin(dx + c))}\right) \sqrt{2} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2), x)

[Out] -1/8/d*(-1+cos(d*x+c))*(4*A*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*2^(1/2)+4*A*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c))))*2^(1/2)+3*B*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*2^(1/2)+3*B*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c))))*2^(1/2)+8*A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+6*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+4*B*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(1/cos(d*x+c))^(3/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2

Maxima [B] time = 2.45047, size = 2601, normalized size = 19.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")

[Out] -1/16*(4*(4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))))*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*sin(2*d*x + 2*c) - (cos(2*d*x + 2*c))^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*

$$2(\sin(dx + c), \cos(dx + c)) - 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 12(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(7/2\arctan2(\sin(dx + c), \cos(dx + c))) - 4(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(5/2\arctan2(\sin(dx + c), \cos(dx + c))) + 4(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(3/2\arctan2(\sin(dx + c), \cos(dx + c))) + 12(\sqrt{2}\cos(4dx + 4c) + 2\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))))*B\sqrt{a}/(2*(2*\cos(2dx + 2c) + 1)*\cos(4dx + 4c) + \cos(4dx + 4c)^2 + 4*\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4*\sin(4dx + 4c)*\sin(2dx + 2c) + 4*\sin(2dx + 2c)^2 + 4*\cos(2dx + 2c) + 1))/d$$

Fricas [A] time = 0.755814, size = 1045, normalized size = 7.98

$$\frac{\left((4A + 3B)\cos(dx + c)^2 + (4A + 3B)\cos(dx + c) \right) \sqrt{a} \log \left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{16(d\cos(dx+c)^2 + d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(A+B*sec(dx+c))*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/16*(((4*A + 3*B)*cos(dx + c)^2 + (4*A + 3*B)*cos(dx + c))*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4*((4*A + 3*B)*cos(dx + c) + 2*B)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^2 + d*cos(dx + c)), 1/8*(((4*A + 3*B)*cos(dx + c)^2 + (4*A + 3*B)*cos(dx + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)) + 2*((4*A + 3*B)*cos(dx + c) + 2*B)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^2 + d*cos(dx + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)

$$3.226 \quad \int \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=78

$$\frac{\sqrt{a}(2A + B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{aB \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{d\sqrt{a \sec(c + dx) + a}}$$

[Out] (Sqrt[a]*(2*A + B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.16025, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {4016, 3801, 215}

$$\frac{\sqrt{a}(2A + B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{aB \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a]*(2*A + B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
```

x^2/a , x , x , $(b \cdot \cot[e + f \cdot x]) / \sqrt{a + b \cdot \csc[e + f \cdot x]}$, x /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned} \int \sqrt{\sec(c+dx)} \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx &= \frac{aB \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{d \sqrt{a+a \sec(c+dx)}} + \frac{1}{2}(2A+B) \int \sqrt{\sec(c+dx)} \sqrt{a+a \sec(c+dx)} dx \\ &= \frac{aB \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{d \sqrt{a+a \sec(c+dx)}} - \frac{(2A+B) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1+\frac{x^2}{a}}} dx, \frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{d} \\ &= \frac{\sqrt{a}(2A+B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right)}{d} + \frac{aB \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{d \sqrt{a+a \sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.262547, size = 89, normalized size = 1.14

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} \sqrt{a(\sec(c+dx)+1)} \left(\sqrt{2}(2A+B) \cos(c+dx) \tanh^{-1} \left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right) \right) \right) + 2B \sin\left(\frac{1}{2}(c+dx)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(2*A + B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*B*Sin[(c + d*x)/2]))/(2*d)

Maple [B] time = 0.328, size = 278, normalized size = 3.6

$$\frac{(\cos(dx+c))^2 - 1}{4d(\sin(dx+c))^2} \sqrt{(\cos(dx+c))^{-1}} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(2A \cos(dx+c) \sqrt{2} \arctan \left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x)`

[Out] $\frac{1}{4}d \cdot \left(\frac{1}{\cos(d*x+c)} \right)^{1/2} \cdot \left(\frac{a \cdot (\cos(d*x+c)+1)}{\cos(d*x+c)} \right)^{1/2} \cdot \left(2A \cos(d*x+c) \right)^{1/2} \cdot \arctan\left(\frac{1}{4} \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} \cdot (\cos(d*x+c)+1+\sin(d*x+c)) \right) + 2A \cos(d*x+c) \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} \cdot \arctan\left(\frac{1}{4} \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} \cdot (-\cos(d*x+c)-1+\sin(d*x+c)) \right) + B \cos(d*x+c) \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} \cdot \arctan\left(\frac{1}{4} \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} \cdot (\cos(d*x+c)+1+\sin(d*x+c)) \right) + B \cos(d*x+c) \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} \cdot \arctan\left(\frac{1}{4} \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} \cdot (-\cos(d*x+c)-1+\sin(d*x+c)) \right) + 2B \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} \cdot \sin(d*x+c) \cdot \left(\frac{1}{\cos(d*x+c)+1} \right)^{1/2} / \sin(d*x+c)^2 \cdot (\cos(d*x+c)^2 - 1)$

Maxima [B] time = 2.35899, size = 1222, normalized size = 15.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{4} \cdot \left(2A \sqrt{a} \cdot \left(\log(2 \cos(1/2 d x + 1/2 c)^2 + 2 \sin(1/2 d x + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 d x + 1/2 c) + 2 \sqrt{2} \sin(1/2 d x + 1/2 c) + 2) - \log(2 \cos(1/2 d x + 1/2 c)^2 + 2 \sin(1/2 d x + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 d x + 1/2 c) - 2 \sqrt{2} \sin(1/2 d x + 1/2 c) + 2) + \log(2 \cos(1/2 d x + 1/2 c)^2 + 2 \sin(1/2 d x + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 d x + 1/2 c) + 2 \sqrt{2} \sin(1/2 d x + 1/2 c) + 2) - \log(2 \cos(1/2 d x + 1/2 c)^2 + 2 \sin(1/2 d x + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 d x + 1/2 c) - 2 \sqrt{2} \sin(1/2 d x + 1/2 c) + 2) \right) - (4 \sqrt{2} \cos(3/2 \arctan^2(\sin(d*x+c), \cos(d*x+c))) \sin(2 d x + 2 c) - 4 \sqrt{2} \cos(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c))) \sin(2 d x + 2 c) - (\cos(2 d x + 2 c)^2 + \sin(2 d x + 2 c)^2 + 2 \cos(2 d x + 2 c) + 1) \cdot \log(2 \cos(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c)))^2 + 2 \sin(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c)))^2 + 2 \sqrt{2} \cos(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c))) + 2 \sqrt{2} \sin(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c))) + 2) + (\cos(2 d x + 2 c)^2 + \sin(2 d x + 2 c)^2 + 2 \cos(2 d x + 2 c) + 1) \cdot \log(2 \cos(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c)))^2 + 2 \sin(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c)))^2 + 2 \sqrt{2} \cos(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c))) + 2) - (\cos(2 d x + 2 c)^2 + \sin(2 d x + 2 c)^2 + 2 \cos(2 d x + 2 c) + 1) \cdot \log(2 \cos(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c)))^2 + 2 \sin(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c)))^2 - 2 \sqrt{2} \cos(1/2 \arctan^2(\sin(d*x+c), \cos(d*x+c))) + 2$

$$\frac{\sqrt{2} \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) + 2 + (\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1) \log\left(2\cos\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right)^2 + 2\sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right)^2 - 2\sqrt{2}\cos\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) - 2\sqrt{2}\sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) + 2\right) - 4(\sqrt{2}\cos(2dx+2c) + \sqrt{2})\sin\left(\frac{3}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) + 4(\sqrt{2}\cos(2dx+2c) + \sqrt{2})\sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right)}{\sqrt{a}(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1)} \frac{1}{d}$$

Fricas [B] time = 0.743637, size = 863, normalized size = 11.06

$$\frac{\left((2A+B)\cos(dx+c) + 2A+B \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c)) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a \right)}{4(d \cos(dx+c) + d)} + \frac{4B \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}}}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*sec(dx+c)^(1/2)*(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/4*(((2*A + B)*cos(dx + c) + 2*A + B)*sqrt(a)*log((a*cos(dx + c))^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4*B*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c) + d), 1/2*(((2*A + B)*cos(dx + c) + 2*A + B)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)) + 2*B*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```

$$3.227 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=76

$$\frac{2aA \sin(c+dx)\sqrt{\sec(c+dx)}}{d\sqrt{a \sec(c+dx)+a}} + \frac{2\sqrt{a}B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

[Out] (2*Sqrt[a]*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.157209, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {4015, 3801, 215}

$$\frac{2aA \sin(c+dx)\sqrt{\sec(c+dx)}}{d\sqrt{a \sec(c+dx)+a}} + \frac{2\sqrt{a}B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (2*Sqrt[a]*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :-> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} + B \int \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} - \frac{(2B) \text{Subst} \left[\int \frac{1}{\sqrt{1 + \frac{x^2}{a}}} dx, x, -\frac{a \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right]}{d} \\ &= \frac{2\sqrt{a}B \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.378419, size = 83, normalized size = 1.09

$$\frac{2a \left(A \sin(c + dx) \sqrt{-(\sec(c + dx) - 1) \sec(c + dx)} - B \tan(c + dx) \sin^{-1} \left(\sqrt{\sec(c + dx)} \right) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (2*a*(A*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*Sin[c + d*x] - B*ArcSin[Sqrt[Sec[c + d*x]]*Tan[c + d*x]))/(d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.286, size = 177, normalized size = 2.3

$$-\frac{1}{2d \sin(dx + c)} \left(B\sqrt{2} \arctan \left(\frac{\sqrt{2}(-\cos(dx + c) - 1 + \sin(dx + c))}{4} \sqrt{-2(\cos(dx + c) + 1)^{-1}} \right) \sqrt{-2(\cos(dx + c) + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x)`

[Out]
$$-1/2/d*(B*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-\cos(d*x+c)-1+\sin(d*x+c))))*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+B*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+4*A*\cos(d*x+c)-4*A*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)/(1/\cos(d*x+c))^{(1/2)}$$

Maxima [B] time = 2.06103, size = 354, normalized size = 4.66

$$4\sqrt{2}A\sqrt{a}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) + B\sqrt{a}\left(\log\left(2\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 2\sqrt{2}\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2\sqrt{2}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out]
$$\frac{1/2*(4*\sqrt{2}*A*\sqrt{a}*\sin(1/2*d*x + 1/2*c) + B*\sqrt{a}*(\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))}{d}$$

Fricas [B] time = 0.569846, size = 819, normalized size = 10.78

$$\frac{4A\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c) + (B\cos(dx+c) + B)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\cos(dx+c)}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{2(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*(4*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (B*cos(d*x + c) + B)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), (2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (B*cos(d*x + c) + B)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sec(c + dx) + 1)}(A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))/sqrt(sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{a \sec(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)
```

$$3.228 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx))}{3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=82

$$\frac{2a(A+3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{3d \sqrt{\sec(c+dx)}}$$

[Out] (2*a*(A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.158257, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {4013, 3804}

$$\frac{2a(A+3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \sec(c+dx)+a}} + \frac{2A \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{3d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2),x]

[Out] (2*a*(A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx = \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3}(A + 3B) \int \frac{\sqrt{a + a \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx$$

$$= \frac{2a(A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2A\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

Mathematica [A] time = 0.218533, size = 56, normalized size = 0.68

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)}(A \cos(c + dx) + 2A + 3B)}{3d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (2*(2*A + 3*B + A*Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x]])*Tan[(c + d*x)/2])/(3*d*Sqrt[Sec[c + d*x]])

Maple [A] time = 0.307, size = 75, normalized size = 0.9

$$\frac{(-2 + 2 \cos(dx + c))(A \cos(dx + c) + 2A + 3B)(\cos(dx + c))^2}{3d \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left((\cos(dx + c))^{-1}\right)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2), x)

[Out] -2/3/d*(-1+cos(d*x+c))*(A*cos(d*x+c)+2*A+3*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)

Maxima [A] time = 2.00967, size = 181, normalized size = 2.21

$$\sqrt{2} \left(3 \cos\left(\frac{2}{3} \arctan\left(\sin\left(\frac{3}{2} dx + \frac{3}{2} c\right), \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right)\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) - 3 \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right) \sin\left(\frac{2}{3} \arctan\left(\sin\left(\frac{3}{2} dx + \frac{3}{2} c\right), \cos\left(\frac{3}{2} dx + \frac{3}{2} c\right)\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] 1/6*(sqrt(2)*(3*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 3*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sin(3/2*d*x + 3/2*c) + 3*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*A*sqrt(a) + 12*sqrt(2)*B*sqrt(a)*sin(1/2*d*x + 1/2*c))/d
```

Fricas [A] time = 0.460212, size = 197, normalized size = 2.4

$$\frac{2 \left(A \cos(dx + c)^2 + (2A + 3B) \cos(dx + c) \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sin(dx + c)}{3(d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] 2/3*(A*cos(d*x + c)^2 + (2*A + 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sec(c + dx) + 1)}(A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(3/2),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))/sec(c + d*x)**(3/2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorith
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(3/2),
x)
```

$$3.229 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx))}{5 \sec^2(c+dx)} dx$$

Optimal. Leaf size=130

$$\frac{4a(4A+5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2a(4A+5B) \sin(c+dx)}{15d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}} + \frac{2aA \sin(c+dx)}{5d \sec^2(c+dx) \sqrt{a \sec(c+dx)+a}}$$

[Out] (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(4*A + 5*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a*(4*A + 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.222103, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {4015, 3805, 3804}

$$\frac{4a(4A+5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2a(4A+5B) \sin(c+dx)}{15d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}} + \frac{2aA \sin(c+dx)}{5d \sec^2(c+dx) \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(4*A + 5*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a*(4*A + 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cosot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{1}{5}(4A + 5B) \int \frac{\sqrt{a + a \sec(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} \\ &= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(4A + 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} \\ &= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(4A + 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.285668, size = 71, normalized size = 0.55

$$\frac{a \sin(c + dx) \sqrt{\sec(c + dx)} (2(4A + 5B) \cos(c + dx) + 3A \cos(2(c + dx)) + 19A + 20B)}{15d \sqrt{a} (\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]
```

```
[Out] (a*(19*A + 20*B + 2*(4*A + 5*B)*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [A] time = 0.314, size = 96, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) \left(3A (\cos(dx + c))^2 + 4A \cos(dx + c) + 5B \cos(dx + c) + 8A + 10B \right) (\cos(dx + c))^3}{15d \sin(dx + c)} \sqrt{\frac{a (\cos(dx + c))}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x)`

[Out]
$$-2/15/d*(-1+\cos(d*x+c))*(3*A*\cos(d*x+c)^2+4*A*\cos(d*x+c)+5*B*\cos(d*x+c)+8*A+10*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)*\cos(d*x+c)^3*(1/\cos(d*x+c))^(5/2)/\sin(d*x+c)$$

Maxima [B] time = 2.12817, size = 428, normalized size = 3.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out]
$$\frac{1}{60} * (\sqrt{2} * (30 * \cos(4/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) * \sin(5/2 * d * x + 5/2 * c) + 5 * \cos(2/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c)))) * \sin(5/2 * d * x + 5/2 * c) - 30 * \cos(5/2 * d * x + 5/2 * c) * \sin(4/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) - 5 * \cos(5/2 * d * x + 5/2 * c) * \sin(2/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) + 6 * \sin(5/2 * d * x + 5/2 * c) + 5 * \sin(3/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c))) + 30 * \sin(1/5 * \arctan2(\sin(5/2 * d * x + 5/2 * c), \cos(5/2 * d * x + 5/2 * c)))) * A * \sqrt{a} + 10 * \sqrt{2} * (3 * \cos(2/3 * \arctan2(\sin(3/2 * d * x + 3/2 * c), \cos(3/2 * d * x + 3/2 * c))) * \sin(3/2 * d * x + 3/2 * c) - 3 * \cos(3/2 * d * x + 3/2 * c) * \sin(2/3 * \arctan2(\sin(3/2 * d * x + 3/2 * c), \cos(3/2 * d * x + 3/2 * c))) + 2 * \sin(3/2 * d * x + 3/2 * c) + 3 * \sin(1/3 * \arctan2(\sin(3/2 * d * x + 3/2 * c), \cos(3/2 * d * x + 3/2 * c)))) * B * \sqrt{a}) / d$$

Fricas [A] time = 0.460691, size = 243, normalized size = 1.87

$$\frac{2 \left(3 A \cos(dx+c)^3 + (4A+5B) \cos(dx+c)^2 + 2(4A+5B) \cos(dx+c) \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{15(d \cos(dx+c) + d) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="fricas")`


```
[Out] 2/15*(3*A*cos(d*x + c)^3 + (4*A + 5*B)*cos(d*x + c)^2 + 2*(4*A + 5*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2)/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(5/2),x)
```

$$3.230 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=175

$$\frac{2a(6A+7B)\sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{16a(6A+7B)\sin(c+dx)\sqrt{\sec(c+dx)}}{105d\sqrt{a \sec(c+dx)+a}} + \frac{8a(6A+7B)\sin(c+dx)}{105d\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}} +$$

[Out] (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(6*A + 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(6*A + 7*B)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(6*A + 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.287717, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {4015, 3805, 3804}

$$\frac{2a(6A+7B)\sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{16a(6A+7B)\sin(c+dx)\sqrt{\sec(c+dx)}}{105d\sqrt{a \sec(c+dx)+a}} + \frac{8a(6A+7B)\sin(c+dx)}{105d\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}} +$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(6*A + 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(6*A + 7*B)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(6*A + 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cos[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{1}{7}(6A + 7B) \int \frac{\sqrt{a + a \sec(c + dx)}}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.311128, size = 91, normalized size = 0.52

$$\frac{2a \sin(c + dx) \left(8(6A + 7B) \sec^3(c + dx) + 4(6A + 7B) \sec^2(c + dx) + 3(6A + 7B) \sec(c + dx) + 15A \right)}{105d \sec^{\frac{5}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*a*(15*A + 3*(6*A + 7*B)*Sec[c + d*x] + 4*(6*A + 7*B)*Sec[c + d*x]^2 + 8*(6*A + 7*B)*Sec[c + d*x]^3)*Sin[c + d*x]/(105*d*Sec[c + d*x]^(5/2)*Sqrt[a*(1 + Sec[c + d*x]))]
```

Maple [A] time = 0.349, size = 118, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (15 A (\cos(dx + c))^3 + 18 A (\cos(dx + c))^2 + 21 B (\cos(dx + c))^2 + 24 A \cos(dx + c) + 28 B \cos(dx + c))}{105 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x)`

[Out] `-2/105/d*(-1+cos(d*x+c))*(15*A*cos(d*x+c)^3+18*A*cos(d*x+c)^2+21*B*cos(d*x+c)^2+24*A*cos(d*x+c)+28*B*cos(d*x+c)+48*A+56*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)`

Maxima [B] time = 2.15824, size = 672, normalized size = 3.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] `1/840*(3*sqrt(2)*(105*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 35*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 7*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 105*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 35*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 7*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 10*sin(7/2*d*x + 7/2*c) + 7*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 35*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 105*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) * A*sqrt(a) + 14*sqrt(2)*(30*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) + 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) - 30*cos(5/2*d*x + 5/2*c) * sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*cos(5/2*d*x + 5/2*c) * sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 6*sin(5/2*d*x + 5/2*c) + 5*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 30*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))`

+ 5/2*c))))*B*sqrt(a))/d

Fricas [A] time = 0.466919, size = 290, normalized size = 1.66

$$\frac{2 \left(15 A \cos(dx + c)^4 + 3(6A + 7B) \cos(dx + c)^3 + 4(6A + 7B) \cos(dx + c)^2 + 8(6A + 7B) \cos(dx + c) \right) \sqrt{\frac{a \cos(dx + c)}{\cos(dx + c)}}}{105 (d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] 2/105*(15*A*cos(d*x + c)^4 + 3*(6*A + 7*B)*cos(d*x + c)^3 + 4*(6*A + 7*B)*cos(d*x + c)^2 + 8*(6*A + 7*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sec(d*x + c)^(7/2),  
x)
```

$$3.231 \quad \int \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=227

$$\frac{a^2(8A + 9B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(88A + 75B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{96d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(88A + 75B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a \sec(c + dx) + a}}$$

[Out] (a^(3/2)*(88*A + 75*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(88*A + 75*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(88*A + 75*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(8*A + 9*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.547072, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4018, 4016, 3803, 3801, 215}

$$\frac{a^2(8A + 9B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(88A + 75B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{96d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(88A + 75B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (a^(3/2)*(88*A + 75*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^2*(88*A + 75*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(88*A + 75*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(8*A + 9*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n

```
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{\frac{3}{2}}(A+B\sec(c+dx))dx &= \frac{aB\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{4d} + \frac{1}{4}\int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{\frac{3}{2}}(A+B\sec(c+dx))dx \\
&= \frac{a^2(8A+9B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} + \frac{aB\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{4d} \\
&= \frac{a^2(88A+75B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(8A+9B)\sin(c+dx)}{24d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(88A+75B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(88A+75B)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(88A+75B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(88A+75B)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{\frac{3}{2}}(88A+75B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a^2(88A+75B)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.37033, size = 153, normalized size = 0.67

$$\frac{a\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(6\sqrt{2}(88A+75B)\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)+\sin\left(\frac{1}{2}(c+dx)\right)\sec^4(c+dx)\right)}{768d\sqrt{a+a\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(88*A + 75*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + (352*A + 492*B + (1048*A + 1155*B)*Cos[c + d*x] + 4*(88*A + 75*B)*Cos[2*(c + d*x)] + 264*A*Cos[3*(c + d*x)] + 225*B*Cos[3*(c + d*x)])*Sec[c + d*x]^4*Sin[(c + d*x)/2]))/(768*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.314, size = 479, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] 1/768/d*a*(264*A*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*
(cos(d*x+c)+1+sin(d*x+c)))^2^(1/2)+264*A*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-
2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))^2^(1/2)+225*B*cos(d*x+c
)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))
^2^(1/2)+225*B*cos(d*x+c)^4*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-
cos(d*x+c)-1+sin(d*x+c)))^2^(1/2)+528*A*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*
x+c)+1))^(1/2)+450*B*sin(d*x+c)*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+352*
A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+300*B*cos(d*x+c)^2*sin(
d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+128*A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c
)+1))^(1/2)+240*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+96*B*(-2/
(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(1/co
s(d*x+c))^(5/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2/cos(d*x+c)*(cos(d*x+
c)^2-1)
```

Maxima [B] time = 3.92637, size = 7937, normalized size = 34.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algor
ithm="maxima")
```

```
[Out] -1/768*(8*(132*(sqrt(2)*a*sin(6*d*x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) +
3*sqrt(2)*a*sin(2*d*x + 2*c))*cos(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) + 44*(sqrt(2)*a*sin(6*d*x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) +
3*sqrt(2)*a*sin(2*d*x + 2*c))*cos(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) + 216*(sqrt(2)*a*sin(6*d*x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) +
3*sqrt(2)*a*sin(2*d*x + 2*c))*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) - 216*(sqrt(2)*a*sin(6*d*x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) +
3*sqrt(2)*a*sin(2*d*x + 2*c))*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) - 44*(sqrt(2)*a*sin(6*d*x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) +
3*sqrt(2)*a*sin(2*d*x + 2*c))*cos(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c))) - 132*(sqrt(2)*a*sin(6*d*x + 6*c) + 3*sqrt(2)*a*sin(4*d*x + 4*c) +
3*sqrt(2)*a*sin(2*d*x + 2*c))*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c))) - 33*(a*cos(6*d*x + 6*c)^2 + 9*a*cos(4*d*x + 4*c)^2 + 9*a*cos(2*d*x
+ 2*c)^2 + a*sin(6*d*x + 6*c)^2 + 9*a*sin(4*d*x + 4*c)^2 + 18*a*sin(4*d*x
+ 4*c)*sin(2*d*x + 2*c) + 9*a*sin(2*d*x + 2*c)^2 + 2*(3*a*cos(4*d*x + 4*c)
```

$$\begin{aligned}
& + 3a \cos(2dx + 2c) + a) \cos(6dx + 6c) + 6(3a \cos(2dx + 2c) + a) \\
& \cos(4dx + 4c) + 6a \cos(2dx + 2c) + 6(a \sin(4dx + 4c) + a \sin(2dx + 2c)) \sin(6dx + 6c) + a) \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sqrt{2} \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2 \sqrt{2} \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2) + 33(a \cos(6dx + 6c)^2 + 9a \cos(4dx + 4c)^2 + 9a \cos(2dx + 2c)^2 + a \sin(6dx + 6c)^2 + 9a \sin(4dx + 4c)^2 + 18a \sin(4dx + 4c) \sin(2dx + 2c) + 9a \sin(2dx + 2c)^2 + 2(3a \cos(4dx + 4c) + 3a \cos(2dx + 2c) + a) \cos(6dx + 6c) + 6(3a \cos(2dx + 2c) + a) \cos(4dx + 4c) + 6a \cos(2dx + 2c) + 6(a \sin(4dx + 4c) + a \sin(2dx + 2c)) \sin(6dx + 6c) + a) \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sqrt{2} \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 2 \sqrt{2} \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2) - 33(a \cos(6dx + 6c)^2 + 9a \cos(4dx + 4c)^2 + 9a \cos(2dx + 2c)^2 + a \sin(6dx + 6c)^2 + 9a \sin(4dx + 4c)^2 + 18a \sin(4dx + 4c) \sin(2dx + 2c) + 9a \sin(2dx + 2c)^2 + 2(3a \cos(4dx + 4c) + 3a \cos(2dx + 2c) + a) \cos(6dx + 6c) + 6(3a \cos(2dx + 2c) + a) \cos(4dx + 4c) + 6a \cos(2dx + 2c) + 6(a \sin(4dx + 4c) + a \sin(2dx + 2c)) \sin(6dx + 6c) + a) \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2 \sqrt{2} \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2 \sqrt{2} \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2) + 33(a \cos(6dx + 6c)^2 + 9a \cos(4dx + 4c)^2 + 9a \cos(2dx + 2c)^2 + a \sin(6dx + 6c)^2 + 9a \sin(4dx + 4c)^2 + 18a \sin(4dx + 4c) \sin(2dx + 2c) + 9a \sin(2dx + 2c)^2 + 2(3a \cos(4dx + 4c) + 3a \cos(2dx + 2c) + a) \cos(6dx + 6c) + 6(3a \cos(2dx + 2c) + a) \cos(4dx + 4c) + 6a \cos(2dx + 2c) + 6(a \sin(4dx + 4c) + a \sin(2dx + 2c)) \sin(6dx + 6c) + a) \log(2 \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2 \sqrt{2} \cos(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2 \sqrt{2} \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2) - 132(\sqrt{2} a \cos(6dx + 6c) + 3 \sqrt{2} a \cos(4dx + 4c) + 3 \sqrt{2} a \cos(2dx + 2c) + \sqrt{2} a) \sin(11/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 44(\sqrt{2} a \cos(6dx + 6c) + 3 \sqrt{2} a \cos(4dx + 4c) + 3 \sqrt{2} a \cos(2dx + 2c) + \sqrt{2} a) \sin(9/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) - 216(\sqrt{2} a \cos(6dx + 6c) + 3 \sqrt{2} a \cos(4dx + 4c) + 3 \sqrt{2} a \cos(2dx + 2c) + \sqrt{2} a) \sin(7/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 216(\sqrt{2} a \cos(6dx + 6c) + 3 \sqrt{2} a \cos(4dx + 4c) + 3 \sqrt{2} a \cos(2dx + 2c) + \sqrt{2} a) \sin(5/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 44(\sqrt{2} a \cos(6dx + 6c) + 3 \sqrt{2} a \cos(4dx + 4c) + 3 \sqrt{2} a \cos(2dx + 2c) + \sqrt{2} a) \sin(3/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 132(\sqrt{2} a \cos(6dx + 6c) + 3 \sqrt{2} a \cos(4dx + 4c) + 3 \sqrt{2} a \cos(2dx + 2c) + \sqrt{2} a) \sin(1/4 \arctan 2(\sin(2dx + 2c), \cos(2dx + 2c)))
\end{aligned}$$

$$\begin{aligned}
&)) * A * \sqrt{a} / (2 * (3 * \cos(4 * d * x + 4 * c) + 3 * \cos(2 * d * x + 2 * c) + 1) * \cos(6 * d * x + \\
& 6 * c) + \cos(6 * d * x + 6 * c)^2 + 6 * (3 * \cos(2 * d * x + 2 * c) + 1) * \cos(4 * d * x + 4 * c) + 9 \\
& * \cos(4 * d * x + 4 * c)^2 + 9 * \cos(2 * d * x + 2 * c)^2 + 6 * (\sin(4 * d * x + 4 * c) + \sin(2 * d * \\
& x + 2 * c)) * \sin(6 * d * x + 6 * c) + \sin(6 * d * x + 6 * c)^2 + 9 * \sin(4 * d * x + 4 * c)^2 + 18 \\
& * \sin(4 * d * x + 4 * c) * \sin(2 * d * x + 2 * c) + 9 * \sin(2 * d * x + 2 * c)^2 + 6 * \cos(2 * d * x + 2 \\
& * c) + 1) + 3 * (300 * (\sqrt{2}) * a * \sin(8 * d * x + 8 * c) + 4 * \sqrt{2}) * a * \sin(6 * d * x + 6 * c \\
&) + 6 * \sqrt{2}) * a * \sin(4 * d * x + 4 * c) + 4 * \sqrt{2}) * a * \sin(2 * d * x + 2 * c)) * \cos(15/4 * a \\
& rctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + 100 * (\sqrt{2}) * a * \sin(8 * d * x + 8 * \\
& c) + 4 * \sqrt{2}) * a * \sin(6 * d * x + 6 * c) + 6 * \sqrt{2}) * a * \sin(4 * d * x + 4 * c) + 4 * \sqrt{2} \\
&) * a * \sin(2 * d * x + 2 * c)) * \cos(13/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) \\
& + 1140 * (\sqrt{2}) * a * \sin(8 * d * x + 8 * c) + 4 * \sqrt{2}) * a * \sin(6 * d * x + 6 * c) + 6 * \sqrt{2} \\
& (2) * a * \sin(4 * d * x + 4 * c) + 4 * \sqrt{2}) * a * \sin(2 * d * x + 2 * c)) * \cos(11/4 * \arctan2(\sin \\
& (2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 228 * (\sqrt{2}) * a * \sin(8 * d * x + 8 * c) + 4 * \sqrt{2} \\
& (2) * a * \sin(6 * d * x + 6 * c) + 6 * \sqrt{2}) * a * \sin(4 * d * x + 4 * c) + 4 * \sqrt{2}) * a * \sin(2 * \\
& d * x + 2 * c)) * \cos(9/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + 228 * (\sqrt{2} \\
& (2) * a * \sin(8 * d * x + 8 * c) + 4 * \sqrt{2}) * a * \sin(6 * d * x + 6 * c) + 6 * \sqrt{2}) * a * \sin(4 * \\
& d * x + 4 * c) + 4 * \sqrt{2}) * a * \sin(2 * d * x + 2 * c)) * \cos(7/4 * \arctan2(\sin(2 * d * x + 2 * c) \\
& , \cos(2 * d * x + 2 * c))) - 1140 * (\sqrt{2}) * a * \sin(8 * d * x + 8 * c) + 4 * \sqrt{2}) * a * \sin(6 \\
& * d * x + 6 * c) + 6 * \sqrt{2}) * a * \sin(4 * d * x + 4 * c) + 4 * \sqrt{2}) * a * \sin(2 * d * x + 2 * c)) * \\
& \cos(5/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 100 * (\sqrt{2}) * a * \sin(8 \\
& * d * x + 8 * c) + 4 * \sqrt{2}) * a * \sin(6 * d * x + 6 * c) + 6 * \sqrt{2}) * a * \sin(4 * d * x + 4 * c) + \\
& 4 * \sqrt{2}) * a * \sin(2 * d * x + 2 * c)) * \cos(3/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x \\
& + 2 * c))) - 300 * (\sqrt{2}) * a * \sin(8 * d * x + 8 * c) + 4 * \sqrt{2}) * a * \sin(6 * d * x + 6 * c) + \\
& 6 * \sqrt{2}) * a * \sin(4 * d * x + 4 * c) + 4 * \sqrt{2}) * a * \sin(2 * d * x + 2 * c)) * \cos(1/4 * \arctan \\
& 2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 75 * (a * \cos(8 * d * x + 8 * c)^2 + 16 * a * \cos \\
& (6 * d * x + 6 * c)^2 + 36 * a * \cos(4 * d * x + 4 * c)^2 + 16 * a * \cos(2 * d * x + 2 * c)^2 + a * \sin \\
& (8 * d * x + 8 * c)^2 + 16 * a * \sin(6 * d * x + 6 * c)^2 + 36 * a * \sin(4 * d * x + 4 * c)^2 + 48 * \\
& a * \sin(4 * d * x + 4 * c) * \sin(2 * d * x + 2 * c) + 16 * a * \sin(2 * d * x + 2 * c)^2 + 2 * (4 * a * \cos(\\
& 6 * d * x + 6 * c) + 6 * a * \cos(4 * d * x + 4 * c) + 4 * a * \cos(2 * d * x + 2 * c) + a) * \cos(8 * d * x + \\
& 8 * c) + 8 * (6 * a * \cos(4 * d * x + 4 * c) + 4 * a * \cos(2 * d * x + 2 * c) + a) * \cos(6 * d * x + 6 * c \\
&) + 12 * (4 * a * \cos(2 * d * x + 2 * c) + a) * \cos(4 * d * x + 4 * c) + 8 * a * \cos(2 * d * x + 2 * c) + \\
& 4 * (2 * a * \sin(6 * d * x + 6 * c) + 3 * a * \sin(4 * d * x + 4 * c) + 2 * a * \sin(2 * d * x + 2 * c)) * \sin \\
& (8 * d * x + 8 * c) + 16 * (3 * a * \sin(4 * d * x + 4 * c) + 2 * a * \sin(2 * d * x + 2 * c)) * \sin(6 * d * x \\
& + 6 * c) + a) * \log(2 * \cos(1/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))))^2 + \\
& 2 * \sin(1/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c)))^2 + 2 * \sqrt{2}) * \cos(1/ \\
& 4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + 2 * \sqrt{2}) * \sin(1/4 * \arctan2(\\
& \sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + 2) + 75 * (a * \cos(8 * d * x + 8 * c)^2 + 16 * a \\
& * \cos(6 * d * x + 6 * c)^2 + 36 * a * \cos(4 * d * x + 4 * c)^2 + 16 * a * \cos(2 * d * x + 2 * c)^2 + a \\
& * \sin(8 * d * x + 8 * c)^2 + 16 * a * \sin(6 * d * x + 6 * c)^2 + 36 * a * \sin(4 * d * x + 4 * c)^2 + 4 \\
& 8 * a * \sin(4 * d * x + 4 * c) * \sin(2 * d * x + 2 * c) + 16 * a * \sin(2 * d * x + 2 * c)^2 + 2 * (4 * a * \cos \\
& (6 * d * x + 6 * c) + 6 * a * \cos(4 * d * x + 4 * c) + 4 * a * \cos(2 * d * x + 2 * c) + a) * \cos(8 * d * x \\
& + 8 * c) + 8 * (6 * a * \cos(4 * d * x + 4 * c) + 4 * a * \cos(2 * d * x + 2 * c) + a) * \cos(6 * d * x + 6 \\
& * c) + 12 * (4 * a * \cos(2 * d * x + 2 * c) + a) * \cos(4 * d * x + 4 * c) + 8 * a * \cos(2 * d * x + 2 * c) \\
& + 4 * (2 * a * \sin(6 * d * x + 6 * c) + 3 * a * \sin(4 * d * x + 4 * c) + 2 * a * \sin(2 * d * x + 2 * c)) * \sin \\
& (8 * d * x + 8 * c) + 16 * (3 * a * \sin(4 * d * x + 4 * c) + 2 * a * \sin(2 * d * x + 2 * c)) * \sin(6 * d *
\end{aligned}$$

$$\begin{aligned}
& x + 6c) + a) \cdot \log(2 \cdot \cos(1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 \\
& + 2 \cdot \sin(1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \cdot \sqrt{2} \cdot \cos(\\
& 1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2 \cdot \sqrt{2} \cdot \sin(1/4 \cdot \arctan \\
& 2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 75 \cdot (a \cdot \cos(8dx + 8c))^2 + 16 \\
& \cdot a \cdot \cos(6dx + 6c))^2 + 36 \cdot a \cdot \cos(4dx + 4c))^2 + 16 \cdot a \cdot \cos(2dx + 2c))^2 + \\
& a \cdot \sin(8dx + 8c))^2 + 16 \cdot a \cdot \sin(6dx + 6c))^2 + 36 \cdot a \cdot \sin(4dx + 4c))^2 + \\
& 48 \cdot a \cdot \sin(4dx + 4c) \cdot \sin(2dx + 2c) + 16 \cdot a \cdot \sin(2dx + 2c))^2 + 2 \cdot (4 \cdot a \cdot \\
& \cos(6dx + 6c) + 6 \cdot a \cdot \cos(4dx + 4c) + 4 \cdot a \cdot \cos(2dx + 2c) + a) \cdot \cos(8d \\
& x + 8c) + 8 \cdot (6 \cdot a \cdot \cos(4dx + 4c) + 4 \cdot a \cdot \cos(2dx + 2c) + a) \cdot \cos(6dx + \\
& 6c) + 12 \cdot (4 \cdot a \cdot \cos(2dx + 2c) + a) \cdot \cos(4dx + 4c) + 8 \cdot a \cdot \cos(2dx + 2 \\
& c) + 4 \cdot (2 \cdot a \cdot \sin(6dx + 6c) + 3 \cdot a \cdot \sin(4dx + 4c) + 2 \cdot a \cdot \sin(2dx + 2c)) \\
& \cdot \sin(8dx + 8c) + 16 \cdot (3 \cdot a \cdot \sin(4dx + 4c) + 2 \cdot a \cdot \sin(2dx + 2c)) \cdot \sin(6 \\
& dx + 6c) + a) \cdot \log(2 \cdot \cos(1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 \\
& + 2 \cdot \sin(1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2 \cdot \sqrt{2} \cdot \cos \\
& (1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \cdot \sqrt{2} \cdot \sin(1/4 \cdot \arct \\
& an2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 75 \cdot (a \cdot \cos(8dx + 8c))^2 + \\
& 16 \cdot a \cdot \cos(6dx + 6c))^2 + 36 \cdot a \cdot \cos(4dx + 4c))^2 + 16 \cdot a \cdot \cos(2dx + 2c))^2 \\
& + a \cdot \sin(8dx + 8c))^2 + 16 \cdot a \cdot \sin(6dx + 6c))^2 + 36 \cdot a \cdot \sin(4dx + 4c))^2 \\
& + 48 \cdot a \cdot \sin(4dx + 4c) \cdot \sin(2dx + 2c) + 16 \cdot a \cdot \sin(2dx + 2c))^2 + 2 \cdot (4 \cdot \\
& a \cdot \cos(6dx + 6c) + 6 \cdot a \cdot \cos(4dx + 4c) + 4 \cdot a \cdot \cos(2dx + 2c) + a) \cdot \cos(8 \\
& dx + 8c) + 8 \cdot (6 \cdot a \cdot \cos(4dx + 4c) + 4 \cdot a \cdot \cos(2dx + 2c) + a) \cdot \cos(6dx \\
& + 6c) + 12 \cdot (4 \cdot a \cdot \cos(2dx + 2c) + a) \cdot \cos(4dx + 4c) + 8 \cdot a \cdot \cos(2dx + \\
& 2c) + 4 \cdot (2 \cdot a \cdot \sin(6dx + 6c) + 3 \cdot a \cdot \sin(4dx + 4c) + 2 \cdot a \cdot \sin(2dx + 2c \\
&)) \cdot \sin(8dx + 8c) + 16 \cdot (3 \cdot a \cdot \sin(4dx + 4c) + 2 \cdot a \cdot \sin(2dx + 2c)) \cdot \sin(\\
& 6dx + 6c) + a) \cdot \log(2 \cdot \cos(1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)) \\
&))^2 + 2 \cdot \sin(1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2 \cdot \sqrt{2} \cdot \\
& \cos(1/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2 \cdot \sqrt{2} \cdot \sin(1/4 \cdot \ar \\
& ctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 300 \cdot (\sqrt{2} \cdot a \cdot \cos(8dx \\
& + 8c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(6dx + 6c) + 6 \cdot \sqrt{2} \cdot a \cdot \cos(4dx + 4c) + 4 \cdot \sqrt{2} \\
& \cdot a \cdot \cos(2dx + 2c) + \sqrt{2} \cdot a) \cdot \sin(15/4 \cdot \arctan2(\sin(2dx + 2c), \cos \\
& (2dx + 2c))) - 100 \cdot (\sqrt{2} \cdot a \cdot \cos(8dx + 8c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(6dx \\
& + 6c) + 6 \cdot \sqrt{2} \cdot a \cdot \cos(4dx + 4c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(2dx + 2c) + \sqrt{2} \\
& (2) \cdot a) \cdot \sin(13/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 1140 \cdot (\sqrt{2} \\
&) \cdot a \cdot \cos(8dx + 8c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(6dx + 6c) + 6 \cdot \sqrt{2} \cdot a \cdot \cos(4dx \\
& + 4c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(2dx + 2c) + \sqrt{2} \cdot a) \cdot \sin(11/4 \cdot \arctan2(\sin(2 \\
& dx + 2c), \cos(2dx + 2c))) + 228 \cdot (\sqrt{2} \cdot a \cdot \cos(8dx + 8c) + 4 \cdot \sqrt{2} \\
&) \cdot a \cdot \cos(6dx + 6c) + 6 \cdot \sqrt{2} \cdot a \cdot \cos(4dx + 4c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(2dx \\
& + 2c) + \sqrt{2} \cdot a) \cdot \sin(9/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - \\
& 228 \cdot (\sqrt{2} \cdot a \cdot \cos(8dx + 8c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(6dx + 6c) + 6 \cdot \sqrt{2} \\
&) \cdot a \cdot \cos(4dx + 4c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(2dx + 2c) + \sqrt{2} \cdot a) \cdot \sin(7/4 \cdot \ar \\
& ctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 1140 \cdot (\sqrt{2} \cdot a \cdot \cos(8dx + 8c \\
&) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(6dx + 6c) + 6 \cdot \sqrt{2} \cdot a \cdot \cos(4dx + 4c) + 4 \cdot \sqrt{2} \\
&) \cdot a \cdot \cos(2dx + 2c) + \sqrt{2} \cdot a) \cdot \sin(5/4 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx \\
& + 2c))) + 100 \cdot (\sqrt{2} \cdot a \cdot \cos(8dx + 8c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(6dx + 6c) \\
& + 6 \cdot \sqrt{2} \cdot a \cdot \cos(4dx + 4c) + 4 \cdot \sqrt{2} \cdot a \cdot \cos(2dx + 2c) + \sqrt{2} \cdot a)
\end{aligned}$$

```
*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 300*(sqrt(2)*a*cos(
8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c)
+ 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)*sin(1/4*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c))) * B*sqrt(a)/(2*(4*cos(6*d*x + 6*c) + 6*cos(4*d*x + 4*c
) + 4*cos(2*d*x + 2*c) + 1)*cos(8*d*x + 8*c) + cos(8*d*x + 8*c)^2 + 8*(6*cos
(4*d*x + 4*c) + 4*cos(2*d*x + 2*c) + 1)*cos(6*d*x + 6*c) + 16*cos(6*d*x +
6*c)^2 + 12*(4*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + 36*cos(4*d*x + 4*c)
^2 + 16*cos(2*d*x + 2*c)^2 + 4*(2*sin(6*d*x + 6*c) + 3*sin(4*d*x + 4*c) + 2
*sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + sin(8*d*x + 8*c)^2 + 16*(3*sin(4*d*x
+ 4*c) + 2*sin(2*d*x + 2*c))*sin(6*d*x + 6*c) + 16*sin(6*d*x + 6*c)^2 + 36*
sin(4*d*x + 4*c)^2 + 48*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 16*sin(2*d*x +
2*c)^2 + 8*cos(2*d*x + 2*c) + 1))/d
```

Fricas [A] time = 1.00373, size = 1297, normalized size = 5.71

$$\frac{3 \left((88A + 75B)a \cos(dx + c)^4 + (88A + 75B)a \cos(dx + c)^3 \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - \frac{4(\cos(dx + c)^2 - 2 \cos(dx + c)) \sqrt{a} \sqrt{\frac{a \cos(dx + c)}{\cos(dx + c)}}}{\sqrt{\cos(dx + c)}}}{\cos(dx + c)^3 + \cos(dx + c)^2} \right)}{768 \left(d \cos(dx + c)^4 + d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algor
ithm="fricas")
```

```
[Out] [1/768*(3*((88*A + 75*B)*a*cos(d*x + c)^4 + (88*A + 75*B)*a*cos(d*x + c)^3)
*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2
*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)
/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(88*A
+ 75*B)*a*cos(d*x + c)^3 + 2*(88*A + 75*B)*a*cos(d*x + c)^2 + 8*(8*A + 15*B
)*a*cos(d*x + c) + 48*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x
+ c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/384*(3*((
88*A + 75*B)*a*cos(d*x + c)^4 + (88*A + 75*B)*a*cos(d*x + c)^3)*sqrt(-a)*ar
ctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*
sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(88*A + 75*B
)*a*cos(d*x + c)^3 + 2*(88*A + 75*B)*a*cos(d*x + c)^2 + 8*(8*A + 15*B)*a*co
s(d*x + c) + 48*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/s
qrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2), x)

$$3.232 \quad \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=180

$$\frac{a^2(6A + 7B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(14A + 11B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(14A + 11B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{8d}$$

[Out] (a^(3/2)*(14*A + 11*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*d) + (a^2*(14*A + 11*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(6*A + 7*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.418528, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4018, 4016, 3803, 3801, 215}

$$\frac{a^2(6A + 7B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{12d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(14A + 11B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{8d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(14A + 11B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (a^(3/2)*(14*A + 11*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(8*d) + (a^2*(14*A + 11*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(8*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(6*A + 7*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(12*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*

B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b]]/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= \frac{aB\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{3d} + \frac{1}{3}\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}dx \\
&= \frac{a^2(6A+7B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} + \frac{aB\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}}{12d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(14A+11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(6A+7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^2(14A+11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(6A+7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{12d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^{3/2}(14A+11B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{8d} + \frac{a^2(14A+11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{8d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.18738, size = 134, normalized size = 0.74

$$\frac{a\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(3\sqrt{2}(14A+11B)\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)+\sin\left(\frac{1}{2}(c+dx)\right)\sec^3(c+dx)(4(6A+7B)\sin(c+dx)+3\sqrt{2}(14A+11B)\cos(c+dx))\right)}{48d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(14*A + 11*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + (7*(6*A + 7*B) + 4*(6*A + 11*B)*Cos[c + d*x] + (42*A + 33*B)*Cos[2*(c + d*x)])*Sec[c + d*x]^3*Sin[(c + d*x)/2])/(48*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.309, size = 415, normalized size = 2.3

$$-\frac{a(-1+\cos(dx+c))}{48d\cos(dx+c)(\sin(dx+c))^2}\left(42A(\cos(dx+c))^3\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1+\sin(dx+c))}\right)+\sin\left(\frac{1}{2}(c+dx)\right)\sec^3(c+dx)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{(3/2)}*(a+a*\sec(d*x+c))^{(3/2)}*(A+B*\sec(d*x+c)), x)$

[Out]
$$\begin{aligned} & -1/48/d*a*(-1+\cos(d*x+c))*(42*A*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))*2^{(1/2)}+42*A*\cos(d*x+c)^3*\arctan(\\ & 1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(-\cos(d*x+c)-1+\sin(d*x+c))))*2^{(1/2)}+3 \\ & 3*B*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1 \\ & +\sin(d*x+c))))*2^{(1/2)}+33*B*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+ \\ & 1))^{(1/2)}*(-\cos(d*x+c)-1+\sin(d*x+c))))*2^{(1/2)}+84*A*\cos(d*x+c)^2*\sin(d*x+c)* \\ & (-2/(\cos(d*x+c)+1))^{(1/2)}+66*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)} \\ & +24*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+44*B*\cos(d*x+c)* \\ & \sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+16*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x \\ & +c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(1/\cos(d*x+c))^{(3/2)}/\cos(d*x+c)/\sin \\ & (d*x+c)^2/(-2/(\cos(d*x+c)+1))^{(1/2)} \end{aligned}$$

Maxima [B] time = 2.96634, size = 6218, normalized size = 34.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(d*x+c)^{(3/2)}*(a+a*\sec(d*x+c))^{(3/2)}*(A+B*\sec(d*x+c)), x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & -1/96*(6*(56*\sqrt{2})*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\ & 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 24* \\ & \sqrt{2})*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(\\ & 4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2})*a*\sin \\ & (3/2*d*x + 3/2*c) + 28*\sqrt{2})*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\ & 3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2})*a*\sin(\\ & 7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2})*a*\sin(\\ & 5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2})*a*\sin(\\ & 1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(8/3*\arctan2(s \\ & \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2})*a*\sin(3/2*d*x + \\ & 3/2*c) - 7*\sqrt{2})*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/ \\ & 2*c))) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*(a \\ & * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4 \\ & /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arcta \\ & n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin \\ & (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2 \\ & *c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\ & (3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\ & 2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \end{aligned}$$

$$\begin{aligned}
& /2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + a*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2} \\
& * \cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2} \\
& * \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7*(a*\cos \\
& (8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3 \\
& * \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2 \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c \\
&), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \\
& a*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2 \\
& * \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2} \\
& * \cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2} * \sin \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 7*(a*\cos \\
& (8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(s \\
& in(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c \\
&))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a) \\
& * \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*s \\
& in(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2} * \cos \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2} * \sin \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7*(a*\cos(8 \\
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*arc \\
& tan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), c \\
& os(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d \\
& *x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)) \\
&) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a)*\log \\
& (2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2} * \cos \\
& (1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2} * \sin(1 \\
& /3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 4*(3*\sqrt{2} \\
& * a*\cos(3/2*d*x + 3/2*c) + 7*\sqrt{2} * a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2} * a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2} * a*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c)))) * \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x
\end{aligned}$$

$$\begin{aligned}
& + 3/2*c)) - 28*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 8*(3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A*\sqrt{a}/(2*(2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 4*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) + (132*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 132*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 33*(a*\cos(6*d*x + 6*c))^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c))^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 33*(a*\cos(6*d*x + 6*c))^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x
\end{aligned}$$

$$\begin{aligned}
& + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x \\
& + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) \\
& + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a) \\
& *\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2* \\
& d*x + 2*c))*\sin(6*d*x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&)^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{ \\
& rt(2)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos \\
& (6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6 \\
& *d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + \\
& 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2 \\
& *c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + \\
& 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d \\
& *x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos \\
& (1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 132*(\sqrt{2}*a*\cos(6*d*x + 6 \\
& *c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2} \\
& *a)*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*c \\
& os(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2* \\
& c) + \sqrt{2}*a)*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216* \\
& (\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*co \\
& s(2*d*x + 2*c) + \sqrt{2}*a)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c))) + 216*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3* \\
& \sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x \\
& + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(3/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) + 132*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}* \\
& a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(1/4*\arct \\
& an2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * B*\sqrt{a}/(2*(3*\cos(4*d*x + 4*c) \\
& + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(\\
& 2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2 \\
& *c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d* \\
& x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + \\
& 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.765067, size = 1197, normalized size = 6.65

$$\frac{3 \left((14A + 11B)a \cos(dx + c)^3 + (14A + 11B)a \cos(dx + c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c)) \sqrt{a} \sqrt{\frac{a \cos(dx+c)}{c}}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{96 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/96*(3*((14*A + 11*B)*a*cos(d*x + c)^3 + (14*A + 11*B)*a*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(14*A + 11*B)*a*cos(d*x + c)^2 + 2*(6*A + 11*B)*a*cos(d*x + c) + 8*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/48*(3*((14*A + 11*B)*a*cos(d*x + c)^3 + (14*A + 11*B)*a*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(14*A + 11*B)*a*cos(d*x + c)^2 + 2*(6*A + 11*B)*a*cos(d*x + c) + 8*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2), x)

$$3.233 \quad \int \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=133

$$\frac{a^2(4A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(12A + 7B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aB \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{2d}$$

[Out] (a^(3/2)*(12*A + 7*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a^2*(4*A + 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.336036, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4018, 4016, 3801, 215}

$$\frac{a^2(4A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(12A + 7B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{4d} + \frac{aB \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(3/2)*(12*A + 7*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/(4*d) + (a^2*(4*A + 5*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\sec(c+dx)(a+a\sec(c+dx))}^{3/2} (A+B\sec(c+dx)) dx &= \frac{aB \sec^{\frac{3}{2}}(c+dx) \sqrt{a+a\sec(c+dx)} \sin(c+dx)}{2d} + \frac{1}{2} \int \sqrt{\sec(c+dx)(a+a\sec(c+dx))}^{3/2} (A+B\sec(c+dx)) dx \\ &= \frac{a^2(4A+5B) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{aB \sec^{\frac{3}{2}}(c+dx) \sqrt{a+a\sec(c+dx)} \sin(c+dx)}{4d} \\ &= \frac{a^2(4A+5B) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{aB \sec^{\frac{3}{2}}(c+dx) \sqrt{a+a\sec(c+dx)} \sin(c+dx)}{4d} \\ &= \frac{a^{3/2}(12A+7B) \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4d} + \frac{a^2(4A+5B) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.669928, size = 107, normalized size = 0.8

$$\frac{a \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(\sqrt{2}(12A+7B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c+dx)\right) \sec(c+dx)(4A+5B)\right)}{8d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(12*A + 7*B)*ArcTan
h[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(4*A + 7*B + 2*B*Sec[c + d*x])
*Sin[(c + d*x)/2]))/(8*d*Sqrt[Sec[c + d*x]])
```

Maple [B] time = 0.332, size = 355, normalized size = 2.7

$$\frac{a \left((\cos(dx+c))^2 - 1 \right)}{16 d (\sin(dx+c))^2 \cos(dx+c)} \left(12 A (\cos(dx+c))^2 \arctan \left(\frac{1}{4} \sqrt{2} \sqrt{-2 (\cos(dx+c)+1)^{-1} (\cos(dx+c)+1+\sin(dx+c))} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x)
```

```
[Out] 1/16/d*a*(12*A*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))
*2^(1/2)+12*A*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))
*2^(1/2)+7*B*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))
*2^(1/2)+7*B*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))
*2^(1/2)+8*A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+14*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)
+4*B*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(1/2)
*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2/cos(d*x+c)*(cos(d*x+c)^2-1)
```

Maxima [B] time = 2.61047, size = 4575, normalized size = 34.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorith
m="maxima")
```

```
[Out] 1/16*(4*(3*(a*log(2*cos(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c))^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - a*log(2
```

$$\begin{aligned}
& * \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a*\log(2*\cos(1/2*d*x + 1/2* \\
& c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}(2 \\
&)*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d* \\
& x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2 \\
& *c) + 2))*\cos(2*d*x + 2*c)^2 + 3*(a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + \\
& 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a*\log \\
& (2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d \\
& *x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1 \\
& /2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
& * \sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*a*\sin(3/2*d*x \\
& + 3/2*c) - 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 2*(2*\sqrt{2}*a*\sin(3/2*d*x \\
& + 3/2*c) - 2*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c) \\
&)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\
& *\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d \\
& *x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/ \\
& 2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2 \\
& *\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log \\
& (2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d* \\
& x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 3*a* \\
& \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2 \\
& *d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2 \\
& *\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*s \\
& \sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2* \\
& d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2* \\
& c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) \\
& - 4*(\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - \sqrt{2}*a*\cos(1/2*d*x + 1/2*c))*\sin(\\
& 2*d*x + 2*c))*A*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2* \\
& d*x + 2*c) + 1) - (56*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&))) - 24*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2* \\
& c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2} \\
& (2)*a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2 \\
& *c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2} \\
& (2)*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2} \\
& (2)*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2} \\
& (2)*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2}*a*\sin(3 \\
& /2*d*x + 3/2*c) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&)) - 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(
\end{aligned}$$

(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 4*(3*sqrt(2)*a*cos(3/2*d*x + 3/2*c) + 7*sqrt(2)*a*cos(7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 3*sqrt(2)*a*cos(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 7*sqrt(2)*a*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 28*(2*sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + sqrt(2)*a)*sin(7/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 12*(2*sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + sqrt(2)*a)*sin(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 8*(3*sqrt(2)*a*cos(3/2*d*x + 3/2*c) - 7*sqrt(2)*a*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1)*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*sin(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1))/d

Fricas [A] time = 0.757715, size = 1072, normalized size = 8.06

$$\frac{\left((12A + 7B)a \cos(dx + c)^2 + (12A + 7B)a \cos(dx + c) \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a} \sqrt{\frac{a \cos(dx+c) + a}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{16 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorith="fricas")

[Out] [1/16*(((12*A + 7*B)*a*cos(d*x + c)^2 + (12*A + 7*B)*a*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*((4*A + 7*B)*a*cos(d*x + c) + 2*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/s

```

qrt(cos(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/8*(((12*A + 7*B)*
a*cos(d*x + c)^2 + (12*A + 7*B)*a*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*
sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*
cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*((4*A + 7*B)*a*cos(d*x + c) + 2
*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c
)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c)
), x)
```

$$3.234 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=124

$$\frac{a^2(2A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(2A+3B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{aB \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)}}{d}$$

[Out] (a^(3/2)*(2*A + 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^2*(2*A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.313531, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4018, 4015, 3801, 215}

$$\frac{a^2(2A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(2A+3B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d} + \frac{aB \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (a^(3/2)*(2*A + 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (a^2*(2*A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] :> -Simp[(b*B*Cosot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015


```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{aB \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{d} + \int \frac{\sqrt{a + a \sec(c + dx)}}{d} dx \\ &= \frac{a^2 (2A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{aB \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{d} \\ &= \frac{a^2 (2A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{aB \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}{d} \\ &= \frac{a^{3/2} (2A + 3B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} + \frac{a^2 (2A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 1.52081, size = 107, normalized size = 0.86

$$\frac{a^2 \tan(c + dx) \left(\sqrt{(\cos(c + dx) - 1) \sec^2(c + dx)} (2A \cos(c + dx) + B) + 2A \sin^{-1} \left(\sqrt{1 - \sec(c + dx)} \right) - 3B \sin^{-1} \left(\sqrt{\sec(c + dx)} \right) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (a^2*(2*A*ArcSin[Sqrt[1 - Sec[c + d*x]]] - 3*B*ArcSin[Sqrt[Sec[c + d*x]]] + (B + 2*A*Cos[c + d*x])*Sqrt[(-1 + Cos[c + d*x])*Sec[c + d*x]^2])*Tan[c + d*x])/ (d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.34, size = 346, normalized size = 2.8

$$-\frac{a}{4d \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(2A \sin(dx+c) \cos(dx+c) \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx+c)+1)^{-1}(-\cos(dx+c)+1)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x)

[Out] -1/4/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(2*A*sin(d*x+c)*cos(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)+2*A*sin(d*x+c)*cos(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)+3*B*sin(d*x+c)*cos(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)+3*B*sin(d*x+c)*cos(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)+8*A*cos(d*x+c)^2-8*A*cos(d*x+c)+4*B*cos(d*x+c)-4*B)*(1/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [B] time = 2.27494, size = 1913, normalized size = 15.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/4*(sqrt(2)*(sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + sqrt(2)*

$$\begin{aligned}
& a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - \sqrt{2} a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) + 8 a \sin(1/2 dx + 1/2 c) A \sqrt{a} \\
& + (3 (a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) + a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2)) \cos(2 dx + 2 c)^2 + 3 (a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) + a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2)) \sin(2 dx + 2 c)^2 + 4 \sqrt{2} a \sin(3/2 dx + 3/2 c) - 4 \sqrt{2} a \sin(1/2 dx + 1/2 c) + 2 (2 \sqrt{2} a \sin(3/2 dx + 3/2 c) - 2 \sqrt{2} a \sin(1/2 dx + 1/2 c) + 3 a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - 3 a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) + 3 a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - 3 a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2)) \cos(2 dx + 2 c) + 3 a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - 3 a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 + 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) + 3 a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) + 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - 3 a \log(2 \cos(1/2 dx + 1/2 c)^2 + 2 \sin(1/2 dx + 1/2 c)^2 - 2 \sqrt{2} \cos(1/2 dx + 1/2 c) - 2 \sqrt{2} \sin(1/2 dx + 1/2 c) + 2) - 4 (\sqrt{2} a \cos(3/2 dx + 3/2 c) - \sqrt{2} a \cos(1/2 dx + 1/2 c)) \sin(2 dx + 2 c) B \sqrt{a} / (\cos(2 dx + 2 c)^2 + \sin(2 dx + 2 c)^2 + 2 \cos(2 dx + 2 c) + 1) / d
\end{aligned}$$

Fricas [A] time = 0.760473, size = 957, normalized size = 7.72

$$\left[\frac{((2A + 3B)a \cos(dx + c) + (2A + 3B)a)\sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a \right)}{\cos(dx+c)^3 + \cos(dx+c)^2} \right] + \frac{4(d \cos(dx + c) + d)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/4*(((2*A + 3*B)*a*cos(d*x + c) + (2*A + 3*B)*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(2*A*a*cos(d*x + c) + B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/2*(((2*A + 3*B)*a*cos(d*x + c) + (2*A + 3*B)*a)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(2*A*a*cos(d*x + c) + B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sqrt(sec(d*x + c)), x)
```

$$3.235 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=125

$$\frac{2a^2(4A+3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2a^{3/2}B \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aA\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{3d\sqrt{\sec(c+dx)}}$$

[Out] (2*a^(3/2)*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(4*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.339215, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4017, 4015, 3801, 215}

$$\frac{2a^2(4A+3B)\sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a\sec(c+dx)+a}} + \frac{2a^{3/2}B \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{2aA\sin(c+dx)\sqrt{a\sec(c+dx)+a}}{3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (2*a^(3/2)*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^2*(4*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{\sqrt{a + a \sec(c + dx)}}{\sqrt{\sec(c + dx)}} \left(\frac{1}{2} a(4A + 3B) \right) dx \\ &= \frac{2a^2(4A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\ &= \frac{2a^2(4A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} + \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\ &= \frac{2a^{3/2}B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a^2(4A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.586402, size = 109, normalized size = 0.87

$$\frac{2a^2 \tan(c + dx) \left(\sqrt{1 - \sec(c + dx)} (A \cos(c + dx) + 5A + 3B) + 3B \sqrt{\sec(c + dx)} \sin^{-1} \left(\sqrt{1 - \sec(c + dx)} \right) \right)}{3d \sqrt{-(\sec(c + dx) - 1) \sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2),x]

[Out] (2*a^2*((5*A + 3*B + A*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]] + 3*B*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Sec[c + d*x]]*Tan[c + d*x])/(3*d*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.311, size = 211, normalized size = 1.7

$$-\frac{a(\cos(dx+c))^2}{6d\sin(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(3B\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(-\cos(dx+c)-1+\sin(dx+c))}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x)

[Out] -1/6/d*a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*B*2^(1/2)*arctan(1/4*2^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+3*B*2^(1/2)*arctan(1/4*2^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+4*A*cos(d*x+c)^2+16*A*cos(d*x+c)+12*B*cos(d*x+c)-20*A-12*B)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)

Maxima [B] time = 2.08744, size = 424, normalized size = 3.39

$$3\sqrt{2}\left(\sqrt{2}a\log\left(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+2\sqrt{2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2\sqrt{2}\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2\right)-\sqrt{2}a\log\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorith="maxima")

[Out] 1/12*(3*sqrt(2)*(sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*co

$s(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 8*a*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a} + 4*(\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 9*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a})/d$

Fricas [A] time = 0.576282, size = 971, normalized size = 7.77

$$\frac{3(Ba \cos(dx + c) + Ba)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2 \cos(dx+c))\sqrt{a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + \frac{4(Aa \cos(dx+c)^2 + (5A + 3B)a \cos(dx+c))\sqrt{a}}{6(d \cos(dx+c) + d)}}{6(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/6*(3*(B*a*cos(d*x + c) + B*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(A*a*cos(d*x + c)^2 + (5*A + 3*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/3*(3*(B*a*cos(d*x + c) + B*a)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(A*a*cos(d*x + c)^2 + (5*A + 3*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(3/2), x)

$$3.236 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=131

$$\frac{8a^2(3A+5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2a(3A+5B) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{15d \sqrt{\sec(c+dx)}} + \frac{2A \sin(c+dx)(a \sec(c+dx)+a)}{5d \sec^2(c+dx)}$$

[Out] (8*a^2*(3*A + 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.256374, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {4013, 3809, 3804}

$$\frac{8a^2(3A+5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2a(3A+5B) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{15d \sqrt{\sec(c+dx)}} + \frac{2A \sin(c+dx)(a \sec(c+dx)+a)}{5d \sec^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (8*a^2*(3*A + 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3809

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2*m]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{1}{5}(3A + 5B) \int \frac{(a + a \sec(c + dx))^{3/2}}{\sec^2(c + dx)} dx \\ &= \frac{2a(3A + 5B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{15d\sqrt{\sec(c + dx)}} + \frac{2A(a + a \sec(c + dx))^{3/2}}{5d \sec^2(c + dx)} \\ &= \frac{8a^2(3A + 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a(3A + 5B)\sqrt{a + a \sec(c + dx)}}{15d\sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.473275, size = 73, normalized size = 0.56

$$\frac{a^2 \sin(c + dx) \sqrt{\sec(c + dx)} (2(9A + 5B) \cos(c + dx) + 3A \cos(2(c + dx)) + 39A + 50B)}{15d\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]
```

```
[Out] (a^2*(39*A + 50*B + 2*(9*A + 5*B)*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sqrt[Sec[c + d*x]*Sin[c + d*x]]/(15*d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [A] time = 0.302, size = 97, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) \left(3A(\cos(dx + c))^2 + 9A \cos(dx + c) + 5B \cos(dx + c) + 18A + 25B \right) (\cos(dx + c))^3 \sqrt{a(\cos(dx + c) + 1)}}{15d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x)`

[Out]
$$-2/15/d*a*(-1+\cos(d*x+c))*(3*A*\cos(d*x+c)^2+9*A*\cos(d*x+c)+5*B*\cos(d*x+c)+18*A+25*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*\cos(d*x+c)^3*(1/\cos(d*x+c))^{5/2}/\sin(d*x+c)$$

Maxima [B] time = 2.0118, size = 338, normalized size = 2.58

$$3\sqrt{2}\left(20a\cos\left(\frac{4}{5}\arctan\left(\sin\left(\frac{5}{2}dx+\frac{5}{2}c\right),\cos\left(\frac{5}{2}dx+\frac{5}{2}c\right)\right)\right)\sin\left(\frac{5}{2}dx+\frac{5}{2}c\right)+5a\cos\left(\frac{2}{5}\arctan\left(\sin\left(\frac{5}{2}dx+\frac{5}{2}c\right),\cos\left(\frac{5}{2}dx+\frac{5}{2}c\right)\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out]
$$\frac{1}{60}*(3*\sqrt{2}*(20*a*\cos(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin(5/2*d*x + 5/2*c) + 5*a*\cos(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin(5/2*d*x + 5/2*c) - 20*a*\cos(5/2*d*x + 5/2*c) * \sin(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) - 5*a*\cos(5/2*d*x + 5/2*c) * \sin(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 2*a*\sin(5/2*d*x + 5/2*c) + 5*a*\sin(3/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 20*a*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))) * A * \sqrt{a} + 20*(\sqrt{2}) * a * \sin(3/2*d*x + 3/2*c) + 9*\sqrt{2}) * a * \sin(1/2*d*x + 1/2*c)) * B * \sqrt{a}) / d$$

Fricas [A] time = 0.464131, size = 251, normalized size = 1.92

$$\frac{2\left(3Aa\cos(dx+c)^3+(9A+5B)a\cos(dx+c)^2+(18A+25B)a\cos(dx+c)\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sin(dx+c)}{15(d\cos(dx+c)+d)\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")`

```
[Out] 2/15*(3*A*a*cos(d*x + c)^3 + (9*A + 5*B)*a*cos(d*x + c)^2 + (18*A + 25*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(5/2), x)
```

$$3.237 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=181

$$\frac{2a^2(8A+7B) \sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{4a^2(52A+63B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d \sqrt{a \sec(c+dx)+a}} + \frac{2a^2(52A+63B) \sin(c+dx)}{105d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}$$

[Out] (2*a^2*(8*A + 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(52*A + 63*B)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^2*(52*A + 63*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.437968, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4017, 4015, 3805, 3804}

$$\frac{2a^2(8A+7B) \sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{4a^2(52A+63B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d \sqrt{a \sec(c+dx)+a}} + \frac{2a^2(52A+63B) \sin(c+dx)}{105d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (2*a^2*(8*A + 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(52*A + 63*B)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^2*(52*A + 63*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2}{7} \int \frac{\sqrt{a + a \sec(c + dx)}}{\sec^2(c + dx)} \left(\frac{1}{2} a(8A + 7B) \sin(c + dx) \right. \\
 &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \sec^2(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{7d \sec^2(c + dx)} \\
 &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \sec^2(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(52A + 63B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \sec^2(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(52A + 63B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.456874, size = 92, normalized size = 0.51

$$\frac{2a^2 \sin(c + dx) \left((2(52A + 63B) \sec^3(c + dx) + (52A + 63B) \sec^2(c + dx) + 3(13A + 7B) \sec(c + dx) + 15A) \sqrt{a + a \sec(c + dx)} \right)}{105d \sec^2(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2),x]

[Out] (2*a^2*(15*A + 3*(13*A + 7*B)*Sec[c + d*x] + (52*A + 63*B)*Sec[c + d*x]^2 + 2*(52*A + 63*B)*Sec[c + d*x]^3*Sin[c + d*x])/(105*d*Sec[c + d*x]^(5/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.304, size = 119, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) \left(15A(\cos(dx + c))^3 + 39A(\cos(dx + c))^2 + 21B(\cos(dx + c))^2 + 52A\cos(dx + c) + 63B\cos(dx + c) \right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x)

[Out] -2/105/d*a*(-1+cos(d*x+c))*(15*A*cos(d*x+c)^3+39*A*cos(d*x+c)^2+21*B*cos(d*x+c)^2+52*A*cos(d*x+c)+63*B*cos(d*x+c)+104*A+126*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.17754, size = 694, normalized size = 3.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] 1/840*(sqrt(2)*(735*a*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 175*a*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 63*a*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 735*a*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 175*a*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 63*a*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 30*a*sin(7/2*d*x + 7/2*c) + 63*a*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))

$n2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)) + 175*a*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 735*a*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * A*\sqrt{a} + 42*\sqrt{2}*(20*a*\cos(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin(5/2*d*x + 5/2*c) + 5*a*\cos(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) * \sin(5/2*d*x + 5/2*c) - 20*a*\cos(5/2*d*x + 5/2*c) * \sin(4/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) - 5*a*\cos(5/2*d*x + 5/2*c) * \sin(2/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 2*a*\sin(5/2*d*x + 5/2*c) + 5*a*\sin(3/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c))) + 20*a*\sin(1/5*\arctan2(\sin(5/2*d*x + 5/2*c), \cos(5/2*d*x + 5/2*c)))) * B*\sqrt{a})/d$

Fricas [A] time = 0.469683, size = 305, normalized size = 1.69

$$\frac{2(15 A a \cos(dx + c)^4 + 3(13 A + 7 B) a \cos(dx + c)^3 + (52 A + 63 B) a \cos(dx + c)^2 + 2(52 A + 63 B) a \cos(dx + c)) \sqrt{\frac{a}{\cos(dx + c)}}}{105(d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] 2/105*(15*A*a*cos(d*x + c)^4 + 3*(13*A + 7*B)*a*cos(d*x + c)^3 + (52*A + 63*B)*a*cos(d*x + c)^2 + 2*(52*A + 63*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(7/2), x)

$$3.238 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=228

$$\frac{2a^2(34A + 39B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{16a^2(34A + 39B) \sin(c + dx) \sqrt{\sec(c + dx)}}{315d \sqrt{a \sec(c + dx) + a}}$$

[Out] (2*a^2*(10*A + 9*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(34*A + 39*B)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(34*A + 39*B)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(34*A + 39*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.507969, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4017, 4015, 3805, 3804}

$$\frac{2a^2(34A + 39B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{16a^2(34A + 39B) \sin(c + dx) \sqrt{\sec(c + dx)}}{315d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (2*a^2*(10*A + 9*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(34*A + 39*B)*Sin[c + d*x])/(105*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(34*A + 39*B)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(34*A + 39*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + a \sec(c + dx)} \left(\frac{1}{2}a(10A + 9B) \sec^2(c + dx) + 2aB \sec(c + dx)\right)}{9d \sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2aA\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\ &= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\ &= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.658926, size = 110, normalized size = 0.48

$$\frac{2a^2 \sin(c + dx) \left(8(34A + 39B) \sec^4(c + dx) + 4(34A + 39B) \sec^3(c + dx) + 3(34A + 39B) \sec^2(c + dx) + 5(17A + 9B) \sec(c + dx) \right)}{315d \sec^{\frac{7}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (2*a^2*(35*A + 5*(17*A + 9*B)*Sec[c + d*x] + 3*(34*A + 39*B)*Sec[c + d*x]^2 + 4*(34*A + 39*B)*Sec[c + d*x]^3 + 8*(34*A + 39*B)*Sec[c + d*x]^4)*Sin[c + d*x]/(315*d*Sec[c + d*x]^(7/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.316, size = 141, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx + c)) \left(35A(\cos(dx + c))^4 + 85A(\cos(dx + c))^3 + 45B(\cos(dx + c))^3 + 102A(\cos(dx + c))^2 + 117B \right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2), x)

[Out] -2/315/d*a*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+85*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+102*A*cos(d*x+c)^2+117*B*cos(d*x+c)^2+136*A*cos(d*x+c)+156*B*cos(d*x+c)+272*A+312*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^5*(1/cos(d*x+c))^(9/2)/sin(d*x+c)

Maxima [B] time = 2.23489, size = 945, normalized size = 4.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2), x, algorithm="maxima")

[Out] 1/5040*(sqrt(2)*(3780*a*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c) + 1050*a*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c)

), $\cos(9/2*d*x + 9/2*c))$)* $\sin(9/2*d*x + 9/2*c) + 378*a*\cos(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)), \cos(9/2*d*x + 9/2*c))$)* $\sin(9/2*d*x + 9/2*c) + 135*a*\cos(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))$)* $\sin(9/2*d*x + 9/2*c) - 3780*a*\cos(9/2*d*x + 9/2*c)*\sin(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 1050*a*\cos(9/2*d*x + 9/2*c)*\sin(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 378*a*\cos(9/2*d*x + 9/2*c)*\sin(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 135*a*\cos(9/2*d*x + 9/2*c)*\sin(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 70*a*\sin(9/2*d*x + 9/2*c) + 135*a*\sin(7/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 378*a*\sin(5/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 1050*a*\sin(1/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 3780*a*\sin(1/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))$)* $A*\sqrt{a} + 6*\sqrt{2}*(735*a*\cos(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))$)* $\sin(7/2*d*x + 7/2*c) + 175*a*\cos(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))$)* $\sin(7/2*d*x + 7/2*c) + 63*a*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))$)* $\sin(7/2*d*x + 7/2*c) - 735*a*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 175*a*\cos(7/2*d*x + 7/2*c)*\sin(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 63*a*\cos(7/2*d*x + 7/2*c)*\sin(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 30*a*\sin(7/2*d*x + 7/2*c) + 63*a*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 175*a*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 735*a*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))$)* $B*\sqrt{a}$)/ d

Fricas [A] time = 0.476827, size = 355, normalized size = 1.56

$$\frac{2(35 A a \cos(dx + c)^5 + 5(17 A + 9 B)a \cos(dx + c)^4 + 3(34 A + 39 B)a \cos(dx + c)^3 + 4(34 A + 39 B)a \cos(dx + c)^2 + 8(34 A + 39 B)a \cos(dx + c) + 315(d \cos(dx + c) + d)\sqrt{\cos(dx + c)}}{315(d \cos(dx + c) + d)\sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="fricas")`

[Out] `2/315*(35*A*a*cos(d*x + c)^5 + 5*(17*A + 9*B)*a*cos(d*x + c)^4 + 3*(34*A + 39*B)*a*cos(d*x + c)^3 + 4*(34*A + 39*B)*a*cos(d*x + c)^2 + 8*(34*A + 39*B)*a*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(9/2), x)

$$3.239 \quad \int \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=274

$$\frac{a^2(10A + 13B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{40d} + \frac{a^3(170A + 157B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{240d \sqrt{a \sec(c + dx) + a}} + \frac{a^3(326A + 283B)}{192d}$$

[Out] (a^(5/2)*(326*A + 283*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(128*d) + (a^3*(326*A + 283*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(326*A + 283*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(170*A + 157*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(10*A + 13*B)*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (a*B*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.693094, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4018, 4016, 3803, 3801, 215}

$$\frac{a^2(10A + 13B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{40d} + \frac{a^3(170A + 157B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{240d \sqrt{a \sec(c + dx) + a}} + \frac{a^3(326A + 283B)}{192d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

[Out] (a^(5/2)*(326*A + 283*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]/(128*d) + (a^3*(326*A + 283*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(128*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(326*A + 283*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(192*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(170*A + 157*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(240*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(10*A + 13*B)*Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d) + (a*B*Sec[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C

```

ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3803

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= \frac{aB\sec^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{5d} + \frac{1}{5}\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx \\
&= \frac{a^2(10A+13B)\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{40d} \\
&= \frac{a^3(170A+157B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{240d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(10A+13B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(326A+283B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{192d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(170A+157B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{a^3(326A+283B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(326A+283B)\sec^{\frac{1}{2}}(c+dx)\sin(c+dx)}{128d} \\
&= \frac{a^3(326A+283B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{128d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(326A+283B)\sin(c+dx)}{128d} \\
&= \frac{a^5(326A+283B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{128d} + \frac{a^3(326A+283B)\sin(c+dx)}{128d}
\end{aligned}$$

Mathematica [A] time = 2.09831, size = 178, normalized size = 0.65

$$a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(60\sqrt{2}(326A+283B) \tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right) + \sin\left(\frac{1}{2}(c+dx)\right) \sec^5(c+dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(60*Sqrt[2]*(326*A + 283*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + (22030*A + 24863*B + 36*(650*A + 781*B)*Cos[c + d*x] + 4*(6730*A + 6509*B)*Cos[2*(c + d*x)] + 6520*A*Cos[3*(c + d*x)] + 5660*B*Cos[3*(c + d*x)] + 4890*A*Cos[4*(c + d*x)] + 4245*B*Cos[4*(c + d*x)])*Sec[c + d*x]^5*Sin[(c + d*x)/2))/(15360*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.333, size = 543, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(5/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)),x)$

[Out] $\frac{1}{7680}d^2a^2(4890A*\cos(dx+c)^5*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))+4890A*\cos(dx+c)^5*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(-\cos(dx+c)-1+\sin(dx+c))))+4245B*\cos(dx+c)^5*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))+4245B*\cos(dx+c)^5*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(-\cos(dx+c)-1+\sin(dx+c))))+9780A*\sin(dx+c)*\cos(dx+c)^4*(-2/(\cos(dx+c)+1))^{(1/2)}+8490B*\sin(dx+c)*\cos(dx+c)^4*(-2/(\cos(dx+c)+1))^{(1/2)}+6520A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+5660B*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+3680A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+4528B*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+960A*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+2784B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+768B*(-2/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c))*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(1/\cos(dx+c))^{(5/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}/\cos(dx+c)^2/\sin(dx+c)^2*(\cos(dx+c)^2-1)$

Maxima [B] time = 6.93489, size = 12477, normalized size = 45.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(5/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out] $-1/7680*(10*(1956*(\sqrt{2})a^2*\sin(8dx+8c)+4*\sqrt{2})a^2*\sin(6dx+6c)+6*\sqrt{2})a^2*\sin(4dx+4c)+4*\sqrt{2})a^2*\sin(2dx+2c))*\cos(15/4*\arctan2(\sin(2dx+2c),\cos(2dx+2c)))+652*(\sqrt{2})a^2*\sin(8dx+8c)+4*\sqrt{2})a^2*\sin(6dx+6c)+6*\sqrt{2})a^2*\sin(4dx+4c)+4*\sqrt{2})a^2*\sin(2dx+2c))*\cos(13/4*\arctan2(\sin(2dx+2c),\cos(2dx+2c)))+6204*(\sqrt{2})a^2*\sin(8dx+8c)+4*\sqrt{2})a^2*\sin(6dx+6c)+6*\sqrt{2})a^2*\sin(4dx+4c)+4*\sqrt{2})a^2*\sin(2dx+2c))*\cos(11/4*\arctan2(\sin(2dx+2c),\cos(2dx+2c)))-2060*(\sqrt{2})a^2*\sin(8dx+8c)+4*\sqrt{2})a^2*\sin(6dx+6c)+6*\sqrt{2})a^2*\sin(4dx+4c)+4*\sqrt{2})a^2*\sin(2dx+2c))*\cos(9/4*\arctan2(\sin(2dx+2c),\cos(2dx+2c)))$

$c), \cos(2*d*x + 2*c))) + 2060*(\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a^2*$
 $*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin(2*d*$
 $x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 6204*(\sqrt{2}$
 $*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2*$
 $\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x$
 $+ 2*c), \cos(2*d*x + 2*c))) - 652*(\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}$
 $*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin$
 $(2*d*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1956*($
 $\sqrt{2}*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2}*a$
 $^2*\sin(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2$
 $*d*x + 2*c), \cos(2*d*x + 2*c))) - 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos$
 $(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^$
 $2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^$
 $2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 +$
 $8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x$
 $+ 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*$
 $x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2$
 $*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin$
 $(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*$
 $d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan$
 $2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*$
 $c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos$
 $(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*$
 $c))) + 2) + 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^$
 $2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 +$
 $16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x +$
 $4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c)$
 $+ a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d$
 $*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2$
 $*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos$
 $(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*$
 $\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin$
 $(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), co$
 $s(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))$
 $^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}$
 $*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 489*(a^2*c$
 $os(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 +$
 $16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*$
 $c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c)$
 $+ 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos$
 $(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos$
 $(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos$
 $(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a$
 $^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin$
 $(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d$

$$\begin{aligned}
& *x + 6*c)) * \log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 \\
& * \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(s \\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 489*(a^2*\cos(8*d*x + 8*c)^2 + 16 \\
& *a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2* \\
& c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d* \\
& x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + \\
& 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*c \\
& \cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2 \\
& *\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4* \\
& a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + \\
& 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a \\
& ^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c)) * \log(2*\cos(1 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2 \\
& *d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2 \\
& *d*x + 2*c))) + 2) - 1956*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos \\
& (6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + \\
& 2*c) + \sqrt{2}*a^2)*\sin(15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - \\
& 652*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2} \\
& *a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin \\
& (13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 6204*(\sqrt{2}*a^2*\cos \\
& (8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + \\
& 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(11/4*\arctan2(\sin(\\
& 2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2060*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2} \\
& *a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2 \\
& *\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c))) - 2060*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x \\
& + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \\
& \sqrt{2}*a^2)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 6204*(\sqrt{2} \\
& *a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2 \\
& *\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(5/4* \\
& \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 652*(\sqrt{2}*a^2*\cos(8*d*x + \\
& 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4 \\
& *\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(3/4*\arctan2(\sin(2*d*x + 2* \\
& c), \cos(2*d*x + 2*c))) + 1956*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2 \\
& *\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d* \\
& x + 2*c) + \sqrt{2}*a^2)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
&) * A*\sqrt{a}/(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2* \\
& c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6*\cos(4*d*x + 4*c) + 4*c \\
& \cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x + 6*c)^2 + 12*(4*\cos(2 \\
& *d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4*c)^2 + 16*\cos(2*d*x + \\
& 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin \\
& (8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d*x + 4*c) + 2*\sin(2*d*x \\
& + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + 36*\sin(4*d*x + 4*c)^2 +
\end{aligned}$$

$$\begin{aligned}
& 48\sin(4dx + 4c)\sin(2dx + 2c) + 16\sin(2dx + 2c)^2 + 8\cos(2dx + 2c) + 1) + (16980(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8 \\
& dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(19/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 5660(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8 \\
& dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(17/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 81504(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(15/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 8320(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(13/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 86440(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(11/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 86440(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(9/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 8320(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(7/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 81504(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(5/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 5660(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 16980(\sqrt{2})a^2\sin(10dx + 10c) + 5\sqrt{2})a^2\sin(8dx + 8c) + 10\sqrt{2})a^2\sin(6dx + 6c) + 10\sqrt{2})a^2\sin(4dx + 4c) + 5\sqrt{2})a^2\sin(2dx + 2c))\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 4245(a^2\cos(10dx + 10c))^2 + 25a^2\cos(8dx + 8c))^2 + 100a^2\cos(6dx + 6c))^2 + 100a^2\cos(4dx + 4c))^2 + 25a^2\cos(2dx + 2c))^2 + a^2\sin(10dx + 10c))^2 + 25a^2\sin(8dx + 8c))^2 + 100a^2\sin(6dx + 6c))^2 + 100a^2\sin(4dx + 4c))^2 + 100a^2\sin(4dx + 4c)\sin(2dx + 2c) + 25a^2\sin(2dx + 2c))^2 + 10a^2\cos(2dx + 2c) + a^2 + 2*(5a^2\cos(8dx + 8c) + 10a^2\cos(6dx + 6c) + 10a^2\cos(4dx + 4c) + 5a^2\cos(2dx + 2c) + a^2)\cos(10dx + 10c) + 10*(10a^2\cos(6dx + 6c) + 10a^2\cos(4dx + 4c) + 5a^2\cos(2dx + 2c) + a^2)\cos(8dx + 8c) + 20*(10a^2\cos(4dx + 4c) + 5a^2\cos(2dx + 2c) + a^2)\cos(6dx + 6c) + 20*(5a^2\cos(2dx + 2c) + a^2)\cos(4dx + 4c) + 10*(a^2\sin(8dx + 8c) + 2a^2\sin(6dx + 6c) + 2a^2\sin(4dx + 4c) + a^2\sin(2dx + 2c))\sin(10dx + 10c) + 50*(2a^2\sin(6dx + 6c) + 2a^2\sin(4dx + 4c) + a^2\sin(2dx + 2c))\sin(8dx + 8c) + 100*(2a^2\sin(4dx + 4c) + a^2\sin(2dx + 2c))\sin(
\end{aligned}$$

$$\begin{aligned}
& 6*d*x + 6*c)) * \log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(\\
& 1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 4245*(a^2*\cos(10*d*x + 10*c)^ \\
& 2 + 25*a^2*\cos(8*d*x + 8*c)^2 + 100*a^2*\cos(6*d*x + 6*c)^2 + 100*a^2*\cos(4* \\
& d*x + 4*c)^2 + 25*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(10*d*x + 10*c)^2 + 25*a^ \\
& 2*\sin(8*d*x + 8*c)^2 + 100*a^2*\sin(6*d*x + 6*c)^2 + 100*a^2*\sin(4*d*x + 4*c \\
&)^2 + 100*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*a^2*\sin(2*d*x + 2*c)^2 \\
& + 10*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(5*a^2*\cos(8*d*x + 8*c) + 10*a^2*\cos(6 \\
& *d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(1 \\
& 0*d*x + 10*c) + 10*(10*a^2*\cos(6*d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a \\
& ^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 20*(10*a^2*\cos(4*d*x + 4*c) + \\
& 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 20*(5*a^2*\cos(2*d*x + 2*c \\
&) + a^2)*\cos(4*d*x + 4*c) + 10*(a^2*\sin(8*d*x + 8*c) + 2*a^2*\sin(6*d*x + 6* \\
& c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50 \\
& *(2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin \\
& (8*d*x + 8*c) + 100*(2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(6 \\
& *d*x + 6*c)) * \log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \\
& 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 4245*(a^2*\cos(10*d*x + 10*c)^2 \\
& + 25*a^2*\cos(8*d*x + 8*c)^2 + 100*a^2*\cos(6*d*x + 6*c)^2 + 100*a^2*\cos(4*d \\
& *x + 4*c)^2 + 25*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(10*d*x + 10*c)^2 + 25*a^2 \\
& *\sin(8*d*x + 8*c)^2 + 100*a^2*\sin(6*d*x + 6*c)^2 + 100*a^2*\sin(4*d*x + 4*c) \\
& ^2 + 100*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*a^2*\sin(2*d*x + 2*c)^2 \\
& + 10*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(5*a^2*\cos(8*d*x + 8*c) + 10*a^2*\cos(6* \\
& d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(10 \\
& *d*x + 10*c) + 10*(10*a^2*\cos(6*d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^ \\
& 2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 20*(10*a^2*\cos(4*d*x + 4*c) + \\
& 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 20*(5*a^2*\cos(2*d*x + 2*c) \\
& + a^2)*\cos(4*d*x + 4*c) + 10*(a^2*\sin(8*d*x + 8*c) + 2*a^2*\sin(6*d*x + 6*c \\
&) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50 \\
& *(2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin \\
& (8*d*x + 8*c) + 100*(2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(6 \\
& *d*x + 6*c)) * \log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \\
& 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 4245*(a^2*\cos(10*d*x + 10*c)^2 \\
& + 25*a^2*\cos(8*d*x + 8*c)^2 + 100*a^2*\cos(6*d*x + 6*c)^2 + 100*a^2*\cos(4*d* \\
& x + 4*c)^2 + 25*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(10*d*x + 10*c)^2 + 25*a^2* \\
& \sin(8*d*x + 8*c)^2 + 100*a^2*\sin(6*d*x + 6*c)^2 + 100*a^2*\sin(4*d*x + 4*c)^ \\
& 2 + 100*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*a^2*\sin(2*d*x + 2*c)^2 + \\
& 10*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(5*a^2*\cos(8*d*x + 8*c) + 10*a^2*\cos(6*d \\
& *x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(10* \\
& d*x + 10*c) + 10*(10*a^2*\cos(6*d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^2
\end{aligned}$$

$$\begin{aligned}
& * \cos(2*d*x + 2*c) + a^2 * \cos(8*d*x + 8*c) + 20*(10*a^2 * \cos(4*d*x + 4*c) + 5 \\
& * a^2 * \cos(2*d*x + 2*c) + a^2 * \cos(6*d*x + 6*c) + 20*(5*a^2 * \cos(2*d*x + 2*c) \\
& + a^2 * \cos(4*d*x + 4*c) + 10*(a^2 * \sin(8*d*x + 8*c) + 2*a^2 * \sin(6*d*x + 6*c) \\
& + 2*a^2 * \sin(4*d*x + 4*c) + a^2 * \sin(2*d*x + 2*c)) * \sin(10*d*x + 10*c) + 50*(\\
& 2*a^2 * \sin(6*d*x + 6*c) + 2*a^2 * \sin(4*d*x + 4*c) + a^2 * \sin(2*d*x + 2*c)) * \sin \\
& (8*d*x + 8*c) + 100*(2*a^2 * \sin(4*d*x + 4*c) + a^2 * \sin(2*d*x + 2*c)) * \sin(6*d \\
& *x + 6*c)) * \log(2 * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 \\
& * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2 * \sqrt{2} * \cos(1/4 \\
& * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2 * \sqrt{2} * \sin(1/4 * \arctan2(s \\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 16980 * (\sqrt{2} * a^2 * \cos(10*d*x + \\
& 10*c) + 5 * \sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 10 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + \\
& 10 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 5 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * \\
& a^2 * \sin(19/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 5660 * (\sqrt{2} * \\
& a^2 * \cos(10*d*x + 10*c) + 5 * \sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 10 * \sqrt{2} * a^2 * \cos \\
& (6*d*x + 6*c) + 10 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 5 * \sqrt{2} * a^2 * \cos(2*d*x \\
& + 2*c) + \sqrt{2} * a^2 * \sin(17/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& - 81504 * (\sqrt{2} * a^2 * \cos(10*d*x + 10*c) + 5 * \sqrt{2} * a^2 * \cos(8*d*x + 8*c) + \\
& 10 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 10 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 5 * \sqrt{2} \\
& (2) * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2 * \sin(15/4 * \arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) - 8320 * (\sqrt{2} * a^2 * \cos(10*d*x + 10*c) + 5 * \sqrt{2} * a^2 * \cos \\
& (8*d*x + 8*c) + 10 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 10 * \sqrt{2} * a^2 * \cos(4*d* \\
& x + 4*c) + 5 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2 * \sin(13/4 * \arctan2(s \\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 86440 * (\sqrt{2} * a^2 * \cos(10*d*x + 10*c) \\
& + 5 * \sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 10 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 10 * \sqrt{2} \\
& \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 5 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2 * \\
& \sin(11/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 86440 * (\sqrt{2} * a^2 * \\
& \cos(10*d*x + 10*c) + 5 * \sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 10 * \sqrt{2} * a^2 * \cos(6* \\
& d*x + 6*c) + 10 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 5 * \sqrt{2} * a^2 * \cos(2*d*x + 2* \\
& c) + \sqrt{2} * a^2 * \sin(9/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 83 \\
& 20 * (\sqrt{2} * a^2 * \cos(10*d*x + 10*c) + 5 * \sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 10 * \sqrt{2} \\
& \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 10 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 5 * \sqrt{2} * a^ \\
& 2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2 * \sin(7/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c))) + 81504 * (\sqrt{2} * a^2 * \cos(10*d*x + 10*c) + 5 * \sqrt{2} * a^2 * \cos(8*d \\
& *x + 8*c) + 10 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 10 * \sqrt{2} * a^2 * \cos(4*d*x + 4* \\
& c) + 5 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2 * \sin(5/4 * \arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) + 5660 * (\sqrt{2} * a^2 * \cos(10*d*x + 10*c) + 5 * \sqrt{2} \\
& \sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 10 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c) + 10 * \sqrt{2} * a^ \\
& 2 * \cos(4*d*x + 4*c) + 5 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} * a^2 * \sin(3/4 * \\
& \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16980 * (\sqrt{2} * a^2 * \cos(10*d* \\
& x + 10*c) + 5 * \sqrt{2} * a^2 * \cos(8*d*x + 8*c) + 10 * \sqrt{2} * a^2 * \cos(6*d*x + 6*c \\
&) + 10 * \sqrt{2} * a^2 * \cos(4*d*x + 4*c) + 5 * \sqrt{2} * a^2 * \cos(2*d*x + 2*c) + \sqrt{2} \\
& (2) * a^2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * B * \sqrt{a} / (2 \\
& * (5 * \cos(8*d*x + 8*c) + 10 * \cos(6*d*x + 6*c) + 10 * \cos(4*d*x + 4*c) + 5 * \cos(2* \\
& d*x + 2*c) + 1) * \cos(10*d*x + 10*c) + \cos(10*d*x + 10*c)^2 + 10 * (10 * \cos(6*d* \\
& x + 6*c) + 10 * \cos(4*d*x + 4*c) + 5 * \cos(2*d*x + 2*c) + 1) * \cos(8*d*x + 8*c) +
\end{aligned}$$

$$\begin{aligned} & 25\cos(8dx + 8c)^2 + 20(10\cos(4dx + 4c) + 5\cos(2dx + 2c) + 1) \cdot \\ & \cos(6dx + 6c) + 100\cos(6dx + 6c)^2 + 20(5\cos(2dx + 2c) + 1) \cdot \cos(\\ & (4dx + 4c) + 100\cos(4dx + 4c)^2 + 25\cos(2dx + 2c)^2 + 10(\sin(8d \\ & dx + 8c) + 2\sin(6dx + 6c) + 2\sin(4dx + 4c) + \sin(2dx + 2c)) \cdot \sin \\ & (10dx + 10c) + \sin(10dx + 10c)^2 + 50(2\sin(6dx + 6c) + 2\sin(4d \\ & dx + 4c) + \sin(2dx + 2c)) \cdot \sin(8dx + 8c) + 25\sin(8dx + 8c)^2 + 1 \\ & 00(2\sin(4dx + 4c) + \sin(2dx + 2c)) \cdot \sin(6dx + 6c) + 100\sin(6dx \\ & + 6c)^2 + 100\sin(4dx + 4c)^2 + 100\sin(4dx + 4c) \cdot \sin(2dx + 2c) \\ & + 25\sin(2dx + 2c)^2 + 10\cos(2dx + 2c) + 1) / d \end{aligned}$$

Fricas [A] time = 1.02346, size = 1476, normalized size = 5.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)*(a+asec(dx+c))^(5/2)*(A+Bsec(dx+c)),x, algorithm="fricas")

[Out] [1/7680*(15*((326*A + 283*B)*a^2*cos(dx + c)^5 + (326*A + 283*B)*a^2*cos(dx + c)^4)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4*(15*(326*A + 283*B)*a^2*cos(dx + c)^4 + 10*(326*A + 283*B)*a^2*cos(dx + c)^3 + 8*(230*A + 283*B)*a^2*cos(dx + c)^2 + 48*(10*A + 29*B)*a^2*cos(dx + c) + 384*B*a^2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^5 + d*cos(dx + c)^4), 1/3840*(15*((326*A + 283*B)*a^2*cos(dx + c)^5 + (326*A + 283*B)*a^2*cos(dx + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/(a*cos(dx + c)^2 - a*cos(dx + c) - 2*a)) + 2*(15*(326*A + 283*B)*a^2*cos(dx + c)^4 + 10*(326*A + 283*B)*a^2*cos(dx + c)^3 + 8*(230*A + 283*B)*a^2*cos(dx + c)^2 + 48*(10*A + 29*B)*a^2*cos(dx + c) + 384*B*a^2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^5 + d*cos(dx + c)^4)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algo-
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2), x)
```

$$3.240 \quad \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=227

$$\frac{a^3(104A + 95B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{96d\sqrt{a \sec(c + dx) + a}} + \frac{a^3(200A + 163B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(8A + 11B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{24d}$$

[Out] (a^(5/2)*(200*A + 163*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(200*A + 163*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(104*A + 95*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(8*A + 11*B)*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*B*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.59461, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4018, 4016, 3803, 3801, 215}

$$\frac{a^3(104A + 95B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{96d\sqrt{a \sec(c + dx) + a}} + \frac{a^3(200A + 163B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{64d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(8A + 11B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(5/2)*(200*A + 163*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(64*d) + (a^3*(200*A + 163*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*d*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(104*A + 95*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(8*A + 11*B)*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*B*Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n

```
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= \frac{aB\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{4d} + \frac{1}{4}\int \sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}A dx \\
&= \frac{a^2(8A+11B)\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{24d} \\
&= \frac{a^3(104A+95B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{96d\sqrt{a+a\sec(c+dx)}} + \frac{a^2(8A+11B)\sin(c+dx)}{96d} \\
&= \frac{a^3(200A+163B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(104A+95B)\sin(c+dx)}{96d} \\
&= \frac{a^3(200A+163B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64d\sqrt{a+a\sec(c+dx)}} + \frac{a^3(104A+95B)\sin(c+dx)}{96d} \\
&= \frac{a^{5/2}(200A+163B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{64d} + \frac{a^3(200A+163B)\sin(c+dx)}{96d}
\end{aligned}$$

Mathematica [A] time = 1.40905, size = 154, normalized size = 0.68

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(6\sqrt{2}(200A+163B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) + \sin\left(\frac{1}{2}(c+dx)\right) \sec^4(c+dx)\right)}{768d\sqrt{a+a\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]
```

```
[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(200*A + 163*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + (544*A + 844*B + (2056*A + 2203*B)*Cos[c + d*x] + (544*A + 652*B)*Cos[2*(c + d*x)] + 600*A*Cos[3*(c + d*x)] + 489*B*Cos[3*(c + d*x)])*Sec[c + d*x]^4*Sin[(c + d*x)/2]))/(768*d*Sqrt[Sec[c + d*x]])
```

Maple [B] time = 0.329, size = 479, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)),x)$

[Out]
$$\begin{aligned} & -1/384/d*a^2*(-1+\cos(dx+c))*(600*A*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))*2^{(1/2)}+600*A*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(-\cos(dx+c)-1+\sin(dx+c))))*2^{(1/2)} \\ & +489*B*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))*2^{(1/2)}+489*B*\cos(dx+c)^4*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(-\cos(dx+c)-1+\sin(dx+c))))*2^{(1/2)} \\ & +1200*A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+978*B*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+544*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+652*B*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)} \\ & +128*A*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+368*B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+96*B*(-2/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c))* \\ & (a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(1/\cos(dx+c))^{(3/2)}/\cos(dx+c)^2/\sin(dx+c)^2/(-2/(\cos(dx+c)+1))^{(1/2)} \end{aligned}$$

Maxima [B] time = 4.42439, size = 9897, normalized size = 43.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & 1/768*(8*(300*\sqrt{2})*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(6*d*x + 6*c) - 28*\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) + 28*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) - 28*(\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) - \sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c))*\cos(6*d*x + 6*c) - 300*(\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 3*\sqrt{2})*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(11/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(7*\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) - 7*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) - 114*\sqrt{2})*a^2*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 114*\sqrt{2})*a^2*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*\sqrt{2})*a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 456*(\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 456*(\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a \end{aligned}$$

$$\begin{aligned}
&))) + 9\cos(4/3\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(6*d*x + 6*c)^2 + 6*(\sin(6*d*x + 6*c) + 3*\sin(4/3\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*\sin(8/3\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*\sin(6*d*x + 6*c)*\sin(4/3\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*\sin(4/3\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\cos(6*d*x + 6*c) + 1) - (1956*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(15/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 652*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(13/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 6204*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(11/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2060*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(9/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2060*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(7/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 6204*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(5/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 652*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(3/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1956*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(1/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 489*(a^2*\cos(8*d*x + 8*c))^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sin(1/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2})*\cos(1/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})*\sin(1/4\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 489*(a^2*\cos(8*d*x + 8*c))^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))
\end{aligned}$$

$$\begin{aligned}
& *x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(\\
& 2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4 \\
& *d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4 \\
& *d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c)))) + 2) - 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a \\
& ^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 \\
& + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x \\
& + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c \\
&) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2* \\
& d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(\\
& 2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\co \\
& s(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2 \\
& *\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\si \\
& n(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&)^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sq \\
& rt(2)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 489*(a^2* \\
& \cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 \\
& + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6 \\
& *c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c \\
&) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos \\
& (6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(\\
& 8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\co \\
& s(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2* \\
& a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin \\
& (8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6* \\
& d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \\
& 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 1956*(\sqrt{2}*a^2*\cos(8*d*x + 8 \\
& *c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\s \\
& qrt(2)*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(15/4*\arctan2(\sin(2*d*x + 2*c \\
&), \cos(2*d*x + 2*c))) - 652*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*c \\
& os(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x \\
& + 2*c) + \sqrt{2}*a^2)*\sin(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& - 6204*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6* \\
& \sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2 \\
&)*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2060*(\sqrt{2}*a^2 \\
& *\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d* \\
& x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(9/4*\arctan2(\si \\
& n(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2060*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4 \\
& *\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*
\end{aligned}$$

$$\begin{aligned}
& a^2 \cos(2dx + 2c) + \sqrt{2} a^2 \sin\left(\frac{7}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 6204 \sqrt{2} a^2 \cos(8dx + 8c) + 4 \sqrt{2} a^2 \cos(6dx + 6c) \\
& + 6 \sqrt{2} a^2 \cos(4dx + 4c) + 4 \sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2 \sin\left(\frac{5}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) + 652 \sqrt{2} a^2 \cos(8dx + 8c) \\
& + 4 \sqrt{2} a^2 \cos(6dx + 6c) + 6 \sqrt{2} a^2 \cos(4dx + 4c) + 4 \sqrt{2} a^2 \cos(2dx + 2c) + \sqrt{2} a^2 \sin\left(\frac{3}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) \\
& + 1956 \sqrt{2} a^2 \cos(8dx + 8c) + 4 \sqrt{2} a^2 \cos(6dx + 6c) + 6 \sqrt{2} a^2 \cos(4dx + 4c) + 4 \sqrt{2} a^2 \cos(2dx + 2c) \\
& + \sqrt{2} a^2 \sin\left(\frac{1}{4} \arctan\left(\frac{\sin(2dx + 2c)}{\cos(2dx + 2c)}\right)\right) * B \sqrt{a} / (2 * (4 \cos(6dx + 6c) + 6 \cos(4dx + 4c) + 4 \cos(2dx + 2c) + 1) * \cos(8dx + 8c) + \cos(8dx + 8c)^2 + 8 * (6 \cos(4dx + 4c) + 4 \cos(2dx + 2c) + 1) * \cos(6dx + 6c) + 16 \cos(6dx + 6c)^2 + 12 * (4 \cos(2dx + 2c) + 1) * \cos(4dx + 4c) + 36 \cos(4dx + 4c)^2 + 16 \cos(2dx + 2c)^2 + 4 * (2 \sin(6dx + 6c) + 3 \sin(4dx + 4c) + 2 \sin(2dx + 2c)) * \sin(8dx + 8c) + \sin(8dx + 8c)^2 + 16 * (3 \sin(4dx + 4c) + 2 \sin(2dx + 2c)) * \sin(6dx + 6c) + 16 \sin(6dx + 6c)^2 + 36 \sin(4dx + 4c)^2 + 48 \sin(4dx + 4c) * \sin(2dx + 2c) + 16 \sin(2dx + 2c)^2 + 8 \cos(2dx + 2c) + 1) / d
\end{aligned}$$

Fricas [A] time = 1.01437, size = 1351, normalized size = 5.95

$$\left[\frac{3 \left((200A + 163B)a^2 \cos(dx + c)^4 + (200A + 163B)a^2 \cos(dx + c)^3 \right) \sqrt{a} \log \left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - \frac{4(\cos(dx + c)^2 - 2 \cos(dx + c))}{\sqrt{\cos(dx + c)}}}{\cos(dx + c)^3 + \cos(dx + c)^2} \right)}{768 \left(d \cos(dx + c) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(a+a*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] [1/768*(3*((200*A + 163*B)*a^2*cos(dx + c)^4 + (200*A + 163*B)*a^2*cos(dx + c)^3)*sqrt(a)*log((a*cos(dx + c)^3 - 7*a*cos(dx + c)^2 - 4*(cos(dx + c)^2 - 2*cos(dx + c))*sqrt(a)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)) + 8*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4*(3*(200*A + 163*B)*a^2*cos(dx + c)^3 + 2*(136*A + 163*B)*a^2*cos(dx + c)^2 + 8*(8*A + 23*B)*a^2*cos(dx + c) + 48*B*a^2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sin(dx + c)/sqrt(cos(dx + c)))/(d*cos(dx + c)^4 + d*cos(dx + c)^3)

+ c)^3), 1/384*(3*((200*A + 163*B)*a^2*cos(d*x + c)^4 + (200*A + 163*B)*a^2*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(200*A + 163*B)*a^2*cos(d*x + c)^3 + 2*(136*A + 163*B)*a^2*cos(d*x + c)^2 + 8*(8*A + 23*B)*a^2*cos(d*x + c) + 48*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2), x)

$$3.241 \quad \int \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=180

$$\frac{a^3(54A + 49B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(2A + 3B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)\sqrt{a \sec(c + dx) + a}}{4d} + \frac{a^{5/2}(38A + 25B) \sin(c + dx)}{4d}$$

[Out] (a^(5/2)*(38*A + 25*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^3*(54*A + 49*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(2*A + 3*B)*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.513432, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4018, 4016, 3801, 215}

$$\frac{a^3(54A + 49B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{24d\sqrt{a \sec(c + dx) + a}} + \frac{a^2(2A + 3B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)\sqrt{a \sec(c + dx) + a}}{4d} + \frac{a^{5/2}(38A + 25B) \sin(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(5/2)*(38*A + 25*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(8*d) + (a^3*(54*A + 49*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(2*A + 3*B)*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cosot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*

B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx &= \frac{aB \sec^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^{3/2} \sin(c+dx)}{3d} + \frac{1}{3} \int \\
 &= \frac{a^2(2A+3B) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} \sin(c+dx)}{4d} \\
 &= \frac{a^3(54A+49B) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{24d \sqrt{a+a \sec(c+dx)}} + \frac{a^2(2A+3B) \sin(c+dx)}{24d \sqrt{a+a \sec(c+dx)}} \\
 &= \frac{a^3(54A+49B) \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{24d \sqrt{a+a \sec(c+dx)}} + \frac{a^2(2A+3B) \sin(c+dx)}{24d \sqrt{a+a \sec(c+dx)}} \\
 &= \frac{a^{5/2}(38A+25B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right)}{8d} + \frac{a^3(54A+49B) \sin(c+dx)}{24d \sqrt{a+a \sec(c+dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.24843, size = 133, normalized size = 0.74

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(3\sqrt{2}(38A+25B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) + \sin\left(\frac{1}{2}(c+dx)\right) \sec^3(c+dx)\right)}{48d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(38*A + 25*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + (66*A + 91*B + 4*(6*A + 17*B)*Cos[c + d*x] + (66*A + 75*B)*Cos[2*(c + d*x)])*Sec[c + d*x]^3*Sin[(c + d*x)/2]))/(48*d*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.306, size = 419, normalized size = 2.3

$$\frac{a^2 \left((\cos(dx+c))^2 - 1 \right)}{96 d (\sin(dx+c))^2 (\cos(dx+c))^2} \left(114 A (\cos(dx+c))^3 \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2 (\cos(dx+c)+1)^{-1} (\cos(dx+c)+1 + \sin(dx+c))} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x)

[Out] 1/96/d*a^2*(114*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)+114*A*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*2^(1/2)+75*B*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)+75*B*cos(d*x+c)^3*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*2^(1/2)+132*A*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+150*B*cos(d*x+c)^2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+24*A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+68*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+16*B*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2/cos(d*x+c)^2*(cos(d*x+c)^2-1)

Maxima [B] time = 22.0953, size = 8501, normalized size = 47.23

result too large to display

$$\begin{aligned}
& *x + 1/2*c) + 2)) * \sin(2*d*x + 2*c)^2 - 2*(22*\sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) \\
& - 14*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 14*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) \\
& - 22*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 38*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)) * \cos(2*d*x + 2*c)) * \cos(4*d*x + 4*c) - 4*(14*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 22*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)) * \cos(2*d*x + 2*c) + 4*(11*\sqrt{2}*a^2*\cos(7/2*d*x + 7/2*c) - 7*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c) + 7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c) - 19*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2)) * \sin(2*d*x + 2*c)) * \sin(4*d*x + 4*c) - 44*(2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) + 28*(2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 8*(7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)) * \sin(2*d*x + 2*c)) * A*\sqrt{a}) / (2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1) - (300*\sqrt{2}*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(6*d*x + 6*c) - 28*\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) + 28*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 28*(\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) - \sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c)) * \cos
\end{aligned}$$

$$\begin{aligned}
& (6dx + 6c) - 300*(\sqrt{2})a^2*\sin(6dx + 6c) + 3*\sqrt{2})a^2*\sin(8/3* \\
& \arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) + 3*\sqrt{2})a^2*\sin(4/3 \\
& *\arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) * \cos(11/3*\arctan2(\sin \\
& (3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) - 12*(7*\sqrt{2})a^2*\sin(9/2*dx + \\
& 9/2*c) - 7*\sqrt{2})a^2*\sin(3/2*dx + 3/2*c) - 114*\sqrt{2})a^2*\sin(7/3*\arct \\
& an2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) + 114*\sqrt{2})a^2*\sin(5/3* \\
& arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) + 75*\sqrt{2})a^2*\sin(1 \\
& /3*\arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) * \cos(8/3*\arctan2(\sin \\
& (3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) - 456*(\sqrt{2})a^2*\sin(6dx + 6 \\
& *c) + 3*\sqrt{2})a^2*\sin(4/3*\arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2 \\
& *c))) * \cos(7/3*\arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) + 456*(\\
& \sqrt{2})a^2*\sin(6dx + 6c) + 3*\sqrt{2})a^2*\sin(4/3*\arctan2(\sin(3/2*dx + \\
& 3/2*c), \cos(3/2*dx + 3/2*c))) * \cos(5/3*\arctan2(\sin(3/2*dx + 3/2*c), \cos(3 \\
& /2*dx + 3/2*c))) - 12*(7*\sqrt{2})a^2*\sin(9/2*dx + 9/2*c) - 7*\sqrt{2})a^2* \\
& \sin(3/2*dx + 3/2*c) + 75*\sqrt{2})a^2*\sin(1/3*\arctan2(\sin(3/2*dx + 3/2*c), \\
& \cos(3/2*dx + 3/2*c))) * \cos(4/3*\arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx \\
& + 3/2*c))) + 75*(a^2*\cos(6dx + 6c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*dx \\
& + 3/2*c), \cos(3/2*dx + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*dx + 3 \\
& /2*c), \cos(3/2*dx + 3/2*c)))^2 + a^2*\sin(6dx + 6c))^2 + 9*a^2*\sin(8/3*\ar \\
& ctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c)))^2 + 6*a^2*\sin(6dx + 6 \\
& c)*\sin(4/3*\arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c))) + 9*a^2*\sin \\
& (4/3*\arctan2(\sin(3/2*dx + 3/2*c), \cos(3/2*dx + 3/2*c)))^2 + 2*a^2*\cos(6d \\
& *x + 6c) + a^2 + 6*(a^2*\cos(6dx + 6c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a^2)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6dx + 6c) + a^2)*\cos(4/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\sin(6dx + 6c) + \\
& 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \log(2*\cos(1/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2})*\cos(1/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2})*\sin(1/3*\arctan2(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 75*(a^2*\cos(6dx + 6c))^2 + 9 \\
& *a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2 \\
& *\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6 \\
& *d*x + 6c))^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c)))^2 + 6*a^2*\sin(6dx + 6c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), co \\
& s(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c)))^2 + 2*a^2*\cos(6dx + 6c) + a^2 + 6*(a^2*\cos(6dx + 6c) + \\
& 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a^2)* \\
& \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6 \\
& *d*x + 6c) + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2* \\
& c))) + 6*(a^2*\sin(6dx + 6c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) * \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2* \\
& c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 +
\end{aligned}$$

$$\begin{aligned}
& 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2 \\
& *\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) \\
& + 75*(a^2*\cos(6*d*x + 6*c)^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan \\
& 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + \\
& a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c))) + a^2)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2)*\cos(4/3*\arctan2(\sin(3/2* \\
& d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(\\
& 4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(s \\
& in(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\log(2*\cos(1/3*\arctan2(\sin(3/2* \\
& d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2* \\
& c), \cos(3/2*d*x + 3/2*c))) + 2) - 75*(a^2*\cos(6*d*x + 6*c)^2 + 9*a^2*\cos(8/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c) \\
& ^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c \\
&)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(\\
& 4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a^2)*\cos(8/3*\ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) \\
& + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a \\
& ^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d \\
& *x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2* \\
& \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 28*(\sqrt{2})*a^2*\cos(9/2*d*x + 9/2*c) - \sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c))*\sin(6*d*x + 6*c) + 300*(\sqrt{2})*a^2*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a^2*\sin(11/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*(7*\sqrt{2})*a^2*\cos(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 114*\sqrt{2}*a^2*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 114*\sqrt{2}*a^2*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*\sqrt{2}*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 456*(\sqrt{2})*a^2*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a^2*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a^2*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))
\end{aligned}$$

$x + 3/2*c)) - 456*(\sqrt{2})*a^2*\cos(6*d*x + 6*c) + 3*\sqrt{2})*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2})*a^2)*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*(7*\sqrt{2})*a^2*\cos(9/2*d*x + 9/2*c) - 7*\sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c) + 75*\sqrt{2})*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 300*(\sqrt{2})*a^2*\cos(6*d*x + 6*c) + \sqrt{2})*a^2)*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * B*\sqrt{a}/(\cos(6*d*x + 6*c)^2 + 6*(\cos(6*d*x + 6*c) + 3*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*(\cos(6*d*x + 6*c) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(6*d*x + 6*c)^2 + 6*(\sin(6*d*x + 6*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\cos(6*d*x + 6*c) + 1)) / d$

Fricas [A] time = 0.772432, size = 1224, normalized size = 6.8

$$\frac{3 \left((38A + 25B)a^2 \cos(dx + c)^3 + (38A + 25B)a^2 \cos(dx + c)^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{96 \left(d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/96*(3*((38*A + 25*B)*a^2*cos(d*x + c)^3 + (38*A + 25*B)*a^2*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(3*(22*A + 25*B)*a^2*cos(d*x + c)^2 + 2*(6*A + 17*B)*a^2*cos(d*x + c) + 8*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d

```
*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/48*(3*((38*A + 25*B)*a^2*cos(d*x + c)
)^3 + (38*A + 25*B)*a^2*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x
+ c)^2 - a*cos(d*x + c) - 2*a)) + 2*(3*(22*A + 25*B)*a^2*cos(d*x + c)^2 + 2
*(6*A + 17*B)*a^2*cos(d*x + c) + 8*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^
2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))*sec(d*x+c)**(1/2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2), x, algor
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c)
), x)
```

$$3.242 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=180

$$\frac{a^3(4A-9B) \sin(c+dx) \sqrt{\sec(c+dx)}}{4d \sqrt{a \sec(c+dx)+a}} + \frac{a^2(4A+7B) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}{4d} + \frac{a^{5/2}(20A+19B) \sin(c+dx)}{4d}$$

[Out] (a^(5/2)*(20*A + 19*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^3*(4*A - 9*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(4*A + 7*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.504055, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4018, 4015, 3801, 215}

$$\frac{a^3(4A-9B) \sin(c+dx) \sqrt{\sec(c+dx)}}{4d \sqrt{a \sec(c+dx)+a}} + \frac{a^2(4A+7B) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}{4d} + \frac{a^{5/2}(20A+19B) \sin(c+dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (a^(5/2)*(20*A + 19*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*d) + (a^3*(4*A - 9*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(4*A + 7*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*B*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{aB \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{a^2(4A + 7B) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} + \frac{aB \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} \sin(c + dx)}{2d} \\ &= \frac{a^3(4A - 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(4A + 7B) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{a^3(4A - 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} + \frac{a^2(4A + 7B) \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{a^{5/2}(20A + 19B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{4d} + \frac{a^3(4A - 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 1.81061, size = 137, normalized size = 0.76

$$\frac{a^3 \left(\sqrt{-\sec(c+dx)-1} \sec(c+dx) (\tan(c+dx)(4A+2B\sec(c+dx)+11B)+8A\sin(c+dx))+20A\tan(c+dx)\sin(c+dx) \right)}{4d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (a^3*(20*A*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Tan[c + d*x] - 19*B*ArcSin[Sqrt[Sec[c + d*x]]]*Tan[c + d*x] + Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*(8*A*Sin[c + d*x] + (4*A + 11*B + 2*B*Sec[c + d*x])*Tan[c + d*x])))/(4*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.367, size = 386, normalized size = 2.1

$$\frac{a^2}{16d\sin(dx+c)\cos(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(20A(\cos(dx+c))^2\sin(dx+c)\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2), x)

[Out] -1/16/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(20*A*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)+20*A*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+19*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)+19*B*cos(d*x+c)^2*sin(d*x+c)*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+32*A*cos(d*x+c)^3-16*A*cos(d*x+c)^2+44*B*cos(d*x+c)^2-16*A*cos(d*x+c)-36*B*cos(d*x+c)-8*B*(1/cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.768991, size = 1169, normalized size = 6.49

$$\left[\frac{\left((20A + 19B)a^2 \cos(dx + c)^2 + (20A + 19B)a^2 \cos(dx + c) \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\frac{a \cos(dx+c)}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{16 \left(d \cos(dx + c)^2 + d \cos(dx + c) \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/16*(((20*A + 19*B)*a^2*cos(d*x + c)^2 + (20*A + 19*B)*a^2*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(8*A*a^2*cos(d*x + c)^2 + (4*A + 11*B)*a^2*cos(d*x + c) + 2*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/8*(((20*A + 19*B)*a^2*cos(d*x + c)^2 + (20*A + 19*B)*a^2*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(8*A*a^2*cos(d*x + c)^2 + (4*A + 11*B)*a^2*cos(d*x + c) + 2*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)

$$3.243 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=177

$$\frac{a^3(14A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d \sqrt{a \sec(c + dx) + a}} - \frac{a^2(2A - 3B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{3d} + \frac{a^{5/2}(2A + 5B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{d}$$

```
[Out] (a^(5/2)*(2*A + 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (a^3*(14*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(2*A - 3*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 0.505445, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4017, 4018, 4015, 3801, 215}

$$\frac{a^3(14A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d \sqrt{a \sec(c + dx) + a}} - \frac{a^2(2A - 3B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}{3d} + \frac{a^{5/2}(2A + 5B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}} \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (a^(5/2)*(2*A + 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]])/d + (a^3*(14*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(2*A - 3*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 4018

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n *Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^3(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{3}{2}a\right)}{\sec^3(c + dx)} dx \\
&= -\frac{a^2(2A - 3B)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\
&= \frac{a^3(14A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} - \frac{a^2(2A - 3B)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{a^3(14A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}} - \frac{a^2(2A - 3B)\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{a^{5/2}(2A + 5B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{a^3(14A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.966409, size = 133, normalized size = 0.75

$$\frac{a^3 \left(3(2A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sin^{-1}\left(\sqrt{1 - \sec(c + dx)}\right) + \sqrt{1 - \sec(c + dx)}(\tan(c + dx)(16A + 3B \sec(c + dx)) \right)}{3d\sqrt{-(\sec(c + dx) - 1) \sec(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (a^3*(3*(2*A + 5*B)*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sec[c + d*x]^(3/2)*Sin[c + d*x] + Sqrt[1 - Sec[c + d*x]]*(2*A*Sin[c + d*x] + (16*A + 6*B + 3*B*Sec[c + d*x])*Tan[c + d*x]))/(3*d*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.348, size = 376, normalized size = 2.1

$$-\frac{a^2 \cos(dx + c)}{12d \sin(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(6A \sin(dx + c) \cos(dx + c) \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}} (-\cos(dx + c) + 1)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c))/\sec(d*x+c)^{3/2},x)$

[Out] $-1/12/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(6*A*\sin(d*x+c)*\cos(d*x+c)*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(-\cos(d*x+c)-1+\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{1/2}+6*A*\sin(d*x+c)*\cos(d*x+c)*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{1/2}+15*B*\sin(d*x+c)*\cos(d*x+c)*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(-\cos(d*x+c)-1+\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{1/2}+15*B*\sin(d*x+c)*\cos(d*x+c)*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*(-2/(\cos(d*x+c)+1))^{1/2}+8*A*\cos(d*x+c)^3+56*A*\cos(d*x+c)^2+24*B*\cos(d*x+c)^2-64*A*\cos(d*x+c)-12*B*\cos(d*x+c)-12*B)*\cos(d*x+c)*(1/\cos(d*x+c))^{3/2}/\sin(d*x+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c))/\sec(d*x+c)^{3/2},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.77292, size = 1085, normalized size = 6.13

$$\left[3 \left((2A + 5B)a^2 \cos(dx + c) + (2A + 5B)a^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} + 8 \right) \right. \\ \left. \frac{\phantom{3 \left((2A + 5B)a^2 \cos(dx + c) + (2A + 5B)a^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - \frac{4(\cos(dx+c)^2 - 2\cos(dx+c))\sqrt{a}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{\cos(dx+c)^3 + \cos(dx+c)^2} + 8 \right)}}{12(d \cos(dx + c) + d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c))/\sec(d*x+c)^{3/2},x, \text{algorithm}="fricas")$

```
[Out] [1/12*(3*((2*A + 5*B)*a^2*cos(d*x + c) + (2*A + 5*B)*a^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(2*A*a^2*cos(d*x + c)^2 + 2*(8*A + 3*B)*a^2*cos(d*x + c) + 3*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d), 1/6*(3*((2*A + 5*B)*a^2*cos(d*x + c) + (2*A + 5*B)*a^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) + 2*(2*A*a^2*cos(d*x + c)^2 + 2*(8*A + 3*B)*a^2*cos(d*x + c) + 3*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(3/2), x)
```


$$3.244 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=172

$$\frac{2a^3(32A + 35B) \sin(c + dx)\sqrt{\sec(c + dx)}}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(8A + 5B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{15d\sqrt{\sec(c + dx)}} + \frac{2a^{5/2}B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

[Out] (2*a^(5/2)*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(32*A + 35*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.488931, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4017, 4015, 3801, 215}

$$\frac{2a^3(32A + 35B) \sin(c + dx)\sqrt{\sec(c + dx)}}{15d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(8A + 5B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{15d\sqrt{\sec(c + dx)}} + \frac{2a^{5/2}B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (2*a^(5/2)*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/d + (2*a^3*(32*A + 35*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 5*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp [a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2}{5} \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{1}{2} a \sec^3(c + dx)\right)}{\sec^2(c + dx)} dx \\
 &= \frac{2a^2(8A + 5B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{15d\sqrt{\sec(c + dx)}} + \frac{2aA(a + a \sec(c + dx))^{3/2}}{5d \sec^2(c + dx)} \\
 &= \frac{2a^3(32A + 35B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(8A + 5B)\sqrt{a + a \sec(c + dx)}}{15d\sqrt{\sec(c + dx)}} \\
 &= \frac{2a^3(32A + 35B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(8A + 5B)\sqrt{a + a \sec(c + dx)}}{15d\sqrt{\sec(c + dx)}} \\
 &= \frac{2a^{5/2}B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} + \frac{2a^3(32A + 35B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.86389, size = 127, normalized size = 0.74

$$\frac{a^3 \tan(c + dx) \left(\sqrt{1 - \sec(c + dx)} (2(14A + 5B) \cos(c + dx) + 3A \cos(2(c + dx)) + 89A + 80B) + 30B \sqrt{\sec(c + dx)} \sin^{-1} \right)}{15d \sqrt{-(\sec(c + dx) - 1) \sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (a^3*((89*A + 80*B + 2*(14*A + 5*B)*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sqrt[1 - Sec[c + d*x]] + 30*B*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Sec[c + d*x]])*Tan[c + d*x]/(15*d*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.333, size = 235, normalized size = 1.4

$$-\frac{a^2 (\cos(dx + c))^3}{30 d \sin(dx + c)} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \left(15 B \sqrt{2} \arctan \left(\frac{1}{4} \sqrt{2} \sqrt{-2 (\cos(dx + c) + 1)^{-1} (-\cos(dx + c) - 1 + \sin(dx + c))} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x)

[Out] -1/30/d*a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(15*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+15*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+12*A*cos(d*x+c)^3+44*A*cos(d*x+c)^2+20*B*cos(d*x+c)^2+116*A*cos(d*x+c)+140*B*cos(d*x+c)-172*A-160*B)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)

Maxima [B] time = 2.22638, size = 884, normalized size = 5.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x, algorithm="maxima")

```
[Out] 1/60*(5*sqrt(2)*(30*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 30*a^2*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - 3*sqrt(2)*a^2*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + 4*a^2*sin(3/2*d*x + 3/2*c) + 30*a^2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*B*sqrt(a) + 2*(3*sqrt(2)*a^2*sin(5/2*d*x + 5/2*c) + 25*sqrt(2)*a^2*sin(3/2*d*x + 3/2*c) + 150*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*A*sqrt(a))/d
```

Fricas [A] time = 0.587795, size = 1100, normalized size = 6.4

$$\frac{15 \left(B a^2 \cos(dx + c) + B a^2 \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7 a \cos(dx+c)^2 - \frac{4 \left(\cos(dx+c)^2 - 2 \cos(dx+c) \right) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8 a \right)}{30 (d \cos(dx + c) + d)} + \frac{4 (3 A a^2 \cos(dx+c)^3)}{30 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/30*(15*(B*a^2*cos(d*x + c) + B*a^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x +
```

$$c)^3 + \cos(dx + c)^2)) + 4*(3*A*a^2*\cos(dx + c)^3 + (14*A + 5*B)*a^2*\cos(dx + c)^2 + (43*A + 40*B)*a^2*\cos(dx + c))*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c))*\sin(dx + c)/\sqrt{\cos(dx + c)}}/(d*\cos(dx + c) + d), 1/15*(15*(B*a^2*\cos(dx + c) + B*a^2)*\sqrt{-a}*\arctan(2*\sqrt{-a}*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c))*\sqrt{\cos(dx + c))*\sin(dx + c)/(a*\cos(dx + c)^2 - a*\cos(dx + c) - 2*a)) + 2*(3*A*a^2*\cos(dx + c)^3 + (14*A + 5*B)*a^2*\cos(dx + c)^2 + (43*A + 40*B)*a^2*\cos(dx + c))*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c))*\sin(dx + c)/\sqrt{\cos(dx + c)}}/(d*\cos(dx + c) + d)]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))**(5/2)*(A+B*sec(dx+c))/sec(dx+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(dx+c))^(5/2)*(A+B*sec(dx+c))/sec(dx+c)^(5/2),x, algorith="giac")

[Out] integrate((B*sec(dx + c) + A)*(a*sec(dx + c) + a)^(5/2)/sec(dx + c)^(5/2), x)

$$3.245 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=178

$$\frac{64a^3(5A+7B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d \sqrt{a \sec(c+dx)+a}} + \frac{16a^2(5A+7B) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{105d \sqrt{\sec(c+dx)}} + \frac{2a(5A+7B) \sin(c+dx)(a \sec(c+dx))^{3/2}}{35d \sec^2(c+dx)}$$

[Out] (64*a^3*(5*A + 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(5*A + 7*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*a*(5*A + 7*B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.316518, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {4013, 3809, 3804}

$$\frac{64a^3(5A+7B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d \sqrt{a \sec(c+dx)+a}} + \frac{16a^2(5A+7B) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{105d \sqrt{\sec(c+dx)}} + \frac{2a(5A+7B) \sin(c+dx)(a \sec(c+dx))^{3/2}}{35d \sec^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (64*a^3*(5*A + 7*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(5*A + 7*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*a*(5*A + 7*B)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*A*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3809

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.), x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*
(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e
+ f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m
, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2
*m]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2A(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{1}{7}(5A + 7B) \int \frac{(a + a \sec(c + dx))^{5/2}}{\sec^2(c + dx)} dx \\ &= \frac{2a(5A + 7B)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{35d \sec^2(c + dx)} + \frac{2A(a + a \sec(c + dx))^{5/2}}{7d \sec^2(c + dx)} \\ &= \frac{16a^2(5A + 7B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{105d\sqrt{\sec(c + dx)}} + \frac{2a(5A + 7B)(a + a \sec(c + dx))^{5/2}}{35d \sec^2(c + dx)} \\ &= \frac{64a^3(5A + 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \sec(c + dx)}} + \frac{16a^2(5A + 7B)\sqrt{a + a \sec(c + dx)}}{105d\sqrt{\sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.551393, size = 91, normalized size = 0.51

$$\frac{2a^3 \sin(c + dx) \left((230A + 301B) \sec^3(c + dx) + (115A + 98B) \sec^2(c + dx) + 3(20A + 7B) \sec(c + dx) + 15A \right)}{105d \sec^2(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*a^3*(15*A + 3*(20*A + 7*B)*Sec[c + d*x] + (115*A + 98*B)*Sec[c + d*x]^2 + (230*A + 301*B)*Sec[c + d*x]^3)*Sin[c + d*x]/(105*d*Sec[c + d*x]^(5/2)*S
```

qrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.309, size = 121, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx + c)) \left(15A(\cos(dx + c))^3 + 60A(\cos(dx + c))^2 + 21B(\cos(dx + c))^2 + 115A\cos(dx + c) + 98B\cos(dx + c) \right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2), x)

[Out] $-2/105/d*a^2*(-1+\cos(d*x+c))*(15*A*\cos(d*x+c)^3+60*A*\cos(d*x+c)^2+21*B*\cos(d*x+c)^2+115*A*\cos(d*x+c)+98*B*\cos(d*x+c)+230*A+301*B)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^4*(1/\cos(d*x+c))^{(7/2)}/\sin(d*x+c)$

Maxima [B] time = 2.11634, size = 520, normalized size = 2.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2), x, algorithm="maxima")

[Out] $1/840*(5*\sqrt{2}*(315*a^2*\cos(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin(7/2*d*x + 7/2*c) + 77*a^2*\cos(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin(7/2*d*x + 7/2*c) + 21*a^2*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin(7/2*d*x + 7/2*c) - 315*a^2*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 77*a^2*\cos(7/2*d*x + 7/2*c)*\sin(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 21*a^2*\cos(7/2*d*x + 7/2*c)*\sin(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 6*a^2*\sin(7/2*d*x + 7/2*c) + 21*a^2*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 77*a^2*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 315*a^2*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))))*A*\sqrt{a} + 28*(3*\sqrt{2})*a^2*\sin(5/2*d*x + 5/2*c) + 25*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 150*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a})/d$

Fricas [A] time = 0.46815, size = 317, normalized size = 1.78

$$\frac{2(15Aa^2 \cos(dx+c)^4 + 3(20A+7B)a^2 \cos(dx+c)^3 + (115A+98B)a^2 \cos(dx+c)^2 + (230A+301B)a^2 \cos(dx+c))}{105(d \cos(dx+c) + d)\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] 2/105*(15*A*a^2*cos(d*x + c)^4 + 3*(20*A + 7*B)*a^2*cos(d*x + c)^3 + (115*A + 98*B)*a^2*cos(d*x + c)^2 + (230*A + 301*B)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(a \sec(dx+c) + a)^{\frac{5}{2}}}{\sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(7/2), x)

$$3.246 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=228

$$\frac{2a^3(124A + 135B) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(4A + 3B) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(292A + 345B) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{315d \sqrt{a \sec(c + dx) + a}}$$

[Out] (2*a^3*(124*A + 135*B)*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(292*A + 345*B)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^3*(292*A + 345*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(4*A + 3*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.631508, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4017, 4015, 3805, 3804}

$$\frac{2a^3(124A + 135B) \sin(c + dx)}{315d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(4A + 3B) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{21d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(292A + 345B) \sin(c + dx) \sqrt{a \sec(c + dx) + a}}{315d \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (2*a^3*(124*A + 135*B)*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(292*A + 345*B)*Sin[c + d*x])/(315*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (4*a^3*(292*A + 345*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(4*A + 3*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4017

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x] /

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^2(c + dx)} + \frac{2}{9} \int \frac{(a + a \sec(c + dx))^{3/2} \left(\frac{3}{2}\right)}{\sec^2(c + dx)} dx \\ &= \frac{2a^2(4A + 3B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^2(c + dx)} \\ &= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \sec^2(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(4A + 3B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} \\ &= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \sec^2(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(292A + 345B) \sin(c + dx)}{315d \sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\ &= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \sec^2(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(292A + 345B) \sin(c + dx)}{315d \sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.763781, size = 108, normalized size = 0.47

$$\frac{2a^3 \sin(c + dx) \left((584A + 690B) \sec^4(c + dx) + (292A + 345B) \sec^3(c + dx) + 3(73A + 60B) \sec^2(c + dx) + 5(26A + 9B) \right)}{315d \sec^{\frac{7}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (2*a^3*(35*A + 5*(26*A + 9*B)*Sec[c + d*x] + 3*(73*A + 60*B)*Sec[c + d*x]^2 + (292*A + 345*B)*Sec[c + d*x]^3 + (584*A + 690*B)*Sec[c + d*x]^4)*Sin[c + d*x]/(315*d*Sec[c + d*x]^(7/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.306, size = 143, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) \left(35A(\cos(dx + c))^4 + 130A(\cos(dx + c))^3 + 45B(\cos(dx + c))^3 + 219A(\cos(dx + c))^2 + 180B(\cos(dx + c)) \right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2), x)

[Out] -2/315/d*a^2*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+130*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+219*A*cos(d*x+c)^2+180*B*cos(d*x+c)^2+292*A*cos(d*x+c)+345*B*cos(d*x+c)+584*A+690*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^5*(1/cos(d*x+c))^(9/2)/sin(d*x+c)

Maxima [B] time = 2.20182, size = 1007, normalized size = 4.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2), x, algorithm="maxima")

[Out] 1/5040*(sqrt(2)*(8190*a^2*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c) + 2100*a^2*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))))

$$\begin{aligned} & /2*c), \cos(9/2*d*x + 9/2*c)))*\sin(9/2*d*x + 9/2*c) + 756*a^2*\cos(4/9*\arctan \\ & 2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))*\sin(9/2*d*x + 9/2*c) + 225*a \\ & ^2*\cos(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))*\sin(9/2*d*x \\ & + 9/2*c) - 8190*a^2*\cos(9/2*d*x + 9/2*c)*\sin(8/9*\arctan2(\sin(9/2*d*x + 9/2 \\ & *c), \cos(9/2*d*x + 9/2*c))) - 2100*a^2*\cos(9/2*d*x + 9/2*c)*\sin(2/3*\arctan2 \\ & (\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 756*a^2*\cos(9/2*d*x + 9/2*c \\ &)*\sin(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 225*a^2*co \\ & s(9/2*d*x + 9/2*c)*\sin(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2* \\ & c))) + 70*a^2*\sin(9/2*d*x + 9/2*c) + 225*a^2*\sin(7/9*\arctan2(\sin(9/2*d*x + \\ & 9/2*c), \cos(9/2*d*x + 9/2*c))) + 756*a^2*\sin(5/9*\arctan2(\sin(9/2*d*x + 9/2* \\ & c), \cos(9/2*d*x + 9/2*c))) + 2100*a^2*\sin(1/3*\arctan2(\sin(9/2*d*x + 9/2*c), \\ & \cos(9/2*d*x + 9/2*c))) + 8190*a^2*\sin(1/9*\arctan2(\sin(9/2*d*x + 9/2*c), co \\ & s(9/2*d*x + 9/2*c))) *A*sqrt(a) + 30*sqrt(2)*(315*a^2*\cos(6/7*\arctan2(\sin(7 \\ & /2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin(7/2*d*x + 7/2*c) + 77*a^2*\cos(4 \\ & /7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin(7/2*d*x + 7/2*c \\ &) + 21*a^2*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))*\sin \\ & (7/2*d*x + 7/2*c) - 315*a^2*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d* \\ & x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 77*a^2*\cos(7/2*d*x + 7/2*c)*\sin(4/7*ar \\ & ctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 21*a^2*\cos(7/2*d*x + 7 \\ & /2*c)*\sin(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 6*a^2* \\ & \sin(7/2*d*x + 7/2*c) + 21*a^2*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2 \\ & *d*x + 7/2*c))) + 77*a^2*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x \\ & + 7/2*c))) + 315*a^2*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/ \\ & 2*c))) *B*sqrt(a))/d \end{aligned}$$

Fricas [A] time = 0.478615, size = 371, normalized size = 1.63

$$2(35 Aa^2 \cos(dx + c)^5 + 5(26A + 9B)a^2 \cos(dx + c)^4 + 3(73A + 60B)a^2 \cos(dx + c)^3 + (292A + 345B)a^2 \cos(dx + c)^2 + 2(292A + 345B)a^2 \cos(dx + c))\sqrt{(a \cos(dx + c) + a)/\cos(dx + c)}\sin(dx + c)/((d \cos(dx + c) + d)\sqrt{\cos(dx + c)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorith="fricas")

[Out] 2/315*(35*A*a^2*cos(d*x + c)^5 + 5*(26*A + 9*B)*a^2*cos(d*x + c)^4 + 3*(73*A + 60*B)*a^2*cos(d*x + c)^3 + (292*A + 345*B)*a^2*cos(d*x + c)^2 + 2*(292*A + 345*B)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(9/2), x)

$$3.247 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=275

$$\frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(14A + 11B) \sin(c + dx) \sqrt{a \sec(c + dx)}}{99d \sec^{\frac{7}{2}}(c + dx)}$$

```
[Out] (2*a^3*(194*A + 209*B)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(710*A + 803*B)*Sin[c + d*x])/(1155*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^3*(710*A + 803*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(14*A + 11*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rubi [A] time = 0.699486, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4017, 4015, 3805, 3804}

$$\frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{2a^2(14A + 11B) \sin(c + dx) \sqrt{a \sec(c + dx)}}{99d \sec^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(11/2), x]
```

```
[Out] (2*a^3*(194*A + 209*B)*Sin[c + d*x])/(693*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(710*A + 803*B)*Sin[c + d*x])/(1155*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^3*(710*A + 803*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(14*A + 11*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*a*A*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))
```

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d^n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d^n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3805

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d^n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

```

Rule 3804

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2aA(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \frac{2}{11} \int \frac{(a + a \sec(c + dx))^{3/2}}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2a^2(14A + 11B)\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2aA(a + a \sec(c + dx))^{3/2}}{11d \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^2(14A + 11B)\sqrt{a + a \sec(c + dx)}}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 4.27278, size = 127, normalized size = 0.46

$$\frac{2a^3 \sin(c + dx) (8(710A + 803B) \sec^5(c + dx) + 4(710A + 803B) \sec^4(c + dx) + 3(710A + 803B) \sec^3(c + dx) + 5(355A + 286B) \sec^2(c + dx) + 2(194A + 209B) \sec(c + dx) + 11A)}{3465d \sec^{\frac{9}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(11/2), x]

[Out] (2*a^3*(315*A + 35*(32*A + 11*B))*Sec[c + d*x] + 5*(355*A + 286*B)*Sec[c + d*x]^2 + 3*(710*A + 803*B)*Sec[c + d*x]^3 + 4*(710*A + 803*B)*Sec[c + d*x]^4 + 8*(710*A + 803*B)*Sec[c + d*x]^5*Sin[c + d*x])/(3465*d*Sec[c + d*x]^(9/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.329, size = 165, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) (315A(\cos(dx + c))^5 + 1120A(\cos(dx + c))^4 + 385B(\cos(dx + c))^4 + 1775A(\cos(dx + c))^3 + 1120A(\cos(dx + c))^2 + 315A\cos(dx + c) + 11A)}{3465d \sec^{\frac{9}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x)
```

```
[Out] -2/3465/d*a^2*(-1+cos(d*x+c))*(315*A*cos(d*x+c)^5+1120*A*cos(d*x+c)^4+385*B*cos(d*x+c)^4+1775*A*cos(d*x+c)^3+1430*B*cos(d*x+c)^3+2130*A*cos(d*x+c)^2+2409*B*cos(d*x+c)^2+2840*A*cos(d*x+c)+3212*B*cos(d*x+c)+5680*A+6424*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^6*(1/cos(d*x+c))^(11/2)/sin(d*x+c)
```

Maxima [B] time = 2.26537, size = 1276, normalized size = 4.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="maxima")
```

```
[Out] 1/110880*(5*sqrt(2)*(31878*a^2*cos(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 8778*a^2*cos(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 3465*a^2*cos(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 1287*a^2*cos(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 385*a^2*cos(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) - 31878*a^2*cos(11/2*d*x + 11/2*c)*sin(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 8778*a^2*cos(11/2*d*x + 11/2*c)*sin(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 3465*a^2*cos(11/2*d*x + 11/2*c)*sin(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 1287*a^2*cos(11/2*d*x + 11/2*c)*sin(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 385*a^2*cos(11/2*d*x + 11/2*c)*sin(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 126*a^2*sin(11/2*d*x + 11/2*c) + 385*a^2*sin(9/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 1287*a^2*sin(7/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 3465*a^2*sin(5/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 8778*a^2*sin(3/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 31878*a^2*sin(1/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))))*A*sqrt(a) + 22*sqrt(2)*(8190*a^2*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c) + 2100*a^2*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c) + 756*a^2*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c)))*sin(9/2*d*x + 9/2*c))
```

$$2*d*x + 9/2*c) + 225*a^2*\cos(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))*\sin(9/2*d*x + 9/2*c) - 8190*a^2*\cos(9/2*d*x + 9/2*c)*\sin(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 2100*a^2*\cos(9/2*d*x + 9/2*c)*\sin(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 756*a^2*\cos(9/2*d*x + 9/2*c)*\sin(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 225*a^2*\cos(9/2*d*x + 9/2*c)*\sin(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 70*a^2*\sin(9/2*d*x + 9/2*c) + 225*a^2*\sin(7/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 756*a^2*\sin(5/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 2100*a^2*\sin(1/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 8190*a^2*\sin(1/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))))*B*\sqrt{a})/d$$

Fricas [A] time = 0.4878, size = 435, normalized size = 1.58

$$\frac{2(315 A a^2 \cos(dx + c)^6 + 35(32 A + 11 B) a^2 \cos(dx + c)^5 + 5(355 A + 286 B) a^2 \cos(dx + c)^4 + 3(710 A + 803 B) a^2 \cos(dx + c)^3 + 4(710 A + 803 B) a^2 \cos(dx + c)^2 + 8(710 A + 803 B) a^2 \cos(dx + c)) \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)} \sin(dx + c) / ((d \cos(dx + c) + d) \sqrt{\cos(dx + c)})}{3465(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] 2/3465*(315*A*a^2*cos(d*x + c)^6 + 35*(32*A + 11*B)*a^2*cos(d*x + c)^5 + 5*(355*A + 286*B)*a^2*cos(d*x + c)^4 + 3*(710*A + 803*B)*a^2*cos(d*x + c)^3 + 4*(710*A + 803*B)*a^2*cos(d*x + c)^2 + 8*(710*A + 803*B)*a^2*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/((d*cos(d*x + c) + d)*sqrt(cos(d*x + c)))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algo  
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(11/  
2), x)
```

$$3.248 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=190

$$\frac{(4A - B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(4A - 7B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{B \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}}$$

```
[Out] -((4*A - 7*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*
Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d
*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((4*A - B)*Sec[c +
d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (B*Sec[c + d*x]^(
5/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.572924, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4021, 4023, 3808, 206, 3801, 215}

$$\frac{(4A - B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4d\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(4A - 7B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{B \sin(c + dx)}{2d\sqrt{a + a \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]
```

```
[Out] -((4*A - 7*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*
Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d
*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + ((4*A - B)*Sec[c +
d*x]^(3/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Sec[c + d*x]]) + (B*Sec[c + d*x]^(
5/2)*Sin[c + d*x])/(2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
```

GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{B\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3aB}{2} + \frac{1}{2}a(4A-B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a} \\
&= \frac{(4A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{B\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}} dx}{2a} \\
&= \frac{(4A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{B\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} - \frac{(4A-7B)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{(4A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} + \frac{B\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a+a\sec(c+dx)}} + \frac{(4A-7B)\sin(c+dx)}{4d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(4A-7B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4\sqrt{ad}} + \frac{\sqrt{2}(A-B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.867175, size = 125, normalized size = 0.66

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}\left(8(A-B)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \sqrt{2}(4A-7B)\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right) + 2\sin\left(\frac{1}{2}(c+dx)\right)\right)}{4d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(8*(A - B)*ArcTanh[Sin[(c + d*x)/2]] - Sqrt[2]*(4*A - 7*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(4*A - B + 2*B*Sec[c + d*x])*Sin[(c + d*x)/2]))/(4*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.385, size = 423, normalized size = 2.2

$$\frac{\cos(dx+c)\left((\cos(dx+c))^2-1\right)}{16ad(\sin(dx+c))^2} \left(-4A(\cos(dx+c))^2 \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(-\cos(dx+c)-1+\sin(dx+c))}\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] 1/16/d/a*(-4*A*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))^2^(1/2)-4*A*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))^2^(1/2)+7*B*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))^2^(1/2)+7*B*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))^2^(1/2)+8*A*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+16*A*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-2*B*cos(d*x+c)*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-16*B*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+4*B*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c))*cos(d*x+c)*(1/cos(d*x+c))^(5/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)^2-1)
```

Maxima [B] time = 2.52875, size = 3407, normalized size = 17.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/16*(4*(4*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))))*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*sin(2*d*x + 2*c) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*s
```


$$\begin{aligned}
& \ln\left(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))\right) + 2 - 2\left(\sqrt{2}\cos(2dx+2c)\right)^2 + \sqrt{2}\sin(2dx+2c)^2 + 2\sqrt{2}\cos(2dx+2c) + \sqrt{2}\log(\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))))^2 + \sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))^2 + 2\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 1 + 2\left(\sqrt{2}\cos(2dx+2c)\right)^2 + \sqrt{2}\sin(2dx+2c)^2 + 2\sqrt{2}\cos(2dx+2c) + \sqrt{2}\log(\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))))^2 + \sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))^2 - 2\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 1 - 4\left(\sqrt{2}\cos(2dx+2c)\right)^2 + \sqrt{2}\sin(3\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 4\left(\sqrt{2}\cos(2dx+2c)\right)^2 + \sqrt{2}\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))\bigg) \bigg/ \left(\cos(2dx+2c)\right)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1\bigg)\sqrt{a} - \left(4\left(\sqrt{2}\sin(4dx+4c)\right)^2 + 2\sqrt{2}\sin(2dx+2c)\right)\cos(7\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) - 20\left(\sqrt{2}\sin(4dx+4c)\right)^2 + 2\sqrt{2}\sin(2dx+2c)\cos(5\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 20\left(\sqrt{2}\sin(4dx+4c)\right)^2 + 2\sqrt{2}\sin(2dx+2c)\cos(3\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) - 4\left(\sqrt{2}\sin(4dx+4c)\right)^2 + 2\sqrt{2}\sin(2dx+2c)\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 7(2(2\cos(2dx+2c)+1)\cos(4dx+4c) + \cos(4dx+4c))^2 + 4\cos(2dx+2c)^2 + \sin(4dx+4c)^2 + 4\sin(4dx+4c)\sin(2dx+2c) + 4\sin(2dx+2c)^2 + 4\cos(2dx+2c) + 1\bigg)\log(2\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))))^2 + 2\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))^2 + 2\sqrt{2}\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\sqrt{2}\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\bigg) + 2 - 7(2(2\cos(2dx+2c)+1)\cos(4dx+4c) + \cos(4dx+4c))^2 + 4\cos(2dx+2c)^2 + \sin(4dx+4c)^2 + 4\sin(4dx+4c)\sin(2dx+2c) + 4\sin(2dx+2c)^2 + 4\cos(2dx+2c) + 1\bigg)\log(2\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))))^2 + 2\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))^2 + 2\sqrt{2}\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) - 2\sqrt{2}\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\bigg) + 7(2(2\cos(2dx+2c)+1)\cos(4dx+4c) + \cos(4dx+4c))^2 + 4\cos(2dx+2c)^2 + \sin(4dx+4c)^2 + 4\sin(4dx+4c)\sin(2dx+2c) + 4\sin(2dx+2c)^2 + 4\cos(2dx+2c) + 1\bigg)\log(2\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))))^2 + 2\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))^2 - 2\sqrt{2}\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\sqrt{2}\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\bigg) - 7(2(2\cos(2dx+2c)+1)\cos(4dx+4c) + \cos(4dx+4c))^2 + 4\cos(2dx+2c)^2 + \sin(4dx+4c)^2 + 4\sin(4dx+4c)\sin(2dx+2c) + 4\sin(2dx+2c)^2 + 4\cos(2dx+2c) + 1\bigg)\log(2\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))))^2 + 2\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))^2 - 2\sqrt{2}\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\sqrt{2}\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\bigg) - 7(2(2\cos(2dx+2c)+1)\cos(4dx+4c) + \cos(4dx+4c))^2 + 4\cos(2dx+2c)^2 + \sin(4dx+4c)^2 + 4\sin(4dx+4c)\sin(2dx+2c) + 4\sin(2dx+2c)^2 + 4\cos(2dx+2c) + 1\bigg)\log(2\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))))^2 + 2\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))^2 - 2\sqrt{2}\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\sqrt{2}\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 2\bigg) - 8\left(\sqrt{2}\cos(4dx+4c)\right)^2 + 4\sqrt{2}\cos(2dx+2c)^2 + \sqrt{2}\sin(4dx+4c)^2 + 4\sqrt{2}\sin(4dx+4c)\sin(2dx+2c) + 4\sqrt{2}\sin(2dx+2c)^2 + 2(2\sqrt{2}\cos(2dx+2c) + \sqrt{2})\cos(4dx+4c) + 4\sqrt{2}\cos(2dx+2c) + \sqrt{2}\log(\cos(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))))^2 + \sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c)))^2 + 2\sin(\frac{1}{2}\arctan^2(\sin(dx+c), \cos(dx+c))) + 1\bigg) + 8\left(\sqrt{2}\cos(4dx+
\right)
\end{aligned}$$

$$\begin{aligned}
& + 4*c)^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(4*d*x + 4*c)^2 + 4*s \\
& \text{qrt}(2)*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2 \\
& *(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2* \\
& d*x + 2*c) + \sqrt{2})*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \\
& \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sin(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c))) + 1) - 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d \\
& *x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 20*(sqr \\
& t(2)*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arcta \\
& n2(\sin(d*x + c), \cos(d*x + c))) - 20*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2})* \\
& \cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + \\
& 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2 \\
& *\arctan2(\sin(d*x + c), \cos(d*x + c))))*B/((2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4 \\
& *d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^ \\
& 2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d* \\
& x + 2*c) + 1)*\sqrt{a}))/d
\end{aligned}$$

Fricas [A] time = 0.862214, size = 1620, normalized size = 8.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorith
m="fricas")
```

```
[Out] [-1/16*(((4*A - 7*B)*cos(d*x + c)^2 + (4*A - 7*B)*cos(d*x + c))*sqrt(a)*log
((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c
))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*
x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 8*sqrt(2)*((A - B)*a*co
s(d*x + c)^2 + (A - B)*a*cos(d*x + c))*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqr
t((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a
) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) - 4*
((4*A - B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(
d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c)), -1/8*
(8*sqrt(2)*((A - B)*a*cos(d*x + c)^2 + (A - B)*a*cos(d*x + c))*sqrt(-1/a)*a
rctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d
*x + c))/sin(d*x + c)) + ((4*A - 7*B)*cos(d*x + c)^2 + (4*A - 7*B)*cos(d*x
+ c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sq
rt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) -
2*((4*A - B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*si
n(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(a*sec(d*x + c) + a), x)

$$3.249 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=141

$$-\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2A-B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{B \sin(c+dx) \sec^2(c+dx)}{d \sqrt{a \sec(c+dx)+a}}$$

[Out] ((2*A - B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.387128, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4021, 4023, 3808, 206, 3801, 215}

$$-\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2A-B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{B \sin(c+dx) \sec^2(c+dx)}{d \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] ((2*A - B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> -Simp[(B*d*Cosot[e + f*x]*(a + b*Cosc[e + f*x])^m*(d*Cosc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Cosc[e + f*x])^m*(d*Cosc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Cosc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \frac{B\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sqrt{\sec(c+dx)}\left(\frac{aB}{2} + \frac{1}{2}a(2A-B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{a} \\
&= \frac{B\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{(2A-B)\int \sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)} dx}{2a} + \\
&= \frac{B\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d\sqrt{a+a\sec(c+dx)}} + \frac{(2(A-B))\text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{d} \\
&= \frac{(2A-B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A-B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} +
\end{aligned}$$

Mathematica [A] time = 0.409229, size = 106, normalized size = 0.75

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}\left(-2(A-B)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + \sqrt{2}(2A-B)\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right) + 2B\sin\left(\frac{1}{2}(c+dx)\right)}{d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]
```

```
[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(-2*(A - B)*ArcTanh[Sin[(c + d*x)/2]] + Sqrt[2]*(2*A - B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*B*Sec[c + d*x]*Sin[(c + d*x)/2])/ (d*Sqrt[a*(1 + Sec[c + d*x])])
```

Maple [B] time = 0.36, size = 353, normalized size = 2.5

$$\frac{\cos(dx+c)\left((\cos(dx+c))^2-1\right)}{4ad(\sin(dx+c))^2} \left(2A\cos(dx+c)\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1+\sin(dx+c))}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2), x)
```

```
[Out] 1/4/d/a*(2*A*cos(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)
)*(cos(d*x+c)+1+sin(d*x+c)))+2*A*cos(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/
(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+sin(d*x+c)))-B*cos(d*x+c)*2^(1/2)*arct
an(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))-B*cos(d
*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(-cos(d*x+c)-1+s
in(d*x+c)))-4*A*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))
+2*B*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+4*B*cos(d*x+c)*arctan(1/2*sin(d*x
+c)*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(cos(d*x
+c)+1)/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)
^2-1)
```

Maxima [B] time = 2.42403, size = 1827, normalized size = 12.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algor
ithm="maxima")
```

```
[Out] -1/4*(2*(sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + sin(1
/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c),
cos(d*x + c))) + 1) - sqrt(2)*log(cos(1/2*arctan2(sin(d*x + c), cos(d*x +
c))))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sin(1/2*arctan2
(sin(d*x + c), cos(d*x + c))) + 1) - log(2*cos(1/2*arctan2(sin(d*x + c), co
s(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(
2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2
(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), co
s(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqrt(
2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2
(sin(d*x + c), cos(d*x + c))) + 2) - log(2*cos(1/2*arctan2(sin(d*x + c), co
s(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(
2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2
(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), co
s(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 - 2*sqrt(
2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2
(sin(d*x + c), cos(d*x + c))) + 2))*A/sqrt(a) + (4*sqrt(2)*cos(3/2*arctan2(
sin(d*x + c), cos(d*x + c)))*sin(2*d*x + 2*c) - 4*sqrt(2)*cos(1/2*arctan2(s
in(d*x + c), cos(d*x + c)))*sin(2*d*x + 2*c) + (cos(2*d*x + 2*c))^2 + sin(2*
d*x + 2*c))^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c),
cos(d*x + c))))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))^2 + 2*sqr
t(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arcta
```

```

n2(sin(d*x + c), cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*
c)^2 + 2*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x
+ c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos
(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d
*x + c), cos(d*x + c))) + 2) + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2
*cos(2*d*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2
+ 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arc
tan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c),
cos(d*x + c))) + 2) - (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d
*x + 2*c) + 1)*log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin
(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin
(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x
+ c))) + 2) - 2*(sqrt(2)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin(2*d*x + 2*c)^2 +
2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*log(cos(1/2*arctan2(sin(d*x + c), co
s(d*x + c)))^2 + sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2
*arctan2(sin(d*x + c), cos(d*x + c))) + 1) + 2*(sqrt(2)*cos(2*d*x + 2*c)^2
+ sqrt(2)*sin(2*d*x + 2*c)^2 + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*log(co
s(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + sin(1/2*arctan2(sin(d*x + c)
, cos(d*x + c)))^2 - 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 1) -
4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*
x + c))) + 4*(sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*sin(1/2*arctan2(sin(d*x +
c), cos(d*x + c))))*B/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*
d*x + 2*c) + 1)*sqrt(a))/d

```

Fricas [A] time = 0.845835, size = 1401, normalized size = 9.94

$$\left((2A - B) \cos(dx + c) + 2A - B \right) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 + \frac{4(\cos(dx+c)^2 - 2\cos(dx+c)) \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sin(dx+c)}{\sqrt{\cos(dx+c)}} + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right) + \frac{2\sqrt{2}(A - B) \sin(dx+c)}{4(ad \cos(dx+c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algor
ithm="fricas")

```



```
[Out] [-1/4*(((2*A - B)*cos(d*x + c) + 2*A - B)*sqrt(a)*log((a*cos(d*x + c))^3 - 7
*a*cos(d*x + c)^2 + 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos
(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*
x + c)^3 + cos(d*x + c)^2)) + 2*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a
)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*
sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)
^2 + 2*cos(d*x + c) + 1))/sqrt(a) - 4*B*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), 1/2*(2*sqrt
(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c))
+ ((2*A - B)*cos(d*x + c) + 2*A - B)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*co
s(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x +
c)^2 - a*cos(d*x + c) - 2*a)) + 2*B*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))
*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(a*sec(d*x + c) + a),
x)
```

$$3.250 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=100

$$\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)

Rubi [A] time = 0.23246, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;

FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]*Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= (A-B) \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}} dx + \frac{B \int \sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)} dx}{a} \\ &= \frac{(2(A-B)) \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{d} - \frac{(2B) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1+x^2}} dx, x, \frac{\sqrt{a+a\sec(c+dx)}}{a}\right)}{d} \\ &= \frac{2B \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{\sqrt{ad}} \end{aligned}$$

Mathematica [A] time = 0.191266, size = 95, normalized size = 0.95

$$\frac{\tan(c+dx) \left(\sqrt{2}(B-A) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right) - 2B \sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \right)}{d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] $((-2*B*ArcSin[\sqrt{\sec[c + d*x]}] + \sqrt{2}*(-A + B)*ArcTan[(\sqrt{2}*\sqrt{\sec[c + d*x]})/\sqrt{1 - \sec[c + d*x]}])*Tan[c + d*x])/(d*\sqrt{1 - \sec[c + d*x]})*\sqrt{a*(1 + \sec[c + d*x])})$

Maple [B] time = 0.322, size = 210, normalized size = 2.1

$$\frac{\cos(dx + c) \left((\cos(dx + c))^2 - 1 \right) \sqrt{(\cos(dx + c))^{-1}} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(B\sqrt{2} \arctan \left(\frac{\sqrt{2}(-\cos(dx + c) - 1 + \sin(dx + c))}{4} \right) \right)}{2ad(\sin(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x)`

[Out] $1/2/d/a*(1/\cos(d*x+c))^{1/2}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*\cos(d*x+c)*(B*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(-\cos(d*x+c)-1+\sin(d*x+c)))+B*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))+2*A*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})-2*B*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}))*(-2/(\cos(d*x+c)+1))^{1/2}/\sin(d*x+c)^2*(\cos(d*x+c)^2-1)$

Maxima [B] time = 2.39485, size = 765, normalized size = 7.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] $1/2*((\sqrt{2})*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*A/\sqrt{a} - (\sqrt{2})*\log(\cos(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c)))) + 1) - \sqrt{2}*\log(\cos(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c)))^2 + \sin(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sin(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c)))) + 1) - \log(2*\cos(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c)))) + 2*\sqrt{2}*\sin(1/2*\arctan^2(\sin(d*x + c), \cos(d*x + c)))) +$

2) + log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) - log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2) + log(2*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 + 2*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c)))^2 - 2*sqrt(2)*cos(1/2*arctan2(sin(d*x + c), cos(d*x + c))) - 2*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))) + 2))*B/sqrt(a))/d

Fricas [A] time = 0.616092, size = 965, normalized size = 9.65

$$\frac{\sqrt{2}(A - B)\sqrt{a} \log\left(\frac{\cos(dx+c)^2 + \frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\sqrt{a}} - 2\cos(dx+c) - 3}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right) - B\sqrt{a} \log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - \frac{4(\cos(dx+c))^2}{\cos(dx+c)}}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/2*(sqrt(2)*(A - B)*sqrt(a)*log(-(cos(d*x + c))^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - B*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a*d), -(sqrt(2)*(A - B)*a*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - B*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(a*sec(d*x + c) + a), x)

$$3.251 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=99

$$\frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{d\sqrt{a \sec(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.185057, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {4013, 3808, 206}

$$\frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{d\sqrt{a \sec(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] -((Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + a*Sec[c + d*x]])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;

FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + (-A + B) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} + \frac{(2(A - B)) \text{Subst}\left(\int \frac{1}{2a - x^2} dx, x, -\frac{a \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{d} \\ &= -\frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \sec(c + dx)}}\right)}{\sqrt{ad}} + \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.275908, size = 114, normalized size = 1.15

$$\frac{\tan(c + dx) \left(\sqrt{2}(A - B) \sqrt{\sec(c + dx)} \tan^{-1} \left(\frac{\sqrt{2} \sqrt{\sec(c + dx)}}{\sqrt{1 - \sec(c + dx)}} \right) + 2A \sqrt{1 - \sec(c + dx)} \right)}{d \sqrt{-(\sec(c + dx) - 1) \sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] ((2*A*Sqrt[1 - Sec[c + d*x]] + Sqrt[2]*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Sqrt[Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.271, size = 150, normalized size = 1.5

$$\frac{1}{ad \sin(dx + c)} \left(\arctan \left(\frac{\sin(dx + c)}{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}} \right) \sqrt{-2(\cos(dx + c) + 1)^{-1}} A \sin(dx + c) - \arctan \left(\frac{\sin(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\sec(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x)$

[Out] $\frac{1}{d} \frac{1}{a} \left(\arctan\left(\frac{1}{2}\sin(d*x+c)\right) \left(-\frac{2}{\cos(d*x+c)+1}\right)^{(1/2)} \left(-\frac{2}{\cos(d*x+c)+1}\right)^{(1/2)} * A \sin(d*x+c) - \arctan\left(\frac{1}{2}\sin(d*x+c)\right) \left(-\frac{2}{\cos(d*x+c)+1}\right)^{(1/2)} \left(-\frac{2}{\cos(d*x+c)+1}\right)^{(1/2)} * B \sin(d*x+c) - 2 * A \cos(d*x+c) + 2 * A \right) \frac{a * (\cos(d*x+c)+1)}{\cos(d*x+c)^{(1/2)} / (1/\cos(d*x+c))^{(1/2)} / \sin(d*x+c)}$

Maxima [B] time = 2.02725, size = 263, normalized size = 2.66

$$\frac{\left(\sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right) - \sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right) - 4 \sqrt{2} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) A}{\sqrt{a}}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\sec(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] $-\frac{1}{2} * \left((\sqrt{2} * \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2} * \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 4*\sqrt{2} * \sin(1/2*d*x + 1/2*c)) * A / \sqrt{a} - (\sqrt{2} * \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2} * \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * B / \sqrt{a} \right) / d$

Fricas [A] time = 0.51165, size = 813, normalized size = 8.21

$$\left[4 A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) - \frac{\sqrt{2}((A-B)a \cos(dx+c)+(A-B)a) \log\left(\frac{\cos(dx+c)^2 - \frac{2\sqrt{2}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{\sqrt{a}} - 2 \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{\sqrt{a}} \right] / (2(ad \cos(dx+c) + ad))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*(4*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c))^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), (sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))/(sqrt(a*(sec(c + d*x) + 1))*sqrt(sec(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{a} \sec(dx + c) + a \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

$$3.252 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=142

$$-\frac{2(A-3B) \sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)}{3d\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.331171, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4022, 4013, 3808, 206}

$$-\frac{2(A-3B) \sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)}{3d\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-3B)+aA \sec(c+dx)}{\sqrt{\sec(c+dx)} \sqrt{a+a \sec(c+dx)}} dx}{3a} \\ &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} + (A - 3B) \int \frac{\sec(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx \\ &= \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \sec(c + dx)}} - \frac{(2(A - 3B) \sqrt{\sec(c + dx)} \sin(c + dx))}{3d \sqrt{a + a \sec(c + dx)}} \\ &= \frac{\sqrt{2}(A - B) \tanh^{-1} \left(\frac{\sqrt{a} \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \sec(c + dx)}} \right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.37362, size = 132, normalized size = 0.93

$$\frac{\tan(c + dx) \left(2\sqrt{1 - \sec(c + dx)}(A \cos(c + dx) - A + 3B) - 3\sqrt{2}(A - B)\sqrt{\sec(c + dx)} \tan^{-1} \left(\frac{\sqrt{2}\sqrt{\sec(c + dx)}}{\sqrt{1 - \sec(c + dx)}} \right) \right)}{3d\sqrt{-(\sec(c + dx) - 1)\sec(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] ((2*(-A + 3*B + A*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]] - 3*Sqrt[2]*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Sqrt[Sec[c + d*x]])*Tan[c + d*x])/(3*d*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.33, size = 183, normalized size = 1.3

$$\frac{(\cos(dx+c))^2}{3ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(3 \arctan\left(\frac{1}{2} \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \sqrt{-2(\cos(dx+c)+1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] -1/3/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-3*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+2*A*cos(d*x+c)^2-4*A*cos(d*x+c)+6*B*cos(d*x+c)+2*A-6*B)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)

Maxima [B] time = 2.15046, size = 522, normalized size = 3.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] -1/6*((3*sqrt(2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 3*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) - 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) + 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))),

$\cos(3/2*d*x + 3/2*c))\wedge 2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - 2*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 3*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))\wedge 2 + 2*\sin(1/2*d*x + 1/2*c)\wedge 2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2}*\log(\cos(1/2*d*x + 1/2*c)\wedge 2 + \sin(1/2*d*x + 1/2*c)\wedge 2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 4*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*B/\sqrt{a))/d$

Fricas [A] time = 0.51814, size = 940, normalized size = 6.62

$$\frac{3\sqrt{2}((A-B)a\cos(dx+c)+(A-B)a)\log\left(\frac{\cos(dx+c)^2 + \frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\sqrt{a}} - 2\cos(dx+c)-3}{\cos(dx+c)^2 + 2\cos(dx+c)+1}\right)}{\sqrt{a}} - \frac{4(A\cos(dx+c)^2 - (A-3B)\cos(dx+c))\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}}{\sqrt{\cos(dx+c)}}}{6(ad\cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/6*(3*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c))^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a) - 4*(A*cos(d*x + c)^2 - (A - 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), -1/3*(3*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*(A*cos(d*x + c)^2 - (A - 3*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)
```

$$3.253 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=187

$$\frac{2(13A - 5B) \sin(c + dx)\sqrt{\sec(c + dx)}}{15d\sqrt{a \sec(c + dx) + a}} - \frac{2(A - 5B) \sin(c + dx)}{15d\sqrt{\sec(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 5*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(13*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.506952, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4022, 4013, 3808, 206}

$$\frac{2(13A - 5B) \sin(c + dx)\sqrt{\sec(c + dx)}}{15d\sqrt{a \sec(c + dx) + a}} - \frac{2(A - 5B) \sin(c + dx)}{15d\sqrt{\sec(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] -((Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d)) + (2*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 5*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(13*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-5B)+2aA \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx) \sqrt{a+a \sec(c+dx)}} dx}{5a} \\
 &= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{4}{15d} \\
 &= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{20}{15d} \\
 &= \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{20}{15d} \\
 &= \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.09654, size = 133, normalized size = 0.71

$$\frac{15\sqrt{2}(A-B)\tan(c+dx)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right)}{\sqrt{1-\sec(c+dx)}} + \frac{\sin(c+dx)\sqrt{\sec(c+dx)}(-2(A-5B)\cos(c+dx) + 3A\cos(2(c+dx)) + 29A - 10B)}{15d\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] ((29*A - 10*B - 2*(A - 5*B)*Cos[c + d*x] + 3*A*Cos[2*(c + d*x)])*Sqrt[Sec[c + d*x]]*Sin[c + d*x] + (15*Sqrt[2]*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Tan[c + d*x])/Sqrt[1 - Sec[c + d*x]])/(15*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.347, size = 205, normalized size = 1.1

$$\frac{(\cos(dx+c))^3}{15ad\sin(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(15\arctan\left(\frac{1}{2}\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2), x)

[Out] 1/15/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(15*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-6*A*cos(d*x+c)^3-15*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+8*A*cos(d*x+c)^2-10*B*cos(d*x+c)^2-28*A*cos(d*x+c)+20*B*cos(d*x+c)+26*A-10*B)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)

Maxima [B] time = 2.2602, size = 864, normalized size = 4.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")

```
[Out] 1/60*(sqrt(2)*(60*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
*sin(5/2*d*x + 5/2*c) - 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
*sin(5/2*d*x + 5/2*c) - 60*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c),
cos(5/2*d*x + 5/2*c))) + 5*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c),
cos(5/2*d*x + 5/2*c))) - 30*log(cos(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
^2 + sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + 2*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c),
cos(5/2*d*x + 5/2*c))) + 1) + 30*log(cos(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
^2 + sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 - 2*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c),
cos(5/2*d*x + 5/2*c))) + 1) + 6*sin(5/2*d*x + 5/2*c) - 5*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c),
cos(5/2*d*x + 5/2*c))) + 60*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))
)*A/sqrt(a) - 10*(3*sqrt(2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))
*sin(3/2*d*x + 3/2*c) - 3*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c),
cos(3/2*d*x + 3/2*c))) - 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))
^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c),
cos(3/2*d*x + 3/2*c))) + 1) + 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))
^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c),
cos(3/2*d*x + 3/2*c))) + 1) - 2*sqrt(2)*sin(3/2*d*x + 3/2*c) + 3*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c),
cos(3/2*d*x + 3/2*c))))*B/sqrt(a))/d
```

Fricas [A] time = 0.521899, size = 1030, normalized size = 5.51

$$\frac{15\sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \log\left(\frac{\cos(dx+c)^2 - \frac{2\sqrt{2}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\sqrt{a}} - 2\cos(dx+c)-3}{\cos(dx+c)^2 + 2\cos(dx+c)+1}\right)}{\sqrt{a}} - \frac{4(3A \cos(dx+c)^3 - (A-5B)\cos(dx+c)^2 + (13B-A)\cos(dx+c) - 3B)}{\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x,
algor ithm="fricas")
```

```
[Out] [-1/30*(15*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c))^
```

```

2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a - 4*(3*A*cos(d*x + c)^3 - (A - 5*B)*cos(d*x + c)^2 + (13*A - 5*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d), 1/15*(15*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*(3*A*cos(d*x + c)^3 - (A - 5*B)*cos(d*x + c)^2 + (13*A - 5*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a \sec(dx + c)^{\frac{5}{2}}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(5/2)), x)
```

$$3.254 \quad \int \frac{A+B \sec(c+dx)}{7 \sec^2(c+dx) \sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=230

$$-\frac{2(A-7B) \sin(c+dx)}{35d \sec^2(c+dx) \sqrt{a \sec(c+dx)+a}} - \frac{2(43A-91B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d \sqrt{a \sec(c+dx)+a}} + \frac{2(31A-7B) \sin(c+dx)}{105d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}$$

[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A - 7*B)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(43*A - 91*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.68914, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4022, 4013, 3808, 206}

$$-\frac{2(A-7B) \sin(c+dx)}{35d \sec^2(c+dx) \sqrt{a \sec(c+dx)+a}} - \frac{2(43A-91B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d \sqrt{a \sec(c+dx)+a}} + \frac{2(31A-7B) \sin(c+dx)}{105d \sqrt{\sec(c+dx)} \sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 7*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A - 7*B)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(43*A - 91*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n

- A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-7B)+3aA \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx) \sqrt{a+a \sec(c+dx)}} dx}{7a} \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{2(A - 7B) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.60039, size = 152, normalized size = 0.66

$$\frac{2 \sin(c+dx) \left((43A-91B) \sec^3(c+dx) + (7B-31A) \sec^2(c+dx) + 3(A-7B) \sec(c+dx) - 15A \right)}{\sec^{\frac{5}{2}}(c+dx)} - \frac{105 \sqrt{2} (A-B) \tan(c+dx) \tan^{-1}\left(\frac{\sqrt{2} \sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right)}{\sqrt{1-\sec(c+dx)}}}{105d \sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] ((-2*(-15*A + 3*(A - 7*B)*Sec[c + d*x] + (-31*A + 7*B)*Sec[c + d*x]^2 + (43*A - 91*B)*Sec[c + d*x]^3)*Sin[c + d*x])/Sec[c + d*x]^(5/2) - (105*Sqrt[2]*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Tan[c + d*x])/Sqrt[1 - Sec[c + d*x]]/(105*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.38, size = 227, normalized size = 1.

$$\frac{(\cos(dx+c))^4}{105ad \sin(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(30A(\cos(dx+c))^4 + 105 \arctan\left(\frac{1}{2} \sin(dx+c)\right) \sqrt{-2(\cos(dx+c)+1)}^{-1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] -1/105/d/a*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(30*A*cos(d*x+c)^4+105*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-36*A*cos(d*x+c)^3-105*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+42*B*cos(d*x+c)^3+68*A*cos(d*x+c)^2-56*B*cos(d*x+c)^2-148*A*cos(d*x+c)+196*B*cos(d*x+c)+86*A-182*B)*cos(d*x+c)^4*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

Maxima [B] time = 2.30024, size = 1087, normalized size = 4.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] -1/840*(sqrt(2)*(525*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 175*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 525*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 175*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 21*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) + 1) + 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 - 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) + 1) - 30*sin(7/2*d*x + 7/2*c) + 21*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 175*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 525*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))*A/sqrt(a) - 14*s


```

qrt(2)*(60*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin
(5/2*d*x + 5/2*c) - 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5
/2*c)))*sin(5/2*d*x + 5/2*c) - 60*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(
5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 5*cos(5/2*d*x + 5/2*c)*sin(2/5*a
rctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 30*log(cos(1/5*arctan
2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + sin(1/5*arctan2(sin(5/2*
d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + 2*sin(1/5*arctan2(sin(5/2*d*x + 5/
2*c), cos(5/2*d*x + 5/2*c))) + 1) + 30*log(cos(1/5*arctan2(sin(5/2*d*x + 5/
2*c), cos(5/2*d*x + 5/2*c)))^2 + sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(
5/2*d*x + 5/2*c)))^2 - 2*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x
+ 5/2*c))) + 1) + 6*sin(5/2*d*x + 5/2*c) - 5*sin(3/5*arctan2(sin(5/2*d*x +
5/2*c), cos(5/2*d*x + 5/2*c))) + 60*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), c
os(5/2*d*x + 5/2*c))))*B/sqrt(a))/d

```

Fricas [A] time = 0.532089, size = 1129, normalized size = 4.91

$$\frac{105 \sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \log \left(\frac{\cos(dx+c)^2 + \frac{2\sqrt{2} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{\sqrt{a}} - 2 \cos(dx+c) - 3}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{\sqrt{a}} - \frac{4(15A \cos(dx+c)^4 - 3(A-7B) \cos(dx+c)^3 + (31A - 7B) \cos(dx+c)^2 - (43A - 91B) \cos(dx+c)) \sqrt{\frac{a \cos(dx+c) + a}{\cos(dx+c)}} \sin(dx+c) / \sqrt{\cos(dx+c)}}{210(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x, algor
ithm="fricas")

```

```

[Out] [-1/210*(105*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c
)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*
sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c)
+ 1))/sqrt(a) - 4*(15*A*cos(d*x + c)^4 - 3*(A - 7*B)*cos(d*x + c)^3 + (31*
A - 7*B)*cos(d*x + c)^2 - (43*A - 91*B)*cos(d*x + c))*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c) + a*d
), -1/105*(105*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*arct
an(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x
+ c))/sin(d*x + c)) - 2*(15*A*cos(d*x + c)^4 - 3*(A - 7*B)*cos(d*x + c)^3 +
(31*A - 7*B)*cos(d*x + c)^2 - (43*A - 91*B)*cos(d*x + c))*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a*d*cos(d*x + c)

```

+ a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(7/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a \sec(dx + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*sec(d*x + c)^(7/2)), x)

$$3.255 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=247

$$\frac{(9A - 13B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(12A - 19B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} + \frac{(A - B) \sin(c + dx) \sec^2(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}} - \dots$$

[Out] -((12*A - 19*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(3/2)*d) + ((9*A - 13*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((6*A - 7*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((A - 2*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.782686, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(9A - 13B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(12A - 19B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d} + \frac{(A - B) \sin(c + dx) \sec^2(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}} - \dots$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((12*A - 19*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(4*a^(3/2)*d) + ((9*A - 13*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((6*A - 7*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*a*d*Sqrt[a + a*Sec[c + d*x]]) - ((A - 2*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m

$-n + 1) + A*b*(m + n)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ \text{GtQ}[n, 0]$

Rule 4021

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1}]*\text{Simp}[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[n, 1]$

Rule 4023

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x])/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 206

$\text{Int}[(a_.) + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/ \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[(a*d)/b, 0]$

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sec^{\frac{5}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-2a(A-2B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(A-2B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(A-B)-2a(A-2B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{4ad\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(6A-7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} - \frac{(A-2B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(6A-7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} - \frac{(A-2B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(6A-7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} - \frac{(A-2B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(6A-7B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4ad\sqrt{a+a\sec(c+dx)}} - \frac{(A-2B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} \\
 &= -\frac{(12A-19B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4a^{3/2}d} + \frac{(9A-13B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d}
 \end{aligned}$$

Mathematica [B] time = 4.44593, size = 497, normalized size = 2.01

$$\frac{4(6A-7B)\sin\left(\frac{1}{2}(c+dx)\right)\cos^3\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\sin^{-1}\left(\sqrt{1-\sec(c+dx)}\right) + 8(9A-13B)\sin\left(\frac{1}{2}(c+dx)\right)\cos^3\left(\frac{1}{2}(c+dx)\right)\sec^2(c+dx)\sin^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{4a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (4*(6*A - 7*B)*ArcSin[Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^3*Sec[c + d*x]^2*Sin[(c + d*x)/2] + 8*(9*A - 13*B)*ArcSin[Sqrt[Sec[c + d*x]])*Cos[(c + d*x)/2]^3*Sec[c + d*x]^2*Sin[(c + d*x)/2] + 6*A*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^2*Sin[(c + d*x)/2]

$$\begin{aligned}
& c + d*x]^{(3/2)}*\sin[c + d*x] - 7*B*\sqrt{1 - \sec[c + d*x]}*\sec[c + d*x]^{(3/2)} \\
& *\sin[c + d*x] + 4*A*\sqrt{1 - \sec[c + d*x]}*\sec[c + d*x]^{(5/2)}*\sin[c + d*x] \\
& - 3*B*\sqrt{1 - \sec[c + d*x]}*\sec[c + d*x]^{(5/2)}*\sin[c + d*x] + 2*B*\sqrt{1 - \\
& \sec[c + d*x]}*\sec[c + d*x]^{(7/2)}*\sin[c + d*x] - 9*\sqrt{2}*A*\arctan[(\sqrt{2} \\
&]*\sqrt{\sec[c + d*x]})/\sqrt{1 - \sec[c + d*x]}}*\tan[c + d*x] + 13*\sqrt{2}*B*A \\
& \arctan[(\sqrt{2}*\sqrt{\sec[c + d*x]})/\sqrt{1 - \sec[c + d*x]}}*\tan[c + d*x] - 9 \\
& *\sqrt{2}*A*\arctan[(\sqrt{2}*\sqrt{\sec[c + d*x]})/\sqrt{1 - \sec[c + d*x]}}*\sec[\\
& c + d*x]*\tan[c + d*x] + 13*\sqrt{2}*B*\arctan[(\sqrt{2}*\sqrt{\sec[c + d*x]})/\sqrt{ \\
& rt[1 - \sec[c + d*x]}}*\sec[c + d*x]*\tan[c + d*x])/(4*d*\sqrt{1 - \sec[c + d*x] \\
&]*(a*(1 + \sec[c + d*x]))^{(3/2)})
\end{aligned}$$

Maple [B] time = 0.308, size = 541, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(7/2)}*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{(3/2)}, x)$

[Out] $\frac{1}{8}d/a^2*(-1+\cos(dx+c))*(12A*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))-12A*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))-19B*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))+19B*\cos(dx+c)^2*\sin(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))+12A*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}-36A*\cos(dx+c)^2*\sin(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)})-14B*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{(1/2)}+52B*\cos(dx+c)^2*\sin(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)})-4A*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{(1/2)}+8B*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{(1/2)}-8A*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+10B*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}-4B*(-2/(\cos(dx+c)+1))^{(1/2)})*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*\cos(dx+c)^2*(1/\cos(dx+c))^{(7/2)})/(-2/(\cos(dx+c)+1))^{(1/2)}/\sin(dx+c)^3$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algo
ithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 1.00176, size = 1993, normalized size = 8.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algo
ithm="fricas")
```

```
[Out] [-1/16*(2*sqrt(2)*((9*A - 13*B)*cos(d*x + c)^3 + 2*(9*A - 13*B)*cos(d*x + c)
)^2 + (9*A - 13*B)*cos(d*x + c))*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)
)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x
+ c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + ((
12*A - 19*B)*cos(d*x + c)^3 + 2*(12*A - 19*B)*cos(d*x + c)^2 + (12*A - 19*B
)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos
(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c
))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)
) - 4*((6*A - 7*B)*cos(d*x + c)^2 + (4*A - 3*B)*cos(d*x + c) + 2*B)*sqrt((a
*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*co
s(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c)), -1/8*(2*sqrt(2)
)*((9*A - 13*B)*cos(d*x + c)^3 + 2*(9*A - 13*B)*cos(d*x + c)^2 + (9*A - 13*
B)*cos(d*x + c))*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)
/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + ((12*A - 19*B)*cos(d*
x + c)^3 + 2*(12*A - 19*B)*cos(d*x + c)^2 + (12*A - 19*B)*cos(d*x + c))*sqr
t(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*
x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)) - 2*((6*A -
7*B)*cos(d*x + c)^2 + (4*A - 3*B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^3
+ 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algo  
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(a*sec(d*x + c) + a)^(3/2  
, x)
```


$$3.256 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=197

$$\frac{(5A-9B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(2A-3B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(A-B) \sin(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} - \frac{(A-B) \sin(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] `((2*A - 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) - ((5*A - 9*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((A - 3*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])`

Rubi [A] time = 0.600548, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(5A-9B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(2A-3B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(A-B) \sin(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}} - \frac{(A-B) \sin(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] `Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]`

[Out] `((2*A - 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) - ((5*A - 9*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((A - 3*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Sec[c + d*x]])`

Rule 4019

`Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt`

Q[n, 0]

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(A-B)-a(A-3B)\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(A-3B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(A-3B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} - \frac{(5A-9B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(A-3B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2ad\sqrt{a+a\sec(c+dx)}} + \frac{(5A-9B)\tan^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} \\
&= \frac{(2A-3B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{3/2}d} - \frac{(5A-9B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 1.74952, size = 132, normalized size = 0.67

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}\left((9B-5A)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)+2\sqrt{2}(2A-3B)\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)+\tan\left(\frac{1}{2}(c+dx)\right)}{2ad\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*((-5*A + 9*B)*ArcTanh[Sin[(c + d*x)/2]] + 2*Sqrt[2]*(2*A - 3*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + Sec[(c + d*x)/2]*(-A + 3*B + 2*B*Sec[c + d*x])*Tan[(c + d*x)/2]))/(2*a*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.328, size = 477, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(5/2)}*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{(3/2)},x)$

[Out] $-1/2/d/a^2*(1/\cos(dx+c))^{(5/2)}*\cos(dx+c)^2*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(-1+\cos(dx+c))*(2*A*\sin(dx+c)*\cos(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))-2*A*\sin(dx+c)*\cos(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c))))-3*B*\sin(dx+c)*\cos(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))+3*B*\sin(dx+c)*\cos(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c))))-5*A*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)})+A*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{(1/2)}+9*B*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)})-3*B*\cos(dx+c)^2*(-2/(\cos(dx+c)+1))^{(1/2)}-A*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+B*\cos(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}+2*B*(-2/(\cos(dx+c)+1))^{(1/2)})/(-2/(\cos(dx+c)+1))^{(1/2)}/\sin(dx+c))^3$

Maxima [B] time = 3.60667, size = 9527, normalized size = 48.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(5/2)}*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{(3/2)},x, \text{algorithm}="maxima")$

[Out] $1/4*((4*(\sin(2*d*x + 2*c) + 2*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 4*\sqrt{2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2) - 2*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 4*\sqrt{2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos($

$$\begin{aligned}
& 1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 2*(\sqrt{2}*\cos(2*d*x + 2*c))^2 + 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2})*\sin(2*d*x + 2*c))^2 + 4*\sqrt{2}*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sqrt{2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 2*(\sqrt{2}*\cos(2*d*x + 2*c))^2 + 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2})*\sin(2*d*x + 2*c))^2 + 4*\sqrt{2}*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sqrt{2}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 5*(\cos(2*d*x + 2*c))^2 + 4*(\cos(2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(2*d*x + 2*c))^2 + 4*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) + 5*(\cos(2*d*x + 2*c))^2 + 4*(\cos(2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(2*d*x + 2*c))^2 + 4*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - 4*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(2*d*x + 2*c) - 4*(\cos(2*d*x + 2*c) + 2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))), \cos(2*d*x + 2*c))) + 1)*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 8*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\cos(2*d*x + 2*c) + 1)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*A/((\sqrt{2})*a*\cos(2*d*x + 2*c))^2 + 4*\sqrt{2})*a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2})*a*\sin(2*d*x + 2*c))^2 + 4*\sqrt{2})*
\end{aligned}$$

$$\begin{aligned}
& *x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + 4*(\cos(4*d*x + 4*c) \\
& + 2*\cos(2*d*x + 2*c) + 2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&))) + 1)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\cos(3/2*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\cos(4*d*x + 4*c) + 2*\cos \\
& (2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 \\
& *\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(4*d*x + 4*c)^ \\
& 2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*(\sin(4*d \\
& *x + 4*c) + 2*\sin(2*d*x + 2*c) + 2*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sin(\\
& 3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\sin(4*d*x + 4*c) + \\
& 2*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \\
& 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\cos(2*d*x + 2* \\
& c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) + 1) + 9*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d \\
& *x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + 4*(\cos(4*d*x + 4*c) \\
& + 2*\cos(2*d*x + 2*c) + 2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&))) + 1)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\cos(3/2*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\cos(4*d*x + 4*c) + 2*\cos \\
& (2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 \\
& *\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(4*d*x + 4*c)^ \\
& 2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*(\sin(4*d \\
& *x + 4*c) + 2*\sin(2*d*x + 2*c) + 2*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\sin(\\
& 3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*(\sin(4*d*x + 4*c) + \\
& 2*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \\
& 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\cos(2*d*x + 2* \\
& c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sin(1/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - 12*(\cos(4*d*x + 4*c) + 2*\cos(2*d*x + \\
& 2*c) + 2*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\cos(1/2*a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(7/4*\arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) + 8*(\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c))) - \cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*\cos(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) - 4*(\cos(4*d*x + 4*c) + 2*\cos(2*d*x + 2*c) + 2*co \\
& s(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(5/4*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\cos(4*d*x + 4*c) + 2*\cos(2*d*x + 2*c) \\
&) + 2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(3/4*arc \\
& tan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 24*\cos(1/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)) + 12*(\cos(4*d*x + 4*c) + 2*\cos(2*d*x + 2*c) + 1)*\sin(1/4*\arctan2(\sin(2*d \\
& *x + 2*c), \cos(2*d*x + 2*c))) + 24*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))) * \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * B / ((sqrt \\
& (2)*a*\cos(4*d*x + 4*c)^2 + 4*sqrt(2)*a*\cos(2*d*x + 2*c)^2 + 4*sqrt(2)*a*\cos
\end{aligned}$$

$$\begin{aligned} & (3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\sqrt{2}*a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2}*a*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2}*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*a*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*a*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\sqrt{2}*a*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + 2*(2*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\cos(4*d*x + 4*c) + 4*(\sqrt{2}*a*\cos(4*d*x + 4*c) + 2*\sqrt{2}*a*\cos(2*d*x + 2*c) + 2*\sqrt{2}*a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sqrt{2}*a*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\sqrt{2}*a*\cos(4*d*x + 4*c) + 2*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 4*(\sqrt{2}*a*\sin(4*d*x + 4*c) + 2*\sqrt{2}*a*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\sqrt{2}*a*\sin(4*d*x + 4*c) + 2*\sqrt{2}*a*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sqrt{2}*a*\sqrt{a}))/d \end{aligned}$$

Fricas [A] time = 0.987151, size = 1750, normalized size = 8.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/8*(\sqrt{2})*((5*A - 9*B)*\cos(d*x + c)^2 + 2*(5*A - 9*B)*\cos(d*x + c) + 5*A - 9*B)*\sqrt{a}*\log(-(a*\cos(d*x + c)^2 - 2*\sqrt{2})*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) + 2*((2*A - 3*B)*\cos(d*x + c)^2 + 2*(2*A - 3*B)*\cos(d*x + c) + 2*A - 3*B)*\sqrt{a}*\log((a*\cos(d*x + c)^3 - 7*a*\cos(d*x + c)^2 + 4*(\cos(d*x + c)^2 - 2*\cos(d*x + c))*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)} + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)) + 4*((A - 3*B)*\cos(d*x + c) - 2*B)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}}/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d), 1/4*(\sqrt{2})*((5*A - 9*B)*\cos(d*x + c)^2 + 2*(5*A - 9*B)*\cos(d*x + c) + 5*A - 9*B)*\sqrt{-a}*\arctan(\sqrt{2})*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)})/(a*\sin(d*x + c)) + 2*((2*A - 3*B)*\cos(d*x + c)^2 + 2*(2*A - 3*B)*\cos(d*x + c) + 2*A - 3*B)*\sqrt{-a}*\arctan(2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a*\cos(d*x + c)^2 - a*\cos(d*x + c) - 2*a)) - 2*((A - 3*B)*\cos(d*x + c) - 2*B)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}}/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d \end{aligned}$$

*x + c) + a^2*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(3/2), x)

$$3.257 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=145

$$\frac{(A-5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{2B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2} d} + \frac{(A-B) \sin(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) + ((A - 5*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.394869, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4019, 4023, 3808, 206, 3801, 215}

$$\frac{(A-5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{2B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{3/2} d} + \frac{(A-B) \sin(c+dx) \sec^2(c+dx)}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(3/2)*d) + ((A - 5*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{\int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(A-B)+2aB\sec(c+dx)\right)}{\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(A-5B)\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}} dx}{4a} + \frac{B\int \sqrt{\sec(c+dx)} dx}{2a} \\
&= \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(A-5B)\text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}}\right)}{2ad} \\
&= \frac{2B\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{3/2}d} + \frac{(A-5B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B)\int \sqrt{\sec(c+dx)} dx}{2a}
\end{aligned}$$

Mathematica [A] time = 0.799141, size = 113, normalized size = 0.78

$$\frac{\sqrt{\sec(c+dx)}\left((A-B)\tan\left(\frac{1}{2}(c+dx)\right) + (A-5B)\cos\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) + 4\sqrt{2}B\cos\left(\frac{1}{2}(c+dx)\right)\tan\left(\frac{1}{2}(c+dx)\right)\right)}{2ad\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Sqrt[Sec[c + d*x]]*((A - 5*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + 4*Sqrt[2]*B*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + (A - B)*Tan[(c + d*x)/2])/(2*a*d*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.302, size = 316, normalized size = 2.2

$$-\frac{(\cos(dx+c))^2((\cos(dx+c))^2-1)}{4da^2(\sin(dx+c))^3}\left(2B\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1-\sin(dx+c))}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2), x)

```
[Out] -1/4/d/a^2*(2*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*sin(d*x+c)-2*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*sin(d*x+c)+A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-B*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+5*B*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-A*(-2/(cos(d*x+c)+1))^(1/2)+B*(-2/(cos(d*x+c)+1))^(1/2))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)*(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^3*(cos(d*x+c)^2-1)
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [B] time = 0.668694, size = 1597, normalized size = 11.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [-1/8*(sqrt(2)*((A - 5*B)*cos(d*x + c)^2 + 2*(A - 5*B)*cos(d*x + c) + A - 5*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 4*(B*cos(d*x + c)^2 + 2*B*cos(d*x + c) + B)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*(cos(d*x + c)^2 - 2*cos(d*x + c))*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((A - 5*B)*cos(d*x + c)^2 + 2*(A - 5*B)*cos(d*x + c) + A - 5*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d
```

```
*x + c))/(a*sin(d*x + c))) - 2*(A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x +
c))*sqrt(cos(d*x + c))*sin(d*x + c) - 4*(B*cos(d*x + c)^2 + 2*B*cos(d*x + c
) + B)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*s
qrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/
(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(3/2
), x)
```

$$3.258 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=107

$$\frac{(3A + B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

[Out] ((3*A + B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.194627, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {4012, 3808, 206}

$$\frac{(3A + B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{2d(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2),x]

[Out] ((3*A + B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4012

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x

, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= -\frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} + \frac{(3A+B)\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}} dx}{4a} \\ &= -\frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} - \frac{(3A+B)\text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a\sqrt{\sec(c+dx)}}{\sqrt{a+a\sec(c+dx)}}\right)}{2ad} \\ &= \frac{(3A+B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.21888, size = 84, normalized size = 0.79

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sec^{\frac{3}{2}}(c+dx)\left((B-A)\sin\left(\frac{1}{2}(c+dx)\right)+(3A+B)\cos^2\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{d(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(3/2)*((3*A + B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 + (-A + B)*Sin[(c + d*x)/2]))/(d*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.292, size = 219, normalized size = 2.1

$$\frac{\cos(dx+c)\left((\cos(dx+c))^2-1\right)}{4da^2(\sin(dx+c))^3}\sqrt{(\cos(dx+c))^{-1}}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(A\cos(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}+3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out] $\frac{1}{4}d/a^2*(1/\cos(d*x+c))^{(1/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*\cos(d*x+c)*(A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+3*A*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)-B*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+B*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*\sin(d*x+c)-A*(-2/(\cos(d*x+c)+1))^{(1/2)}+B*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}/\sin(d*x+c))^{(1/2)}+3*(\cos(d*x+c)^2-1)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.513246, size = 995, normalized size = 9.3

$$\frac{\sqrt{2}((3A+B)\cos(dx+c)^2+2(3A+B)\cos(dx+c)+3A+B)\sqrt{a}\log\left(\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{8(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] $[1/8*(\sqrt{2})*((3*A + B)*\cos(d*x + c)^2 + 2*(3*A + B)*\cos(d*x + c) + 3*A + B)*\sqrt{a}*\log(-(a*\cos(d*x + c))^2 - 2*\sqrt{2}*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a$

```
)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(A - B)*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 +
2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2))*((3*A + B)*cos(d*x + c)^2 + 2*
(3*A + B)*cos(d*x + c) + 3*A + B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(A
- B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x +
c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^(3/2
), x)
```

$$3.259 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=156

$$\frac{(7A-3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(5A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad \sqrt{a \sec(c+dx)+a}} - \frac{(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{2d(a \sec(c+dx)+a)^{3/2}}$$

[Out] $-\left(\left(7A-3B\right) \operatorname{ArcTanh}\left[\left(\operatorname{Sqrt}[a] \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]] \operatorname{Sin}[c+d*x]\right) / \left(\operatorname{Sqrt}[2] \operatorname{Sqrt}[a+a \operatorname{Sec}[c+d*x]]\right)\right]\right) / \left(2 \operatorname{Sqrt}[2] a^{3/2} d\right) - \left(\left(A-B\right) \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]] \operatorname{Sin}[c+d*x]\right) / \left(2 d \left(a+a \operatorname{Sec}[c+d*x]\right)^{3/2}\right) + \left(\left(5A-B\right) \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]] \operatorname{Sin}[c+d*x]\right) / \left(2 a d \operatorname{Sqrt}[a+a \operatorname{Sec}[c+d*x]]\right)$

Rubi [A] time = 0.36181, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4020, 4013, 3808, 206}

$$\frac{(7A-3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{(5A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad \sqrt{a \sec(c+dx)+a}} - \frac{(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{2d(a \sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\left(A+B \operatorname{Sec}[c+d*x]\right) / \left(\operatorname{Sqrt}[\operatorname{Sec}[c+d*x]] \left(a+a \operatorname{Sec}[c+d*x]\right)^{3/2}\right), x\right]$

[Out] $-\left(\left(7A-3B\right) \operatorname{ArcTanh}\left[\left(\operatorname{Sqrt}[a] \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]] \operatorname{Sin}[c+d*x]\right) / \left(\operatorname{Sqrt}[2] \operatorname{Sqrt}[a+a \operatorname{Sec}[c+d*x]]\right)\right]\right) / \left(2 \operatorname{Sqrt}[2] a^{3/2} d\right) - \left(\left(A-B\right) \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]] \operatorname{Sin}[c+d*x]\right) / \left(2 d \left(a+a \operatorname{Sec}[c+d*x]\right)^{3/2}\right) + \left(\left(5A-B\right) \operatorname{Sqrt}[\operatorname{Sec}[c+d*x]] \operatorname{Sin}[c+d*x]\right) / \left(2 a d \operatorname{Sqrt}[a+a \operatorname{Sec}[c+d*x]]\right)$

Rule 4020

$\operatorname{Int}\left[\left(\operatorname{csc}\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right) \left(d_{.}\right)^{\left(n_{.}\right)} \left(\operatorname{csc}\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right) \left(b_{.}\right) + \left(a_{.}\right)^{\left(m_{.}\right)} \left(\operatorname{csc}\left[e_{.}\right] + \left(f_{.}\right) \left(x_{.}\right)\right) \left(B_{.}\right) + \left(A_{.}\right), x_{\text{Symbol}}\right] :> -\operatorname{Simp}\left[\left(\left(A b - a B\right) \operatorname{Cot}\left[e+f*x\right] \left(a+b \operatorname{Csc}\left[e+f*x\right]\right)^m \left(d \operatorname{Csc}\left[e+f*x\right]\right)^n\right) / \left(b f \left(2 m + 1\right)\right), x\right] - \operatorname{Dist}\left[1 / \left(a^2 \left(2 m + 1\right)\right), \operatorname{Int}\left[\left(a+b \operatorname{Csc}\left[e+f*x\right]\right)^{\left(m+1\right)} \left(d \operatorname{Csc}\left[e+f*x\right]\right)^n \operatorname{Simp}\left[b B n - a A \left(2 m + n + 1\right) + \left(A b - a B\right) \left(m + n + 1\right) \operatorname{Csc}\left[e+f*x\right], x\right], x\right] / ; \operatorname{FreeQ}\left[\left\{a, b, d, e, f, A, B, n\right\}, x\right] \&\& \operatorname{NeQ}\left[A b - a B, 0\right] \&\& \operatorname{EqQ}\left[a^2 - b^2, 0\right] \&\& \operatorname{LtQ}\left[m, -2^{-1}\right] \&\& \operatorname{!GtQ}\left[n, 0\right]$

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(5A - B) - a(A - B) \sec(c + dx)}{\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} dx}{2a^2} \\ &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{(5A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} + \frac{(5A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} + \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \sec(c + dx)}} \\ &= -\frac{(7A - 3B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \sec(c + dx))^{3/2}} \end{aligned}$$

Mathematica [A] time = 1.42876, size = 174, normalized size = 1.12

$$\frac{\sin(c + dx) \left((5A - B)\sqrt{1 - \sec(c + dx)} \sec^3(c + dx) + 4A\sqrt{-(\sec(c + dx) - 1)\sec(c + dx)} \right) + 2\sqrt{2}(7A - 3B) \sin\left(\frac{1}{2}(c + dx)\right)}{2d\sqrt{1 - \sec(c + dx)}(a(\sec(c + dx) + 1))^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] (2*Sqrt[2]*(7*A - 3*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^3*Sec[c + d*x]^2*Sin[(c + d*x)/2] + ((5*A - B)*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^(3/2) + 4*A*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])])*Sin[c + d*x])/(2*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.3, size = 287, normalized size = 1.8

$$-\frac{-1 + \cos(dx + c)}{4da^2(\sin(dx + c))^3} \left(7A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)}\right) \sqrt{-2(\cos(dx + c) + 1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x)

[Out] -1/4/d/a^2*(-1+cos(d*x+c))*(7*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-3*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+7*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-3*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)-8*A*cos(d*x+c)^2-2*A*cos(d*x+c)+2*B*cos(d*x+c)+10*A-2*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^3/(1/cos(d*x+c))^(1/2)

Maxima [B] time = 2.44526, size = 11081, normalized size = 71.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] -1/4*((4*(7*log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - 7*log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c)^2

$$\begin{aligned}
& - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/2*c) \\
&)^4 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d \\
& *x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2* \\
& \sin(1/2*d*x + 1/2*c) + 1))*\cos(1/2*d*x + 1/2*c)^4 + 4*(7*\log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 7*\log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& - 8*\sin(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2*c)^4 + 70*(\log(\cos(1/2*d*x + 1/ \\
& 2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2 \\
& *d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos \\
& (1/2*d*x + 1/2*c)^2*\sin(1/2*d*x + 1/2*c)^2 + 7*(\log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d* \\
& x + 1/2*c)^4 - 8*\sin(1/2*d*x + 1/2*c)^5 + 28*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(1/2*d \\
& *x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/ \\
& 2*c)^3 + 4*(21*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c) - 24*\sin(1/2*d*x + 1/ \\
& 2*c)^2 - 20)*\sin(3/2*d*x + 3/2*c)^3 - 8*(10*\cos(1/2*d*x + 1/2*c)^2 + 3)*\sin \\
& (1/2*d*x + 1/2*c)^3 + ((7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d \\
& *x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\cos(3 \\
& /2*d*x + 3/2*c)^2 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + \\
& 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(1/2*d*x + 1/2*c)^2 + (7*\log(\co \\
& s(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + \\
& 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2*c)^2 + 7*(\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
&) + 1))*\sin(1/2*d*x + 1/2*c)^2 - 8*\sin(1/2*d*x + 1/2*c)^3 + 6*(7*(\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
&) + 1))*\cos(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)) \\
& *\cos(3/2*d*x + 3/2*c) + 2*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2 \\
& *d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c) - 8*\sin \\
& (1/2*d*x + 1/2*c)^2 - 8)*\sin(3/2*d*x + 3/2*c) - 8*(9*\cos(1/2*d*x + 1/2*c)^2 \\
& + 2)*\sin(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c)^2 + (427*(\log(\cos(1/2*d*x \\
& + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) \\
& *\cos(1/2*d*x + 1/2*c)^2 + 35*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2 \\
& *d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c)^2 - 40*
\end{aligned}$$

$$\begin{aligned}
& \sin(1/2*d*x + 1/2*c)^3 - 8*(61*\cos(1/2*d*x + 1/2*c)^2 + 9)*\sin(1/2*d*x + 1/2*c) \\
& * \cos(3/2*d*x + 3/2*c)^2 + ((7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \\
& \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c) \\
& * \cos(3/2*d*x + 3/2*c)^2 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(\\
& 1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(1/2*d*x + 1/2*c)^2 + \\
& (7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\
& + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x \\
& + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2*c)^2 + 7*(\\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\
&) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x \\
& + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c)^2 - 8*\sin(1/2*d*x + 1/2*c)^3 + 6*(7*(\\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\
&) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x \\
& + 1/2*c) + 1))*\cos(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x \\
& + 1/2*c))*\cos(3/2*d*x + 3/2*c) + 2*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2 \\
& *d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c \\
&) - 8*\sin(1/2*d*x + 1/2*c)^2 - 8)*\sin(3/2*d*x + 3/2*c) - 8*(9*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2)*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c)^2 + (8*(7*\log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1 \\
& /2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/2*c)^2 + 259*(\log(\cos(\\
& 1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
& + 1))*\cos(1/2*d*x + 1/2*c)^2 + 91*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \\
& \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c) \\
& ^2 - 104*\sin(1/2*d*x + 1/2*c)^3 + 28*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1 \\
& /2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(1/2*d*x + 1/2 \\
& *c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/2*c) - 8 \\
& *(37*\cos(1/2*d*x + 1/2*c)^2 + 21)*\sin(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2*c) \\
&)^2 + 2*(2*(7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/2 \\
& *c)^3 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2 \\
& *d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - \\
& 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(1/2*d*x + 1/2*c)^3 + 7*(\log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*c \\
& \cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)^2 - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2 \\
& *d*x + 1/2*c)^3 + 13*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x
\end{aligned}$$

$$\begin{aligned} & + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \cos(1/2*d*x + 1/2*c) - 8*\cos(1/2* \\ & d*x + 1/2*c) * \sin(1/2*d*x + 1/2*c)) * \cos(3/2*d*x + 3/2*c)^2 + (2*(7*\log(\cos(1 \\ & /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\ & 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2 \\ & *c) + 1) - 8*\sin(1/2*d*x + 1/2*c)) * \cos(3/2*d*x + 3/2*c) + 7*(\log(\cos(1/2*d* \\ & x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(c \\ & \cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1 \\ &)) * \cos(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c) * \sin(1/2*d*x + 1/2*c)) * \sin(\\ & 3/2*d*x + 3/2*c)^2 + 2*(84*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2* \\ & c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d \\ & *x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \cos(1/2*d*x + 1/2*c)^2 + 7*(lo \\ & g(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\ & + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x \\ & + 1/2*c) + 1)) * \sin(1/2*d*x + 1/2*c)^2 - 8*\sin(1/2*d*x + 1/2*c)^3 - 16*(6*co \\ & s(1/2*d*x + 1/2*c)^2 + 1) * \sin(1/2*d*x + 1/2*c)) * \cos(3/2*d*x + 3/2*c) + 2*(7 \\ & *(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2 \\ & *c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2* \\ & d*x + 1/2*c) + 1)) * \cos(1/2*d*x + 1/2*c) * \sin(1/2*d*x + 1/2*c) - 8*\cos(1/2*d* \\ & x + 1/2*c) * \sin(1/2*d*x + 1/2*c)^2 + 2*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(\\ & 1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c) \\ & ^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \sin(1/2*d*x + 1/ \\ & 2*c) - 8*\sin(1/2*d*x + 1/2*c)^2 - 8) * \cos(3/2*d*x + 3/2*c) - 8*\cos(1/2*d*x + \\ & 1/2*c)) * \sin(3/2*d*x + 3/2*c) - 8*(9*\cos(1/2*d*x + 1/2*c)^3 + 2*\cos(1/2*d*x \\ & + 1/2*c)) * \sin(1/2*d*x + 1/2*c)) * \cos(5/2*d*x + 5/2*c) + 2*(147*(\log(\cos(1/2 \\ & *d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - lo \\ & g(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\ & + 1)) * \cos(1/2*d*x + 1/2*c)^3 + 35*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\ & + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + si \\ & n(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \cos(1/2*d*x + 1/2*c) * si \\ & n(1/2*d*x + 1/2*c)^2 - 40*\cos(1/2*d*x + 1/2*c) * \sin(1/2*d*x + 1/2*c)^3 - 56* \\ & (3*\cos(1/2*d*x + 1/2*c)^3 + \cos(1/2*d*x + 1/2*c)) * \sin(1/2*d*x + 1/2*c)) * \cos \\ & (3/2*d*x + 3/2*c) + 2*(2*(7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2* \\ & c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2 \\ & *d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c)) * \sin \\ & (3/2*d*x + 3/2*c)^3 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\ & ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\ & + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \cos(1/2*d*x + 1/2*c)^2 * \sin(1/2*d \\ & *x + 1/2*c) + 7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*si \\ & n(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\ & ^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \sin(1/2*d*x + 1/2*c)^3 - 8*\sin(1/2*d*x + \\ & 1/2*c)^4 + (7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(\\ & 1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\ & - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \sin(1/2*d*x + 1/2*c) - 8*\sin(1/2*d*x + 1/2* \\ & c)^2 - 4) * \cos(3/2*d*x + 3/2*c)^2 + (35*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/ \\ & 2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \end{aligned}$$

$$\begin{aligned}
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c) \\
& - 40*\sin(1/2*d*x + 1/2*c)^2 - 36)*\sin(3/2*d*x + 3/2*c)^2 - 4*(18*\cos(1/2*d*x + 1/2*c)^2 + 5)*\sin(1/2*d*x + 1/2*c)^2 + 6*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)))*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)^2 - 4*\cos(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/2*c) - 36*\cos(1/2*d*x + 1/2*c)^2 + 2*((7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c)))*\cos(3/2*d*x + 3/2*c)^2 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)))*\cos(1/2*d*x + 1/2*c)^2 + 14*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)))*\sin(1/2*d*x + 1/2*c)^2 - 16*\sin(1/2*d*x + 1/2*c)^3 + 6*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)))*\cos(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/2*c) - 4*(18*\cos(1/2*d*x + 1/2*c)^2 + 7)*\sin(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2*c))*\sin(5/2*d*x + 5/2*c) + 2*(133*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)))*\cos(1/2*d*x + 1/2*c)^2*\sin(1/2*d*x + 1/2*c) + 21*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)))*\sin(1/2*d*x + 1/2*c)^3 - 24*\sin(1/2*d*x + 1/2*c)^4 + 2*(21*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)))*\sin(1/2*d*x + 1/2*c) - 24*\sin(1/2*d*x + 1/2*c)^2 - 20)*\cos(3/2*d*x + 3/2*c)^2 - 8*(19*\cos(1/2*d*x + 1/2*c)^2 + 7)*\sin(1/2*d*x + 1/2*c)^2 + 16*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)))*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)^2 - 5*\cos(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/2*c) - 80*\cos(1/2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3/2*c) - 8*(9*\cos(1/2*d*x + 1/2*c)^4 + 11*\cos(1/2*d*x + 1/2*c)^2)*\sin(1/2*d*x + 1/2*c))*A*sqrt(a)/(4*sqrt(2)*a^2*\cos(3/2*d*x + 3/2*c)^4 + 28*sqrt(2)*a^2*\cos(3/2*d*x + 3/2*c)^3*\cos(1/2*d*x + 1/2*c) + 9*sqrt(2)*a^2*\cos(1/2*d*x + 1/2*c)^4 + 4*sqrt(2)*a^2*\sin(3/2*d*x + 3/2*c)^4 + 12*sqrt(2)*a^2*\sin(3/2*d*x + 3/2*c)^3*\sin(1/2*d*x + 1/2*c) + 10*sqrt(2)*a^2*\cos(1/2*d*x + 1/2*c)^2*\sin(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*\sin(1/2*d*x + 1/2*c)^4 + (sqrt(2)*a^2*\cos(3/2*d*x + 3/2*c)^2 + 6*sqrt(2)*a^2*\cos(3/2*d*x + 3/2*c))*\cos(1/2*d*x + 1/2*c) + 9*sqrt(2)*a^2*\cos(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*\sin(3/2*d*x + 3/2*c)^2 + 2*sqrt(2)*a^2*\sin(3/2*d*x + 3/2*c)*\sin(1/2*d*x + 1/2*c) + sqrt(2)*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(5/2*d*x +
\end{aligned}$$

$$\begin{aligned}
& 5/2*c)^2 + (61*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + 5*\sqrt{2}*a^2*\sin(1/2* \\
& d*x + 1/2*c)^2)*\cos(3/2*d*x + 3/2*c)^2 + (\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)^ \\
& 2 + 6*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)*\cos(1/2*d*x + 1/2*c) + 9*\sqrt{2}*a^2 \\
& *\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c)^2 + 2*\sqrt{2}*a^ \\
& 2*\sin(3/2*d*x + 3/2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2 \\
& *c)^2)*\sin(5/2*d*x + 5/2*c)^2 + (8*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)^2 + 28* \\
& \sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)*\cos(1/2*d*x + 1/2*c) + 37*\sqrt{2}*a^2*\cos(\\
& 1/2*d*x + 1/2*c)^2 + 13*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3 \\
& /2*c)^2 + 2*(2*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)^3 + 13*\sqrt{2}*a^2*\cos(3/2* \\
& d*x + 3/2*c)^2*\cos(1/2*d*x + 1/2*c) + 9*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^3 \\
& + \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)^2 + (2*\sqrt{2}*a^2* \\
& \cos(3/2*d*x + 3/2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2* \\
& c)^2 + 2*(12*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + \\
& 1/2*c)^2)*\cos(3/2*d*x + 3/2*c) + 2*(2*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)*\sin \\
& (1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c))* \\
& \sin(3/2*d*x + 3/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(21*\sqrt{2}*a^2*\cos(1/2*d*x \\
& + 1/2*c)^3 + 5*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)^2)*\cos \\
& (3/2*d*x + 3/2*c) + 2*(2*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c)^3 + \sqrt{2}*a^2*c \\
& \cos(3/2*d*x + 3/2*c)^2*\sin(1/2*d*x + 1/2*c) + 6*\sqrt{2}*a^2*\cos(3/2*d*x + 3/ \\
& 2*c)*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) + 9*\sqrt{2}*a^2*\cos(1/2*d*x \\
& + 1/2*c)^2*\sin(1/2*d*x + 1/2*c) + 5*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c)^2*\sin(\\
& 1/2*d*x + 1/2*c) + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^3 + 2*(\sqrt{2}*a^2*\cos(\\
& 3/2*d*x + 3/2*c)^2 + 6*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)*\cos(1/2*d*x + 1/2*c \\
&) + 9*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2* \\
& c)^2)*\sin(3/2*d*x + 3/2*c))*\sin(5/2*d*x + 5/2*c) + 2*(6*\sqrt{2}*a^2*\cos(3/2 \\
& *d*x + 3/2*c)^2*\sin(1/2*d*x + 1/2*c) + 16*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)* \\
& \cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) + 19*\sqrt{2}*a^2*\cos(1/2*d*x + 1/ \\
& 2*c)^2*\sin(1/2*d*x + 1/2*c) + 3*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^3)*\sin(3/2 \\
& *d*x + 3/2*c)) - (3*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + \\
& 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/ \\
& 2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c)^2 + 12*(\log(\cos(1/2* \\
& d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log \\
& (\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + \\
& 1))*\cos(d*x + c)^2 + 3*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c)^2 + 12*(\log(\cos(\\
& 1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2* \\
& c) + 1))*\sin(d*x + c)^2 + 2*(6*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1 \\
& /2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(d*x + c) + 3*\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& 3*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2 \\
& *c) + 1) - 2*\sin(3/2*d*x + 3/2*c) + 2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c \\
&) + 4*(3*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*
\end{aligned}$$

```

x + 1/2*c) + 1) - 3*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2
*sin(1/2*d*x + 1/2*c) + 1) + 2*sin(1/2*d*x + 1/2*c))*cos(d*x + c) + 4*(3*(1
og(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)
+ 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x
+ 1/2*c) + 1))*sin(d*x + c) + cos(3/2*d*x + 3/2*c) - cos(1/2*d*x + 1/2*c))
*sin(2*d*x + 2*c) - 4*(2*cos(d*x + c) + 1)*sin(3/2*d*x + 3/2*c) + 8*cos(3/2
*d*x + 3/2*c)*sin(d*x + c) - 8*cos(1/2*d*x + 1/2*c)*sin(d*x + c) + 3*log(co
s(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1)
- 3*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x +
1/2*c) + 1) + 4*sin(1/2*d*x + 1/2*c))*B/((sqrt(2)*a*cos(2*d*x + 2*c)^2 + 4*
sqrt(2)*a*cos(d*x + c)^2 + sqrt(2)*a*sin(2*d*x + 2*c)^2 + 4*sqrt(2)*a*sin(2
*d*x + 2*c)*sin(d*x + c) + 4*sqrt(2)*a*sin(d*x + c)^2 + 4*sqrt(2)*a*cos(d*x
+ c) + 2*(2*sqrt(2)*a*cos(d*x + c) + sqrt(2)*a)*cos(2*d*x + 2*c) + sqrt(2)
*a)*sqrt(a))/d

```

Fricas [A] time = 0.527197, size = 1114, normalized size = 7.14

$$\left[\frac{\sqrt{2}((7A - 3B) \cos(dx + c)^2 + 2(7A - 3B) \cos(dx + c) + 7A - 3B) \sqrt{a} \log \left(-\frac{a \cos(dx+c)^2 - 2\sqrt{2}\sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{8(a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2 d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algor
ithm="fricas")

```

```

[Out] [-1/8*(sqrt(2)*((7*A - 3*B)*cos(d*x + c)^2 + 2*(7*A - 3*B)*cos(d*x + c) + 7
*A - 3*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*
x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c
) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*A*cos(d*x + c)^2 + (
5*A - B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)
/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d),
1/4*(sqrt(2)*((7*A - 3*B)*cos(d*x + c)^2 + 2*(7*A - 3*B)*cos(d*x + c) + 7*
A - 3*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x
+ c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(4*A*cos(d*x + c)^2 + (5*A
- B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqr
t(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)

$$3.260 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=203

$$\frac{(11A - 7B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{2\sqrt{2}a^{3/2}d} - \frac{(19A - 15B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6ad\sqrt{a \sec(c+dx)+a}} + \frac{(7A - 3B) \sin(c+dx)}{6ad\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

[Out] ((11*A - 7*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((7*A - 3*B)*Sin[c + d*x])/(6*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((19*A - 15*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.552987, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4020, 4022, 4013, 3808, 206}

$$\frac{(11A - 7B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}} \right)}{2\sqrt{2}a^{3/2}d} - \frac{(19A - 15B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6ad\sqrt{a \sec(c+dx)+a}} + \frac{(7A - 3B) \sin(c+dx)}{6ad\sqrt{\sec(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] ((11*A - 7*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((7*A - 3*B)*Sin[c + d*x])/(6*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((19*A - 15*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0]

] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A - B) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(7A-3B)-2a(A-B)\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A - 3B) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A - 3B) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}} + \frac{(7A - 3B) \sin(c + dx)}{6ad\sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}} \\
&= \frac{(11A - 7B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \sin(c + dx)}{2d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.72503, size = 173, normalized size = 0.85

$$\frac{\tan(c + dx)\sqrt{1 - \sec(c + dx)}(\sec(c + dx)(2A \cos(2(c + dx)) - 17A + 15B) + 12(B - A)) - 6\sqrt{2}(11A - 7B) \sin\left(\frac{1}{2}(c + dx)\right)}{6d\sqrt{-(\sec(c + dx) - 1) \sec(c + dx)}(a(\sec(c + dx) + 1))^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] (-6*Sqrt[2]*(11*A - 7*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^3*Sec[c + d*x]^(5/2)*Sin[(c + d*x)/2] + Sqrt[1 - Sec[c + d*x]]*(12*(-A + B) + (-17*A + 15*B + 2*A*Cos[2*(c + d*x)])*Sec[c + d*x])*Tan[c + d*x]/(6*d*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.312, size = 317, normalized size = 1.6

$$\frac{(-1 + \cos(dx + c))(\cos(dx + c))^2}{12da^2(\sin(dx + c))^3} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(33A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x)`

[Out] $\frac{1}{12} \frac{d}{a^2} \left(a \left(\frac{\cos(dx+c)+1}{\cos(dx+c)} \right)^{1/2} (-1+\cos(dx+c)) (33A \sin(dx+c) \cos(dx+c) \arctan\left(\frac{1}{2} \sin(dx+c)\right) \left(-\frac{2}{\cos(dx+c)+1}\right)^{1/2} \left(-\frac{2}{\cos(dx+c)+1}\right)^{1/2} - 21B \sin(dx+c) \cos(dx+c) \arctan\left(\frac{1}{2} \sin(dx+c)\right) \left(-\frac{2}{\cos(dx+c)+1}\right)^{1/2} \left(-\frac{2}{\cos(dx+c)+1}\right)^{1/2} + 8A \cos(dx+c)^3 + 33 \arctan\left(\frac{1}{2} \sin(dx+c)\right) \left(-\frac{2}{\cos(dx+c)+1}\right)^{1/2} \left(-\frac{2}{\cos(dx+c)+1}\right)^{1/2} A \sin(dx+c) - 21 \arctan\left(\frac{1}{2} \sin(dx+c)\right) \left(-\frac{2}{\cos(dx+c)+1}\right)^{1/2} \left(-\frac{2}{\cos(dx+c)+1}\right)^{1/2} B \sin(dx+c) - 32A \cos(dx+c)^2 + 24B \cos(dx+c)^2 - 14A \cos(dx+c) + 6B \cos(dx+c) + 38A - 30B \right) \cos(dx+c)^2 \left(\frac{1}{\cos(dx+c)}\right)^{3/2} / \sin(dx+c)^3$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.529207, size = 1218, normalized size = 6.

$$\frac{3\sqrt{2}((11A-7B)\cos(dx+c)^2 + 2(11A-7B)\cos(dx+c) + 11A-7B)\sqrt{a} \log\left(-\frac{a\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{\cos(dx+c)^2 + 2\cos(dx+c)}\right)}{24(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] $[-1/24 * (3 * \sqrt{2}) * ((11 * A - 7 * B) * \cos(dx + c)^2 + 2 * (11 * A - 7 * B) * \cos(dx + c) + 11 * A - 7 * B) * \sqrt{a} * \log(-a * \cos(dx + c)^2 + 2 * \sqrt{2} * \sqrt{a} * \sqrt{(a * \cos(dx + c) + a) / \cos(dx + c)}) * \sqrt{\cos(dx + c)}]$

```

cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d
*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*A*cos(d*x + c)
^3 - 12*(A - B)*cos(d*x + c)^2 - (19*A - 15*B)*cos(d*x + c))*sqrt((a*cos(d*
x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x +
c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/12*(3*sqrt(2))*((11*A - 7*B)*cos(d
*x + c)^2 + 2*(11*A - 7*B)*cos(d*x + c) + 11*A - 7*B)*sqrt(-a)*arctan(sqrt(
2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*s
in(d*x + c))) - 2*(4*A*cos(d*x + c)^3 - 12*(A - B)*cos(d*x + c)^2 - (19*A -
15*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/s
qrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/
2)), x)
```

$$3.261 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=250

$$-\frac{(15A-11B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A-5B) \sin(c+dx)}{10ad \sec^2(c+dx) \sqrt{a \sec(c+dx)+a}} - \frac{(A-B) \sin(c+dx)}{2d \sec^2(c+dx)(a \sec(c+dx)+a)}$$

```
[Out] -((15*A - 11*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((9*A - 5*B)*Sin[c + d*x])/(10*a*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 35*B)*Sin[c + d*x])/(30*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((147*A - 95*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Sec[c + d*x]])]
```

Rubi [A] time = 0.734469, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4020, 4022, 4013, 3808, 206}

$$-\frac{(15A-11B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A-5B) \sin(c+dx)}{10ad \sec^2(c+dx) \sqrt{a \sec(c+dx)+a}} - \frac{(A-B) \sin(c+dx)}{2d \sec^2(c+dx)(a \sec(c+dx)+a)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)),x]
```

```
[Out] -((15*A - 11*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((9*A - 5*B)*Sin[c + d*x])/(10*a*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 35*B)*Sin[c + d*x])/(30*a*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((147*A - 95*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Sec[c + d*x]])]
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b
```

```
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[Rt[-b, 2]*x]/
Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= -\frac{(A - B) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(9A-5B)-3a(A-B) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A - 5B) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A - 5B) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A - 5B) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(A - B) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{(9A - 5B) \sin(c + dx)}{10ad \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(15A - 11B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \sin(c + dx)}{2d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.40641, size = 171, normalized size = 0.68

$$\frac{\sec(c + dx) \left(\frac{15\sqrt{2}(15A-11B) \cos^2\left(\frac{1}{2}(c+dx)\right) \tan(c+dx) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right)}{\sqrt{1-\sec(c+dx)}} + \sin(c + dx)\sqrt{\sec(c + dx)}(3(39A - 20B) \cos(c + dx) + \dots) \right)}{30d(a(\sec(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] (Sec[c + d*x]*((141*A - 85*B + 3*(39*A - 20*B)*Cos[c + d*x] + (-6*A + 10*B)*Cos[2*(c + d*x)] + 3*A*Cos[3*(c + d*x)])*Sqrt[Sec[c + d*x]]*Sin[c + d*x] + (15*Sqrt[2]*(15*A - 11*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^2*Tan[c + d*x])/Sqrt[1 - Sec[c + d*x]]))/(30*d*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.324, size = 339, normalized size = 1.4

$$\frac{(-1 + \cos(dx + c)) (\cos(dx + c))^3}{60 da^2 (\sin(dx + c))^3} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \left(24 A (\cos(dx + c))^4 - 225 A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] 1/60/d/a^2*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))*(24*A*cos(d*x+c)^4-225*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+165*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-48*A*cos(d*x+c)^3-225*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)+40*B*cos(d*x+c)^3+165*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+240*A*cos(d*x+c)^2-160*B*cos(d*x+c)^2+78*A*cos(d*x+c)-70*B*cos(d*x+c)-294*A+190*B)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)^3

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorith="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 0.543179, size = 1328, normalized size = 5.31

$$\left[\frac{15 \sqrt{2} \left((15 A - 11 B) \cos(dx + c)^2 + 2 (15 A - 11 B) \cos(dx + c) + 15 A - 11 B \right) \sqrt{a} \log \left(-\frac{a \cos(dx + c)^2 - 2 \sqrt{2} \sqrt{a} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{\cos(dx + c)^2 + 2} \right)}{120 (a^2 d \cos(dx + c))^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [-1/120*(15*sqrt(2)*((15*A - 11*B)*cos(d*x + c)^2 + 2*(15*A - 11*B)*cos(d*x + c) + 15*A - 11*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(12*A*cos(d*x + c)^4 - 4*(3*A - 5*B)*cos(d*x + c)^3 + 12*(9*A - 5*B)*cos(d*x + c)^2 + (147*A - 95*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/60*(15*sqrt(2)*((15*A - 11*B)*cos(d*x + c)^2 + 2*(15*A - 11*B)*cos(d*x + c) + 15*A - 11*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)))/(a*sin(d*x + c))) + 2*(12*A*cos(d*x + c)^4 - 4*(3*A - 5*B)*cos(d*x + c)^3 + 12*(9*A - 5*B)*cos(d*x + c)^2 + (147*A - 95*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2)), x)
```


$$3.262 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=246

$$\frac{(11A - 35B) \sin(c + dx) \sec^3(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(43A - 115B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(2A - 5B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx) + a}}\right)}{a^{5/2} d}$$

[Out] ((2*A - 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*A - 115*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x]/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((7*A - 15*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x]/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((11*A - 35*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.820014, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(11A - 35B) \sin(c + dx) \sec^3(c + dx)}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(43A - 115B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{(2A - 5B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx) + a}}\right)}{a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((2*A - 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) - ((43*A - 115*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x]/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((7*A - 15*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x]/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((11*A - 35*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]]))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*

$(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)})/(f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x])/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

$\text{Int}[(a_.) + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :- Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-a(A-5B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{3/2}} dx \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A-15B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(A-B)-a(A-3B)\sec(c+dx)\right)}{(a+a\sec(c+dx))^{1/2}} dx \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A-15B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(3A-9B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{1/2}} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A-15B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(3A-9B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{1/2}} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A-15B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(3A-9B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{1/2}} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A-15B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(3A-9B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{1/2}} \\
 &= \frac{(A-B)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(7A-15B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(3A-9B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{1/2}} \\
 &= \frac{(2A-5B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{5/2}d} - \frac{(43A-115B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d}
 \end{aligned}$$

Mathematica [B] time = 6.16511, size = 941, normalized size = 3.83

$$\frac{7B(\sec(c+dx)+1)\sin(c+dx)\sec^{\frac{11}{2}}(c+dx)}{16d(a(\sec(c+dx)+1))^{5/2}} - \frac{B\sin(c+dx)\sec^{\frac{11}{2}}(c+dx)}{4d(a(\sec(c+dx)+1))^{5/2}} - \frac{7B(\sec(c+dx)+1)^2\sin(c+dx)\sec^{\frac{9}{2}}(c+dx)}{16d(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -(A*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(4*d*(a*(1 + Sec[c + d*x]))^(5/2)) - (B*Sec[c + d*x]^(11/2)*Sin[c + d*x])/(4*d*(a*(1 + Sec[c + d*x]))^(5/2)) + (3

$$\begin{aligned}
& *A*\text{Sec}[c + d*x]^{(9/2)}*(1 + \text{Sec}[c + d*x])* \text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) + (7*B*\text{Sec}[c + d*x]^{(11/2)}*(1 + \text{Sec}[c + d*x])* \text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) - (11*A*\text{Sec}[c + d*x]^{(3/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) + (35*B*\text{Sec}[c + d*x]^{(3/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) + (7*A*\text{Sec}[c + d*x]^{(5/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) - (15*B*\text{Sec}[c + d*x]^{(5/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) - (3*A*\text{Sec}[c + d*x]^{(7/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) + (11*B*\text{Sec}[c + d*x]^{(7/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) - (7*B*\text{Sec}[c + d*x]^{(9/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x] / (16*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) - (11*A*\text{ArcSin}[\text{Sqrt}[1 - \text{Sec}[c + d*x]]]*(1 + \text{Sec}[c + d*x])^2*\text{Tan}[c + d*x] / (16*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) + (35*B*\text{ArcSin}[\text{Sqrt}[1 - \text{Sec}[c + d*x]]]*(1 + \text{Sec}[c + d*x])^2*\text{Tan}[c + d*x] / (16*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) - (43*A*\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]]*(1 + \text{Sec}[c + d*x])^2*\text{Tan}[c + d*x] / (16*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) + (115*B*\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]]*(1 + \text{Sec}[c + d*x])^2*\text{Tan}[c + d*x] / (16*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) + (43*A*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[\text{Sec}[c + d*x]])/\text{Sqrt}[1 - \text{Sec}[c + d*x]]]*(1 + \text{Sec}[c + d*x])^2*\text{Tan}[c + d*x] / (16*\text{Sqrt}[2]*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) - (115*B*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[\text{Sec}[c + d*x]])/\text{Sqrt}[1 - \text{Sec}[c + d*x]]]*(1 + \text{Sec}[c + d*x])^2*\text{Tan}[c + d*x] / (16*\text{Sqrt}[2]*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)})
\end{aligned}$$

Maple [B] time = 0.335, size = 831, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{sec}(d*x+c)^{(7/2)}*(A+B*\text{sec}(d*x+c))/(a+a*\text{sec}(d*x+c))^{(5/2)}, x)$

[Out] $1/16/d/a^3*(-1+\cos(d*x+c))^2*(16*A*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))-16*A*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))-40*B*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))+40*B*\cos(d*x+c)^2*\sin(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))+11*A*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{(1/2)}-43*A*\cos(d*x+c)^2*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})+16*A*\sin(d*x+c)*\cos(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d$

$$\begin{aligned}
& x+c)+1+\sin(d*x+c)))-16*A*\sin(d*x+c)*\cos(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(\\
& -2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))-35*B*\cos(d*x+c)^3*(-2/(\\
& \cos(d*x+c)+1))^{(1/2)}+115*B*\cos(d*x+c)^2*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(- \\
& 2/(\cos(d*x+c)+1))^{(1/2)})-40*B*\sin(d*x+c)*\cos(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1 \\
& /2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))+40*B*\sin(d*x+c)*\co \\
& s(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1 \\
& -\sin(d*x+c)))+4*A*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{(1/2)}-43*A*\sin(d*x+c)*\co \\
& s(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-20*B*\cos(d*x+c)^2 \\
& *(-2/(\cos(d*x+c)+1))^{(1/2)}+115*B*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c \\
&)*(-2/(\cos(d*x+c)+1))^{(1/2)})-15*A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+39*B \\
& *\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+16*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*(a*(\cos \\
& (d*x+c)+1)/\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^3*(1/\cos(d*x+c))^{(7/2)}/(-2/(\cos(d \\
& *x+c)+1))^{(1/2)}/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.11442, size = 2122, normalized size = 8.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned}
& [-1/64*(\sqrt{2})*((43*A - 115*B)*\cos(d*x + c)^3 + 3*(43*A - 115*B)*\cos(d*x + \\
& c)^2 + 3*(43*A - 115*B)*\cos(d*x + c) + 43*A - 115*B)*\sqrt{a}*\log(-(a*\cos(d \\
& *x + c)^2 - 2*\sqrt{2})*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{ \\
& \cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\co \\
& s(d*x + c) + 1)) + 16*((2*A - 5*B)*\cos(d*x + c)^3 + 3*(2*A - 5*B)*\cos(d*x + \\
& c)^2 + 3*(2*A - 5*B)*\cos(d*x + c) + 2*A - 5*B)*\sqrt{a}*\log((a*\cos(d*x + c)
\end{aligned}$$

$$\begin{aligned} &^3 - 7*a*\cos(dx + c)^2 + 4*(\cos(dx + c)^2 - 2*\cos(dx + c))*\sqrt{a}*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sin(dx + c)/\sqrt{\cos(dx + c)} + 8*a)/(\\ &\cos(dx + c)^3 + \cos(dx + c)^2) + 4*((11*A - 35*B)*\cos(dx + c)^2 + 5*(3*A - 11*B)*\cos(dx + c) - 16*B)*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sin(dx + c)/\sqrt{\cos(dx + c)})/(a^3*d*\cos(dx + c)^3 + 3*a^3*d*\cos(dx + c)^2 \\ &+ 3*a^3*d*\cos(dx + c) + a^3*d), 1/32*(\sqrt{2})*((43*A - 115*B)*\cos(dx + c)^3 + 3*(43*A - 115*B)*\cos(dx + c)^2 + 3*(43*A - 115*B)*\cos(dx + c) + 43*A - 115*B)*\sqrt{-a}*\arctan(\sqrt{2}*\sqrt{-a}*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sqrt{\cos(dx + c)})/(a*\sin(dx + c))) + 16*((2*A - 5*B)*\cos(dx + c)^3 + 3*(2*A - 5*B)*\cos(dx + c)^2 + 3*(2*A - 5*B)*\cos(dx + c) + 2*A - 5*B)*\sqrt{-a}*\arctan(2*\sqrt{-a}*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sqrt{\cos(dx + c)}*\sin(dx + c)/(a*\cos(dx + c)^2 - a*\cos(dx + c) - 2*a)) - 2*((11*A - 35*B)*\cos(dx + c)^2 + 5*(3*A - 11*B)*\cos(dx + c) - 16*B)*\sqrt{(a*\cos(dx + c) + a)/\cos(dx + c)}*\sin(dx + c)/\sqrt{\cos(dx + c)})/(a^3*d*\cos(dx + c)^3 + 3*a^3*d*\cos(dx + c)^2 + 3*a^3*d*\cos(dx + c) + a^3*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**(7/2)*(A+B*sec(dx+c))/(a+a*sec(dx+c))**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(7/2)*(A+B*sec(dx+c))/(a+a*sec(dx+c))^(5/2), x, algorith="giac")

[Out] integrate((B*sec(dx + c) + A)*sec(dx + c)^(7/2)/(a*sec(dx + c) + a)^(5/2), x)

$$3.263 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=194

$$\frac{(3A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} + \frac{(A - B) \sin(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx) + a)^{5/2}} + \frac{(3A - 11B)}{16ad}$$

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) + ((3*A - 43*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((3*A - 11*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.587663, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {4019, 4023, 3808, 206, 3801, 215}

$$\frac{(3A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{a^{5/2}d} + \frac{(A - B) \sin(c+dx) \sec^2(c+dx)}{4d(a \sec(c+dx) + a)^{5/2}} + \frac{(3A - 11B)}{16ad}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])/(a^(5/2)*d) + ((3*A - 43*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((3*A - 11*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt

Q[n, 0]

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{\frac{5}{2}}} dx &= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}} + \frac{\int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(A-B)+4aB\sec(c+dx)\right)}{(a+a\sec(c+dx))^{\frac{3}{2}}} dx}{4a^2} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}} + \frac{(3A-11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{\int \dots}{\dots} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}} + \frac{(3A-11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{\dots}{\dots} \\
&= \frac{(A-B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{\frac{5}{2}}} + \frac{(3A-11B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{\frac{3}{2}}} - \frac{\dots}{\dots} \\
&= \frac{2B\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)}{a^{\frac{5}{2}}d} + \frac{(3A-43B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{\frac{5}{2}}d} + \frac{(A-B)\dots}{\dots}
\end{aligned}$$

Mathematica [B] time = 5.66836, size = 570, normalized size = 2.94

$$16(3A-11B)\sin\left(\frac{1}{2}(c+dx)\right)\cos^5\left(\frac{1}{2}(c+dx)\right)\sec^3(c+dx)\sin^{-1}\left(\sqrt{1-\sec(c+dx)}\right)+16(3A-43B)\sin\left(\frac{1}{2}(c+dx)\right)\cos$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (16*(3*A - 11*B)*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Cos[(c + d*x)/2]^5*Sec[c + d*x]^3*Sin[(c + d*x)/2] + 16*(3*A - 43*B)*ArcSin[Sqrt[Sec[c + d*x]]]*Cos[(c + d*x)/2]^5*Sec[c + d*x]^3*Sin[(c + d*x)/2] + 6*A*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x] - 22*B*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x] + 14*A*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x] - 30*B*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x] - 3*Sqrt[2]*A*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Tan[c + d*x] + 43*Sqrt[2]*B*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Tan[c + d*x] - 6*Sqrt[2]*A*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Sec[c + d*x]*Tan[c + d*x] + 86*Sqrt[2]*B*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Sec[c + d*x]*Tan[c + d*x] - 3*Sqrt[2]*A*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Sec[c +

$$d*x]^2*\text{Tan}[c + d*x] + 43*\text{Sqrt}[2]*B*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[\text{Sec}[c + d*x]])/\text{Sqrt}[1 - \text{Sec}[c + d*x]]]*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(32*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]])*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}$$

Maple [B] time = 0.309, size = 550, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x)`

[Out]
$$\frac{1}{16} \frac{d}{a^3} (-1 + \cos(dx+c))^{-2} (-16B \sin(dx+c) \cos(dx+c) 2^{1/2} \arctan(1/4 \cdot 2^{1/2} (-2/(\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 - \sin(dx+c))) + 16B \sin(dx+c) \cos(dx+c) 2^{1/2} \arctan(1/4 \cdot 2^{1/2} (-2/(\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 + \sin(dx+c))) + 3A \sin(dx+c) \cos(dx+c) \arctan(1/2 \sin(dx+c) (-2/(\cos(dx+c)+1))^{1/2}) - 3A \cos(dx+c) 2^{1/2} (-2/(\cos(dx+c)+1))^{1/2} - 43B \sin(dx+c) \cos(dx+c) \arctan(1/2 \sin(dx+c) (-2/(\cos(dx+c)+1))^{1/2}) - 16B 2^{1/2} \arctan(1/4 \cdot 2^{1/2} (-2/(\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 - \sin(dx+c))) \sin(dx+c) + 16B 2^{1/2} \arctan(1/4 \cdot 2^{1/2} (-2/(\cos(dx+c)+1))^{1/2} (\cos(dx+c)+1 + \sin(dx+c))) \sin(dx+c) + 11B \cos(dx+c) 2^{1/2} (-2/(\cos(dx+c)+1))^{1/2} + 3A \arctan(1/2 \sin(dx+c) (-2/(\cos(dx+c)+1))^{1/2}) \sin(dx+c) - 4A \cos(dx+c) (-2/(\cos(dx+c)+1))^{1/2} - 43B \arctan(1/2 \sin(dx+c) (-2/(\cos(dx+c)+1))^{1/2}) \sin(dx+c) + 4B \cos(dx+c) (-2/(\cos(dx+c)+1))^{1/2} + 7A (-2/(\cos(dx+c)+1))^{1/2} - 15B (-2/(\cos(dx+c)+1))^{1/2}) (a(\cos(dx+c)+1)/\cos(dx+c))^{1/2} \cos(dx+c)^3 (1/\cos(dx+c))^{5/2} / \sin(dx+c)^5 (-2/(\cos(dx+c)+1))^{1/2}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [B] time = 0.714004, size = 1972, normalized size = 10.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/64*(\sqrt{2})*((3*A - 43*B)*\cos(d*x + c)^3 + 3*(3*A - 43*B)*\cos(d*x + c)^2 + 3*(3*A - 43*B)*\cos(d*x + c) + 3*A - 43*B)*\sqrt{a}*\log(-(a*\cos(d*x + c))^2 + 2*\sqrt{2}*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)})*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 32*(B*\cos(d*x + c)^3 + 3*B*\cos(d*x + c)^2 + 3*B*\cos(d*x + c) + B)*\sqrt{a}*\log((a*\cos(d*x + c)^3 - 7*a*\cos(d*x + c)^2 - 4*(\cos(d*x + c)^2 - 2*\cos(d*x + c))*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c))/\sqrt{\cos(d*x + c)} + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)) - 4*((3*A - 11*B)*\cos(d*x + c)^2 + (7*A - 15*B)*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}]/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d), -1/32*(\sqrt{2})*((3*A - 43*B)*\cos(d*x + c)^3 + 3*(3*A - 43*B)*\cos(d*x + c)^2 + 3*(3*A - 43*B)*\cos(d*x + c) + 3*A - 43*B)*\sqrt{-a}*\arctan(\sqrt{2}*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)})/(a*\sin(d*x + c))) - 32*(B*\cos(d*x + c)^3 + 3*B*\cos(d*x + c)^2 + 3*B*\cos(d*x + c) + B)*\sqrt{-a}*\arctan(2*\sqrt{-a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a*\cos(d*x + c)^2 - a*\cos(d*x + c) - 2*a)) - 2*((3*A - 11*B)*\cos(d*x + c)^2 + (7*A - 15*B)*\cos(d*x + c))*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}]/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)] \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(5/2), x)
```

$$3.264 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=156

$$\frac{(5A + 3B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B) \sin(c + dx) \sec^2(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}} + \frac{(5A + 3B) \sin(c + dx) \sec^2(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}}$$

[Out] ((5*A + 3*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.271553, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4012, 3810, 3808, 206}

$$\frac{(5A + 3B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx) + a}} \right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B) \sin(c + dx) \sec^2(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}} + \frac{(5A + 3B) \sin(c + dx) \sec^2(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((5*A + 3*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rule 4012

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m, -1]

Rule 3810

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] + Dist[(d*(m + 1))/(b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && LtQ[m, -2^(-1)] && IntegerQ[2*m]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx &= -\frac{(A-B) \sec^5(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} + \frac{(5A+3B) \int \frac{\sec^3(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx}{8a} \\ &= -\frac{(A-B) \sec^5(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} + \frac{(5A+3B) \sec^3(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} + \frac{(5A+3B) \int \frac{\sec^3(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx}{8a} \\ &= -\frac{(A-B) \sec^5(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} + \frac{(5A+3B) \sec^3(c+dx) \sin(c+dx)}{16ad(a+a \sec(c+dx))^{3/2}} - \frac{(5A+3B) \int \frac{\sec^3(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx}{8a} \\ &= \frac{(5A+3B) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A-B) \sec^5(c+dx) \sin(c+dx)}{4d(a+a \sec(c+dx))^{5/2}} + \frac{(5A+3B) \int \frac{\sec^3(c+dx)}{(a+a \sec(c+dx))^{3/2}} dx}{8a} \end{aligned}$$

Mathematica [A] time = 0.678115, size = 106, normalized size = 0.68

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right) \sec^5(c+dx) \left(\frac{1}{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) \left((5A+3B) \cos(c+dx) + A+7B\right) + (5A+3B) \cos^4\left(\frac{1}{2}(c+dx)\right) \tanh^{-1}\left(\frac{\sqrt{a} \sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \sec(c+dx)}}\right)}{4d(a(\sec(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2),x]

[Out] (Cos[(c + d*x)/2]*Sec[c + d*x]^(5/2)*((5*A + 3*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + ((A + 7*B + (5*A + 3*B)*Cos[c + d*x])*Sin[(c + d*x)/2])/2)/(4*d*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.302, size = 349, normalized size = 2.2

$$\frac{(-1 + \cos(dx + c))^2 (\cos(dx + c))^2}{16 da^3 (\sin(dx + c))^5} \left(5 A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2 (\cos(dx + c) + 1)^{-1}}\right) - 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x)

[Out] 1/16/d/a^3*(-1+cos(d*x+c))^2*(5*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-5*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+3*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-3*B*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+5*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)+4*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+3*B*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*sin(d*x+c)-4*B*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+A*(-2/(cos(d*x+c)+1))^(1/2)+7*B*(-2/(cos(d*x+c)+1))^(1/2))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)^5/(-2/(cos(d*x+c)+1))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.516858, size = 1289, normalized size = 8.26

$$\frac{\sqrt{2}((5A + 3B)\cos(dx + c)^3 + 3(5A + 3B)\cos(dx + c)^2 + 3(5A + 3B)\cos(dx + c) + 5A + 3B)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2a\cos(dx+c)+a}{\cos(dx+c)}\right)}{64(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + 3a^3d\cos(dx+c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((5*A + 3*B)*cos(d*x + c)^3 + 3*(5*A + 3*B)*cos(d*x + c)^2 + 3*(5*A + 3*B)*cos(d*x + c) + 5*A + 3*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((5*A + 3*B)*cos(d*x + c)^2 + (A + 7*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((5*A + 3*B)*cos(d*x + c)^3 + 3*(5*A + 3*B)*cos(d*x + c)^2 + 3*(5*A + 3*B)*cos(d*x + c) + 5*A + 3*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*((5*A + 3*B)*cos(d*x + c)^2 + (A + 7*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(5/2), x)

$$3.265 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=156

$$\frac{(19A + 5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B) \sin(c + dx) \sec^3(c + dx)}{16ad(a \sec(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx) \sec^3(c + dx)}{4d(a \sec(c + dx) + a)^{5/2}}$$

[Out] ((19*A + 5*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((9*A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.572176, antiderivative size = 203, normalized size of antiderivative = 1.3, number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4019, 4020, 4013, 3808, 206}

$$-\frac{(9A - B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(19A + 5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(5A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16ad(a \sec(c + dx) + a)^{3/2}} +$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((19*A + 5*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((9*A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{\int \frac{-\frac{1}{2}a(A-B)+2a(A+B)\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(5A+3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \int \frac{-\frac{1}{4}}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(5A+3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(9A-5B)\sqrt{\sec(c+dx)}}{16a^2} \\
&= \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(5A+3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \frac{(9A-5B)\sqrt{\sec(c+dx)}}{16a^2} \\
&= \frac{(19A+5B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 1.05339, size = 103, normalized size = 0.66

$$\frac{\sqrt{\sec(c+dx)}\left(\tan\left(\frac{1}{2}(c+dx)\right)\left((B-9A)\sec(c+dx)-13A+5B\right)+2(19A+5B)\cos^3\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{16ad(a(\sec(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(2*(19*A + 5*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3*Sec[c + d*x] + (-13*A + 5*B + (-9*A + B)*Sec[c + d*x])*Tan[(c + d*x)/2]))/(16*a*d*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.309, size = 347, normalized size = 2.2

$$\frac{\cos(dx+c)(-1+\cos(dx+c))^2}{16da^3(\sin(dx+c))^5}\sqrt{(\cos(dx+c))^{-1}}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(13A(\cos(dx+c))^2\sqrt{-2(\cos(dx+c)+1)^{-1}}+\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))*\sec(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(5/2)},x)$

[Out] $\frac{1}{16} \frac{d}{a^3} \frac{(1/\cos(d*x+c))^{(1/2)} * (a * (\cos(d*x+c)+1) / \cos(d*x+c))^{(1/2)} * \cos(d*x+c) * (-1+\cos(d*x+c))^{(1/2)} * (13*A*\cos(d*x+c)^2 * (-2/(\cos(d*x+c)+1))^{(1/2)} + 19*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}) - 5*B*\cos(d*x+c)^2 * (-2/(\cos(d*x+c)+1))^{(1/2)} + 5*B*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}) - 4*A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)} + 19*A*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}) * \sin(d*x+c) + 4*B*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)} + 5*B*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}) * \sin(d*x+c) - 9*A*(-2/(\cos(d*x+c)+1))^{(1/2)} + B*(-2/(\cos(d*x+c)+1))^{(1/2)})}{\sin(d*x+c)^5 * (-2/(\cos(d*x+c)+1))^{(1/2)}}$

Maxima [B] time = 5.0641, size = 7997, normalized size = 51.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))*\sec(d*x+c)^{(1/2)}/(a+a*\sec(d*x+c))^{(5/2)},x, \text{algorithm}="maxima")$

[Out] $\frac{1}{32} * ((19 * (\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2 * \sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2 * \sin(1/2*d*x + 1/2*c) + 1) * \cos(4*d*x + 4*c)^2 + 304 * (\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2 * \sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2 * \sin(1/2*d*x + 1/2*c) + 1) * \cos(3*d*x + 3*c)^2 + 684 * (\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2 * \sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2 * \sin(1/2*d*x + 1/2*c) + 1) * \cos(2*d*x + 2*c)^2 + 304 * (\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2 * \sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2 * \sin(1/2*d*x + 1/2*c) + 1) * \cos(d*x + c)^2 + 19 * (\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2 * \sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2 * \sin(1/2*d*x + 1/2*c) + 1) * \sin(4*d*x + 4*c)^2 + 304 * (\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2 * \sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2 * \sin(1/2*d*x + 1/2*c) + 1) * \sin(3*d*x + 3*c)^2 + 684 * (\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2 * \sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2 * \sin(1/2*d*x + 1/2*c) + 1) * \sin(2*d*x + 2*c)^2 + 304 * (\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2 * \sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2 * \sin(1/2*d*x + 1/2*c) + 1) * \sin(d*x + c)^2 + 2 * (76 * (\log(\cos(1/2*d*x + 1/2*c))^2$

$$\begin{aligned}
& + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(3*d*x \\
& + 3*c) + 114*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c) + 76*(\log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2* \\
& d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(\\
& d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 26*\sin(7/2*d*x + 7/2*c) - 10*\sin(5/2*d*x \\
& + 5/2*c) + 10*\sin(3/2*d*x + 3/2*c) + 26*\sin(1/2*d*x + 1/2*c))*\cos(4*d*x + \\
& 4*c) + 104*(2*\sin(3*d*x + 3*c) + 3*\sin(2*d*x + 2*c) + 2*\sin(d*x + c))*\cos(7 \\
& /2*d*x + 7/2*c) + 8*(114*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c) + 76*(\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c \\
&) + 1))*\cos(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2* \\
& d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 10*\sin(5/2*d*x + 5/2*c) + 10 \\
& *\sin(3/2*d*x + 3/2*c) + 26*\sin(1/2*d*x + 1/2*c))*\cos(3*d*x + 3*c) + 40*(3*s \\
& in(2*d*x + 2*c) + 2*\sin(d*x + c))*\cos(5/2*d*x + 5/2*c) + 12*(76*(\log(\cos(1/ \\
& 2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - l \\
& og(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
& + 1))*\cos(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d \\
& *x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 10*\sin(3/2*d*x + 3/2*c) + 26* \\
& sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 8*(19*\log(\cos(1/2*d*x + 1/2*c)^2 + \\
& \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x \\
& + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 26*\sin(\\
& 1/2*d*x + 1/2*c))*\cos(d*x + c) + 4*(38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/ \\
& 2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(3*d*x + 3*c) + \\
& 57*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c) + 38*(\log(\cos(1/2*d*x + 1/2*c)^2 + s \\
& in(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) \\
& + 13*\cos(7/2*d*x + 7/2*c) + 5*\cos(5/2*d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c) \\
& - 13*\cos(1/2*d*x + 1/2*c))*\sin(4*d*x + 4*c) - 52*(4*\cos(3*d*x + 3*c) + 6*c \\
& os(2*d*x + 2*c) + 4*\cos(d*x + c) + 1)*\sin(7/2*d*x + 7/2*c) + 16*(57*(\log(co \\
& s(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/ \\
& 2*c) + 1))*\sin(2*d*x + 2*c) + 38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin
\end{aligned}$$

$$\begin{aligned}
& (1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \sin(d*x + c) + 5*\cos(5/2 \\
& *d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c) - 13*\cos(1/2*d*x + 1/2*c)) * \sin(3*d*x \\
& + 3*c) - 20*(6*\cos(2*d*x + 2*c) + 4*\cos(d*x + c) + 1) * \sin(5/2*d*x + 5/2*c) \\
& + 24*(38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\
& d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2 \\
& * \sin(1/2*d*x + 1/2*c) + 1)) * \sin(d*x + c) - 5*\cos(3/2*d*x + 3/2*c) - 13*\cos(\\
& 1/2*d*x + 1/2*c)) * \sin(2*d*x + 2*c) + 20*(4*\cos(d*x + c) + 1) * \sin(3/2*d*x + \\
& 3/2*c) - 80*\cos(3/2*d*x + 3/2*c) * \sin(d*x + c) - 208*\cos(1/2*d*x + 1/2*c) * \sin \\
& (d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2* \\
& c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 52*\sin(1/2*d*x + 1/2*c)) * A / ((\sqrt{2}) * a \\
& ^2 * \cos(4*d*x + 4*c)^2 + 16*\sqrt{2}) * a^2 * \cos(3*d*x + 3*c)^2 + 36*\sqrt{2}) * a^2 * \\
& \cos(2*d*x + 2*c)^2 + 16*\sqrt{2}) * a^2 * \cos(d*x + c)^2 + \sqrt{2}) * a^2 * \sin(4*d*x \\
& + 4*c)^2 + 16*\sqrt{2}) * a^2 * \sin(3*d*x + 3*c)^2 + 36*\sqrt{2}) * a^2 * \sin(2*d*x + 2 \\
& *c)^2 + 48*\sqrt{2}) * a^2 * \sin(2*d*x + 2*c) * \sin(d*x + c) + 16*\sqrt{2}) * a^2 * \sin(d \\
& *x + c)^2 + 8*\sqrt{2}) * a^2 * \cos(d*x + c) + \sqrt{2}) * a^2 + 2*(4*\sqrt{2}) * a^2 * \cos \\
& (3*d*x + 3*c) + 6*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c) + 4*\sqrt{2}) * a^2 * \cos(d*x + c) \\
& + \sqrt{2}) * a^2 * \cos(4*d*x + 4*c) + 8*(6*\sqrt{2}) * a^2 * \cos(2*d*x + 2*c) + 4*\sqrt{2} \\
& * a^2 * \cos(d*x + c) + \sqrt{2}) * a^2 * \cos(3*d*x + 3*c) + 12*(4*\sqrt{2}) * a^2 * \\
& \cos(d*x + c) + \sqrt{2}) * a^2 * \cos(2*d*x + 2*c) + 4*(2*\sqrt{2}) * a^2 * \sin(3*d*x + \\
& 3*c) + 3*\sqrt{2}) * a^2 * \sin(2*d*x + 2*c) + 2*\sqrt{2}) * a^2 * \sin(d*x + c)) * \sin(4* \\
& d*x + 4*c) + 16*(3*\sqrt{2}) * a^2 * \sin(2*d*x + 2*c) + 2*\sqrt{2}) * a^2 * \sin(d*x + c \\
&)) * \sin(3*d*x + 3*c)) * \sqrt{a}) + (4*(3*\sin(3/2*d*x + 3/2*c) + 5*\sin(7/3*\arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sin(5/3*\arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c)))) * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c))) - 40*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c)))) * \cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c))) + 24*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c)))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c)))) * \cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 24*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c)))) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + 16*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c)))) * \cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3* \\
& arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) * \cos(8/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*\arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3 \\
& /2*c), \cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c)))^2 + 8*(4*\cos(3*d*x + 3*c) + 1) * \cos(2/3*\arctan2(\sin(3/2 \\
& *d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/
\end{aligned}$$

$$\begin{aligned}
& 2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) \\
& + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin \\
& (\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2 \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan \\
& 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c))) + 1) - 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x \\
& + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4 \\
& *\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(\\
& 3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos \\
& (2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*\arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*\arctan2(\sin(3 \\
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*(4*\cos(3*d*x + 3*c) + 1)*\cos(\\
& 2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arcta \\
& n2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sin(3*d*x + 3*c)^2 + \\
& 4*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&)))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) \\
& + \sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sin(2/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\lo \\
& g(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - 48*\cos(3/2*d*x + 3/2*c) \\
& *\sin(3*d*x + 3*c) + 80*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
& 3/2*c)))*\sin(3*d*x + 3*c) + 48*\cos(3*d*x + 3*c)*\sin(3/2*d*x + 3/2*c) - 4*(3 \\
& *\cos(3/2*d*x + 3/2*c) + 5*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) - 3*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)) \\
&) - 5*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 20*(4*\cos(3*d*x + 3 \\
& *c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*co \\
& s(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\sin(7/3*arc \\
& tan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(4*\cos(3*d*x + 3*c) \\
& + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\sin(5/3*\arctan2
\end{aligned}$$


```
(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 24*(3*cos(3/2*d*x + 3/2*c)
- 5*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(4/3*a
rctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 16*(3*cos(3/2*d*x + 3
/2*c) - 5*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin
(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 20*(4*cos(3*d*x
+ 3*c) + 1)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) +
12*sin(3/2*d*x + 3/2*c))*B/((16*sqrt(2)*a^2*cos(3*d*x + 3*c)^2 + sqrt(2)*a
^2*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))^2 + 36*sqrt
(2)*a^2*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 16
*sqrt(2)*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2
+ 16*sqrt(2)*a^2*sin(3*d*x + 3*c)^2 + sqrt(2)*a^2*sin(8/3*arctan2(sin(3/2*
d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 36*sqrt(2)*a^2*sin(4/3*arctan2(sin
(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 32*sqrt(2)*a^2*sin(3*d*x + 3*
c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 16*sqrt(2
)*a^2*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 8*sq
rt(2)*a^2*cos(3*d*x + 3*c) + sqrt(2)*a^2 + 2*(4*sqrt(2)*a^2*cos(3*d*x + 3*c
) + 6*sqrt(2)*a^2*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c
))) + 4*sqrt(2)*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2
*c))) + sqrt(2)*a^2)*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/
2*c))) + 12*(4*sqrt(2)*a^2*cos(3*d*x + 3*c) + 4*sqrt(2)*a^2*cos(2/3*arctan2
(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + sqrt(2)*a^2)*cos(4/3*arctan
2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 8*(4*sqrt(2)*a^2*cos(3*d*x
+ 3*c) + sqrt(2)*a^2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x +
3/2*c))) + 4*(2*sqrt(2)*a^2*sin(3*d*x + 3*c) + 3*sqrt(2)*a^2*sin(4/3*arctan
2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*a^2*sin(2/3*arct
an2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(8/3*arctan2(sin(3/2*d
*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 48*(sqrt(2)*a^2*sin(3*d*x + 3*c) + sq
rt(2)*a^2*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin
(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sqrt(a))/d
```

Fricas [A] time = 0.519913, size = 1303, normalized size = 8.35

$$\left[\frac{\sqrt{2}((19A + 5B) \cos(dx + c)^3 + 3(19A + 5B) \cos(dx + c)^2 + 3(19A + 5B) \cos(dx + c) + 19A + 5B) \sqrt{a} \log \left(-\frac{a \cos(dx + c)}{64(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c) + 19A + 5B)} \right)}{64(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c) + 19A + 5B)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, algorith="fricas")

```
[Out] [1/64*(sqrt(2)*((19*A + 5*B)*cos(d*x + c)^3 + 3*(19*A + 5*B)*cos(d*x + c)^2
+ 3*(19*A + 5*B)*cos(d*x + c) + 19*A + 5*B)*sqrt(a)*log(-(a*cos(d*x + c)^2
- 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x +
c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c
) + 1)) - 4*((13*A - 5*B)*cos(d*x + c)^2 + (9*A - B)*cos(d*x + c))*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos
(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32
*(sqrt(2)*((19*A + 5*B)*cos(d*x + c)^3 + 3*(19*A + 5*B)*cos(d*x + c)^2 + 3*
(19*A + 5*B)*cos(d*x + c) + 19*A + 5*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sq
rt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c)))
+ 2*((13*A - 5*B)*cos(d*x + c)^2 + (9*A - B)*cos(d*x + c))*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c
)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2), x, algor
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(a*sec(d*x + c) + a)^(5/2
), x)
```

$$3.266 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)(a+a \sec(c+dx))}^{5/2}} dx$$

Optimal. Leaf size=203

$$\frac{(49A - 9B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(75A - 19B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(13A - 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16ad(a \sec(c + dx) + a)^{3/2}}$$

```
[Out] -((75*A - 19*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((49*A - 9*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.571168, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4020, 4013, 3808, 206}

$$\frac{(49A - 9B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(75A - 19B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} - \frac{(13A - 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16ad(a \sec(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]
```

```
[Out] -((75*A - 19*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((49*A - 9*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(16*a^2*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))}^{5/2}} dx &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(9A - B) - 2a(A - B)\sec(c + dx)}{\sqrt{\sec(c + dx)(a + a \sec(c + dx))}^{3/2}} dx}{4a^2} \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \dots \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \dots \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}} - \frac{(13A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \sec(c + dx))^{3/2}} + \dots \\
 &= -\frac{(75A - 19B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \sec(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \sec(c + dx))^{5/2}}
 \end{aligned}$$

Mathematica [A] time = 2.30197, size = 206, normalized size = 1.01

$$\frac{\sin(c + dx) \left((49A - 9B) \sqrt{1 - \sec(c + dx)} \sec^2(c + dx) + (85A - 13B) \sqrt{1 - \sec(c + dx)} \sec^3(c + dx) + 32A \sqrt{-(\sec(c + dx) + 1)} \right)}{16d \sqrt{1 - \sec(c + dx)} (a(\sec(c + dx) + 1))^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (4*Sqrt[2]*(75*A - 19*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^5*Sec[c + d*x]^3*Sin[(c + d*x)/2] + ((85*A - 13*B)*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^(3/2) + (49*A - 9*B)*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^(5/2) + 32*A*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])])*Sin[c + d*x])/(16*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.315, size = 419, normalized size = 2.1

$$\frac{(-1 + \cos(dx + c))^2}{32 da^3 (\sin(dx + c))^5} \left(75 A \sin(dx + c) (\cos(dx + c))^2 \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)^{-1}}\right) \sqrt{-2(\cos(dx + c) + 1)^{-1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2), x)

[Out] 1/32/d/a^3*(-1+cos(d*x+c))^2*(75*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-19*B*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+150*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-38*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+75*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-64*A*cos(d*x+c)^3-19*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)-106*A*cos(d*x+c)^2+26*B*cos(d*x+c)^2+72*A*cos(d*x+c)-8*B*cos(d*x+c)+98*A-18*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^5/(1/cos(d*x+c))^(1/2)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorith
ithm="maxima")
```

[Out] Timed out

Fricas [A] time = 0.535018, size = 1384, normalized size = 6.82

$$\frac{\sqrt{2}((75A - 19B)\cos(dx + c)^3 + 3(75A - 19B)\cos(dx + c)^2 + 3(75A - 19B)\cos(dx + c) + 75A - 19B)\sqrt{a}\log\left(-\frac{a}{\cos(dx + c)}\right)}{64(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorith
ithm="fricas")
```

```
[Out] [-1/64*(sqrt(2)*((75*A - 19*B)*cos(d*x + c)^3 + 3*(75*A - 19*B)*cos(d*x + c)
)^2 + 3*(75*A - 19*B)*cos(d*x + c) + 75*A - 19*B)*sqrt(a)*log(-a*cos(d*x +
c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(
d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*
x + c) + 1)) - 4*(32*A*cos(d*x + c)^3 + (85*A - 13*B)*cos(d*x + c)^2 + (49*
A - 9*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)
/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3
*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*((75*A - 19*B)*cos(d*x + c)^3 + 3*(
75*A - 19*B)*cos(d*x + c)^2 + 3*(75*A - 19*B)*cos(d*x + c) + 75*A - 19*B)*s
qrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sq
rt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(32*A*cos(d*x + c)^3 + (85*A - 13*B)*
cos(d*x + c)^2 + (49*A - 9*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(
d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*c
os(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)

$$3.267 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=250

$$-\frac{(299A - 147B) \sin(c + dx) \sqrt{\sec(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(95A - 39B) \sin(c + dx)}{48a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A - 75B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d}$$

[Out] ((163*A - 75*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((17*A - 9*B)*Sin[c + d*x])/(16*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((95*A - 39*B)*Sin[c + d*x])/(48*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((299*A - 147*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.761036, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4020, 4022, 4013, 3808, 206}

$$-\frac{(299A - 147B) \sin(c + dx) \sqrt{\sec(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(95A - 39B) \sin(c + dx)}{48a^2 d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A - 75B) \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((163*A - 75*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((17*A - 9*B)*Sin[c + d*x])/(16*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((95*A - 39*B)*Sin[c + d*x])/(48*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((299*A - 147*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +


```
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(11A-3B)-3a(A-B)\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}} \\
&= \frac{(163A - 75B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B) \sin(c + dx)}{4d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 1.73511, size = 193, normalized size = 0.77

$$\frac{2 \tan(c + dx)\sqrt{1 - \sec(c + dx)}\sec^2(c + dx)((255B - 479A) \cos(c + dx) + (48B - 80A) \cos(2(c + dx)) + 8A \cos(3(c + dx)))}{96d\sqrt{-(\sec(c + dx) - 1)\sec(c + dx)}(a + a \sec(c + dx))^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)),x]

[Out] (-12*Sqrt[2]*(163*A - 75*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^4*Sec[c + d*x]^(7/2)*Sin[c + d*x] + 2*(-379*A + 195*B + (-479*A + 255*B)*Cos[c + d*x] + (-80*A + 48*B)*Cos[2*(c + d*x)] + 8*A*Cos[3*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^2*Tan[c + d*x]/(96*d*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])]*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.323, size = 449, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\sec(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(5/2)}, x)$

[Out]
$$-1/96/d/a^3*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))^{(2/2)}*(489*A*\sin(d*x+c)*\cos(d*x+c)^{2/2}*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}-225*B*\sin(d*x+c)*\cos(d*x+c)^{2/2}*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}+978*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}+64*A*\cos(d*x+c)^{4/2}-450*B*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}+489*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}*A*\sin(d*x+c)-384*A*\cos(d*x+c)^{3/2}-225*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}*B*\sin(d*x+c)+192*B*\cos(d*x+c)^{3/2}-686*A*\cos(d*x+c)^{2/2}+318*B*\cos(d*x+c)^{2/2}+408*A*\cos(d*x+c)-216*B*\cos(d*x+c)+598*A-294*B)*\cos(d*x+c)^{2/2}*(1/\cos(d*x+c))^{(3/2)}/\sin(d*x+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\sec(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(5/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.543725, size = 1503, normalized size = 6.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\sec(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(5/2)}, x, \text{algorithm}="fricas")$

```
[Out] [-1/192*(3*sqrt(2)*((163*A - 75*B)*cos(d*x + c)^3 + 3*(163*A - 75*B)*cos(d*x + c)^2 + 3*(163*A - 75*B)*cos(d*x + c) + 163*A - 75*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(32*A*cos(d*x + c)^4 - 32*(5*A - 3*B)*cos(d*x + c)^3 - (503*A - 255*B)*cos(d*x + c)^2 - (299*A - 147*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/96*(3*sqrt(2)*((163*A - 75*B)*cos(d*x + c)^3 + 3*(163*A - 75*B)*cos(d*x + c)^2 + 3*(163*A - 75*B)*cos(d*x + c) + 163*A - 75*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)))/(a*sin(d*x + c))) - 2*(32*A*cos(d*x + c)^4 - 32*(5*A - 3*B)*cos(d*x + c)^3 - (503*A - 255*B)*cos(d*x + c)^2 - (299*A - 147*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2)), x)
```

$$3.268 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=297

$$\frac{(157A - 85B) \sin(c + dx)}{80a^2d \sec^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{(2671A - 1495B) \sin(c + dx) \sqrt{\sec(c + dx)}}{240a^2d \sqrt{a \sec(c + dx) + a}} - \frac{(787A - 475B) \sin(c + dx)}{240a^2d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] -((283*A - 163*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)) - ((21*A - 13*B)*Sin[c + d*x])/(16*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((157*A - 85*B)*Sin[c + d*x])/(80*a^2*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((787*A - 475*B)*Sin[c + d*x])/(240*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((2671*A - 1495*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.956027, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4020, 4022, 4013, 3808, 206}

$$\frac{(157A - 85B) \sin(c + dx)}{80a^2d \sec^2(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{(2671A - 1495B) \sin(c + dx) \sqrt{\sec(c + dx)}}{240a^2d \sqrt{a \sec(c + dx) + a}} - \frac{(787A - 475B) \sin(c + dx)}{240a^2d \sqrt{\sec(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)),x]

[Out] -((283*A - 163*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)) - ((21*A - 13*B)*Sin[c + d*x])/(16*a*d*Sec[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)) + ((157*A - 85*B)*Sin[c + d*x])/(80*a^2*d*Sec[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) - ((787*A - 475*B)*Sin[c + d*x])/(240*a^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((2671*A - 1495*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= -\frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(13A-5B)-4a(A-B) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} - \frac{(21A - 13B) \sin(c + dx)}{16ad \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(283A - 163B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B) \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 2.1297, size = 196, normalized size = 0.66

$$\sec^2(c + dx) \left(\frac{30\sqrt{2}(283A-163B) \cos^4\left(\frac{1}{2}(c+dx)\right) \tan(c+dx) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right)}{\sqrt{1-\sec(c+dx)}} + \sin(c + dx) \sqrt{\sec(c + dx)} (5(887A - 479B) \cos(c + dx) + 240d(a \sec(c + dx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (Sec[c + d*x]^2*((3491*A - 1895*B + 5*(887*A - 479*B)*Cos[c + d*x] + 16*(52*A - 25*B)*Cos[2*(c + d*x)] - 40*A*Cos[3*(c + d*x)] + 40*B*Cos[3*(c + d*x)] + 12*A*Cos[4*(c + d*x)])*Sqrt[Sec[c + d*x]]*Sin[c + d*x] + (30*Sqrt[2]*(28

$$3*A - 163*B)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[\text{Sec}[c + d*x]])/\text{Sqrt}[1 - \text{Sec}[c + d*x]]]*\text{Cos}[(c + d*x)/2]^4*\text{Tan}[c + d*x]/\text{Sqrt}[1 - \text{Sec}[c + d*x]])/(240*d*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)})$$

Maple [A] time = 0.348, size = 471, normalized size = 1.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x)`

[Out] $\frac{1}{480}d/a^3*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))^{2*(4245*A*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}-192*A*\cos(d*x+c)^5-2445*B*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}+8490*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}+512*A*\cos(d*x+c)^4-4890*B*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}-320*B*\cos(d*x+c)^4+4245*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}*A*\sin(d*x+c)-3456*A*\cos(d*x+c)^3-2445*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})*(-2/(\cos(d*x+c)+1))^{(1/2)}*B*\sin(d*x+c)+1920*B*\cos(d*x+c)^3-5974*A*\cos(d*x+c)^2+3430*B*\cos(d*x+c)^2+3768*A*\cos(d*x+c)-2040*B*\cos(d*x+c)+5342*A-2990*B)*\cos(d*x+c)^3*(1/\cos(d*x+c))^{(5/2)}/\sin(d*x+c)^5$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.557339, size = 1611, normalized size = 5.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/960*(15*sqrt(2)*((283*A - 163*B)*cos(d*x + c)^3 + 3*(283*A - 163*B)*cos(d*x + c)^2 + 3*(283*A - 163*B)*cos(d*x + c) + 283*A - 163*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(96*A*cos(d*x + c)^5 - 160*(A - B)*cos(d*x + c)^4 + 32*(49*A - 25*B)*cos(d*x + c)^3 + 5*(911*A - 503*B)*cos(d*x + c)^2 + (2671*A - 1495*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/480*(15*sqrt(2)*((283*A - 163*B)*cos(d*x + c)^3 + 3*(283*A - 163*B)*cos(d*x + c)^2 + 3*(283*A - 163*B)*cos(d*x + c) + 283*A - 163*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)))/(a*sin(d*x + c))) + 2*(96*A*cos(d*x + c)^5 - 160*(A - B)*cos(d*x + c)^4 + 32*(49*A - 25*B)*cos(d*x + c)^3 + 5*(911*A - 503*B)*cos(d*x + c)^2 + (2671*A - 1495*B)*cos(d*x + c))*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2)), x)
```

3.269 $\int (a + a \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=406

$$\frac{3^{3/4} B \tan(c + dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}} (a \sec(c + dx) + a)^{2/3} \text{EllipticF} \left(\cos^{-1} \left(\frac{2 \sqrt[3]{2} d (1 - \sec(c + dx)) (\sec(c + dx) + 1) \sqrt{-\frac{\sqrt[3]{\sec(c + dx) + 1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right)}}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}} \right)}{\right)}{7d \sqrt{1 - \sec(c + dx)}} + \frac{3B \tan(c + dx) (a \sec(c + dx) + a)^{2/3}}{2d (\sec(c + dx) + 1)}$$

[Out] (3*Sqrt[2]*A*AppellF1[7/6, 1/2, 1, 13/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(7*d*Sqrt[1 - Sec[c + d*x]]) + (3*B*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(2*d*(1 + Sec[c + d*x])) - (3^(3/4)*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(2*2^(1/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]])

Rubi [A] time = 0.631601, antiderivative size = 406, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.36$, Rules used = {3924, 3779, 3778, 136, 3828, 3827, 50, 63, 225}

$$\frac{3\sqrt{2}A \tan(c + dx) (a \sec(c + dx) + a)^{2/3} F_1 \left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2} (\sec(c + dx) + 1), \sec(c + dx) + 1 \right)}{7d \sqrt{1 - \sec(c + dx)}} + \frac{3B \tan(c + dx) (a \sec(c + dx) + a)^{2/3}}{2d (\sec(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*Sqrt[2]*A*AppellF1[7/6, 1/2, 1, 13/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(7*d*Sqrt[1 - Sec[c + d*x]]) + (3*B*(a + a*Sec[c + d*x])^(2/3)*Tan[c + d*x])/(2*d*(1 + Sec[c + d*x])) - (3^(3/4)*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*

$$(a + a*\text{Sec}[c + d*x])^{(2/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]*\text{Tan}[c + d*x]/(2*2^{(1/3)}*d*(1 - \text{Sec}[c + d*x])*(1 + \text{Sec}[c + d*x])*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2)])$$
Rule 3924

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]
```

Rule 3779

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]
```

Rule 3778

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]
```

Rule 136

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])
```

Rule 3828

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m])/(1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && !GtQ[a, 0]
```

Rule 3827

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)^(m_), x_Symbol] := Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x
]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx &= A \int (a + a \sec(c + dx))^{2/3} dx + B \int \sec(c + dx) (a + a \sec(c + dx))^{2/3} dx \\
&= \frac{(A(a + a \sec(c + dx))^{2/3}) \int (1 + \sec(c + dx))^{2/3} dx}{(1 + \sec(c + dx))^{2/3}} + \frac{(B(a + a \sec(c + dx))^{2/3}) \int \sec(c + dx) dx}{(1 + \sec(c + dx))^{2/3}} \\
&= \frac{(A(a + a \sec(c + dx))^{2/3} \tan(c + dx)) \operatorname{Subst}\left(\int \frac{\sqrt[6]{1+x}}{\sqrt{1-xx}} dx, x, \sec(c + dx)\right)}{d\sqrt{1 - \sec(c + dx)}(1 + \sec(c + dx))^{7/6}} \\
&= \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)(a + a \sec(c + dx))^{2/3}}{7d\sqrt{1 - \sec(c + dx)}} \\
&= \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)(a + a \sec(c + dx))^{2/3}}{7d\sqrt{1 - \sec(c + dx)}} \\
&= \frac{3\sqrt{2}AF_1\left(\frac{7}{6}; \frac{1}{2}, 1; \frac{13}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)(a + a \sec(c + dx))^{2/3}}{7d\sqrt{1 - \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 20.0402, size = 4445, normalized size = 10.95

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*B*Cos[c + d*x]*((1 + Cos[c + d*x])*Sec[c + d*x])^(2/3)*(a*(1 + Sec[c + d*x]))^(2/3)*(A + B*Sec[c + d*x])*Tan[(c + d*x)/2])/(2*d*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x])^(2/3)) + (Cos[c + d*x]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(2/3)*(a*(1 + Sec[c + d*x]))^(2/3)*(A + B*Sec[c + d*x])*((A*Cos[c + d*x]*Sec[(c + d*x)/2]^2*(1 + Sec[c + d*x])^(2/3))/2 + Sec[(c + d*x)/2]^2*((A*(1 + Sec[c + d*x])^(2/3))/2 + (B*(1 + Sec[c + d*x])^(2/3))/4))*Tan[(c + d*x)/2]*(2*B*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + (-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2))*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)*Tan[(c + d*x)/2]^4 + 9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(3*(4*A + B)*Cos[(c + d*x)/2]^2 + B*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2)*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)*Tan[(c + d*x)/2]^2))/(3*2^(1

$$\begin{aligned}
& /3) * d * (B + A * \cos[c + d * x]) * (1 + \sec[c + d * x])^{2/3} * (9 * \operatorname{AppellF1}[1/2, 2/3, 1, \\
& 3/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * (-3 * \operatorname{AppellF1}[3/2, 2/3, \\
& 2, 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * \operatorname{AppellF1}[3/2, 5/3, 1, \\
& 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2]) * \tan[(c + d * x)/2]^2 * ((\sec[(c \\
& + d * x)/2]^2 * (\cos[(c + d * x)/2]^2 * \sec[c + d * x])^{2/3} * (2 * B * \operatorname{AppellF1}[3/2, 2/3 \\
& , 1, 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * (-3 * \operatorname{AppellF1}[3/2, 2/3, 2 \\
& , 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * \operatorname{AppellF1}[3/2, 5/3, 1, 5 \\
& /2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2]) * (\cos[c + d * x] * \sec[(c + d * x)/2 \\
&]^2)^{2/3} * \tan[(c + d * x)/2]^4 + 9 * \operatorname{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + d * x)/ \\
& 2]^2, -\tan[(c + d * x)/2]^2] * (3 * (4 * A + B) * \cos[(c + d * x)/2]^2 + B * \operatorname{AppellF1}[3/2 \\
& , 2/3, 1, 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * (\cos[c + d * x] * \sec[(c \\
& + d * x)/2]^2)^{2/3} * \tan[(c + d * x)/2]^2)) / (6 * 2^{1/3} * (9 * \operatorname{AppellF1}[1/2, 2/3, \\
& 1, 3/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * (-3 * \operatorname{AppellF1}[3/2, 2/3 \\
& , 2, 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * \operatorname{AppellF1}[3/2, 5/3, 1 \\
& , 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2]) * \tan[(c + d * x)/2]^2) - ((\cos \\
& [(c + d * x)/2]^2 * \sec[c + d * x])^{2/3} * \tan[(c + d * x)/2] * (2 * B * \operatorname{AppellF1}[3/2, 2 \\
& /3, 1, 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * (-3 * \operatorname{AppellF1}[3/2, 2/3, \\
& 2, 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * \operatorname{AppellF1}[3/2, 5/3, 1, \\
& 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2]) * (\cos[c + d * x] * \sec[(c + d * x) \\
& /2]^2)^{2/3} * \tan[(c + d * x)/2]^4 + 9 * \operatorname{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + d * x) \\
&]/2]^2, -\tan[(c + d * x)/2]^2] * (3 * (4 * A + B) * \cos[(c + d * x)/2]^2 + B * \operatorname{AppellF1}[3 \\
& /2, 2/3, 1, 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * (\cos[c + d * x] * \sec \\
& [(c + d * x)/2]^2)^{2/3} * \tan[(c + d * x)/2]^2) * (2 * (-3 * \operatorname{AppellF1}[3/2, 2/3, 2, 5/ \\
& 2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * \operatorname{AppellF1}[3/2, 5/3, 1, 5/2, \\
& \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2]) * \sec[(c + d * x)/2]^2 * \tan[(c + d * x)/ \\
& 2] + 9 * (-\operatorname{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2 \\
&] * \sec[(c + d * x)/2]^2 * \tan[(c + d * x)/2]) / 3 + (2 * \operatorname{AppellF1}[3/2, 5/3, 1, 5/2, \tan \\
& [(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * \sec[(c + d * x)/2]^2 * \tan[(c + d * x)/2] \\
&) / 9) + 2 * \tan[(c + d * x)/2]^2 * (-3 * ((-6 * \operatorname{AppellF1}[5/2, 2/3, 3, 7/2, \tan[(c + d * x) \\
&]/2]^2, -\tan[(c + d * x)/2]^2] * \sec[(c + d * x)/2]^2 * \tan[(c + d * x)/2]) / 5 + (2 * A \\
& ppe11F1[5/2, 5/3, 2, 7/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * \sec[(c + \\
& d * x)/2]^2 * \tan[(c + d * x)/2]) / 5) + 2 * ((-3 * \operatorname{AppellF1}[5/2, 5/3, 2, 7/2, \tan[(c \\
& + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * \sec[(c + d * x)/2]^2 * \tan[(c + d * x)/2]) / 5 + \\
& \operatorname{AppellF1}[5/2, 8/3, 1, 7/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * \sec[(c \\
& + d * x)/2]^2 * \tan[(c + d * x)/2])) / (3 * 2^{1/3} * (9 * \operatorname{AppellF1}[1/2, 2/3, 1, 3/2, \tan \\
& [(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * (-3 * \operatorname{AppellF1}[3/2, 2/3, 2, 5/2, \\
& \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * \operatorname{AppellF1}[3/2, 5/3, 1, 5/2, \tan \\
& [(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2]) * \tan[(c + d * x)/2]^2) + ((\cos[(c + \\
& d * x)/2]^2 * \sec[c + d * x])^{2/3} * \tan[(c + d * x)/2] * (4 * B * \operatorname{AppellF1}[3/2, 2/3, 1, 5 \\
& /2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] * (-3 * \operatorname{AppellF1}[3/2, 2/3, 2, 5/2, \\
& \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * \operatorname{AppellF1}[3/2, 5/3, 1, 5/2, \tan \\
& [(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2]) * \sec[(c + d * x)/2]^2 * (\cos[c + d * x] * \sec \\
& [(c + d * x)/2]^2)^{2/3} * \tan[(c + d * x)/2]^3 + 2 * B * (-3 * \operatorname{AppellF1}[3/2, 2/3, 2, \\
& 5/2, \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2] + 2 * \operatorname{AppellF1}[3/2, 5/3, 1, 5/2 \\
& , \tan[(c + d * x)/2]^2, -\tan[(c + d * x)/2]^2]) * (\cos[c + d * x] * \sec[(c + d * x)/2]^
\end{aligned}$$

$$\begin{aligned}
& 2)^{(2/3)} \cdot \tan[(c + dx)/2]^4 \cdot ((-3 \cdot \text{AppellF1}[5/2, 2/3, 2, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2]) / 5 + (2 \cdot \text{AppellF1}[5/2, 5/3, 1, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2]) / 5 + (4 \cdot B \cdot \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot (-3 \cdot \text{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \cdot \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \cdot \tan[(c + dx)/2]^4 \cdot (-\sec[(c + dx)/2]^2 \cdot \sin[c + dx]) + \cos[c + dx] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2])) / (3 \cdot (\cos[c + dx] \cdot \sec[(c + dx)/2]^2)^{(1/3)}) + 9 \cdot (-\text{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2]) / 3 + (2 \cdot \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2]) / 9) \cdot (3 \cdot (4 \cdot A + B) \cdot \cos[(c + dx)/2]^2 + B \cdot \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot (\cos[c + dx] \cdot \sec[(c + dx)/2]^2)^{(2/3)} \cdot \tan[(c + dx)/2]^2) + 2 \cdot B \cdot \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot (\cos[c + dx] \cdot \sec[(c + dx)/2]^2)^{(2/3)} \cdot \tan[(c + dx)/2]^4 \cdot (-3 \cdot ((-6 \cdot \text{AppellF1}[5/2, 2/3, 3, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2]) / 5 + (2 \cdot \text{AppellF1}[5/2, 5/3, 2, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2]) / 5 + \text{AppellF1}[5/2, 8/3, 1, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2])) + 9 \cdot \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot (-3 \cdot (4 \cdot A + B) \cdot \cos[(c + dx)/2] \cdot \sin[(c + dx)/2] + B \cdot \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot (\cos[c + dx] \cdot \sec[(c + dx)/2]^2)^{(2/3)} \cdot \tan[(c + dx)/2] + B \cdot (\cos[c + dx] \cdot \sec[(c + dx)/2]^2)^{(2/3)} \cdot \tan[(c + dx)/2]^2 \cdot ((-3 \cdot \text{AppellF1}[5/2, 2/3, 2, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2]) / 5 + (2 \cdot \text{AppellF1}[5/2, 5/3, 1, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2]) / 5 + (2 \cdot B \cdot \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \tan[(c + dx)/2]^2 \cdot (-\sec[(c + dx)/2]^2 \cdot \sin[c + dx]) + \cos[c + dx] \cdot \sec[(c + dx)/2]^2 \cdot \tan[(c + dx)/2])) / (3 \cdot (\cos[c + dx] \cdot \sec[(c + dx)/2]^2)^{(1/3)})) / (3 \cdot 2^{(1/3)} \cdot (9 \cdot \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \cdot (-3 \cdot \text{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \cdot \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \cdot \tan[(c + dx)/2]^2)) + (2^{(2/3)} \cdot \tan[(c + dx)/2] \cdot (2 \cdot B \cdot \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot (-3 \cdot \text{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \cdot \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \cdot (\cos[c + dx] \cdot \sec[(c + dx)/2]^2)^{(2/3)} \cdot \tan[(c + dx)/2]^4 + 9 \cdot \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot (3 \cdot (4 \cdot A + B) \cdot \cos[(c + dx)/2]^2 + B \cdot \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot (\cos[c + dx] \cdot \sec[(c + dx)/2]^2)^{(2/3)} \cdot \tan[(c + dx)/2]^2) \cdot (-\cos[(c + dx)/2] \cdot \sec[c + dx] \cdot \sin[(c + dx)/2]) + \cos[(c + dx)/2]^2 \cdot \sec[c + dx] \cdot \tan[c + dx])) / (9 \cdot (\cos[(c + dx)/2]^2 \cdot \sec[c + dx])^{(1/3)} \cdot (9 \cdot \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2,
\end{aligned}$$

$-\tan\left[\frac{c+dx}{2}\right]^2 + 2\left(-3\operatorname{AppellF1}\left[\frac{3}{2}, \frac{2}{3}, 2, \frac{5}{2}, \tan\left[\frac{c+dx}{2}\right]^2, -\tan\left[\frac{c+dx}{2}\right]^2\right] + 2\operatorname{AppellF1}\left[\frac{3}{2}, \frac{5}{3}, 1, \frac{5}{2}, \tan\left[\frac{c+dx}{2}\right]^2, -\tan\left[\frac{c+dx}{2}\right]^2\right]\right)\tan\left[\frac{c+dx}{2}\right]^2\right)$

Maple [F] time = 0.145, size = 0, normalized size = 0.

$$\int (a + a \sec(dx + c))^{\frac{2}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)

[Out] int((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(2/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a(\sec(c + dx) + 1))^{\frac{2}{3}} (A + B \sec(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)),x)

[Out] Integral((a*(sec(c + d*x) + 1))**(2/3)*(A + B*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(2/3), x)

$$3.270 \quad \int \frac{A+B \sec(c+dx)}{\sqrt[3]{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=354

$$\frac{3\sqrt{2}A \tan(c+dx)F_1\left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(\sec(c+dx)+1), \sec(c+dx)+1\right)}{d\sqrt{1-\sec(c+dx)}\sqrt[3]{a \sec(c+dx)+a}} - \frac{3^{3/4}B \tan(c+dx)\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)\sqrt{\sec(c+dx)+1}}{\sqrt[3]{2}d(1-\sec(c+dx))}$$

[Out] (3*Sqrt[2]*A*AppellF1[1/6, 1/2, 1, 7/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)) - (3^(3/4)*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(2^(1/3)*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]])

Rubi [A] time = 0.366077, antiderivative size = 354, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.32$, Rules used = {3924, 3779, 3778, 136, 3828, 3827, 63, 225}

$$\frac{3\sqrt{2}A \tan(c+dx)F_1\left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(\sec(c+dx)+1), \sec(c+dx)+1\right)}{d\sqrt{1-\sec(c+dx)}\sqrt[3]{a \sec(c+dx)+a}} - \frac{3^{3/4}B \tan(c+dx)\left(\sqrt[3]{2}-\sqrt[3]{\sec(c+dx)+1}\right)\sqrt{\sec(c+dx)+1}}{\sqrt[3]{2}d(1-\sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(1/3), x]

[Out] (3*Sqrt[2]*A*AppellF1[1/6, 1/2, 1, 7/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)) - (3^(3/4)*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2])

$$d*x))^{(1/3)}]^2*\text{Tan}[c + d*x]/(2^{(1/3)}*d*(1 - \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2])]$$
Rule 3924

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] \text{ :> } \text{Dist}[c, \text{Int}[(a + b*\text{Csc}[e + f*x])^m, x], x] + \text{Dist}[d, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{!IntegerQ}[2*m]$$
Rule 3779

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}, x_Symbol] \text{ :> } \text{Dist}[(a^{\text{IntPart}[n]}*(a + b*\text{Csc}[c + d*x])^{\text{FracPart}[n]})/(1 + (b*\text{Csc}[c + d*x])/a)^{\text{FracPart}[n]}, \text{Int}[(1 + (b*\text{Csc}[c + d*x])/a)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{!IntegerQ}[2*n] \ \&\& \ \text{!GtQ}[a, 0]$$
Rule 3778

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}, x_Symbol] \text{ :> } \text{Dist}[(a^n*\text{Cot}[c + d*x])/(d*\text{Sqrt}[1 + \text{Csc}[c + d*x]]*\text{Sqrt}[1 - \text{Csc}[c + d*x]]), \text{Subst}[\text{Int}[(1 + (b*x)/a)^{(n - 1/2)}/(x*\text{Sqrt}[1 - (b*x)/a]), x], x, \text{Csc}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{!IntegerQ}[2*n] \ \&\& \ \text{GtQ}[a, 0]$$
Rule 136

$$\text{Int}[(a + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}, x_Symbol] \text{ :> } \text{Simp}[(b*e - a*f)^p*(a + b*x)^{(m + 1)}*\text{AppellF1}[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^{(p + 1)}*(m + 1)*(b/(b*c - a*d))^n), x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\}, x] \ \&\& \ \text{!IntegerQ}[m] \ \&\& \ \text{!IntegerQ}[n] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{GtQ}[b/(b*c - a*d), 0] \ \&\& \ \text{!(GtQ}[d/(d*a - c*b), 0] \ \&\& \ \text{SimplerQ}[c + d*x, a + b*x])]$$
Rule 3828

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \text{ :> } \text{Dist}[(a^{\text{IntPart}[m]}*(a + b*\text{Csc}[e + f*x])^{\text{FracPart}[m]})/(1 + (b*\text{Csc}[e + f*x])/a)^{\text{FracPart}[m]}, \text{Int}[(1 + (b*\text{Csc}[e + f*x])/a)^m*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{!IntegerQ}[m] \ \&\& \ \text{!GtQ}[a, 0]$$
Rule 3827

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^(m_), x_Symbol] := Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 225

```
Int[1/Sqrt[(a_.) + (b_.)*(x_.)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x
]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx &= A \int \frac{1}{\sqrt[3]{a + a \sec(c + dx)}} dx + B \int \frac{\sec(c + dx)}{\sqrt[3]{a + a \sec(c + dx)}} dx \\ &= \frac{(A \sqrt[3]{1 + \sec(c + dx)}) \int \frac{1}{\sqrt[3]{1 + \sec(c + dx)}} dx}{\sqrt[3]{a + a \sec(c + dx)}} + \frac{(B \sqrt[3]{1 + \sec(c + dx)}) \int \frac{\sec(c + dx)}{\sqrt[3]{1 + \sec(c + dx)}} dx}{\sqrt[3]{a + a \sec(c + dx)}} \\ &= -\frac{(A \tan(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - xx(1+x)^{5/6}}} dx, x, \sec(c + dx)\right)}{d \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} - \frac{(B \tan(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - xx(1+x)^{5/6}}} dx, x, \sec(c + dx)\right)}{d \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\ &= \frac{3\sqrt{2} AF_1\left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \tan(c + dx)}{d \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} - \frac{(6B \tan(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - xx(1+x)^{5/6}}} dx, x, \sec(c + dx)\right)}{d \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\ &= \frac{3\sqrt{2} AF_1\left(\frac{1}{6}; \frac{1}{2}, 1; \frac{7}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \tan(c + dx)}{d \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} - \frac{3^{3/4} BF\left(\cos^{-1}\left(\frac{\sqrt[3]{2} - (1 + \sec(c + dx))}{\sqrt[3]{2} - (1 + \sec(c + dx))}\right)\right)}{d \sqrt{1 - \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [B] time = 19.1237, size = 2709, normalized size = 7.65

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(1/3),x]

[Out] $(2^{2/3} \cos[c + dx] (\cos[(c + dx)/2]^{2/3} \sec[c + dx])^{2/3} (1 + \sec[c + dx])^{1/3} (A + B \sec[c + dx]) ((B \sec[(c + dx)/2]^{2/3} (1 + \sec[c + dx])^{2/3})/2 + (A \cos[c + dx] \sec[(c + dx)/2]^{2/3} (1 + \sec[c + dx])^{2/3})/2 \tan[(c + dx)/2] ((-A + B) \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] (\cos[c + dx] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2]^2 + (27(A + B) \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cos[(c + dx)/2]^{2/3}) / (9 \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2(-3 \text{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \tan[(c + dx)/2]^2)) / (3 d (B + A \cos[c + dx]) (a (1 + \sec[c + dx]))^{1/3} ((\sec[(c + dx)/2]^{2/3} (\cos[(c + dx)/2]^{2/3} \sec[c + dx])^{2/3} ((-A + B) \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] (\cos[c + dx] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2]^2 + (27(A + B) \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cos[(c + dx)/2]^{2/3}) / (9 \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2(-3 \text{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \tan[(c + dx)/2]^2)) / (3 \cdot 2^{1/3}) + (2^{2/3} (\cos[(c + dx)/2]^{2/3} \sec[c + dx])^{2/3} \tan[(c + dx)/2] ((-A + B) \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \sec[(c + dx)/2]^{2/3} (\cos[c + dx] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2] + (-A + B) (\cos[c + dx] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2]^2 ((-3 \text{AppellF1}[5/2, 2/3, 2, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2]) / 5 + (2 \text{AppellF1}[5/2, 5/3, 1, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2]) / 5) + (2(-A + B) \text{AppellF1}[3/2, 2/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \tan[(c + dx)/2]^2 ((-\sec[(c + dx)/2]^{2/3} \sin[c + dx] + \cos[c + dx] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2])) / (3 (\cos[c + dx] \sec[(c + dx)/2]^{2/3})^{1/3}) - (27(A + B) \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cos[(c + dx)/2] \sin[(c + dx)/2]) / (9 \text{AppellF1}[1/2, 2/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2(-3 \text{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \tan[(c + dx)/2]^2 + (27(A + B) \cos[(c + dx)/2]^{2/3} (-\text{AppellF1}[3/2, 2/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2]) / 3 + (2 \text{AppellF1}[3/2, 5/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \sec[(c + dx)/2]^{2/3} \tan[(c + dx)/2]) / 9) / (9*$

$$\begin{aligned} & \text{AppellF1}\left[\frac{1}{2}, \frac{2}{3}, 1, \frac{3}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] + 2(-3 \\ & * \text{AppellF1}\left[\frac{3}{2}, \frac{2}{3}, 2, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] + 2\text{AppellF1}\left[\frac{3}{2}, \frac{5}{3}, 1, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right]) * \tan\left(\frac{c+dx}{2}\right)^2 \\ & - (27(A+B) * \text{AppellF1}\left[\frac{1}{2}, \frac{2}{3}, 1, \frac{3}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * \cos\left(\frac{c+dx}{2}\right)^2 * (2 * (-3 * \text{AppellF1}\left[\frac{3}{2}, \frac{2}{3}, 2, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] + 2 * \text{AppellF1}\left[\frac{3}{2}, \frac{5}{3}, 1, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right]) * \sec\left(\frac{c+dx}{2}\right)^2 * \tan\left(\frac{c+dx}{2}\right) + 9 * (-\text{AppellF1}\left[\frac{3}{2}, \frac{2}{3}, 2, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * \sec\left(\frac{c+dx}{2}\right)^2 * \tan\left(\frac{c+dx}{2}\right)) / 3 + (2 * \text{AppellF1}\left[\frac{3}{2}, \frac{5}{3}, 1, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * \sec\left(\frac{c+dx}{2}\right)^2 * \tan\left(\frac{c+dx}{2}\right)) / 9) + 2 * \tan\left(\frac{c+dx}{2}\right)^2 * (-3 * ((-6 * \text{AppellF1}\left[\frac{5}{2}, \frac{2}{3}, 3, \frac{7}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * \sec\left(\frac{c+dx}{2}\right)^2 * \tan\left(\frac{c+dx}{2}\right)) / 5 + (2 * \text{AppellF1}\left[\frac{5}{2}, \frac{5}{3}, 2, \frac{7}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * \sec\left(\frac{c+dx}{2}\right)^2 * \tan\left(\frac{c+dx}{2}\right)) / 5) + 2 * ((-3 * \text{AppellF1}\left[\frac{5}{2}, \frac{5}{3}, 2, \frac{7}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * \sec\left(\frac{c+dx}{2}\right)^2 * \tan\left(\frac{c+dx}{2}\right)) / 5 + \text{AppellF1}\left[\frac{5}{2}, \frac{8}{3}, 1, \frac{7}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * \sec\left(\frac{c+dx}{2}\right)^2 * \tan\left(\frac{c+dx}{2}\right))) / (9 * \text{AppellF1}\left[\frac{1}{2}, \frac{2}{3}, 1, \frac{3}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] + 2 * (-3 * \text{AppellF1}\left[\frac{3}{2}, \frac{2}{3}, 2, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] + 2 * \text{AppellF1}\left[\frac{3}{2}, \frac{5}{3}, 1, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right]) * \tan\left(\frac{c+dx}{2}\right)^2) / 3 + (2 * 2^{2/3} * \tan\left(\frac{c+dx}{2}\right) * ((-A+B) * \text{AppellF1}\left[\frac{3}{2}, \frac{2}{3}, 1, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * (\cos\left[\frac{c+dx}{2}\right] * \sec\left(\frac{c+dx}{2}\right)^2)^{2/3} * \tan\left(\frac{c+dx}{2}\right)^2 + (27(A+B) * \text{AppellF1}\left[\frac{1}{2}, \frac{2}{3}, 1, \frac{3}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] * \cos\left(\frac{c+dx}{2}\right) / (9 * \text{AppellF1}\left[\frac{1}{2}, \frac{2}{3}, 1, \frac{3}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] + 2 * (-3 * \text{AppellF1}\left[\frac{3}{2}, \frac{2}{3}, 2, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right] + 2 * \text{AppellF1}\left[\frac{3}{2}, \frac{5}{3}, 1, \frac{5}{2}, \tan\left(\frac{c+dx}{2}\right)^2, -\tan\left(\frac{c+dx}{2}\right)^2\right]) * \tan\left(\frac{c+dx}{2}\right)^2)) * (-\cos\left(\frac{c+dx}{2}\right) * \sec\left[\frac{c+dx}{2}\right] * \sin\left(\frac{c+dx}{2}\right) + \cos\left(\frac{c+dx}{2}\right)^2 * \sec\left[\frac{c+dx}{2}\right] * \tan\left[\frac{c+dx}{2}\right]) / (9 * (\cos\left(\frac{c+dx}{2}\right) / 2)^2 * \sec\left[\frac{c+dx}{2}\right])^{1/3})) \end{aligned}$$

Maple [F] time = 0.176, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c)) \frac{1}{\sqrt[3]{a + a \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/3),x)

[Out] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/3),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(1/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/3),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt[3]{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/3),x)

[Out] Integral((A + B*sec(c + d*x))/(a*(sec(c + d*x) + 1))**(1/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/3),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(1/3), x)
```

$$3.271 \quad \int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^{4/3}} dx$$

Optimal. Leaf size=415

$$3^{3/4} B \tan(c+dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right) \sqrt{\frac{(\sec(c+dx)+1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c+dx)+1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \operatorname{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{2} - (1-\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}}{\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1}} \right) \right)$$

$$5 \sqrt[3]{2} a d (1 - \sec(c+dx)) \sqrt{-\frac{\sqrt[3]{\sec(c+dx)+1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c+dx)+1} \right)}{\left(\sqrt[3]{2} - (1+\sqrt{3}) \sqrt[3]{\sec(c+dx)+1} \right)^2}} \sqrt[3]{a \sec(c+dx) + a}$$

[Out] (3*B*Tan[c + d*x])/(5*a*d*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)) - (3*Sqrt[2]*A*AppellF1[-5/6, 1/2, 1, 1/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(5*a*d*Sqrt[1 - Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)) - (3^(3/4)*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(5*2^(1/3)*a*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]])

Rubi [A] time = 0.4333, antiderivative size = 415, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.36$, Rules used = {3924, 3779, 3778, 136, 3828, 3827, 51, 63, 225}

$$\frac{3\sqrt{2}A \tan(c+dx) F_1\left(-\frac{5}{6}; \frac{1}{2}, 1; \frac{1}{6}; \frac{1}{2}(\sec(c+dx)+1), \sec(c+dx)+1\right)}{5ad\sqrt{1-\sec(c+dx)}(\sec(c+dx)+1)\sqrt[3]{a \sec(c+dx)+a}} + \frac{3B \tan(c+dx)}{5ad(\sec(c+dx)+1)\sqrt[3]{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(4/3), x]

[Out] (3*B*Tan[c + d*x])/(5*a*d*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)) - (3*Sqrt[2]*A*AppellF1[-5/6, 1/2, 1, 1/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(5*a*d*Sqrt[1 - Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)) - (3^(3/4)*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(5*2^(1/3)*a*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]])

$$\begin{aligned} &)*(1 + \text{Sec}[c + d*x])^{(1/3)}/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)}))], \\ & (2 + \text{Sqrt}[3])/4*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})*\text{Sqrt}[(2^{(2/3)} + 2^{(1/3)}*(1 + \text{Sec}[c + d*x])^{(1/3)} + (1 + \text{Sec}[c + d*x])^{(2/3)})/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2]*\text{Tan}[c + d*x])/ \\ & (5*2^{(1/3)}*a*d*(1 - \text{Sec}[c + d*x])*(a + a*\text{Sec}[c + d*x])^{(1/3)}*\text{Sqrt}[-(((1 + \text{Sec}[c + d*x])^{(1/3)}*(2^{(1/3)} - (1 + \text{Sec}[c + d*x])^{(1/3)})))/(2^{(1/3)} - (1 + \text{Sqrt}[3])*(1 + \text{Sec}[c + d*x])^{(1/3)})^2])) \end{aligned}$$

Rule 3924

$$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_))^{(m_)}*(\text{csc}[e_.] + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(a + b*\text{Csc}[e + f*x])^m, x], x] + \text{Dist}[d, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[2*m]$$

Rule 3779

$$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.) + (a_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[n]}*(a + b*\text{Csc}[c + d*x])^{\text{FracPart}[n]})/(1 + (b*\text{Csc}[c + d*x])/a)^{\text{FracPart}[n]}], \text{Int}[(1 + (b*\text{Csc}[c + d*x])/a)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*n] \&\& \text{GtQ}[a, 0]$$

Rule 3778

$$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_)]*(b_.) + (a_))^{(n_)}, x_Symbol] \rightarrow \text{Dist}[(a^n*\text{Cot}[c + d*x]/(d*\text{Sqrt}[1 + \text{Csc}[c + d*x]]*\text{Sqrt}[1 - \text{Csc}[c + d*x]]), \text{Subst}[\text{Int}[(1 + (b*x)/a)^{(n - 1/2)}/(x*\text{Sqrt}[1 - (b*x)/a]), x], x, \text{Csc}[c + d*x]], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*n] \&\& \text{GtQ}[a, 0]$$

Rule 136

$$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_)}*((c_.) + (d_.)*(x_))^{(n_)}*((e_.) + (f_.)*(x_))^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(b*e - a*f)^p*(a + b*x)^{(m + 1)}*\text{AppellF1}[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^{(p + 1)}*(m + 1)*(b/(b*c - a*d))^n), x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\}, x] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n] \&\& \text{IntegerQ}[p] \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& \text{GtQ}[d/(d*a - c*b), 0] \&\& \text{SimplerQ}[c + d*x, a + b*x]$$

Rule 3828

$$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(d_.)^{(n_)}*(\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_))^{(m_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[m]}*(a + b*\text{Csc}[e + f*x])^{\text{FracPart}[m]})/(1 + (b*\text{Csc}[e + f*x])/a)^{\text{FracPart}[m]}], \text{Int}[(1 + (b*\text{Csc}[e + f*x])/a)^m*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x] \&\& \text{EqQ}[a^2 - b^2,$$

, 0] && !IntegerQ[m] && !GtQ[a, 0]

Rule 3827

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_.), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]])*Sqrt[a - b*Csc[e + f*x]], Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2))/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

Rule 51

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[(a + b*x)^(m + 1)*(c + d*x)^(n + 1)/((b*c - a*d)*(m + 1)), x] - Dist[(d*(m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 225

Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] :> With[{r = Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{(a + a \sec(c + dx))^{4/3}} dx &= A \int \frac{1}{(a + a \sec(c + dx))^{4/3}} dx + B \int \frac{\sec(c + dx)}{(a + a \sec(c + dx))^{4/3}} dx \\
&= \frac{(A \sqrt[3]{1 + \sec(c + dx)}) \int \frac{1}{(1 + \sec(c + dx))^{4/3}} dx}{a \sqrt[3]{a + a \sec(c + dx)}} + \frac{(B \sqrt[3]{1 + \sec(c + dx)}) \int \frac{\sec(c + dx)}{(1 + \sec(c + dx))^{4/3}} dx}{a \sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{(A \tan(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - xx(1+x)^{11/6}}} dx, x, \sec(c + dx)\right)}{ad \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} - \frac{(B \tan(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1 - xx(1+x)^{11/6}}} dx, x, \sec(c + dx)\right)}{ad \sqrt{1 - \sec(c + dx)} \sqrt[6]{1 + \sec(c + dx)} \sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3B \tan(c + dx)}{5ad(1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} - \frac{3\sqrt{2} AF_1\left(-\frac{5}{6}; \frac{1}{2}, 1; \frac{1}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)}{5ad \sqrt{1 - \sec(c + dx)} (1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3B \tan(c + dx)}{5ad(1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} - \frac{3\sqrt{2} AF_1\left(-\frac{5}{6}; \frac{1}{2}, 1; \frac{1}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)}{5ad \sqrt{1 - \sec(c + dx)} (1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} \\
&= \frac{3B \tan(c + dx)}{5ad(1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}} - \frac{3\sqrt{2} AF_1\left(-\frac{5}{6}; \frac{1}{2}, 1; \frac{1}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right)}{5ad \sqrt{1 - \sec(c + dx)} (1 + \sec(c + dx)) \sqrt[3]{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 19.2225, size = 2901, normalized size = 6.99

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(4/3), x]

[Out] (Cos[c + d*x]*((1 + Cos[c + d*x])*Sec[c + d*x])^(2/3)*(1 + Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x])*((3*Sec[(c + d*x)/2]*(-(A*Sin[(c + d*x)/2]) + B*Sin[(c + d*x)/2]))/5 - (3*Sec[(c + d*x)/2]^3*(-(A*Sin[(c + d*x)/2]) + B*Sin[(c + d*x)/2]))/10))/(d*(B + A*Cos[c + d*x])*(a*(1 + Sec[c + d*x]))^(4/3)) + (2^(2/3)*Cos[c + d*x]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(2/3)*(1 + Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x])*((A*Cos[c + d*x]*Sec[(c + d*x)/2]^2*(1 + Sec[c + d*x])^(2/3))/2 + Sec[(c + d*x)/2]^2*(-(A*(1 + Sec[c + d*x])^(2/3))/10 + (B*(1 + Sec[c + d*x])^(2/3))/10))*Tan[(c + d*x)/2]*((-6*A + B)*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)*Tan[(c + d*x)/2]^2 + (27*(4*A + B)*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Cos[(c + d*x)/2]^2)/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*A

$$\begin{aligned} & \text{ppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)] * \text{Tan}[(c + d*x)/2]^2) / (15*d*(B + A*\text{Cos}[c + d*x])*(a*(1 + \text{Sec}[c + d*x]))^{(4/3)}*((\text{Sec}[(c + d*x)/2]^2*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^{(2/3)}*((-6*A + B)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}*\text{Tan}[(c + d*x)/2]^2 + (27*(4*A + B)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Cos}[(c + d*x)/2]^2) / (9*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)]*\text{Tan}[(c + d*x)/2]^2) / (15*2^{(1/3)} + (2^{(2/3)}*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^{(2/3)}*\text{Tan}[(c + d*x)/2]*((-6*A + B)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}*\text{Tan}[(c + d*x)/2] + (-6*A + B)*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(2/3)}*\text{Tan}[(c + d*x)/2]^2*((-3*\text{AppellF1}[5/2, 2/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / 5 + (2*\text{AppellF1}[5/2, 5/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / 5) + (2*(-6*A + B)*\text{AppellF1}[3/2, 2/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Tan}[(c + d*x)/2]^2*(-(\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]) + \text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])) / (3*(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^{(1/3)} - (27*(4*A + B)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Cos}[(c + d*x)/2]*\text{Sin}[(c + d*x)/2]) / (9*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)]*\text{Tan}[(c + d*x)/2]^2) + (27*(4*A + B)*\text{Cos}[(c + d*x)/2]^2*(-(\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])) / 3 + (2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / 9) / (9*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)]*\text{Tan}[(c + d*x)/2]^2) - (27*(4*A + B)*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Cos}[(c + d*x)/2]^2*(2*(-3*\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2] + 9*(-(\text{AppellF1}[3/2, 2/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / 3 + (2*\text{AppellF1}[3/2, 5/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / 9) + 2*\text{Tan}[(c + d*x)/2]^2*(-3*((-6*\text{AppellF1}[5/2, 2/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / 5 + (2*\text{AppellF1}[5/2, 5/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / 5) + 2*((-3*\text{AppellF1}[5/2, 5/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2)*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) / 5 + \text{AppellF1}[5/2, 8/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])) / (9*\text{AppellF1}[1/2, 2/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x) \end{aligned}$$

)/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2)/15 + (2*2^(2/3)*Tan[(c + d*x)/2]*((-6*A + B)*AppellF1[3/2, 2/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)*Tan[(c + d*x)/2]^2 + (27*(4*A + B)*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Cos[(c + d*x)/2]^2)/(9*AppellF1[1/2, 2/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(-3*AppellF1[3/2, 2/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*AppellF1[3/2, 5/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2)*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(45*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(1/3))))

Maple [F] time = 0.144, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c))(a + a \sec(dx + c))^{-\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(4/3),x)

[Out] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(4/3),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(4/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(4/3),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(4/3),x)
```

```
[Out] Integral((A + B*sec(c + d*x))/(a*(sec(c + d*x) + 1))**(4/3), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(4/3),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(4/3), x)
```


3.272 $\int (a + a \sec(c + dx))^{4/3} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=787

$$\frac{5 \cdot 3^{3/4} (1 - \sqrt{3}) a B \tan(c + dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}} \sqrt[3]{a \sec(c + dx) + a} \operatorname{EllipticF}}{4 \cdot 2^{2/3} d (1 - \sec(c + dx)) (\sec(c + dx) + 1)^{2/3} \sqrt{\frac{\sqrt[3]{\sec(c + dx) + 1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right)}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}}}$$

[Out] (3*a*B*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d) + (3*Sqrt[2]*a*A*AppellF1[11/6, 1/2, 1, 17/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(11*d*Sqrt[1 - Sec[c + d*x]]) - (15*(1 + Sqrt[3])*a*B*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)) + (15*3^(1/4)*a*B*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(2*2^(2/3)*d*(1 - Sec[c + d*x]))*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]] + (5*3^(3/4)*(1 - Sqrt[3])*a*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3)]^2]*Tan[c + d*x])/(4*2^(2/3)*d*(1 - Sec[c + d*x]))*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3]))*(1 + Sec[c + d*x])^(1/3))^2]]

Rubi [A] time = 0.839188, antiderivative size = 787, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.44$, Rules used = {3924, 3779, 3778, 136, 3828, 3827, 50, 63, 308, 225, 1881}

$$\frac{3\sqrt{2}aA \tan(c + dx)(\sec(c + dx) + 1)\sqrt[3]{a \sec(c + dx) + a} F_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)}{11d\sqrt{1 - \sec(c + dx)}} + \frac{3aB \tan(c + dx)}{11d\sqrt{1 - \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*a*B*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d) + (3*Sqrt[2]*a*A*AppellF1[11/6, 1/2, 1, 17/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(11*d*Sqrt[1 - Sec[c + d*x]]) - (15*(1 + Sqrt[3])*a*B*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(4*d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (15*3^(1/4)*a*B*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(4*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)]) + (5*3^(3/4)*(1 - Sqrt[3])*a*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(4*2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)])]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))
^(p_), x_Symbol] := Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -
n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/
(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n}
, x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d),
0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])
```

Rule 3828

```
Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) +
(a_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m
])/ (1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*
Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2
, 0] && !IntegerQ[m] && !GtQ[a, 0]
```

Rule 3827

```
Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) +
(a_))^(m_), x_Symbol] := Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x], x] /; FreeQ[{a, b, d, e, f, m, n}, x
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 50

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 308

```
Int[(x_)^4/Sqrt[(a_) + (b_)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
```

```
3]], s = Denom[Rt[b/a, 3]], Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x
]
```

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
t[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
rt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1
- Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
\int (a + a \sec(c + dx))^{4/3} (A + B \sec(c + dx)) dx &= A \int (a + a \sec(c + dx))^{4/3} dx + B \int \sec(c + dx) (a + a \sec(c + dx))^{4/3} dx \\
&= \frac{(aA \sqrt[3]{a + a \sec(c + dx)}) \int (1 + \sec(c + dx))^{4/3} dx}{\sqrt[3]{1 + \sec(c + dx)}} + \frac{(aB \sqrt[3]{a + a \sec(c + dx)}) \int (1 + \sec(c + dx))^{4/3} dx}{\sqrt[3]{1 + \sec(c + dx)}} \\
&= -\frac{(aA \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)) \operatorname{Subst}\left(\int \frac{(1+x)^{5/6}}{\sqrt{1-xx}} dx, x, \sec(c + dx)\right)}{d \sqrt{1 - \sec(c + dx)} (1 + \sec(c + dx))^{5/6}} \\
&= \frac{3aB \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2}a AF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{4d} \\
&= \frac{3aB \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2}a AF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{4d} \\
&= \frac{3aB \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2}a AF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{4d} \\
&= \frac{3aB \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)}{4d} + \frac{3\sqrt{2}a AF_1\left(\frac{11}{6}; \frac{1}{2}, 1; \frac{17}{6}; \frac{1}{2}(1 + \sec(c + dx))\right)}{4d}
\end{aligned}$$

Mathematica [B] time = 19.299, size = 4110, normalized size = 5.22

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a*Sec[c + d*x])^(4/3)*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]*((1 + Cos[c + d*x])*Sec[c + d*x])^(1/3)*(a*(1 + Sec[c + d*x]))^(4/3)*(A + B*Sec[c + d*x])*((3*(4*A + 5*B)*Sin[c + d*x])/4 + (3*B*Tan[c + d*x])/4))/(d*(B + A*Cos[c + d*x])*(1 + Sec[c + d*x])^(4/3)) + (Cos[c + d*x]*((a*(1 + Sec[c + d*x]))^(4/3)*(A + B*Sec[c + d*x])*(2*A*(1 + Sec[c + d*x]))^(1/3) + (5*B*(1 + Sec[c + d*x])^(1/3))/4 + Cos[c + d*x]*(-3*A*(1 + Sec[c + d*x])^(1/3) - (15*B*(1 + Sec[c + d*x])^(1/3))/4))*Tan[(c + d*x)/2]*(-((4*A + 5*B)*AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Tan[(c + d*x)/2]^2)/(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3)) - (9*(3*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2)*(-4*A + 5*B + 5*(4*A + 7*B)*Cos[c + d*x]) - 4*(4*A + 5*B)*(3*AppellF1[3/2, 1/3, 2, 5/2

$$\begin{aligned}
& , \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2 - \operatorname{AppellF1}[3/2, 4/3, 1, 5/2, \operatorname{Tan} \\
& [(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2)] * \operatorname{Cos}[c+d*x] * \operatorname{Tan}[(c+d*x)/2]^2) / (2 \\
& * (-1 + \operatorname{Tan}[(c+d*x)/2]^2) * (-9 * \operatorname{AppellF1}[1/2, 1/3, 1, 3/2, \operatorname{Tan}[(c+d*x)/2]^2 \\
& , -\operatorname{Tan}[(c+d*x)/2]^2] + 2 * (3 * \operatorname{AppellF1}[3/2, 1/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2 \\
& , -\operatorname{Tan}[(c+d*x)/2]^2] - \operatorname{AppellF1}[3/2, 4/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{T} \\
& \operatorname{an}[(c+d*x)/2]^2]) * \operatorname{Tan}[(c+d*x)/2]^2) / (6 * 2^{(2/3)} * d * (B + A * \operatorname{Cos}[c+d*x] \\
&)) * (\operatorname{Cos}[(c+d*x)/2]^2 * \operatorname{Sec}[c+d*x])^{(2/3)} * (1 + \operatorname{Sec}[c+d*x])^{(4/3)} * ((\operatorname{Sec}[(c \\
& + d*x)/2]^2 * (-((4*A + 5*B) * \operatorname{AppellF1}[3/2, 1/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, \\
& -\operatorname{Tan}[(c+d*x)/2]^2) * \operatorname{Tan}[(c+d*x)/2]^2) / (\operatorname{Cos}[c+d*x] * \operatorname{Sec}[(c+d*x)/2]^2) \\
& ^{(2/3)}) - (9 * (3 * \operatorname{AppellF1}[1/2, 1/3, 1, 3/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x) \\
& x)/2]^2) * (-4*A + 5*B + 5 * (4*A + 7*B) * \operatorname{Cos}[c+d*x]) - 4 * (4*A + 5*B) * (3 * \operatorname{Appel \\
& lF1}[3/2, 1/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2] - \operatorname{AppellF1}[3 \\
& /2, 4/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2]) * \operatorname{Cos}[c+d*x] * \operatorname{Tan} \\
& [(c+d*x)/2]^2) / (2 * (-1 + \operatorname{Tan}[(c+d*x)/2]^2) * (-9 * \operatorname{AppellF1}[1/2, 1/3, 1, 3/ \\
& 2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2] + 2 * (3 * \operatorname{AppellF1}[3/2, 1/3, 2, 5/ \\
& 2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2] - \operatorname{AppellF1}[3/2, 4/3, 1, 5/2, \operatorname{T} \\
& \operatorname{an}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2]) * \operatorname{Tan}[(c+d*x)/2]^2) / (12 * 2^{(2/3)} * \\
& (\operatorname{Cos}[(c+d*x)/2]^2 * \operatorname{Sec}[c+d*x])^{(2/3)}) + (\operatorname{Tan}[(c+d*x)/2] * (-((4*A + 5*B) \\
&) * \operatorname{AppellF1}[3/2, 1/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2) * \operatorname{Sec}[(c \\
& + d*x)/2]^2 * \operatorname{Tan}[(c+d*x)/2]) / (\operatorname{Cos}[c+d*x] * \operatorname{Sec}[(c+d*x)/2]^2)^{(2/3)}) - \\
& ((4*A + 5*B) * \operatorname{Tan}[(c+d*x)/2]^2 * (-3 * \operatorname{AppellF1}[5/2, 1/3, 2, 7/2, \operatorname{Tan}[(c+d*x) \\
& x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2] * \operatorname{Sec}[(c+d*x)/2]^2 * \operatorname{Tan}[(c+d*x)/2]) / 5 + (\operatorname{App} \\
& ellF1[5/2, 4/3, 1, 7/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2] * \operatorname{Sec}[(c+d \\
& *x)/2]^2 * \operatorname{Tan}[(c+d*x)/2]) / 5) / (\operatorname{Cos}[c+d*x] * \operatorname{Sec}[(c+d*x)/2]^2)^{(2/3)}) + (2 \\
& * (4*A + 5*B) * \operatorname{AppellF1}[3/2, 1/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/ \\
& 2]^2] * \operatorname{Tan}[(c+d*x)/2]^2 * (-\operatorname{Sec}[(c+d*x)/2]^2 * \operatorname{Sin}[c+d*x]) + \operatorname{Cos}[c+d*x] \\
& * \operatorname{Sec}[(c+d*x)/2]^2 * \operatorname{Tan}[(c+d*x)/2]) / (3 * (\operatorname{Cos}[c+d*x] * \operatorname{Sec}[(c+d*x)/2]^2) \\
& ^{(5/3)}) + (9 * \operatorname{Sec}[(c+d*x)/2]^2 * \operatorname{Tan}[(c+d*x)/2] * (3 * \operatorname{AppellF1}[1/2, 1/3, 1, 3 \\
& /2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2] * (-4*A + 5*B + 5 * (4*A + 7*B) * \operatorname{Co} \\
& s[c+d*x]) - 4 * (4*A + 5*B) * (3 * \operatorname{AppellF1}[3/2, 1/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2 \\
& , -\operatorname{Tan}[(c+d*x)/2]^2] - \operatorname{AppellF1}[3/2, 4/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{T} \\
& \operatorname{an}[(c+d*x)/2]^2]) * \operatorname{Cos}[c+d*x] * \operatorname{Tan}[(c+d*x)/2]^2) / (2 * (-1 + \operatorname{Tan}[(c+d*x) \\
&)/2]^2)^2 * (-9 * \operatorname{AppellF1}[1/2, 1/3, 1, 3/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x) \\
& /2]^2] + 2 * (3 * \operatorname{AppellF1}[3/2, 1/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x) \\
& /2]^2] - \operatorname{AppellF1}[3/2, 4/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2 \\
&]) * \operatorname{Tan}[(c+d*x)/2]^2) + (9 * (3 * \operatorname{AppellF1}[1/2, 1/3, 1, 3/2, \operatorname{Tan}[(c+d*x)/2] \\
& ^2, -\operatorname{Tan}[(c+d*x)/2]^2] * (-4*A + 5*B + 5 * (4*A + 7*B) * \operatorname{Cos}[c+d*x]) - 4 * (4*A \\
& + 5*B) * (3 * \operatorname{AppellF1}[3/2, 1/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2] \\
& ^2] - \operatorname{AppellF1}[3/2, 4/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2]) * \\
& \operatorname{Cos}[c+d*x] * \operatorname{Tan}[(c+d*x)/2]^2) * (2 * (3 * \operatorname{AppellF1}[3/2, 1/3, 2, 5/2, \operatorname{Tan}[(c+d* \\
& x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2] - \operatorname{AppellF1}[3/2, 4/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/ \\
& 2]^2, -\operatorname{Tan}[(c+d*x)/2]^2]) * \operatorname{Sec}[(c+d*x)/2]^2 * \operatorname{Tan}[(c+d*x)/2] - 9 * (-\operatorname{Appel \\
& lF1}[3/2, 1/3, 2, 5/2, \operatorname{Tan}[(c+d*x)/2]^2, -\operatorname{Tan}[(c+d*x)/2]^2] * \operatorname{Sec}[(c+d* \\
& x)/2]^2 * \operatorname{Tan}[(c+d*x)/2]) / 3 + (\operatorname{AppellF1}[3/2, 4/3, 1, 5/2, \operatorname{Tan}[(c+d*x)/2]^ \\
& 2, -\operatorname{Tan}[(c+d*x)/2]^2] * \operatorname{Sec}[(c+d*x)/2]^2 * \operatorname{Tan}[(c+d*x)/2]) / 9) + 2 * \operatorname{Tan}[(c
\end{aligned}$$

$$\begin{aligned}
& + d*x)/2]^2*((3*AppellF1[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 - (4*AppellF1[5/2, 7/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + 3*((-6*AppellF1[5/2, 1/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + (AppellF1[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5))))/(2*(-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*AppellF1[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(3*AppellF1[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])* \text{Tan}[(c + d*x)/2]^2)^2 - (9*(-15*(4*A + 7*B)*AppellF1[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sin}[c + d*x] - 4*(4*A + 5*B)*(3*AppellF1[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])* \text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2] + 4*(4*A + 5*B)*(3*AppellF1[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])* \text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2]^2 + 3*(-4*A + 5*B + 5*(4*A + 7*B)*\text{Cos}[c + d*x]))*(-(AppellF1[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/3 + (AppellF1[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/9) - 4*(4*A + 5*B)*\text{Cos}[c + d*x]*\text{Tan}[(c + d*x)/2]^2*((3*AppellF1[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 - (4*AppellF1[5/2, 7/3, 1, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + 3*((-6*AppellF1[5/2, 1/3, 3, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5 + (AppellF1[5/2, 4/3, 2, 7/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/5))))/(2*(-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*AppellF1[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(3*AppellF1[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])* \text{Tan}[(c + d*x)/2]^2))))/(6*2^(2/3)*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^(2/3)) - (\text{Tan}[(c + d*x)/2]*(-((4*A + 5*B)*AppellF1[3/2, 1/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*\text{Tan}[(c + d*x)/2]^2)/(\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2)^(2/3)) - (9*(3*AppellF1[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2]*(-4*A + 5*B + 5*(4*A + 7*B)*\text{Cos}[c + d*x]) - 4*(4*A + 5*B)*(3*AppellF1[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])* \text{Cos}[c + d*x]*\text{Tan}[(c + d*x)/2]^2))/((2*(-1 + \text{Tan}[(c + d*x)/2]^2)*(-9*AppellF1[1/2, 1/3, 1, 3/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] + 2*(3*AppellF1[3/2, 1/3, 2, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, \text{Tan}[(c + d*x)/2]^2, -\text{Tan}[(c + d*x)/2]^2])* \text{Tan}[(c + d*x)/2]^2)))*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(9*2^(2/3)*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])^(5/3)))
\end{aligned}$$

Maple [F] time = 0.141, size = 0, normalized size = 0.

$$\int (a + a \sec(dx + c))^{\frac{4}{3}} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)`

[Out] `int((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(4/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))**(4/3)*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(4/3)*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(4/3), x)`

3.273 $\int \sqrt[3]{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=739

$$\frac{3^{3/4} (1 - \sqrt{3}) B \tan(c + dx) \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}} \sqrt[3]{a \sec(c + dx) + a} \operatorname{EllipticF} \left(\cos^{-1} \left(\frac{\sqrt[3]{\sec(c + dx) + 1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right)}{\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1}} \right)}{\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1}} \right)}{2^{2/3} d (1 - \sec(c + dx)) (\sec(c + dx) + 1)^{2/3} \sqrt{\frac{\sqrt[3]{\sec(c + dx) + 1} \left(\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1} \right)}{\left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)^2}}}$$

```
[Out] (3*Sqrt[2]*A*AppellF1[5/6, 1/2, 1, 11/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(5*d*Sqrt[1 - Sec[c + d*x]]) - (3*(1 + Sqrt[3])*B*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*2^(1/3)*3^(1/4)*B*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]]) + (3^(3/4)*(1 - Sqrt[3])*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]])
```

Rubi [A] time = 0.702391, antiderivative size = 739, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {3924, 3779, 3778, 136, 3828, 3827, 63, 308, 225, 1881}

$$\frac{3\sqrt{2}A \tan(c + dx) \sqrt[3]{a \sec(c + dx) + a} F_1 \left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1 \right)}{5d\sqrt{1 - \sec(c + dx)}} - \frac{3(1 + \sqrt{3})B \tan(c + dx)}{d(\sec(c + dx) + 1)^{2/3} \left(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1} \right)}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x]),x]

[Out] (3*Sqrt[2]*A*AppellF1[5/6, 1/2, 1, 11/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x])*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(5*d*Sqrt[1 - Sec[c + d*x]]) - (3*(1 + Sqrt[3])*B*(a + a*Sec[c + d*x])^(1/3)*Tan[c + d*x])/(d*(1 + Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) + (3*2^(1/3)*3^(1/4)*B*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4)*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2*Tan[c + d*x])/(d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)]) + (3^(3/4)*(1 - Sqrt[3])*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4)*(a + a*Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2*Tan[c + d*x])/(2^(2/3)*d*(1 - Sec[c + d*x])*(1 + Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)])

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] := Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_), x_Symbol] := Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && GtQ[a, 0]

Rule 136

```

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))
^(p_), x_Symbol] := Simp[((b*e - a*f)^p*(a + b*x)^(m + 1)*AppellF1[m + 1, -
n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/
(b^(p + 1)*(m + 1)*(b/(b*c - a*d))^n), x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && !IntegerQ[m] && !IntegerQ[n] && IntegerQ[p] && GtQ[b/(b*c - a*d),
0] && !(GtQ[d/(d*a - c*b), 0] && SimplerQ[c + d*x, a + b*x])

```

Rule 3828

```

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) +
(a_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m
])/ (1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a)^m*(d*
Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2
, 0] && !IntegerQ[m] && !GtQ[a, 0]

```

Rule 3827

```

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) +
(a_))^(m_), x_Symbol] := Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x], x] /; FreeQ[{a, b, d, e, f, m, n}, x
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]

```

Rule 63

```

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

Rule 308

```

Int[(x_)^4/Sqrt[(a_) + (b_)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x] /; FreeQ[{a, b}, x]

```

Rule 225

```

Int[1/Sqrt[(a_) + (b_)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x] /; FreeQ[{a, b}, x

```

]

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
  Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
  t[a + b*x^6])/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
  *(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
  lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
  qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
  rt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1
  - Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
 \int \sqrt[3]{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx &= A \int \sqrt[3]{a + a \sec(c + dx)} dx + B \int \sec(c + dx) \sqrt[3]{a + a \sec(c + dx)} dx \\
 &= \frac{(A \sqrt[3]{a + a \sec(c + dx)}) \int \sqrt[3]{1 + \sec(c + dx)} dx}{\sqrt[3]{1 + \sec(c + dx)}} + \frac{(B \sqrt[3]{a + a \sec(c + dx)})}{\sqrt[3]{1 + \sec(c + dx)}} \\
 &= -\frac{(A \sqrt[3]{a + a \sec(c + dx)} \tan(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-xx} \sqrt[6]{1+x}} dx, x, \sec(c + dx)\right)}{d \sqrt{1 - \sec(c + dx)} (1 + \sec(c + dx))^{5/6}} \\
 &= \frac{3\sqrt{2} AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \sqrt[3]{a + a \sec(c + dx)}}{5d \sqrt{1 - \sec(c + dx)}} \\
 &= \frac{3\sqrt{2} AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \sqrt[3]{a + a \sec(c + dx)}}{5d \sqrt{1 - \sec(c + dx)}} \\
 &= \frac{3\sqrt{2} AF_1\left(\frac{5}{6}; \frac{1}{2}, 1; \frac{11}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \sqrt[3]{a + a \sec(c + dx)}}{5d \sqrt{1 - \sec(c + dx)}}
 \end{aligned}$$

Mathematica [B] time = 21.1781, size = 5094, normalized size = 6.89

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x]),x]

[Out] Result too large to show

Maple [F] time = 0.144, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + a \sec(dx + c)} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x)

[Out] int((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(1/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt[3]{a(\sec(c+dx)+1)}(A+B\sec(c+dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(1/3)*(A+B*sec(d*x+c)), x)

[Out] Integral((a*(sec(c + d*x) + 1))**(1/3)*(A + B*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B\sec(dx+c)+A)(a\sec(dx+c)+a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(1/3), x)

$$3.274 \quad \int \frac{A+B \sec(c+dx)}{(a+a \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=764

$$\frac{3^{3/4} (1 - \sqrt{3}) B \tan(c + dx) \sqrt[3]{\sec(c + dx) + 1} (\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1}) \sqrt{\frac{(\sec(c + dx) + 1)^{2/3} + \sqrt[3]{2} \sqrt[3]{\sec(c + dx) + 1} + 2^{2/3}}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}} \text{EllipticF}\left(\cos\right)}{2^{2/3} d (1 - \sec(c + dx)) \sqrt{-\frac{\sqrt[3]{\sec(c + dx) + 1} (\sqrt[3]{2} - \sqrt[3]{\sec(c + dx) + 1})}{(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}} (a \sec(c + dx) + a)^{2/3}}$$

[Out] (3*B*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])^(2/3)) - (3*Sqrt[2]*A*AppellF1[-1/6, 1/2, 1, 5/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)) + (3*(1 + Sqrt[3])*B*(1 + Sec[c + d*x])^(1/3)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) - (3*2^(1/3)*3^(1/4)*B*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2*Tan[c + d*x])/(d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]]) - (3^(3/4)*(1 - Sqrt[3])*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))]^2*Tan[c + d*x])/(2^(2/3)*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]])

Rubi [A] time = 0.733451, antiderivative size = 764, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.44$, Rules used = {3924, 3779, 3778, 136, 3828, 3827, 51, 63, 308, 225, 1881}

$$\frac{3\sqrt{2}A \tan(c + dx) F_1\left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(\sec(c + dx) + 1), \sec(c + dx) + 1\right)}{d\sqrt{1 - \sec(c + dx)}(a \sec(c + dx) + a)^{2/3}} + \frac{3B \tan(c + dx)}{d(a \sec(c + dx) + a)^{2/3}} + \frac{3(1 + \sqrt{3})B \tan(c + dx)}{d(\sqrt[3]{2} - (1 + \sqrt{3}) \sqrt[3]{\sec(c + dx) + 1})^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(2/3),x]

[Out] (3*B*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])^(2/3)) - (3*Sqrt[2]*A*AppellF1[-1/6, 1/2, 1, 5/6, (1 + Sec[c + d*x])/2, 1 + Sec[c + d*x]]*Tan[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*(a + a*Sec[c + d*x])^(2/3)) + (3*(1 + Sqrt[3])*B*(1 + Sec[c + d*x])^(1/3)*Tan[c + d*x])/(d*(a + a*Sec[c + d*x])^(2/3)*(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))) - (3*2^(1/3)*3^(1/4)*B*EllipticE[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)]) - (3^(3/4)*(1 - Sqrt[3])*B*EllipticF[ArcCos[(2^(1/3) - (1 - Sqrt[3])*(1 + Sec[c + d*x])^(1/3))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))], (2 + Sqrt[3])/4]*(1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3))*Sqrt[(2^(2/3) + 2^(1/3)*(1 + Sec[c + d*x])^(1/3) + (1 + Sec[c + d*x])^(2/3))]/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2]*Tan[c + d*x])/(2^(2/3)*d*(1 - Sec[c + d*x])*(a + a*Sec[c + d*x])^(2/3)*Sqrt[-(((1 + Sec[c + d*x])^(1/3)*(2^(1/3) - (1 + Sec[c + d*x])^(1/3)))/(2^(1/3) - (1 + Sqrt[3])*(1 + Sec[c + d*x])^(1/3))^2)])]

Rule 3924

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> Dist[c, Int[(a + b*Csc[e + f*x])^m, x], x] + Dist[d, Int[(a + b*Csc[e + f*x])^m*Csc[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[2*m]

Rule 3779

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_.), x_Symbol] :> Dist[(a^IntPart[n]*(a + b*Csc[c + d*x])^FracPart[n])/(1 + (b*Csc[c + d*x])/a)^FracPart[n], Int[(1 + (b*Csc[c + d*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2*n] && !GtQ[a, 0]

Rule 3778

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.))^(n_.), x_Symbol] :> Dist[(a^n*Cot[c + d*x])/(d*Sqrt[1 + Csc[c + d*x]]*Sqrt[1 - Csc[c + d*x]]), Subst[Int[(1 + (b*x)/a)^(n - 1/2)/(x*Sqrt[1 - (b*x)/a]), x], x, Csc[c + d*x]], x] /; Fre

$\text{eQ}\{a, b, c, d, n\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[2*n] \&\& \text{GtQ}[a, 0]$

Rule 136

$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_)}*((c_.) + (d_.)*(x_)]^{(n_)}*((e_.) + (f_.)*(x_)]^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(b*e - a*f)^p*(a + b*x)^{(m+1)}*\text{AppellF1}[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b^{(p+1)}*(m+1)*(b/(b*c - a*d))^n), x] /; \text{FreeQ}\{a, b, c, d, e, f, m, n\}, x\} \&\& !\text{IntegerQ}[m] \&\& !\text{IntegerQ}[n] \&\& \text{IntegerQ}[p] \&\& \text{GtQ}[b/(b*c - a*d), 0] \&\& !(GtQ[d/(d*a - c*b), 0] \&\& \text{SimplerQ}[c + d*x, a + b*x])$

Rule 3828

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(d_)]^{(n_)}*(\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_)]^{(m_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[m]}*(a + b*\text{Csc}[e + f*x])^{\text{FracPart}[m]})/(1 + (b*\text{Csc}[e + f*x])/a)^{\text{FracPart}[m]}, \text{Int}[(1 + (b*\text{Csc}[e + f*x])/a)^m*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[m] \&\& !\text{GtQ}[a, 0]$

Rule 3827

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(d_)]^{(n_)}*(\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_)]^{(m_)}, x_Symbol] \rightarrow \text{Dist}[(a^2*d*\text{Cot}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]])*\text{Sqrt}[a - b*\text{Csc}[e + f*x]], \text{Subst}[\text{Int}[(d*x)^{(n-1)}*(a + b*x)^{(m-1/2)}/\text{Sqrt}[a - b*x], x], x, \text{Csc}[e + f*x]], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[m] \&\& \text{GtQ}[a, 0]$

Rule 51

$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_)}*((c_.) + (d_.)*(x_)]^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m+1)}*(c + d*x)^{(n+1)}/((b*c - a*d)*(m+1)), x] - \text{Dist}[(d*(m + n + 2))/((b*c - a*d)*(m+1)), \text{Int}[(a + b*x)^{(m+1)}*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[m, -1] \&\& !(LtQ[n, -1] \&\& (\text{EqQ}[a, 0] || (\text{NeQ}[c, 0] \&\& \text{LtQ}[m - n, 0] \&\& \text{IntegerQ}[n]))) \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 63

$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_)}*((c_.) + (d_.)*(x_)]^{(n_)}, x_Symbol] \rightarrow \text{With}\{p = \text{Denominator}[m]\}, \text{Dist}[p/b, \text{Subst}[\text{Int}[x^{(p*(m+1) - 1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 308

```
Int[(x_)^4/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a,
3]], s = Denom[Rt[b/a, 3]]}, Dist[((Sqrt[3] - 1)*s^2)/(2*r^2), Int[1/Sqrt[a
+ b*x^6], x], x] - Dist[1/(2*r^2), Int[((Sqrt[3] - 1)*s^2 - 2*r^2*x^4)/Sqr
t[a + b*x^6], x], x]] /; FreeQ[{a, b}, x]
```

Rule 225

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r = Numer[Rt[b/a, 3]],
s = Denom[Rt[b/a, 3]]}, Simp[(x*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/
(s + (1 + Sqrt[3])*r*x^2)^2]*EllipticF[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s
+ (1 + Sqrt[3])*r*x^2)], (2 + Sqrt[3])/4])/(2*3^(1/4)*s*Sqrt[a + b*x^6]*Sqr
t[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]), x]] /; FreeQ[{a, b}, x
]
```

Rule 1881

```
Int[((c_) + (d_.)*(x_)^4)/Sqrt[(a_) + (b_.)*(x_)^6], x_Symbol] := With[{r =
Numer[Rt[b/a, 3]], s = Denom[Rt[b/a, 3]]}, Simp[((1 + Sqrt[3])*d*s^3*x*Sqr
t[a + b*x^6]/(2*a*r^2*(s + (1 + Sqrt[3])*r*x^2)), x] - Simp[(3^(1/4)*d*s*x
*(s + r*x^2)*Sqrt[(s^2 - r*s*x^2 + r^2*x^4)/(s + (1 + Sqrt[3])*r*x^2)^2]*El
lipticE[ArcCos[(s + (1 - Sqrt[3])*r*x^2)/(s + (1 + Sqrt[3])*r*x^2)], (2 + S
qrt[3])/4])/(2*r^2*Sqrt[(r*x^2*(s + r*x^2))/(s + (1 + Sqrt[3])*r*x^2)^2]*Sq
rt[a + b*x^6]), x]] /; FreeQ[{a, b, c, d}, x] && EqQ[2*Rt[b/a, 3]^2*c - (1
- Sqrt[3])*d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{(a + a \sec(c + dx))^{2/3}} dx &= A \int \frac{1}{(a + a \sec(c + dx))^{2/3}} dx + B \int \frac{\sec(c + dx)}{(a + a \sec(c + dx))^{2/3}} dx \\
&= \frac{(A(1 + \sec(c + dx))^{2/3}) \int \frac{1}{(1 + \sec(c + dx))^{2/3}} dx}{(a + a \sec(c + dx))^{2/3}} + \frac{(B(1 + \sec(c + dx))^{2/3}) \int \frac{\sec(c + dx)}{(1 + \sec(c + dx))^{2/3}} dx}{(a + a \sec(c + dx))^{2/3}} \\
&= \frac{(A\sqrt[6]{1 + \sec(c + dx)} \tan(c + dx)) \text{Subst}\left(\int \frac{1}{\sqrt{1 - xx(1+x)^{7/6}} dx, x, \sec(c + dx)}\right) - (B\sqrt[6]{1 + \sec(c + dx)} \tan(c + dx)) \text{Subst}\left(\int \frac{1}{\sqrt{1 - xx(1+x)^{7/6}} dx, x, \sec(c + dx)}\right)}{d\sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} \\
&= \frac{3B \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1\left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \tan(c + dx)}{d\sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} \\
&= \frac{3B \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1\left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \tan(c + dx)}{d\sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} \\
&= \frac{3B \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1\left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \tan(c + dx)}{d\sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}} \\
&= \frac{3B \tan(c + dx)}{d(a + a \sec(c + dx))^{2/3}} - \frac{3\sqrt{2}AF_1\left(-\frac{1}{6}; \frac{1}{2}, 1; \frac{5}{6}; \frac{1}{2}(1 + \sec(c + dx)), 1 + \sec(c + dx)\right) \tan(c + dx)}{d\sqrt{1 - \sec(c + dx)}(a + a \sec(c + dx))^{2/3}}
\end{aligned}$$

Mathematica [B] time = 19.1699, size = 4066, normalized size = 5.32

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(a + a*Sec[c + d*x])^(2/3), x]

[Out] (Cos[c + d*x]*((1 + Cos[c + d*x])*Sec[c + d*x])^(1/3)*(1 + Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x])*(3*Sec[(c + d*x)/2]*(-(A*Sin[(c + d*x)/2]) + B*Sin[(c + d*x)/2]) - 3*(-A + B)*Sin[c + d*x]))/(d*(B + A*Cos[c + d*x])*(a*(1 + Sec[c + d*x]))^(2/3)) - (2^(1/3)*Cos[c + d*x]*(1 + Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x])*(2*A*(1 + Sec[c + d*x])^(1/3) - B*(1 + Sec[c + d*x])^(1/3) + Cos[c + d*x]*(-3*A*(1 + Sec[c + d*x])^(1/3) + 3*B*(1 + Sec[c + d*x])^(1/3))))*Tan[(c + d*x)/2]*(((A - B)*AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Tan[(c + d*x)/2]^2)/(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3) - (9*(3*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c +

$$\begin{aligned}
& d*x)/2]^2]*(A + B + (-5*A + 7*B)*Cos[c + d*x]) + 4*(A - B)*(3*AppellF1[3/2, \\
& 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, \\
& 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Cos[c + d*x]*Tan[(c + d* \\
& x)/2]^2))/(2*(-1 + Tan[(c + d*x)/2]^2)*(-9*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c \\
& + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(3*AppellF1[3/2, 1/3, 2, 5/2, Tan[(c \\
& + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d \\
& *x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2)))/(3*d*(B + A*Cos[c + \\
& d*x])*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(2/3)*(a*(1 + Sec[c + d*x]))^(2/3)* \\
& (-Sec[(c + d*x)/2]^2*((A - B)*AppellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^ \\
& 2, -Tan[(c + d*x)/2]^2]*Tan[(c + d*x)/2]^2)/(Cos[c + d*x]*Sec[(c + d*x)/2]^ \\
& 2)^(2/3) - (9*(3*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + \\
& d*x)/2]^2]*(A + B + (-5*A + 7*B)*Cos[c + d*x]) + 4*(A - B)*(3*AppellF1[3/2, \\
& 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, \\
& 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Cos[c + d*x]*Tan[(c + d* \\
& x)/2]^2))/(2*(-1 + Tan[(c + d*x)/2]^2)*(-9*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c \\
& + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(3*AppellF1[3/2, 1/3, 2, 5/2, Tan[(c \\
& + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d \\
& *x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2)))/(3*2^(2/3)*(Cos[(c + \\
& d*x)/2]^2*Sec[c + d*x])^(2/3)) - (2^(1/3)*Tan[(c + d*x)/2]*((A - B)*Appel \\
& lF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x) \\
&]/2]^2*Tan[(c + d*x)/2])/(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3) + ((A - B) \\
& *Tan[(c + d*x)/2]^2*(-3*AppellF1[5/2, 1/3, 2, 7/2, Tan[(c + d*x)/2]^2, -Tan \\
& [(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/5 + (AppellF1[5/2, 4 \\
& /3, 1, 7/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan \\
& [(c + d*x)/2])/5)/(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(2/3) - (2*(A - B)*App \\
& ellF1[3/2, 1/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Tan[(c + d \\
& *x)/2]^2*(-Sec[(c + d*x)/2]^2*Sin[c + d*x]) + Cos[c + d*x]*Sec[(c + d*x)/2]^ \\
& 2*Tan[(c + d*x)/2])/(3*(Cos[c + d*x]*Sec[(c + d*x)/2]^2)^(5/3)) + (9*Sec \\
& [(c + d*x)/2]^2*Tan[(c + d*x)/2]*(3*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x) \\
&]/2]^2, -Tan[(c + d*x)/2]^2)*(A + B + (-5*A + 7*B)*Cos[c + d*x]) + 4*(A - B) \\
&)*(3*AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - \\
& AppellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Cos[c \\
& + d*x]*Tan[(c + d*x)/2]^2))/(2*(-1 + Tan[(c + d*x)/2]^2)^2*(-9*AppellF1[1/2 \\
& , 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] + 2*(3*AppellF1[3/2 \\
& , 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3 \\
& , 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Tan[(c + d*x)/2]^2)) + \\
& (9*(3*AppellF1[1/2, 1/3, 1, 3/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2)*(\\
& A + B + (-5*A + 7*B)*Cos[c + d*x]) + 4*(A - B)*(3*AppellF1[3/2, 1/3, 2, 5/2 \\
& , Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - AppellF1[3/2, 4/3, 1, 5/2, Tan \\
& [(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Cos[c + d*x]*Tan[(c + d*x)/2]^2)*(2* \\
& (3*AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2] - Ap \\
& pellF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2])*Sec[(c + \\
& d*x)/2]^2*Tan[(c + d*x)/2] - 9*(-(AppellF1[3/2, 1/3, 2, 5/2, Tan[(c + d*x) \\
&]/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/3 + (Appel \\
& lF1[3/2, 4/3, 1, 5/2, Tan[(c + d*x)/2]^2, -Tan[(c + d*x)/2]^2]*Sec[(c + d*x)
\end{aligned}$$

$$\begin{aligned}
&)/2]^2 \cdot \tan[(c + dx)/2]/9) + 2 \cdot \tan[(c + dx)/2]^2 \cdot ((3 \cdot \text{AppellF1}[5/2, 4/3, 2, \\
& , 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \text{Sec}[(c + dx)/2]^2 \cdot \tan[(c + \\
& dx)/2])/5 - (4 \cdot \text{AppellF1}[5/2, 7/3, 1, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + d \\
& *x)/2]^2] \cdot \text{Sec}[(c + dx)/2]^2 \cdot \tan[(c + dx)/2])/5 + 3 \cdot ((-6 \cdot \text{AppellF1}[5/2, 1/3 \\
& , 3, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \text{Sec}[(c + dx)/2]^2 \cdot \tan[(c \\
& + dx)/2])/5 + (\text{AppellF1}[5/2, 4/3, 2, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + \\
& dx)/2]^2] \cdot \text{Sec}[(c + dx)/2]^2 \cdot \tan[(c + dx)/2])/5))) / (2 \cdot (-1 + \tan[(c + dx) \\
&)/2]^2) \cdot (-9 \cdot \text{AppellF1}[1/2, 1/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2 \\
&]^2] + 2 \cdot (3 \cdot \text{AppellF1}[3/2, 1/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2 \\
&]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \\
& \cdot \tan[(c + dx)/2]^2)^2 - (9 \cdot (-3 \cdot (-5 \cdot A + 7 \cdot B) \cdot \text{AppellF1}[1/2, 1/3, 1, 3/2, \tan \\
& [(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \sin[c + dx] + 4 \cdot (A - B) \cdot (3 \cdot \text{AppellF1} \\
& [3/2, 1/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] - \text{AppellF1}[3/2, \\
& 4/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \cdot \cos[c + dx] \cdot \text{Sec}[(c \\
& + dx)/2]^2 \cdot \tan[(c + dx)/2] - 4 \cdot (A - B) \cdot (3 \cdot \text{AppellF1}[3/2, 1/3, 2, 5/2, \tan \\
& [(c + dx)/2]^2, -\tan[(c + dx)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \tan[(c + \\
& dx)/2]^2, -\tan[(c + dx)/2]^2]) \cdot \sin[c + dx] \cdot \tan[(c + dx)/2]^2 + 3 \cdot (A + \\
& B + (-5 \cdot A + 7 \cdot B) \cdot \cos[c + dx]) \cdot (-\text{AppellF1}[3/2, 1/3, 2, 5/2, \tan[(c + dx)/ \\
& 2]^2, -\tan[(c + dx)/2]^2] \cdot \text{Sec}[(c + dx)/2]^2 \cdot \tan[(c + dx)/2])/3 + (\text{Appell} \\
& \text{F1}[3/2, 4/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \text{Sec}[(c + dx) \\
& /2]^2 \cdot \tan[(c + dx)/2])/9) + 4 \cdot (A - B) \cdot \cos[c + dx] \cdot \tan[(c + dx)/2]^2 \cdot ((3 \cdot \\
& \text{AppellF1}[5/2, 4/3, 2, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \text{Sec}[(c \\
& + dx)/2]^2 \cdot \tan[(c + dx)/2])/5 - (4 \cdot \text{AppellF1}[5/2, 7/3, 1, 7/2, \tan[(c + dx) \\
& x)/2]^2, -\tan[(c + dx)/2]^2] \cdot \text{Sec}[(c + dx)/2]^2 \cdot \tan[(c + dx)/2])/5 + 3 \cdot ((\\
& -6 \cdot \text{AppellF1}[5/2, 1/3, 3, 7/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \text{Sec} \\
& [(c + dx)/2]^2 \cdot \tan[(c + dx)/2])/5 + (\text{AppellF1}[5/2, 4/3, 2, 7/2, \tan[(c + d \\
& *x)/2]^2, -\tan[(c + dx)/2]^2] \cdot \text{Sec}[(c + dx)/2]^2 \cdot \tan[(c + dx)/2])/5))) / (\\
& 2 \cdot (-1 + \tan[(c + dx)/2]^2) \cdot (-9 \cdot \text{AppellF1}[1/2, 1/3, 1, 3/2, \tan[(c + dx)/2] \\
& ^2, -\tan[(c + dx)/2]^2] + 2 \cdot (3 \cdot \text{AppellF1}[3/2, 1/3, 2, 5/2, \tan[(c + dx)/2] \\
& ^2, -\tan[(c + dx)/2]^2] - \text{AppellF1}[3/2, 4/3, 1, 5/2, \tan[(c + dx)/2]^2, - \\
& \tan[(c + dx)/2]^2]) \cdot \tan[(c + dx)/2]^2))) / (3 \cdot (\cos[(c + dx)/2]^2 \cdot \text{Sec}[c + \\
& dx])^{(2/3)}) + (2 \cdot 2^{(1/3)} \cdot \tan[(c + dx)/2] \cdot ((A - B) \cdot \text{AppellF1}[3/2, 1/3, 1, \\
& 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot \tan[(c + dx)/2]^2) / (\cos[c + \\
& dx] \cdot \text{Sec}[(c + dx)/2]^2)^{(2/3)} - (9 \cdot (3 \cdot \text{AppellF1}[1/2, 1/3, 1, 3/2, \tan[(c + \\
& dx)/2]^2, -\tan[(c + dx)/2]^2] \cdot (A + B + (-5 \cdot A + 7 \cdot B) \cdot \cos[c + dx]) + 4 \cdot (A \\
& - B) \cdot (3 \cdot \text{AppellF1}[3/2, 1/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] \\
& - \text{AppellF1}[3/2, 4/3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \cdot \cos \\
& [c + dx] \cdot \tan[(c + dx)/2]^2)) / (2 \cdot (-1 + \tan[(c + dx)/2]^2) \cdot (-9 \cdot \text{AppellF1}[1/ \\
& 2, 1/3, 1, 3/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] + 2 \cdot (3 \cdot \text{AppellF1}[3/ \\
& 2, 1/3, 2, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2] - \text{AppellF1}[3/2, 4/ \\
& 3, 1, 5/2, \tan[(c + dx)/2]^2, -\tan[(c + dx)/2]^2]) \cdot \tan[(c + dx)/2]^2))) \cdot \\
& (-\cos[(c + dx)/2] \cdot \text{Sec}[c + dx] \cdot \sin[(c + dx)/2]) + \cos[(c + dx)/2]^2 \cdot \text{Sec} \\
& [c + dx] \cdot \tan[c + dx]) / (9 \cdot (\cos[(c + dx)/2]^2 \cdot \text{Sec}[c + dx])^{(5/3)}))
\end{aligned}$$

Maple [F] time = 0.147, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c)) (a + a \sec(dx + c))^{-\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(2/3),x)`

[Out] `int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(2/3),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(2/3),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(2/3), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(2/3),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a(\sec(c + dx) + 1))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(2/3),x)

[Out] Integral((A + B*sec(c + d*x))/(a*(sec(c + d*x) + 1))**(2/3), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(a*sec(d*x + c) + a)^(2/3), x)

$$3.275 \quad \int (c \sec(e + fx))^n (a + a \sec(e + fx))^m (A + B \sec(e + fx)) dx$$

Optimal. Leaf size=197

$$\frac{(A - B) \tan(e + fx) (\sec(e + fx) + 1)^{-m - \frac{1}{2}} (a \sec(e + fx) + a)^m (c \sec(e + fx))^n F_1 \left(n; \frac{1}{2}, \frac{1}{2} - m; n + 1; \sec(e + fx), -\sec(e + fx) \right)}{fn \sqrt{1 - \sec(e + fx)}}$$

[Out] -((B*AppellF1[n, 1/2, -1/2 - m, 1 + n, Sec[e + f*x], -Sec[e + f*x]]*(c*Sec[e + f*x])^n*(1 + Sec[e + f*x])^(-1/2 - m)*(a + a*Sec[e + f*x])^m*Tan[e + f*x])/(f*n*Sqrt[1 - Sec[e + f*x]]) - ((A - B)*AppellF1[n, 1/2, 1/2 - m, 1 + n, Sec[e + f*x], -Sec[e + f*x]]*(c*Sec[e + f*x])^n*(1 + Sec[e + f*x])^(-1/2 - m)*(a + a*Sec[e + f*x])^m*Tan[e + f*x])/(f*n*Sqrt[1 - Sec[e + f*x]])

Rubi [A] time = 0.360822, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4023, 3828, 3827, 133}

$$\frac{(A - B) \tan(e + fx) (\sec(e + fx) + 1)^{-m - \frac{1}{2}} (a \sec(e + fx) + a)^m (c \sec(e + fx))^n F_1 \left(n; \frac{1}{2}, \frac{1}{2} - m; n + 1; \sec(e + fx), -\sec(e + fx) \right)}{fn \sqrt{1 - \sec(e + fx)}}$$

Antiderivative was successfully verified.

[In] Int[(c*Sec[e + f*x])^n*(a + a*Sec[e + f*x])^m*(A + B*Sec[e + f*x]),x]

[Out] -((B*AppellF1[n, 1/2, -1/2 - m, 1 + n, Sec[e + f*x], -Sec[e + f*x]]*(c*Sec[e + f*x])^n*(1 + Sec[e + f*x])^(-1/2 - m)*(a + a*Sec[e + f*x])^m*Tan[e + f*x])/(f*n*Sqrt[1 - Sec[e + f*x]]) - ((A - B)*AppellF1[n, 1/2, 1/2 - m, 1 + n, Sec[e + f*x], -Sec[e + f*x]]*(c*Sec[e + f*x])^n*(1 + Sec[e + f*x])^(-1/2 - m)*(a + a*Sec[e + f*x])^m*Tan[e + f*x])/(f*n*Sqrt[1 - Sec[e + f*x]])

Rule 4023

Int[(csc[(e_) + (f_)*(x_)]*(d_))^(n_)*(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(m_)*(csc[(e_) + (f_)*(x_)]*(B_) + (A_)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3828

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)^(m_.), x_Symbol] :> Dist[(a^IntPart[m]*(a + b*Csc[e + f*x])^FracPart[m
])/((1 + (b*Csc[e + f*x])/a)^FracPart[m], Int[(1 + (b*Csc[e + f*x])/a]^m*(d*
Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2
, 0] && !IntegerQ[m] && !GtQ[a, 0]
```

Rule 3827

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)^(m_.), x_Symbol] :> Dist[(a^2*d*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*
x]]*Sqrt[a - b*Csc[e + f*x]]), Subst[Int[((d*x)^(n - 1)*(a + b*x)^(m - 1/2)
)/Sqrt[a - b*x], x], x, Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, m, n}, x
] && EqQ[a^2 - b^2, 0] && !IntegerQ[m] && GtQ[a, 0]
```

Rule 133

```
Int[((b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.)*((e_.) + (f_.)*(x_.))^(p_.), x_
Symbol] :> Simp[(c^n*e^p*(b*x)^(m + 1)*AppellF1[m + 1, -n, -p, m + 2, -((d*
x)/c), -((f*x)/e)]/(b*(m + 1)), x] /; FreeQ[{b, c, d, e, f, m, n, p}, x] &
& !IntegerQ[m] && !IntegerQ[n] && GtQ[c, 0] && (IntegerQ[p] || GtQ[e, 0])
```

Rubi steps

$$\begin{aligned} \int (c \sec(e + fx))^n (a + a \sec(e + fx))^m (A + B \sec(e + fx)) dx &= (A - B) \int (c \sec(e + fx))^n (a + a \sec(e + fx))^m dx + \frac{B \int (c \sec(e + fx))^n (a + a \sec(e + fx))^m \sec(e + fx) dx}{f \sqrt{1 - \sec^2(e + fx)}} \\ &= ((A - B)(1 + \sec(e + fx))^{-m} (a + a \sec(e + fx))^m) \int (c \sec(e + fx))^n (a + a \sec(e + fx))^m dx \\ &= \frac{((A - B)c(1 + \sec(e + fx))^{-\frac{1}{2}-m} (a + a \sec(e + fx))^m \tan(e + fx))}{f \sqrt{1 - \sec^2(e + fx)}} \\ &= \frac{BF_1\left(n; \frac{1}{2}, -\frac{1}{2} - m; 1 + n; \sec(e + fx), -\sec(e + fx)\right) (c \sec(e + fx))^n (a + a \sec(e + fx))^m}{fn \sqrt{1 - \sec^2(e + fx)}} \end{aligned}$$

Mathematica [B] time = 22.4053, size = 4897, normalized size = 24.86

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(c*Sec[e + f*x])^n*(a + a*Sec[e + f*x])^m*(A + B*Sec[e + f*x]),x]
```

```
[Out] (2^(1 + m)*(Sec[(e + f*x)/2]^2)^n*Sec[e + f*x]^(-1 - n)*(c*Sec[e + f*x])^n*
(Cos[(e + f*x)/2]^2*Sec[e + f*x])^(m + n)*(a*(1 + Sec[e + f*x]))^m*(A + B*S
ec[e + f*x])*(A*Sec[e + f*x]^n*(1 + Sec[e + f*x])^m + B*Sec[e + f*x]^(1 + n
)*(1 + Sec[e + f*x])^m)*Tan[(e + f*x)/2]*((-3*A*AppellF1[1/2, m + n, 1 - n,
3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2]*Cos[e + f*x])/(3*AppellF1[1/
2, m + n, 1 - n, 3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + 2*((-1 + n
)*AppellF1[3/2, m + n, 2 - n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2]
+ (m + n)*AppellF1[3/2, 1 + m + n, 1 - n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e
+ f*x)/2]^2])*Tan[(e + f*x)/2]^2) - (B*AppellF1[1/2, 1 + m + n, -n, 3/2, T
an[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2))/(AppellF1[1/2, 1 + m + n, -n, 3/2,
Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + (2*(n*AppellF1[3/2, 1 + m + n,
1 - n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + (1 + m + n)*AppellF1
[3/2, 2 + m + n, -n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2])*Tan[(e
+ f*x)/2]^2/3)))/(f*(B + A*Cos[e + f*x])*(1 + Sec[e + f*x])^m*(-1 + Tan[(e
+ f*x)/2]^2)*(-((2^(1 + m)*(Sec[(e + f*x)/2]^2)^(1 + n)*(Cos[(e + f*x)/2]^
2*Sec[e + f*x])^(m + n)*Tan[(e + f*x)/2]^2*((-3*A*AppellF1[1/2, m + n, 1 -
n, 3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2]*Cos[e + f*x])/(3*AppellF1[
1/2, m + n, 1 - n, 3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + 2*((-1 +
n)*AppellF1[3/2, m + n, 2 - n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^
2] + (m + n)*AppellF1[3/2, 1 + m + n, 1 - n, 5/2, Tan[(e + f*x)/2]^2, -Tan[
(e + f*x)/2]^2])*Tan[(e + f*x)/2]^2) - (B*AppellF1[1/2, 1 + m + n, -n, 3/2,
Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2))/(AppellF1[1/2, 1 + m + n, -n, 3/
2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + (2*(n*AppellF1[3/2, 1 + m + n
, 1 - n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + (1 + m + n)*Appell
F1[3/2, 2 + m + n, -n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2])*Tan[(
e + f*x)/2]^2/3)))/(-1 + Tan[(e + f*x)/2]^2)^2 + (2^m*(Sec[(e + f*x)/2]^2
)^(1 + n)*(Cos[(e + f*x)/2]^2*Sec[e + f*x])^(m + n)*((-3*A*AppellF1[1/2, m
+ n, 1 - n, 3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2]*Cos[e + f*x])/(3*
AppellF1[1/2, m + n, 1 - n, 3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] +
2*((-1 + n)*AppellF1[3/2, m + n, 2 - n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e +
f*x)/2]^2] + (m + n)*AppellF1[3/2, 1 + m + n, 1 - n, 5/2, Tan[(e + f*x)/2]^
2, -Tan[(e + f*x)/2]^2])*Tan[(e + f*x)/2]^2) - (B*AppellF1[1/2, 1 + m + n,
-n, 3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2))/(AppellF1[1/2, 1 + m +
n, -n, 3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + (2*(n*AppellF1[3/2,
1 + m + n, 1 - n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + (1 + m +
n)*AppellF1[3/2, 2 + m + n, -n, 5/2, Tan[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^
2])*Tan[(e + f*x)/2]^2/3)))/(-1 + Tan[(e + f*x)/2]^2) + (2^(1 + m)*n*(Sec[
(e + f*x)/2]^2)^n*(Cos[(e + f*x)/2]^2*Sec[e + f*x])^(m + n)*Tan[(e + f*x)/2
]^2*((-3*A*AppellF1[1/2, m + n, 1 - n, 3/2, Tan[(e + f*x)/2]^2, -Tan[(e + f
*x)/2]^2]*Cos[e + f*x])/(3*AppellF1[1/2, m + n, 1 - n, 3/2, Tan[(e + f*x)/2
]^2, -Tan[(e + f*x)/2]^2] + 2*((-1 + n)*AppellF1[3/2, m + n, 2 - n, 5/2, Ta
n[(e + f*x)/2]^2, -Tan[(e + f*x)/2]^2] + (m + n)*AppellF1[3/2, 1 + m + n, 1

```

$$\begin{aligned}
& -n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2) * \tan[(e + fx)/2]^2) - \\
& (B * \text{AppellF1}[1/2, 1 + m + n, -n, 3/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2]) / (\text{AppellF1}[1/2, 1 + m + n, -n, 3/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2])^2 + \\
& (2 * (n * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + \\
& (1 + m + n) * \text{AppellF1}[3/2, 2 + m + n, -n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2]) * \tan[(e + fx)/2]^2) / (3 * \text{AppellF1}[1/2, m + n, 1 - n, 3/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sin[e + fx]) / (3 * \text{AppellF1}[1/2, m + n, 1 - n, 3/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + 2 * ((-1 + n) * \text{AppellF1}[3/2, m + n, 2 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + (m + n) * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2]) * \tan[(e + fx)/2]^2) - (3 * A * \cos[e + fx] * ((-1 + n) * \text{AppellF1}[3/2, m + n, 2 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2])) / 3 + ((m + n) * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2]) / (3 * \text{AppellF1}[1/2, m + n, 1 - n, 3/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + 2 * ((-1 + n) * \text{AppellF1}[3/2, m + n, 2 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + (m + n) * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2]) * \tan[(e + fx)/2]^2) - (B * ((n * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2])) / 3 + ((1 + m + n) * \text{AppellF1}[3/2, 2 + m + n, -n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2]) / (3 * \text{AppellF1}[1/2, 1 + m + n, -n, 3/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + (2 * (n * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + (1 + m + n) * \text{AppellF1}[3/2, 2 + m + n, -n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2]) * \tan[(e + fx)/2]^2) / 3 + (3 * A * \text{AppellF1}[1/2, m + n, 1 - n, 3/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \cos[e + fx] * (2 * ((-1 + n) * \text{AppellF1}[3/2, m + n, 2 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + (m + n) * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2]) * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2] + 3 * ((-1 + n) * \text{AppellF1}[3/2, m + n, 2 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2]) / 3 + ((m + n) * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2]) / 3 + 2 * \tan[(e + fx)/2]^2 * ((-1 + n) * ((-3 * (2 - n) * \text{AppellF1}[5/2, m + n, 3 - n, 7/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2]) / 5 + (3 * (m + n) * \text{AppellF1}[5/2, 1 + m + n, 2 - n, 7/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2]) / 5) + (m + n) * ((-3 * (1 - n) * \text{AppellF1}[5/2, 1 + m + n, 2 - n, 7/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2]) / 5 + (3 * (1 + m + n) * \text{AppellF1}[5/2, 2 + m + n, 1 - n, 7/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] * \sec[(e + fx)/2]^2 * \tan[(e + fx)/2]) / 5)) / (3 * \text{AppellF1}[1/2, m + n, 1 - n, 3/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + 2 * ((-1 + n) * \text{AppellF1}[3/2, m + n, 2 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)/2]^2] + (m + n) * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + fx)/2]^2, -\tan[(e + fx)
\end{aligned}$$

$x)/2]^2]) * \tan[(e + f*x)/2]^2 + (B * \text{AppellF1}[1/2, 1 + m + n, -n, 3/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] * ((n * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] * \text{Sec}[(e + f*x)/2]^2 * \tan[(e + f*x)/2])) / 3 + ((1 + m + n) * \text{AppellF1}[3/2, 2 + m + n, -n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] * \text{Sec}[(e + f*x)/2]^2 * \tan[(e + f*x)/2]) / 3 + (2 * (n * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] + (1 + m + n) * \text{AppellF1}[3/2, 2 + m + n, -n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2]) * \text{Sec}[(e + f*x)/2]^2 * \tan[(e + f*x)/2]) / 3 + (2 * \tan[(e + f*x)/2]^2 * (n * ((-3 * (1 - n) * \text{AppellF1}[5/2, 1 + m + n, 2 - n, 7/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] * \text{Sec}[(e + f*x)/2]^2 * \tan[(e + f*x)/2]) / 5 + (3 * (1 + m + n) * \text{AppellF1}[5/2, 2 + m + n, 1 - n, 7/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] * \text{Sec}[(e + f*x)/2]^2 * \tan[(e + f*x)/2]) / 5) + (1 + m + n) * ((3 * n * \text{AppellF1}[5/2, 2 + m + n, 1 - n, 7/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] * \text{Sec}[(e + f*x)/2]^2 * \tan[(e + f*x)/2]) / 5 + (3 * (2 + m + n) * \text{AppellF1}[5/2, 3 + m + n, -n, 7/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] * \text{Sec}[(e + f*x)/2]^2 * \tan[(e + f*x)/2]) / 5)) / 3)) / (\text{AppellF1}[1/2, 1 + m + n, -n, 3/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] + (2 * (n * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] + (1 + m + n) * \text{AppellF1}[3/2, 2 + m + n, -n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2]) * \tan[(e + f*x)/2]^2 / 3) / (-1 + \tan[(e + f*x)/2]^2) + (2^(1 + m) * (m + n) * (\text{Sec}[(e + f*x)/2]^2)^n * (\cos[(e + f*x)/2]^2 * \text{Sec}[e + f*x])^(-1 + m + n) * \tan[(e + f*x)/2] * ((-3 * A * \text{AppellF1}[1/2, m + n, 1 - n, 3/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] * \cos[e + f*x]) / (3 * \text{AppellF1}[1/2, m + n, 1 - n, 3/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] + 2 * ((-1 + n) * \text{AppellF1}[3/2, m + n, 2 - n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] + (m + n) * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2]) * \tan[(e + f*x)/2]^2) - (B * \text{AppellF1}[1/2, 1 + m + n, -n, 3/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2]) / (\text{AppellF1}[1/2, 1 + m + n, -n, 3/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] + (2 * (n * \text{AppellF1}[3/2, 1 + m + n, 1 - n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2] + (1 + m + n) * \text{AppellF1}[3/2, 2 + m + n, -n, 5/2, \tan[(e + f*x)/2]^2, -\tan[(e + f*x)/2]^2]) * \tan[(e + f*x)/2]^2 / 3)) * (-\cos[(e + f*x)/2] * \text{Sec}[e + f*x] * \sin[(e + f*x)/2]) + \cos[(e + f*x)/2]^2 * \text{Sec}[e + f*x] * \tan[e + f*x]) / (-1 + \tan[(e + f*x)/2]^2))$

Maple [F] time = 1.236, size = 0, normalized size = 0.

$$\int (c \sec(fx + e))^n (a + a \sec(fx + e))^m (A + B \sec(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sec(f*x+e))^n*(a+a*sec(f*x+e))^m*(A+B*sec(f*x+e)),x)

[Out] `int((c*sec(f*x+e))^n*(a+a*sec(f*x+e))^m*(A+B*sec(f*x+e)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(fx + e) + A)(a \sec(fx + e) + a)^m (c \sec(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sec(f*x+e))^n*(a+a*sec(f*x+e))^m*(A+B*sec(f*x+e)),x, algorithm="maxima")`

[Out] `integrate((B*sec(f*x + e) + A)*(a*sec(f*x + e) + a)^m*(c*sec(f*x + e))^n, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \sec(fx + e) + A\right)\left(a \sec(fx + e) + a\right)^m \left(c \sec(fx + e)\right)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sec(f*x+e))^n*(a+a*sec(f*x+e))^m*(A+B*sec(f*x+e)),x, algorithm="fricas")`

[Out] `integral((B*sec(f*x + e) + A)*(a*sec(f*x + e) + a)^m*(c*sec(f*x + e))^n, x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sec(f*x+e))**n*(a+a*sec(f*x+e))**m*(A+B*sec(f*x+e)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(fx + e) + A)(a \sec(fx + e) + a)^m (c \sec(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*sec(f*x+e))^n*(a+a*sec(f*x+e))^m*(A+B*sec(f*x+e)),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(f*x + e) + A)*(a*sec(f*x + e) + a)^m*(c*sec(f*x + e))^n, x
)
```

$$3.276 \quad \int \sec^{-1-n}(c+dx)(a+a\sec(c+dx))^n(A+B\sec(c+dx))dx$$

Optimal. Leaf size=164

$$\frac{(An+Bn+B)\sin(c+dx)\sec^{1-n}(c+dx)\left(\frac{\sec(c+dx)+1}{1-\sec(c+dx)}\right)^{\frac{1}{2}-n}(a\sec(c+dx)+a)^n \text{Hypergeometric2F1}\left(\frac{1}{2}-n, -n, 1-n, -\frac{2\sec(c+dx)}{1-\sec(c+dx)}\right)}{dn(n+1)(\sec(c+dx)+1)}$$

[Out] (A*(a+a*Sec[c+d*x])^n*Sin[c+d*x])/(d*(1+n)*Sec[c+d*x]^n)+((B+A*n+B*n)*Hypergeometric2F1[1/2-n,-n,1-n,(-2*Sec[c+d*x])/(1-Sec[c+d*x])]*Sec[c+d*x]^(1-n)*((1+Sec[c+d*x])/(1-Sec[c+d*x]))^(1/2-n)*(a+a*Sec[c+d*x])^n*Sin[c+d*x])/(d*n*(1+n)*(1+Sec[c+d*x]))

Rubi [A] time = 0.255129, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {4013, 3828, 3825, 132}

$$\frac{(An+Bn+B)\sin(c+dx)\sec^{1-n}(c+dx)\left(\frac{\sec(c+dx)+1}{1-\sec(c+dx)}\right)^{\frac{1}{2}-n}(a\sec(c+dx)+a)^n {}_2F_1\left(\frac{1}{2}-n, -n; 1-n; -\frac{2\sec(c+dx)}{1-\sec(c+dx)}\right)}{dn(n+1)(\sec(c+dx)+1)} + \frac{A\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c+d*x]^(-1-n)*(a+a*Sec[c+d*x])^n*(A+B*Sec[c+d*x]),x]

[Out] (A*(a+a*Sec[c+d*x])^n*Sin[c+d*x])/(d*(1+n)*Sec[c+d*x]^n)+((B+A*n+B*n)*Hypergeometric2F1[1/2-n,-n,1-n,(-2*Sec[c+d*x])/(1-Sec[c+d*x])]*Sec[c+d*x]^(1-n)*((1+Sec[c+d*x])/(1-Sec[c+d*x]))^(1/2-n)*(a+a*Sec[c+d*x])^n*Sin[c+d*x])/(d*n*(1+n)*(1+Sec[c+d*x]))

Rule 4013

Int[(csc[(e_.)+(f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.)+(f_.)*(x_.)]*(b_.)+(a_.))^(m_.)*(csc[(e_.)+(f_.)*(x_.)]*(B_.)+(A_.)), x_Symbol] :> Simp[(A*Cot[e+f*x]*(a+b*Csc[e+f*x])^m*(d*Csc[e+f*x])^n)/(f*n), x] - Dist[(a*A*m-b*B*n)/(b*d*n), Int[(a+b*Csc[e+f*x])^m*(d*Csc[e+f*x])^(n+1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b-a*B, 0] && EqQ[a^

$2 - b^2, 0] \&\& \text{EqQ}[m + n + 1, 0] \&\& !\text{LeQ}[m, -1]$

Rule 3828

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \text{ :> } \text{Dist}[(a^{\text{IntPart}[m]}*(a + b*\text{Csc}[e + f*x])^{\text{FracPart}[m]})/(1 + (b*\text{Csc}[e + f*x])/a)^{\text{FracPart}[m]}, \text{Int}[(1 + (b*\text{Csc}[e + f*x])/a)^m*(d*\text{Csc}[e + f*x])^n, x], x] \text{ /; } \text{FreeQ}[\{a, b, d, e, f, m, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[m] \&\& !\text{GtQ}[a, 0]$

Rule 3825

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \text{ :> } -\text{Dist}[(((a*d)/b)^n*\text{Cot}[e + f*x])/(a^{(n-2)}*f*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[a - b*\text{Csc}[e + f*x]]), \text{Subst}[\text{Int}[(a-x)^{(n-1)}*(2*a-x)^{(m-1/2)})/\text{Sqrt}[x], x], x, a - b*\text{Csc}[e + f*x], x] \text{ /; } \text{FreeQ}[\{a, b, d, e, f, m, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[m] \&\& \text{GtQ}[a, 0] \&\& !\text{IntegerQ}[n] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 132

$\text{Int}[(a_. + (b_.)(x_.))^{(m_.)}*((c_.) + (d_.)(x_.))^{(n_.)}*((e_.) + (f_.)(x_.))^{(p_.)}, x_Symbol] \text{ :> } \text{Simp}[((a + b*x)^{(m+1)}*(c + d*x)^n*(e + f*x)^{(p+1)}*\text{Hypergeometric2F1}[m + 1, -n, m + 2, -(((d*e - c*f)*(a + b*x))/((b*c - a*d)*(e + f*x)))]/(((b*e - a*f)*(m + 1))*(((b*e - a*f)*(c + d*x))/((b*c - a*d)*(e + f*x)))^n), x] \text{ /; } \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \&\& \text{EqQ}[m + n + p + 2, 0] \&\& !\text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned} \int \sec^{-1-n}(c + dx)(a + a \sec(c + dx))^n(A + B \sec(c + dx)) dx &= \frac{A \sec^{-n}(c + dx)(a + a \sec(c + dx))^n \sin(c + dx)}{d(1 + n)} + \frac{(B + a \sec(c + dx))^n \sin(c + dx)}{d} \\ &= \frac{A \sec^{-n}(c + dx)(a + a \sec(c + dx))^n \sin(c + dx)}{d(1 + n)} + \frac{((B + a \sec(c + dx))^n \sin(c + dx))}{d} \\ &= \frac{A \sec^{-n}(c + dx)(a + a \sec(c + dx))^n \sin(c + dx)}{d(1 + n)} + \frac{((B + a \sec(c + dx))^n \sin(c + dx))}{d} \\ &= \frac{A \sec^{-n}(c + dx)(a + a \sec(c + dx))^n \sin(c + dx)}{d(1 + n)} + \frac{(B + a \sec(c + dx))^n \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 1.07748, size = 111, normalized size = 0.68

$$\frac{\sin(c + dx) \sec^{-n}(c + dx) (a(\sec(c + dx) + 1))^n \left(\frac{(An+Bn+B) \left(-\cot^2\left(\frac{1}{2}(c+dx)\right) \right)^{\frac{1}{2}-n} \text{Hypergeometric2F1}\left(\frac{1}{2}-n, -n, 1-n, \csc^2\left(\frac{1}{2}(c+dx)\right)\right)}{n(\cos(c+dx)+1)} + A \right)}{d(n+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^(-1 - n)*(a + a*Sec[c + d*x])^n*(A + B*Sec[c + d*x]), x]
```

```
[Out] ((A + ((B + A*n + B*n)*(-Cot[(c + d*x)/2]^2)^(1/2 - n)*Hypergeometric2F1[1/2 - n, -n, 1 - n, Csc[(c + d*x)/2]^2])/(n*(1 + Cos[c + d*x])))*(a*(1 + Sec[c + d*x]))^n*Sin[c + d*x])/(d*(1 + n)*Sec[c + d*x]^n)
```

Maple [F] time = 1.14, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^{-1-n} (a + a \sec(dx + c))^n (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)), x)
```

```
[Out] int(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)), x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^n \sec(dx + c)^{-n-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)), x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \sec(dx + c) + A)(a \sec(dx + c) + a)^n \sec(dx + c)^{-n-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(-1-n)*(a+a*sec(d*x+c))**n*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^n \sec(dx + c)^{-n-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(-1-n)*(a+a*sec(d*x+c))^n*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^n*sec(d*x + c)^(-n - 1), x)

$$3.277 \quad \int \sec^3(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=114

$$\frac{(aB + Ab) \tan^3(c + dx)}{3d} + \frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(4aA + 3bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4aA + 3bB) \tan(c + dx) \sec(c + dx)}{8d}$$

[Out] $((4*a*A + 3*b*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((A*b + a*B)*Tan[c + d*x])/d + ((4*a*A + 3*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (b*B*Sec[c + d*x]^3 * Tan[c + d*x])/(4*d) + ((A*b + a*B)*Tan[c + d*x]^3)/(3*d)$

Rubi [A] time = 0.145108, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3997, 3787, 3768, 3770, 3767}

$$\frac{(aB + Ab) \tan^3(c + dx)}{3d} + \frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(4aA + 3bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4aA + 3bB) \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] $((4*a*A + 3*b*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((A*b + a*B)*Tan[c + d*x])/d + ((4*a*A + 3*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (b*B*Sec[c + d*x]^3 * Tan[c + d*x])/(4*d) + ((A*b + a*B)*Tan[c + d*x]^3)/(3*d)$

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned} \int \sec^3(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{bB \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \sec^3(c + dx)(4aA + 3bB) \\ &= \frac{bB \sec^3(c + dx) \tan(c + dx)}{4d} + (Ab + aB) \int \sec^4(c + dx) dx \\ &= \frac{(4aA + 3bB) \sec(c + dx) \tan(c + dx)}{8d} + \frac{bB \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{(4aA + 3bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(Ab + aB) \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.617527, size = 85, normalized size = 0.75

$$\frac{3(4aA + 3bB) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) (8(aB + Ab)(\cos(2(c + dx)) + 2) \sec(c + dx) + 12aA + 6bB)}{24d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]
```

```
[Out] (3*(4*a*A + 3*b*B)*ArcTanh[Sin[c + d*x]] + Sec[c + d*x]*(12*a*A + 9*b*B + 8
*(A*b + a*B)*(2 + Cos[2*(c + d*x)])*Sec[c + d*x] + 6*b*B*Sec[c + d*x]^2)*Tan
n[c + d*x])/(24*d)
```

Maple [A] time = 0.033, size = 171, normalized size = 1.5

$$\frac{Aa \sec(dx+c) \tan(dx+c)}{2d} + \frac{Aa \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{2Ba \tan(dx+c)}{3d} + \frac{Ba (\sec(dx+c))^2 \tan(dx+c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] 1/2/d*A*a*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a*ln(sec(d*x+c)+tan(d*x+c))+2/3*a*B*tan(d*x+c)/d+1/3*a*B*sec(d*x+c)^2*tan(d*x+c)/d+2/3/d*A*b*tan(d*x+c)+1/3/d*A*b*tan(d*x+c)*sec(d*x+c)^2+1/4*b*B*sec(d*x+c)^3*tan(d*x+c)/d+3/8*b*B*sec(d*x+c)*tan(d*x+c)/d+3/8/d*B*b*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.981238, size = 220, normalized size = 1.93

$$\frac{16(\tan(dx+c)^3 + 3 \tan(dx+c))Ba + 16(\tan(dx+c)^3 + 3 \tan(dx+c))Ab - 3Bb \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) \right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/48*(16*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*b - 3*B*b*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*A*a*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)))/d

Fricas [A] time = 0.825603, size = 352, normalized size = 3.09

$$\frac{3(4Aa + 3Bb) \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3(4Aa + 3Bb) \cos(dx+c)^4 \log(-\sin(dx+c) + 1) + 2(16(Ba + Ab) \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3Bb \log(\sin(dx+c) + 1) + 3Bb \log(\sin(dx+c) - 1))}{48d \cos(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{48}*(3*(4*A*a + 3*B*b)*\cos(d*x + c)^4*\log(\sin(d*x + c) + 1) - 3*(4*A*a + 3*B*b)*\cos(d*x + c)^4*\log(-\sin(d*x + c) + 1) + 2*(16*(B*a + A*b)*\cos(d*x + c)^3 + 3*(4*A*a + 3*B*b)*\cos(d*x + c)^2 + 6*B*b + 8*(B*a + A*b)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))*sec(c + d*x)**3, x)

Giac [B] time = 1.26879, size = 410, normalized size = 3.6

$$3(4Aa + 3Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(4Aa + 3Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(12Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 15Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 12Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 40Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 40Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 9Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 12Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 40Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 40Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 24Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 24Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1)^4} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{24}*(3*(4*A*a + 3*B*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(4*A*a + 3*B*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*(12*A*a*\tan(1/2*d*x + 1/2*c)^7 - 24*B*a*\tan(1/2*d*x + 1/2*c)^7 - 24*A*b*\tan(1/2*d*x + 1/2*c)^7 + 15*B*b*\tan(1/2*d*x + 1/2*c)^7 - 12*A*a*\tan(1/2*d*x + 1/2*c)^5 + 40*B*a*\tan(1/2*d*x + 1/2*c)^5 + 40*A*b*\tan(1/2*d*x + 1/2*c)^5 + 9*B*b*\tan(1/2*d*x + 1/2*c)^5 - 12*A*a*\tan(1/2*d*x + 1/2*c)^3 - 40*B*a*\tan(1/2*d*x + 1/2*c)^3 - 40*A*b*\tan(1/2*d*x + 1/2*c)^3 + 9*B*b*\tan(1/2*d*x + 1/2*c)^3 + 12*A*a*\tan(1/2*d*x + 1/2*c) + 24*B*a*\tan(1/2*d*x + 1/2*c) + 24*A*b*\tan(1/2*d*x + 1/2*c) + 15*B*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4)/d$

$$3.278 \quad \int \sec^2(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=93

$$\frac{(3aA + 2bB) \tan(c + dx)}{3d} + \frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aB + Ab) \tan(c + dx) \sec(c + dx)}{2d} + \frac{bB \tan(c + dx) \sec^2(c + dx)}{3d}$$

[Out] ((A*b + a*B)*ArcTanh[Sin[c + d*x]])/(2*d) + ((3*a*A + 2*b*B)*Tan[c + d*x])/(3*d) + ((A*b + a*B)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (b*B*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.132709, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {3997, 3787, 3767, 8, 3768, 3770}

$$\frac{(3aA + 2bB) \tan(c + dx)}{3d} + \frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aB + Ab) \tan(c + dx) \sec(c + dx)}{2d} + \frac{bB \tan(c + dx) \sec^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] ((A*b + a*B)*ArcTanh[Sin[c + d*x]])/(2*d) + ((3*a*A + 2*b*B)*Tan[c + d*x])/(3*d) + ((A*b + a*B)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (b*B*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \sec^2(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{bB \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \sec^2(c + dx)(3aA + 2bB) \\ &= \frac{bB \sec^2(c + dx) \tan(c + dx)}{3d} + (Ab + aB) \int \sec^3(c + dx) dx \\ &= \frac{(Ab + aB) \sec(c + dx) \tan(c + dx)}{2d} + \frac{bB \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{(Ab + aB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(3aA + 2bB) \tan(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.268569, size = 67, normalized size = 0.72

$$\frac{3(aB + Ab) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(aB + Ab) \sec(c + dx) + 6aA + 2bB \tan^2(c + dx) + 6bB)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] $(3*(A*b + a*B)*\text{ArcTanh}[\text{Sin}[c + d*x]] + \text{Tan}[c + d*x]*(6*a*A + 6*b*B + 3*(A*b + a*B)*\text{Sec}[c + d*x] + 2*b*B*\text{Tan}[c + d*x]^2))/(6*d)$

Maple [A] time = 0.027, size = 128, normalized size = 1.4

$$\frac{Aa \tan(dx + c)}{d} + \frac{B \sec(dx + c) a \tan(dx + c)}{2d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{A \sec(dx + c) b \tan(dx + c)}{2d} + \frac{A^2 \tan(dx + c)}{2d} + \frac{B^2 \sec(dx + c)^2}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] $1/d*A*a*\tan(d*x+c)+1/2*a*B*\sec(d*x+c)*\tan(d*x+c)/d+1/2/d*B*a*\ln(\sec(d*x+c)+\tan(d*x+c))+1/2/d*A*b*\sec(d*x+c)*\tan(d*x+c)+1/2/d*A*b*\ln(\sec(d*x+c)+\tan(d*x+c))+2/3*b*B*\tan(d*x+c)/d+1/3*b*B*\sec(d*x+c)^2*\tan(d*x+c)/d$

Maxima [A] time = 0.974597, size = 171, normalized size = 1.84

$$\frac{4 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Bb - 3 Ba \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) - 3 Ab \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 12 A a \tan(dx + c)}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/12*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*b - 3*B*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 3*A*b*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 12*A*a*\tan(d*x + c))/d$

Fricas [A] time = 0.979597, size = 298, normalized size = 3.2

$$\frac{3(Ba + Ab) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(Ba + Ab) \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2 \left(2(3Aa + 2Bb) \cos(dx + c) \right)}{12 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12} \cdot (3 \cdot (B \cdot a + A \cdot b) \cdot \cos(d \cdot x + c)^3 \cdot \log(\sin(d \cdot x + c) + 1) - 3 \cdot (B \cdot a + A \cdot b) \cdot \cos(d \cdot x + c)^3 \cdot \log(-\sin(d \cdot x + c) + 1) + 2 \cdot (2 \cdot (3 \cdot A \cdot a + 2 \cdot B \cdot b) \cdot \cos(d \cdot x + c)^2 + 2 \cdot B \cdot b + 3 \cdot (B \cdot a + A \cdot b) \cdot \cos(d \cdot x + c)) \cdot \sin(d \cdot x + c)) / (d \cdot \cos(d \cdot x + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))*sec(c + d*x)**2, x)

Giac [B] time = 1.24908, size = 284, normalized size = 3.05

$$3(Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{6} \cdot (3 \cdot (B \cdot a + A \cdot b) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) - 3 \cdot (B \cdot a + A \cdot b) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) - 2 \cdot (6 \cdot A \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 3 \cdot B \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 3 \cdot A \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 6 \cdot B \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 12 \cdot A \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 4 \cdot B \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 6 \cdot A \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 3 \cdot B \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 3 \cdot A \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot B \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^3 / d$

$$3.279 \quad \int \sec(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=61

$$\frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(2aA + bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bB \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] $((2*a*A + b*B)*ArcTanh[Sin[c + d*x]])/(2*d) + ((A*b + a*B)*Tan[c + d*x])/d + (b*B*Sec[c + d*x]*Tan[c + d*x])/(2*d)$

Rubi [A] time = 0.0775628, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {3997, 3787, 3770, 3767, 8}

$$\frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(2aA + bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bB \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $((2*a*A + b*B)*ArcTanh[Sin[c + d*x]])/(2*d) + ((A*b + a*B)*Tan[c + d*x])/d + (b*B*Sec[c + d*x]*Tan[c + d*x])/(2*d)$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{\wedge}n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}n*\text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& !\text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \text{ :> } \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}(n + 1), x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \sec(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{bB \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \sec(c + dx)(2aA + bB + 2) dx \\ &= \frac{bB \sec(c + dx) \tan(c + dx)}{2d} + (Ab + aB) \int \sec^2(c + dx) dx + \\ &= \frac{(2aA + bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bB \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{(2aA + bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(Ab + aB) \tan(c + dx)}{d} + \end{aligned}$$

Mathematica [A] time = 0.0220697, size = 75, normalized size = 1.23

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \tan(c + dx)}{d} + \frac{Ab \tan(c + dx)}{d} + \frac{bB \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bB \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a*A*ArcTanh[Sin[c + d*x]])/d + (b*B*ArcTanh[Sin[c + d*x]])/(2*d) + (A*b*Tan[c + d*x])/d + (a*B*Tan[c + d*x])/d + (b*B*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

Maple [A] time = 0.029, size = 86, normalized size = 1.4

$$\frac{Aa \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Ba \tan(dx + c)}{d} + \frac{Ab \tan(dx + c)}{d} + \frac{Bb \sec(dx + c) \tan(dx + c)}{2d} + \frac{Bb \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] $\frac{1}{d}Aa \ln(\sec(dx+c) + \tan(dx+c)) + aB \tan(dx+c)/d + \frac{1}{2}dAb \tan(dx+c) + \frac{1}{2}bB \sec(dx+c) \tan(dx+c)/d + \frac{1}{2}dBb \ln(\sec(dx+c) + \tan(dx+c))$

Maxima [A] time = 0.962849, size = 119, normalized size = 1.95

$$\frac{Bb \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 4Aa \log(\sec(dx+c) + \tan(dx+c)) - 4Ba \tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-\frac{1}{4}Bb \frac{(2 \sin(dx+c))}{(\sin(dx+c)^2-1)} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) - 4Aa \log(\sec(dx+c) + \tan(dx+c)) - 4Bb \tan(dx+c) - 4A \frac{b \tan(dx+c)}{d}$

Fricas [A] time = 0.80849, size = 247, normalized size = 4.05

$$\frac{(2Aa + Bb) \cos(dx+c)^2 \log(\sin(dx+c) + 1) - (2Aa + Bb) \cos(dx+c)^2 \log(-\sin(dx+c) + 1) + 2(Bb + 2(Ba + Ab) \sin(dx+c))}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{4}((2Aa + Bb) \cos(dx+c)^2 \log(\sin(dx+c) + 1) - (2Aa + Bb) \cos(dx+c)^2 \log(-\sin(dx+c) + 1) + 2(Bb + 2(Ba + Ab) \sin(dx+c)))/d$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))*sec(c + d*x), x)

Giac [B] time = 1.24083, size = 207, normalized size = 3.39

$$(2 A a + B b) \log \left(\left| \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) + 1 \right| \right) - (2 A a + B b) \log \left(\left| \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left(2 B a \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right)^3 + 2 A b \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((2*A*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*A*a + B*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*B*a*tan(1/2*d*x + 1/2*c)^3 + 2*A*b*tan(1/2*d*x + 1/2*c)^3 - B*b*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c) - 2*A*b*tan(1/2*d*x + 1/2*c) - B*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d

3.280 $\int (a + b \sec(c + dx))(A + B \sec(c + dx)) dx$

Optimal. Leaf size=35

$$\frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{d} + aAx + \frac{bB \tan(c + dx)}{d}$$

[Out] a*A*x + ((A*b + a*B)*ArcTanh[Sin[c + d*x]])/d + (b*B*Tan[c + d*x])/d

Rubi [A] time = 0.0346277, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {3914, 3767, 8, 3770}

$$\frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{d} + aAx + \frac{bB \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] a*A*x + ((A*b + a*B)*ArcTanh[Sin[c + d*x]])/d + (b*B*Tan[c + d*x])/d

Rule 3914

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Simp[a*c*x, x] + (Dist[b*d, Int[Csc[e + f*x]^2, x], x] + Dist[b*c + a*d, Int[Csc[e + f*x], x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[b*c + a*d, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 3770


```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= aAx + (bB) \int \sec^2(c + dx) dx + (Ab + aB) \int \sec(c + dx) dx \\ &= aAx + \frac{(Ab + aB) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(bB) \text{Subst}(\int 1 dx, x, -\tan(c + dx))}{d} \\ &= aAx + \frac{(Ab + aB) \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \tan(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.0098725, size = 43, normalized size = 1.23

$$aAx + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + \frac{Ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]
```

```
[Out] a*A*x + (A*b*ArcTanh[Sin[c + d*x]])/d + (a*B*ArcTanh[Sin[c + d*x]])/d + (b*B*Tan[c + d*x])/d
```

Maple [A] time = 0.029, size = 65, normalized size = 1.9

$$aAx + \frac{Ab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Aac}{d} + \frac{Ba \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bb \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)
```

```
[Out] a*A*x+1/d*A*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a*c+1/d*B*a*ln(sec(d*x+c)+tan(d*x+c))+b*B*tan(d*x+c)/d
```

Maxima [A] time = 0.98273, size = 76, normalized size = 2.17

$$\frac{(dx + c)Aa + Ba \log(\sec(dx + c) + \tan(dx + c)) + Ab \log(\sec(dx + c) + \tan(dx + c)) + Bb \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] ((d*x + c)*A*a + B*a*log(sec(d*x + c) + tan(d*x + c)) + A*b*log(sec(d*x + c) + tan(d*x + c)) + B*b*tan(d*x + c))/d

Fricas [B] time = 0.503204, size = 225, normalized size = 6.43

$$\frac{2 A a d x \cos(dx + c) + (B a + A b) \cos(dx + c) \log(\sin(dx + c) + 1) - (B a + A b) \cos(dx + c) \log(-\sin(dx + c) + 1) + 2 B b \sin(dx + c)}{2 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*A*a*d*x*cos(d*x + c) + (B*a + A*b)*cos(d*x + c)*log(sin(d*x + c) + 1) - (B*a + A*b)*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*B*b*sin(d*x + c))/(d*cos(d*x + c))

Sympy [A] time = 10.1132, size = 71, normalized size = 2.03

$$\begin{cases} \frac{Aa(c+dx)+Ab \log(\tan(c+dx)+\sec(c+dx))+Ba \log(\tan(c+dx)+\sec(c+dx))+Bb \tan(c+dx)}{d} & \text{for } d \neq 0 \\ x(A + B \sec(c))(a + b \sec(c)) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Piecewise((((A*a*(c + d*x) + A*b*log(tan(c + d*x) + sec(c + d*x)) + B*a*log(tan(c + d*x) + sec(c + d*x)) + B*b*tan(c + d*x))/d, Ne(d, 0)), (x*(A + B*sec(c))*(a + b*sec(c)), True))

Giac [B] time = 1.21419, size = 113, normalized size = 3.23

$$\frac{(dx + c)Aa + (Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*A*a + (B*a + A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (B*a + A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*B*b*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1))/d

$$3.281 \quad \int \cos(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=35

$$x(aB + Ab) + \frac{aA \sin(c + dx)}{d} + \frac{bB \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (A*b + a*B)*x + (b*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d

Rubi [A] time = 0.0546407, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {3996, 3770}

$$x(aB + Ab) + \frac{aA \sin(c + dx)}{d} + \frac{bB \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (A*b + a*B)*x + (b*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Sin[c + d*x])/d

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] / ; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \sin(c + dx)}{d} - \int (-Ab - aB - bB \sec(c + dx)) dx \\
&= (Ab + aB)x + \frac{aA \sin(c + dx)}{d} + (bB) \int \sec(c + dx) dx \\
&= (Ab + aB)x + \frac{bB \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \sin(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.0281508, size = 46, normalized size = 1.31

$$\frac{aA \sin(c) \cos(dx)}{d} + \frac{aA \cos(c) \sin(dx)}{d} + aBx + Abx + \frac{bB \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] A*b*x + a*B*x + (b*B*ArcTanh[Sin[c + d*x]])/d + (a*A*Cos[d*x]*Sin[c])/d + (a*A*Cos[c]*Sin[d*x])/d

Maple [A] time = 0.047, size = 56, normalized size = 1.6

$$Abx + Bax + \frac{A \sin(dx + c) a}{d} + \frac{Abc}{d} + \frac{Bb \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] A*b*x+B*a*x+a*A*sin(d*x+c)/d+1/d*A*b*c+1/d*B*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a*c

Maxima [A] time = 0.963863, size = 78, normalized size = 2.23

$$\frac{2(dx + c)Ba + 2(dx + c)Ab + Bb(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Aa \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{2}*(2*(d*x + c)*B*a + 2*(d*x + c)*A*b + B*b*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 2*A*a*\sin(d*x + c))/d$

Fricas [A] time = 0.493503, size = 142, normalized size = 4.06

$$\frac{2(Ba + Ab)dx + Bb \log(\sin(dx + c) + 1) - Bb \log(-\sin(dx + c) + 1) + 2Aa \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*(B*a + A*b)*d*x + B*b*\log(\sin(d*x + c) + 1) - B*b*\log(-\sin(d*x + c) + 1) + 2*A*a*\sin(d*x + c))/d$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx)) \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))*cos(c + d*x), x)

Giac [B] time = 1.21985, size = 107, normalized size = 3.06

$$\frac{Bb \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - Bb \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + (Ba + Ab)(dx + c) + \frac{2Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] (B*b*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - B*b*log(abs(tan(1/2*d*x + 1/2*c)
- 1)) + (B*a + A*b)*(d*x + c) + 2*A*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1
/2*c)^2 + 1))/d
```

$$3.282 \quad \int \cos^2(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=52

$$\frac{(aB + Ab) \sin(c + dx)}{d} + \frac{1}{2}x(aA + 2bB) + \frac{aA \sin(c + dx) \cos(c + dx)}{2d}$$

[Out] ((a*A + 2*b*B)*x)/2 + ((A*b + a*B)*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rubi [A] time = 0.0959616, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3996, 3787, 2637, 8}

$$\frac{(aB + Ab) \sin(c + dx)}{d} + \frac{1}{2}x(aA + 2bB) + \frac{aA \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] ((a*A + 2*b*B)*x)/2 + ((A*b + a*B)*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*Sin[c + d*x])/(2*d)

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] / ; FreeQ[{a, b, d, e, f, n}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx)(-2(Ab + aB)) \\ &= \frac{aA \cos(c + dx) \sin(c + dx)}{2d} - (-Ab - aB) \int \cos(c + dx) dx \\ &= \frac{1}{2}(aA + 2bB)x + \frac{(Ab + aB) \sin(c + dx)}{d} + \frac{aA \cos(c + dx) \sin(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.0822269, size = 51, normalized size = 0.98

$$\frac{4(aB + Ab) \sin(c + dx) + aA \sin(2(c + dx)) + 2aAc + 2aAdx + 4bBdx}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (2*a*A*c + 2*a*A*d*x + 4*b*B*d*x + 4*(A*b + a*B)*Sin[c + d*x] + a*A*Ssin[2*(c + d*x)])/(4*d)

Maple [A] time = 0.051, size = 57, normalized size = 1.1

$$\frac{1}{d} \left(Aa \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Ab \sin(dx + c) + Ba \sin(dx + c) + Bb(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] 1/d*(A*a*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*b*sin(d*x+c)+B*a*sin(d*x+c)+B*b*(d*x+c))

Maxima [A] time = 0.959907, size = 74, normalized size = 1.42

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa + 4(dx + c)Bb + 4Ba \sin(dx + c) + 4Ab \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a + 4*(d*x + c)*B*b + 4*B*a*sin(d*x + c) + 4*A*b*sin(d*x + c))/d

Fricas [A] time = 0.468127, size = 104, normalized size = 2.

$$\frac{(Aa + 2Bb)dx + (Aa \cos(dx + c) + 2Ba + 2Ab) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/2*((A*a + 2*B*b)*d*x + (A*a*cos(d*x + c) + 2*B*a + 2*A*b)*sin(d*x + c))/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx)) \cos^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))*cos(c + d*x)**2, x)

Giac [B] time = 1.16937, size = 163, normalized size = 3.13

$$(Aa + 2Bb)(dx + c) - \frac{2\left(Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 2Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)^2}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*((A*a + 2*B*b)*(d*x + c) - 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c)^3 - 2*A*b*tan(1/2*d*x + 1/2*c)^3 - A*a*tan(1/2*d*x + 1/2*c) - 2*B*a*tan(1/2*d*x + 1/2*c) - 2*A*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d

3.283 $\int \cos^3(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$

Optimal. Leaf size=84

$$\frac{(2aA + 3bB) \sin(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}x(aB + Ab) + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d}$$

[Out] $((A*b + a*B)*x)/2 + ((2*a*A + 3*b*B)*\text{Sin}[c + d*x])/(3*d) + ((A*b + a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a*A*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rubi [A] time = 0.125352, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3996, 3787, 2635, 8, 2637}

$$\frac{(2aA + 3bB) \sin(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}x(aB + Ab) + \frac{aA \sin(c + dx) \cos^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $((A*b + a*B)*x)/2 + ((2*a*A + 3*b*B)*\text{Sin}[c + d*x])/(3*d) + ((A*b + a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a*A*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rule 3996

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n]/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}]*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n+1))*\text{Csc}[e + f*x], x], x] / ; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] / ; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
)*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx)(-3(Ab + aB) \sec(c + dx) + 3A) dx \\ &= \frac{aA \cos^2(c + dx) \sin(c + dx)}{3d} - (-Ab - aB) \int \cos^2(c + dx) dx + A \int \cos^2(c + dx) dx \\ &= \frac{(2aA + 3bB) \sin(c + dx)}{3d} + \frac{(Ab + aB) \cos(c + dx) \sin(c + dx)}{2d} + \frac{A}{2} \int \cos^2(c + dx) dx \\ &= \frac{1}{2}(Ab + aB)x + \frac{(2aA + 3bB) \sin(c + dx)}{3d} + \frac{(Ab + aB) \cos(c + dx) \sin(c + dx)}{2d} + \frac{Ax}{2} \end{aligned}$$

Mathematica [A] time = 0.156339, size = 75, normalized size = 0.89

$$\frac{3(3aA + 4bB) \sin(c + dx) + 3(aB + Ab) \sin(2(c + dx)) + aA \sin(3(c + dx)) + 6aBc + 6aBdx + 6Abc + 6Abdx}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]
```

```
[Out] (6*A*b*c + 6*a*B*c + 6*A*b*d*x + 6*a*B*d*x + 3*(3*a*A + 4*b*B)*Sin[c + d*x]
+ 3*(A*b + a*B)*Sin[2*(c + d*x)] + a*A*Ssin[3*(c + d*x)])/(12*d)
```

Maple [A] time = 0.059, size = 85, normalized size = 1.

$$\frac{1}{d} \left(\frac{Aa(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Ab \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Ba \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] $1/d*(1/3*A*a*(2+\cos(d*x+c)^2)*\sin(d*x+c)+A*b*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+B*a*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+B*\sin(d*x+c)*b)$

Maxima [A] time = 0.964429, size = 107, normalized size = 1.27

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa - 3(2dx+2c+\sin(2dx+2c))Ba - 3(2dx+2c+\sin(2dx+2c))Ab - 12Bb\sin(dx+c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-1/12*(4*(\sin(dx+c)^3 - 3*\sin(dx+c))*A*a - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a - 3*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*b - 12*B*b*\sin(dx+c))/d$

Fricas [A] time = 0.474375, size = 149, normalized size = 1.77

$$\frac{3(Ba + Ab)dx + (2Aa\cos(dx+c)^2 + 4Aa + 6Bb + 3(Ba + Ab)\cos(dx+c))\sin(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/6*(3*(B*a + A*b)*d*x + (2*A*a*\cos(d*x + c)^2 + 4*A*a + 6*B*b + 3*(B*a + A*b)*\cos(d*x + c))*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 1.16053, size = 243, normalized size = 2.89

$$3(Ba + Ab)(dx + c) + \frac{2\left(6Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3} \cdot \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/6*(3*(B*a + A*b)*(d*x + c) + 2*(6*A*a*tan(1/2*d*x + 1/2*c)^5 - 3*B*a*tan(1/2*d*x + 1/2*c)^5 - 3*A*b*tan(1/2*d*x + 1/2*c)^5 + 6*B*b*tan(1/2*d*x + 1/2*c)^5 + 4*A*a*tan(1/2*d*x + 1/2*c)^3 + 12*B*b*tan(1/2*d*x + 1/2*c)^3 + 6*A*a*tan(1/2*d*x + 1/2*c) + 3*B*a*tan(1/2*d*x + 1/2*c) + 3*A*b*tan(1/2*d*x + 1/2*c) + 6*B*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3/d

3.284 $\int \cos^4(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$

Optimal. Leaf size=105

$$-\frac{(aB + Ab) \sin^3(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx)}{d} + \frac{(3aA + 4bB) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(3aA + 4bB) + \frac{aA \sin(c + dx)}{d}$$

[Out] $((3*a*A + 4*b*B)*x)/8 + ((A*b + a*B)*\text{Sin}[c + d*x])/d + ((3*a*A + 4*b*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*A*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

Rubi [A] time = 0.138741, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3996, 3787, 2633, 2635, 8}

$$-\frac{(aB + Ab) \sin^3(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx)}{d} + \frac{(3aA + 4bB) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(3aA + 4bB) + \frac{aA \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $((3*a*A + 4*b*B)*x)/8 + ((A*b + a*B)*\text{Sin}[c + d*x])/d + ((3*a*A + 4*b*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*A*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

Rule 3996

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*a*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*\text{Csc}[e + f*x], x], x] / ; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] / ; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx)(-4(Ab + aB) \sec(c + dx)) dx \\ &= \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} - (-Ab - aB) \int \cos^3(c + dx) dx \\ &= \frac{(3aA + 4bB) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aA \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{1}{8}(3aA + 4bB)x + \frac{(Ab + aB) \sin(c + dx)}{d} + \frac{(3aA + 4bB) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

Mathematica [A] time = 0.235245, size = 91, normalized size = 0.87

$$\frac{-32(aB + Ab) \sin^3(c + dx) + 96(aB + Ab) \sin(c + dx) + 24(aA + bB) \sin(2(c + dx)) + 3aA \sin(4(c + dx)) + 36aAc + 36aBc}{96d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]
```

```
[Out] (36*a*A*c + 48*b*B*c + 36*a*A*d*x + 48*b*B*d*x + 96*(A*b + a*B)*Sin[c + d*x]
- 32*(A*b + a*B)*Sin[c + d*x]^3 + 24*(a*A + b*B)*Sin[2*(c + d*x)] + 3*a*A
*Sin[4*(c + d*x)])/(96*d)
```

Maple [A] time = 0.063, size = 107, normalized size = 1.

$$\frac{1}{d} \left(Aa \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ab(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + \frac{Ba(2 + (\cos(dx+c))^2) \sin(dx+c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] `1/d*(A*a*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a*(2+cos(d*x+c)^2)*sin(d*x+c)+B*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))`

Maxima [A] time = 0.960661, size = 136, normalized size = 1.3

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Aa - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Aa - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Aa - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*b + 24*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*b)/d`

Fricas [A] time = 0.476038, size = 205, normalized size = 1.95

$$\frac{3(3Aa + 4Bb)dx + (6Aa \cos(dx+c)^3 + 8(Ba + Ab) \cos(dx+c)^2 + 16Ba + 16Ab + 3(3Aa + 4Bb) \cos(dx+c)) \sin(dx+c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{24} \cdot (3 \cdot (3Aa + 4Bb) \cdot dx + (6Aa \cos(dx + c)^3 + 8(Ba + Ab) \cos(dx + c)^2 + 16Ba + 16Ab + 3(3Aa + 4Bb) \cos(dx + c)) \sin(dx + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**4*(a+b*sec(dx+c))*(A+B*sec(dx+c)), x)`

[Out] Timed out

Giac [B] time = 1.23204, size = 367, normalized size = 3.5

$$3(3Aa + 4Bb)(dx + c) - \frac{2 \left(15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 40Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 40Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 9Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 40Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 40Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 12Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 24Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 24Ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 12Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1)^4} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^4*(a+b*sec(dx+c))*(A+B*sec(dx+c)), x, algorithm="giac")`

[Out] $\frac{1}{24} \cdot (3 \cdot (3Aa + 4Bb) \cdot (dx + c) - 2 \cdot (15Aa \tan(1/2 \cdot dx + 1/2 \cdot c)^7 - 24Ba \tan(1/2 \cdot dx + 1/2 \cdot c)^7 - 24Ab \tan(1/2 \cdot dx + 1/2 \cdot c)^7 + 12Bb \tan(1/2 \cdot dx + 1/2 \cdot c)^7 - 9Aa \tan(1/2 \cdot dx + 1/2 \cdot c)^5 - 40Ba \tan(1/2 \cdot dx + 1/2 \cdot c)^5 - 40Ab \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 12Bb \tan(1/2 \cdot dx + 1/2 \cdot c)^5 + 9Aa \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 40Ba \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 40Ab \tan(1/2 \cdot dx + 1/2 \cdot c)^3 + 12Bb \tan(1/2 \cdot dx + 1/2 \cdot c)^3 - 15Aa \tan(1/2 \cdot dx + 1/2 \cdot c) - 24Ba \tan(1/2 \cdot dx + 1/2 \cdot c) - 24Ab \tan(1/2 \cdot dx + 1/2 \cdot c) - 12Bb \tan(1/2 \cdot dx + 1/2 \cdot c)) / (\tan(1/2 \cdot dx + 1/2 \cdot c)^2 + 1)^4) / d$

$$3.285 \quad \int \sec^3(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=198

$$\frac{(4a^2A + 6abB + 3Ab^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4a^2A + 6abB + 3Ab^2) \tan(c + dx) \sec(c + dx)}{8d} + \frac{(5a(aB + 2Ab) + 4b^2B)}{15d}$$

[Out] ((4*a^2*A + 3*A*b^2 + 6*a*b*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((4*b^2*B + 5*a*(2*A*b + a*B))*Tan[c + d*x])/(5*d) + ((4*a^2*A + 3*A*b^2 + 6*a*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (b*(5*A*b + 6*a*B)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (b*B*Sec[c + d*x]^3*(a + b*Sec[c + d*x])*Tan[c + d*x])/(5*d) + ((4*b^2*B + 5*a*(2*A*b + a*B))*Tan[c + d*x]^3)/(15*d)

Rubi [A] time = 0.290915, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4026, 4047, 3767, 4046, 3768, 3770}

$$\frac{(4a^2A + 6abB + 3Ab^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4a^2A + 6abB + 3Ab^2) \tan(c + dx) \sec(c + dx)}{8d} + \frac{(5a(aB + 2Ab) + 4b^2B)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] ((4*a^2*A + 3*A*b^2 + 6*a*b*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((4*b^2*B + 5*a*(2*A*b + a*B))*Tan[c + d*x])/(5*d) + ((4*a^2*A + 3*A*b^2 + 6*a*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (b*(5*A*b + 6*a*B)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (b*B*Sec[c + d*x]^3*(a + b*Sec[c + d*x])*Tan[c + d*x])/(5*d) + ((4*b^2*B + 5*a*(2*A*b + a*B))*Tan[c + d*x]^3)/(15*d)

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b

$^2, 0]$ && $\text{GtQ}[m, 1]$ && $!(\text{IGtQ}[n, 1] \ \&\& \ !\text{IntegerQ}[m])$

Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(b_.))^{(m_.)}*((A_.) + \text{csc}[(e_.) + (f_.)(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)(x_)]^2*(C_.)), x_Symbol] \text{ :> } \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] \text{ /; } \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] \text{ /; } \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)(x_)]^2*(C_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] \text{ /; } \text{FreeQ}[\{b, e, f, A, C, m\}, x] \ \&\& \ \text{NeQ}[C*m + A*(m + 1), 0] \ \&\& \ !\text{LeQ}[m, -1]$

Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)(x_)]*(b_.))^{(n_.)}, x_Symbol] \text{ :> } -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] \text{ /; } \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)(x_)], x_Symbol] \text{ :> } -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] \text{ /; } \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \sec^3(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx &= \frac{bB\sec^3(c+dx)(a+b\sec(c+dx))\tan(c+dx)}{5d} + \frac{1}{5}\int \sec^3(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{bB\sec^3(c+dx)(a+b\sec(c+dx))\tan(c+dx)}{5d} + \frac{1}{5}\int \sec^3(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{b(5Ab+6aB)\sec^3(c+dx)\tan(c+dx)}{20d} + \frac{bB\sec^3(c+dx)(a+b\sec(c+dx))\tan(c+dx)}{5d} \\
&= \frac{(4b^2B+5a(2Ab+aB))\tan(c+dx)}{5d} + \frac{(4a^2A+3Ab^2+6abB)\sec^3(c+dx)\tan(c+dx)}{5d} \\
&= \frac{(4a^2A+3Ab^2+6abB)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{(4b^2B+5a(2Ab+aB))\tan^2(c+dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 1.51414, size = 150, normalized size = 0.76

$$\frac{15(4a^2A+6abB+3Ab^2)\tanh^{-1}(\sin(c+dx))+\tan(c+dx)\left(8\left(5(a^2B+2aAb+2b^2B)\tan^2(c+dx)+15(a^2B+2aAb+2b^2B)\right)\right)}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (15*(4*a^2*A + 3*A*b^2 + 6*a*b*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*(4*a^2*A + 3*A*b^2 + 6*a*b*B)*Sec[c + d*x] + 30*b*(A*b + 2*a*B)*Sec[c + d*x]^3 + 8*(15*(2*a*A*b + a^2*B + b^2*B) + 5*(2*a*A*b + a^2*B + 2*b^2*B)*Tan[c + d*x]^2 + 3*b^2*B*Tan[c + d*x]^4)))/(120*d)

Maple [A] time = 0.042, size = 312, normalized size = 1.6

$$\frac{a^2A\sec(dx+c)\tan(dx+c)}{2d} + \frac{a^2A\ln(\sec(dx+c)+\tan(dx+c))}{2d} + \frac{2Ba^2\tan(dx+c)}{3d} + \frac{Ba^2\tan(dx+c)(\sec(dx+c)+\tan(dx+c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] 1/2/d*a^2*A*sec(d*x+c)*tan(d*x+c)+1/2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*B*a^2*tan(d*x+c)+1/3/d*B*a^2*tan(d*x+c)*sec(d*x+c)^2+4/3/d*A*a*b*tan(d*x+c)+2/3/d*A*a*b*tan(d*x+c)*sec(d*x+c)^2+1/2/d*B*a*b*tan(d*x+c)*sec(d*x+c)^3+3/4/d*B*a*b*sec(d*x+c)*tan(d*x+c)+3/4/d*B*a*b*ln(sec(d*x+c)+tan(d*x+c))+1/

$$\frac{4}{d}A^2b^2 \tan(dx+c) \sec(dx+c)^3 + \frac{3}{8} \frac{4}{d}A^2b^2 \sec(dx+c) \tan(dx+c) + \frac{3}{8} \frac{4}{d}A^2b^2 \ln(\sec(dx+c) + \tan(dx+c)) + \frac{8}{15} \frac{4}{d}A^2b^2 B \tan(dx+c) / d + \frac{1}{5} \frac{4}{d}A^2b^2 B^2 \tan(dx+c) \sec(dx+c)^4 + \frac{4}{15} \frac{4}{d}A^2b^2 B^2 \tan(dx+c) \sec(dx+c)^2$$

Maxima [A] time = 0.979049, size = 373, normalized size = 1.88

$$80 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^2 + 160 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Aab + 16 \left(3 \tan(dx+c)^5 + 10 \tan(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(a+b*sec(dx+c))^2*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] $\frac{1}{240} \left(80 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) B a^2 + 160 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) A a b + 16 \left(3 \tan(dx+c)^5 + 10 \tan(dx+c) \right) B^2 a^2 - 30 B a b \left(2 \left(3 \sin(dx+c)^3 - 5 \sin(dx+c) \right) / \left(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1 \right) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right) - 15 A^2 b^2 \left(2 \left(3 \sin(dx+c)^3 - 5 \sin(dx+c) \right) / \left(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1 \right) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right) - 60 A a^2 \left(2 \sin(dx+c) / \left(\sin(dx+c)^2 - 1 \right) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) \right) / d$

Fricas [A] time = 0.526381, size = 521, normalized size = 2.63

$$15 \left(4 A a^2 + 6 B a b + 3 A b^2 \right) \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15 \left(4 A a^2 + 6 B a b + 3 A b^2 \right) \cos(dx+c)^5 \log(-\sin(dx+c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(a+b*sec(dx+c))^2*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] $\frac{1}{240} \left(15 \left(4 A a^2 + 6 B a b + 3 A b^2 \right) \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15 \left(4 A a^2 + 6 B a b + 3 A b^2 \right) \cos(dx+c)^5 \log(-\sin(dx+c) + 1) + 2 \left(16 \left(5 B a^2 + 10 A a b + 4 B b^2 \right) \cos(dx+c)^4 + 15 \left(4 A a^2 + 6 B a b + 3 A b^2 \right) \cos(dx+c)^3 + 24 B b^2 + 8 \left(5 B a^2 + 10 A a b + 4 B b^2 \right) \cos(dx+c)^2 + 30 \left(2 B a b + A b^2 \right) \cos(dx+c) \right) \sin(dx+c) \right) / \left(d \cos(dx+c) \right)$

$x + c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^2 \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**2*sec(c + d*x)**3, x)

Giac [B] time = 1.25681, size = 713, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{120} * (15 * (4 * A * a^2 + 6 * B * a * b + 3 * A * b^2) * \log(\tan(1/2 * d * x + 1/2 * c) + 1) - 15 * (4 * A * a^2 + 6 * B * a * b + 3 * A * b^2) * \log(\tan(1/2 * d * x + 1/2 * c) - 1) + 2 * (60 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^9 - 120 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^9 - 240 * A * a * b * \tan(1/2 * d * x + 1/2 * c)^9 + 150 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^9 + 75 * A * b^2 * \tan(1/2 * d * x + 1/2 * c)^9 - 120 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^9 - 120 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^7 + 320 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^7 + 640 * A * a * b * \tan(1/2 * d * x + 1/2 * c)^7 - 60 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^7 - 30 * A * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 + 160 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 400 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 800 * A * a * b * \tan(1/2 * d * x + 1/2 * c)^5 - 464 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 120 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 320 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 640 * A * a * b * \tan(1/2 * d * x + 1/2 * c)^3 + 60 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^3 + 30 * A * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 160 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 60 * A * a^2 * \tan(1/2 * d * x + 1/2 * c) - 120 * B * a^2 * \tan(1/2 * d * x + 1/2 * c) - 240 * A * a * b * \tan(1/2 * d * x + 1/2 * c) - 150 * B * a * b * \tan(1/2 * d * x + 1/2 * c) - 75 * A * b^2 * \tan(1/2 * d * x + 1/2 * c) - 120 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1)^5 / d$

$$3.286 \quad \int \sec^2(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=179

$$\frac{(4a^2Ab + a^3(-B) + 8ab^2B + 4Ab^3) \tan(c + dx)}{6bd} + \frac{(4a^2B + 8aAb + 3b^2B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(-2a^2B + 8aAb + 9b^2B)}{8d}$$

[Out] $((8*a*A*b + 4*a^2*B + 3*b^2*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((4*a^2*A*b + 4*A*b^3 - a^3*B + 8*a*b^2*B)*Tan[c + d*x])/(6*b*d) + ((8*a*A*b - 2*a^2*B + 9*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*A*b - a*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*b*d) + (B*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*b*d)$

Rubi [A] time = 0.322393, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4010, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(4a^2Ab + a^3(-B) + 8ab^2B + 4Ab^3) \tan(c + dx)}{6bd} + \frac{(4a^2B + 8aAb + 3b^2B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(-2a^2B + 8aAb + 9b^2B)}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] $((8*a*A*b + 4*a^2*B + 3*b^2*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((4*a^2*A*b + 4*A*b^3 - a^3*B + 8*a*b^2*B)*Tan[c + d*x])/(6*b*d) + ((8*a*A*b - 2*a^2*B + 9*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*A*b - a*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*b*d) + (B*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*b*d)$

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{B(a + b \sec(c + dx))^3 \tan(c + dx)}{4bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^2 dx}{4bd} \\
&= \frac{(4Ab - aB)(a + b \sec(c + dx))^2 \tan(c + dx)}{12bd} + \frac{B(a + b \sec(c + dx))^3 \tan(c + dx)}{4bd} \\
&= \frac{(8aAb - 2a^2B + 9b^2B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(4Ab - aB)(a + b \sec(c + dx))^2 \tan(c + dx)}{4bd} \\
&= \frac{(8aAb - 2a^2B + 9b^2B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(4Ab - aB)(a + b \sec(c + dx))^2 \tan(c + dx)}{4bd} \\
&= \frac{(8aAb + 4a^2B + 3b^2B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(8aAb - 2a^2B + 9b^2B) \sec(c + dx) \tan(c + dx)}{24d} \\
&= \frac{(8aAb + 4a^2B + 3b^2B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4a^2Ab + 4aAb^2 + 3b^3B) \sec(c + dx) \tan(c + dx)}{24d}
\end{aligned}$$

Mathematica [A] time = 0.735026, size = 120, normalized size = 0.67

$$\frac{3(4a^2B + 8aAb + 3b^2B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(4a^2B + 8aAb + 3b^2B) \sec(c + dx) + 24(a^2A + 2abB + b^2B))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]), x]

[Out] (3*(8*a*A*b + 4*a^2*B + 3*b^2*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(24*(a^2*A + A*b^2 + 2*a*b*B) + 3*(8*a*A*b + 4*a^2*B + 3*b^2*B)*Sec[c + d*x] + 6*b^2*B*Sec[c + d*x]^3 + 8*b*(A*b + 2*a*B)*Tan[c + d*x]^2))/(24*d)

Maple [A] time = 0.038, size = 241, normalized size = 1.4

$$\frac{a^2A \tan(dx + c)}{d} + \frac{Ba^2 \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{Aab \sec(dx + c) \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)), x)

[Out] 1/d*a^2*A*tan(d*x+c)+1/2/d*B*a^2*sec(d*x+c)*tan(d*x+c)+1/2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a*b*sec(d*x+c)*tan(d*x+c)+1/d*A*a*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a*b*ln(sec(d*x+c)+tan(d*x+c))

$\text{an}(d*x+c)) + 4/3/d*B*a*b*\tan(d*x+c) + 2/3/d*B*a*b*\tan(d*x+c)*\sec(d*x+c)^2 + 2/3/d$
 $*A*b^2*\tan(d*x+c) + 1/3/d*A*b^2*\tan(d*x+c)*\sec(d*x+c)^2 + 1/4/d*B*b^2*\tan(d*x+c)$
 $)*\sec(d*x+c)^3 + 3/8/d*B*b^2*\sec(d*x+c)*\tan(d*x+c) + 3/8/d*B*b^2*\ln(\sec(d*x+c) +$
 $\tan(d*x+c))$

Maxima [A] time = 1.03059, size = 308, normalized size = 1.72

$32(\tan(dx+c)^3 + 3 \tan(dx+c))Bab + 16(\tan(dx+c)^3 + 3 \tan(dx+c))Ab^2 - 3Bb^2 \left(\frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/48*(32*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a*b + 16*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*b^2 - 3*B*b^2*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 12*B*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 24*A*a*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 48*A*a^2*tan(d*x + c))/d

Fricas [A] time = 0.520458, size = 443, normalized size = 2.47

$3(4Ba^2 + 8Aab + 3Bb^2)\cos(dx+c)^4\log(\sin(dx+c)+1) - 3(4Ba^2 + 8Aab + 3Bb^2)\cos(dx+c)^4\log(-\sin(dx+c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/48*(3*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*cos(d*x + c)^4*log(sin(d*x + c) + 1) - 3*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*cos(d*x + c)^4*log(-sin(d*x + c) + 1) + 2*(8*(3*A*a^2 + 4*B*a*b + 2*A*b^2)*cos(d*x + c)^3 + 6*B*b^2 + 3*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*cos(d*x + c)^2 + 8*(2*B*a*b + A*b^2)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^4)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) (a + b \sec(c + dx))^2 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**2*sec(c + d*x)**2, x)

Giac [B] time = 1.22297, size = 645, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\frac{1}{24} * (3 * (4 * B * a^2 + 8 * A * a * b + 3 * B * b^2) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 3 * (4 * B * a^2 + 8 * A * a * b + 3 * B * b^2) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) - 2 * (24 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 12 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 24 * A * a * b * \tan(1/2 * d * x + 1/2 * c)^7 + 48 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^7 + 24 * A * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 15 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 72 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 12 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 24 * A * a * b * \tan(1/2 * d * x + 1/2 * c)^5 - 80 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^5 - 40 * A * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 9 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 72 * A * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 12 * B * a^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 24 * A * a * b * \tan(1/2 * d * x + 1/2 * c)^3 + 80 * B * a * b * \tan(1/2 * d * x + 1/2 * c)^3 + 40 * A * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 9 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 24 * A * a^2 * \tan(1/2 * d * x + 1/2 * c) - 12 * B * a^2 * \tan(1/2 * d * x + 1/2 * c) - 24 * A * a * b * \tan(1/2 * d * x + 1/2 * c) - 48 * B * a * b * \tan(1/2 * d * x + 1/2 * c) - 24 * A * b^2 * \tan(1/2 * d * x + 1/2 * c) - 15 * B * b^2 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1)^4 / d$$

$$3.287 \quad \int \sec(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=116

$$\frac{2(a^2B + 3aAb + b^2B) \tan(c + dx)}{3d} + \frac{(2a^2A + 2abB + Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b(2aB + 3Ab) \tan(c + dx) \sec(c + dx)}{6d}$$

[Out] $((2*a^2*A + A*b^2 + 2*a*b*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (2*(3*a*A*b + a^2*B + b^2*B)*Tan[c + d*x])/(3*d) + (b*(3*A*b + 2*a*B)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (B*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)$

Rubi [A] time = 0.179885, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4002, 3997, 3787, 3770, 3767, 8}

$$\frac{2(a^2B + 3aAb + b^2B) \tan(c + dx)}{3d} + \frac{(2a^2A + 2abB + Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b(2aB + 3Ab) \tan(c + dx) \sec(c + dx)}{6d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $((2*a^2*A + A*b^2 + 2*a*b*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (2*(3*a*A*b + a^2*B + b^2*B)*Tan[c + d*x])/(3*d) + (b*(3*A*b + 2*a*B)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (B*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)$

Rule 4002

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, A, B, e, f\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e$

```
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{B(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3} \int \sec(c + dx)(a + b \sec(c + dx))^2 dx \\
&= \frac{b(3Ab + 2aB) \sec(c + dx) \tan(c + dx)}{6d} + \frac{B(a + b \sec(c + dx))^2}{3d} \\
&= \frac{b(3Ab + 2aB) \sec(c + dx) \tan(c + dx)}{6d} + \frac{B(a + b \sec(c + dx))^2}{3d} \\
&= \frac{(2a^2A + Ab^2 + 2abB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b(3Ab + 2aB)}{3d} \\
&= \frac{(2a^2A + Ab^2 + 2abB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{2(3aAb + a^2B)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.465689, size = 92, normalized size = 0.79

$$\frac{3(2a^2A + 2abB + Ab^2) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (2(3a^2B + 6aAb + b^2B \tan^2(c + dx) + 3b^2B) + 3b(2aB + A))}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (3*(2*a^2*A + A*b^2 + 2*a*b*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(3*b*(A*b + 2*a*B)*Sec[c + d*x] + 2*(6*a*A*b + 3*a^2*B + 3*b^2*B + b^2*B*Tan[c + d*x]^2)))/(6*d)

Maple [A] time = 0.035, size = 174, normalized size = 1.5

$$\frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Ba^2 \tan(dx + c)}{d} + 2 \frac{Aab \tan(dx + c)}{d} + \frac{Bab \sec(dx + c) \tan(dx + c)}{d} + \frac{Bab \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] 1/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^2*tan(d*x+c)+2/d*A*a*b*tan(d*x+c)+1/d*B*a*b*sec(d*x+c)*tan(d*x+c)+1/d*B*a*b*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*A*b^2*sec(d*x+c)*tan(d*x+c)+1/2/d*A*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/3*b^2*B*tan(d*x+c)/d+1/3/d*B*b^2*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 1.00315, size = 223, normalized size = 1.92

$$4 \left(\tan(dx + c)^3 + 3 \tan(dx + c) \right) Bb^2 - 6 Bab \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) - 3 Ab^2 \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(4*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*b^2 - 6*B*a*b*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*A*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 12*A*a^2*log(sec(d*x + c) + tan(d*x + c)) + 12*B*a^2*tan(d*x + c) + 24*A*a*b*tan(d*x + c))/d

Fricas [A] time = 0.504269, size = 371, normalized size = 3.2

$$\frac{3(2Aa^2 + 2Bab + Ab^2) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(2Aa^2 + 2Bab + Ab^2) \cos(dx + c)^3 \log(-\sin(dx + c) + 1)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 1/12*(3*(2*A*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(2*A*a^2 + 2*B*a*b + A*b^2)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*B*b^2 + 2*(3*B*a^2 + 6*A*a*b + 2*B*b^2)*cos(d*x + c)^2 + 3*(2*B*a*b + A*b^2)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) (a + b \sec(c + dx))^2 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))^2*sec(c + d*x), x)

Giac [B] time = 1.20154, size = 397, normalized size = 3.42

$$3(2Aa^2 + 2Bab + Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa^2 + 2Bab + Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(6Ba^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 3Aa^2 + 3Ab^2)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

```
[Out] 1/6*(3*(2*A*a^2 + 2*B*a*b + A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(
2*A*a^2 + 2*B*a*b + A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*B*a^2*
tan(1/2*d*x + 1/2*c)^5 + 12*A*a*b*tan(1/2*d*x + 1/2*c)^5 - 6*B*a*b*tan(1/2*
d*x + 1/2*c)^5 - 3*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*B*b^2*tan(1/2*d*x + 1/2
*c)^5 - 12*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 24*A*a*b*tan(1/2*d*x + 1/2*c)^3 -
4*B*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*B*a^2*tan(1/2*d*x + 1/2*c) + 12*A*a*b*t
an(1/2*d*x + 1/2*c) + 6*B*a*b*tan(1/2*d*x + 1/2*c) + 3*A*b^2*tan(1/2*d*x +
1/2*c) + 6*B*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.288 $\int (a + b \sec(c + dx))^2 (A + B \sec(c + dx)) dx$

Optimal. Leaf size=86

$$\frac{(2a^2B + 4aAb + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + a^2Ax + \frac{b(3aB + 2Ab) \tan(c + dx)}{2d} + \frac{bB \tan(c + dx)(a + b \sec(c + dx))}{2d}$$

[Out] a^2*A*x + ((4*a*A*b + 2*a^2*B + b^2*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (b*(2*A*b + 3*a*B)*Tan[c + d*x])/(2*d) + (b*B*(a + b*Sec[c + d*x])*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.0807489, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {3918, 3770, 3767, 8}

$$\frac{(2a^2B + 4aAb + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + a^2Ax + \frac{b(3aB + 2Ab) \tan(c + dx)}{2d} + \frac{bB \tan(c + dx)(a + b \sec(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] a^2*A*x + ((4*a*A*b + 2*a^2*B + b^2*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (b*(2*A*b + 3*a*B)*Tan[c + d*x])/(2*d) + (b*B*(a + b*Sec[c + d*x])*Tan[c + d*x])/(2*d)

Rule 3918

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \sec(c + dx))^2 (A + B \sec(c + dx)) dx &= \frac{bB(a + b \sec(c + dx)) \tan(c + dx)}{2d} + \frac{1}{2} \int (2a^2A + (4aAb + 2a^2B + b^2B)) \sec^2(c + dx) dx \\ &= a^2Ax + \frac{bB(a + b \sec(c + dx)) \tan(c + dx)}{2d} + \frac{1}{2}(b(2Ab + 3aB)) \int \sec^2(c + dx) dx \\ &= a^2Ax + \frac{(4aAb + 2a^2B + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{bB(a + b \sec(c + dx)) \tan(c + dx)}{2d} \\ &= a^2Ax + \frac{(4aAb + 2a^2B + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b(2Ab + 3aB) \tan(c + dx)}{2d} \end{aligned}$$

Mathematica [A] time = 0.262533, size = 67, normalized size = 0.78

$$\frac{(2a^2B + 4aAb + b^2B) \tanh^{-1}(\sin(c + dx)) + 2a^2Adx + b \tan(c + dx)(4aB + 2Ab + bB \sec(c + dx))}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*a^2*A*d*x + (4*a*A*b + 2*a^2*B + b^2*B)*ArcTanh[Sin[c + d*x]] + b*(2*A*b + 4*a*B + b*B*Sec[c + d*x])*Tan[c + d*x])/(2*d)
```

Maple [A] time = 0.032, size = 133, normalized size = 1.6

$$a^2Ax + \frac{Aa^2c}{d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{Aab \ln(\sec(dx + c) + \tan(dx + c))}{d} + 2 \frac{Bab \tan(dx + c)}{d} + \frac{Ab^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)
```

[Out] $a^2Ax+1/dAa^2c+1/dBa^2\ln(\sec(dx+c)+\tan(dx+c))+2/dAab\ln(\sec(dx+c)+\tan(dx+c))+2/dBab\tan(dx+c)+1/dAb^2\tan(dx+c)+1/2/dBb^2\sec(dx+c)\tan(dx+c)+1/2/dBb^2\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 0.965132, size = 170, normalized size = 1.98

$$\frac{4(dx+c)Aa^2 - Bb^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 4Ba^2\log(\sec(dx+c)+\tan(dx+c))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/4*(4*(dx+c)*Aa^2 - Bb^2*(2*\sin(dx+c)/(\sin(dx+c)^2-1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) + 4*Ba^2*\log(\sec(dx+c)+\tan(dx+c)) + 8*Aa*b*\log(\sec(dx+c)+\tan(dx+c)) + 8*Ba*b*\tan(dx+c) + 4*Ab^2*\tan(dx+c))/d$

Fricas [A] time = 0.506255, size = 335, normalized size = 3.9

$$\frac{4Aa^2dx\cos(dx+c)^2 + (2Ba^2 + 4Aab + Bb^2)\cos(dx+c)^2\log(\sin(dx+c)+1) - (2Ba^2 + 4Aab + Bb^2)\cos(dx+c)^2\log(-\sin(dx+c)+1) + 2*(Bb^2 + 2*(2Bab + Ab^2)*\cos(dx+c))*\sin(dx+c)}{4d\cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/4*(4Aa^2dxcos(dx+c)^2 + (2Ba^2 + 4Aab + Bb^2)cos(dx+c)^2*log(sin(dx+c)+1) - (2Ba^2 + 4Aab + Bb^2)cos(dx+c)^2*log(-sin(dx+c)+1) + 2*(Bb^2 + 2*(2Bab + Ab^2)cos(dx+c))*sin(dx+c))/(d*cos(dx+c)^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**2, x)

Giac [B] time = 1.20235, size = 259, normalized size = 3.01

$$2(dx+c)Aa^2 + (2Ba^2 + 4Aab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Ba^2 + 4Aab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2}*(2*(d*x + c)*A*a^2 + (2*B*a^2 + 4*A*a*b + B*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (2*B*a^2 + 4*A*a*b + B*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))) - 2*(4*B*a*b*\tan(1/2*d*x + 1/2*c)^3 + 2*A*b^2*\tan(1/2*d*x + 1/2*c)^3 - B*b^2*\tan(1/2*d*x + 1/2*c)^3 - 4*B*a*b*\tan(1/2*d*x + 1/2*c) - 2*A*b^2*\tan(1/2*d*x + 1/2*c) - B*b^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d$

$$3.289 \quad \int \cos(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=60

$$\frac{a^2 A \sin(c + dx)}{d} + \frac{b(2aB + Ab) \tanh^{-1}(\sin(c + dx))}{d} + ax(aB + 2Ab) + \frac{b^2 B \tan(c + dx)}{d}$$

[Out] a*(2*A*b + a*B)*x + (b*(A*b + 2*a*B)*ArcTanh[Sin[c + d*x]])/d + (a^2*A*Sin[c + d*x])/d + (b^2*B*Tan[c + d*x])/d

Rubi [A] time = 0.102278, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {4024, 3770, 3767, 8}

$$\frac{a^2 A \sin(c + dx)}{d} + \frac{b(2aB + Ab) \tanh^{-1}(\sin(c + dx))}{d} + ax(aB + 2Ab) + \frac{b^2 B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] a*(2*A*b + a*B)*x + (b*(A*b + 2*a*B)*ArcTanh[Sin[c + d*x]])/d + (a^2*A*Sin[c + d*x])/d + (b^2*B*Tan[c + d*x])/d

Rule 4024

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^2*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a^2*A*Cos[e + f*x]*(d*Csc[e + f*x])^(n + 1))/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{a^2 A \sin(c + dx)}{d} - \int (-a(2Ab + aB) + (-Ab^2 - 2abB) \sec(c + dx)) dx \\ &= a(2Ab + aB)x + \frac{a^2 A \sin(c + dx)}{d} + (b^2 B) \int \sec^2(c + dx) dx + \dots \\ &= a(2Ab + aB)x + \frac{b(Ab + 2aB) \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 A \sin(c + dx)}{d} \\ &= a(2Ab + aB)x + \frac{b(Ab + 2aB) \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 A \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.478934, size = 109, normalized size = 1.82

$$\frac{a^2 A \sin(c + dx) + a(c + dx)(aB + 2Ab) - b(2aB + Ab) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + b(2aB + Ab) \log\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]
```

```
[Out] (a*(2*A*b + a*B)*(c + d*x) - b*(A*b + 2*a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + b*(A*b + 2*a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + a^2*A*Sin[c + d*x] + b^2*B*Tan[c + d*x])/d
```

Maple [A] time = 0.045, size = 104, normalized size = 1.7

$$2 Aabx + Ba^2x + \frac{Ab^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^2 A \sin(dx + c)}{d} + 2 \frac{Aabc}{d} + 2 \frac{Bab \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out] $2Aa^2bx + Ba^2x + 1/dAb^2 \ln(\sec(dx+c) + \tan(dx+c)) + a^2A \sin(dx+c)/d + 2/dAa^2bc + 2/dBab \ln(\sec(dx+c) + \tan(dx+c)) + b^2B \tan(dx+c)/d + 1/dBa^2c$

Maxima [A] time = 0.989084, size = 139, normalized size = 2.32

$$\frac{2(dx+c)Ba^2 + 4(dx+c)Aab + 2Bab(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Ab^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/2*(2*(dx+c)*Ba^2 + 4*(dx+c)*Aab + 2*Bab*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + A*b^2*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2*Aa^2*\sin(dx+c) + 2*B*b^2*\tan(dx+c))/d$

Fricas [A] time = 0.503146, size = 294, normalized size = 4.9

$$\frac{2(Ba^2 + 2Aab)dx \cos(dx+c) + (2Bab + Ab^2) \cos(dx+c) \log(\sin(dx+c)+1) - (2Bab + Ab^2) \cos(dx+c) \log(-\sin(dx+c)+1)}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/2*(2*(Ba^2 + 2Aa^2b)*dx*\cos(dx+c) + (2*Ba^2b + A*b^2)*\cos(dx+c)*\log(\sin(dx+c)+1) - (2*Ba^2b + A*b^2)*\cos(dx+c)*\log(-\sin(dx+c)+1) + 2*(Aa^2*\cos(dx+c) + B*b^2)*\sin(dx+c))/(d*\cos(dx+c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^2 \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**2*cos(c + d*x), x)

Giac [B] time = 1.23978, size = 208, normalized size = 3.47

$$\frac{(Ba^2 + 2Aab)(dx + c) + (2Bab + Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Bab + Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2(Aa^2)}{d}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] ((B*a^2 + 2*A*a*b)*(d*x + c) + (2*B*a*b + A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (2*B*a*b + A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a^2*tan(1/2*d*x + 1/2*c)^3 - B*b^2*tan(1/2*d*x + 1/2*c)^3 - A*a^2*tan(1/2*d*x + 1/2*c) - B*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1))/d

$$3.290 \quad \int \cos^2(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=80

$$\frac{1}{2}x(a^2A + 4abB + 2Ab^2) + \frac{a^2A \sin(c + dx) \cos(c + dx)}{2d} + \frac{a(aB + 2Ab) \sin(c + dx)}{d} + \frac{b^2B \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] $((a^2A + 2A*b^2 + 4*a*b*B)*x)/2 + (b^2*B*ArcTanh[\sin[c + d*x]])/d + (a*(2*A*b + a*B)*\sin[c + d*x])/d + (a^2*A*\cos[c + d*x]*\sin[c + d*x])/(2*d)$

Rubi [A] time = 0.173926, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4024, 4047, 8, 4045, 3770}

$$\frac{1}{2}x(a^2A + 4abB + 2Ab^2) + \frac{a^2A \sin(c + dx) \cos(c + dx)}{2d} + \frac{a(aB + 2Ab) \sin(c + dx)}{d} + \frac{b^2B \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] $((a^2A + 2A*b^2 + 4*a*b*B)*x)/2 + (b^2*B*ArcTanh[\sin[c + d*x]])/d + (a*(2*A*b + a*B)*\sin[c + d*x])/d + (a^2*A*\cos[c + d*x]*\sin[c + d*x])/(2*d)$

Rule 4024

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^2*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a^2*A*Cos[e + f*x]*(d*Csc[e + f*x])^(n + 1))/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_*(A_. + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{a^2 A \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) (-2a(2Ab + \\ &= \frac{a^2 A \cos(c + dx) \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) (-2a(2Ab + \\ &= \frac{1}{2} (a^2 A + 2Ab^2 + 4abB) x + \frac{a(2Ab + aB) \sin(c + dx)}{d} + \frac{a^2 A}{2} \\ &= \frac{1}{2} (a^2 A + 2Ab^2 + 4abB) x + \frac{b^2 B \tanh^{-1}(\sin(c + dx))}{d} + \frac{a(2Ab + aB) \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.21232, size = 120, normalized size = 1.5

$$\frac{2(c + dx)(a^2 A + 4abB + 2Ab^2) + a^2 A \sin(2(c + dx)) + 4a(aB + 2Ab) \sin(c + dx) - 4b^2 B \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]), x]

[Out] (2*(a^2*A + 2*A*b^2 + 4*a*b*B)*(c + d*x) - 4*b^2*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*b^2*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*a*(2*A*b + a*B)*Sin[c + d*x] + a^2*A*Sin[2*(c + d*x)])/(4*d)

Maple [A] time = 0.054, size = 120, normalized size = 1.5

$$\frac{a^2 A \cos(dx+c) \sin(dx+c)}{2d} + \frac{a^2 Ax}{2} + \frac{a^2 Ac}{2d} + \frac{Ba^2 \sin(dx+c)}{d} + 2 \frac{Aab \sin(dx+c)}{d} + 2 Babx + 2 \frac{Babc}{d} + Ab^2x + \frac{Ab^2c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out] `1/2*a^2*A*cos(d*x+c)*sin(d*x+c)/d+1/2*a^2*A*x+1/2/d*A*a^2*c+1/d*B*a^2*sin(d*x+c)+2/d*A*a*b*sin(d*x+c)+2*B*a*b*x+2/d*B*a*b*c+A*b^2*x+1/d*A*b^2*c+1/d*B*b^2*ln(sec(d*x+c)+tan(d*x+c))`

Maxima [A] time = 0.959678, size = 134, normalized size = 1.68

$$\frac{(2dx + 2c + \sin(2dx + 2c))Aa^2 + 8(dx + c)Bab + 4(dx + c)Ab^2 + 2Bb^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2 + 8*(d*x + c)*B*a*b + 4*(d*x + c)*A*b^2 + 2*B*b^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a^2*sin(d*x + c) + 8*A*a*b*sin(d*x + c))/d`

Fricas [A] time = 0.510376, size = 213, normalized size = 2.66

$$\frac{Bb^2 \log(\sin(dx+c)+1) - Bb^2 \log(-\sin(dx+c)+1) + (Aa^2 + 4Bab + 2Ab^2)dx + (Aa^2 \cos(dx+c) + 2Ba^2 + 4Aab)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `1/2*(B*b^2*log(sin(d*x + c) + 1) - B*b^2*log(-sin(d*x + c) + 1) + (A*a^2 + 4*B*a*b + 2*A*b^2)*d*x + (A*a^2*cos(d*x + c) + 2*B*a^2 + 4*A*a*b)*sin(d*x +`

c))/d

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 1.19371, size = 240, normalized size = 3.

$$2 B b^2 \log \left(\left| \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) + 1 \right| \right) - 2 B b^2 \log \left(\left| \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) - 1 \right| \right) + (A a^2 + 4 B a b + 2 A b^2)(d x + c) - \frac{2 \left(A a^2 \tan \left(\frac{1}{2} d x + \frac{1}{2} c \right) \right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*B*b^2*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 2*B*b^2*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (A*a^2 + 4*B*a*b + 2*A*b^2)*(d*x + c) - 2*(A*a^2*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 4*A*a*b*tan(1/2*d*x + 1/2*c)^3 - A*a^2*tan(1/2*d*x + 1/2*c) - 2*B*a^2*tan(1/2*d*x + 1/2*c) - 4*A*a*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^2)/d

$$3.291 \quad \int \cos^3(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=107

$$\frac{(2a^2A + 6abB + 3Ab^2) \sin(c + dx)}{3d} + \frac{1}{2}x(a^2B + 2aAb + 2b^2B) + \frac{a^2A \sin(c + dx) \cos^2(c + dx)}{3d} + \frac{a(aB + 2Ab) \sin(c + dx)}{2d}$$

[Out] $((2*a*A*b + a^2*B + 2*b^2*B)*x)/2 + ((2*a^2*A + 3*A*b^2 + 6*a*b*B)*\text{Sin}[c + d*x])/(3*d) + (a*(2*A*b + a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a^2*A*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rubi [A] time = 0.215749, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4024, 4047, 2637, 4045, 8}

$$\frac{(2a^2A + 6abB + 3Ab^2) \sin(c + dx)}{3d} + \frac{1}{2}x(a^2B + 2aAb + 2b^2B) + \frac{a^2A \sin(c + dx) \cos^2(c + dx)}{3d} + \frac{a(aB + 2Ab) \sin(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^3*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $((2*a*A*b + a^2*B + 2*b^2*B)*x)/2 + ((2*a^2*A + 3*A*b^2 + 6*a*b*B)*\text{Sin}[c + d*x])/(3*d) + (a*(2*A*b + a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a^2*A*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*d)$

Rule 4024

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{2*}(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a^2*A*\text{Cos}[e + f*x]*(d*\text{Csc}[e + f*x])^{(n + 1)})/(d*f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*\text{Csc}[e + f*x] + b^2*B*n*\text{Csc}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x]$

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{a^2 A \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (-3a(2Ab + a^2B) + 3a^2B) \sec(c + dx) dx \\ &= \frac{a^2 A \cos^2(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx) (-3a(2Ab + a^2B) + 3a^2B) \sec(c + dx) dx \\ &= \frac{(2a^2 A + 3Ab^2 + 6abB) \sin(c + dx)}{3d} + \frac{a(2Ab + a^2B) \cos(c + dx)}{2d} \\ &= \frac{1}{2} (2aAb + a^2B + 2b^2B) x + \frac{(2a^2 A + 3Ab^2 + 6abB) \sin(c + dx)}{3d} \end{aligned}$$

Mathematica [A] time = 0.223909, size = 90, normalized size = 0.84

$$\frac{6(c + dx)(a^2B + 2aAb + 2b^2B) + 3(3a^2A + 8abB + 4Ab^2) \sin(c + dx) + a^2A \sin(3(c + dx)) + 3a(aB + 2Ab) \sin(2(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]), x]

[Out] (6*(2*a*A*b + a^2*B + 2*b^2*B)*(c + d*x) + 3*(3*a^2*A + 4*A*b^2 + 8*a*b*B)*Sin[c + d*x] + 3*a*(2*A*b + a*B)*Sin[2*(c + d*x)] + a^2*A*Sin[3*(c + d*x)])

/(12*d)

Maple [A] time = 0.059, size = 114, normalized size = 1.1

$$\frac{1}{d} \left(\frac{a^2 A (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + 2 A a b (1/2 \cos(dx + c) \sin(dx + c) + 1/2 dx + c/2) + B a^2 \left(\frac{\cos(dx + c) \sin(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out] `1/d*(1/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+2*A*a*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*b^2*sin(d*x+c)+2*B*a*b*sin(d*x+c)+B*b^2*(d*x+c))`

Maxima [A] time = 0.968484, size = 146, normalized size = 1.36

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^2 - 3(2dx + 2c + \sin(2dx + 2c))Ba^2 - 6(2dx + 2c + \sin(2dx + 2c))Aab - 12(Bb^2 - 24Bab \sin(dx + c) - 12Ab^2 \sin(dx + c))}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `-1/12*(4*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 - 3*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^2 - 6*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a*b - 12*(d*x + c)*B*b^2 - 24*B*a*b*sin(d*x + c) - 12*A*b^2*sin(d*x + c))/d`

Fricas [A] time = 0.479716, size = 201, normalized size = 1.88

$$\frac{3(Ba^2 + 2Aab + 2Bb^2)dx + (2Aa^2 \cos(dx + c)^2 + 4Aa^2 + 12Bab + 6Ab^2 + 3(Ba^2 + 2Aab) \cos(dx + c)) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{6}*(3*(B*a^2 + 2*A*a*b + 2*B*b^2)*d*x + (2*A*a^2*\cos(d*x + c)^2 + 4*A*a^2 + 12*B*a*b + 6*A*b^2 + 3*(B*a^2 + 2*A*a*b)*\cos(d*x + c))*\sin(d*x + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 1.22963, size = 343, normalized size = 3.21

$3(Ba^2 + 2Aab + 2Bb^2)(dx + c) + \frac{2\left(6Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 6Aab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12Bab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6Ab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{6}*(3*(B*a^2 + 2*A*a*b + 2*B*b^2)*(d*x + c) + 2*(6*A*a^2*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^2*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a*b*\tan(1/2*d*x + 1/2*c)^5 + 12*B*a*b*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*\tan(1/2*d*x + 1/2*c)^5 + 4*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 24*B*a*b*\tan(1/2*d*x + 1/2*c)^3 + 12*A*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a^2*\tan(1/2*d*x + 1/2*c) + 3*B*a^2*\tan(1/2*d*x + 1/2*c) + 6*A*a*b*\tan(1/2*d*x + 1/2*c) + 12*B*a*b*\tan(1/2*d*x + 1/2*c) + 6*A*b^2*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3/d$

$$3.292 \quad \int \cos^4(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=136

$$\frac{(a^2B + 2aAb + b^2B) \sin(c + dx)}{d} + \frac{(3a^2A + 8abB + 4Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(3a^2A + 8abB + 4Ab^2) + \frac{a^2A}{d}$$

[Out] $((3*a^2*A + 4*A*b^2 + 8*a*b*B)*x)/8 + ((2*a*A*b + a^2*B + b^2*B)*\text{Sin}[c + d*x])/d + ((3*a^2*A + 4*A*b^2 + 8*a*b*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a^2*A*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - (a*(2*A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

Rubi [A] time = 0.259949, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4024, 4047, 2635, 8, 4044, 3013}

$$\frac{(a^2B + 2aAb + b^2B) \sin(c + dx)}{d} + \frac{(3a^2A + 8abB + 4Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(3a^2A + 8abB + 4Ab^2) + \frac{a^2A}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^4*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $((3*a^2*A + 4*A*b^2 + 8*a*b*B)*x)/8 + ((2*a*A*b + a^2*B + b^2*B)*\text{Sin}[c + d*x])/d + ((3*a^2*A + 4*A*b^2 + 8*a*b*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a^2*A*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - (a*(2*A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

Rule 4024

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^2*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a^2*A*\text{Cos}[e + f*x]*(d*\text{Csc}[e + f*x])^{n+1})/(d*f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n+1)))*\text{Csc}[e + f*x] + b^2*B*n*\text{Csc}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}$

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] :> -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Sin}[c + d*x])^{(n - 1)}) / (d*n), x] + \text{Dist}[(b^2*(n - 1)) / n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n - 2)}, x], x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

$\text{Int}[a_, x_Symbol] :> \text{Simp}[a*x, x] /;$ FreeQ[a, x]

Rule 4044

$\text{Int}[\text{csc}[(e_*) + (f_*)*(x_*)]^{(m_*)}*(\text{csc}[(e_*) + (f_*)*(x_*)]^2*(C_*) + (A_)), x_Symbol] :> \text{Int}[(C + A*\text{Sin}[e + f*x]^2) / \text{Sin}[e + f*x]^{(m + 2)}, x] /;$ FreeQ[{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

Rule 3013

$\text{Int}[\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((A_*) + (C_*)*\sin[(e_*) + (f_*)*(x_*)]^2), x_Symbol] :> -\text{Dist}[f^{(-1)}, \text{Subst}[\text{Int}[(1 - x^2)^{((m - 1)/2)}*(A + C - C*x^2), x], x, \text{Cos}[e + f*x]], x] /;$ FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{a^2 A \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) (-4a(2Ab \\ &= \frac{a^2 A \cos^3(c + dx) \sin(c + dx)}{4d} - \frac{1}{4} \int \cos^3(c + dx) (-4a(2Ab \\ &= \frac{(3a^2 A + 4Ab^2 + 8abB) \cos(c + dx) \sin(c + dx)}{8d} + \frac{a^2 A \cos^3(c + dx)}{8d} \\ &= \frac{1}{8} (3a^2 A + 4Ab^2 + 8abB) x + \frac{(3a^2 A + 4Ab^2 + 8abB) \cos(c + dx) \sin(c + dx)}{8d} \\ &= \frac{1}{8} (3a^2 A + 4Ab^2 + 8abB) x + \frac{(2aAb + a^2 B + b^2 B) \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.447607, size = 118, normalized size = 0.87

$$\frac{12(c + dx)(3a^2A + 8abB + 4Ab^2) + 24(3a^2B + 6aAb + 4b^2B)\sin(c + dx) + 24(a^2A + 2abB + Ab^2)\sin(2(c + dx)) + 3}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (12*(3*a^2*A + 4*A*b^2 + 8*a*b*B)*(c + d*x) + 24*(6*a*A*b + 3*a^2*B + 4*b^2*B)*Sin[c + d*x] + 24*(a^2*A + A*b^2 + 2*a*b*B)*Sin[2*(c + d*x)] + 8*a*(2*A*b + a*B)*Sin[3*(c + d*x)] + 3*a^2*A*Ssin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.068, size = 152, normalized size = 1.1

$$\frac{1}{d} \left(a^2 A \left(\frac{\sin(dx+c)}{4} \left((\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3 dx}{8} + \frac{3c}{8} \right) + \frac{Ba^2 (2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + \frac{2 Aab}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] 1/d*(a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*B*a^2*(2+cos(d*x+c)^2)*sin(d*x+c)+2/3*A*a*b*(2+cos(d*x+c)^2)*sin(d*x+c)+2*B*a*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*b^2*sin(d*x+c))

Maxima [A] time = 0.992416, size = 192, normalized size = 1.41

$$\frac{3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^2 - 32(\sin(dx + c)^3 - 3\sin(dx + c))Ba^2 - 64(\sin(dx + c)^3 - 3\sin(dx + c))}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2 - 64*(sin(d*x + c)^3 - 3*sin(d*x + c))

$c)) * A * a * b + 48 * (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * B * a * b + 24 * (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * A * b^2 + 96 * B * b^2 * \sin(d * x + c)) / d$

Fricas [A] time = 0.492599, size = 274, normalized size = 2.01

$$\frac{3(3Aa^2 + 8Bab + 4Ab^2)dx + (6Aa^2 \cos(dx + c)^3 + 16Ba^2 + 32Aab + 24Bb^2 + 8(Ba^2 + 2Aab) \cos(dx + c)^2 + 3(3Aa^2 + 8Bab + 4Ab^2) \cos(dx + c)) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{24} * (3 * (3 * A * a^2 + 8 * B * a * b + 4 * A * b^2) * d * x + (6 * A * a^2 * \cos(d * x + c)^3 + 16 * B * a^2 + 32 * A * a * b + 24 * B * b^2 + 8 * (B * a^2 + 2 * A * a * b) * \cos(d * x + c)^2 + 3 * (3 * A * a^2 + 8 * B * a * b + 4 * A * b^2) * \cos(d * x + c)) * \sin(d * x + c)) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 1.1952, size = 590, normalized size = 4.34

$$3(3Aa^2 + 8Bab + 4Ab^2)(dx + c) - \frac{2 \left(15Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 48Aab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 24Bab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 12Ab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 \right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

```
[Out] 1/24*(3*(3*A*a^2 + 8*B*a*b + 4*A*b^2)*(d*x + c) - 2*(15*A*a^2*tan(1/2*d*x +
1/2*c)^7 - 24*B*a^2*tan(1/2*d*x + 1/2*c)^7 - 48*A*a*b*tan(1/2*d*x + 1/2*c)
^7 + 24*B*a*b*tan(1/2*d*x + 1/2*c)^7 + 12*A*b^2*tan(1/2*d*x + 1/2*c)^7 - 24
*B*b^2*tan(1/2*d*x + 1/2*c)^7 - 9*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 40*B*a^2*t
an(1/2*d*x + 1/2*c)^5 - 80*A*a*b*tan(1/2*d*x + 1/2*c)^5 + 24*B*a*b*tan(1/2*
d*x + 1/2*c)^5 + 12*A*b^2*tan(1/2*d*x + 1/2*c)^5 - 72*B*b^2*tan(1/2*d*x + 1
/2*c)^5 + 9*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^2*tan(1/2*d*x + 1/2*c)^3
- 80*A*a*b*tan(1/2*d*x + 1/2*c)^3 - 24*B*a*b*tan(1/2*d*x + 1/2*c)^3 - 12*A*
b^2*tan(1/2*d*x + 1/2*c)^3 - 72*B*b^2*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^2*tan
(1/2*d*x + 1/2*c) - 24*B*a^2*tan(1/2*d*x + 1/2*c) - 48*A*a*b*tan(1/2*d*x +
1/2*c) - 24*B*a*b*tan(1/2*d*x + 1/2*c) - 12*A*b^2*tan(1/2*d*x + 1/2*c) - 24
*B*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4)/d
```

3.293 $\int \cos^5(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$

Optimal. Leaf size=180

$$-\frac{(4a^2A + 10abB + 5Ab^2) \sin^3(c + dx)}{15d} + \frac{(4a^2A + 10abB + 5Ab^2) \sin(c + dx)}{5d} + \frac{(3a^2B + 6aAb + 4b^2B) \sin(c + dx) \cos(c + dx)}{8d}$$

[Out] $((6*a*A*b + 3*a^2*B + 4*b^2*B)*x)/8 + ((4*a^2*A + 5*A*b^2 + 10*a*b*B)*\text{Sin}[c + d*x])/(5*d) + ((6*a*A*b + 3*a^2*B + 4*b^2*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*(2*A*b + a*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) + (a^2*A*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(5*d) - ((4*a^2*A + 5*A*b^2 + 10*a*b*B)*\text{Sin}[c + d*x]^3)/(15*d)$

Rubi [A] time = 0.268378, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4024, 4047, 2633, 4045, 2635, 8}

$$-\frac{(4a^2A + 10abB + 5Ab^2) \sin^3(c + dx)}{15d} + \frac{(4a^2A + 10abB + 5Ab^2) \sin(c + dx)}{5d} + \frac{(3a^2B + 6aAb + 4b^2B) \sin(c + dx) \cos(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + d*x]^5*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $((6*a*A*b + 3*a^2*B + 4*b^2*B)*x)/8 + ((4*a^2*A + 5*A*b^2 + 10*a*b*B)*\text{Sin}[c + d*x])/(5*d) + ((6*a*A*b + 3*a^2*B + 4*b^2*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (a*(2*A*b + a*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) + (a^2*A*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(5*d) - ((4*a^2*A + 5*A*b^2 + 10*a*b*B)*\text{Sin}[c + d*x]^3)/(15*d)$

Rule 4024

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a^2*A*\text{Cos}[e + f*x]*(d*\text{Csc}[e + f*x])^{n+1})/(d*f^n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n+1)))*\text{Csc}[e + f*x] + b^2*B*n*\text{Csc}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047


```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{a^2 A \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (-5a(2Ab + aB) \cos^3(c + dx) \sin(c + dx) + a^2 A \cos^4(c + dx) \sec(c + dx)) dx \\
&= \frac{a^2 A \cos^4(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx) (-5a(2Ab + aB) \cos^3(c + dx) \sin(c + dx) + a^2 A \cos^4(c + dx) \sec(c + dx)) dx \\
&= \frac{a(2Ab + aB) \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{a^2 A \cos^4(c + dx) \sec(c + dx)}{5d} \\
&= \frac{(4a^2 A + 5Ab^2 + 10abB) \sin(c + dx)}{5d} + \frac{(6aAb + 3a^2 B + 4b^2 B) \cos(c + dx)}{5d} \\
&= \frac{1}{8} (6aAb + 3a^2 B + 4b^2 B) x + \frac{(4a^2 A + 5Ab^2 + 10abB) \sin(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 0.545049, size = 146, normalized size = 0.81

$$\frac{60(c + dx)(3a^2B + 6aAb + 4b^2B) + 60(5a^2A + 12abB + 6Ab^2)\sin(c + dx) + 120(a^2B + 2aAb + b^2B)\sin(2(c + dx)) + 120a^2A\sin(3(c + dx)) + 120a^2B\sin(4(c + dx)) + 120a^2B\sin(5(c + dx))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (60*(6*a*A*b + 3*a^2*B + 4*b^2*B)*(c + d*x) + 60*(5*a^2*A + 6*A*b^2 + 12*a*b*B)*Sin[c + d*x] + 120*(2*a*A*b + a^2*B + b^2*B)*Sin[2*(c + d*x)] + 10*(5*a^2*A + 4*A*b^2 + 8*a*b*B)*Sin[3*(c + d*x)] + 15*a*(2*A*b + a*B)*Sin[4*(c + d*x)] + 6*a^2*A*Ssin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.068, size = 184, normalized size = 1.

$$\frac{1}{d} \left(\frac{a^2 A \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + Ba^2 \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 \cos(dx + c)}{8} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] 1/d*(1/5*a^2*A*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2*A*a*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/3*B*a*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*A*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+B*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

Maxima [A] time = 0.963242, size = 238, normalized size = 1.32

$$32(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))Aa^2 + 15(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Ba^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

```
[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2 +
15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2 + 30*(12*d
*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a*b - 320*(sin(d*x + c
)^3 - 3*sin(d*x + c))*B*a*b - 160*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*b^2 +
120*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*b^2)/d
```

Fricas [A] time = 0.50198, size = 350, normalized size = 1.94

$$\frac{15(3Ba^2 + 6Aab + 4Bb^2)dx + (24Aa^2 \cos(dx + c)^4 + 30(Ba^2 + 2Aab) \cos(dx + c)^3 + 64Aa^2 + 160Bab + 80Ab^2 + 120d)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fr
icas")
```

```
[Out] 1/120*(15*(3*B*a^2 + 6*A*a*b + 4*B*b^2)*d*x + (24*A*a^2*cos(d*x + c)^4 + 30
*(B*a^2 + 2*A*a*b)*cos(d*x + c)^3 + 64*A*a^2 + 160*B*a*b + 80*A*b^2 + 8*(4*
A*a^2 + 10*B*a*b + 5*A*b^2)*cos(d*x + c)^2 + 15*(3*B*a^2 + 6*A*a*b + 4*B*b^
2)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.19317, size = 657, normalized size = 3.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\frac{1}{120} \cdot (15 \cdot (3 \cdot B \cdot a^2 + 6 \cdot A \cdot a \cdot b + 4 \cdot B \cdot b^2) \cdot (d \cdot x + c) + 2 \cdot (120 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 75 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 150 \cdot A \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 240 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 120 \cdot A \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 60 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 160 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 30 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 60 \cdot A \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 640 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 320 \cdot A \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 120 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 464 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 800 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 400 \cdot A \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 160 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 30 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 60 \cdot A \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 640 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 320 \cdot A \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot A \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 75 \cdot B \cdot a^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 150 \cdot A \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 240 \cdot B \cdot a \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 120 \cdot A \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 60 \cdot B \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^5 / d$$

$$3.294 \quad \int \sec^2(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=252

$$\frac{(15a^3Ab + 52a^2b^2B - 3a^4B + 60aAb^3 + 16b^4B) \tan(c + dx)}{30bd} + \frac{(12a^2Ab + 4a^3B + 9ab^2B + 3Ab^3) \tanh^{-1}(\sin(c + dx))}{8d}$$

[Out] ((12*a^2*A*b + 3*A*b^3 + 4*a^3*B + 9*a*b^2*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((15*a^3*A*b + 60*a*A*b^3 - 3*a^4*B + 52*a^2*b^2*B + 16*b^4*B)*Tan[c + d*x])/(30*b*d) + ((30*a^2*A*b + 45*A*b^3 - 6*a^3*B + 71*a*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(120*d) + ((15*a*A*b - 3*a^2*B + 16*b^2*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*b*d) + ((5*A*b - a*B)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*b*d) + (B*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*b*d)

Rubi [A] time = 0.47939, antiderivative size = 252, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4010, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(15a^3Ab + 52a^2b^2B - 3a^4B + 60aAb^3 + 16b^4B) \tan(c + dx)}{30bd} + \frac{(12a^2Ab + 4a^3B + 9ab^2B + 3Ab^3) \tanh^{-1}(\sin(c + dx))}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]), x]

[Out] ((12*a^2*A*b + 3*A*b^3 + 4*a^3*B + 9*a*b^2*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((15*a^3*A*b + 60*a*A*b^3 - 3*a^4*B + 52*a^2*b^2*B + 16*b^4*B)*Tan[c + d*x])/(30*b*d) + ((30*a^2*A*b + 45*A*b^3 - 6*a^3*B + 71*a*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(120*d) + ((15*a*A*b - 3*a^2*B + 16*b^2*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*b*d) + ((5*A*b - a*B)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*b*d) + (B*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*b*d)

Rule 4010

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B,

0] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{B(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx}{5bd} \\
&= \frac{(5Ab - aB)(a + b \sec(c + dx))^3 \tan(c + dx)}{20bd} + \frac{B(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} \\
&= \frac{(15aAb - 3a^2B + 16b^2B)(a + b \sec(c + dx))^2 \tan(c + dx)}{60bd} + \frac{B(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} \\
&= \frac{(30a^2Ab + 45Ab^3 - 6a^3B + 71ab^2B) \sec(c + dx) \tan(c + dx)}{120d} + \frac{B(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} \\
&= \frac{(30a^2Ab + 45Ab^3 - 6a^3B + 71ab^2B) \sec(c + dx) \tan(c + dx)}{120d} + \frac{B(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} \\
&= \frac{(12a^2Ab + 3Ab^3 + 4a^3B + 9ab^2B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{B(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd} \\
&= \frac{(12a^2Ab + 3Ab^3 + 4a^3B + 9ab^2B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{B(a + b \sec(c + dx))^4 \tan(c + dx)}{5bd}
\end{aligned}$$

Mathematica [A] time = 3.34059, size = 181, normalized size = 0.72

$$15(12a^2Ab + 4a^3B + 9ab^2B + 3Ab^3) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (8(5b(3a^2B + 3aAb + 2b^2B) \tan^2(c + dx) + 1$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (15*(12*a^2*A*b + 3*A*b^3 + 4*a^3*B + 9*a*b^2*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*(12*a^2*A*b + 3*A*b^3 + 4*a^3*B + 9*a*b^2*B)*Sec[c + d*x] + 30*b^2*(A*b + 3*a*B)*Sec[c + d*x]^3 + 8*(15*(a^3*A + 3*a*A*b^2 + 3*a^2*b*B + b^3*B) + 5*b*(3*a*A*b + 3*a^2*B + 2*b^2*B)*Tan[c + d*x]^2 + 3*b^3*B*Tan[c + d*x]^4))/(120*d)

Maple [A] time = 0.042, size = 382, normalized size = 1.5

$$\frac{Aa^3 \tan(dx + c)}{d} + \frac{Ba^3 \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{3Aa^2b \sec(dx + c) \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)
```

```
[Out] 1/d*A*a^3*tan(d*x+c)+1/2/d*B*a^3*sec(d*x+c)*tan(d*x+c)+1/2/d*B*a^3*ln(sec(d
*x+c)+tan(d*x+c))+3/2/d*A*a^2*b*sec(d*x+c)*tan(d*x+c)+3/2/d*A*a^2*b*ln(sec(
d*x+c)+tan(d*x+c))+2/d*B*a^2*b*tan(d*x+c)+1/d*B*a^2*b*tan(d*x+c)*sec(d*x+c)
^2+2/d*A*a*b^2*tan(d*x+c)+1/d*A*a*b^2*tan(d*x+c)*sec(d*x+c)^2+3/4/d*B*a*b^2
*tan(d*x+c)*sec(d*x+c)^3+9/8/d*B*a*b^2*sec(d*x+c)*tan(d*x+c)+9/8/d*B*a*b^2*
ln(sec(d*x+c)+tan(d*x+c))+1/4/d*A*b^3*tan(d*x+c)*sec(d*x+c)^3+3/8/d*A*b^3*
sec(d*x+c)*tan(d*x+c)+3/8/d*A*b^3*ln(sec(d*x+c)+tan(d*x+c))+8/15/d*B*b^3*tan
(d*x+c)+1/5/d*B*b^3*tan(d*x+c)*sec(d*x+c)^4+4/15/d*B*b^3*tan(d*x+c)*sec(d*x
+c)^2
```

Maxima [A] time = 1.00424, size = 460, normalized size = 1.83

$$240(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^2b + 240(\tan(dx+c)^3 + 3 \tan(dx+c))Aab^2 + 16(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Bb^3 - 45Bab^2(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 15Aab^3(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 60Ba^3(2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 180Aa^2b(2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 240Aa^3 \tan(dx+c) / d$$

Fricas [A] time = 0.545972, size = 612, normalized size = 2.43

$$15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3) \cos(dx+c)^5 \log(\sin(dx+c)+1) - 15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3) \cos(dx+c)^5 \log(\sin(dx+c)-1) + 15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3) \cos(dx+c)^3 \log(\sin(dx+c)+1) - 15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3) \cos(dx+c)^3 \log(\sin(dx+c)-1) + 15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3) \cos(dx+c) \log(\sin(dx+c)+1) - 15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3) \cos(dx+c) \log(\sin(dx+c)-1) + 15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3) \log(\sin(dx+c)+1) - 15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3) \log(\sin(dx+c)-1) + 240Aa^3 \tan(dx+c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{240} \cdot (15 \cdot (4 \cdot B \cdot a^3 + 12 \cdot A \cdot a^2 \cdot b + 9 \cdot B \cdot a \cdot b^2 + 3 \cdot A \cdot b^3) \cdot \cos(dx + c)^5 \cdot \log(\sin(dx + c) + 1) - 15 \cdot (4 \cdot B \cdot a^3 + 12 \cdot A \cdot a^2 \cdot b + 9 \cdot B \cdot a \cdot b^2 + 3 \cdot A \cdot b^3) \cdot \cos(dx + c)^5 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (8 \cdot (15 \cdot A \cdot a^3 + 30 \cdot B \cdot a^2 \cdot b + 30 \cdot A \cdot a \cdot b^2 + 8 \cdot B \cdot b^3) \cdot \cos(dx + c)^4 + 24 \cdot B \cdot b^3 + 15 \cdot (4 \cdot B \cdot a^3 + 12 \cdot A \cdot a^2 \cdot b + 9 \cdot B \cdot a \cdot b^2 + 3 \cdot A \cdot b^3) \cdot \cos(dx + c)^3 + 8 \cdot (15 \cdot B \cdot a^2 \cdot b + 15 \cdot A \cdot a \cdot b^2 + 4 \cdot B \cdot b^3) \cdot \cos(dx + c)^2 + 30 \cdot (3 \cdot B \cdot a \cdot b^2 + A \cdot b^3) \cdot \cos(dx + c)) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^5)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) (a + b \sec(c + dx))^3 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**3*sec(c + d*x)**2, x)

Giac [B] time = 1.26441, size = 975, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{120} \cdot (15 \cdot (4 \cdot B \cdot a^3 + 12 \cdot A \cdot a^2 \cdot b + 9 \cdot B \cdot a \cdot b^2 + 3 \cdot A \cdot b^3) \cdot \log(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + 1)) - 15 \cdot (4 \cdot B \cdot a^3 + 12 \cdot A \cdot a^2 \cdot b + 9 \cdot B \cdot a \cdot b^2 + 3 \cdot A \cdot b^3) \cdot \log(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) - 1)) - 2 \cdot (120 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^9 - 60 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^9 - 180 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^9 + 360 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^9 + 360 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^9 - 225 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^9 - 75 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^9 + 120 \cdot B \cdot b^3 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^9 - 480 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^7 + 120 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^7 + 360 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^7 - 960 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^7 - 960 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^7 + 90 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^7)$

$$\begin{aligned}
& *c)^7 + 30*A*b^3*\tan(1/2*d*x + 1/2*c)^7 - 160*B*b^3*\tan(1/2*d*x + 1/2*c)^7 \\
& + 720*A*a^3*\tan(1/2*d*x + 1/2*c)^5 + 1200*B*a^2*b*\tan(1/2*d*x + 1/2*c)^5 + \\
& 1200*A*a*b^2*\tan(1/2*d*x + 1/2*c)^5 + 464*B*b^3*\tan(1/2*d*x + 1/2*c)^5 - 48 \\
& 0*A*a^3*\tan(1/2*d*x + 1/2*c)^3 - 120*B*a^3*\tan(1/2*d*x + 1/2*c)^3 - 360*A*a \\
& ^2*b*\tan(1/2*d*x + 1/2*c)^3 - 960*B*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - 960*A*a* \\
& b^2*\tan(1/2*d*x + 1/2*c)^3 - 90*B*a*b^2*\tan(1/2*d*x + 1/2*c)^3 - 30*A*b^3*t \\
& an(1/2*d*x + 1/2*c)^3 - 160*B*b^3*\tan(1/2*d*x + 1/2*c)^3 + 120*A*a^3*\tan(1/ \\
& 2*d*x + 1/2*c) + 60*B*a^3*\tan(1/2*d*x + 1/2*c) + 180*A*a^2*b*\tan(1/2*d*x + \\
& 1/2*c) + 360*B*a^2*b*\tan(1/2*d*x + 1/2*c) + 360*A*a*b^2*\tan(1/2*d*x + 1/2*c \\
&) + 225*B*a*b^2*\tan(1/2*d*x + 1/2*c) + 75*A*b^3*\tan(1/2*d*x + 1/2*c) + 120* \\
& B*b^3*\tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^5)/d
\end{aligned}$$

3.295 $\int \sec(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$

Optimal. Leaf size=180

$$\frac{(16a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \tan(c + dx)}{6d} + \frac{(8a^3A + 12a^2bB + 12aAb^2 + 3b^3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(6a^2B + 3a^3A + 12ab^2B + 4Ab^3)}{6d}$$

```
[Out] ((8*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((16*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*Tan[c + d*x])/(6*d) + (b*
(20*a*A*b + 6*a^2*B + 9*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*A*b
+ 3*a*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (B*(a + b*Sec[c + d*
x])^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.333184, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(16a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \tan(c + dx)}{6d} + \frac{(8a^3A + 12a^2bB + 12aAb^2 + 3b^3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(6a^2B + 3a^3A + 12ab^2B + 4Ab^3)}{6d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((8*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((16*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*Tan[c + d*x])/(6*d) + (b*
(20*a*A*b + 6*a^2*B + 9*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(24*d) + ((4*A*b
+ 3*a*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(12*d) + (B*(a + b*Sec[c + d*
x])^3*Tan[c + d*x])/(4*d)
```

Rule 4002

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a
+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a
+ b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*
Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,
0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
```

Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx))dx &= \frac{B(a+b\sec(c+dx))^3 \tan(c+dx)}{4d} + \frac{1}{4} \int \sec(c+dx)(a+b\sec(c+dx))^3 dx \\
&= \frac{(4Ab+3aB)(a+b\sec(c+dx))^2 \tan(c+dx)}{12d} + \frac{B(a+b\sec(c+dx))^3}{4d} \\
&= \frac{b(20aAb+6a^2B+9b^2B)\sec(c+dx)\tan(c+dx)}{24d} + \frac{(4Ab+3aB)(a+b\sec(c+dx))^3}{4d} \\
&= \frac{b(20aAb+6a^2B+9b^2B)\sec(c+dx)\tan(c+dx)}{24d} + \frac{(4Ab+3aB)(a+b\sec(c+dx))^3}{4d} \\
&= \frac{(8a^3A+12aAb^2+12a^2bB+3b^3B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{(4Ab+3aB)(a+b\sec(c+dx))^3}{4d} \\
&= \frac{(8a^3A+12aAb^2+12a^2bB+3b^3B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{(4Ab+3aB)(a+b\sec(c+dx))^3}{4d}
\end{aligned}$$

Mathematica [A] time = 0.949985, size = 140, normalized size = 0.78

$$\frac{3(8a^3A+12a^2bB+12aAb^2+3b^3B)\tanh^{-1}(\sin(c+dx))+\tan(c+dx)(9b(4a^2B+4aAb+b^2B)\sec(c+dx)+24(3a^2B+3aAb+b^2B)\tan(c+dx))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (3*(8*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(24*(3*a^2*A*b + A*b^3 + a^3*B + 3*a*b^2*B) + 9*b*(4*a*A*b + 4*a^2*B + b^2*B)*Sec[c + d*x] + 6*b^3*B*Sec[c + d*x]^3 + 8*b^2*(A*b + 3*a*B)*Tan[c + d*x]^2))/(24*d)

Maple [A] time = 0.041, size = 290, normalized size = 1.6

$$\frac{Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{Ba^3 \tan(dx+c)}{d} + 3 \frac{Aa^2b \tan(dx+c)}{d} + \frac{3Ba^2b \sec(dx+c) \tan(dx+c)}{2d} + \frac{3Ba^2b \sec(dx+c) \tan(dx+c)}{2d} + \frac{3Ba^2b \sec(dx+c) \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] 1/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^3*tan(d*x+c)+3/d*A*a^2*b*tan(d*x+c)+3/2/d*B*a^2*b*sec(d*x+c)*tan(d*x+c)+3/2/d*B*a^2*b*ln(sec(d*x+c)+tan(d*x+c))

$x+c)) + 3/2/d*A*a*b^2*\sec(d*x+c)*\tan(d*x+c) + 3/2/d*A*a*b^2*\ln(\sec(d*x+c) + \tan(d*x+c)) + 2/d*B*a*b^2*\tan(d*x+c) + 1/d*B*a*b^2*\tan(d*x+c)*\sec(d*x+c)^2 + 2/3/d*A*b^3*\tan(d*x+c) + 1/3/d*A*b^3*\tan(d*x+c)*\sec(d*x+c)^2 + 1/4/d*B*b^3*\tan(d*x+c)*\sec(d*x+c)^3 + 3/8/d*B*b^3*\sec(d*x+c)*\tan(d*x+c) + 3/8/d*B*b^3*\ln(\sec(d*x+c) + \tan(d*x+c))$

Maxima [A] time = 0.989862, size = 359, normalized size = 1.99

$48(\tan(dx+c)^3 + 3\tan(dx+c))Bab^2 + 16(\tan(dx+c)^3 + 3\tan(dx+c))Ab^3 - 3Bb^3\left(\frac{2(3\sin(dx+c)^3 - 5\sin(dx+c))}{\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1} - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)\right) - 36B*a^2*b*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 36*A*a*b^2*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 48*A*a^3*\log(\sec(dx+c) + \tan(dx+c)) + 48*B*a^3*\tan(dx+c) + 144*A*a^2*b*\tan(dx+c))/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $1/48*(48*(\tan(dx+c)^3 + 3*\tan(dx+c))*B*a*b^2 + 16*(\tan(dx+c)^3 + 3*\tan(dx+c))*A*b^3 - 3*B*b^3*(2*(3*\sin(dx+c)^3 - 5*\sin(dx+c))/(\sin(dx+c)^4 - 2*\sin(dx+c)^2 + 1) - 3*\log(\sin(dx+c) + 1) + 3*\log(\sin(dx+c) - 1)) - 36*B*a^2*b*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 36*A*a*b^2*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 48*A*a^3*\log(\sec(dx+c) + \tan(dx+c)) + 48*B*a^3*\tan(dx+c) + 144*A*a^2*b*\tan(dx+c))/d$

Fricas [A] time = 0.52755, size = 510, normalized size = 2.83

$3(8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)\cos(dx+c)^4\log(\sin(dx+c)+1) - 3(8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)\cos(dx+c)^4\log(-\sin(dx+c)+1) + 2*(6B*b^3 + 8*(3B*a^3 + 9A*a^2*b + 6B*a*b^2 + 2A*b^3))*\cos(dx+c)^3 + 9*(4B*a^2*b + 4A*a*b^2 + B*b^3)*\cos(dx+c)^2 + 6*(3B*a^3 + 9A*a^2*b + 6B*a*b^2 + 2A*b^3)*\cos(dx+c) + 3*(8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $1/48*(3*(8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)*\cos(dx+c)^4*\log(\sin(dx+c)+1) - 3*(8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)*\cos(dx+c)^4*\log(-\sin(dx+c)+1) + 2*(6B*b^3 + 8*(3B*a^3 + 9A*a^2*b + 6B*a*b^2 + 2A*b^3))*\cos(dx+c)^3 + 9*(4B*a^2*b + 4A*a*b^2 + B*b^3)*\cos(dx+c)^2 + 6*(3B*a^3 + 9A*a^2*b + 6B*a*b^2 + 2A*b^3)*\cos(dx+c) + 3*(8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)$

$c)^2 + 8*(3*B*a*b^2 + A*b^3)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^4$
)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) (a + b \sec(c + dx))^3 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**3*sec(c + d*x), x)

Giac [B] time = 1.25369, size = 791, normalized size = 4.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{24}*(3*(8*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 3*B*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(8*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 3*B*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(24*B*a^3*\tan(1/2*d*x + 1/2*c)^7 + 72*A*a^2*b*\tan(1/2*d*x + 1/2*c)^7 - 36*B*a^2*b*\tan(1/2*d*x + 1/2*c)^7 - 36*A*a*b^2*\tan(1/2*d*x + 1/2*c)^7 + 72*B*a*b^2*\tan(1/2*d*x + 1/2*c)^7 + 24*A*b^3*\tan(1/2*d*x + 1/2*c)^7 - 15*B*b^3*\tan(1/2*d*x + 1/2*c)^7 - 72*B*a^3*\tan(1/2*d*x + 1/2*c)^5 - 216*A*a^2*b*\tan(1/2*d*x + 1/2*c)^5 + 36*B*a^2*b*\tan(1/2*d*x + 1/2*c)^5 + 36*A*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 120*B*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 40*A*b^3*\tan(1/2*d*x + 1/2*c)^5 - 9*B*b^3*\tan(1/2*d*x + 1/2*c)^5 + 72*B*a^3*\tan(1/2*d*x + 1/2*c)^3 + 216*A*a^2*b*\tan(1/2*d*x + 1/2*c)^3 + 36*B*a^2*b*\tan(1/2*d*x + 1/2*c)^3 + 36*A*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 120*B*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 40*A*b^3*\tan(1/2*d*x + 1/2*c)^3 - 9*B*b^3*\tan(1/2*d*x + 1/2*c)^3 - 24*B*a^3*\tan(1/2*d*x + 1/2*c) - 72*A*a^2*b*\tan(1/2*d*x + 1/2*c) - 36*B*a^2*b*\tan(1/2*d*x + 1/2*c) - 36*A*a*b^2*\tan(1/2*d*x + 1/2*c) - 72*B*a*b^2*\tan(1/2*d*x + 1/2*c) - 24*A*b^3*\tan(1/2*d*x + 1/2*c) - 15*B*b^3*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

3.296 $\int (a + b \sec(c + dx))^3 (A + B \sec(c + dx)) dx$

Optimal. Leaf size=137

$$\frac{b(8a^2B + 9aAb + 2b^2B) \tan(c + dx)}{3d} + \frac{(6a^2Ab + 2a^3B + 3ab^2B + Ab^3) \tanh^{-1}(\sin(c + dx))}{2d} + a^3Ax + \frac{b^2(5aB + 3Ab) \tan(c + dx)}{3d}$$

[Out] $a^3Ax + ((6a^2Ab + Ab^3 + 2a^3B + 3ab^2B) \operatorname{ArcTanh}[\sin(c + dx)]) / (2d) + (b(9aAb + 8a^2B + 2b^2B) \tan(c + dx)) / (3d) + (b^2(3Ab + 5aB) \sec(c + dx) \tan(c + dx)) / (6d) + (bB(a + b \sec(c + dx))^2 \tan(c + dx)) / (3d)$

Rubi [A] time = 0.189928, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3918, 4048, 3770, 3767, 8}

$$\frac{b(8a^2B + 9aAb + 2b^2B) \tan(c + dx)}{3d} + \frac{(6a^2Ab + 2a^3B + 3ab^2B + Ab^3) \tanh^{-1}(\sin(c + dx))}{2d} + a^3Ax + \frac{b^2(5aB + 3Ab) \tan(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b \sec(c + dx))^3 (A + B \sec(c + dx)), x]$

[Out] $a^3Ax + ((6a^2Ab + Ab^3 + 2a^3B + 3ab^2B) \operatorname{ArcTanh}[\sin(c + dx)]) / (2d) + (b(9aAb + 8a^2B + 2b^2B) \tan(c + dx)) / (3d) + (b^2(3Ab + 5aB) \sec(c + dx) \tan(c + dx)) / (6d) + (bB(a + b \sec(c + dx))^2 \tan(c + dx)) / (3d)$

Rule 3918

$\operatorname{Int}[(\csc(e_.) + (f_.) \cdot (x_)) \cdot (b_.) + (a_.)]^{(m_)} \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (d_.) + (c_.)$, x_Symbol] $\rightarrow -\operatorname{Simp}[(b \cdot d \cdot \cot[e + f \cdot x]) \cdot (a + b \cdot \csc[e + f \cdot x])^{(m - 1)}] / (f \cdot m)$, x] + $\operatorname{Dist}[1/m, \operatorname{Int}[(a + b \cdot \csc[e + f \cdot x])^{(m - 2)} \cdot \operatorname{Simp}[a^2 \cdot c \cdot m + (b^2 \cdot d \cdot (m - 1) + 2 \cdot a \cdot b \cdot c \cdot m + a^2 \cdot d \cdot m) \cdot \csc[e + f \cdot x] + b \cdot (b \cdot c \cdot m + a \cdot d \cdot (2 \cdot m - 1)) \cdot \csc[e + f \cdot x]^2, x], x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b \cdot c - a \cdot d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2 \cdot m]

Rule 4048

$\operatorname{Int}[(A_.) + \csc(e_.) + (f_.) \cdot (x_)] \cdot (B_.) + \csc(e_.) + (f_.) \cdot (x_)]^2 \cdot (C_.)$, x_Symbol] $\rightarrow -\operatorname{Simp}[(b \cdot C \cdot \csc[e + f \cdot x]) \cdot \cot[e + f \cdot x]] / (2 \cdot f)$, x] + $\operatorname{Dist}[1/2, \operatorname{Int}[\operatorname{Simp}[2 \cdot A \cdot a + (2 \cdot B \cdot a + b \cdot (2 \cdot A +$

C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^3 (A + B \sec(c + dx)) dx &= \frac{bB(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} + \frac{1}{3} \int (a + b \sec(c + dx)) (3a^2 A + (b^2(3Ab + 5aB) \sec(c + dx) \tan(c + dx) + bB(a + b \sec(c + dx))^2 \tan(c + dx))) dx \\
 &= \frac{b^2(3Ab + 5aB) \sec(c + dx) \tan(c + dx)}{6d} + \frac{bB(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} \\
 &= a^3 Ax + \frac{b^2(3Ab + 5aB) \sec(c + dx) \tan(c + dx)}{6d} + \frac{bB(a + b \sec(c + dx))^2 \tan(c + dx)}{3d} \\
 &= a^3 Ax + \frac{(6a^2 Ab + Ab^3 + 2a^3 B + 3ab^2 B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b^2(3Ab + 5aB) \sec(c + dx) \tan(c + dx)}{6d} \\
 &= a^3 Ax + \frac{(6a^2 Ab + Ab^3 + 2a^3 B + 3ab^2 B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b(9aAb + 5a^2 B + 3ab^2 B) \sec(c + dx) \tan(c + dx)}{6d}
 \end{aligned}$$

Mathematica [A] time = 0.571772, size = 108, normalized size = 0.79

$$\frac{3(6a^2 Ab + 2a^3 B + 3ab^2 B + Ab^3) \tanh^{-1}(\sin(c + dx)) + 3b \tan(c + dx) (6a^2 B + b(3aB + Ab) \sec(c + dx) + 6aAb + 2b^2 B)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]), x]

[Out] $(6a^3A dx + 3(6a^2Ab + Ab^3 + 2a^3B + 3ab^2B) \operatorname{ArcTanh}[\sin(c + dx)]) + 3b(6aAb + 6a^2B + 2b^2B + b(Ab + 3aB) \operatorname{Sec}[c + dx]) \operatorname{Tan}[c + dx] + 2b^3B \operatorname{Tan}[c + dx]^3) / (6d)$

Maple [A] time = 0.04, size = 223, normalized size = 1.6

$$a^3Ax + \frac{Aa^3c}{d} + \frac{Ba^3 \ln(\sec(dx+c) + \tan(dx+c))}{d} + 3 \frac{Aa^2b \ln(\sec(dx+c) + \tan(dx+c))}{d} + 3 \frac{Ba^2b \tan(dx+c)}{d} + 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

[Out] $a^3A^2x + 1/dA^2a^3c + 1/dB^2a^3 \ln(\sec(dx+c) + \tan(dx+c)) + 3/dA^2a^2b \ln(\sec(dx+c) + \tan(dx+c)) + 3/dB^2a^2b \tan(dx+c) + 3/dA^2a^2b^2 \tan(dx+c) + 3/2/dB^2a^2b^2 \sec(dx+c) \tan(dx+c) + 3/2/dB^2a^2b^2 \ln(\sec(dx+c) + \tan(dx+c)) + 1/2/dA^2b^3 \sec(dx+c) \tan(dx+c) + 1/2/dA^2b^3 \ln(\sec(dx+c) + \tan(dx+c)) + 2/3/dB^2b^3 \tan(dx+c) + 1/3/dB^2b^3 \tan(dx+c) \sec(dx+c)^2$

Maxima [A] time = 0.975375, size = 273, normalized size = 1.99

$$12(dx+c)Aa^3 + 4(\tan(dx+c)^3 + 3 \tan(dx+c))Bb^3 - 9Bab^2 \left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/12*(12*(dx+c)*A^2a^3 + 4*(\tan(dx+c)^3 + 3 \tan(dx+c))*B^2b^3 - 9B^2a^2b*(2 \sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 3A^2b^3*(2 \sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 12B^2a^3 \log(\sec(dx+c) + \tan(dx+c)) + 36A^2a^2b \log(\sec(dx+c) + \tan(dx+c)) + 36B^2a^2b \tan(dx+c) + 36A^2a^2b^2 \tan(dx+c)) / d$

Fricas [A] time = 0.549973, size = 458, normalized size = 3.34

$$12Aa^3 dx \cos(dx+c)^3 + 3(2Ba^3 + 6Aa^2b + 3Bab^2 + Ab^3) \cos(dx+c)^3 \log(\sin(dx+c) + 1) - 3(2Ba^3 + 6Aa^2b + 3Bab^2 + Ab^3) \cos(dx+c)^3 \log(\sin(dx+c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(12*A*a^3*d*x*\cos(d*x + c)^3 + 3*(2*B*a^3 + 6*A*a^2*b + 3*B*a*b^2 + A*b^3)*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(2*B*a^3 + 6*A*a^2*b + 3*B*a*b^2 + A*b^3)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(2*B*b^3 + 2*(9*B*a^2*b + 9*A*a*b^2 + 2*B*b^3)*\cos(d*x + c)^2 + 3*(3*B*a*b^2 + A*b^3)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))^3, x)

Giac [B] time = 1.26516, size = 454, normalized size = 3.31

$6(dx + c)Aa^3 + 3(2Ba^3 + 6Aa^2b + 3Bab^2 + Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Ba^3 + 6Aa^2b + 3Bab^2 + Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{6}*(6*(d*x + c)*A*a^3 + 3*(2*B*a^3 + 6*A*a^2*b + 3*B*a*b^2 + A*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(2*B*a^3 + 6*A*a^2*b + 3*B*a*b^2 + A*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(18*B*a^2*b*\tan(1/2*d*x + 1/2*c)^5 + 18*A*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 9*B*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 3*A*b^3*\tan(1/2*d*x + 1/2*c)^5 + 6*B*b^3*\tan(1/2*d*x + 1/2*c)^5 - 36*B*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - 36*A*a*b^2*\tan(1/2*d*x + 1/2*c)^3 - 4*B*b^3*\tan(1/2*d*x + 1/2*c)^3 + 18*B*a^2*b*\tan(1/2*d*x + 1/2*c) + 18*A*a*b^2*\tan(1/2*d*x + 1/2*c))$

$$\begin{aligned} &+ 1/2*c) + 9*B*a*b^2*\tan(1/2*d*x + 1/2*c) + 3*A*b^3*\tan(1/2*d*x + 1/2*c) + \\ &6*B*b^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d \end{aligned}$$

$$3.297 \quad \int \cos(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=119

$$\frac{b(6a^2B + 6aAb + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(2aA - bB) \sin(c + dx)}{2d} + a^2x(aB + 3Ab) + \frac{b^2(2aB + Ab) \tan(c + dx)}{d}$$

[Out] a^2*(3*A*b + a*B)*x + (b*(6*a*A*b + 6*a^2*B + b^2*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (a^2*(2*a*A - b*B)*Sin[c + d*x])/(2*d) + (b*B*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + (b^2*(A*b + 2*a*B)*Tan[c + d*x])/d

Rubi [A] time = 0.223205, antiderivative size = 131, normalized size of antiderivative = 1.1, number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {4025, 4048, 3770, 3767, 8}

$$\frac{b(2a^2A - 3abB - Ab^2) \tan(c + dx)}{d} + \frac{b(6a^2B + 6aAb + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + a^2x(aB + 3Ab) - \frac{b^2(2aA - bB)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] a^2*(3*A*b + a*B)*x + (b*(6*a*A*b + 6*a^2*B + b^2*B)*ArcTanh[Sin[c + d*x]])/(2*d) + (a*A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/d - (b*(2*a^2*A - A*b^2 - 3*a*b*B)*Tan[c + d*x])/d - (b^2*(2*a*A - b*B)*Sec[c + d*x]*Tan[c + d*x])/(2*d)

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a *(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*((csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{aA(a + b \sec(c + dx))^2 \sin(c + dx)}{d} - \int (a + b \sec(c + dx)) (-) \\
&= \frac{aA(a + b \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{b^2(2aA - bB) \sec(c + dx)}{2d} \\
&= a^2(3Ab + aB)x + \frac{aA(a + b \sec(c + dx))^2 \sin(c + dx)}{d} - \frac{b^2(2aA - bB) \sec(c + dx)}{2d} \\
&= a^2(3Ab + aB)x + \frac{b(6aAb + 6a^2B + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} \\
&= a^2(3Ab + aB)x + \frac{b(6aAb + 6a^2B + b^2B) \tanh^{-1}(\sin(c + dx))}{2d}
\end{aligned}$$

Mathematica [B] time = 0.962975, size = 399, normalized size = 3.35

$$\sec^2(c + dx) \left((a^3A + 2b^3B) \sin(c + dx) + \cos(2(c + dx)) \left(-b(6a^2B + 6aAb + b^2B) \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (Sec[c + d*x]^2*(6*a^2*A*b*c + 2*a^3*B*c + 6*a^2*A*b*d*x + 2*a^3*B*d*x - 6*a*A*b^2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 6*a^2*b*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - b^3*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*a*A*b^2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 6*a^2*b*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + b^3*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + Cos[2*(c + d*x)]*(2*a^2*(3*A*b + a*B)*(c + d*x) - b*(6*a*A*b + 6*a^2*B + b^2*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + b*(6*a*A*b + 6*a^2*B + b^2*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (a^3*A + 2*b^3*B)*Sin[c + d*x] + 2*A*b^3*Sin[2*(c + d*x)] + 6*a*b^2*B*Sin[2*(c + d*x)] + a^3*A*Sin[3*(c + d*x)))/(4*d)

Maple [A] time = 0.054, size = 172, normalized size = 1.5

$$\frac{Aa^3 \sin(dx + c)}{d} + Ba^3x + \frac{Ba^3c}{d} + 3Aa^2bx + 3\frac{Aa^2bc}{d} + 3\frac{Ba^2b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3\frac{Aab^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] a^3*A*sin(d*x+c)/d+B*a^3*x+1/d*B*a^3*c+3*A*a^2*b*x+3/d*A*a^2*b*c+3/d*B*a^2*b*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+3/d*B*a*b^2*tan(d*x+c)+1/d*A*b^3*tan(d*x+c)+1/2/d*B*b^3*sec(d*x+c)*tan(d*x+c)+1/2/d*B*b^3*ln(sec(d*x+c)+tan(d*x+c))

Maxima [A] time = 0.982723, size = 228, normalized size = 1.92

$$4(dx + c)Ba^3 + 12(dx + c)Aa^2b - Bb^3\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) + 6Ba^2b(\log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/4*(4*(d*x + c)*B*a^3 + 12*(d*x + c)*A*a^2*b - B*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 6*B*a^2*

$$b(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 6Aab^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4Aa^3\sin(dx + c) + 12Bab^2\tan(dx + c) + 4Ab^3\tan(dx + c))/d$$

Fricas [A] time = 0.562001, size = 401, normalized size = 3.37

$$\frac{4(Ba^3 + 3Aa^2b)dx \cos(dx + c)^2 + (6Ba^2b + 6Aab^2 + Bb^3) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (6Ba^2b + 6Aab^2 + Bb^3) \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(2Aa^3\cos(dx + c)^2 + Bb^3 + 2(3Bab^2 + Ab^3)\cos(dx + c))\sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+b*sec(dx+c))^3*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] $\frac{1}{4} * (4 * (B * a^3 + 3 * A * a^2 * b) * dx * \cos(dx + c)^2 + (6 * B * a^2 * b + 6 * A * a * b^2 + B * b^3) * \cos(dx + c)^2 * \log(\sin(dx + c) + 1) - (6 * B * a^2 * b + 6 * A * a * b^2 + B * b^3) * \cos(dx + c)^2 * \log(-\sin(dx + c) + 1) + 2 * (2 * A * a^3 * \cos(dx + c)^2 + B * b^3 + 2 * (3 * B * a * b^2 + A * b^3) * \cos(dx + c)) * \sin(dx + c)) / (d * \cos(dx + c)^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+b*sec(dx+c))^3*(A+B*sec(dx+c)),x)

[Out] Timed out

Giac [B] time = 1.22502, size = 325, normalized size = 2.73

$$\frac{4Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 2(Ba^3 + 3Aa^2b)(dx + c) + (6Ba^2b + 6Aab^2 + Bb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (6Ba^2b + 6Aab^2 + Bb^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2} \cdot (4 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) / (\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 + 1) + 2 \cdot (B \cdot a^3 + 3 \cdot A \cdot a^2 \cdot b) \cdot (d \cdot x + c) + (6 \cdot B \cdot a^2 \cdot b + 6 \cdot A \cdot a \cdot b^2 + B \cdot b^3) \cdot \log(\text{abs}(\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 1)) - (6 \cdot B \cdot a^2 \cdot b + 6 \cdot A \cdot a \cdot b^2 + B \cdot b^3) \cdot \log(\text{abs}(\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 1)) - 2 \cdot (6 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 2 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - B \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 6 \cdot B \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 2 \cdot A \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - B \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)) / (\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 - 1)^2) / d$

3.298 $\int \cos^2(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$

Optimal. Leaf size=124

$$\frac{1}{2}ax(a^2A + 6abB + 6Ab^2) + \frac{a^2(aB + 2Ab) \sin(c + dx)}{d} - \frac{b^2(aA - 2bB) \tan(c + dx)}{2d} + \frac{b^2(3aB + Ab) \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (a*(a^2*A + 6*A*b^2 + 6*a*b*B)*x)/2 + (b^2*(A*b + 3*a*B)*ArcTanh[Sin[c + d*x]])/d + (a^2*(2*A*b + a*B)*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - (b^2*(a*A - 2*b*B)*Tan[c + d*x])/(2*d)

Rubi [A] time = 0.333451, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4025, 4076, 4047, 8, 4045, 3770}

$$\frac{1}{2}ax(a^2A + 6abB + 6Ab^2) + \frac{a^2(aB + 2Ab) \sin(c + dx)}{d} - \frac{b^2(aA - 2bB) \tan(c + dx)}{2d} + \frac{b^2(3aB + Ab) \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (a*(a^2*A + 6*A*b^2 + 6*a*b*B)*x)/2 + (b^2*(A*b + 3*a*B)*ArcTanh[Sin[c + d*x]])/d + (a^2*(2*A*b + a*B)*Sin[c + d*x])/d + (a*A*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) - (b^2*(a*A - 2*b*B)*Tan[c + d*x])/(2*d)

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (

```
a_), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) \dots \\
 &= \frac{aA \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} - \frac{b^2(aA - 2abB)}{2d} \\
 &= \frac{aA \cos(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} - \frac{b^2(aA - 2abB)}{2d} \\
 &= \frac{1}{2}a(a^2A + 6Ab^2 + 6abB)x + \frac{a^2(2Ab + aB) \sin(c + dx)}{d} + \dots \\
 &= \frac{1}{2}a(a^2A + 6Ab^2 + 6abB)x + \frac{b^2(Ab + 3aB) \tanh^{-1}(\sin(c + dx))}{d}
 \end{aligned}$$

Mathematica [A] time = 0.681226, size = 217, normalized size = 1.75

$$2a(c + dx)(a^2A + 6abB + 6Ab^2) + 4a^2(aB + 3Ab)\sin(c + dx) + a^3A\sin(2(c + dx)) - 4b^2(3aB + Ab)\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (2*a*(a^2*A + 6*A*b^2 + 6*a*b*B)*(c + d*x) - 4*b^2*(A*b + 3*a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*b^2*(A*b + 3*a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (4*b^3*B*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (4*b^3*B*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 4*a^2*(3*A*b + a*B)*Sin[c + d*x] + a^3*A*Sin[2*(c + d*x)]/(4*d)

Maple [A] time = 0.056, size = 168, normalized size = 1.4

$$\frac{Aa^3 \cos(dx + c) \sin(dx + c)}{2d} + \frac{a^3 Ax}{2} + \frac{Aa^3 c}{2d} + \frac{Ba^3 \sin(dx + c)}{d} + 3 \frac{Aa^2 b \sin(dx + c)}{d} + 3Ba^2 bx + 3 \frac{Ba^2 bc}{d} + 3Aab^2 x + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] 1/2/d*A*a^3*cos(d*x+c)*sin(d*x+c)+1/2*a^3*A*x+1/2/d*A*a^3*c+a^3*B*sin(d*x+c)/d+3/d*A*a^2*b*sin(d*x+c)+3*B*a^2*b*x+3/d*B*a^2*b*c+3*A*a*b^2*x+3/d*A*a*b^2*c+3/d*B*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*b^3*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*b^3*tan(d*x+c)

Maxima [A] time = 0.980297, size = 194, normalized size = 1.56

$$(2dx + 2c + \sin(2dx + 2c))Aa^3 + 12(dx + c)Ba^2b + 12(dx + c)Aab^2 + 6Bab^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

```
[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^3 + 12*(d*x + c)*B*a^2*b + 12*(d*x + c)*A*a*b^2 + 6*B*a*b^2*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 2*A*b^3*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*B*a^3*sin(d*x + c) + 12*A*a^2*b*sin(d*x + c) + 4*B*b^3*tan(d*x + c))/d
```

Fricas [A] time = 0.529613, size = 369, normalized size = 2.98

$$\frac{(Aa^3 + 6Ba^2b + 6Aab^2)dx \cos(dx + c) + (3Bab^2 + Ab^3) \cos(dx + c) \log(\sin(dx + c) + 1) - (3Bab^2 + Ab^3) \cos(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*((A*a^3 + 6*B*a^2*b + 6*A*a*b^2)*d*x*cos(d*x + c) + (3*B*a*b^2 + A*b^3)*cos(d*x + c)*log(sin(d*x + c) + 1) - (3*B*a*b^2 + A*b^3)*cos(d*x + c)*log(-sin(d*x + c) + 1) + (A*a^3*cos(d*x + c)^2 + 2*B*b^3 + 2*(B*a^3 + 3*A*a^2*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [A] time = 1.29103, size = 316, normalized size = 2.55

$$\frac{4Bb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - (Aa^3 + 6Ba^2b + 6Aab^2)(dx + c) - 2(3Bab^2 + Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 2(3Bab^2 + Ab^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -\frac{1}{2} \cdot \frac{4Bb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 - 1} - \left(Aa^3 + \right. \\ & 6Ba^2b + 6Aab^2 \left. \right) \cdot (dx + c) - 2 \cdot \left(3Bab^2 + Ab^3 \right) \cdot \log\left(\left| \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1 \right|\right) \\ & + 2 \cdot \left(3Bab^2 + Ab^3 \right) \cdot \log\left(\left| \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1 \right|\right) \\ & + 2 \cdot \left(Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 6Aa^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \right. \\ & \left. - Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 6Aa^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right) / \left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1 \right) \\ & \left. \right) / d \end{aligned}$$

$$3.299 \quad \int \cos^3(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=145

$$\frac{a(2a^2A + 9abB + 8Ab^2) \sin(c + dx)}{3d} + \frac{1}{2}x(3a^2Ab + a^3B + 6ab^2B + 2Ab^3) + \frac{a^2(3aB + 5Ab) \sin(c + dx) \cos(c + dx)}{6d} +$$

[Out] ((3*a^2*A*b + 2*A*b^3 + a^3*B + 6*a*b^2*B)*x)/2 + (b^3*B*ArcTanh[Sin[c + d*x]])/d + (a*(2*a^2*A + 8*A*b^2 + 9*a*b*B)*Sin[c + d*x])/(3*d) + (a^2*(5*A*b + 3*a*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (a*A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.347466, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4025, 4074, 4047, 8, 4045, 3770}

$$\frac{a(2a^2A + 9abB + 8Ab^2) \sin(c + dx)}{3d} + \frac{1}{2}x(3a^2Ab + a^3B + 6ab^2B + 2Ab^3) + \frac{a^2(3aB + 5Ab) \sin(c + dx) \cos(c + dx)}{6d} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]), x]

[Out] ((3*a^2*A*b + 2*A*b^3 + a^3*B + 6*a*b^2*B)*x)/2 + (b^3*B*ArcTanh[Sin[c + d*x]])/d + (a*(2*a^2*A + 8*A*b^2 + 9*a*b*B)*Sin[c + d*x])/(3*d) + (a^2*(5*A*b + 3*a*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (a*A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(3*d)

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} - \frac{1}{3} \int \cos^2(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
&= \frac{a^2(5Ab + 3aB) \cos(c + dx) \sin(c + dx)}{6d} + \frac{aA \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{a^2(5Ab + 3aB) \cos(c + dx) \sin(c + dx)}{6d} + \frac{aA \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{1}{2} (3a^2Ab + 2Ab^3 + a^3B + 6ab^2B) x + \frac{a(2a^2A + 8Ab^2 + 9aB)}{3d} \int \cos^2(c + dx) dx \\
&= \frac{1}{2} (3a^2Ab + 2Ab^3 + a^3B + 6ab^2B) x + \frac{b^3B \tanh^{-1}(\sin(c + dx))}{d}
\end{aligned}$$

Mathematica [A] time = 0.355049, size = 159, normalized size = 1.1

$$\frac{6(c + dx)(3a^2Ab + a^3B + 6ab^2B + 2Ab^3) + 9a(a^2A + 4abB + 4Ab^2)\sin(c + dx) + 3a^2(aB + 3Ab)\sin(2(c + dx)) + a^3A}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (6*(3*a^2*A*b + 2*A*b^3 + a^3*B + 6*a*b^2*B)*(c + d*x) - 12*b^3*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*b^3*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*a*(a^2*A + 4*A*b^2 + 4*a*b*B)*Sin[c + d*x] + 3*a^2*(3*A*b + a*B)*Sin[2*(c + d*x)] + a^3*A*Sin[3*(c + d*x)])/(12*d)

Maple [A] time = 0.06, size = 207, normalized size = 1.4

$$\frac{A \sin(dx + c)(\cos(dx + c))^2 a^3}{3d} + \frac{2 A a^3 \sin(dx + c)}{3d} + \frac{B a^3 \cos(dx + c) \sin(dx + c)}{2d} + \frac{B a^3 x}{2} + \frac{B a^3 c}{2d} + \frac{3 A a^2 b \cos(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] 1/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^3+2/3*a^3*A*sin(d*x+c)/d+1/2/d*B*a^3*cos(d*x+c)*sin(d*x+c)+1/2*B*a^3*x+1/2/d*B*a^3*c+3/2/d*A*a^2*b*cos(d*x+c)*sin(d*x+c)+3/2*A*a^2*b*x+3/2/d*A*a^2*b*c+3/d*B*a^2*b*sin(d*x+c)+3/d*A*a*b^2*sin(d*x+c)+3*B*a*b^2*x+3/d*B*a*b^2*c+A*b^3*x+1/d*A*b^3*c+1/d*B*b^3*ln(sec(d*x+c))+tan(d*x+c)

Maxima [A] time = 0.963334, size = 205, normalized size = 1.41

$$\frac{4(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^3 - 3(2dx + 2c + \sin(2dx + 2c))Ba^3 - 9(2dx + 2c + \sin(2dx + 2c))Aa^2b - 36}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $-1/12*(4*(\sin(dx + c))^3 - 3*\sin(dx + c))*A*a^3 - 3*(2*dx + 2*c + \sin(2*dx + 2*c))*B*a^3 - 9*(2*dx + 2*c + \sin(2*dx + 2*c))*A*a^2*b - 36*(dx + c)*B*a*b^2 - 12*(dx + c)*A*b^3 - 6*B*b^3*(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) - 36*B*a^2*b*\sin(dx + c) - 36*A*a*b^2*\sin(dx + c))/d$

Fricas [A] time = 0.541763, size = 317, normalized size = 2.19

$$\frac{3Bb^3 \log(\sin(dx + c) + 1) - 3Bb^3 \log(-\sin(dx + c) + 1) + 3(Ba^3 + 3Aa^2b + 6Bab^2 + 2Ab^3)dx + (2Aa^3 \cos(dx + c)^2)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^3*(a+b*sec(dx+c))^3*(A+B*sec(dx+c)),x, algorithm="fricas")`

[Out] $1/6*(3*B*b^3*\log(\sin(dx + c) + 1) - 3*B*b^3*\log(-\sin(dx + c) + 1) + 3*(B*a^3 + 3*A*a^2*b + 6*B*a*b^2 + 2*A*b^3)*dx + (2*A*a^3*\cos(dx + c)^2 + 4*A*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 3*(B*a^3 + 3*A*a^2*b)*\cos(dx + c))*\sin(dx + c))/d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**3*(a+b*sec(dx+c))**3*(A+B*sec(dx+c)),x)`

[Out] Timed out

Giac [B] time = 1.2674, size = 424, normalized size = 2.92

$$6Bb^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6Bb^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(Ba^3 + 3Aa^2b + 6Bab^2 + 2Ab^3)(dx + c) + \frac{2}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{6} \cdot (6 \cdot B \cdot b^3 \cdot \log(\abs{\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 1}) - 6 \cdot B \cdot b^3 \cdot \log(\abs{\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 1})) + 3 \cdot (B \cdot a^3 + 3 \cdot A \cdot a^2 \cdot b + 6 \cdot B \cdot a \cdot b^2 + 2 \cdot A \cdot b^3) \cdot (d \cdot x + c) + 2 \cdot (6 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 3 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 9 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 18 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 18 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 4 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 36 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 36 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 6 \cdot A \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 3 \cdot B \cdot a^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 9 \cdot A \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 18 \cdot B \cdot a^2 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 18 \cdot A \cdot a \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)) / (\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 + 1)^3 / d$

$$3.300 \quad \int \cos^4(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=179

$$\frac{(6a^2Ab + 2a^3B + 9ab^2B + 3Ab^3) \sin(c + dx)}{3d} + \frac{a(3a^2A + 12abB + 10Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(3a^3A + 12a^2bB)$$

[Out] $((3a^3A + 12aAb^2 + 12a^2bB + 8b^3B)x)/8 + ((6a^2Ab + 3Ab^3 + 2a^3B + 9ab^2B) \sin[c + dx])/(3d) + (a(3a^2A + 10Ab^2 + 12abB) \cos[c + dx] \sin[c + dx])/(8d) + (a^2(3Ab + 2aB) \cos[c + dx]^2 \sin[c + dx])/(6d) + (aA \cos[c + dx]^3 (a + b \sec[c + dx])^2 \sin[c + dx])/(4d)$

Rubi [A] time = 0.423431, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4025, 4074, 4047, 2637, 4045, 8}

$$\frac{(6a^2Ab + 2a^3B + 9ab^2B + 3Ab^3) \sin(c + dx)}{3d} + \frac{a(3a^2A + 12abB + 10Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(3a^3A + 12a^2bB)$$

Antiderivative was successfully verified.

[In] $\text{Int}[\cos[c + dx]^4 (a + b \sec[c + dx])^3 (A + B \sec[c + dx]), x]$

[Out] $((3a^3A + 12aAb^2 + 12a^2bB + 8b^3B)x)/8 + ((6a^2Ab + 3Ab^3 + 2a^3B + 9ab^2B) \sin[c + dx])/(3d) + (a(3a^2A + 10Ab^2 + 12abB) \cos[c + dx] \sin[c + dx])/(8d) + (a^2(3Ab + 2aB) \cos[c + dx]^2 \sin[c + dx])/(6d) + (aA \cos[c + dx]^3 (a + b \sec[c + dx])^2 \sin[c + dx])/(4d)$

Rule 4025

$\text{Int}[(\csc[(e_.) + (f_.)(x_.)](d_.))^n (\csc[(e_.) + (f_.)(x_.)](b_.) + (a_.))^m (\csc[(e_.) + (f_.)(x_.)](B_.) + (A_.), x_Symbol) \rightarrow \text{Simp}[(aA \cot[e + fx] (a + b \csc[e + fx])^{m-1} (d \csc[e + fx])^n / (f^n), x] + \text{Dist}[1/(d^n), \text{Int}[(a + b \csc[e + fx])^{m-2} (d \csc[e + fx])^{n+1} \text{Simp}[a(aB^n - Ab(m-n-1)) + (2abB^n + A(b^{2n} + a^2(1+n))] \csc[e + fx] + b(bB^n + aA(m+n)) \csc[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[Ab - aB, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\&$

LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx))dx &= \frac{aA\cos^3(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{4d} - \frac{1}{4}\int\cos^3(c+dx)(a+b\sec(c+dx))^3(A+B\sec(c+dx))dx \\
&= \frac{a^2(3Ab+2aB)\cos^2(c+dx)\sin(c+dx)}{6d} + \frac{aA\cos^3(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{4d} \\
&= \frac{a^2(3Ab+2aB)\cos^2(c+dx)\sin(c+dx)}{6d} + \frac{aA\cos^3(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{4d} \\
&= \frac{(6a^2Ab+3Ab^3+2a^3B+9ab^2B)\sin(c+dx)}{3d} + \frac{a(3a^2A+12aAb^2+12a^2bB+8b^3B)\sin(c+dx)}{4d} \\
&= \frac{1}{8}(3a^3A+12aAb^2+12a^2bB+8b^3B)x + \frac{(6a^2Ab+3Ab^3+2a^3B+9ab^2B)\sin(c+dx)}{3d} + \frac{a(3a^2A+12aAb^2+12a^2bB+8b^3B)\sin(c+dx)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.407768, size = 140, normalized size = 0.78

$$\frac{12(c+dx)(3a^3A+12a^2bB+12aAb^2+8b^3B)+24a(a^2A+3abB+3Ab^2)\sin(2(c+dx))+24(9a^2Ab+3a^3B+12ab^2B)\sin^2(c+dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]), x]

[Out] (12*(3*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 8*b^3*B)*(c + d*x) + 24*(9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*Sin[c + d*x] + 24*a*(a^2*A + 3*A*b^2 + 3*a*b*B)*Sin[2*(c + d*x)] + 8*a^2*(3*A*b + a*B)*Sin[3*(c + d*x)] + 3*a^3*A*Sin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.063, size = 180, normalized size = 1.

$$\frac{1}{d}\left(Aa^3\left(\frac{\sin(dx+c)}{4}\left((\cos(dx+c))^3+\frac{3\cos(dx+c)}{2}\right)+\frac{3dx}{8}+\frac{3c}{8}\right)+Aa^2b\left(2+(\cos(dx+c))^2\right)\sin(dx+c)+\frac{Ba^3}{2}\left(2+(\cos(dx+c))^2\right)\sin(dx+c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)), x)

[Out] 1/d*(A*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+A*a^2*b*(2+cos(d*x+c)^2)*sin(d*x+c)+1/3*B*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+3*A*a*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*B*a^2*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c))

```
in(d*x+c)+1/2*d*x+1/2*c)+A*b^3*sin(d*x+c)+3*B*a*b^2*sin(d*x+c)+B*b^3*(d*x+c
))
```

Maxima [A] time = 0.966683, size = 231, normalized size = 1.29

$$3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^3 - 32(\sin(dx + c)^3 - 3\sin(dx + c))Ba^3 - 96(\sin(dx + c)^3 - 3\sin(dx + c))Aa^2b + 72(2dx + 2c + \sin(2dx + 2c))Bb^3 - 96(\sin(dx + c)^3 - 3\sin(dx + c))Aa^2b + 72(2dx + 2c + \sin(2dx + 2c))Aa^2b + 72(2dx + 2c + \sin(2dx + 2c))Aa^2b + 96(d*x + c)*B*b^3 + 288*B*a*b^2*\sin(d*x + c) + 96*A*b^3*\sin(d*x + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^3 - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^3 - 96*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2*b + 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*b^3 - 96*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2*b + 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2*b + 72*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2*b + 96*(d*x + c)*B*b^3 + 288*B*a*b^2*sin(d*x + c) + 96*A*b^3*sin(d*x + c))/d
```

Fricas [A] time = 0.52533, size = 321, normalized size = 1.79

$$\frac{3(3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3)dx + (6Aa^3 \cos(dx + c)^3 + 16Ba^3 + 48Aa^2b + 72Bab^2 + 24Ab^3 + 8(Ba^3 + 3Aa^2b + 3Aa^2b + 3Aa^2b) \cos(dx + c)^2 + 9(Aa^3 + 4Bb^3 + 4Aa^2b) \cos(dx + c)) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/24*(3*(3*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 8*B*b^3)*d*x + (6*A*a^3*cos(d*x + c)^3 + 16*B*a^3 + 48*A*a^2*b + 72*B*a*b^2 + 24*A*b^3 + 8*(B*a^3 + 3*A*a^2*b)*cos(d*x + c)^2 + 9*(A*a^3 + 4*B*b^3 + 4*A*a^2*b)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.22419, size = 724, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/24*(3*(3*A*a^3 + 12*B*a^2*b + 12*A*a*b^2 + 8*B*b^3)*(d*x + c) - 2*(15*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 24*B*a^3*tan(1/2*d*x + 1/2*c)^7 - 72*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^7 + 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 72*B*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 24*A*b^3*tan(1/2*d*x + 1/2*c)^7 - 9*A*a^3*tan(1/2*d*x + 1/2*c)^5 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^5 - 120*A*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 216*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 72*A*b^3*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 120*A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 216*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 - 72*A*b^3*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^3*tan(1/2*d*x + 1/2*c) - 24*B*a^3*tan(1/2*d*x + 1/2*c) - 72*A*a^2*b*tan(1/2*d*x + 1/2*c) - 36*B*a^2*b*tan(1/2*d*x + 1/2*c) - 36*A*a*b^2*tan(1/2*d*x + 1/2*c) - 72*B*a*b^2*tan(1/2*d*x + 1/2*c) - 24*A*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4/d
```


$$3.301 \quad \int \cos^5(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=221

$$\frac{a(4a^2A + 15abB + 12Ab^2)\sin^3(c + dx)}{15d} + \frac{(4a^3A + 15a^2bB + 14aAb^2 + 5b^3B)\sin(c + dx)}{5d} + \frac{(9a^2Ab + 3a^3B + 12ab^2B)\cos(c + dx)}{5d}$$

[Out] $((9a^2Ab + 4A^2b^3 + 3a^3B + 12a^2b^2B)x)/8 + ((4a^3A + 14a^2Ab^2 + 15a^2b^3B + 5b^3B)\sin[c + dx])/(5d) + ((9a^2Ab + 4A^2b^3 + 3a^3B + 12a^2b^2B)\cos[c + dx]\sin[c + dx])/(8d) + (a^2(7Ab + 5aB)\cos[c + dx]^3\sin[c + dx])/(20d) + (aA\cos[c + dx]^4(a + b\sec[c + dx]))^2\sin[c + dx]/(5d) - (a(4a^2A + 12Ab^2 + 15a^2b^3B)\sin[c + dx]^3)/(15d)$

Rubi [A] time = 0.494193, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4025, 4074, 4047, 2635, 8, 4044, 3013}

$$\frac{a(4a^2A + 15abB + 12Ab^2)\sin^3(c + dx)}{15d} + \frac{(4a^3A + 15a^2bB + 14aAb^2 + 5b^3B)\sin(c + dx)}{5d} + \frac{(9a^2Ab + 3a^3B + 12ab^2B)\cos(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\cos[c + dx]^5(a + b\sec[c + dx])^3(A + B\sec[c + dx]), x]$

[Out] $((9a^2Ab + 4A^2b^3 + 3a^3B + 12a^2b^2B)x)/8 + ((4a^3A + 14a^2Ab^2 + 15a^2b^3B + 5b^3B)\sin[c + dx])/(5d) + ((9a^2Ab + 4A^2b^3 + 3a^3B + 12a^2b^2B)\cos[c + dx]\sin[c + dx])/(8d) + (a^2(7Ab + 5aB)\cos[c + dx]^3\sin[c + dx])/(20d) + (aA\cos[c + dx]^4(a + b\sec[c + dx]))^2\sin[c + dx]/(5d) - (a(4a^2A + 12Ab^2 + 15a^2b^3B)\sin[c + dx]^3)/(15d)$

Rule 4025

$\text{Int}[(\csc[e + f(x)] + (f(x))(d))^{(n)}(\csc[e + f(x)](b) + (a))^{(m)}(\csc[e + f(x)](B) + (A)), x_Symbol] \rightarrow \text{Simp}[(aA\cot[e + f(x)](a + b\csc[e + f(x)])^{(m-1)}(d\csc[e + f(x)]^n)/(f(n), x] + \text{Dist}[1/(d^n), \text{Int}[(a + b\csc[e + f(x)])^{(m-2)}(d\csc[e + f(x)]^{(n+1)}\text{Simp}[a(aB^n - A(b(m-n-1)) + (2abB^n + A(b^2n + a^2(1+n))\csc[e + f(x)] + b(bB^n + aA(m+n))\csc[e + f(x)]^2, x], x], x] /; \text{FreeQ}\{a, b, d$

, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^n, x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 4044

Int[csc[(e_.) + (f_.)*(x_.)]^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> Int[(C + A*Ssin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]

Rule 3013

Int[sin[(e_.) + (f_.)*(x_.)]^m*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^((m - 1)/2)*(A + C - C*x^2), x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^5(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{aA \cos^4(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^3(c + dx) (a + b \sec(c + dx))^3 (A + B \sec(c + dx)) dx \\
&= \frac{a^2(7Ab + 5aB) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{aA \cos^4(c + dx)}{5d} \\
&= \frac{a^2(7Ab + 5aB) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{aA \cos^4(c + dx)}{5d} \\
&= \frac{(9a^2Ab + 4Ab^3 + 3a^3B + 12ab^2B) \cos(c + dx) \sin(c + dx)}{8d} \\
&= \frac{1}{8} (9a^2Ab + 4Ab^3 + 3a^3B + 12ab^2B) x + \frac{(9a^2Ab + 4Ab^3 + 3a^3B + 12ab^2B) \cos(c + dx) \sin(c + dx)}{8d} \\
&= \frac{1}{8} (9a^2Ab + 4Ab^3 + 3a^3B + 12ab^2B) x + \frac{(4a^3A + 14aAb^2 + 12a^2bB + 8a^2b^2B + 8a^2b^3B + 8a^2b^4B) \cos(c + dx) \sin(c + dx)}{8d}
\end{aligned}$$

Mathematica [A] time = 0.697969, size = 176, normalized size = 0.8

$$60(c + dx) (9a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) + 10a (5a^2A + 12abB + 12Ab^2) \sin(3(c + dx)) + 60 (5a^3A + 18a^2bB + 18a^2b^2B + 18a^2b^3B + 18a^2b^4B) \cos(3(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (60*(9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*(c + d*x) + 60*(5*a^3*A + 18*a*A*b^2 + 18*a^2*b*B + 8*b^3*B)*Sin[c + d*x] + 120*(3*a^2*A*b + A*b^3 + a^3*B + 3*a*b^2*B)*Sin[2*(c + d*x)] + 10*a*(5*a^2*A + 12*A*b^2 + 12*a*b*B)*Sin[3*(c + d*x)] + 15*a^2*(3*A*b + a*B)*Sin[4*(c + d*x)] + 6*a^3*A*Ssin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.071, size = 227, normalized size = 1.

$$\frac{1}{d} \left(\frac{Aa^3 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + Ba^3 \left(\frac{\sin(dx + c)}{4} \left((\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 \cos(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

```
[Out] 1/d*(1/5*A*a^3*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*a^3*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+3*A*a^2*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+B*a^2*b*(2+cos(d*x+c)^2)*sin(d*x+c)+A*a*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+3*B*a*b^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*b^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*b^3*sin(d*x+c))
```

Maxima [A] time = 0.971718, size = 293, normalized size = 1.33

$$32 \left(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) Aa^3 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) Ba^3$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/480*(32*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^3 + 15*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^3 + 45*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2*b - 480*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^2*b - 480*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a*b^2 + 360*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a*b^2 + 120*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*b^3 + 480*B*b^3*sin(d*x + c))/d
```

Fricas [A] time = 0.548895, size = 423, normalized size = 1.91

$$15 \left(3 Ba^3 + 9 Aa^2b + 12 Bab^2 + 4 Ab^3 \right) dx + \left(24 Aa^3 \cos(dx + c)^4 + 64 Aa^3 + 240 Ba^2b + 240 Aab^2 + 120 Bb^3 + 30 \left(Ba^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/120*(15*(3*B*a^3 + 9*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*d*x + (24*A*a^3*cos(d*x + c)^4 + 64*A*a^3 + 240*B*a^2*b + 240*A*a*b^2 + 120*B*b^3 + 30*(B*a^3 + 3*A*a^2*b)*cos(d*x + c)^3 + 8*(4*A*a^3 + 15*B*a^2*b + 15*A*a*b^2)*cos(d*x + c)^2 + 15*(3*B*a^3 + 9*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)), x)

[Out] Timed out

Giac [B] time = 1.25234, size = 907, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)), x, algorithm="giac")

[Out]
$$\frac{1}{120} \cdot (15 \cdot (3 \cdot B \cdot a^3 + 9 \cdot A \cdot a^2 \cdot b + 12 \cdot B \cdot a \cdot b^2 + 4 \cdot A \cdot b^3) \cdot (d \cdot x + c) + 2 \cdot (120 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 75 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 225 \cdot A \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 360 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 360 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 180 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 60 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 120 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 160 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 30 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 90 \cdot A \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 960 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 960 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 360 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 120 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 480 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 464 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 1200 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 1200 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 720 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 160 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 30 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 90 \cdot A \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 960 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 960 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 360 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 480 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot A \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 75 \cdot B \cdot a^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 225 \cdot A \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 360 \cdot B \cdot a^2 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 360 \cdot A \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 180 \cdot B \cdot a \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 60 \cdot A \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 120 \cdot B \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^5 / d$$

3.302 $\int \sec^2(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$

Optimal. Leaf size=334

$$\frac{(224a^2Ab^3 + 24a^4Ab + 121a^3b^2B - 4a^5B + 128ab^4B + 32Ab^5) \tan(c + dx)}{60bd} + \frac{(32a^3Ab + 36a^2b^2B + 8a^4B + 24aAb^3 + 5a^5B)}{16d}$$

```
[Out] ((32*a^3*A*b + 24*a*A*b^3 + 8*a^4*B + 36*a^2*b^2*B + 5*b^4*B)*ArcTanh[Sin[c + d*x]])/(16*d) + ((24*a^4*A*b + 224*a^2*A*b^3 + 32*A*b^5 - 4*a^5*B + 121*a^3*b^2*B + 128*a*b^4*B)*Tan[c + d*x])/(60*b*d) + ((48*a^3*A*b + 232*a*A*b^3 - 8*a^4*B + 178*a^2*b^2*B + 75*b^4*B)*Sec[c + d*x]*Tan[c + d*x])/(240*d) + ((24*a^2*A*b + 32*A*b^3 - 4*a^3*B + 53*a*b^2*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(120*b*d) + ((24*a*A*b - 4*a^2*B + 25*b^2*B)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b*d) + ((6*A*b - a*B)*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(30*b*d) + (B*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(6*b*d)
```

Rubi [A] time = 0.711026, antiderivative size = 334, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4010, 4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(224a^2Ab^3 + 24a^4Ab + 121a^3b^2B - 4a^5B + 128ab^4B + 32Ab^5) \tan(c + dx)}{60bd} + \frac{(32a^3Ab + 36a^2b^2B + 8a^4B + 24aAb^3 + 5a^5B)}{16d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((32*a^3*A*b + 24*a*A*b^3 + 8*a^4*B + 36*a^2*b^2*B + 5*b^4*B)*ArcTanh[Sin[c + d*x]])/(16*d) + ((24*a^4*A*b + 224*a^2*A*b^3 + 32*A*b^5 - 4*a^5*B + 121*a^3*b^2*B + 128*a*b^4*B)*Tan[c + d*x])/(60*b*d) + ((48*a^3*A*b + 232*a*A*b^3 - 8*a^4*B + 178*a^2*b^2*B + 75*b^4*B)*Sec[c + d*x]*Tan[c + d*x])/(240*d) + ((24*a^2*A*b + 32*A*b^3 - 4*a^3*B + 53*a*b^2*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(120*b*d) + ((24*a*A*b - 4*a^2*B + 25*b^2*B)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(120*b*d) + ((6*A*b - a*B)*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(30*b*d) + (B*(a + b*Sec[c + d*x])^5*Tan[c + d*x])/(6*b*d)
```

Rule 4010

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(
```

$a + b \operatorname{Csc}[e + f*x]^{(m+1)} / (b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[\operatorname{Csc}[e + f*x]*(a + b \operatorname{Csc}[e + f*x])^m \operatorname{Simp}[b*B*(m+1) + (A*b*(m+2) - a*B)*\operatorname{Csc}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, m\}, x] \&\& \operatorname{NeQ}[A*b - a*B, 0] \&\& \operatorname{!LtQ}[m, -1]$

Rule 4002

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\operatorname{Simp}[(B*\operatorname{Cot}[e + f*x]*(a + b \operatorname{Csc}[e + f*x])^m)/(f*(m+1)), x] + \operatorname{Dist}[1/(m+1), \operatorname{Int}[\operatorname{Csc}[e + f*x]*(a + b \operatorname{Csc}[e + f*x])^{(m-1)} \operatorname{Simp}[b*B*m + a*A*(m+1) + (a*B*m + A*b*(m+1))*\operatorname{Csc}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, A, B, e, f\}, x] \&\& \operatorname{NeQ}[A*b - a*B, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0]$

Rule 3997

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\operatorname{Simp}[(b*B*\operatorname{Cot}[e + f*x]*(d*\operatorname{Csc}[e + f*x])^n)/(f*(n+1)), x] + \operatorname{Dist}[1/(n+1), \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^n \operatorname{Simp}[A*a*(n+1) + B*b*n + (A*b + B*a)*(n+1)*\operatorname{Csc}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[A*b - a*B, 0] \&\& \operatorname{!LeQ}[n, -1]$

Rule 3787

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^n, x], x] + \operatorname{Dist}[b/d, \operatorname{Int}[(d*\operatorname{Csc}[e + f*x])^{(n+1)}, x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2-1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{B(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd} + \frac{\int \sec(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx}{6bd} \\
&= \frac{(6Ab - aB)(a + b \sec(c + dx))^4 \tan(c + dx)}{30bd} + \frac{B(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd} \\
&= \frac{(24aAb - 4a^2B + 25b^2B)(a + b \sec(c + dx))^3 \tan(c + dx)}{120bd} + \frac{B(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd} \\
&= \frac{(24a^2Ab + 32Ab^3 - 4a^3B + 53ab^2B)(a + b \sec(c + dx))^2 \tan(c + dx)}{120bd} + \frac{B(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd} \\
&= \frac{(48a^3Ab + 232aAb^3 - 8a^4B + 178a^2b^2B + 75b^4B) \sec(c + dx) \tan(c + dx)}{240d} + \frac{B(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd} \\
&= \frac{(48a^3Ab + 232aAb^3 - 8a^4B + 178a^2b^2B + 75b^4B) \sec(c + dx) \tan(c + dx)}{240d} + \frac{B(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd} \\
&= \frac{(32a^3Ab + 24aAb^3 + 8a^4B + 36a^2b^2B + 5b^4B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{B(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd} \\
&= \frac{(32a^3Ab + 24aAb^3 + 8a^4B + 36a^2b^2B + 5b^4B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{B(a + b \sec(c + dx))^5 \tan(c + dx)}{6bd}
\end{aligned}$$

Mathematica [A] time = 2.86417, size = 244, normalized size = 0.73

$$15(32a^3Ab + 36a^2b^2B + 8a^4B + 24aAb^3 + 5b^4B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (160b(3a^2Ab + 2a^3B + 4ab^2B + 4a^2b^2B + 5b^4B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (15*(32*a^3*A*b + 24*a*A*b^3 + 8*a^4*B + 36*a^2*b^2*B + 5*b^4*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(240*(a^4*A + 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B + 4*a*b^3*B) + 15*(32*a^3*A*b + 24*a*A*b^3 + 8*a^4*B + 36*a^2*b^2*B + 5*b^4*B))*Sec[c + d*x] + 10*b^2*(24*a*A*b + 36*a^2*B + 5*b^2*B)*Sec[c + d*x]^3 + 40*b^4*B*Sec[c + d*x]^5 + 160*b*(3*a^2*A*b + A*b^3 + 2*a^3*B + 4*a*b^2*B)*Tan[c + d*x]^2 + 48*b^3*(A*b + 4*a*B)*Tan[c + d*x]^4)/(240*d)

Maple [A] time = 0.047, size = 550, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

[Out] $\frac{1}{6}d^4B^4b^4\tan(dx+c)\sec(dx+c)^5 + \frac{5}{24}d^4B^4b^4\tan(dx+c)\sec(dx+c)^3 + \frac{5}{16}d^4B^4b^4\sec(dx+c)\tan(dx+c) + \frac{4}{15}d^4A^4b^4\tan(dx+c)\sec(dx+c)^2 + \frac{32}{15}d^4B^4a^3b^3\tan(dx+c) + \frac{8}{3}d^4B^4a^3b^3\tan(dx+c) + \frac{4}{d^4A^4a^2b^2}\tan(dx+c) + \frac{1}{2}d^4B^4a^4\sec(dx+c)\tan(dx+c) + \frac{2}{d^4A^4a^3b}\ln(\sec(dx+c)+\tan(dx+c)) + \frac{9}{4}d^4B^4a^2b^2\ln(\sec(dx+c)+\tan(dx+c)) + \frac{3}{2}d^4A^4a^3b^3\ln(\sec(dx+c)+\tan(dx+c)) + \frac{5}{16}d^4B^4b^4\ln(\sec(dx+c)+\tan(dx+c)) + \frac{1}{d^4A^4a^4}\tan(dx+c) + \frac{1}{2}d^4B^4a^4\ln(\sec(dx+c)+\tan(dx+c)) + \frac{8}{15}d^4A^4b^4\tan(dx+c) + \frac{2}{d^4A^4a^3b}\sec(dx+c)\tan(dx+c) + \frac{3}{2}d^4B^4a^2b^2\tan(dx+c)\sec(dx+c)^3 + \frac{9}{4}d^4B^4a^2b^2\sec(dx+c)\tan(dx+c) + \frac{1}{d^4A^4a^3b^3}\tan(dx+c)\sec(dx+c)^3 + \frac{3}{2}d^4A^4a^3b^3\sec(dx+c)\tan(dx+c) + \frac{4}{5}d^4B^4a^3b^3\tan(dx+c)\sec(dx+c)^4 + \frac{16}{15}d^4B^4a^3b^3\tan(dx+c)\sec(dx+c)^2 + \frac{4}{3}d^4B^4a^3b^3\tan(dx+c)\sec(dx+c)^2 + \frac{1}{5}d^4A^4b^4\tan(dx+c)\sec(dx+c)^4 + \frac{2}{d^4A^4a^2b^2}\tan(dx+c)\sec(dx+c)^2$

Maxima [A] time = 0.996663, size = 640, normalized size = 1.92

$640(\tan(dx+c)^3 + 3\tan(dx+c))Ba^3b + 960(\tan(dx+c)^3 + 3\tan(dx+c))Aa^2b^2 + 128(3\tan(dx+c)^5 + 10\tan(dx+c)^3 + 5\tan(dx+c))B^4a^3b^3 + 32(3\tan(dx+c)^5 + 10\tan(dx+c)^3 + 15\tan(dx+c))A^4b^4 - 5B^4b^4(2(15\sin(dx+c)^5 - 40\sin(dx+c)^3 + 33\sin(dx+c))/(\sin(dx+c)^6 - 3\sin(dx+c)^4 + 3\sin(dx+c)^2 - 1) - 15\log(\sin(dx+c) + 1) + 15\log(\sin(dx+c) - 1)) - 180B^4a^2b^2(2(3\sin(dx+c)^3 - 5\sin(dx+c))/(\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1) - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)) - 120A^4a^3b^3(2(3\sin(dx+c)^3 - 5\sin(dx+c))/(\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1) - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)) - 120B^4a^4(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 480A^4a^3b(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 480A^4a^4\tan(dx+c)/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{480}(640(\tan(dx+c)^3 + 3\tan(dx+c))B^4a^3b + 960(\tan(dx+c)^3 + 3\tan(dx+c))A^4a^2b^2 + 128(3\tan(dx+c)^5 + 10\tan(dx+c)^3 + 15\tan(dx+c))B^4a^3b^3 + 32(3\tan(dx+c)^5 + 10\tan(dx+c)^3 + 15\tan(dx+c))A^4b^4 - 5B^4b^4(2(15\sin(dx+c)^5 - 40\sin(dx+c)^3 + 33\sin(dx+c))/(\sin(dx+c)^6 - 3\sin(dx+c)^4 + 3\sin(dx+c)^2 - 1) - 15\log(\sin(dx+c) + 1) + 15\log(\sin(dx+c) - 1)) - 180B^4a^2b^2(2(3\sin(dx+c)^3 - 5\sin(dx+c))/(\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1) - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)) - 120A^4a^3b^3(2(3\sin(dx+c)^3 - 5\sin(dx+c))/(\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1) - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)) - 120B^4a^4(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 480A^4a^3b(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 480A^4a^4\tan(dx+c))/d$

Fricas [A] time = 0.702187, size = 797, normalized size = 2.39

$$15(8Ba^4 + 32Aa^3b + 36Ba^2b^2 + 24Aab^3 + 5Bb^4) \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15(8Ba^4 + 32Aa^3b + 36Ba^2b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{480} \cdot (15 \cdot (8B^2a^4 + 32A^2a^3b + 36B^2a^2b^2 + 24A^2a^2b^3 + 5B^2b^4) \cdot \cos(dx + c)^6 \cdot \log(\sin(dx + c) + 1) - 15 \cdot (8B^2a^4 + 32A^2a^3b + 36B^2a^2b^2 + 24A^2a^2b^3 + 5B^2b^4) \cdot \cos(dx + c)^6 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (16 \cdot (15A^2a^4 + 40B^2a^3b + 60A^2a^2b^2 + 32B^2a^2b^3 + 8A^2b^4) \cdot \cos(dx + c)^5 + 40 \cdot B^2b^4 + 15 \cdot (8B^2a^4 + 32A^2a^3b + 36B^2a^2b^2 + 24A^2a^2b^3 + 5B^2b^4) \cdot \cos(dx + c)^4 + 32 \cdot (10 \cdot B^2a^3b + 15 \cdot A^2a^2b^2 + 8 \cdot B^2a^2b^3 + 2 \cdot A^2b^4) \cdot \cos(dx + c)^3 + 10 \cdot (36 \cdot B^2a^2b^2 + 24 \cdot A^2a^2b^3 + 5 \cdot B^2b^4) \cdot \cos(dx + c)^2 + 48 \cdot (4 \cdot B^2a^2b^3 + A^2b^4) \cdot \cos(dx + c)) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^6)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^4 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**4*sec(c + d*x)**2, x)

Giac [B] time = 1.28367, size = 1601, normalized size = 4.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

```
[Out] 1/240*(15*(8*B*a^4 + 32*A*a^3*b + 36*B*a^2*b^2 + 24*A*a*b^3 + 5*B*b^4)*log(
abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(8*B*a^4 + 32*A*a^3*b + 36*B*a^2*b^2 +
24*A*a*b^3 + 5*B*b^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(240*A*a^4*tan
(1/2*d*x + 1/2*c)^11 - 120*B*a^4*tan(1/2*d*x + 1/2*c)^11 - 480*A*a^3*b*tan(
1/2*d*x + 1/2*c)^11 + 960*B*a^3*b*tan(1/2*d*x + 1/2*c)^11 + 1440*A*a^2*b^2*
tan(1/2*d*x + 1/2*c)^11 - 900*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^11 - 600*A*a*b
^3*tan(1/2*d*x + 1/2*c)^11 + 960*B*a*b^3*tan(1/2*d*x + 1/2*c)^11 + 240*A*b^
4*tan(1/2*d*x + 1/2*c)^11 - 165*B*b^4*tan(1/2*d*x + 1/2*c)^11 - 1200*A*a^4*
tan(1/2*d*x + 1/2*c)^9 + 360*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 1440*A*a^3*b*ta
n(1/2*d*x + 1/2*c)^9 - 3520*B*a^3*b*tan(1/2*d*x + 1/2*c)^9 - 5280*A*a^2*b^2
*tan(1/2*d*x + 1/2*c)^9 + 1260*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 + 840*A*a*b
^3*tan(1/2*d*x + 1/2*c)^9 - 2240*B*a*b^3*tan(1/2*d*x + 1/2*c)^9 - 560*A*b^4
*tan(1/2*d*x + 1/2*c)^9 - 25*B*b^4*tan(1/2*d*x + 1/2*c)^9 + 2400*A*a^4*tan(
1/2*d*x + 1/2*c)^7 - 240*B*a^4*tan(1/2*d*x + 1/2*c)^7 - 960*A*a^3*b*tan(1/2
*d*x + 1/2*c)^7 + 5760*B*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 8640*A*a^2*b^2*tan(
1/2*d*x + 1/2*c)^7 - 360*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 240*A*a*b^3*tan
(1/2*d*x + 1/2*c)^7 + 4992*B*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 1248*A*b^4*tan(
1/2*d*x + 1/2*c)^7 - 450*B*b^4*tan(1/2*d*x + 1/2*c)^7 - 2400*A*a^4*tan(1/2*
d*x + 1/2*c)^5 - 240*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 960*A*a^3*b*tan(1/2*d*x
+ 1/2*c)^5 - 5760*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 - 8640*A*a^2*b^2*tan(1/2*
d*x + 1/2*c)^5 - 360*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 - 240*A*a*b^3*tan(1/2
*d*x + 1/2*c)^5 - 4992*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 - 1248*A*b^4*tan(1/2*
d*x + 1/2*c)^5 - 450*B*b^4*tan(1/2*d*x + 1/2*c)^5 + 1200*A*a^4*tan(1/2*d*x
+ 1/2*c)^3 + 360*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 1440*A*a^3*b*tan(1/2*d*x +
1/2*c)^3 + 3520*B*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 5280*A*a^2*b^2*tan(1/2*d*x
+ 1/2*c)^3 + 1260*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 840*A*a*b^3*tan(1/2*d
*x + 1/2*c)^3 + 2240*B*a*b^3*tan(1/2*d*x + 1/2*c)^3 + 560*A*b^4*tan(1/2*d*x
+ 1/2*c)^3 - 25*B*b^4*tan(1/2*d*x + 1/2*c)^3 - 240*A*a^4*tan(1/2*d*x + 1/2
*c) - 120*B*a^4*tan(1/2*d*x + 1/2*c) - 480*A*a^3*b*tan(1/2*d*x + 1/2*c) - 9
60*B*a^3*b*tan(1/2*d*x + 1/2*c) - 1440*A*a^2*b^2*tan(1/2*d*x + 1/2*c) - 900
*B*a^2*b^2*tan(1/2*d*x + 1/2*c) - 600*A*a*b^3*tan(1/2*d*x + 1/2*c) - 960*B*
a*b^3*tan(1/2*d*x + 1/2*c) - 240*A*b^4*tan(1/2*d*x + 1/2*c) - 165*B*b^4*tan
(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d
```

3.303 $\int \sec(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$

Optimal. Leaf size=250

$$\frac{(95a^3Ab + 112a^2b^2B + 12a^4B + 80aAb^3 + 16b^4B) \tan(c + dx)}{30d} + \frac{(24a^2Ab^2 + 8a^4A + 16a^3bB + 12ab^3B + 3Ab^4) \tanh^{-1}}{8d}$$

[Out] ((8*a^4*A + 24*a^2*A*b^2 + 3*A*b^4 + 16*a^3*b*B + 12*a*b^3*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((95*a^3*A*b + 80*a*A*b^3 + 12*a^4*B + 112*a^2*b^2*B + 16*b^4*B)*Tan[c + d*x])/(30*d) + (b*(130*a^2*A*b + 45*A*b^3 + 24*a^3*B + 116*a*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(120*d) + ((35*a*A*b + 12*a^2*B + 16*b^2*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*d) + ((5*A*b + 4*a*B)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (B*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*d)

Rubi [A] time = 0.519875, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4002, 3997, 3787, 3770, 3767, 8}

$$\frac{(95a^3Ab + 112a^2b^2B + 12a^4B + 80aAb^3 + 16b^4B) \tan(c + dx)}{30d} + \frac{(24a^2Ab^2 + 8a^4A + 16a^3bB + 12ab^3B + 3Ab^4) \tanh^{-1}}{8d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] ((8*a^4*A + 24*a^2*A*b^2 + 3*A*b^4 + 16*a^3*b*B + 12*a*b^3*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((95*a^3*A*b + 80*a*A*b^3 + 12*a^4*B + 112*a^2*b^2*B + 16*b^4*B)*Tan[c + d*x])/(30*d) + (b*(130*a^2*A*b + 45*A*b^3 + 24*a^3*B + 116*a*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(120*d) + ((35*a*A*b + 12*a^2*B + 16*b^2*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(60*d) + ((5*A*b + 4*a*B)*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(20*d) + (B*(a + b*Sec[c + d*x])^4*Tan[c + d*x])/(5*d)

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*

$\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, A, B, e, f\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{:>} -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{\wedge}n)/(f*(n + 1)), x] + \text{Dist}[1/(n + 1), \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}n*\text{Simp}[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& !\text{LeQ}[n, -1]$

Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{\wedge}(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{\wedge}(n + 1), x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \text{:>} -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{\wedge}(n_.), x_Symbol] \text{:>} -\text{Dist}[d^{\wedge}(-1), \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{\wedge}(n/2 - 1), x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

Rule 8

$\text{Int}[a_, x_Symbol] \text{:>} \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned}
\int \sec(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx))dx &= \frac{B(a+b\sec(c+dx))^4 \tan(c+dx)}{5d} + \frac{1}{5} \int \sec(c+dx)(a+b\sec(c+dx))^4 dx \\
&= \frac{(5Ab+4aB)(a+b\sec(c+dx))^3 \tan(c+dx)}{20d} + \frac{B(a+b\sec(c+dx))^4}{20d} \\
&= \frac{(35aAb+12a^2B+16b^2B)(a+b\sec(c+dx))^2 \tan(c+dx)}{60d} + \frac{B(a+b\sec(c+dx))^4}{60d} \\
&= \frac{b(130a^2Ab+45Ab^3+24a^3B+116ab^2B)\sec(c+dx)\tan(c+dx)}{120d} + \frac{B(a+b\sec(c+dx))^4}{120d} \\
&= \frac{b(130a^2Ab+45Ab^3+24a^3B+116ab^2B)\sec(c+dx)\tan(c+dx)}{120d} + \frac{B(a+b\sec(c+dx))^4}{120d} \\
&= \frac{(8a^4A+24a^2Ab^2+3Ab^4+16a^3bB+12ab^3B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{B(a+b\sec(c+dx))^4}{120d} \\
&= \frac{(8a^4A+24a^2Ab^2+3Ab^4+16a^3bB+12ab^3B)\tanh^{-1}(\sin(c+dx))}{8d} + \frac{B(a+b\sec(c+dx))^4}{120d}
\end{aligned}$$

Mathematica [A] time = 3.91443, size = 198, normalized size = 0.79

$$\frac{15(24a^2Ab^2+8a^4A+16a^3bB+12ab^3B+3Ab^4)\tanh^{-1}(\sin(c+dx))+\tan(c+dx)(80b^2(3a^2B+2aAb+b^2B)\tan^2(c+dx))}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] (15*(8*a^4*A + 24*a^2*A*b^2 + 3*A*b^4 + 16*a^3*b*B + 12*a*b^3*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(120*(4*a^3*A*b + 4*a*A*b^3 + a^4*B + 6*a^2*b^2*B + b^4*B) + 15*b*(24*a^2*A*b + 3*A*b^3 + 16*a^3*B + 12*a*b^2*B)*Sec[c + d*x] + 30*b^3*(A*b + 4*a*B)*Sec[c + d*x]^3 + 80*b^2*(2*a*A*b + 3*a^2*B + b^2*B)*Tan[c + d*x]^2 + 24*b^4*B*Tan[c + d*x]^4))/(120*d)

Maple [A] time = 0.049, size = 431, normalized size = 1.7

$$\frac{Aa^4 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{Ba^4 \tan(dx+c)}{d} + 4 \frac{Aa^3b \tan(dx+c)}{d} + 2 \frac{Ba^3b \sec(dx+c) \tan(dx+c)}{d} + 2 \frac{Ba^2b^2 \sec(dx+c) \tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)), x)

```
[Out] 1/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^4*tan(d*x+c)+4/d*A*a^3*b*tan(d*x+c)+2/d*B*a^3*b*sec(d*x+c)*tan(d*x+c)+2/d*B*a^3*b*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a^2*b^2*sec(d*x+c)*tan(d*x+c)+3/d*A*a^2*b^2*ln(sec(d*x+c)+tan(d*x+c))+4/d*B*a^2*b^2*tan(d*x+c)+2/d*B*a^2*b^2*tan(d*x+c)*sec(d*x+c)^2+8/3/d*A*a*b^3*tan(d*x+c)+4/3/d*A*a*b^3*tan(d*x+c)*sec(d*x+c)^2+1/d*B*a*b^3*tan(d*x+c)*sec(d*x+c)^3+3/2/d*B*a*b^3*sec(d*x+c)*tan(d*x+c)+3/2/d*B*a*b^3*ln(sec(d*x+c)+tan(d*x+c))+1/4/d*A*b^4*tan(d*x+c)*sec(d*x+c)^3+3/8/d*A*b^4*sec(d*x+c)*tan(d*x+c)+3/8/d*A*b^4*ln(sec(d*x+c)+tan(d*x+c))+8/15/d*B*b^4*tan(d*x+c)+1/5/d*B*b^4*tan(d*x+c)*sec(d*x+c)^4+4/15/d*B*b^4*tan(d*x+c)*sec(d*x+c)^2
```

Maxima [A] time = 0.983032, size = 512, normalized size = 2.05

$$480 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^2b^2 + 320 \left(\tan(dx+c)^3 + 3 \tan(dx+c) \right) Aab^3 + 16 \left(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c) \right) B^2b^4 - 60 B^2a^3b^3 \left(2 \left(3 \sin(dx+c)^3 - 5 \sin(dx+c) \right) / \left(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1 \right) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right) - 15 A^2a^3b^4 \left(2 \left(3 \sin(dx+c)^3 - 5 \sin(dx+c) \right) / \left(\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1 \right) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right) - 240 B^2a^3b^3 \left(2 \sin(dx+c) / \left(\sin(dx+c)^2 - 1 \right) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 360 A^2a^2b^2 \left(2 \sin(dx+c) / \left(\sin(dx+c)^2 - 1 \right) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) + 240 A^2a^4 \log(\sec(dx+c) + \tan(dx+c)) + 240 B^2a^4 \tan(dx+c) + 960 A^2a^3b \tan(dx+c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/240*(480*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*a^2*b^2 + 320*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a*b^3 + 16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*B^2b^4 - 60*B^2a^3*b^3*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 15*A^2a^3*b^4*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1)) - 240*B^2a^3*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 360*A^2a^2*b^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 240*A^2a^4*log(sec(d*x + c) + tan(d*x + c)) + 240*B^2a^4*tan(d*x + c) + 960*A^2a^3*b*tan(d*x + c))/d
```

Fricas [A] time = 0.593967, size = 687, normalized size = 2.75

$$15 \left(8 Aa^4 + 16 Ba^3b + 24 Aa^2b^2 + 12 Bab^3 + 3 Ab^4 \right) \cos(dx+c)^5 \log(\sin(dx+c) + 1) - 15 \left(8 Aa^4 + 16 Ba^3b + 24 Aa^2b^2 + 12 Bab^3 + 3 Ab^4 \right) \cos(dx+c)^5 \log(\sin(dx+c) - 1) + 240 A^2a^4 \log(\sec(dx+c) + \tan(dx+c)) + 240 B^2a^4 \tan(dx+c) + 960 A^2a^3b \tan(dx+c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/240*(15*(8*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(8*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(24*B*b^4 + 8*(15*B*a^4 + 60*A*a^3*b + 60*B*a^2*b^2 + 40*A*a*b^3 + 8*B*b^4)*cos(d*x + c)^4 + 15*(16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*cos(d*x + c)^3 + 16*(15*B*a^2*b^2 + 10*A*a*b^3 + 2*B*b^4)*cos(d*x + c)^2 + 30*(4*B*a*b^3 + A*b^4)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^5)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^4 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))^4*sec(c + d*x), x)
```

Giac [B] time = 1.27717, size = 1148, normalized size = 4.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/120*(15*(8*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(8*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(120*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 480*A*a^3*b*tan(1/2*d*x + 1/2*c)^9 - 240*B*a^3*b*tan(1/2*d*x + 1/2*c)^9 - 360*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 + 720*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 + 480*A*a*b^3*tan(1/2*d*x + 1/2*c)^9 - 300*B*a*b^3*tan(1/2*d*x + 1/2*c)^9 - 75*A*b^4*tan(1/2*d*x + 1/2*c)^9 + 120*B*b^4*tan(1/2*d*x + 1/2*c)^9 - 480*B*a^4*tan(1/2*d*x + 1/2*c)^7 - 1920*A*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 480*B*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 720*A*a^2*b^2*tan(1/2*d
```


$$\begin{aligned}
& *x + 1/2*c)^7 - 1920*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 - 1280*A*a*b^3*\tan(1/ \\
& 2*d*x + 1/2*c)^7 + 120*B*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 30*A*b^4*\tan(1/2*d* \\
& x + 1/2*c)^7 - 160*B*b^4*\tan(1/2*d*x + 1/2*c)^7 + 720*B*a^4*\tan(1/2*d*x + 1 \\
& /2*c)^5 + 2880*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 2400*B*a^2*b^2*\tan(1/2*d*x \\
& + 1/2*c)^5 + 1600*A*a*b^3*\tan(1/2*d*x + 1/2*c)^5 + 464*B*b^4*\tan(1/2*d*x + \\
& 1/2*c)^5 - 480*B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 1920*A*a^3*b*\tan(1/2*d*x + 1/ \\
& 2*c)^3 - 480*B*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 720*A*a^2*b^2*\tan(1/2*d*x + 1 \\
& /2*c)^3 - 1920*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 1280*A*a*b^3*\tan(1/2*d*x \\
& + 1/2*c)^3 - 120*B*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 30*A*b^4*\tan(1/2*d*x + 1/ \\
& 2*c)^3 - 160*B*b^4*\tan(1/2*d*x + 1/2*c)^3 + 120*B*a^4*\tan(1/2*d*x + 1/2*c) \\
& + 480*A*a^3*b*\tan(1/2*d*x + 1/2*c) + 240*B*a^3*b*\tan(1/2*d*x + 1/2*c) + 360 \\
& *A*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 720*B*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 480* \\
& A*a*b^3*\tan(1/2*d*x + 1/2*c) + 300*B*a*b^3*\tan(1/2*d*x + 1/2*c) + 75*A*b^4* \\
& \tan(1/2*d*x + 1/2*c) + 120*B*b^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c) \\
&)^2 - 1)^5)/d
\end{aligned}$$

3.304 $\int (a + b \sec(c + dx))^4 (A + B \sec(c + dx)) dx$

Optimal. Leaf size=200

$$\frac{b(34a^2Ab + 19a^3B + 16ab^2B + 4Ab^3) \tan(c + dx)}{6d} + \frac{(32a^3Ab + 24a^2b^2B + 8a^4B + 16aAb^3 + 3b^4B) \tanh^{-1}(\sin(c + dx))}{8d}$$

```
[Out] a^4*A*x + ((32*a^3*A*b + 16*a*A*b^3 + 8*a^4*B + 24*a^2*b^2*B + 3*b^4*B)*Arc
Tanh[Sin[c + d*x]])/(8*d) + (b*(34*a^2*A*b + 4*A*b^3 + 19*a^3*B + 16*a*b^2*
B)*Tan[c + d*x])/(6*d) + (b^2*(32*a*A*b + 26*a^2*B + 9*b^2*B)*Sec[c + d*x]*
Tan[c + d*x])/(24*d) + (b*(4*A*b + 7*a*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*
x])/(12*d) + (b*B*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rubi [A] time = 0.327352, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {3918, 4056, 4048, 3770, 3767, 8}

$$\frac{b(34a^2Ab + 19a^3B + 16ab^2B + 4Ab^3) \tan(c + dx)}{6d} + \frac{(32a^3Ab + 24a^2b^2B + 8a^4B + 16aAb^3 + 3b^4B) \tanh^{-1}(\sin(c + dx))}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]
```

```
[Out] a^4*A*x + ((32*a^3*A*b + 16*a*A*b^3 + 8*a^4*B + 24*a^2*b^2*B + 3*b^4*B)*Arc
Tanh[Sin[c + d*x]])/(8*d) + (b*(34*a^2*A*b + 4*A*b^3 + 19*a^3*B + 16*a*b^2*
B)*Tan[c + d*x])/(6*d) + (b^2*(32*a*A*b + 26*a^2*B + 9*b^2*B)*Sec[c + d*x]*
Tan[c + d*x])/(24*d) + (b*(4*A*b + 7*a*B)*(a + b*Sec[c + d*x])^2*Tan[c + d*
x])/(12*d) + (b*B*(a + b*Sec[c + d*x])^3*Tan[c + d*x])/(4*d)
```

Rule 3918

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d
_.) + (c_.)), x_Symbol] :> -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m -
1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m +
(b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m -
1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^4 (A + B \sec(c + dx)) dx &= \frac{bB(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} + \frac{1}{4} \int (a + b \sec(c + dx))^2 (4a^2A + (8 \\
&= \frac{b(4Ab + 7aB)(a + b \sec(c + dx))^2 \tan(c + dx)}{12d} + \frac{bB(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} \\
&= \frac{b^2(32aAb + 26a^2B + 9b^2B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{b(4Ab + 7aB)(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} \\
&= a^4Ax + \frac{b^2(32aAb + 26a^2B + 9b^2B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{b(4Ab + 7aB)(a + b \sec(c + dx))^3 \tan(c + dx)}{4d} \\
&= a^4Ax + \frac{(32a^3Ab + 16aAb^3 + 8a^4B + 24a^2b^2B + 3b^4B) \tanh^{-1}(\sin(c + dx))}{8d} \\
&= a^4Ax + \frac{(32a^3Ab + 16aAb^3 + 8a^4B + 24a^2b^2B + 3b^4B) \tanh^{-1}(\sin(c + dx))}{8d}
\end{aligned}$$

Mathematica [A] time = 1.02719, size = 160, normalized size = 0.8

$$\frac{3(32a^3Ab + 24a^2b^2B + 8a^4B + 16aAb^3 + 3b^4B) \tanh^{-1}(\sin(c + dx)) + 3b \tan(c + dx) (b(24a^2B + 16aAb + 3b^2B) \sec(c + dx))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] (24*a^4*A*d*x + 3*(32*a^3*A*b + 16*a*A*b^3 + 8*a^4*B + 24*a^2*b^2*B + 3*b^4*B)*ArcTanh[Sin[c + d*x]] + 3*b*(8*(6*a^2*A*b + A*b^3 + 4*a^3*B + 4*a*b^2*B) + b*(16*a*A*b + 24*a^2*B + 3*b^2*B)*Sec[c + d*x] + 2*b^3*B*Sec[c + d*x]^3)*Tan[c + d*x] + 8*b^3*(A*b + 4*a*B)*Tan[c + d*x]^3)/(24*d)

Maple [A] time = 0.049, size = 338, normalized size = 1.7

$$a^4Ax + \frac{Aa^4c}{d} + \frac{Ba^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 4 \frac{Aa^3b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 4 \frac{Ba^3b \tan(dx + c)}{d} + 6 \frac{Ba^2b^2 \tan(dx + c)}{d} + 3 \frac{Ba^2b^2 \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)), x)

[Out] a^4*A*x+1/d*A*a^4*c+1/d*B*a^4*ln(sec(d*x+c)+tan(d*x+c))+4/d*A*a^3*b*ln(sec(d*x+c)+tan(d*x+c))+4/d*B*a^3*b*tan(d*x+c)+6/d*A*a^2*b^2*tan(d*x+c)+3/d*B*a^2*b^2*tan(d*x+c)

$$2*b^2*\sec(d*x+c)*\tan(d*x+c)+3/d*B*a^2*b^2*\ln(\sec(d*x+c)+\tan(d*x+c))+2/d*A*a*b^3*\sec(d*x+c)*\tan(d*x+c)+2/d*A*a*b^3*\ln(\sec(d*x+c)+\tan(d*x+c))+8/3/d*B*a*b^3*\tan(d*x+c)+4/3/d*B*a*b^3*\tan(d*x+c)*\sec(d*x+c)^2+2/3/d*A*b^4*\tan(d*x+c)+1/3/d*A*b^4*\tan(d*x+c)*\sec(d*x+c)^2+1/4/d*B*b^4*\tan(d*x+c)*\sec(d*x+c)^3+3/8/d*B*b^4*\sec(d*x+c)*\tan(d*x+c)+3/8/d*B*b^4*\ln(\sec(d*x+c)+\tan(d*x+c))$$

Maxima [A] time = 0.980455, size = 409, normalized size = 2.04

$$48(dx+c)Aa^4 + 64(\tan(dx+c)^3 + 3\tan(dx+c))Bab^3 + 16(\tan(dx+c)^3 + 3\tan(dx+c))Ab^4 - 3Bb^4 \left(\frac{2(3\sin(dx+c)}{\sin(dx+c)^4 - 2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{48}(48(dx+c)Aa^4 + 64(\tan(dx+c)^3 + 3\tan(dx+c))Bab^3 + 16(\tan(dx+c)^3 + 3\tan(dx+c))Ab^4 - 3Bb^4(2(3\sin(dx+c)/(\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1) - 3\log(\sin(dx+c) + 1) + 3\log(\sin(dx+c) - 1)) - 72B*a^2*b^2(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 48A*a*b^3(2\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 48B*a^4\log(\sec(dx+c) + \tan(dx+c)) + 192A*a^3*b\log(\sec(dx+c) + \tan(dx+c)) + 192B*a^3*b*\tan(dx+c) + 288A*a^2*b^2*\tan(dx+c))/d$

Fricas [A] time = 0.604623, size = 603, normalized size = 3.02

$$48Aa^4dx \cos(dx+c)^4 + 3(8Ba^4 + 32Aa^3b + 24Ba^2b^2 + 16Aab^3 + 3Bb^4) \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3(8B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{48}(48A*a^4*d*x*\cos(d*x+c)^4 + 3(8B*a^4 + 32A*a^3*b + 24B*a^2*b^2 + 16A*a*b^3 + 3B*b^4)*\cos(d*x+c)^4*\log(\sin(d*x+c) + 1) - 3(8B*a^4 + 32A*a^3*b + 24B*a^2*b^2 + 16A*a*b^3 + 3B*b^4)*\cos(d*x+c)^4*\log(-\sin(d*x+c) + 1) + 2(6B*b^4 + 16(6B*a^3*b + 9A*a^2*b^2 + 4B*a*b^3 + A*b^4)*\cos(d*x+c)^3 + 3(24B*a^2*b^2 + 16A*a*b^3 + 3B*b^4)*\cos(d*x+c)^2$

$$+ 8*(4*B*a*b^3 + A*b^4)*\cos(d*x + c)*\sin(d*x + c))/(d*\cos(d*x + c)^4)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.31484, size = 857, normalized size = 4.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{24}*(24*(d*x + c)*A*a^4 + 3*(8*B*a^4 + 32*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 3*B*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(8*B*a^4 + 32*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 3*B*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(96*B*a^3*b*\tan(1/2*d*x + 1/2*c)^7 + 144*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 - 72*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 - 48*A*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 96*B*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 24*A*b^4*\tan(1/2*d*x + 1/2*c)^7 - 15*B*b^4*\tan(1/2*d*x + 1/2*c)^7 - 288*B*a^3*b*\tan(1/2*d*x + 1/2*c)^5 - 432*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 72*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 48*A*a*b^3*\tan(1/2*d*x + 1/2*c)^5 - 160*B*a*b^3*\tan(1/2*d*x + 1/2*c)^5 - 40*A*b^4*\tan(1/2*d*x + 1/2*c)^5 - 9*B*b^4*\tan(1/2*d*x + 1/2*c)^5 + 288*B*a^3*b*\tan(1/2*d*x + 1/2*c)^3 + 432*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 72*B*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 48*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 160*B*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 40*A*b^4*\tan(1/2*d*x + 1/2*c)^3 - 9*B*b^4*\tan(1/2*d*x + 1/2*c)^3 - 96*B*a^3*b*\tan(1/2*d*x + 1/2*c) - 144*A*a^2*b^2*\tan(1/2*d*x + 1/2*c) - 72*B*a^2*b^2*\tan(1/2*d*x + 1/2*c) - 48*A*a*b^3*\tan(1/2*d*x + 1/2*c) - 96*B*a*b^3*\tan(1/2*d*x + 1/2*c) - 24*A*b^4*\tan(1/2*d*x + 1/2*c) - 15*B*b^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

3.305 $\int \cos(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$

Optimal. Leaf size=195

$$\frac{b(6a^3A - 17a^2bB - 12aAb^2 - 2b^3B) \tan(c + dx)}{3d} + \frac{b(12a^2Ab + 8a^3B + 4ab^2B + Ab^3) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2(6a^2A - 3A^2 - 3b^2)}{3d}$$

```
[Out] a^3*(4*A*b + a*B)*x + (b*(12*a^2*A*b + A*b^3 + 8*a^3*B + 4*a*b^2*B)*ArcTanh
[Sin[c + d*x]])/(2*d) + (a*A*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/d - (b*(6
*a^3*A - 12*a*A*b^2 - 17*a^2*b*B - 2*b^3*B)*Tan[c + d*x])/(3*d) - (b^2*(6*a
^2*A - 3*A^2 - 3*b^2)*Sec[c + d*x]*Tan[c + d*x])/(6*d) - (b*(3*a*A - b*
B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)
```

Rubi [A] time = 0.368302, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4025, 4056, 4048, 3770, 3767, 8}

$$\frac{b(6a^3A - 17a^2bB - 12aAb^2 - 2b^3B) \tan(c + dx)}{3d} + \frac{b(12a^2Ab + 8a^3B + 4ab^2B + Ab^3) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2(6a^2A - 3A^2 - 3b^2)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]
```

```
[Out] a^3*(4*A*b + a*B)*x + (b*(12*a^2*A*b + A*b^3 + 8*a^3*B + 4*a*b^2*B)*ArcTanh
[Sin[c + d*x]])/(2*d) + (a*A*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/d - (b*(6
*a^3*A - 12*a*A*b^2 - 17*a^2*b*B - 2*b^3*B)*Tan[c + d*x])/(3*d) - (b^2*(6*a
^2*A - 3*A^2 - 3*b^2)*Sec[c + d*x]*Tan[c + d*x])/(6*d) - (b*(3*a*A - b*
B)*(a + b*Sec[c + d*x])^2*Tan[c + d*x])/(3*d)
```

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
```

LeQ[n, -1]

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a +
b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*C
sc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4048

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e +
f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A +
C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B, C}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \int (a + b \sec(c + dx))^2 \\
&= \frac{aA(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{b(3aA - bB)(a + b \sec(c + dx))}{3d} \\
&= \frac{aA(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{b^2(6a^2A - 3Ab^2 - 8a^3B)}{3d} \\
&= a^3(4Ab + aB)x + \frac{aA(a + b \sec(c + dx))^3 \sin(c + dx)}{d} - \frac{b^2(6a^2A - 3Ab^2 - 8a^3B)}{3d} \\
&= a^3(4Ab + aB)x + \frac{b(12a^2Ab + Ab^3 + 8a^3B + 4ab^2B) \tanh^{-1}\left(\frac{a + b \sec(c + dx)}{a \cos(c + dx)}\right)}{2d} \\
&= a^3(4Ab + aB)x + \frac{b(12a^2Ab + Ab^3 + 8a^3B + 4ab^2B) \tanh^{-1}\left(\frac{a + b \sec(c + dx)}{a \cos(c + dx)}\right)}{2d}
\end{aligned}$$

Mathematica [B] time = 6.28756, size = 1051, normalized size = 5.39

$$\frac{(-Ab^4 - 4aBb^3 - 12a^2Ab^2 - 8a^3Bb) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) (a + b \sec(c + dx))^4 (A + B \sec(c + dx)) \cos(c + dx)}{2d(b + a \cos(c + dx))^4 (B + A \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (a^3*(4*A*b + a*B)*(c + d*x)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]))/(d*(b + a*Cos[c + d*x])^4*(B + A*Cos[c + d*x])) + ((-12*a^2*A*b^2 - A*b^4 - 8*a^3*b*B - 4*a*b^3*B)*Cos[c + d*x]^5*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]))/(2*d*(b + a*Cos[c + d*x])^4*(B + A*Cos[c + d*x])) + ((12*a^2*A*b^2 + A*b^4 + 8*a^3*b*B + 4*a*b^3*B)*Cos[c + d*x]^5*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]))/(2*d*(b + a*Cos[c + d*x])^4*(B + A*Cos[c + d*x])) + ((3*A*b^4 + 12*a*b^3*B + b^4*B)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]))/(12*d*(b + a*Cos[c + d*x])^4*(B + A*Cos[c + d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (b^4*B*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x])*Sin[(c + d*x)/2])/(6*d*(b + a*Cos[c + d*x])^4*(B + A*Cos[c + d*x]))*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^3 + (b^4*B*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x])*Sin[(c + d*x)/2])/(6*d*(b + a*Cos[c + d*x])^4*(B + A*Cos[c + d*x]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3 + ((-3*A*b^4 - 12*a*b^3*B - b^4*B)*Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]))/(12*d*(b + a*Cos[c + d*x])^4*(B + A*Cos[c + d*x]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (2*Cos[c +

$$\begin{aligned} & d^5 x^5 (a + b \sec[c + dx])^4 (A + B \sec[c + dx]) (6 a A b^3 \sin[(c + dx)/2] + 9 a^2 b^2 B \sin[(c + dx)/2] + b^4 B \sin[(c + dx)/2]) / (3 d (b + a \cos[c + dx])^4 (B + A \cos[c + dx]) (\cos[(c + dx)/2] - \sin[(c + dx)/2])) \\ & + (2 \cos[c + dx])^5 (a + b \sec[c + dx])^4 (A + B \sec[c + dx]) (6 a A b^3 \sin[(c + dx)/2] + 9 a^2 b^2 B \sin[(c + dx)/2] + b^4 B \sin[(c + dx)/2]) / (3 d (b + a \cos[c + dx])^4 (B + A \cos[c + dx]) (\cos[(c + dx)/2] + \sin[(c + dx)/2])) \\ & + (a^4 A \cos[c + dx])^5 (a + b \sec[c + dx])^4 (A + B \sec[c + dx]) \sin[c + dx] / (d (b + a \cos[c + dx])^4 (B + A \cos[c + dx])) \end{aligned}$$

Maple [A] time = 0.063, size = 262, normalized size = 1.3

$$\frac{Aa^4 \sin(dx + c)}{d} + Ba^4 x + \frac{Ba^4 c}{d} + 4Aa^3 bx + 4 \frac{Aa^3 bc}{d} + 4 \frac{Ba^3 b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 6 \frac{Aa^2 b^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)

[Out] 1/d*A*a^4*sin(d*x+c)+B*a^4*x+1/d*B*a^4*c+4*A*a^3*b*x+4/d*A*a^3*b*c+4/d*B*a^3*b*ln(sec(d*x+c)+tan(d*x+c))+6/d*A*a^2*b^2*ln(sec(d*x+c)+tan(d*x+c))+6/d*B*a^2*b^2*tan(d*x+c)+4/d*A*a*b^3*tan(d*x+c)+2/d*B*a*b^3*sec(d*x+c)*tan(d*x+c)+2/d*B*a*b^3*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*A*b^4*sec(d*x+c)*tan(d*x+c)+1/2/d*A*b^4*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*B*b^4*tan(d*x+c)+1/3/d*B*b^4*tan(d*x+c)*sec(d*x+c)^2

Maxima [A] time = 0.989914, size = 331, normalized size = 1.7

$$12(dx + c)Ba^4 + 48(dx + c)Aa^3b + 4(\tan(dx + c)^3 + 3 \tan(dx + c))Bb^4 - 12Bab^3 \left(\frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/12*(12*(d*x + c)*B*a^4 + 48*(d*x + c)*A*a^3*b + 4*(tan(d*x + c)^3 + 3*tan(d*x + c))*B*b^4 - 12*B*a*b^3*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) - 3*A*b^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 24*B*a^3*b*

$$\frac{(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 36Aa^2b^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 12Aa^4\sin(dx + c) + 72Ba^2b^2\tan(dx + c) + 48Aab^3\tan(dx + c))/d}$$

Fricas [A] time = 0.573885, size = 524, normalized size = 2.69

$$12(Ba^4 + 4Aa^3b)dx \cos(dx + c)^3 + 3(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4) \cos(dx + c)^3 \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] 1/12*(12*(Ba^4 + 4Aa^3b)*dx*cos(dx + c)^3 + 3*(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4)*cos(dx + c)^3*log(sin(dx + c) + 1) - 3*(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4)*cos(dx + c)^3*log(-sin(dx + c) + 1) + 2*(6Aa^4*cos(dx + c)^3 + 2Bb^4 + 4*(9Ba^2b^2 + 6Aa*b^3 + Bb^4)*cos(dx + c)^2 + 3*(4Ba*b^3 + Ab^4)*cos(dx + c))*sin(dx + c))/(d*cos(dx + c)^3)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+b*sec(dx+c))**4*(A+B*sec(dx+c)),x)

[Out] Timed out

Giac [B] time = 1.2449, size = 522, normalized size = 2.68

$$\frac{12Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 6(Ba^4 + 4Aa^3b)(dx + c) + 3(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/6*(12*A*a^4*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 6*(B*a^4 + 4*A*a^3*b)*(d*x + c) + 3*(8*B*a^3*b + 12*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(8*B*a^3*b + 12*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(36*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 24*A*a*b^3*tan(1/2*d*x + 1/2*c)^5 - 12*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 - 3*A*b^4*tan(1/2*d*x + 1/2*c)^5 + 6*B*b^4*tan(1/2*d*x + 1/2*c)^5 - 72*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 48*A*a*b^3*tan(1/2*d*x + 1/2*c)^3 - 4*B*b^4*tan(1/2*d*x + 1/2*c)^3 + 36*B*a^2*b^2*tan(1/2*d*x + 1/2*c) + 24*A*a*b^3*tan(1/2*d*x + 1/2*c) + 12*B*a*b^3*tan(1/2*d*x + 1/2*c) + 3*A*b^4*tan(1/2*d*x + 1/2*c) + 6*B*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

3.306 $\int \cos^2(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$

Optimal. Leaf size=209

$$\frac{b(13a^2Ab + 4a^3B - 8ab^2B - 2Ab^3) \tan(c + dx)}{2d} + \frac{b^2(12a^2B + 8aAb + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2(2a^2B + 6aAb)}{2d}$$

```
[Out] (a^2*(a^2*A + 12*A*b^2 + 8*a*b*B)*x)/2 + (b^2*(8*a*A*b + 12*a^2*B + b^2*B)*
ArcTanh[Sin[c + d*x]])/(2*d) + (a*(5*A*b + 2*a*B)*(a + b*Sec[c + d*x])^2*Si
n[c + d*x])/(2*d) + (a*A*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/
(2*d) - (b*(13*a^2*A*b - 2*A*b^3 + 4*a^3*B - 8*a*b^2*B)*Tan[c + d*x])/(2*d)
- (b^2*(6*a*A*b + 2*a^2*B - b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

Rubi [A] time = 0.462845, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4025, 4094, 4048, 3770, 3767, 8}

$$\frac{b(13a^2Ab + 4a^3B - 8ab^2B - 2Ab^3) \tan(c + dx)}{2d} + \frac{b^2(12a^2B + 8aAb + b^2B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2(2a^2B + 6aAb)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]
```

```
[Out] (a^2*(a^2*A + 12*A*b^2 + 8*a*b*B)*x)/2 + (b^2*(8*a*A*b + 12*a^2*B + b^2*B)*
ArcTanh[Sin[c + d*x]])/(2*d) + (a*(5*A*b + 2*a*B)*(a + b*Sec[c + d*x])^2*Si
n[c + d*x])/(2*d) + (a*A*Cos[c + d*x]*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/
(2*d) - (b*(13*a^2*A*b - 2*A*b^3 + 4*a^3*B - 8*a*b^2*B)*Tan[c + d*x])/(2*d)
- (b^2*(6*a*A*b + 2*a^2*B - b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
```

LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4048

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x])/(2*f), x] + Dist[1/2, Int[Simp[2*A*a + (2*B*a + b*(2*A + C))*Csc[e + f*x] + 2*(a*C + B*b)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^n, x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{2d} - \frac{1}{2} \int \cos(c + dx) \\
&= \frac{a(5Ab + 2aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{aA \cos(c + dx)}{2d} \\
&= \frac{a(5Ab + 2aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} + \frac{aA \cos(c + dx)}{2d} \\
&= \frac{1}{2} a^2 (a^2 A + 12Ab^2 + 8abB) x + \frac{a(5Ab + 2aB)(a + b \sec(c + dx))^2 \sin(c + dx)}{2d} \\
&= \frac{1}{2} a^2 (a^2 A + 12Ab^2 + 8abB) x + \frac{b^2 (8aAb + 12a^2 B + b^2 B) \tan(c + dx)}{2d} \\
&= \frac{1}{2} a^2 (a^2 A + 12Ab^2 + 8abB) x + \frac{b^2 (8aAb + 12a^2 B + b^2 B) \tan(c + dx)}{2d}
\end{aligned}$$

Mathematica [A] time = 1.89767, size = 310, normalized size = 1.48

$$2a^2(c + dx) (a^2 A + 8abB + 12Ab^2) - 2b^2 (12a^2 B + 8aAb + b^2 B) \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 2b^2 (12a^2 B + 8aAb + b^2 B) \tan \left(\frac{1}{2}(c + dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (2*a^2*(a^2*A + 12*A*b^2 + 8*a*b*B)*(c + d*x) - 2*b^2*(8*a*A*b + 12*a^2*B + b^2*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*b^2*(8*a*A*b + 12*a^2*B + B + b^2*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^4*B)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*b^3*(A*b + 4*a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (b^4*B)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*b^3*(A*b + 4*a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 4*a^3*(4*A*b + a*B)*Sin[c + d*x] + a^4*A*Sin[2*(c + d*x)]/(4*d)

Maple [A] time = 0.064, size = 236, normalized size = 1.1

$$\frac{Aa^4 \sin(dx + c) \cos(dx + c)}{2d} + \frac{a^4 Ax}{2} + \frac{Aa^4 c}{2d} + \frac{Ba^4 \sin(dx + c)}{d} + 4 \frac{Aa^3 b \sin(dx + c)}{d} + 4Ba^3 bx + 4 \frac{Ba^3 bc}{d} + 6Aa^2 b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

[Out] $\frac{1}{2}dAa^4\sin(dx+c)\cos(dx+c)+\frac{1}{2}a^4Ax+\frac{1}{2}dAa^4c+\frac{1}{d}B^4a^4\sin(dx+c)+\frac{4}{d}Aa^3b\sin(dx+c)+4B^4a^3bx+\frac{4}{d}B^4a^3bc+6Aa^2b^2x+\frac{6}{d}Aa^2b^2c+\frac{6}{d}B^4a^2b^2\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{d}Aa^3b^3\ln(\sec(dx+c)+\tan(dx+c))+\frac{4}{d}B^4a^3b^3\tan(dx+c)+\frac{1}{d}A^4b^4\tan(dx+c)+\frac{1}{2}d^4B^4b^4\sec(dx+c)\tan(dx+c)+\frac{1}{2}d^4B^4b^4\ln(\sec(dx+c)+\tan(dx+c))$

Maxima [A] time = 0.981407, size = 282, normalized size = 1.35

$(2dx + 2c + \sin(2dx + 2c))Aa^4 + 16(dx + c)Ba^3b + 24(dx + c)Aa^2b^2 - Bb^4\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{4}*((2dx + 2c + \sin(2dx + 2c))Aa^4 + 16(dx + c)Ba^3b + 24(dx + c)Aa^2b^2 - Bb^4(2\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 12B^4a^2b^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 8Aa^3b^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4B^4a^4\sin(dx + c) + 16Aa^3b^3\sin(dx + c) + 16B^4a^3b^3\tan(dx + c) + 4A^4b^4\tan(dx + c))/d$

Fricas [A] time = 0.60597, size = 479, normalized size = 2.29

$2(Aa^4 + 8Ba^3b + 12Aa^2b^2)dx \cos(dx + c)^2 + (12Ba^2b^2 + 8Aab^3 + Bb^4)\cos(dx + c)^2 \log(\sin(dx + c) + 1) - (12Ba^2b^2$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{4}(2(Aa^4 + 8Ba^3b + 12Aa^2b^2)d^2x\cos(dx + c)^2 + (12B^4a^2b^2 + 8Aa^3b^3 + Bb^4)\cos(dx + c)^2\log(\sin(dx + c) + 1) - (12B^4a^2b^2 + 8Aa^3b^3 + Bb^4)\cos(dx + c)^2\log(-\sin(dx + c) + 1) + 2(Aa^4\cos(dx + c) + Bb^4\sec(dx + c))\tan(dx + c))$

$$d*x + c)^3 + B*b^4 + 2*(B*a^4 + 4*A*a^3*b)*\cos(d*x + c)^2 + 2*(4*B*a*b^3 + A*b^4)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^2)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [B] time = 1.30352, size = 713, normalized size = 3.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\frac{1}{2} * ((A*a^4 + 8*B*a^3*b + 12*A*a^2*b^2)*(d*x + c) + (12*B*a^2*b^2 + 8*A*a*b^3 + B*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (12*B*a^2*b^2 + 8*A*a*b^3 + B*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(A*a^4*\tan(1/2*d*x + 1/2*c)^7 - 2*B*a^4*\tan(1/2*d*x + 1/2*c)^7 - 8*A*a^3*b*\tan(1/2*d*x + 1/2*c)^7 + 8*B*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 2*A*b^4*\tan(1/2*d*x + 1/2*c)^7 - B*b^4*\tan(1/2*d*x + 1/2*c)^7 - 3*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 2*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 8*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 8*B*a*b^3*\tan(1/2*d*x + 1/2*c)^5 + 2*A*b^4*\tan(1/2*d*x + 1/2*c)^5 - 3*B*b^4*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 2*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 8*A*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 8*B*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 2*A*b^4*\tan(1/2*d*x + 1/2*c)^3 - 3*B*b^4*\tan(1/2*d*x + 1/2*c)^3 - A*a^4*\tan(1/2*d*x + 1/2*c) - 2*B*a^4*\tan(1/2*d*x + 1/2*c) - 8*A*a^3*b*\tan(1/2*d*x + 1/2*c) - 8*B*a*b^3*\tan(1/2*d*x + 1/2*c) - 2*A*b^4*\tan(1/2*d*x + 1/2*c) - B*b^4*\tan(1/2*d*x + 1/2*c)) / (\tan(1/2*d*x + 1/2*c)^4 - 1)^2 / d$$

$$3.307 \quad \int \cos^3(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=198

$$\frac{a^2(2a^2A + 9abB + 9Ab^2) \sin(c + dx)}{3d} - \frac{b^2(3a^2B + 8aAb - 6b^2B) \tan(c + dx)}{6d} + \frac{1}{2}ax(4a^2Ab + a^3B + 12ab^2B + 8Ab^3) +$$

[Out] (a*(4*a^2*A*b + 8*A*b^3 + a^3*B + 12*a*b^2*B)*x)/2 + (b^3*(A*b + 4*a*B)*ArcTanh[Sin[c + d*x]])/d + (a^2*(2*a^2*A + 9*A*b^2 + 9*a*b*B)*Sin[c + d*x])/(3*d) + (a*(2*A*b + a*B)*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(3*d) - (b^2*(8*a*A*b + 3*a^2*B - 6*b^2*B)*Tan[c + d*x])/(6*d)

Rubi [A] time = 0.590815, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4025, 4094, 4076, 4047, 8, 4045, 3770}

$$\frac{a^2(2a^2A + 9abB + 9Ab^2) \sin(c + dx)}{3d} - \frac{b^2(3a^2B + 8aAb - 6b^2B) \tan(c + dx)}{6d} + \frac{1}{2}ax(4a^2Ab + a^3B + 12ab^2B + 8Ab^3) +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (a*(4*a^2*A*b + 8*A*b^3 + a^3*B + 12*a*b^2*B)*x)/2 + (b^3*(A*b + 4*a*B)*ArcTanh[Sin[c + d*x]])/d + (a^2*(2*a^2*A + 9*A*b^2 + 9*a*b*B)*Sin[c + d*x])/(3*d) + (a*(2*A*b + a*B)*Cos[c + d*x]*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(2*d) + (a*A*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(3*d) - (b^2*(8*a*A*b + 3*a^2*B - 6*b^2*B)*Tan[c + d*x])/(6*d)

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&

LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx))dx &= \frac{aA\cos^2(c+dx)(a+b\sec(c+dx))^3\sin(c+dx)}{3d} - \frac{1}{3}\int\cos^2(c+dx)(a+b\sec(c+dx))^4(A+B\sec(c+dx))dx \\
&= \frac{a(2Ab+aB)\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} + \frac{a^2(2A+9Ab^2+9Ab^2)}{3d} \\
&= \frac{a(2Ab+aB)\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} + \frac{a^2(2A+9Ab^2+9Ab^2)}{3d} \\
&= \frac{a(2Ab+aB)\cos(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{2d} + \frac{a^2(2A+9Ab^2+9Ab^2)}{3d} \\
&= \frac{1}{2}a(4a^2Ab+8Ab^3+a^3B+12ab^2B)x + \frac{a^2(2a^2A+9Ab^2+9Ab^2)}{3d} \\
&= \frac{1}{2}a(4a^2Ab+8Ab^3+a^3B+12ab^2B)x + \frac{b^3(Ab+4aB)\tanh(c+dx)}{d}
\end{aligned}$$

Mathematica [A] time = 1.07503, size = 257, normalized size = 1.3

$$6a(c+dx)(4a^2Ab+a^3B+12ab^2B+8Ab^3)+3a^2(3a^2A+16abB+24Ab^2)\sin(c+dx)+3a^3(aB+4Ab)\sin(2(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] (6*a*(4*a^2*A*b + 8*A*b^3 + a^3*B + 12*a*b^2*B)*(c + d*x) - 12*b^3*(A*b + 4*a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*b^3*(A*b + 4*a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (12*b^4*B*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) + (12*b^4*B*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 3*a^2*(3*a^2*A + 24*A*b^2 + 16*a*b*B)*Sin[c + d*x] + 3*a^3*(4*A*b + a*B)*Sin[2*(c + d*x)] + a^4*A*Sin[3*(c + d*x)]/(12*d)

Maple [A] time = 0.063, size = 255, normalized size = 1.3

$$\frac{A\sin(dx+c)(\cos(dx+c))^2a^4}{3d} + \frac{2Aa^4\sin(dx+c)}{3d} + \frac{Ba^4\sin(dx+c)\cos(dx+c)}{2d} + \frac{Ba^4x}{2} + \frac{Ba^4c}{2d} + 2\frac{Aa^3b\sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

[Out] $\frac{1}{3}dA\sin(d*x+c)\cos(d*x+c)^2a^4 + \frac{2}{3}dAa^4\sin(d*x+c) + \frac{1}{2}dBa^4\sin(d*x+c)\cos(d*x+c) + \frac{1}{2}B^2a^4x + \frac{1}{2}dB^2a^4c + \frac{2}{d}A^2a^3b\sin(d*x+c)\cos(d*x+c) + 2A^2a^3bx + \frac{2}{d}A^2a^3bc + \frac{4}{d}B^2a^3b\sin(d*x+c) + \frac{6}{d}A^2a^2b^2\sin(d*x+c) + 6B^2a^2b^2x + \frac{6}{d}B^2a^2b^2c + 4A^2ab^3x + \frac{4}{d}A^2ab^3c + \frac{4}{d}B^2ab^3\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{d}A^2b^4\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{1}{d}B^2b^4\tan(d*x+c)$

Maxima [A] time = 0.989478, size = 266, normalized size = 1.34

$$\frac{4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 3(2dx+2c+\sin(2dx+2c))Ba^4 - 12(2dx+2c+\sin(2dx+2c))Aa^3b - 72(dx+c)B^2a^2b^2 - 48(dx+c)A^2ab^3 - 24B^2ab^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 6A^2b^4(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 48B^2a^3b\sin(dx+c) - 72A^2a^2b^2\sin(dx+c) - 12B^2b^4\tan(dx+c))/d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $-\frac{1}{12}(4(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 3(2dx+2c+\sin(2dx+2c))Ba^4 - 12(2dx+2c+\sin(2dx+2c))Aa^3b - 72(dx+c)B^2a^2b^2 - 48(dx+c)A^2ab^3 - 24B^2ab^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 6A^2b^4(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 48B^2a^3b\sin(dx+c) - 72A^2a^2b^2\sin(dx+c) - 12B^2b^4\tan(dx+c))/d$

Fricas [A] time = 0.593142, size = 471, normalized size = 2.38

$$\frac{3(Ba^4 + 4Aa^3b + 12Ba^2b^2 + 8Aab^3)dx \cos(dx+c) + 3(4Bab^3 + Ab^4)\cos(dx+c)\log(\sin(dx+c)+1) - 3(4Bab^3 + Ab^4)\cos(dx+c)\log(-\sin(dx+c)+1) + (2A^2a^4\cos(dx+c)^3 + 6B^2b^4\cos(dx+c))\log(\sin(dx+c)+1) - (2A^2a^4\cos(dx+c)^3 + 6B^2b^4\cos(dx+c))\log(-\sin(dx+c)+1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{1}{6}(3(Ba^4 + 4Aa^3b + 12B^2a^2b^2 + 8A^2ab^3)d*x*\cos(d*x+c) + 3(4B^2ab^3 + A^2b^4)*\cos(d*x+c)*\log(\sin(d*x+c)+1) - 3(4B^2ab^3 + A^2b^4)*\cos(d*x+c)*\log(-\sin(d*x+c)+1) + (2A^2a^4*\cos(d*x+c)^3 + 6B^2b^4*\cos(d*x+c))\log(\sin(d*x+c)+1) - (2A^2a^4*\cos(d*x+c)^3 + 6B^2b^4*\cos(d*x+c))\log(-\sin(d*x+c)+1))$

$$+ 3*(B*a^4 + 4*A*a^3*b)*\cos(d*x + c)^2 + 4*(A*a^4 + 6*B*a^3*b + 9*A*a^2*b^2)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c))$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)), x)

[Out] Timed out

Giac [A] time = 1.28818, size = 501, normalized size = 2.53

$$\frac{12Bb^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - 3(Ba^4 + 4Aa^3b + 12Ba^2b^2 + 8Aab^3)(dx + c) - 6(4Bab^3 + Ab^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 6(\dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)), x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(12*B*b^4*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(B*a^4 \\ & + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*(d*x + c) - 6*(4*B*a*b^3 + A*b^4)* \\ & \log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 6*(4*B*a*b^3 + A*b^4)*\log(\text{abs}(\tan(1/2* \\ & d*x + 1/2*c) - 1)) - 2*(6*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^4*\tan(1/2*d* \\ & x + 1/2*c)^5 - 12*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 24*B*a^3*b*\tan(1/2*d*x + \\ & 1/2*c)^5 + 36*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 4*A*a^4*\tan(1/2*d*x + 1/2 \\ & *c)^3 + 48*B*a^3*b*\tan(1/2*d*x + 1/2*c)^3 + 72*A*a^2*b^2*\tan(1/2*d*x + 1/2* \\ & c)^3 + 6*A*a^4*\tan(1/2*d*x + 1/2*c) + 3*B*a^4*\tan(1/2*d*x + 1/2*c) + 12*A*a \\ & ^3*b*\tan(1/2*d*x + 1/2*c) + 24*B*a^3*b*\tan(1/2*d*x + 1/2*c) + 36*A*a^2*b^2* \\ & \tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3/d \end{aligned}$$

$$3.308 \quad \int \cos^4(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=216

$$\frac{a(16a^2Ab + 4a^3B + 34ab^2B + 19Ab^3) \sin(c + dx)}{6d} + \frac{a^2(9a^2A + 32abB + 26Ab^2) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(24a^2A$$

[Out] ((3*a^4*A + 24*a^2*A*b^2 + 8*A*b^4 + 16*a^3*b*B + 32*a*b^3*B)*x)/8 + (b^4*B *ArcTanh[Sin[c + d*x]])/d + (a*(16*a^2*A*b + 19*A*b^3 + 4*a^3*B + 34*a*b^2*B)*Sin[c + d*x])/(6*d) + (a^2*(9*a^2*A + 26*A*b^2 + 32*a*b*B)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + (a*(7*A*b + 4*a*B)*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(12*d) + (a*A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(4*d)

Rubi [A] time = 0.609493, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4025, 4094, 4074, 4047, 8, 4045, 3770}

$$\frac{a(16a^2Ab + 4a^3B + 34ab^2B + 19Ab^3) \sin(c + dx)}{6d} + \frac{a^2(9a^2A + 32abB + 26Ab^2) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(24a^2A$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] ((3*a^4*A + 24*a^2*A*b^2 + 8*A*b^4 + 16*a^3*b*B + 32*a*b^3*B)*x)/8 + (b^4*B *ArcTanh[Sin[c + d*x]])/d + (a*(16*a^2*A*b + 19*A*b^3 + 4*a^3*B + 34*a*b^2*B)*Sin[c + d*x])/(6*d) + (a^2*(9*a^2*A + 26*A*b^2 + 32*a*b*B)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + (a*(7*A*b + 4*a*B)*Cos[c + d*x]^2*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(12*d) + (a*A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(4*d)

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a *(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d

, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4074

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA \cos^3(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{4d} - \frac{1}{4} \int \cos \\
&= \frac{a(7Ab + 4aB) \cos^2(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{12d} \\
&= \frac{a^2 (9a^2 A + 26Ab^2 + 32abB) \cos(c + dx) \sin(c + dx)}{24d} + \frac{a(7)}{24d} \\
&= \frac{a^2 (9a^2 A + 26Ab^2 + 32abB) \cos(c + dx) \sin(c + dx)}{24d} + \frac{a(7)}{24d} \\
&= \frac{1}{8} (3a^4 A + 24a^2 Ab^2 + 8Ab^4 + 16a^3 bB + 32ab^3 B) x + \frac{a(16)}{8} \\
&= \frac{1}{8} (3a^4 A + 24a^2 Ab^2 + 8Ab^4 + 16a^3 bB + 32ab^3 B) x + \frac{b^4 B t}{8}
\end{aligned}$$

Mathematica [A] time = 0.601376, size = 210, normalized size = 0.97

$$12(c + dx) (24a^2 Ab^2 + 3a^4 A + 16a^3 bB + 32ab^3 B + 8Ab^4) + 24a^2 (a^2 A + 4abB + 6Ab^2) \sin(2(c + dx)) + 24a (12a^2 Ab +$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] (12*(3*a^4*A + 24*a^2*A*b^2 + 8*A*b^4 + 16*a^3*b*B + 32*a*b^3*B)*(c + d*x) - 96*b^4*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 96*b^4*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 24*a*(12*a^2*A*b + 16*A*b^3 + 3*a^3*B + 24*a*b^2*B)*Sin[c + d*x] + 24*a^2*(a^2*A + 6*A*b^2 + 4*a*b*B)*Sin[2*(c + d*x)] + 8*a^3*(4*A*b + a*B)*Sin[3*(c + d*x)] + 3*a^4*A*Sin[4*(c + d*x)])/(96*d)

Maple [A] time = 0.071, size = 319, normalized size = 1.5

$$\frac{Aa^4 \sin(dx + c) (\cos(dx + c))^3}{4d} + \frac{3Aa^4 \sin(dx + c) \cos(dx + c)}{8d} + \frac{3a^4 Ax}{8} + \frac{3Aa^4 c}{8d} + \frac{B \sin(dx + c) (\cos(dx + c))^2 a^4}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)), x)

```
[Out] 1/4/d*A*a^4*sin(d*x+c)*cos(d*x+c)^3+3/8/d*A*a^4*sin(d*x+c)*cos(d*x+c)+3/8*a^4*A*x+3/8/d*A*a^4*c+1/3/d*B*sin(d*x+c)*cos(d*x+c)^2*a^4+2/3/d*B*a^4*sin(d*x+c)+4/3/d*A*sin(d*x+c)*cos(d*x+c)^2*a^3*b+8/3/d*A*a^3*b*sin(d*x+c)+2/d*B*a^3*b*sin(d*x+c)*cos(d*x+c)+2*B*a^3*b*x+2/d*B*a^3*b*c+3/d*A*a^2*b^2*sin(d*x+c)*cos(d*x+c)+3*A*a^2*b^2*x+3/d*A*a^2*b^2*c+6/d*B*a^2*b^2*sin(d*x+c)+4/d*A*a*b^3*sin(d*x+c)+4*B*a*b^3*x+4/d*B*a*b^3*c+A*b^4*x+1/d*A*b^4*c+1/d*B*b^4*ln(sec(d*x+c)+tan(d*x+c))
```

Maxima [A] time = 0.9832, size = 290, normalized size = 1.34

$$3(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))Aa^4 - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba^4 - 128(\sin(dx + c)^3 - 3 \sin(dx + c))Aa^3b + 96(2dx + 2c + \sin(2dx + 2c))Bb^4 + 144(2dx + 2c + \sin(2dx + 2c))Aa^2b^2 + 384(dx + c)Bb^3 + 96(dx + c)Aa^4 + 48Bb^4(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 576Ba^2b^2 \sin(dx + c) + 384Aa^3b \sin(dx + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^4 - 32*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^4 - 128*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3*b + 96*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*b^4 + 144*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2*b^2 + 384*(d*x + c)*B*b^3 + 96*(d*x + c)*A*a^4 + 48*B*b^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 576*B*a^2*b^2*sin(d*x + c) + 384*A*a^3*b*sin(d*x + c))/d
```

Fricas [A] time = 0.594929, size = 447, normalized size = 2.07

$$12Bb^4 \log(\sin(dx + c) + 1) - 12Bb^4 \log(-\sin(dx + c) + 1) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2 + 32Bab^3 + 8Ab^4)dx + (6Aa^4 + 4Aa^3b) \cos(dx + c)^2 + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \cos(dx + c) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \sin(dx + c) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \tan(dx + c) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \sec(dx + c) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \csc(dx + c) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \operatorname{cosec}(dx + c) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \operatorname{sec}(dx + c) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \operatorname{csc}(dx + c) + 3(3Aa^4 + 16Ba^3b + 24Aa^2b^2) \operatorname{cosec}(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/24*(12*B*b^4*log(sin(d*x + c) + 1) - 12*B*b^4*log(-sin(d*x + c) + 1) + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*d*x + (6*A*a^4*cos(d*x + c)^3 + 16*B*a^4 + 64*A*a^3*b + 144*B*a^2*b^2 + 96*A*a*b^3 + 8*(B*a^4 + 4*A*a^3*b)*cos(d*x + c)^2 + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2)*cos(d*x + c) + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2)*sin(d*x + c) + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2)*tan(d*x + c) + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2)*sec(d*x + c) + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2)*csc(d*x + c) + 3*(3*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2)*cosec(d*x + c))
```

$\cos(dx + c) \cdot \sin(dx + c) / d$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**4*(a+b*sec(dx+c))**4*(A+B*sec(dx+c)), x)

[Out] Timed out

Giac [B] time = 1.30325, size = 814, normalized size = 3.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4*(a+b*sec(dx+c))^4*(A+B*sec(dx+c)), x, algorithm="giac")

[Out]
$$\frac{1}{24} \cdot (24 \cdot B \cdot b^4 \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1)) - 24 \cdot B \cdot b^4 \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1)) + 3 \cdot (3 \cdot A \cdot a^4 + 16 \cdot B \cdot a^3 \cdot b + 24 \cdot A \cdot a^2 \cdot b^2 + 32 \cdot B \cdot a \cdot b^3 + 8 \cdot A \cdot b^4) \cdot (dx + c) - 2 \cdot (15 \cdot A \cdot a^4 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 24 \cdot B \cdot a^4 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 96 \cdot A \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 48 \cdot B \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 72 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 144 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 96 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 9 \cdot A \cdot a^4 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 40 \cdot B \cdot a^4 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 160 \cdot A \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 48 \cdot B \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 72 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 432 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 288 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 9 \cdot A \cdot a^4 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 40 \cdot B \cdot a^4 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 160 \cdot A \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 48 \cdot B \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 72 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 432 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 288 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 15 \cdot A \cdot a^4 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) - 24 \cdot B \cdot a^4 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) - 96 \cdot A \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) - 48 \cdot B \cdot a^3 \cdot b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) - 72 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) - 144 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) - 96 \cdot A \cdot a \cdot b^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 1)^4 / d$$

3.309 $\int \cos^5(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$

Optimal. Leaf size=258

$$\frac{(60a^2Ab^2 + 8a^4A + 40a^3bB + 60ab^3B + 15Ab^4) \sin(c + dx)}{15d} + \frac{a^2(8a^2A + 25abB + 18Ab^2) \sin(c + dx) \cos^2(c + dx)}{30d} + \dots$$

[Out] $((12a^3Ab + 16a^2A^2b^3 + 3a^4B + 24a^2b^2B + 8b^4B)x)/8 + ((8a^4A + 60a^2A^2b^2 + 15A^2b^4 + 40a^3bB + 60a^2b^3B) \sin[c + dx])/ (15d) + (a(60a^2Ab + 56A^2b^3 + 15a^3B + 110a^2b^2B) \cos[c + dx] \sin[c + dx])/ (40d) + (a^2(8a^2A + 18Ab^2 + 25a^2bB) \cos[c + dx]^2 \sin[c + dx])/ (30d) + (a(8Ab + 5a^2B) \cos[c + dx]^3 (a + b \sec[c + dx])^2 \sin[c + dx])/ (20d) + (aA \cos[c + dx]^4 (a + b \sec[c + dx])^3 \sin[c + dx])/ (5d)$

Rubi [A] time = 0.69051, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4025, 4094, 4074, 4047, 2637, 4045, 8}

$$\frac{(60a^2Ab^2 + 8a^4A + 40a^3bB + 60ab^3B + 15Ab^4) \sin(c + dx)}{15d} + \frac{a^2(8a^2A + 25abB + 18Ab^2) \sin(c + dx) \cos^2(c + dx)}{30d} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[c + dx]^5(a + b \text{Sec}[c + dx])^4(A + B \text{Sec}[c + dx]), x]$

[Out] $((12a^3Ab + 16a^2A^2b^3 + 3a^4B + 24a^2b^2B + 8b^4B)x)/8 + ((8a^4A + 60a^2A^2b^2 + 15A^2b^4 + 40a^3bB + 60a^2b^3B) \sin[c + dx])/ (15d) + (a(60a^2Ab + 56A^2b^3 + 15a^3B + 110a^2b^2B) \cos[c + dx] \sin[c + dx])/ (40d) + (a^2(8a^2A + 18Ab^2 + 25a^2bB) \cos[c + dx]^2 \sin[c + dx])/ (30d) + (a(8Ab + 5a^2B) \cos[c + dx]^3 (a + b \sec[c + dx])^2 \sin[c + dx])/ (20d) + (aA \cos[c + dx]^4 (a + b \sec[c + dx])^3 \sin[c + dx])/ (5d)$

Rule 4025

$\text{Int}[(\text{csc}[(e_.) + (f_.)x]d_.)^n (\text{csc}[(e_.) + (f_.)x]b_.) + (a_.)^m (\text{csc}[(e_.) + (f_.)x]B_.) + (A_.)], x_Symbol] \rightarrow \text{Simp}[(aA \cot[e + fx] (a + b \text{Csc}[e + fx])^{m-1} (d \text{Csc}[e + fx])^n) / (f^n), x] + \text{Dist}[1/(d^n), \text{Int}[(a + b \text{Csc}[e + fx])^{m-2} (d \text{Csc}[e + fx])^{n+1} \text{Simp}[a$

```

*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]

```

Rule 4094

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4074

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(A_.) + csc[(e_.) + (f_.)*(x_)]*(
B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 2637

```

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

```

Rule 4045

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

```

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
 \int \cos^5(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA \cos^4(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{5d} - \frac{1}{5} \int \cos^4(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx \\
 &= \frac{a(8Ab + 5aB) \cos^3(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{20d} + \frac{a^2(8a^2A + 18Ab^2 + 25abB) \cos^2(c + dx) \sin(c + dx)}{30d} + \frac{a(8a^2B + 5a^2B) \cos^2(c + dx) \sin(c + dx)}{30d} \\
 &= \frac{a^2(8a^2A + 18Ab^2 + 25abB) \cos^2(c + dx) \sin(c + dx)}{30d} + \frac{a(8a^2B + 5a^2B) \cos^2(c + dx) \sin(c + dx)}{30d} \\
 &= \frac{(8a^4A + 60a^2Ab^2 + 15Ab^4 + 40a^3bB + 60ab^3B) \sin(c + dx)}{15d} \\
 &= \frac{1}{8} (12a^3Ab + 16aAb^3 + 3a^4B + 24a^2b^2B + 8b^4B) x + \frac{(8a^4A + 60a^2Ab^2 + 15Ab^4 + 40a^3bB + 60ab^3B) \sin(c + dx)}{15d}
 \end{aligned}$$

Mathematica [A] time = 0.632869, size = 263, normalized size = 1.02

$$\frac{120a(4a^2Ab + a^3B + 6ab^2B + 4Ab^3) \sin(2(c + dx)) + 60(36a^2Ab^2 + 5a^4A + 24a^3bB + 32ab^3B + 8Ab^4) \sin(c + dx) + 24a^2(8a^2A + 18Ab^2 + 25abB) \cos^2(c + dx) \sin(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^5*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]

[Out] (720*a^3*A*b*c + 960*a*A*b^3*c + 180*a^4*B*c + 1440*a^2*b^2*B*c + 480*b^4*B*c + 720*a^3*A*b*d*x + 960*a*A*b^3*d*x + 180*a^4*B*d*x + 1440*a^2*b^2*B*d*x + 480*b^4*B*d*x + 60*(5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*Sin[c + d*x] + 120*a*(4*a^2*A*b + 4*A*b^3 + a^3*B + 6*a*b^2*B)*Sin[2*(c + d*x)] + 50*a^4*A*Ssin[3*(c + d*x)] + 240*a^2*A*b^2*Ssin[3*(c + d*x)] + 160*a^3*b*B*Ssin[3*(c + d*x)] + 60*a^3*A*b*Ssin[4*(c + d*x)] + 15*a^4*B*Ssin[4*(c + d*x)] + 6*a^4*A*Ssin[5*(c + d*x)])/(480*d)

Maple [A] time = 0.073, size = 258, normalized size = 1.

$$\frac{1}{d} \left(\frac{Aa^4 \sin(dx + c)}{5} \left(\frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + 4Aa^3b \left(\frac{1}{4} ((\cos(dx + c))^3 + 3/2 \cos(dx + c)) \sin(dx + c) + \frac{1}{4} (\cos(dx + c))^4 + \frac{1}{2} \cos(dx + c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

[Out] $\frac{1}{d} \left(\frac{1}{5} A a^4 (8/3 + \cos(dx+c)^4 + 4/3 \cos(dx+c)^2) \sin(dx+c) + 4 A a^3 b (1/4 (\cos(dx+c)^3 + 3/2 \cos(dx+c)) \sin(dx+c) + 3/8 dx + 3/8 c) + B a^4 (1/4 (\cos(dx+c)^3 + 3/2 \cos(dx+c)) \sin(dx+c) + 3/8 dx + 3/8 c) + 2 A a^2 b^2 (2 + \cos(dx+c)^2) \sin(dx+c) + 4/3 B a^3 b (2 + \cos(dx+c)^2) \sin(dx+c) + 4 A a b^3 (1/2 \cos(dx+c) \sin(dx+c) + 1/2 dx + 1/2 c) + 6 B a^2 b^2 (1/2 \cos(dx+c) \sin(dx+c) + 1/2 dx + 1/2 c) + A b^4 \sin(dx+c) + 4 B a b^3 \sin(dx+c) + B b^4 (dx+c) \right)$

Maxima [A] time = 0.984833, size = 332, normalized size = 1.29

$32 \left(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) A a^4 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^4$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $\frac{1}{480} \left(32 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) A a^4 + 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^4 + 60 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^3 b - 640 (\sin(dx+c)^3 - 3 \sin(dx+c)) B a^3 b - 960 (\sin(dx+c)^3 - 3 \sin(dx+c)) A a^2 b^2 + 720 (2 dx + 2 c + \sin(2 dx + 2 c)) B a^2 b^2 + 480 (2 dx + 2 c + \sin(2 dx + 2 c)) A a b^3 + 480 (dx+c) B b^4 + 1920 B a b^3 \sin(dx+c) + 480 A b^4 \sin(dx+c) \right) / d$

Fricas [A] time = 0.593607, size = 478, normalized size = 1.85

$15 \left(3 B a^4 + 12 A a^3 b + 24 B a^2 b^2 + 16 A a b^3 + 8 B b^4 \right) dx + \left(24 A a^4 \cos(dx+c)^4 + 64 A a^4 + 320 B a^3 b + 480 A a^2 b^2 + 480 \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")`

```
[Out] 1/120*(15*(3*B*a^4 + 12*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 8*B*b^4)*d*x
+ (24*A*a^4*cos(d*x + c)^4 + 64*A*a^4 + 320*B*a^3*b + 480*A*a^2*b^2 + 480*B
*a*b^3 + 120*A*b^4 + 30*(B*a^4 + 4*A*a^3*b)*cos(d*x + c)^3 + 16*(2*A*a^4 +
10*B*a^3*b + 15*A*a^2*b^2)*cos(d*x + c)^2 + 15*(3*B*a^4 + 12*A*a^3*b + 24*B
*a^2*b^2 + 16*A*a*b^3)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.3127, size = 1068, normalized size = 4.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="gi
ac")
```

```
[Out] 1/120*(15*(3*B*a^4 + 12*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 8*B*b^4)*(d*x
+ c) + 2*(120*A*a^4*tan(1/2*d*x + 1/2*c)^9 - 75*B*a^4*tan(1/2*d*x + 1/2*c)
^9 - 300*A*a^3*b*tan(1/2*d*x + 1/2*c)^9 + 480*B*a^3*b*tan(1/2*d*x + 1/2*c)
^9 + 720*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 - 360*B*a^2*b^2*tan(1/2*d*x + 1/2*
c)^9 - 240*A*a*b^3*tan(1/2*d*x + 1/2*c)^9 + 480*B*a*b^3*tan(1/2*d*x + 1/2*c)
)^9 + 120*A*b^4*tan(1/2*d*x + 1/2*c)^9 + 160*A*a^4*tan(1/2*d*x + 1/2*c)^7 -
30*B*a^4*tan(1/2*d*x + 1/2*c)^7 - 120*A*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 128
0*B*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 1920*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 -
720*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 480*A*a*b^3*tan(1/2*d*x + 1/2*c)^7 +
1920*B*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 480*A*b^4*tan(1/2*d*x + 1/2*c)^7 + 4
64*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 1600*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 + 240
0*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 2880*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 +
720*A*b^4*tan(1/2*d*x + 1/2*c)^5 + 160*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 30*B*
a^4*tan(1/2*d*x + 1/2*c)^3 + 120*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 1280*B*a^
```


$$\begin{aligned}
& 3*b*\tan(1/2*d*x + 1/2*c)^3 + 1920*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 720*B* \\
& a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 480*A*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 1920* \\
& B*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 480*A*b^4*\tan(1/2*d*x + 1/2*c)^3 + 120*A*a \\
& ^4*\tan(1/2*d*x + 1/2*c) + 75*B*a^4*\tan(1/2*d*x + 1/2*c) + 300*A*a^3*b*\tan(1 \\
& /2*d*x + 1/2*c) + 480*B*a^3*b*\tan(1/2*d*x + 1/2*c) + 720*A*a^2*b^2*\tan(1/2* \\
& d*x + 1/2*c) + 360*B*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 240*A*a*b^3*\tan(1/2*d*x \\
& + 1/2*c) + 480*B*a*b^3*\tan(1/2*d*x + 1/2*c) + 120*A*b^4*\tan(1/2*d*x + 1/2* \\
& c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^5)/d
\end{aligned}$$

$$3.310 \quad \int \cos^6(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=309

$$\frac{a(16a^2Ab + 4a^3B + 27ab^2B + 13Ab^3) \sin^3(c + dx)}{15d} + \frac{(48a^3Ab + 87a^2b^2B + 12a^4B + 53aAb^3 + 15b^4B) \sin(c + dx)}{15d} + \dots$$

[Out] ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*x)/16 + ((48*a^3*A*b + 53*a*A*b^3 + 12*a^4*B + 87*a^2*b^2*B + 15*b^4*B)*Sin[c + d*x])/(15*d) + ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^2*(25*a^2*A + 48*A*b^2 + 72*a*b*B)*Cos[c + d*x]^3*SIN[c + d*x])/(120*d) + (a*(3*A*b + 2*a*B)*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(10*d) + (a*A*COS[c + d*x]^5*(a + b*Sec[c + d*x])^3*SIN[c + d*x])/(6*d) - (a*(16*a^2*A*b + 13*A*b^3 + 4*a^3*B + 27*a*b^2*B)*SIN[c + d*x]^3)/(15*d)

Rubi [A] time = 0.819945, antiderivative size = 309, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {4025, 4094, 4074, 4047, 2635, 8, 4044, 3013}

$$\frac{a(16a^2Ab + 4a^3B + 27ab^2B + 13Ab^3) \sin^3(c + dx)}{15d} + \frac{(48a^3Ab + 87a^2b^2B + 12a^4B + 53aAb^3 + 15b^4B) \sin(c + dx)}{15d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*x)/16 + ((48*a^3*A*b + 53*a*A*b^3 + 12*a^4*B + 87*a^2*b^2*B + 15*b^4*B)*Sin[c + d*x])/(15*d) + ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^2*(25*a^2*A + 48*A*b^2 + 72*a*b*B)*Cos[c + d*x]^3*SIN[c + d*x])/(120*d) + (a*(3*A*b + 2*a*B)*Cos[c + d*x]^4*(a + b*Sec[c + d*x])^2*SIN[c + d*x])/(10*d) + (a*A*COS[c + d*x]^5*(a + b*Sec[c + d*x])^3*SIN[c + d*x])/(6*d) - (a*(16*a^2*A*b + 13*A*b^3 + 4*a^3*B + 27*a*b^2*B)*SIN[c + d*x]^3)/(15*d)

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co

```
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^n, x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Ssin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4044

```
Int[csc[(e_.) + (f_.)*(x_)]^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)),
  x_Symbol] :> Int[(C + A*Sin[e + f*x]^2)/Sin[e + f*x]^(m + 2), x] /; FreeQ[
{e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && ILtQ[(m + 1)/2, 0]
```

Rule 3013

```
Int[sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2),
  x_Symbol] :> -Dist[f^(-1), Subst[Int[(1 - x^2)^(m - 1)/2*(A + C - C*x^2)
, x], x, Cos[e + f*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m + 1)/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^6(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{aA \cos^5(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{6d} - \frac{1}{6} \int \cos^5(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx \\
&= \frac{a(3Ab + 2aB) \cos^4(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{10d} + \frac{a^2(25a^2A + 48Ab^2 + 72abB) \cos^3(c + dx) \sin(c + dx)}{120d} + \frac{a^2(25a^2A + 48Ab^2 + 72abB) \cos^3(c + dx) \sin(c + dx)}{120d} + \frac{(5a^4A + 36a^2Ab^2 + 8Ab^4 + 24a^3bB + 32ab^3B) \cos(c + dx) \sin(c + dx)}{16d} \\
&= \frac{1}{16} (5a^4A + 36a^2Ab^2 + 8Ab^4 + 24a^3bB + 32ab^3B) x + \frac{(5a^4A + 36a^2Ab^2 + 8Ab^4 + 24a^3bB + 32ab^3B) \cos(c + dx) \sin(c + dx)}{16d} \\
&= \frac{1}{16} (5a^4A + 36a^2Ab^2 + 8Ab^4 + 24a^3bB + 32ab^3B) x + \frac{(48a^3b^3B + 32ab^3B) \cos(c + dx) \sin(c + dx)}{16d}
\end{aligned}$$

Mathematica [A] time = 1.22771, size = 333, normalized size = 1.08

$$\frac{120(20a^3Ab + 36a^2b^2B + 5a^4B + 24aAb^3 + 8b^4B) \sin(c + dx) + 15(96a^2Ab^2 + 15a^4A + 64a^3bB + 64ab^3B + 16Ab^4) \sin(c + dx)}{16d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^6*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]), x]
```

```
[Out] (300*a^4*A*c + 2160*a^2*A*b^2*c + 480*A*b^4*c + 1440*a^3*b*B*c + 1920*a*b^3*B*c + 300*a^4*A*d*x + 2160*a^2*A*b^2*d*x + 480*A*b^4*d*x + 1440*a^3*b*B*d*x + 1920*a*b^3*B*d*x)
```

$x + 1920*a*b^3*B*d*x + 120*(20*a^3*A*b + 24*a*A*b^3 + 5*a^4*B + 36*a^2*b^2*B + 8*b^4*B)*\text{Sin}[c + d*x] + 15*(15*a^4*A + 96*a^2*A*b^2 + 16*A*b^4 + 64*a^3*b*B + 64*a*b^3*B)*\text{Sin}[2*(c + d*x)] + 400*a^3*A*b*\text{Sin}[3*(c + d*x)] + 320*a*A*b^3*\text{Sin}[3*(c + d*x)] + 100*a^4*B*\text{Sin}[3*(c + d*x)] + 480*a^2*b^2*B*\text{Sin}[3*(c + d*x)] + 45*a^4*A*\text{Sin}[4*(c + d*x)] + 180*a^2*A*b^2*\text{Sin}[4*(c + d*x)] + 120*a^3*b*B*\text{Sin}[4*(c + d*x)] + 48*a^3*A*b*\text{Sin}[5*(c + d*x)] + 12*a^4*B*\text{Sin}[5*(c + d*x)] + 5*a^4*A*\text{Sin}[6*(c + d*x)]/(960*d)$

Maple [A] time = 0.079, size = 316, normalized size = 1.

$$\frac{1}{d} \left(Aa^4 \left(\frac{\sin(dx+c)}{6} \left((\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{Ba^4 \sin(dx+c)}{5} \left(\frac{8}{3} + (\cos(dx+c))^5 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

[Out] `1/d*(A*a^4*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+1/5*B*a^4*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+4/5*A*a^3*b*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+4*B*a^3*b*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+6*A*a^2*b^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2*B*a^2*b^2*(2*cos(d*x+c)^2)*sin(d*x+c)+4/3*A*a*b^3*(2*cos(d*x+c)^2)*sin(d*x+c)+4*B*a*b^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*b^4*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+B*b^4*sin(d*x+c))`

Maxima [A] time = 0.986661, size = 414, normalized size = 1.34

$$\frac{5(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c))Aa^4 - 64(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Bb^4 - 256(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Bb^4}{960d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `-1/960*(5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*a^4 - 64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*b^4 - 256*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*b^4)`

$$c)) * A * a^3 * b - 120 * (12 * d * x + 12 * c + \sin(4 * d * x + 4 * c) + 8 * \sin(2 * d * x + 2 * c)) * B * a^3 * b - 180 * (12 * d * x + 12 * c + \sin(4 * d * x + 4 * c) + 8 * \sin(2 * d * x + 2 * c)) * A * a^2 * b^2 + 1920 * (\sin(d * x + c)^3 - 3 * \sin(d * x + c)) * B * a^2 * b^2 + 1280 * (\sin(d * x + c)^3 - 3 * \sin(d * x + c)) * A * a * b^3 - 960 * (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * B * a * b^3 - 240 * (2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * A * b^4 - 960 * B * b^4 * \sin(d * x + c)) / d$$

Fricas [A] time = 0.609289, size = 587, normalized size = 1.9

$$15 (5 A a^4 + 24 B a^3 b + 36 A a^2 b^2 + 32 B a b^3 + 8 A b^4) dx + (40 A a^4 \cos(dx + c)^5 + 128 B a^4 + 512 A a^3 b + 960 B a^2 b^2 + 640 A a b^3 + 240 B b^4 + 48 (B a^4 + 4 A a^3 b) \cos(dx + c)^4 + 10 (5 A a^4 + 24 B a^3 b + 36 A a^2 b^2) \cos(dx + c)^3 + 32 (2 B a^4 + 8 A a^3 b + 15 B a^2 b^2 + 10 A a b^3) \cos(dx + c)^2 + 15 (5 A a^4 + 24 B a^3 b + 36 A a^2 b^2 + 32 B a b^3 + 8 A b^4) \cos(dx + c)) \sin(dx + c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/240*(15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*d*x + (40*A*a^4*cos(d*x + c)^5 + 128*B*a^4 + 512*A*a^3*b + 960*B*a^2*b^2 + 640*A*a*b^3 + 240*B*b^4 + 48*(B*a^4 + 4*A*a^3*b))*cos(d*x + c)^4 + 10*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2)*cos(d*x + c)^3 + 32*(2*B*a^4 + 8*A*a^3*b + 15*B*a^2*b^2 + 10*A*a*b^3)*cos(d*x + c)^2 + 15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*cos(d*x + c))*sin(d*x + c))/d
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**6*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.2839, size = 1521, normalized size = 4.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^6*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\frac{1}{240} \cdot (15 \cdot (5Aa^4 + 24Ba^3b + 36Aa^2b^2 + 32Bab^3 + 8Ab^4) \cdot (dx + c) - 2 \cdot (165Aa^4 \tan(1/2dx + 1/2c)^{11} - 240Ba^4 \tan(1/2dx + 1/2c)^{11} - 960Aa^3b \tan(1/2dx + 1/2c)^{11} + 600Ba^3b \tan(1/2dx + 1/2c)^{11} + 900Aa^2b^2 \tan(1/2dx + 1/2c)^{11} - 1440Ba^2b^2 \tan(1/2dx + 1/2c)^{11} - 960Aa^2b^3 \tan(1/2dx + 1/2c)^{11} + 480Ba^2b^3 \tan(1/2dx + 1/2c)^{11} + 120Ab^4 \tan(1/2dx + 1/2c)^{11} - 240Bb^4 \tan(1/2dx + 1/2c)^{11} - 25Aa^4 \tan(1/2dx + 1/2c)^9 - 560Ba^4 \tan(1/2dx + 1/2c)^9 - 2240Aa^3b \tan(1/2dx + 1/2c)^9 + 840Ba^3b \tan(1/2dx + 1/2c)^9 + 1260Aa^2b^2 \tan(1/2dx + 1/2c)^9 - 5280Ba^2b^2 \tan(1/2dx + 1/2c)^9 - 3520Aa^2b^3 \tan(1/2dx + 1/2c)^9 + 1440Ba^2b^3 \tan(1/2dx + 1/2c)^9 + 360Ab^4 \tan(1/2dx + 1/2c)^9 - 1200Bb^4 \tan(1/2dx + 1/2c)^9 + 450Aa^4 \tan(1/2dx + 1/2c)^7 - 1248Ba^4 \tan(1/2dx + 1/2c)^7 - 4992Aa^3b \tan(1/2dx + 1/2c)^7 + 240Ba^3b \tan(1/2dx + 1/2c)^7 + 360Aa^2b^2 \tan(1/2dx + 1/2c)^7 - 8640Ba^2b^2 \tan(1/2dx + 1/2c)^7 - 5760Aa^2b^3 \tan(1/2dx + 1/2c)^7 + 960Ba^2b^3 \tan(1/2dx + 1/2c)^7 + 240Ab^4 \tan(1/2dx + 1/2c)^7 - 2400Bb^4 \tan(1/2dx + 1/2c)^7 - 450Aa^4 \tan(1/2dx + 1/2c)^5 - 1248Ba^4 \tan(1/2dx + 1/2c)^5 - 4992Aa^3b \tan(1/2dx + 1/2c)^5 - 240Ba^3b \tan(1/2dx + 1/2c)^5 - 360Aa^2b^2 \tan(1/2dx + 1/2c)^5 - 8640Ba^2b^2 \tan(1/2dx + 1/2c)^5 - 5760Aa^2b^3 \tan(1/2dx + 1/2c)^5 - 960Ba^2b^3 \tan(1/2dx + 1/2c)^5 - 240Ab^4 \tan(1/2dx + 1/2c)^5 - 2400Bb^4 \tan(1/2dx + 1/2c)^5 + 25Aa^4 \tan(1/2dx + 1/2c)^3 - 560Ba^4 \tan(1/2dx + 1/2c)^3 - 2240Aa^3b \tan(1/2dx + 1/2c)^3 - 840Ba^3b \tan(1/2dx + 1/2c)^3 - 1260Aa^2b^2 \tan(1/2dx + 1/2c)^3 - 5280Ba^2b^2 \tan(1/2dx + 1/2c)^3 - 3520Aa^2b^3 \tan(1/2dx + 1/2c)^3 - 1440Ba^2b^3 \tan(1/2dx + 1/2c)^3 - 360Ab^4 \tan(1/2dx + 1/2c)^3 - 1200Bb^4 \tan(1/2dx + 1/2c)^3 - 165Aa^4 \tan(1/2dx + 1/2c) - 240Ba^4 \tan(1/2dx + 1/2c) - 960Aa^3b \tan(1/2dx + 1/2c) - 600Ba^3b \tan(1/2dx + 1/2c) - 900Aa^2b^2 \tan(1/2dx + 1/2c) - 1440Ba^2b^2 \tan(1/2dx + 1/2c) - 960Aa^2b^3 \tan(1/2dx + 1/2c) - 480Ba^2b^3 \tan(1/2dx + 1/2c) - 120Ab^4 \tan(1/2dx + 1/2c) - 240Bb^4 \tan(1/2dx + 1/2c)) / (\tan(1/2dx + 1/2c)^2 + 1)^6 / d$$

$$3.311 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=187

$$-\frac{(-3a^2B + 3aAb - 2b^2B) \tan(c+dx)}{3b^3d} + \frac{(2a^2 + b^2)(Ab - aB) \tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a^3(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d\sqrt{a-b}\sqrt{a+b}}$$

[Out] $((2a^2 + b^2)(Ab - aB) \operatorname{ArcTanh}[\sin(c + dx)]) / (2b^4d) - (2a^3(Ab - aB) \operatorname{ArcTanh}[(\sqrt{a-b} \tan((c + dx)/2)) / \sqrt{a+b}]) / (\sqrt{a-b} b^4 \sqrt{a+b} d) - ((3aAb - 3a^2B - 2b^2B) \tan(c + dx)) / (3b^3d) + ((Ab - aB) \sec(c + dx) \tan(c + dx)) / (2b^2d) + (B \sec(c + dx)^2 \tan(c + dx)) / (3b^3d)$

Rubi [A] time = 0.675946, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {4033, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$-\frac{(-3a^2B + 3aAb - 2b^2B) \tan(c+dx)}{3b^3d} + \frac{(2a^2 + b^2)(Ab - aB) \tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a^3(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\sec(c + dx))^4(A + B \sec(c + dx)) / (a + b \sec(c + dx)), x]$

[Out] $((2a^2 + b^2)(Ab - aB) \operatorname{ArcTanh}[\sin(c + dx)]) / (2b^4d) - (2a^3(Ab - aB) \operatorname{ArcTanh}[(\sqrt{a-b} \tan((c + dx)/2)) / \sqrt{a+b}]) / (\sqrt{a-b} b^4 \sqrt{a+b} d) - ((3aAb - 3a^2B - 2b^2B) \tan(c + dx)) / (3b^3d) + ((Ab - aB) \sec(c + dx) \tan(c + dx)) / (2b^2d) + (B \sec(c + dx)^2 \tan(c + dx)) / (3b^3d)$

Rule 4033

$\operatorname{Int}[(\csc(e_.) + (f_.) \cdot (x_)) \cdot (d_.)^{\cdot}(n_.) \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (b_.) + (a_.)^{\cdot}(m_.) \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (B_.) + (A_.)], x_Symbol] \rightarrow -\operatorname{Simp}[(B \cdot d^2 \cdot \cot[e + f \cdot x] \cdot (a + b \cdot \csc[e + f \cdot x])^{m+1} \cdot (d \cdot \csc[e + f \cdot x])^{n-2}) / (b \cdot f \cdot (m + n)), x] + \operatorname{Dist}[d^2 / (b \cdot (m + n)), \operatorname{Int}[(a + b \cdot \csc[e + f \cdot x])^m \cdot (d \cdot \csc[e + f \cdot x])^{n-2} \cdot \operatorname{Simp}[a \cdot B \cdot (n - 2) + B \cdot b \cdot (m + n - 1) \cdot \csc[e + f \cdot x] + (A \cdot b \cdot (m + n) - a \cdot B \cdot (n - 1)) \cdot \csc[e + f \cdot x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m

} , x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n, 0] && !IGtQ[m, 1]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sine[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]

&& NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{B\sec^2(c+dx)\tan(c+dx)}{3bd} + \frac{\int \frac{\sec^2(c+dx)(2aB+2bB\sec(c+dx)+3(Ab-aB)\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{3b} \\
 &= \frac{(Ab-aB)\sec(c+dx)\tan(c+dx)}{2b^2d} + \frac{B\sec^2(c+dx)\tan(c+dx)}{3bd} + \frac{\int \frac{\sec(c+dx)(3aAb-3a^2B-2b^2B)}{a+b\sec(c+dx)} dx}{3b} \\
 &= -\frac{(3aAb-3a^2B-2b^2B)\tan(c+dx)}{3b^3d} + \frac{(Ab-aB)\sec(c+dx)\tan(c+dx)}{2b^2d} + \frac{B\sec^2(c+dx)\tan(c+dx)}{3bd} \\
 &= -\frac{(3aAb-3a^2B-2b^2B)\tan(c+dx)}{3b^3d} + \frac{(Ab-aB)\sec(c+dx)\tan(c+dx)}{2b^2d} + \frac{B\sec^2(c+dx)\tan(c+dx)}{3bd} \\
 &= \frac{(2a^2+b^2)(Ab-aB)\tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{(3aAb-3a^2B-2b^2B)\tan(c+dx)}{3b^3d} \\
 &= \frac{(2a^2+b^2)(Ab-aB)\tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{(3aAb-3a^2B-2b^2B)\tan(c+dx)}{3b^3d} \\
 &= \frac{(2a^2+b^2)(Ab-aB)\tanh^{-1}(\sin(c+dx))}{2b^4d} - \frac{2a^3(Ab-aB)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b^4\sqrt{a+bd}}
 \end{aligned}$$

Mathematica [B] time = 2.36635, size = 422, normalized size = 2.26

$$\frac{4b(3a^2B-3aAb+2b^2B)\sin\left(\frac{1}{2}(c+dx)\right)}{\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)} + \frac{4b(3a^2B-3aAb+2b^2B)\sin\left(\frac{1}{2}(c+dx)\right)}{\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)} + \frac{24a^3(Ab-aB)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + 6(2a^2+b^2)(aB-Ab)\log\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]), x]

```
[Out] ((24*a^3*(A*b - a*B)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])/
Sqrt[a^2 - b^2] + 6*(2*a^2 + b^2)*(-(A*b) + a*B)*Log[Cos[(c + d*x)/2] - Sin
[(c + d*x)/2]] - 6*(2*a^2 + b^2)*(-(A*b) + a*B)*Log[Cos[(c + d*x)/2] + Sin
[(c + d*x)/2]] + (b^2*(3*A*b + (-3*a + b)*B))/(Cos[(c + d*x)/2] - Sin[(c + d
*x)/2])^2 + (2*b^3*B*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]
)^3 + (4*b*(-3*a*A*b + 3*a^2*B + 2*b^2*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/
2] - Sin[(c + d*x)/2]) + (2*b^3*B*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin
[(c + d*x)/2])^3 - (b^2*(3*A*b + (-3*a + b)*B))/(Cos[(c + d*x)/2] + Sin[(c
+ d*x)/2])^2 + (4*b*(-3*a*A*b + 3*a^2*B + 2*b^2*B)*Sin[(c + d*x)/2])/(Cos[(c
+ d*x)/2] + Sin[(c + d*x)/2]))/(12*b^4*d)
```

Maple [B] time = 0.083, size = 688, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)
```

```
[Out] 1/2/d/b/(tan(1/2*d*x+1/2*c)-1)^2*A+1/2/d/b/(tan(1/2*d*x+1/2*c)+1)^2*B+1/2/d
/b*ln(tan(1/2*d*x+1/2*c)+1)*A+1/2/d/b/(tan(1/2*d*x+1/2*c)+1)*A-1/d/b/(tan(1
/2*d*x+1/2*c)+1)*B-1/3/d*B/b/(tan(1/2*d*x+1/2*c)-1)^3-1/2/d/b*ln(tan(1/2*d*
x+1/2*c)-1)*A+1/2/d/b/(tan(1/2*d*x+1/2*c)-1)*A-1/d/b/(tan(1/2*d*x+1/2*c)-1)
*B-1/3/d*B/b/(tan(1/2*d*x+1/2*c)+1)^3-1/2/d/b/(tan(1/2*d*x+1/2*c)+1)^2*A-1/
2/d/b/(tan(1/2*d*x+1/2*c)-1)^2*B-2/d*a^3/b^3/((a+b)*(a-b))^(1/2)*arctanh((a
-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+2/d*a^4/b^4/((a+b)*(a-b))^(1/
2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+1/d/b^2/(tan(1/2
*d*x+1/2*c)+1)*A*a-1/d/b^3/(tan(1/2*d*x+1/2*c)+1)*B*a^2-1/2/d/b^2/(tan(1/2*
d*x+1/2*c)+1)*B*a-1/2/d/b^2/(tan(1/2*d*x+1/2*c)-1)^2*B*a-1/d/b^3/(tan(1/2*d
*x+1/2*c)-1)*B*a^2-1/2/d/b^2/(tan(1/2*d*x+1/2*c)-1)*B*a+1/2/d/b^2/(tan(1/2*
d*x+1/2*c)+1)^2*B*a+1/d/b^3*ln(tan(1/2*d*x+1/2*c)+1)*A*a^2-1/d/b^4*ln(tan(1
/2*d*x+1/2*c)+1)*B*a^3-1/2/d/b^2*ln(tan(1/2*d*x+1/2*c)+1)*B*a-1/d/b^3*ln(ta
n(1/2*d*x+1/2*c)-1)*A*a^2+1/d/b^4*ln(tan(1/2*d*x+1/2*c)-1)*B*a^3+1/2/d/b^2*
ln(tan(1/2*d*x+1/2*c)-1)*B*a+1/d/b^2/(tan(1/2*d*x+1/2*c)-1)*A*a
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 2.35656, size = 1650, normalized size = 8.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] [-1/12*(6*(B*a^4 - A*a^3*b)*sqrt(a^2 - b^2)*cos(d*x + c)^3*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 3*(2*B*a^5 - 2*A*a^4*b - B*a^3*b^2 + A*a^2*b^3 - B*a*b^4 + A*b^5)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(2*B*a^5 - 2*A*a^4*b - B*a^3*b^2 + A*a^2*b^3 - B*a*b^4 + A*b^5)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) - 2*(2*B*a^2*b^3 - 2*B*b^5 + 2*(3*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + 3*A*a*b^4 - 2*B*b^5)*cos(d*x + c)^2 - 3*(B*a^3*b^2 - A*a^2*b^3 - B*a*b^4 + A*b^5)*cos(d*x + c))*sin(d*x + c)/((a^2*b^4 - b^6)*d*cos(d*x + c)^3), 1/12*(12*(B*a^4 - A*a^3*b)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/(a^2 - b^2)*sin(d*x + c))*cos(d*x + c)^3 - 3*(2*B*a^5 - 2*A*a^4*b - B*a^3*b^2 + A*a^2*b^3 - B*a*b^4 + A*b^5)*cos(d*x + c)^3*log(sin(d*x + c) + 1) + 3*(2*B*a^5 - 2*A*a^4*b - B*a^3*b^2 + A*a^2*b^3 - B*a*b^4 + A*b^5)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*B*a^2*b^3 - 2*B*b^5 + 2*(3*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + 3*A*a*b^4 - 2*B*b^5)*cos(d*x + c)^2 - 3*(B*a^3*b^2 - A*a^2*b^3 - B*a*b^4 + A*b^5)*cos(d*x + c))*sin(d*x + c)/((a^2*b^4 - b^6)*d*cos(d*x + c)^3)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^4(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)
```

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**4/(a + b*sec(c + d*x)), x)

Giac [B] time = 1.26332, size = 556, normalized size = 2.97

$$\frac{3(2Ba^3 - 2Aa^2b + Bab^2 - Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{b^4} - \frac{3(2Ba^3 - 2Aa^2b + Bab^2 - Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{b^4} - \frac{12(Ba^4 - Aa^3b) \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+b)\right)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/6*(3*(2*B*a^3 - 2*A*a^2*b + B*a*b^2 - A*b^3)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1))/b^4 - 3*(2*B*a^3 - 2*A*a^2*b + B*a*b^2 - A*b^3)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1))/b^4 - 12*(B*a^4 - A*a^3*b)*(\pi*\operatorname{floor}(1/2*(d*x + c)/\pi + 1/2)*\operatorname{sgn}(-2*a + 2*b) + \operatorname{arctan}(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/(\sqrt{-a^2 + b^2})*b^4 + 2*(6*B*a^2*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a*b*\tan(1/2*d*x + 1/2*c)^5 + 3*B*a*b*\tan(1/2*d*x + 1/2*c)^5 - 3*A*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*B*b^2*\tan(1/2*d*x + 1/2*c)^5 - 12*B*a^2*\tan(1/2*d*x + 1/2*c)^3 + 12*A*a*b*\tan(1/2*d*x + 1/2*c)^3 - 4*B*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*B*a^2*\tan(1/2*d*x + 1/2*c) - 6*A*a*b*\tan(1/2*d*x + 1/2*c) - 3*B*a*b*\tan(1/2*d*x + 1/2*c) + 3*A*b^2*\tan(1/2*d*x + 1/2*c) + 6*B*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*b^3))/d \end{aligned}$$

$$3.312 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=143

$$-\frac{(-2a^2B + 2aAb - b^2B) \tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{2a^2(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{(Ab - aB) \tan(c+dx)}{b^2d} + \frac{B \tan(c+dx)}{b^2d}$$

[Out] $-\left(\frac{2a^2Ab - 2a^2B - b^2B}{2b^3d}\right) \text{ArcTanh}[\text{Sin}[c + d*x]] + \left(\frac{2a^2(Ab - aB)}{b^3d\sqrt{a-b}\sqrt{a+b}}\right) \text{ArcTanh}\left[\frac{\sqrt{a-b} \tan\left(\frac{c + d*x}{2}\right)}{\sqrt{a+b}}\right] + \frac{(Ab - aB) \tan(c + d*x)}{b^2d} + \frac{B \tan(c + d*x)}{b^2d}$

Rubi [A] time = 0.395496, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4033, 4082, 3998, 3770, 3831, 2659, 208}

$$-\frac{(-2a^2B + 2aAb - b^2B) \tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{2a^2(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{(Ab - aB) \tan(c+dx)}{b^2d} + \frac{B \tan(c+dx)}{b^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^3*(A + B*\text{Sec}[c + d*x]))/(a + b*\text{Sec}[c + d*x]), x]$

[Out] $-\left(\frac{2a^2Ab - 2a^2B - b^2B}{2b^3d}\right) \text{ArcTanh}[\text{Sin}[c + d*x]] + \left(\frac{2a^2(Ab - aB)}{b^3d\sqrt{a-b}\sqrt{a+b}}\right) \text{ArcTanh}\left[\frac{\sqrt{a-b} \tan\left(\frac{c + d*x}{2}\right)}{\sqrt{a+b}}\right] + \frac{(Ab - aB) \tan(c + d*x)}{b^2d} + \frac{B \tan(c + d*x)}{b^2d}$

Rule 4033

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol) :> -\text{Simp}[(B*d^2 * \text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^{n-2}) / (b*f*(m+n)), x] + \text{Dist}[d^2 / (b*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n-2} * \text{Simp}[a*B*(n-2) + B*b*(m+n-1)*\text{Csc}[e + f*x] + (A*b*(m+n) - a*B*(n-1))*\text{Csc}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n,

0] && !IGtQ[m, 1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{B\sec(c+dx)\tan(c+dx)}{2bd} + \frac{\int \frac{\sec(c+dx)(aB+bB\sec(c+dx)+2(Ab-aB)\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{2b} \\
&= \frac{(Ab-aB)\tan(c+dx)}{b^2d} + \frac{B\sec(c+dx)\tan(c+dx)}{2bd} + \frac{\int \frac{\sec(c+dx)(abB-(2aAb-2a^2B-b^2B))}{a+b\sec(c+dx)} dx}{2b^2} \\
&= \frac{(Ab-aB)\tan(c+dx)}{b^2d} + \frac{B\sec(c+dx)\tan(c+dx)}{2bd} + \frac{(a^2(Ab-aB)) \int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx}{b^3} \\
&= -\frac{(2aAb-2a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{(Ab-aB)\tan(c+dx)}{b^2d} + \frac{B\sec(c+dx)}{2b} \\
&= -\frac{(2aAb-2a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{(Ab-aB)\tan(c+dx)}{b^2d} + \frac{B\sec(c+dx)}{2b} \\
&= -\frac{(2aAb-2a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^3d} + \frac{2a^2(Ab-aB)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b^3\sqrt{a+bd}}
\end{aligned}$$

Mathematica [B] time = 1.77521, size = 300, normalized size = 2.1

$$\frac{8a^2(aB-Ab)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - 2(2a^2B-2aAb+b^2B)\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) + 2(2a^2B-2aAb+b^2B)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] ((8*a^2*(-(A*b) + a*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - 2*(-2*a*A*b + 2*a^2*B + b^2*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*(-2*a*A*b + 2*a^2*B + b^2*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (b^2*B)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 + (4*b*(A*b - a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2]) - (b^2*B)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*b*(A*b - a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])/(4*b^3*d)

Maple [B] time = 0.074, size = 410, normalized size = 2.9

$$2 \frac{a^2 A}{db^2 \sqrt{(a+b)(a-b)}} \operatorname{Artanh} \left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}} \right) - 2 \frac{Ba^3}{db^3 \sqrt{(a+b)(a-b)}} \operatorname{Artanh} \left(\frac{(a-b) \tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}} \right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out] $2/d*a^2/b^2/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-2/d*a^3/b^3/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*B-1/2/d/b/(\tan(1/2*d*x+1/2*c)+1)^2*B-1/d/b/(\tan(1/2*d*x+1/2*c)+1)*A+1/d/b^2/(\tan(1/2*d*x+1/2*c)+1)*B*a+1/2/d/b/(\tan(1/2*d*x+1/2*c)+1)*B-1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*A*a+1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)+1)*B*a^2+1/2/d/b*\ln(\tan(1/2*d*x+1/2*c)+1)*B+1/2/d/b/(\tan(1/2*d*x+1/2*c)-1)^2*B-1/d/b/(\tan(1/2*d*x+1/2*c)-1)*A+1/d/b^2/(\tan(1/2*d*x+1/2*c)-1)*B*a+1/2/d/b/(\tan(1/2*d*x+1/2*c)-1)*B+1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*A*a-1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B*a^2-1/2/d/b*\ln(\tan(1/2*d*x+1/2*c)-1)*B$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 11.3259, size = 1353, normalized size = 9.46

$$\left[\frac{2 (Ba^3 - Aa^2b) \sqrt{a^2 - b^2} \cos(dx + c)^2 \log \left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2} \right) - (2Ba^4}{\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [-1/4*(2*(B*a^3 - A*a^2*b)*sqrt(a^2 - b^2)*cos(d*x + c)^2*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - (2*B*a^4 - 2*A*a^3*b - B*a^2*b^2 + 2*A*a*b^3 - B*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (2*B*a^4 - 2*A*a^3*b - B*a^2*b^2 + 2*A*a*b^3 - B*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(B*a^2*b^2 - B*b^4 - 2*(B*a^3*b - A*a^2*b^2 - B*a*b^3 + A*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^3 - b^5)*d*cos(d*x + c)^2), -1/4*(4*(B*a^3 - A*a^2*b)*sqrt(-a^2 + b^2)*arctan(sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^2 - (2*B*a^4 - 2*A*a^3*b - B*a^2*b^2 + 2*A*a*b^3 - B*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (2*B*a^4 - 2*A*a^3*b - B*a^2*b^2 + 2*A*a*b^3 - B*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(B*a^2*b^2 - B*b^4 - 2*(B*a^3*b - A*a^2*b^2 - B*a*b^3 + A*b^4)*cos(d*x + c))*sin(d*x + c))/((a^2*b^3 - b^5)*d*cos(d*x + c)^2)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x)), x)

Giac [B] time = 1.30943, size = 363, normalized size = 2.54

$$\frac{(2Ba^2 - 2Aab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{b^3} - \frac{(2Ba^2 - 2Aab + Bb^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{b^3} - \frac{4(Ba^3 - Aa^2b) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2 + b^2}b^3}\right) \right)}{\sqrt{-a^2 + b^2}b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*((2*B*a^2 - 2*A*a*b + B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 - (2*B*a^2 - 2*A*a*b + B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^3 - 4*(B*a^3 - A*a^2*b)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2)*b^3) + 2*(2*B*a*tan(1/2*d*x + 1/2*c)^3 - 2*A*b*tan(1/2*d*x + 1/2*c)^3 + B*b*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c) + 2*A*b*tan(1/2*d*x + 1/2*c) + B*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*b^2))/d
```

$$3.313 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=98

$$\frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{b^2 d} - \frac{2a(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} + \frac{B \tan(c + dx)}{bd}$$

[Out] ((A*b - a*B)*ArcTanh[Sin[c + d*x]])/(b^2*d) - (2*a*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (B*Tan[c + d*x])/(b*d)

Rubi [A] time = 0.228801, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4010, 12, 3789, 3770, 3831, 2659, 208}

$$\frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{b^2 d} - \frac{2a(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} + \frac{B \tan(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] ((A*b - a*B)*ArcTanh[Sin[c + d*x]])/(b^2*d) - (2*a*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + (B*Tan[c + d*x])/(b*d)

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3789

```
Int[csc[(e_.) + (f_.)*(x_)]^2/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :=> Dist[1/b, Int[Csc[e + f*x], x], x] - Dist[a/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f}, x]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :=> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] :=> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :=> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{B \tan(c+dx)}{bd} + \frac{\int \frac{(Ab-aB)\sec^2(c+dx)}{a+b\sec(c+dx)} dx}{b} \\
&= \frac{B \tan(c+dx)}{bd} + \frac{(Ab-aB) \int \frac{\sec^2(c+dx)}{a+b\sec(c+dx)} dx}{b} \\
&= \frac{B \tan(c+dx)}{bd} + \frac{(Ab-aB) \int \sec(c+dx) dx}{b^2} - \frac{(a(Ab-aB)) \int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx}{b^2} \\
&= \frac{(Ab-aB) \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{B \tan(c+dx)}{bd} - \frac{(a(Ab-aB)) \int \frac{1}{1+\frac{a}{b}\cos(c+dx)} dx}{b^3} \\
&= \frac{(Ab-aB) \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{B \tan(c+dx)}{bd} - \frac{(2a(Ab-aB)) \text{Subst}\left(\int \frac{1}{1+\frac{a}{b}\cos(c+dx)} dx\right)}{b^3} \\
&= \frac{(Ab-aB) \tanh^{-1}(\sin(c+dx))}{b^2 d} - \frac{2a(Ab-aB) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-bb^2}\sqrt{a+bd}} + \frac{B \tan(c+dx)}{bd}
\end{aligned}$$

Mathematica [A] time = 0.573219, size = 130, normalized size = 1.33

$$\frac{2a(aB-Ab) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - (Ab-aB) \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] ((-2*a*(-(A*b) + a*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (A*b - a*B)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + b*B*Tan[c + d*x]/(b^2*d)

Maple [B] time = 0.061, size = 228, normalized size = 2.3

$$-2 \frac{Aa}{db\sqrt{(a+b)(a-b)}} \text{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + 2 \frac{Ba^2}{db^2\sqrt{(a+b)(a-b)}} \text{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -2/d*a/b/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b)) \\ & ^{(1/2)})*A+2/d*a^2/b^2/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/ \\ & ((a+b)*(a-b))^{(1/2)})*B-1/d/b/(\tan(1/2*d*x+1/2*c)+1)*B+1/d/b*\ln(\tan(1/2*d*x+ \\ & 1/2*c)+1)*A-1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B*a-1/d/b/(\tan(1/2*d*x+1/2*c)- \\ & 1)*B-1/d/b*\ln(\tan(1/2*d*x+1/2*c)-1)*A+1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B*a \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.875603, size = 1065, normalized size = 10.87

$$\left[\frac{(Ba^2 - Aab)\sqrt{a^2 - b^2} \cos(dx + c) \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right) + (Ba^3 - Aa^3) \cos(dx + c)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & [-1/2*((B*a^2 - A*a*b)*\sqrt{a^2 - b^2}*\cos(d*x + c)*\log((2*a*b*\cos(d*x + c) \\ & - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin \\ & (d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) \\ & + (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*\cos(d*x + c)*\log(\sin(d*x + c) + 1) - \\ & (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) - 2 \\ & *(B*a^2*b - B*b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d*\cos(d*x + c)), 1/2*(2*(\\ & B*a^2 - A*a*b)*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + \\ & a)/((a^2 - b^2)*\sin(d*x + c)))*\cos(d*x + c) - (B*a^3 - A*a^2*b - B*a*b^2 + \end{aligned}$$

$A*b^3*\cos(d*x + c)*\log(\sin(d*x + c) + 1) + (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) + 2*(B*a^2*b - B*b^3)*\sin(d*x + c) / ((a^2*b^2 - b^4)*d*\cos(d*x + c))]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.22739, size = 238, normalized size = 2.43

$$\frac{(Ba - Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b^2} - \frac{(Ba - Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b^2} + \frac{2 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1} b - \frac{2 (Ba^2 - Aab) \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2 + b^2}}\right)\right)}{\sqrt{-a^2 + b^2} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] -((B*a - A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^2 - (B*a - A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^2 + 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*b) - 2*(B*a^2 - A*a*b)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*b^2))/d

$$3.314 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=76

$$\frac{2(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{bd\sqrt{a-b}\sqrt{a+b}} + \frac{B \tanh^{-1}(\sin(c+dx))}{bd}$$

[Out] (B*ArcTanh[Sin[c + d*x]])/(b*d) + (2*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b*Sqrt[a + b]*d)

Rubi [A] time = 0.126499, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {3998, 3770, 3831, 2659, 208}

$$\frac{2(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{bd\sqrt{a-b}\sqrt{a+b}} + \frac{B \tanh^{-1}(\sin(c+dx))}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] (B*ArcTanh[Sin[c + d*x]])/(b*d) + (2*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b*Sqrt[a + b]*d)

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol]
:= With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol]
:= Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x]
&& NegQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{B \int \sec(c+dx) dx}{b} + \frac{(Ab-aB) \int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx}{b} \\ &= \frac{B \tanh^{-1}(\sin(c+dx))}{bd} + \frac{(Ab-aB) \int \frac{1}{1+\frac{a\cos(c+dx)}{b}} dx}{b^2} \\ &= \frac{B \tanh^{-1}(\sin(c+dx))}{bd} + \frac{(2(Ab-aB)) \operatorname{Subst}\left(\int \frac{1}{1+\frac{a}{b}+(1-\frac{a}{b})x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b^2 d} \\ &= \frac{B \tanh^{-1}(\sin(c+dx))}{bd} + \frac{2(Ab-aB) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b\sqrt{a+b}} \end{aligned}$$

Mathematica [A] time = 0.179255, size = 112, normalized size = 1.47

$$\frac{2(aB-Ab) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{B \left(\log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) \right)}{bd}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]), x]
```

[Out] $((2*(-(A*b) + a*B)*\text{ArcTanh}[((-a + b)*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a^2 - b^2]])/\text{Sqrt}[a^2 - b^2] + B*(-\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]] + \text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]]))/ (b*d)$

Maple [A] time = 0.063, size = 135, normalized size = 1.8

$$2 \frac{A}{d\sqrt{(a+b)(a-b)}} \text{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) - 2 \frac{Ba}{db\sqrt{(a+b)(a-b)}} \text{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + \frac{B}{db}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out] $2/d/((a+b)*(a-b))^{1/2}*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*A-2/d/b/((a+b)*(a-b))^{1/2}*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*B+a+1/d/b*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d/b*\ln(\tan(1/2*d*x+1/2*c)-1)*B$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 1.91895, size = 707, normalized size = 9.3

$$\frac{(Ba - Ab)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right) - (Ba^2 - Bb^2) \log(\sin(dx+c))}{2(a^2b - b^3)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/2*((B*a - A*b)*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)* \\ & \cos(d*x + c)^2 + 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/ \\ & (a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) - (B*a^2 - B*b^2)* \\ & \log(\sin(d*x + c) + 1) + (B*a^2 - B*b^2)*\log(-\sin(d*x + c) + 1))/((a^2*b - b^3)*d), \\ & -1/2*(2*(B*a - A*b)*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/ \\ & ((a^2 - b^2)*\sin(d*x + c))) - (B*a^2 - B*b^2)*\log(\sin(d*x + c) + 1) + (B*a^2 - B*b^2)* \\ & \log(-\sin(d*x + c) + 1))/((a^2*b - b^3)*d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.23159, size = 171, normalized size = 2.25

$$\frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b} - \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b} + \frac{2 \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}}\right) \right) (Ba-Ab)}{\sqrt{-a^2+b^2} b} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & (B*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1))/b - B*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - \\ & 1))/b + 2*(\pi*\operatorname{floor}(1/2*(d*x + c)/\pi + 1/2)*\operatorname{sgn}(2*a - 2*b) + \arctan((a*\tan(\\ & 1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))* (B*a - A*b)/ \\ & (\sqrt{-a^2 + b^2}*b))/d \end{aligned}$$

$$3.315 \quad \int \frac{A+B \sec(c+dx)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=67

$$\frac{Ax}{a} - \frac{2(Ab - aB) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

[Out] (A*x)/a - (2*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d)

Rubi [A] time = 0.099078, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {3919, 3831, 2659, 208}

$$\frac{Ax}{a} - \frac{2(Ab - aB) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x]), x]

[Out] (A*x)/a - (2*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d)

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{a + b \sec(c + dx)} dx &= \frac{Ax}{a} - \frac{(Ab - aB) \int \frac{\sec(c+dx)}{a+b \sec(c+dx)} dx}{a} \\
&= \frac{Ax}{a} - \frac{(Ab - aB) \int \frac{1}{1 + \frac{a \cos(c+dx)}{b}} dx}{ab} \\
&= \frac{Ax}{a} - \frac{(2(Ab - aB)) \operatorname{Subst} \left(\int \frac{1}{1 + \frac{a}{b} + (1 - \frac{a}{b})x^2} dx, x, \tan \left(\frac{1}{2}(c + dx) \right) \right)}{abd} \\
&= \frac{Ax}{a} - \frac{2(Ab - aB) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c+dx) \right)}{\sqrt{a+b}} \right)}{a\sqrt{a-b}\sqrt{a+bd}}
\end{aligned}$$

Mathematica [A] time = 0.122792, size = 68, normalized size = 1.01

$$\frac{2(Ab - aB) \tanh^{-1} \left(\frac{(b-a) \tan \left(\frac{1}{2}(c+dx) \right)}{\sqrt{a^2 - b^2}} \right) + A(c + dx)}{\sqrt{a^2 - b^2} ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x]),x]
```

```
[Out] (A*(c + d*x) + (2*(A*b - a*B)*ArcTanh[(-(a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2]/(a*d)
```

Maple [A] time = 0.072, size = 113, normalized size = 1.7

$$2 \frac{A \arctan(\tan(1/2 dx + c/2))}{ad} - 2 \frac{Ab}{ad\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) + 2 \frac{B}{d\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out] $2/d*A/a*\arctan(\tan(1/2*d*x+1/2*c))-2/d/a/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A*b+2/d/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*B$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.520771, size = 540, normalized size = 8.06

$$\left[\frac{2(Aa^2 - Ab^2)dx - (Ba - Ab)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{2(a^3 - ab^2)d}, \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out] $[1/2*(2*(A*a^2 - A*b^2)*d*x - (B*a - A*b)*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)))/((a^3 - a*b^2)*d), ((A*a^2 - A*b^2)*d*x + (B*a - A*b)*\sqrt{-a^2 + b^2})*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))]$

))/((a^3 - a*b^2)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.20014, size = 136, normalized size = 2.03

$$\frac{\frac{(dx+c)A}{a} + \frac{2 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right) (Ba-Ab)}{\sqrt{-a^2+b^2}a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)*A/a + 2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))*(B*a - A*b)/(sqrt(-a^2 + b^2)*a))/d

$$3.316 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=90

$$\frac{2b(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(Ab - aB)}{a^2} + \frac{A \sin(c + dx)}{ad}$$

[Out] -(((A*b - a*B)*x)/a^2) + (2*b*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) + (A*Sin[c + d*x])/(a*d)

Rubi [A] time = 0.149073, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {4034, 12, 3783, 2659, 208}

$$\frac{2b(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(Ab - aB)}{a^2} + \frac{A \sin(c + dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] -(((A*b - a*B)*x)/a^2) + (2*b*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) + (A*Sin[c + d*x])/(a*d)

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3783

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.))^-1, x_Symbol] := Simp[x/a, x] - Dist[1/a, Int[1/(1 + (a*Sin[c + d*x])/b), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^-1, x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^-1, x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c + dx)(A + B \sec(c + dx))}{a + b \sec(c + dx)} dx &= \frac{A \sin(c + dx)}{ad} - \frac{\int \frac{Ab - aB}{a + b \sec(c + dx)} dx}{a} \\
 &= \frac{A \sin(c + dx)}{ad} - \frac{(Ab - aB) \int \frac{1}{a + b \sec(c + dx)} dx}{a} \\
 &= -\frac{(Ab - aB)x}{a^2} + \frac{A \sin(c + dx)}{ad} + \frac{(Ab - aB) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{a^2} \\
 &= -\frac{(Ab - aB)x}{a^2} + \frac{A \sin(c + dx)}{ad} + \frac{(2(Ab - aB)) \text{Subst} \left(\int \frac{1}{1 + \frac{a}{b} + \left(1 - \frac{a}{b}\right)x^2} dx, x, \tan \left(\frac{1}{2}(c + dx) \right) \right)}{a^2 d} \\
 &= -\frac{(Ab - aB)x}{a^2} + \frac{2b(Ab - aB) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a+b}} \right)}{a^2 \sqrt{a-b} \sqrt{a+b} d} + \frac{A \sin(c + dx)}{ad}
 \end{aligned}$$

Mathematica [A] time = 0.208126, size = 85, normalized size = 0.94

$$\frac{-\frac{2b(Ab-aB) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + (c+dx)(aB-Ab) + aA \sin(c+dx)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] ((-(A*b) + a*B)*(c + d*x) - (2*b*(A*b - a*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + a*A*Sin[c + d*x])/(a^2*d)

Maple [B] time = 0.097, size = 172, normalized size = 1.9

$$2 \frac{A \tan(1/2 dx + c/2)}{ad(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{A \arctan(\tan(1/2 dx + c/2)) b}{da^2} + 2 \frac{B \arctan(\tan(1/2 dx + c/2))}{ad} + 2 \frac{Ab^2}{da^2 \sqrt{(a+b)(a-b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] 2/d/a*A*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-2/d/a^2*A*arctan(tan(1/2*d*x+1/2*c))*b+2/d/a*B*arctan(tan(1/2*d*x+1/2*c))+2/d*b^2/a^2/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-2/d*b/a/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.542725, size = 702, normalized size = 7.8

$$\frac{2 \left(B a^3 - A a^2 b - B a b^2 + A b^3 \right) dx - \left(B a b - A b^2 \right) \sqrt{a^2 - b^2} \log \left(\frac{2 a b \cos(dx+c) - (a^2 - 2 b^2) \cos(dx+c)^2 + 2 \sqrt{a^2 - b^2} (b \cos(dx+c) + a) \sin(dx+c) + a^2 \cos(dx+c)^2 + 2 a b \cos(dx+c) + b^2}{a^2 \cos(dx+c)^2 + 2 a b \cos(dx+c) + b^2} \right)}{2 \left(a^4 - a^2 b^2 \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(2*(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*d*x - (B*a*b - A*b^2)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(A*a^3 - A*a*b^2)*sin(d*x + c))/((a^4 - a^2*b^2)*d), ((B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*d*x - (B*a*b - A*b^2)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (A*a^3 - A*a*b^2)*sin(d*x + c))/((a^4 - a^2*b^2)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)/(a + b*sec(c + d*x)), x)

Giac [A] time = 1.17341, size = 190, normalized size = 2.11

$$\frac{\frac{(Ba-Ab)(dx+c)}{a^2} + \frac{2A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)a}}{d} - \frac{2(Bab-Ab^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{\sqrt{-a^2+b^2} a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] ((B*a - A*b)*(d*x + c)/a^2 + 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a) - 2*(B*a*b - A*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a^2))/d
```

$$3.317 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=134

$$-\frac{2b^2(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(a^2 A - 2abB + 2Ab^2)}{2a^3} - \frac{(Ab - aB) \sin(c+dx)}{a^2 d} + \frac{A \sin(c+dx) \cos(c+dx)}{2ad}$$

[Out] ((a^2*A + 2*A*b^2 - 2*a*b*B)*x)/(2*a^3) - (2*b^2*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) - ((A*b - a*B)*Sin[c + d*x])/(a^2*d) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d)

Rubi [A] time = 0.403134, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4034, 4104, 3919, 3831, 2659, 208}

$$-\frac{2b^2(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(a^2 A - 2abB + 2Ab^2)}{2a^3} - \frac{(Ab - aB) \sin(c+dx)}{a^2 d} + \frac{A \sin(c+dx) \cos(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] ((a^2*A + 2*A*b^2 - 2*a*b*B)*x)/(2*a^3) - (2*b^2*(A*b - a*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) - ((A*b - a*B)*Sin[c + d*x])/(a^2*d) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d)

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2ad} - \frac{\int \frac{\cos(c+dx)(2(Ab-aB)-aA\sec(c+dx)-Ab\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{2a} \\
&= -\frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} + \frac{\int \frac{a^2A+2Ab^2-2abB+aAb\sec(c+dx)}{a+b\sec(c+dx)} dx}{2a^2} \\
&= \frac{(a^2A+2Ab^2-2abB)x}{2a^3} - \frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} \\
&= \frac{(a^2A+2Ab^2-2abB)x}{2a^3} - \frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} \\
&= \frac{(a^2A+2Ab^2-2abB)x}{2a^3} - \frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} \\
&= \frac{(a^2A+2Ab^2-2abB)x}{2a^3} - \frac{(Ab-aB)\sin(c+dx)}{a^2d} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad} \\
&= \frac{(a^2A+2Ab^2-2abB)x}{2a^3} - \frac{2b^2(Ab-aB)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3\sqrt{a-b}\sqrt{a+bd}} - \frac{(Ab-aB)}{a}
\end{aligned}$$

Mathematica [A] time = 0.329075, size = 121, normalized size = 0.9

$$\frac{2(c+dx)(a^2A-2abB+2Ab^2) + \frac{8b^2(Ab-aB)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + a^2A\sin(2(c+dx)) + 4a(aB-Ab)\sin(c+dx)}{4a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] (2*(a^2*A + 2*A*b^2 - 2*a*b*B)*(c + d*x) + (8*b^2*(A*b - a*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + 4*a*(-(A*b) + a*B)*Sin[c + d*x] + a^2*A*Sin[2*(c + d*x)]/(4*a^3*d)

Maple [B] time = 0.099, size = 367, normalized size = 2.7

$$-\frac{A}{ad} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2} - 2 \frac{(\tan(1/2 dx + c/2))^3 Ab}{da^2 (1 + (\tan(1/2 dx + c/2))^2)^2} + 2 \frac{(\tan(1/2 dx + c/2))^3 B}{ad (1 + (\tan(1/2 dx + c/2))^2)^2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(A+B*\sec(dx+c))/(a+b*\sec(dx+c)),x)$

[Out]
$$-1/d/a/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A*b+2/d/a/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*B+1/d/a/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A*b+2/d/a/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*B+1/d*A/a*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*A*b^2-2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*B*b-2/d*b^3/a^3/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*A+2/d*b^2/a^2/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2*(A+B*\sec(dx+c))/(a+b*\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 0.565854, size = 934, normalized size = 6.97

$$\left[\frac{(Aa^4 - 2Ba^3b + Aa^2b^2 + 2Bab^3 - 2Ab^4)dx - (Bab^2 - Ab^3)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c) - 2\sqrt{a^2 - b^2}(b \cos(dx+c) + a \sin(dx+c))}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{2(a^5 - a^3b^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^2*(A+B*\sec(dx+c))/(a+b*\sec(dx+c)),x, \text{algorithm}="fricas")$

[Out]
$$[1/2*((A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*d*x - (B*a*b^2 - A*b^3)*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(dx + c) - (a^2 - 2*b^2)*\cos(dx + c) +$$

$$c)^2 - 2\sqrt{a^2 - b^2}*(b*\cos(dx + c) + a)*\sin(dx + c) + 2*a^2 - b^2)/(a^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + b^2)) + (2*B*a^4 - 2*A*a^3*b - 2*B*a^2*b^2 + 2*A*a*b^3 + (A*a^4 - A*a^2*b^2)*\cos(dx + c))*\sin(dx + c))/((a^5 - a^3*b^2)*d), 1/2*((A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*dx + 2*(B*a*b^2 - A*b^3)*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(dx + c) + a)/((a^2 - b^2)*\sin(dx + c)))) + (2*B*a^4 - 2*A*a^3*b - 2*B*a^2*b^2 + 2*A*a*b^3 + (A*a^4 - A*a^2*b^2)*\cos(dx + c))*\sin(dx + c))/((a^5 - a^3*b^2)*d)]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos^2(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(A+B*sec(dx+c))/(a+b*sec(dx+c)),x)

[Out] Integral((A + B*sec(c + dx))*cos(c + dx)**2/(a + b*sec(c + dx)), x)

Giac [A] time = 1.21447, size = 306, normalized size = 2.28

$$\frac{(Aa^2 - 2Bab + 2Ab^2)(dx+c)}{a^3} + \frac{4(Bab^2 - Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{\sqrt{-a^2+b^2}a^3} - \frac{2 \left(Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c))/(a+b*sec(dx+c)),x, algorithm="giac")

[Out] 1/2*((A*a^2 - 2*B*a*b + 2*A*b^2)*(dx + c)/a^3 + 4*(B*a*b^2 - A*b^3)*(pi*floor(1/2*(dx + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*dx + 1/2*c) - b*tan(1/2*dx + 1/2*c))/sqrt(-a^2 + b^2)))/sqrt(-a^2 + b^2)*a^3) - 2*(A*a*tan(1/2*dx + 1/2*c)^3 - 2*B*a*tan(1/2*dx + 1/2*c)^3 + 2*A*b*tan(1/2*dx + 1/2*c)^3 - A*a*tan(1/2*dx + 1/2*c) - 2*B*a*tan(1/2*dx + 1/2*c) + 2*A*b*tan(1/2*dx + 1/2*c))/((tan(1/2*dx + 1/2*c)^2 + 1)^2*a^2))/d

$$3.318 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=178

$$\frac{(2a^2A - 3abB + 3Ab^2) \sin(c+dx)}{3a^3d} + \frac{2b^3(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d\sqrt{a-b}\sqrt{a+b}} - \frac{x(a^2 + 2b^2)(Ab - aB)}{2a^4} - \frac{(Ab - aB) \sin(c+dx)}{2a^2}$$

[Out] $-\frac{(a^2 + 2b^2)(Ab - aB)x}{2a^4} + \frac{2b^3(Ab - aB) \operatorname{ArcTanh}\left[\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right]}{a^4d\sqrt{a-b}\sqrt{a+b}} + \frac{(2a^2A + 3A^2b - 3Ab^2) \sin(c+dx)}{3a^3d} - \frac{(Ab - aB) \cos(c+dx) \sin(c+dx)}{2a^2d} + \frac{(Ab - aB) \sin(c+dx)}{3a^2d}$

Rubi [A] time = 0.641879, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4034, 4104, 3919, 3831, 2659, 208}

$$\frac{(2a^2A - 3abB + 3Ab^2) \sin(c+dx)}{3a^3d} + \frac{2b^3(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d\sqrt{a-b}\sqrt{a+b}} - \frac{x(a^2 + 2b^2)(Ab - aB)}{2a^4} - \frac{(Ab - aB) \sin(c+dx)}{2a^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\cos(c+dx))^3(A + B \sec(c+dx)) / (a + b \sec(c+dx)), x]$

[Out] $-\frac{(a^2 + 2b^2)(Ab - aB)x}{2a^4} + \frac{2b^3(Ab - aB) \operatorname{ArcTanh}\left[\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right]}{a^4d\sqrt{a-b}\sqrt{a+b}} + \frac{(2a^2A + 3A^2b - 3Ab^2) \sin(c+dx)}{3a^3d} - \frac{(Ab - aB) \cos(c+dx) \sin(c+dx)}{2a^2d} + \frac{(Ab - aB) \sin(c+dx)}{3a^2d}$

Rule 4034

$\operatorname{Int}[(\csc(e_.) + (f_.)x)^n (d_.)^m (\csc(e_.) + (f_.)x)(b_.) + (a_.)^m (\csc(e_.) + (f_.)x)(B_.) + (A_.)], x_Symbol] \rightarrow \operatorname{Simp}[(A \cot(e + fx)(a + b \csc(e + fx))^{m+1} (d \csc(e + fx))^n / (a f^n), x] + \operatorname{Dist}[1/(a d^n), \operatorname{Int}[(a + b \csc(e + fx))^m (d \csc(e + fx))^{n+1} \operatorname{Simp}[a B^n - A b(m+n+1) + A a(n+1) \csc(e + fx) + A b(m+n+2) \csc(e + fx)]^2, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A b - a B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad} - \frac{\int \frac{\cos^2(c+dx)(3(Ab-aB)-2A\sec(c+dx)-2Ab\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{3a} \\
&= -\frac{(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a^2d} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad} + \frac{\int \frac{\cos(c+dx)}{\dots}}{\dots} \\
&= \frac{(2a^2A+3Ab^2-3abB)\sin(c+dx)}{3a^3d} - \frac{(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a^2d} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad} \\
&= -\frac{(a^2+2b^2)(Ab-aB)x}{2a^4} + \frac{(2a^2A+3Ab^2-3abB)\sin(c+dx)}{3a^3d} - \frac{(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a^2d} \\
&= -\frac{(a^2+2b^2)(Ab-aB)x}{2a^4} + \frac{(2a^2A+3Ab^2-3abB)\sin(c+dx)}{3a^3d} - \frac{(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a^2d} \\
&= -\frac{(a^2+2b^2)(Ab-aB)x}{2a^4} + \frac{(2a^2A+3Ab^2-3abB)\sin(c+dx)}{3a^3d} - \frac{(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a^2d} \\
&= -\frac{(a^2+2b^2)(Ab-aB)x}{2a^4} + \frac{2b^3(Ab-aB)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4\sqrt{a-b}\sqrt{a+b}} + \frac{(2a^2A+3Ab^2-3abB)\sin(c+dx)}{3a^3d}
\end{aligned}$$

Mathematica [A] time = 0.487204, size = 152, normalized size = 0.85

$$\frac{6(a^2+2b^2)(c+dx)(aB-Ab)+3a(3a^2A-4abB+4Ab^2)\sin(c+dx)-\frac{24b^3(Ab-aB)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}}+3a^2(aB-A)}{12a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] (6*(a^2 + 2*b^2)*(-(A*b) + a*B)*(c + d*x) - (24*b^3*(A*b - a*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + 3*a*(3*a^2*A + 4*A*b^2 - 4*a*b*B)*Sin[c + d*x] + 3*a^2*(-(A*b) + a*B)*Sin[2*(c + d*x)] + a^3*A*Ssin[3*(c + d*x)]/(12*a^4*d)

Maple [B] time = 0.102, size = 641, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out]
$$\frac{2/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*A+1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*A*b+2/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*B-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*B*b+4/3/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*A+4/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*A*b^2-4/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*B*b+2/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*A*b^2-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*B*b-1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*A*b+1/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*B-1/d/a^2*A*\arctan(\tan(1/2*d*x+1/2*c))*b-2/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*A*b^3+1/d/a*B*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*B*b^2+2/d*b^4/a^4/((a+b)*(a-b))^(1/2))*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*A-2/d*b^3/a^3/((a+b)*(a-b))^(1/2))*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.583899, size = 1177, normalized size = 6.61

$$\left[\frac{3(Ba^5 - Aa^4b + Ba^3b^2 - Aa^2b^3 - 2Bab^4 + 2Ab^5)dx - 3(Bab^3 - Ab^4)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2} \cos(dx+c)}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/6*(3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*d*x - 3*(B*a*b^3 - A*b^4)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (4*A*a^5 - 6*B*a^4*b + 2*A*a^3*b^2 + 6*B*a^2*b^3 - 6*A*a*b^4 + 2*(A*a^5 - A*a^3*b^2)*cos(d*x + c)^2 + 3*(B*a^5 - A*a^4*b - B*a^3*b^2 + A*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d), 1/6*(3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*d*x - 6*(B*a*b^3 - A*b^4)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (4*A*a^5 - 6*B*a^4*b + 2*A*a^3*b^2 + 6*B*a^2*b^3 - 6*A*a*b^4 + 2*(A*a^5 - A*a^3*b^2)*cos(d*x + c)^2 + 3*(B*a^5 - A*a^4*b - B*a^3*b^2 + A*a^2*b^3)*cos(d*x + c))*sin(d*x + c))/((a^6 - a^4*b^2)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos^3(c + dx)}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)**3/(a + b*sec(c + d*x)), x)

Giac [B] time = 1.22299, size = 486, normalized size = 2.73

$$\frac{3(Ba^3 - Aa^2b + 2Bab^2 - 2Ab^3)(dx+c)}{a^4} - \frac{12(Bab^3 - Ab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{\sqrt{-a^2+b^2} a^4} + \frac{2 \left(6Aa^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^5}{\sqrt{-a^2+b^2} a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")

```
[Out] 1/6*(3*(B*a^3 - A*a^2*b + 2*B*a*b^2 - 2*A*b^3)*(d*x + c)/a^4 - 12*(B*a*b^3 - A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a^4) + 2*(6*A*a^2*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b*tan(1/2*d*x + 1/2*c)^5 - 6*B*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 4*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 12*B*a*b*tan(1/2*d*x + 1/2*c)^3 + 12*A*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*A*a^2*tan(1/2*d*x + 1/2*c) + 3*B*a^2*tan(1/2*d*x + 1/2*c) - 3*A*a*b*tan(1/2*d*x + 1/2*c) - 6*B*a*b*tan(1/2*d*x + 1/2*c) + 6*A*b^2*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^3))/d
```


$$3.319 \quad \int \frac{\cos^4(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=240

$$-\frac{(2a^2 + 3b^2)(Ab - aB) \sin(c + dx)}{3a^4d} + \frac{(3a^2A - 4abB + 4Ab^2) \sin(c + dx) \cos(c + dx)}{8a^3d} - \frac{2b^4(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a}}\right)}{a^5d\sqrt{a-b}\sqrt{a+b}}$$

[Out] $((3a^4A + 4a^2Ab^2 + 8A^2b^4 - 4a^3bB - 8a^2b^3B)x)/(8a^5) - (2b^4(Ab - aB) \operatorname{ArcTanh}[\operatorname{Sqrt}[a - b] \operatorname{Tan}[(c + dx)/2]]/\operatorname{Sqrt}[a + b])/(a^5 \operatorname{Sqrt}[a - b] \operatorname{Sqrt}[a + b]d) - ((2a^2 + 3b^2)(Ab - aB) \sin[c + dx])/(3a^4d) + ((3a^2A + 4A^2b^2 - 4a^2bB) \cos[c + dx] \sin[c + dx])/(8a^3d) - ((Ab - aB) \cos[c + dx]^2 \sin[c + dx])/(3a^2d) + (A \cos[c + dx]^3 \sin[c + dx])/(4a^2d)$

Rubi [A] time = 0.982321, antiderivative size = 240, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4034, 4104, 3919, 3831, 2659, 208}

$$-\frac{(2a^2 + 3b^2)(Ab - aB) \sin(c + dx)}{3a^4d} + \frac{(3a^2A - 4abB + 4Ab^2) \sin(c + dx) \cos(c + dx)}{8a^3d} - \frac{2b^4(Ab - aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{c+dx}{2}\right)}{\sqrt{a}}\right)}{a^5d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\cos[c + dx])^4(A + B \sec[c + dx])]/(a + b \sec[c + dx]), x]$

[Out] $((3a^4A + 4a^2Ab^2 + 8A^2b^4 - 4a^3bB - 8a^2b^3B)x)/(8a^5) - (2b^4(Ab - aB) \operatorname{ArcTanh}[\operatorname{Sqrt}[a - b] \operatorname{Tan}[(c + dx)/2]]/\operatorname{Sqrt}[a + b])/(a^5 \operatorname{Sqrt}[a - b] \operatorname{Sqrt}[a + b]d) - ((2a^2 + 3b^2)(Ab - aB) \sin[c + dx])/(3a^4d) + ((3a^2A + 4A^2b^2 - 4a^2bB) \cos[c + dx] \sin[c + dx])/(8a^3d) - ((Ab - aB) \cos[c + dx]^2 \sin[c + dx])/(3a^2d) + (A \cos[c + dx]^3 \sin[c + dx])/(4a^2d)$

Rule 4034

$\operatorname{Int}[(\csc[e + f*x] + (f_*)x)^n * (\csc[e + f*x] + (b_*) + (a_*))^{m_1} * (\csc[e + f*x] + (B_*) + (A_*)), x_Symbol] \rightarrow \operatorname{Simp}[(A * \cot[e + f*x] * (a + b * \csc[e + f*x])^{m_1 + 1} * (d * \csc[e + f*x])^n] / (a * f * n), x] + \operatorname{Dist}[1 / (a * d * n), \operatorname{Int}[(a + b * \csc[e + f*x])^{m_1} * (d * \csc[e + f*x])^{n_1} * \operatorname{Simp}[a * B * n$

```
- A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x
]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0]
&& NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A\cos^3(c+dx)\sin(c+dx)}{4ad} - \frac{\int \frac{\cos^3(c+dx)(4(Ab-aB)-3A\sec(c+dx)-3Ab\sec^2(c+dx))}{a+b\sec(c+dx)} dx}{4a} \\
&= -\frac{(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3a^2d} + \frac{A\cos^3(c+dx)\sin(c+dx)}{4ad} + \int \frac{\cos^2(c+dx)}{a+b\sec(c+dx)} dx \\
&= \frac{(3a^2A+4Ab^2-4abB)\cos(c+dx)\sin(c+dx)}{8a^3d} - \frac{(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3a^2d} \\
&= -\frac{(2a^2+3b^2)(Ab-aB)\sin(c+dx)}{3a^4d} + \frac{(3a^2A+4Ab^2-4abB)\cos(c+dx)\sin(c+dx)}{8a^3d} \\
&= \frac{(3a^4A+4a^2Ab^2+8Ab^4-4a^3bB-8ab^3B)x}{8a^5} - \frac{(2a^2+3b^2)(Ab-aB)\sin(c+dx)}{3a^4d} \\
&= \frac{(3a^4A+4a^2Ab^2+8Ab^4-4a^3bB-8ab^3B)x}{8a^5} - \frac{(2a^2+3b^2)(Ab-aB)\sin(c+dx)}{3a^4d} \\
&= \frac{(3a^4A+4a^2Ab^2+8Ab^4-4a^3bB-8ab^3B)x}{8a^5} - \frac{(2a^2+3b^2)(Ab-aB)\sin(c+dx)}{3a^4d} \\
&= \frac{(3a^4A+4a^2Ab^2+8Ab^4-4a^3bB-8ab^3B)x}{8a^5} - \frac{2b^4(Ab-aB)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right)}{a^5\sqrt{a-b}\sqrt{a+bd}}
\end{aligned}$$

Mathematica [A] time = 0.639956, size = 202, normalized size = 0.84

$$\frac{12(c+dx)(4a^2Ab^2+3a^4A-4a^3bB-8ab^3B+8Ab^4)+24a^2(a^2A-abB+Ab^2)\sin(2(c+dx))+24a(3a^2+4b^2)(aB-12a^2b^2)}{96a^5d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] (12*(3*a^4*A + 4*a^2*A*b^2 + 8*A*b^4 - 4*a^3*b*B - 8*a*b^3*B)*(c + d*x) + (192*b^4*(A*b - a*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]))/Sqrt[a^2 - b^2] + 24*a*(3*a^2 + 4*b^2)*(-(A*b) + a*B)*Sin[c + d*x] + 24*a^2*(a^2*A + A*b^2 - a*b*B)*Sin[2*(c + d*x)] + 8*a^3*(-(A*b) + a*B)*Sin[3*(c + d*x)] + 3*a^4*A*Ssin[4*(c + d*x)])/(96*a^5*d)

Maple [B] time = 0.108, size = 1212, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^4*(A+B*\sec(dx+c))/(a+b*\sec(dx+c)), x)$

[Out]
$$-10/3/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*A*b-6/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*A*b^3-1/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*B*b-1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)*B*b-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)*A*b-1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*B*b+3/4/d*A/a*\arctan(\tan(1/2*d*x+1/2*c))+6/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*B*b^2+10/3/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*B+1/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*A*b^2-10/3/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A*b-6/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A*b^3+1/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)*A*b^2+1/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A*b^2+6/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*B*b^2+2/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)*B*b^2-2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*A*b-2/d*b^5/a^5/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*A+2/d*b^4/a^4/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*B-1/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*B*b-3/4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A+10/3/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*B+5/4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)*A+2/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)*B-2/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*B*b^3+2/d/a^5*\arctan(\tan(1/2*d*x+1/2*c))*A*b^4-5/4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*A+2/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*B+3/4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*A-2/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)*A*b^3-1/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*A*b^2-2/d/a^4/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*A*b^3+1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*B*b+2/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^7*B*b^2$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.669333, size = 1504, normalized size = 6.27

$$\int \frac{3(3Aa^6 - 4Ba^5b + Aa^4b^2 - 4Ba^3b^3 + 4Aa^2b^4 + 8Bab^5 - 8Ab^6)dx - 12(Bab^4 - Ab^5)\sqrt{a^2 - b^2} \log\left(\frac{2ab \cos(dx+c) - (a^2 - b^2)}{\dots}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/24*(3*(3*A*a^6 - 4*B*a^5*b + A*a^4*b^2 - 4*B*a^3*b^3 + 4*A*a^2*b^4 + 8*B*a*b^5 - 8*A*b^6)*d*x - 12*(B*a*b^4 - A*b^5)*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (16*B*a^6 - 16*A*a^5*b + 8*B*a^4*b^2 - 8*A*a^3*b^3 - 24*B*a^2*b^4 + 24*A*a*b^5 + 6*(A*a^6 - A*a^4*b^2)*cos(d*x + c)^3 + 8*(B*a^6 - A*a^5*b - B*a^4*b^2 + A*a^3*b^3)*cos(d*x + c)^2 + 3*(3*A*a^6 - 4*B*a^5*b + A*a^4*b^2 + 4*B*a^3*b^3 - 4*A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^7 - a^5*b^2)*d), 1/24*(3*(3*A*a^6 - 4*B*a^5*b + A*a^4*b^2 - 4*B*a^3*b^3 + 4*A*a^2*b^4 + 8*B*a*b^5 - 8*A*b^6)*d*x + 24*(B*a*b^4 - A*b^5)*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (16*B*a^6 - 16*A*a^5*b + 8*B*a^4*b^2 - 8*A*a^3*b^3 - 24*B*a^2*b^4 + 24*A*a*b^5 + 6*(A*a^6 - A*a^4*b^2)*cos(d*x + c)^3 + 8*(B*a^6 - A*a^5*b - B*a^4*b^2 + A*a^3*b^3)*cos(d*x + c)^2 + 3*(3*A*a^6 - 4*B*a^5*b + A*a^4*b^2 + 4*B*a^3*b^3 - 4*A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^7 - a^5*b^2)*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [B] time = 1.20034, size = 867, normalized size = 3.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/24*(3*(3*A*a^4 - 4*B*a^3*b + 4*A*a^2*b^2 - 8*B*a*b^3 + 8*A*b^4)*(d*x + c)
/a^5 + 48*(B*a*b^4 - A*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*
b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 +
b^2)))/(sqrt(-a^2 + b^2)*a^5) - 2*(15*A*a^3*tan(1/2*d*x + 1/2*c)^7 - 24*B*a
^3*tan(1/2*d*x + 1/2*c)^7 + 24*A*a^2*b*tan(1/2*d*x + 1/2*c)^7 - 12*B*a^2*b*
tan(1/2*d*x + 1/2*c)^7 + 12*A*a*b^2*tan(1/2*d*x + 1/2*c)^7 - 24*B*a*b^2*tan
(1/2*d*x + 1/2*c)^7 + 24*A*b^3*tan(1/2*d*x + 1/2*c)^7 - 9*A*a^3*tan(1/2*d*x
+ 1/2*c)^5 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 40*A*a^2*b*tan(1/2*d*x + 1/
2*c)^5 - 12*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 12*A*a*b^2*tan(1/2*d*x + 1/2*c
)^5 - 72*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 + 72*A*b^3*tan(1/2*d*x + 1/2*c)^5 +
9*A*a^3*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 40*A*a^
2*b*tan(1/2*d*x + 1/2*c)^3 + 12*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - 12*A*a*b^2
*tan(1/2*d*x + 1/2*c)^3 - 72*B*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 72*A*b^3*tan(
1/2*d*x + 1/2*c)^3 - 15*A*a^3*tan(1/2*d*x + 1/2*c) - 24*B*a^3*tan(1/2*d*x +
1/2*c) + 24*A*a^2*b*tan(1/2*d*x + 1/2*c) + 12*B*a^2*b*tan(1/2*d*x + 1/2*c)
- 12*A*a*b^2*tan(1/2*d*x + 1/2*c) - 24*B*a*b^2*tan(1/2*d*x + 1/2*c) + 24*A
*b^3*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^4*a^4))/d
```

$$3.320 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=272

$$\frac{(2a^2Ab - 3a^3B + 2ab^2B - Ab^3) \tan(c+dx)}{b^3d(a^2 - b^2)} - \frac{(-6a^2B + 4aAb - b^2B) \tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(2a^2Ab - 3a^3B + 4ab^2B - Ab^3)}{b^4d}$$

[Out] -((4*a*A*b - 6*a^2*B - b^2*B)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) + (2*a^2*(2*a^2*A*b - 3*A*b^3 - 3*a^3*B + 4*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^4*(a + b)^(3/2)*d) + ((2*a^2*A*b - A*b^3 - 3*a^3*B + 2*a*b^2*B)*Tan[c + d*x])/(b^3*(a^2 - b^2)*d) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d) + (a*(A*b - a*B)*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.86559, antiderivative size = 272, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {4029, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(2a^2Ab - 3a^3B + 2ab^2B - Ab^3) \tan(c+dx)}{b^3d(a^2 - b^2)} - \frac{(-6a^2B + 4aAb - b^2B) \tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(2a^2Ab - 3a^3B + 4ab^2B - Ab^3)}{b^4d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] -((4*a*A*b - 6*a^2*B - b^2*B)*ArcTanh[Sin[c + d*x]])/(2*b^4*d) + (2*a^2*(2*a^2*A*b - 3*A*b^3 - 3*a^3*B + 4*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^4*(a + b)^(3/2)*d) + ((2*a^2*A*b - A*b^3 - 3*a^3*B + 2*a*b^2*B)*Tan[c + d*x])/(b^3*(a^2 - b^2)*d) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d) + (a*(A*b - a*B)*Sec[c + d*x]^2*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4029

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -

2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

Rule 4092

Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_)), x_Symbol] :> -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 4082

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^(m_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{a(Ab-aB)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \int \frac{\sec^2(c+dx)(2a(Ab-aB)-b(Ab-aB)\sec(c+dx)-(2a^2-b^2))}{a+b\sec(c+dx)} dx \\
&= -\frac{(2aAb-3a^2B+b^2B)\sec(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)d} + \frac{a(Ab-aB)\sec^2(c+dx)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(2a^2Ab-Ab^3-3a^3B+2ab^2B)\tan(c+dx)}{b^3(a^2-b^2)d} - \frac{(2aAb-3a^2B+b^2B)\sec(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)d} \\
&= \frac{(2a^2Ab-Ab^3-3a^3B+2ab^2B)\tan(c+dx)}{b^3(a^2-b^2)d} - \frac{(2aAb-3a^2B+b^2B)\sec(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)d} \\
&= -\frac{(4aAb-6a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{(2a^2Ab-Ab^3-3a^3B+2ab^2B)\tan(c+dx)}{b^3(a^2-b^2)d} \\
&= -\frac{(4aAb-6a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{(2a^2Ab-Ab^3-3a^3B+2ab^2B)\tan(c+dx)}{b^3(a^2-b^2)d} \\
&= -\frac{(4aAb-6a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^4d} + \frac{2a^2(2a^2Ab-3Ab^3-3a^3B+4ab^2B)}{(a-b)^{3/2}b}
\end{aligned}$$

Mathematica [A] time = 6.27154, size = 438, normalized size = 1.61

$$\frac{a^4 B \sin(c + dx) - a^3 A b \sin(c + dx)}{b^3 d (b - a)(a + b)(a \cos(c + dx) + b)} - \frac{2a^2 (-2a^2 A b + 3a^3 B - 4ab^2 B + 3Ab^3) \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b^4 d \sqrt{a^2-b^2} (b^2-a^2)} + \frac{(-6a^2 B + 4aA}{b^3 d (b - a)(a + b)(a \cos(c + dx) + b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] $(-2*a^2*(-2*a^2*A*b + 3*A*b^3 + 3*a^3*B - 4*a*b^2*B)*\text{ArcTanh}[\frac{(-a + b)*\text{Tan}[(c + d*x)/2]}{\text{Sqrt}[a^2 - b^2}}]) / (b^4*\text{Sqrt}[a^2 - b^2]*(-a^2 + b^2)*d) + ((4*a*A*b - 6*a^2*B - b^2*B)*\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]]) / (2*b^4*d) + ((-4*a*A*b + 6*a^2*B + b^2*B)*\text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]]) / (2*b^4*d) + B / (4*b^2*d*(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])^2) - B / (4*b^2*d*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2) + (A*b*\text{Sin}[(c + d*x)/2] - 2*a*B*\text{Sin}[(c + d*x)/2]) / (b^3*d*(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])) + (A*b*\text{Sin}[(c + d*x)/2] - 2*a*B*\text{Sin}[(c + d*x)/2]) / (b^3*d*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])) + (-a^3*A*b*\text{Sin}[c + d*x]) + a^4*B*\text{Sin}[c + d*x]) / (b^3*(-a + b)*(a + b)*d*(b + a*\text{Cos}[c + d*x]))$

Maple [B] time = 0.098, size = 698, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x)

[Out] $-2/d*a^3/b^2/(a^2-b^2)*\text{tan}(1/2*d*x+1/2*c) / (\text{tan}(1/2*d*x+1/2*c)^2*a - \text{tan}(1/2*d*x+1/2*c)^2*b - a - b) * A + 2/d*a^4/b^3/(a^2-b^2)*\text{tan}(1/2*d*x+1/2*c) / (\text{tan}(1/2*d*x+1/2*c)^2*a - \text{tan}(1/2*d*x+1/2*c)^2*b - a - b) * B + 4/d*a^4/b^3/(a+b)/(a-b) / ((a+b)*(a-b))^{1/2} * \text{arctanh}((a-b)*\text{tan}(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{1/2}) * A - 6/d*a^2/b / (a+b) / (a-b) / ((a+b)*(a-b))^{1/2} * \text{arctanh}((a-b)*\text{tan}(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{1/2}) * A - 6/d*a^5/b^4 / (a+b) / (a-b) / ((a+b)*(a-b))^{1/2} * \text{arctanh}((a-b)*\text{tan}(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{1/2}) * B + 8/d*a^3/b^2 / (a+b) / (a-b) / ((a+b)*(a-b))^{1/2} * \text{arctanh}((a-b)*\text{tan}(1/2*d*x+1/2*c) / ((a+b)*(a-b))^{1/2}) * B - 1/2*d*B/b^2 / (\text{tan}(1/2*d*x+1/2*c)+1)^2 - 1/d/b^2 / (\text{tan}(1/2*d*x+1/2*c)+1) * A + 2/d/b^3 / (\text{tan}(1/2*d*x+1/2*c)+1) * B * a + 1/2/d/b^2 / (\text{tan}(1/2*d*x+1/2*c)+1) * B - 2/d/b^3 * \ln(\text{tan}(1/2*d*x+1/2*c)+1) * A * a + 3/d/b^4 * \ln(\text{tan}(1/2*d*x+1/2*c)+1) * B * a^2 + 1/2/d/b^2 * \ln(\text{tan}(1/2$

$$*d*x+1/2*c)+1)*B+1/2/d*B/b^2/(\tan(1/2*d*x+1/2*c)-1)^2-1/d/b^2/(\tan(1/2*d*x+1/2*c)-1)*A+2/d/b^3/(\tan(1/2*d*x+1/2*c)-1)*B*a+1/2/d/b^2/(\tan(1/2*d*x+1/2*c)-1)*B+2/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*A*a-3/d/b^4*\ln(\tan(1/2*d*x+1/2*c)-1)*B*a^2-1/2/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 49.3933, size = 2969, normalized size = 10.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(2*((3*B*a^6 - 2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3)*\cos(d*x + c)^3 + \\ & (3*B*a^5*b - 2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4)*\cos(d*x + c)^2)*\sqrt{a^2 - b^2} \\ & \log((2*a*b*\cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2} \\ & (b*\cos(d*x + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + b^2)) \\ & + ((6*B*a^7 - 4*A*a^6*b - 11*B*a^5*b^2 + 8*A*a^4*b^3 + 4*B*a^3*b^4 - 4*A*a^2*b^5 + B*a*b^6)*\cos(d*x + c)^3 \\ & + (6*B*a^6*b - 4*A*a^5*b^2 - 11*B*a^4*b^3 + 8*A*a^3*b^4 + 4*B*a^2*b^5 - 4*A*a*b^6 + B*b^7)*\cos(d*x + c)^2) \\ & \log(\sin(d*x + c) + 1) - ((6*B*a^7 - 4*A*a^6*b - 11*B*a^5*b^2 + 8*A*a^4*b^3 + 4*B*a^3*b^4 - 4*A*a^2*b^5 + B*a*b^6)*\cos(d*x + c)^3 \\ & + (6*B*a^6*b - 4*A*a^5*b^2 - 11*B*a^4*b^3 + 8*A*a^3*b^4 + 4*B*a^2*b^5 - 4*A*a*b^6 + B*b^7)*\cos(d*x + c)^2) \\ & \log(-\sin(d*x + c) + 1) + 2*(B*a^4*b^3 - 2*B*a^2*b^5 + B*b^7 - 2*(3*B*a^6*b - 2*A*a^5*b^2 - 5*B*a^4*b^3 + 3*A*a^3*b^4 + 2*B*a^2*b^5 - A*a*b^6) \\ & *\cos(d*x + c)^2 - (3*B*a^5*b^2 - 2*A*a^4*b^3 - 6*B*a^3*b^4 + 4*A*a^2*b^5 + 3*B*a*b^6 - 2*A*b^7)*\cos(d*x + c))*\sin(d*x + c))/ \\ & ((a^5*b^4 - 2*a^3*b^6 + a*b^8)*d*\cos(d*x + c)^3 + (a^4*b^5 - 2*a^2*b^7 + b^8)*d*\sin(d*x + c)^3) \end{aligned}$$

$$9) * d * \cos(d * x + c)^2), -1/4 * (4 * ((3 * B * a^6 - 2 * A * a^5 * b - 4 * B * a^4 * b^2 + 3 * A * a^3 * b^3) * \cos(d * x + c)^3 + (3 * B * a^5 * b - 2 * A * a^4 * b^2 - 4 * B * a^3 * b^3 + 3 * A * a^2 * b^4) * \cos(d * x + c)^2) * \sqrt{-a^2 + b^2} * \arctan(-\sqrt{-a^2 + b^2} * (b * \cos(d * x + c) + a) / ((a^2 - b^2) * \sin(d * x + c))) - ((6 * B * a^7 - 4 * A * a^6 * b - 11 * B * a^5 * b^2 + 8 * A * a^4 * b^3 + 4 * B * a^3 * b^4 - 4 * A * a^2 * b^5 + B * a * b^6) * \cos(d * x + c)^3 + (6 * B * a^6 * b - 4 * A * a^5 * b^2 - 11 * B * a^4 * b^3 + 8 * A * a^3 * b^4 + 4 * B * a^2 * b^5 - 4 * A * a * b^6 + B * b^7) * \cos(d * x + c)^2) * \log(\sin(d * x + c) + 1) + ((6 * B * a^7 - 4 * A * a^6 * b - 11 * B * a^5 * b^2 + 8 * A * a^4 * b^3 + 4 * B * a^3 * b^4 - 4 * A * a^2 * b^5 + B * a * b^6) * \cos(d * x + c)^3 + (6 * B * a^6 * b - 4 * A * a^5 * b^2 - 11 * B * a^4 * b^3 + 8 * A * a^3 * b^4 + 4 * B * a^2 * b^5 - 4 * A * a * b^6 + B * b^7) * \cos(d * x + c)^2) * \log(-\sin(d * x + c) + 1) - 2 * (B * a^4 * b^3 - 2 * B * a^2 * b^5 + B * b^7 - 2 * (3 * B * a^6 * b - 2 * A * a^5 * b^2 - 5 * B * a^4 * b^3 + 3 * A * a^3 * b^4 + 2 * B * a^2 * b^5 - A * a * b^6) * \cos(d * x + c)^2 - (3 * B * a^5 * b^2 - 2 * A * a^4 * b^3 - 6 * B * a^3 * b^4 + 4 * A * a^2 * b^5 + 3 * B * a * b^6 - 2 * A * b^7) * \cos(d * x + c)) * \sin(d * x + c)) / ((a^5 * b^4 - 2 * a^3 * b^6 + a * b^8) * d * \cos(d * x + c)^3 + (a^4 * b^5 - 2 * a^2 * b^7 + b^9) * d * \cos(d * x + c)^2)]$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**4/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.25255, size = 518, normalized size = 1.9

$$\frac{4 \left(3 B a^5 - 2 A a^4 b - 4 B a^3 b^2 + 3 A a^2 b^3 \right) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2 b^4 - b^6) \sqrt{-a^2+b^2}} - \frac{4 \left(B a^4 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - A a^3 b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{(a^2 b^3 - b^5) \left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")

```
[Out] -1/2*(4*(3*B*a^5 - 2*A*a^4*b - 4*B*a^3*b^2 + 3*A*a^2*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^2*b^4 - b^6)*sqrt(-a^2 + b^2)) - 4*(B*a^4*tan(1/2*d*x + 1/2*c) - A*a^3*b*tan(1/2*d*x + 1/2*c))/((a^2*b^3 - b^5)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)) - (6*B*a^2 - 4*A*a*b + B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^4 + (6*B*a^2 - 4*A*a*b + B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^4 - 2*(4*B*a*tan(1/2*d*x + 1/2*c)^3 - 2*A*b*tan(1/2*d*x + 1/2*c)^3 + B*b*tan(1/2*d*x + 1/2*c)^3 - 4*B*a*tan(1/2*d*x + 1/2*c) + 2*A*b*tan(1/2*d*x + 1/2*c) + B*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*b^3))/d
```

$$3.321 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=164

$$\frac{2a(a^2Ab - 2a^3B + 3ab^2B - 2Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} - \frac{a^2(Ab - aB) \tan(c+dx)}{b^2d(a^2 - b^2)(a+b \sec(c+dx))} + \frac{(Ab - 2aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d}$$

[Out] ((A*b - 2*a*B)*ArcTanh[Sin[c + d*x]]/(b^3*d) - (2*a*(a^2*A*b - 2*A*b^3 - 2*a^3*B + 3*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^3*(a + b)^(3/2)*d) + (B*Tan[c + d*x])/(b^2*d) - (a^2*(A*b - a*B)*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.57818, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4028, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{2a(a^2Ab - 2a^3B + 3ab^2B - 2Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} - \frac{a^2(Ab - aB) \tan(c+dx)}{b^2d(a^2 - b^2)(a+b \sec(c+dx))} + \frac{(Ab - 2aB) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]^2, x]

[Out] ((A*b - 2*a*B)*ArcTanh[Sin[c + d*x]]/(b^3*d) - (2*a*(a^2*A*b - 2*A*b^3 - 2*a^3*B + 3*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^3*(a + b)^(3/2)*d) + (B*Tan[c + d*x])/(b^2*d) - (a^2*(A*b - a*B)*Tan[c + d*x])/(b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4028

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[a^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)/(b^2*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e + f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{a^2(Ab-aB)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sec(c+dx)(-ab(Ab-aB)-(a^2-b^2)(Ab-aB)\sec(c+dx)-l}{a+b\sec(c+dx)} \\
&= \frac{B\tan(c+dx)}{b^2d} - \frac{a^2(Ab-aB)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\sec(c+dx)(-ab^2(Ab-aB)-b(a^2-b^2)}{a+b\sec(c+dx)} \\
&= \frac{B\tan(c+dx)}{b^2d} - \frac{a^2(Ab-aB)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} + \frac{(Ab-2aB)\int\sec(c+dx)dx}{b^3} \\
&= \frac{(Ab-2aB)\tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{B\tan(c+dx)}{b^2d} - \frac{a^2(Ab-aB)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(Ab-2aB)\tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{B\tan(c+dx)}{b^2d} - \frac{a^2(Ab-aB)\tan(c+dx)}{b^2(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(Ab-2aB)\tanh^{-1}(\sin(c+dx))}{b^3d} - \frac{2a(a^2Ab-2Ab^3-2a^3B+3ab^2B)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a-b)^{3/2}b^3(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 2.08354, size = 240, normalized size = 1.46

$$-\frac{2a(-a^2Ab+2a^3B-3ab^2B+2Ab^3)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + \frac{a^2b(aB-Ab)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)} + 2aB\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - 2$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] ((-2*a*(-(a^2*A*b) + 2*A*b^3 + 2*a^3*B - 3*a*b^2*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) - A*b*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*a*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + A*b*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 2*a*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a^2*b*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])) + b*B*Tan[c + d*x])/(b^3*d)

Maple [B] time = 0.085, size = 510, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^3(A+B\sec(dx+c)))/(a+b\sec(dx+c))^2, x$

[Out]
$$\begin{aligned} & 2/d*a^2/b/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+ \\ & 1/2*c)^2*b-a-b)*A-2/d*a^3/b^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2 \\ & *c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*B-2/d*a^3/b^2/(a+b)/(a-b)/((a+b)*(a-b)) \\ & ^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})}*A+4/d*a/(a+b)/ \\ & (a-b)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1 \\ & /2)})}*A+4/d*a^4/b^3/(a+b)/(a-b)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d* \\ & x+1/2*c)/((a+b)*(a-b))^{(1/2)})}*B-6/d*a^2/b/(a+b)/(a-b)/((a+b)*(a-b))^{(1/2)*a \\ & \operatorname{rctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})}*B-1/d/b^2/(\tan(1/2*d*x \\ & +1/2*c)+1)*B+1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*A-2/d/b^3*\ln(\tan(1/2*d*x+1/2* \\ & c)+1)*B*a-1/d/b^2/(\tan(1/2*d*x+1/2*c)-1)*B-1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)-1) \\ & *A+2/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B*a \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\sec(dx+c)^3(A+B\sec(dx+c)))/(a+b\sec(dx+c))^2, x, \operatorname{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 31.3625, size = 2433, normalized size = 14.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\sec(dx+c)^3(A+B\sec(dx+c)))/(a+b\sec(dx+c))^2, x, \operatorname{algorithm}="fricas")$

```
[Out] [1/2*((2*B*a^5 - A*a^4*b - 3*B*a^3*b^2 + 2*A*a^2*b^3)*cos(d*x + c)^2 + (2*B*a^4*b - A*a^3*b^2 - 3*B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2))*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - ((2*B*a^6 - A*a^5*b - 4*B*a^4*b^2 + 2*A*a^3*b^3 + 2*B*a^2*b^4 - A*a*b^5)*cos(d*x + c)^2 + (2*B*a^5*b - A*a^4*b^2 - 4*B*a^3*b^3 + 2*A*a^2*b^4 + 2*B*a*b^5 - A*b^6)*cos(d*x + c))*log(sin(d*x + c) + 1) + ((2*B*a^6 - A*a^5*b - 4*B*a^4*b^2 + 2*A*a^3*b^3 + 2*B*a^2*b^4 - A*a*b^5)*cos(d*x + c)^2 + (2*B*a^5*b - A*a^4*b^2 - 4*B*a^3*b^3 + 2*A*a^2*b^4 + 2*B*a*b^5 - A*b^6)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(B*a^4*b^2 - 2*B*a^2*b^4 + B*b^6 + (2*B*a^5*b - A*a^4*b^2 - 3*B*a^3*b^3 + A*a^2*b^4 + B*a*b^5)*cos(d*x + c))*sin(d*x + c))/((a^5*b^3 - 2*a^3*b^5 + a*b^7)*d*cos(d*x + c)^2 + (a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c)), 1/2*(2*((2*B*a^5 - A*a^4*b - 3*B*a^3*b^2 + 2*A*a^2*b^3)*cos(d*x + c)^2 + (2*B*a^4*b - A*a^3*b^2 - 3*B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - ((2*B*a^6 - A*a^5*b - 4*B*a^4*b^2 + 2*A*a^3*b^3 + 2*B*a^2*b^4 - A*a*b^5)*cos(d*x + c)^2 + (2*B*a^5*b - A*a^4*b^2 - 4*B*a^3*b^3 + 2*A*a^2*b^4 + 2*B*a*b^5 - A*b^6)*cos(d*x + c))*log(sin(d*x + c) + 1) + ((2*B*a^6 - A*a^5*b - 4*B*a^4*b^2 + 2*A*a^3*b^3 + 2*B*a^2*b^4 - A*a*b^5)*cos(d*x + c)^2 + (2*B*a^5*b - A*a^4*b^2 - 4*B*a^3*b^3 + 2*A*a^2*b^4 + 2*B*a*b^5 - A*b^6)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(B*a^4*b^2 - 2*B*a^2*b^4 + B*b^6 + (2*B*a^5*b - A*a^4*b^2 - 3*B*a^3*b^3 + A*a^2*b^4 + B*a*b^5)*cos(d*x + c))*sin(d*x + c))/((a^5*b^3 - 2*a^3*b^5 + a*b^7)*d*cos(d*x + c)^2 + (a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x))**2, x)
```

Giac [B] time = 1.26911, size = 545, normalized size = 3.32

$$\frac{2 \left(2Ba^4 - Aa^3b - 3Ba^2b^2 + 2Aab^3 \right) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^3 - b^5) \sqrt{-a^2+b^2}} - \frac{2 \left(2Ba^3 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 - Aa^2b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 - \dots \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] (2*(2*B*a^4 - A*a^3*b - 3*B*a^2*b^2 + 2*A*a*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^2*b^3 - b^5)*sqrt(-a^2 + b^2)) - 2*(2*B*a^3*tan(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - B*a*b^2*tan(1/2*d*x + 1/2*c)^3 + B*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*B*a^3*tan(1/2*d*x + 1/2*c) + A*a^2*b*tan(1/2*d*x + 1/2*c) - B*a^2*b*tan(1/2*d*x + 1/2*c) + B*a*b^2*tan(1/2*d*x + 1/2*c) + B*b^3*tan(1/2*d*x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 - 2*a*tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2*b^2 - b^4)) - (2*B*a - A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^3 + (2*B*a - A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^3)/d

$$3.322 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=131

$$\frac{2(a^3B - 2ab^2B + Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - aB) \tan(c+dx)}{bd(a^2 - b^2)(a+b \sec(c+dx))} + \frac{B \tanh^{-1}(\sin(c+dx))}{b^2d}$$

[Out] (B*ArcTanh[Sin[c + d*x]])/(b^2*d) - (2*(A*b^3 + a^3*B - 2*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) + (a*(A*b - a*B)*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.300546, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4009, 3998, 3770, 3831, 2659, 208}

$$\frac{2(a^3B - 2ab^2B + Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - aB) \tan(c+dx)}{bd(a^2 - b^2)(a+b \sec(c+dx))} + \frac{B \tanh^{-1}(\sin(c+dx))}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] (B*ArcTanh[Sin[c + d*x]])/(b^2*d) - (2*(A*b^3 + a^3*B - 2*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)*b^2*(a + b)^(3/2)*d) + (a*(A*b - a*B)*Tan[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4009

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] := Simp[(a*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x]
/; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{a(Ab-aB)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \frac{\int \frac{\sec(c+dx)(-b(Ab-aB)+(a^2-b^2)B\sec(c+dx))}{a+b\sec(c+dx)} dx}{b(a^2-b^2)} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \frac{B \int \sec(c+dx) dx}{b^2} - \frac{(Ab^3+a(a^2-2b^2)B)}{b^2(a^2-b^2)} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{a(Ab-aB)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(Ab^3+a(a^2-2b^2)B)}{b^3(a^2-b^2)} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^2 d} + \frac{a(Ab-aB)\tan(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(2(Ab^3+a(a^2-2b^2)B))}{b^3(a^2-b^2)} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^2 d} - \frac{2(Ab^3+a^3B-2ab^2B)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^2(a+b)^{3/2}d} + \frac{B}{b}
\end{aligned}$$

Mathematica [A] time = 0.697127, size = 191, normalized size = 1.46

$$\cos(c+dx)(A+B\sec(c+dx)) \left(\frac{2(aB(a^2-2b^2)+Ab^3)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + \frac{ab(aB-Ab)\sin(c+dx)}{(b-a)(a+b)(a\cos(c+dx)+b)} - B \log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right) \right)$$

$$b^2 d (A \cos(c+dx) + B)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] (Cos[c + d*x]*(A + B*Sec[c + d*x])*((2*(A*b^3 + a*(a^2 - 2*b^2)*B)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/(a^2 - b^2)^(3/2) - B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a*b*(-(A*b) + a*B)*Sin[c + d*x])/((-a + b)*(a + b)*(b + a*Cos[c + d*x]))/(b^2*d*(B + A*Cos[c + d*x]))

Maple [B] time = 0.079, size = 350, normalized size = 2.7

$$-2 \frac{a \tan(1/2 dx + c/2) A}{d(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)} + 2 \frac{a^2 \tan(1/2 dx + c/2) B}{db(a^2 - b^2) \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(A+B*\sec(dx+c))/(a+b*\sec(dx+c))^2,x)$

[Out]
$$\begin{aligned} & -2/d*a/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2 \\ & *c)^2*b-a-b)*A+2/d/b*a^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2 \\ & *a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*B-2/d*b/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\arct \\ & \text{anh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})*A-2/d*a^3/b^2/(a+b)/(a-b) \\ & /((a+b)*(a-b))^{1/2}*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{1/2})* \\ & B+4/d/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\text{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+ \\ & b)*(a-b))^{1/2})*B*a+1/d/b^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d/b^2*\ln(\tan(1/2* \\ & d*x+1/2*c)-1)*B \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(A+B*\sec(dx+c))/(a+b*\sec(dx+c))^2,x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [B] time = 9.57901, size = 1551, normalized size = 11.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^2*(A+B*\sec(dx+c))/(a+b*\sec(dx+c))^2,x, \text{algorithm}=\text{"fricas"})$

[Out]
$$\begin{aligned} & [1/2*((B*a^3*b - 2*B*a*b^3 + A*b^4 + (B*a^4 - 2*B*a^2*b^2 + A*a*b^3)*\cos(dx \\ & + c))*\sqrt{a^2 - b^2}*\log((2*a*b*\cos(dx + c) - (a^2 - 2*b^2)*\cos(dx + c) \\ &)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(dx + c) + a)*\sin(dx + c) + 2*a^2 - b^2)/(a \\ & ^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + b^2)) + (B*a^4*b - 2*B*a^2*b^3 + B \\ & *b^5 + (B*a^5 - 2*B*a^3*b^2 + B*a*b^4)*\cos(dx + c))*\log(\sin(dx + c) + 1) \\ & - (B*a^4*b - 2*B*a^2*b^3 + B*b^5 + (B*a^5 - 2*B*a^3*b^2 + B*a*b^4)*\cos(dx \end{aligned}$$

+ c))*log(-sin(d*x + c) + 1) - 2*(B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*sin(d*x + c))/((a^5*b^2 - 2*a^3*b^4 + a*b^6)*d*cos(d*x + c) + (a^4*b^3 - 2*a^2*b^5 + b^7)*d), -1/2*(2*(B*a^3*b - 2*B*a*b^3 + A*b^4 + (B*a^4 - 2*B*a^2*b^2 + A*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (B*a^4*b - 2*B*a^2*b^3 + B*b^5 + (B*a^5 - 2*B*a^3*b^2 + B*a*b^4)*cos(d*x + c))*log(sin(d*x + c) + 1) + (B*a^4*b - 2*B*a^2*b^3 + B*b^5 + (B*a^5 - 2*B*a^3*b^2 + B*a*b^4)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*sin(d*x + c))/((a^5*b^2 - 2*a^3*b^4 + a*b^6)*d*cos(d*x + c) + (a^4*b^3 - 2*a^2*b^5 + b^7)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.26215, size = 312, normalized size = 2.38

$$\frac{2(Ba^3 - 2Bab^2 + Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^2b^2 - b^4) \sqrt{-a^2+b^2}} - \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b^2} + \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b^2}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] -(2*(B*a^3 - 2*B*a*b^2 + A*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^2*b^2 - b^4)*sqrt(-a^2 + b^2)) - B*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^2 + B*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^2 - 2*(B*a^2*tan(1/2*d*x + 1/2*c) - A*a*b*tan(1/2*d*x + 1/2*c))/((a^2*b - b^3)*(a*tan(1/2*d*x +

$$\frac{1}{2}c^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c^2 - a - b\right) / d$$

$$3.323 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=100

$$\frac{2(aA - bB) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(Ab - aB) \tan(c+dx)}{d(a^2 - b^2)(a+b \sec(c+dx))}$$

[Out] (2*(a*A - b*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]]/((a - b)^(3/2)*(a + b)^(3/2)*d) - ((A*b - a*B)*Tan[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.13444, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {4003, 12, 3831, 2659, 208}

$$\frac{2(aA - bB) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(Ab - aB) \tan(c+dx)}{d(a^2 - b^2)(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] (2*(a*A - b*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]]/((a - b)^(3/2)*(a + b)^(3/2)*d) - ((A*b - a*B)*Tan[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4003

Int[Csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{(Ab-aB)\tan(c+dx)}{(a^2-b^2)d(a+b\sec(c+dx))} + \frac{\int \frac{(-aA+bB)\sec(c+dx)}{a+b\sec(c+dx)} dx}{-a^2+b^2} \\
 &= -\frac{(Ab-aB)\tan(c+dx)}{(a^2-b^2)d(a+b\sec(c+dx))} + \frac{(aA-bB)\int \frac{\sec(c+dx)}{a+b\sec(c+dx)} dx}{a^2-b^2} \\
 &= -\frac{(Ab-aB)\tan(c+dx)}{(a^2-b^2)d(a+b\sec(c+dx))} + \frac{(aA-bB)\int \frac{1}{1+\frac{a\cos(c+dx)}{b}} dx}{b(a^2-b^2)} \\
 &= -\frac{(Ab-aB)\tan(c+dx)}{(a^2-b^2)d(a+b\sec(c+dx))} + \frac{(2(aA-bB))\text{Subst}\left(\int \frac{1}{1+\frac{a}{b}+(1-\frac{a}{b})x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b(a^2-b^2)d} \\
 &= \frac{2(aA-bB)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}(a+b)^{3/2}d} - \frac{(Ab-aB)\tan(c+dx)}{(a^2-b^2)d(a+b\sec(c+dx))}
 \end{aligned}$$

Mathematica [A] time = 0.34591, size = 97, normalized size = 0.97

$$\frac{\frac{(aB-Ab)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)} - \frac{2(aA-bB)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] ((-2*(a*A - b*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) + ((-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x]))) / d

Maple [A] time = 0.078, size = 132, normalized size = 1.3

$$\frac{1}{d} \left(2 \frac{(Ab - Ba) \tan(1/2 dx + c/2)}{(a^2 - b^2) ((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)} + 2 \frac{Aa - Bb}{(a + b)(a - b) \sqrt{(a + b)(a - b)}} \operatorname{Artanh} \left(\frac{(a - b) \tan(1/2 dx + c/2)}{\sqrt{(a + b)(a - b)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x)

[Out] 1/d*(2*(A*b-B*a)/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)+2*(A*a-B*b)/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.550038, size = 861, normalized size = 8.61

$$\left[\frac{(Aab - Bb^2 + (Aa^2 - Bab) \cos(dx + c)) \sqrt{a^2 - b^2} \log \left(\frac{2ab \cos(dx+c) - (a^2 - 2b^2) \cos(dx+c)^2 + 2\sqrt{a^2 - b^2} (b \cos(dx+c) + a) \sin(dx+c) + 2a^2 - b^2}{a^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + b^2} \right)}{2 \left((a^5 - 2a^3b^2 + ab^4) d \cos(dx + c) + (a^4b - 2a^2b^3 + b^5) d \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] [1/2*((A*a*b - B*b^2 + (A*a^2 - B*a*b)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*sin(d*x + c))/((a^5 - 2*a^3*b^2 + a*b^4)*d*cos(d*x + c) + (a^4*b - 2*a^2*b^3 + b^5)*d), ((A*a*b - B*b^2 + (A*a^2 - B*a*b)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*sin(d*x + c))/((a^5 - 2*a^3*b^2 + a*b^4)*d*cos(d*x + c) + (a^4*b - 2*a^2*b^3 + b^5)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.22012, size = 232, normalized size = 2.32

$$2 \left[\frac{\left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{-a^2 + b^2}} \right) \right) (Aa - Bb)}{(a^2 - b^2) \sqrt{-a^2 + b^2}} + \frac{Ba \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - Ab \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{\left(a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - a - b \right) (a^2 - b^2)} \right] d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] -2*((pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))*(A*a - B*b)/((a^2 - b^2)*sqrt(-a^2 + b^2)) + (B*a*tan(1/2*d*x + 1/2*c) - A*b*tan(1/2*d*x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)*(a^2 - b^2)))/d
```

$$3.324 \quad \int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=124

$$-\frac{2(2a^2Ab + a^3(-B) - Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(Ab - aB) \tan(c+dx)}{ad(a^2 - b^2)(a+b \sec(c+dx))} + \frac{Ax}{a^2}$$

[Out] (A*x)/a^2 - (2*(2*a^2*A*b - A*b^3 - a^3*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + (b*(A*b - a*B)*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.207455, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3923, 3919, 3831, 2659, 208}

$$-\frac{2(2a^2Ab + a^3(-B) - Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(Ab - aB) \tan(c+dx)}{ad(a^2 - b^2)(a+b \sec(c+dx))} + \frac{Ax}{a^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^2, x]

[Out] (A*x)/a^2 - (2*(2*a^2*A*b - A*b^3 - a^3*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^(3/2)*(a + b)^(3/2)*d) + (b*(A*b - a*B)*Tan[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^2} dx &= \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{\int \frac{-A(a^2 - b^2) + a(Ab - aB) \sec(c + dx)}{a + b \sec(c + dx)} dx}{a(a^2 - b^2)} \\
&= \frac{Ax}{a^2} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{(2a^2Ab - Ab^3 - a^3B) \int \frac{\sec(c + dx)}{a + b \sec(c + dx)} dx}{a^2(a^2 - b^2)} \\
&= \frac{Ax}{a^2} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{(2a^2Ab - Ab^3 - a^3B) \int \frac{1}{1 + \frac{a \cos(c + dx)}{b}} dx}{a^2 b(a^2 - b^2)} \\
&= \frac{Ax}{a^2} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2) d(a + b \sec(c + dx))} - \frac{(2(2a^2Ab - Ab^3 - a^3B)) \text{Subst}\left(\int \frac{1}{1 + \frac{a}{b} + (1 - \frac{a}{b})x^2} dx, \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2 b(a^2 - b^2) d} \\
&= \frac{Ax}{a^2} - \frac{2(2a^2Ab - Ab^3 - a^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2) d(a + b \sec(c + dx))}
\end{aligned}$$

Mathematica [A] time = 0.655569, size = 155, normalized size = 1.25

$$\frac{Ab(a^2-b^2)(c+dx)+aA(a^2-b^2)(c+dx)\cos(c+dx)-ab(aB-Ab)\sin(c+dx)}{a\cos(c+dx)+b} - \frac{2(-2a^2Ab+a^3B+Ab^3)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}}$$

$$a^2d(a-b)(a+b)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^2,x]

[Out] ((-2*(-2*a^2*A*b + A*b^3 + a^3*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + (A*b*(a^2 - b^2)*(c + d*x) + a*A*(a^2 - b^2)*(c + d*x)*Cos[c + d*x] - a*b*(-(A*b) + a*B)*Sin[c + d*x])/(b + a*Cos[c + d*x]))/(a^2*(a - b)*(a + b)*d)

Maple [B] time = 0.091, size = 328, normalized size = 2.7

$$2 \frac{A \arctan(\tan(1/2 dx + c/2))}{da^2} - 2 \frac{b^2 \tan(1/2 dx + c/2) A}{ad(a^2 - b^2)((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)} + 2 \frac{1}{d(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x)

[Out] 2/d*A/a^2*arctan(tan(1/2*d*x+1/2*c))-2/d/a*b^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*A+2/d*b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)*B-4/d*b/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2)*A+2/d/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2)*A*b^3+2/d/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2)*B*a

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 0.585183, size = 1226, normalized size = 9.89

$$\frac{2(Aa^5 - 2Aa^3b^2 + Aab^4)dx \cos(dx + c) + 2(Aa^4b - 2Aa^2b^3 + Ab^5)dx - (Ba^3b - 2Aa^2b^2 + Ab^4 + (Ba^4 - 2Aa^3b + Aa^2b^2)) \sqrt{a^2 - b^2} \log((2a*b*\cos(dx + c) - (a^2 - 2b^2)*\cos(dx + c))^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(dx + c) + a)*\sin(dx + c) + 2*a^2 - b^2)/(a^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + b^2)) - 2*(Ba^4*b - Aa^3*b^2 - Ba^2*b^3 + Aa*b^4)*\sin(dx + c)}{2((a^7 - 2a^5b^2 + a^3b^4)*d*\cos(dx + c) + (a^6*b - 2a^4*b^3 + a^2*b^5)*d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] [1/2*(2*(A*a^5 - 2*A*a^3*b^2 + A*a*b^4)*d*x*cos(d*x + c) + 2*(A*a^4*b - 2*A*a^2*b^3 + A*b^5)*d*x - (B*a^3*b - 2*A*a^2*b^2 + A*b^4 + (B*a^4 - 2*A*a^3*b + A*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c))^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 2*(B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*sin(d*x + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d), ((A*a^5 - 2*A*a^3*b^2 + A*a*b^4)*d*x*cos(d*x + c) + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*d*x + (B*a^3*b - 2*A*a^2*b^2 + A*b^4 + (B*a^4 - 2*A*a^3*b + A*a*b^3)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*sin(d*x + c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*d*cos(d*x + c) + (a^6*b - 2*a^4*b^3 + a^2*b^5)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + B*sec(c + d*x))/(a + b*sec(c + d*x))**2, x)
```

Giac [A] time = 1.21517, size = 271, normalized size = 2.19

$$\frac{2(Ba^3 - 2Aa^2b + Ab^3) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - a^2b^2) \sqrt{-a^2+b^2}} + \frac{(dx+c)A}{a^2} + \frac{2(Bab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Ab^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^3 - ab^2) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \right)}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] (2*(B*a^3 - 2*A*a^2*b + A*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^4 - a^2*b^2)*sqrt(-a^2 + b^2)) + (d*x + c)*A/a^2 + 2*(B*a*b*tan(1/2*d*x + 1/2*c) - A*b^2*tan(1/2*d*x + 1/2*c))/((a^3 - a*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b))/d

$$3.325 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=180

$$\frac{(a^2A + abB - 2Ab^2) \sin(c + dx)}{a^2d(a^2 - b^2)} + \frac{2b(3a^2Ab - 2a^3B + ab^2B - 2Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(Ab - aB) \sin(c)}{ad(a^2 - b^2)(a + b \sec(c+dx))}$$

[Out] -(((2*A*b - a*B)*x)/a^3) + (2*b*(3*a^2*A*b - 2*A*b^3 - 2*a^3*B + a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((a^2*A - 2*A*b^2 + a*b*B)*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.568946, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {4030, 4104, 3919, 3831, 2659, 208}

$$\frac{(a^2A + abB - 2Ab^2) \sin(c + dx)}{a^2d(a^2 - b^2)} + \frac{2b(3a^2Ab - 2a^3B + ab^2B - 2Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(Ab - aB) \sin(c)}{ad(a^2 - b^2)(a + b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] -(((2*A*b - a*B)*x)/a^3) + (2*b*(3*a^2*A*b - 2*A*b^3 - 2*a^3*B + a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((a^2*A - 2*A*b^2 + a*b*B)*Sin[c + d*x])/(a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4030

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[m + 1/2, 0])

Q[n, 0])

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{b(Ab-aB)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\cos(c+dx)(-a^2A+2Ab^2-abB+a(Ab-aB)\sec(c+dx)-b(Ab-aB)\sec(c+dx))}{a+b\sec(c+dx)} dx \\
&= \frac{(a^2A-2Ab^2+abB)\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{b(Ab-aB)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} + \int \frac{-(a^2-b^2)(2)}{a+b\sec(c+dx)} dx \\
&= -\frac{(2Ab-aB)x}{a^3} + \frac{(a^2A-2Ab^2+abB)\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{b(Ab-aB)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2Ab-aB)x}{a^3} + \frac{(a^2A-2Ab^2+abB)\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{b(Ab-aB)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2Ab-aB)x}{a^3} + \frac{(a^2A-2Ab^2+abB)\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{b(Ab-aB)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2Ab-aB)x}{a^3} + \frac{(a^2A-2Ab^2+abB)\sin(c+dx)}{a^2(a^2-b^2)d} + \frac{b(Ab-aB)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2Ab-aB)x}{a^3} + \frac{2b(3a^2Ab-2Ab^3-2a^3B+ab^2B)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{3/2}(a+b)^{3/2}d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.09333, size = 221, normalized size = 1.23

$$(a \cos(c+dx) + b)(A + B \sec(c+dx)) \left(\frac{2b(-3a^2Ab + 2a^3B - ab^2B + 2Ab^3) \sec(c+dx)(a \cos(c+dx) + b) \tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + \frac{ab^2(aB-Ab)\tan\left(\frac{1}{2}(c+dx)\right)}{(a-b)(a+b)} \right)$$

$$a^3d(a+b\sec(c+dx))^2(A\cos(c+dx)+b)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] ((b + a*Cos[c + d*x])*(A + B*Sec[c + d*x]))*((-2*A*b + a*B)*(c + d*x)*(b + a*Cos[c + d*x])*Sec[c + d*x] + (2*b*(-3*a^2*A*b + 2*A*b^3 + 2*a^3*B - a*b^2*B)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])*(b + a*Cos[c + d*x])*Sec[c + d*x])/(a^2 - b^2)^(3/2) + (a*b^2*(-(A*b) + a*B)*Tan[c + d*x])/((a - b)*(a + b)) + a*A*(b + a*Cos[c + d*x])*Tan[c + d*x])/(a^3*d*(B + A*Cos[c + d*x]))*(a + b*Sec[c + d*x])^2)

Maple [B] time = 0.116, size = 453, normalized size = 2.5

$$2 \frac{A \tan(1/2 dx + c/2)}{da^2 (1 + (\tan(1/2 dx + c/2))^2)} - 4 \frac{A \arctan(\tan(1/2 dx + c/2)) b}{da^3} + 2 \frac{B \arctan(\tan(1/2 dx + c/2))}{da^2} + 2 \frac{B}{da^2 (a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x)`

[Out] $2/d/a^2*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-4/d/a^3*A*\arctan(\tan(1/2*d*x+1/2*c))*b+2/d/a^2*B*\arctan(\tan(1/2*d*x+1/2*c))+2/d/a^2*b^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*A-2/d/a*b^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*B+6/d/a*b^2/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*A-4/d/a^3*b^4/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*A-4/d*b/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*B+2/d/a^2*b^3/(a+b)/(a-b)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*B$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.660387, size = 1715, normalized size = 9.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")`

```
[Out] [1/2*(2*(B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*d*x*cos(d*x + c) + 2*(B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*d*x + (2*B*a^3*b^2 - 3*A*a^2*b^3 - B*a*b^4 + 2*A*b^5 + (2*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(A*a^5*b + B*a^4*b^2 - 3*A*a^3*b^3 - B*a^2*b^4 + 2*A*a*b^5 + (A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c) + (a^7*b - 2*a^5*b^3 + a^3*b^5)*d), ((B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*d*x*cos(d*x + c) + (B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*d*x - (2*B*a^3*b^2 - 3*A*a^2*b^3 - B*a*b^4 + 2*A*b^5 + (2*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (A*a^5*b + B*a^4*b^2 - 3*A*a^3*b^3 - B*a^2*b^4 + 2*A*a*b^5 + (A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4)*cos(d*x + c))*sin(d*x + c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c) + (a^7*b - 2*a^5*b^3 + a^3*b^5)*d)]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)/(a + b*sec(c + d*x))**2, x)
```

Giac [B] time = 1.39815, size = 505, normalized size = 2.81

$$\frac{2(2Ba^3b-3Aa^2b^2-Bab^3+2Ab^4)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{-a^2+b^2}}\right)\right)}{(a^5-a^3b^2)\sqrt{-a^2+b^2}} - 2\left(Aa^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-Aa^2b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-A\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```



```
[Out] -(2*(2*B*a^3*b - 3*A*a^2*b^2 - B*a*b^3 + 2*A*b^4)*(pi*floor(1/2*(d*x + c)/p
i + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x
+ 1/2*c))/sqrt(-a^2 + b^2)))/((a^5 - a^3*b^2)*sqrt(-a^2 + b^2)) - 2*(A*a^3*
tan(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - A*a*b^2*tan(1/2*d
*x + 1/2*c)^3 - B*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 2*A*b^3*tan(1/2*d*x + 1/2*
c)^3 - A*a^3*tan(1/2*d*x + 1/2*c) - A*a^2*b*tan(1/2*d*x + 1/2*c) + A*a*b^2*
tan(1/2*d*x + 1/2*c) - B*a*b^2*tan(1/2*d*x + 1/2*c) + 2*A*b^3*tan(1/2*d*x +
1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 - 2*b*tan(1/
2*d*x + 1/2*c)^2 - a - b)*(a^4 - a^2*b^2)) - (B*a - 2*A*b)*(d*x + c)/a^3)/d
```

$$3.326 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=261

$$-\frac{(2a^2Ab + a^3(-B) + 2ab^2B - 3Ab^3) \sin(c+dx)}{a^3d(a^2 - b^2)} + \frac{(a^2A + 2abB - 3Ab^2) \sin(c+dx) \cos(c+dx)}{2a^2d(a^2 - b^2)} - \frac{2b^2(4a^2Ab - 3a^3B + \dots)}{\dots}$$

[Out] $((a^2A + 6A*b^2 - 4*a*b*B)*x)/(2*a^4) - (2*b^2*(4*a^2*A*b - 3*A*b^3 - 3*a^3*B + 2*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^{(3/2)}*(a + b)^{(3/2)}*d) - ((2*a^2*A*b - 3*A*b^3 - a^3*B + 2*a*b^2*B)*Sin[c + d*x])/(a^3*(a^2 - b^2)*d) + ((a^2*A - 3*A*b^2 + 2*a*b*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rubi [A] time = 0.890839, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4030, 4104, 3919, 3831, 2659, 208}

$$-\frac{(2a^2Ab + a^3(-B) + 2ab^2B - 3Ab^3) \sin(c+dx)}{a^3d(a^2 - b^2)} + \frac{(a^2A + 2abB - 3Ab^2) \sin(c+dx) \cos(c+dx)}{2a^2d(a^2 - b^2)} - \frac{2b^2(4a^2Ab - 3a^3B + \dots)}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] $((a^2A + 6A*b^2 - 4*a*b*B)*x)/(2*a^4) - (2*b^2*(4*a^2*A*b - 3*A*b^3 - 3*a^3*B + 2*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^{(3/2)}*(a + b)^{(3/2)}*d) - ((2*a^2*A*b - 3*A*b^3 - a^3*B + 2*a*b^2*B)*Sin[c + d*x])/(a^3*(a^2 - b^2)*d) + ((a^2*A - 3*A*b^2 + 2*a*b*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))$

Rule 4030

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*

$(m + 1)(a^2 - b^2), x] + \text{Dist}[1/(a(m + 1)(a^2 - b^2)), \text{Int}[(a + b\text{Csc}[e + f*x])^{m+1}(d\text{Csc}[e + f*x])^n \text{Simp}[A(a^2(m + 1) - b^2(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*\text{Csc}[e + f*x] + b*(A*b - a*B)*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$

Rule 4104

$\text{Int}[(A + \text{csc}[(e + f*x)]*(B + \text{csc}[(e + f*x)]^2*(C + \text{csc}[(e + f*x)]*(d + \text{csc}[(e + f*x)]*(b + a))))^{m+1}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m(d*\text{Csc}[e + f*x])^{n+1} \text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 3919

$\text{Int}[(\text{csc}[(e + f*x)]*(d + c) + a)/(\text{csc}[(e + f*x)]*(b + a)), x_Symbol] \rightarrow \text{Simp}[(c*x)/a, x] - \text{Dist}[(b*c - a*d)/a, \text{Int}[\text{Csc}[e + f*x]/(a + b*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 3831

$\text{Int}[\text{csc}[(e + f*x)]/(\text{csc}[(e + f*x)]*(b + a)), x_Symbol] \rightarrow \text{Dist}[1/b, \text{Int}[1/(1 + (a*\text{Sin}[e + f*x])/b), x], x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2659

$\text{Int}[(a + (b*\text{sin}[\text{Pi}/2 + (c + d*x)]))^{-1}, x_Symbol] \rightarrow \text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a + (b*x^2))^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{b(Ab-aB)\cos(c+dx)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\cos^2(c+dx)(-a^2A+3Ab^2-2abB+a(Ab-aB)\sec(c+dx))}{a+b\sec(c+dx)} \\
&= \frac{(a^2A-3Ab^2+2abB)\cos(c+dx)\sin(c+dx)}{2a^2(a^2-b^2)d} + \frac{b(Ab-aB)\cos(c+dx)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2a^2Ab-3Ab^3-a^3B+2ab^2B)\sin(c+dx)}{a^3(a^2-b^2)d} + \frac{(a^2A-3Ab^2+2abB)\cos(c+dx)}{2a^2(a^2-b^2)d} \\
&= \frac{(a^2A+6Ab^2-4abB)x}{2a^4} - \frac{(2a^2Ab-3Ab^3-a^3B+2ab^2B)\sin(c+dx)}{a^3(a^2-b^2)d} + \frac{(a^2A-3Ab^2+2abB)\cos(c+dx)}{2a^2(a^2-b^2)d} \\
&= \frac{(a^2A+6Ab^2-4abB)x}{2a^4} - \frac{(2a^2Ab-3Ab^3-a^3B+2ab^2B)\sin(c+dx)}{a^3(a^2-b^2)d} + \frac{(a^2A-3Ab^2+2abB)\cos(c+dx)}{2a^2(a^2-b^2)d} \\
&= \frac{(a^2A+6Ab^2-4abB)x}{2a^4} - \frac{(2a^2Ab-3Ab^3-a^3B+2ab^2B)\sin(c+dx)}{a^3(a^2-b^2)d} + \frac{(a^2A-3Ab^2+2abB)\cos(c+dx)}{2a^2(a^2-b^2)d} \\
&= \frac{(a^2A+6Ab^2-4abB)x}{2a^4} - \frac{2b^2(4a^2Ab-3Ab^3-3a^3B+2ab^2B)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 1.07366, size = 184, normalized size = 0.7

$$\frac{2(c+dx)(a^2A-4abB+6Ab^2) - \frac{8b^2(-4a^2Ab+3a^3B-2ab^2B+3Ab^3)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} + a^2A\sin(2(c+dx)) - \frac{4ab^3(aB-Ab)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx))}}{4a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] (2*(a^2*A + 6*A*b^2 - 4*a*b*B)*(c + d*x) - (8*b^2*(-4*a^2*A*b + 3*A*b^3 + 3*a^3*B - 2*a*b^2*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(3/2) + 4*a*(-2*A*b + a*B)*Sin[c + d*x] - (4*a*b^3*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])) + a^2*A*Ssin[2*(c + d*x)]/(4*a^4*d)

Maple [B] time = 0.114, size = 651, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2 * (A+B*\sec(dx+c)) / (a+b*\sec(dx+c))^2, x)$

[Out]
$$-1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A-4/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A*b+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*B+1/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A-4/d/a^3/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A*b+2/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*B+1/d*A/a^2*\arctan(\tan(1/2*d*x+1/2*c))+6/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*A*b^2-4/d/a^3*\arctan(\tan(1/2*d*x+1/2*c))*B*b-2/d*b^4/a^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*A+2/d*b^3/a^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)*B-8/d/a^2/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^3+6/d*b^5/a^4/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A+6/d*b^2/a/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-4/d*b^4/a^3/(a+b)/(a-b)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(\cos(dx+c)^2 * (A+B*\sec(dx+c)) / (a+b*\sec(dx+c))^2, x, \operatorname{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 0.740963, size = 2136, normalized size = 8.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] [1/2*((A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*d*x*cos(d*x + c) + (A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*d*x + (3*B*a^3*b^3 - 4*A*a^2*b^4 - 2*B*a*b^5 + 3*A*b^6 + (3*B*a^4*b^2 - 4*A*a^3*b^3 - 2*B*a^2*b^4 + 3*A*a*b^5)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (2*B*a^6*b - 4*A*a^5*b^2 - 6*B*a^4*b^3 + 10*A*a^3*b^4 + 4*B*a^2*b^5 - 6*A*a*b^6 + (A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4)*cos(d*x + c)^2 + (2*B*a^7 - 3*A*a^6*b - 4*B*a^5*b^2 + 6*A*a^4*b^3 + 2*B*a^3*b^4 - 3*A*a^2*b^5)*cos(d*x + c))*sin(d*x + c))/((a^9 - 2*a^7*b^2 + a^5*b^4)*d*cos(d*x + c) + (a^8*b - 2*a^6*b^3 + a^4*b^5)*d), 1/2*((A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*d*x*cos(d*x + c) + (A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*d*x + 2*(3*B*a^3*b^3 - 4*A*a^2*b^4 - 2*B*a*b^5 + 3*A*b^6 + (3*B*a^4*b^2 - 4*A*a^3*b^3 - 2*B*a^2*b^4 + 3*A*a*b^5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*B*a^6*b - 4*A*a^5*b^2 - 6*B*a^4*b^3 + 10*A*a^3*b^4 + 4*B*a^2*b^5 - 6*A*a*b^6 + (A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4)*cos(d*x + c)^2 + (2*B*a^7 - 3*A*a^6*b - 4*B*a^5*b^2 + 6*A*a^4*b^3 + 2*B*a^3*b^4 - 3*A*a^2*b^5)*cos(d*x + c))*sin(d*x + c))/((a^9 - 2*a^7*b^2 + a^5*b^4)*d*cos(d*x + c) + (a^8*b - 2*a^6*b^3 + a^4*b^5)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos^2(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)**2/(a + b*sec(c + d*x))**2, x)

Giac [A] time = 1.50577, size = 459, normalized size = 1.76

$$\frac{4 \left(3 B a^3 b^2 - 4 A a^2 b^3 - 2 B a b^4 + 3 A b^5 \right) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^6 - a^4 b^2) \sqrt{-a^2 + b^2}} + \frac{4 \left(B a b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - A b^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{(a^5 - a^3 b^2) \left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] 1/2*(4*(3*B*a^3*b^2 - 4*A*a^2*b^3 - 2*B*a*b^4 + 3*A*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^6 - a^4*b^2)*sqrt(-a^2 + b^2)) + 4*(B*a*b^3*tan(1/2*d*x + 1/2*c) - A*b^4*tan(1/2*d*x + 1/2*c))/((a^5 - a^3*b^2)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)) + (A*a^2 - 4*B*a*b + 6*A*b^2)*(d*x + c)/a^4 - 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c)^3 + 4*A*b*tan(1/2*d*x + 1/2*c)^3 - A*a*tan(1/2*d*x + 1/2*c) - 2*B*a*tan(1/2*d*x + 1/2*c) + 4*A*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^3))/d

$$3.327 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=346

$$\frac{(7a^2Ab^2 + 2a^4A - 6a^3bB + 9ab^3B - 12Ab^4) \sin(c+dx)}{3a^4d(a^2 - b^2)} + \frac{(a^2A + 3abB - 4Ab^2) \sin(c+dx) \cos^2(c+dx)}{3a^2d(a^2 - b^2)} - \frac{(2a^2Ab + a^3A)}{3a^4d(a^2 - b^2)}$$

[Out] -((2*a^2*A*b + 8*A*b^3 - a^3*B - 6*a*b^2*B)*x)/(2*a^5) + (2*b^3*(5*a^2*A*b - 4*A*b^3 - 4*a^3*B + 3*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((2*a^4*A + 7*a^2*A*b^2 - 12*A*b^4 - 6*a^3*b*B + 9*a*b^3*B)*Sin[c + d*x])/(3*a^4*(a^2 - b^2)*d) - ((2*a^2*A*b - 4*A*b^3 - a^3*B + 3*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)*d) + ((a^2*A - 4*A*b^2 + 3*a*b*B)*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Cos[c + d*x]^2*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.27456, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4030, 4104, 3919, 3831, 2659, 208}

$$\frac{(7a^2Ab^2 + 2a^4A - 6a^3bB + 9ab^3B - 12Ab^4) \sin(c+dx)}{3a^4d(a^2 - b^2)} + \frac{(a^2A + 3abB - 4Ab^2) \sin(c+dx) \cos^2(c+dx)}{3a^2d(a^2 - b^2)} - \frac{(2a^2Ab + a^3A)}{3a^4d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] -((2*a^2*A*b + 8*A*b^3 - a^3*B - 6*a*b^2*B)*x)/(2*a^5) + (2*b^3*(5*a^2*A*b - 4*A*b^3 - 4*a^3*B + 3*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(3/2)*(a + b)^(3/2)*d) + ((2*a^4*A + 7*a^2*A*b^2 - 12*A*b^4 - 6*a^3*b*B + 9*a*b^3*B)*Sin[c + d*x])/(3*a^4*(a^2 - b^2)*d) - ((2*a^2*A*b - 4*A*b^3 - a^3*B + 3*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)*d) + ((a^2*A - 4*A*b^2 + 3*a*b*B)*Cos[c + d*x]^2*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Cos[c + d*x]^2*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4030


```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(b*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*
(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e
+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{b(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} - \int \frac{\cos^3(c+dx)(-a^2A+4Ab^2-3abB+a(Ab-aB)\sec(c+dx))}{a+b\sec(c+dx)} \\
&= \frac{(a^2A-4Ab^2+3abB)\cos^2(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)d} + \frac{b(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(2a^2Ab-4Ab^3-a^3B+3ab^2B)\cos(c+dx)\sin(c+dx)}{2a^3(a^2-b^2)d} + \frac{(a^2A-4Ab^2+3abB)\sin(c+dx)}{3a^2(a^2-b^2)d} \\
&= \frac{(2a^4A+7a^2Ab^2-12Ab^4-6a^3bB+9ab^3B)\sin(c+dx)}{3a^4(a^2-b^2)d} - \frac{(2a^2Ab-4Ab^3-a^3B)\sin(c+dx)}{3a^2(a^2-b^2)d} \\
&= -\frac{(2a^2Ab+8Ab^3-a^3B-6ab^2B)x}{2a^5} + \frac{(2a^4A+7a^2Ab^2-12Ab^4-6a^3bB+9ab^3B)\sin(c+dx)}{3a^4(a^2-b^2)d} \\
&= -\frac{(2a^2Ab+8Ab^3-a^3B-6ab^2B)x}{2a^5} + \frac{(2a^4A+7a^2Ab^2-12Ab^4-6a^3bB+9ab^3B)\sin(c+dx)}{3a^4(a^2-b^2)d} \\
&= -\frac{(2a^2Ab+8Ab^3-a^3B-6ab^2B)x}{2a^5} + \frac{(2a^4A+7a^2Ab^2-12Ab^4-6a^3bB+9ab^3B)\sin(c+dx)}{3a^4(a^2-b^2)d} \\
&= -\frac{(2a^2Ab+8Ab^3-a^3B-6ab^2B)x}{2a^5} + \frac{2b^3(5a^2Ab-4Ab^3-4a^3B+3ab^2B)\tan^{-1}\left(\frac{a+b\sec(c+dx)}{a-b}\right)}{a^5(a-b)^{3/2}(a+b)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.37415, size = 224, normalized size = 0.65

$$\frac{6(c+dx)(-2a^2Ab+a^3B+6ab^2B-8Ab^3)+3a(3a^2A-8abB+12Ab^2)\sin(c+dx)+\frac{24b^3(-5a^2Ab+4a^3B-3ab^2B+4Ab^3)\tanh^{-1}\left(\frac{a+b\sec(c+dx)}{a-b}\right)}{(a^2-b^2)^{3/2}}}{12a^5d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] (6*(-2*a^2*A*b - 8*A*b^3 + a^3*B + 6*a*b^2*B)*(c + d*x) + (24*b^3*(-5*a^2*A*b + 4*A*b^3 + 4*a^3*B - 3*a*b^2*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqr

$$\frac{t[a^2 - b^2]}{(a^2 - b^2)^{3/2}} + 3*a*(3*a^2*A + 12*A*b^2 - 8*a*b*B)*\sin[c + d*x] + (12*a*b^4*(-(A*b) + a*B)*\sin[c + d*x]) / ((a - b)*(a + b)*(b + a*\cos[c + d*x])) + 3*a^2*(-2*A*b + a*B)*\sin[2*(c + d*x)] + a^3*A*\sin[3*(c + d*x)] / (12*a^5*d)$$

Maple [B] time = 0.12, size = 926, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x)`

[Out]
$$\frac{2}{d/a^2} \frac{(1+\tan(1/2*d*x+1/2*c))^2}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c)^5 \frac{A+2/d/a^3}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c)^5 \frac{A*b+6/d/a^4}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c)^5 \frac{A*b^2-1/d/a^2}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c)^5 \frac{B-4/d/a^3}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c)^5 \frac{B*b+4/3/d/a^2}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c)^3 \frac{A+12/d/a^4}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c)^3 \frac{A*b^2-8/d/a^3}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c)^3 \frac{B*b+2/d/a^2}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c) \frac{A+6/d/a^4}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c) \frac{A*b^2-4/d/a^3}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c) \frac{B*b-2/d/a^3}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c) \frac{A*b+1/d/a^2}{(1+\tan(1/2*d*x+1/2*c))^2} ^3 \tan(1/2*d*x+1/2*c) \frac{B-2/d/a^3}{A*\arctan(\tan(1/2*d*x+1/2*c))} * \frac{b-8/d/a^5}{\arctan(\tan(1/2*d*x+1/2*c))} * \frac{A*b^3+1/d/a^2}{B*\arctan(\tan(1/2*d*x+1/2*c))} + \frac{6/d/a^4}{\arctan(\tan(1/2*d*x+1/2*c))} * \frac{B*b^2+2/d*b^5/a^4}{(a^2-b^2)*\tan(1/2*d*x+1/2*c)} / (\tan(1/2*d*x+1/2*c))^2 * \frac{a-\tan(1/2*d*x+1/2*c)^2*b-a-b}{A-2/d*b^4/a^3} / (a^2-b^2) * \frac{\tan(1/2*d*x+1/2*c)}{(\tan(1/2*d*x+1/2*c))^2 * \frac{a-\tan(1/2*d*x+1/2*c)^2*b-a-b}{B+10/d/a^3}} * \frac{b^4}{(a+b)/(a-b)} / ((a+b)*(a-b))^{(1/2)} * \frac{\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))}{(a+b)*(a-b)^{(1/2)}} * \frac{A-8/d*b^6/a^5}{(a+b)/(a-b)} / ((a+b)*(a-b))^{(1/2)} * \frac{\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))}{(a+b)*(a-b)^{(1/2)}} * \frac{A-8/d/a^2*b^3}{(a+b)/(a-b)} / ((a+b)*(a-b))^{(1/2)} * \frac{\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))}{(a+b)*(a-b)^{(1/2)}} * \frac{B+6/d*b^5/a^4}{(a+b)/(a-b)} / ((a+b)*(a-b))^{(1/2)} * \frac{\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))}{(a+b)*(a-b)^{(1/2)}} * B$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 0.815434, size = 2592, normalized size = 7.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] [1/6*(3*(B*a^8 - 2*A*a^7*b + 4*B*a^6*b^2 - 4*A*a^5*b^3 - 11*B*a^4*b^4 + 14*A*a^3*b^5 + 6*B*a^2*b^6 - 8*A*a*b^7)*d*x*cos(d*x + c) + 3*(B*a^7*b - 2*A*a^6*b^2 + 4*B*a^5*b^3 - 4*A*a^4*b^4 - 11*B*a^3*b^5 + 14*A*a^2*b^6 + 6*B*a*b^7 - 8*A*b^8)*d*x + 3*(4*B*a^3*b^4 - 5*A*a^2*b^5 - 3*B*a*b^6 + 4*A*b^7 + (4*B*a^4*b^3 - 5*A*a^3*b^4 - 3*B*a^2*b^5 + 4*A*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c))^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + (4*A*a^7*b - 12*B*a^6*b^2 + 10*A*a^5*b^3 + 30*B*a^4*b^4 - 38*A*a^3*b^5 - 18*B*a^2*b^6 + 24*A*a*b^7 + 2*(A*a^8 - 2*A*a^6*b^2 + A*a^4*b^4)*cos(d*x + c)^3 + (3*B*a^8 - 4*A*a^7*b - 6*B*a^6*b^2 + 8*A*a^5*b^3 + 3*B*a^4*b^4 - 4*A*a^3*b^5)*cos(d*x + c)^2 + (4*A*a^8 - 9*B*a^7*b + 4*A*a^6*b^2 + 18*B*a^5*b^3 - 20*A*a^4*b^4 - 9*B*a^3*b^5 + 12*A*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^10 - 2*a^8*b^2 + a^6*b^4)*d*cos(d*x + c) + (a^9*b - 2*a^7*b^3 + a^5*b^5)*d), 1/6*(3*(B*a^8 - 2*A*a^7*b + 4*B*a^6*b^2 - 4*A*a^5*b^3 - 11*B*a^4*b^4 + 14*A*a^3*b^5 + 6*B*a^2*b^6 - 8*A*a*b^7)*d*x*cos(d*x + c) + 3*(B*a^7*b - 2*A*a^6*b^2 + 4*B*a^5*b^3 - 4*A*a^4*b^4 - 11*B*a^3*b^5 + 14*A*a^2*b^6 + 6*B*a*b^7 - 8*A*b^8)*d*x - 6*(4*B*a^3*b^4 - 5*A*a^2*b^5 - 3*B*a*b^6 + 4*A*b^7 + (4*B*a^4*b^3 - 5*A*a^3*b^4 - 3*B*a^2*b^5 + 4*A*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (4*A*a^7*b - 12*B*a^6*b^2 + 10*A*a^5*b^3 + 30*B*a^4*b^4 - 38*A*a^3*b^5 - 18*B*a^2*b^6 + 24*A*a*b^7 + 2*(A*a^8 - 2*A*a^6*b^2 + A*a^4*b^4)*cos(d*x + c)^3 + (3*B*a^8 - 4*A*a^7*b - 6*B*a^6*b^2 + 8*A*a^5*b^3 + 3*B*a^4*b^4 - 4*A*a^3*b^5)*cos(d*x + c)^2 + (4*A*a^8 - 9*B*a^7*b + 4*A*a^6*b^2 + 18*B*a^5*b^3 - 20*A*a^4*b^4 - 9*B*a^3*b^5 + 12*A*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^10 - 2*a^8*b^2 + a^6*b^4)*d*cos(d*x + c) + (a^9*b - 2*a^7*b^3 + a^5*b^5)*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [A] time = 1.49033, size = 639, normalized size = 1.85

$$\frac{12(4Ba^3b^3 - 5Aa^2b^4 - 3Bab^5 + 4Ab^6) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^7 - a^5b^2)\sqrt{-a^2+b^2}} + \frac{12(Bab^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - Ab^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))}{(a^6 - a^4b^2) \left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out]
$$-1/6*(12*(4B*a^3*b^3 - 5A*a^2*b^4 - 3B*a*b^5 + 4A*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^7 - a^5*b^2)*\sqrt{-a^2 + b^2}) + 12*(B*a*b^4*\tan(1/2*d*x + 1/2*c) - A*b^5*\tan(1/2*d*x + 1/2*c))/((a^6 - a^4*b^2)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)) - 3*(B*a^3 - 2A*a^2*b + 6B*a*b^2 - 8A*b^3)*(d*x + c)/a^5 - 2*(6A*a^2*\tan(1/2*d*x + 1/2*c)^5 - 3B*a^2*\tan(1/2*d*x + 1/2*c)^5 + 6A*a*b*\tan(1/2*d*x + 1/2*c)^5 - 12B*a*b*\tan(1/2*d*x + 1/2*c)^5 + 18A*b^2*\tan(1/2*d*x + 1/2*c)^5 + 4A*a^2*\tan(1/2*d*x + 1/2*c)^3 - 24B*a*b*\tan(1/2*d*x + 1/2*c)^3 + 36A*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6A*a^2*\tan(1/2*d*x + 1/2*c) + 3B*a^2*\tan(1/2*d*x + 1/2*c) - 6A*a*b*\tan(1/2*d*x + 1/2*c) - 12B*a*b*\tan(1/2*d*x + 1/2*c) + 18A*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^4))/d$$

$$3.328 \quad \int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=407

$$\frac{(-11a^2Ab^3 + 6a^4Ab + 21a^3b^2B - 12a^5B - 6ab^4B + 2Ab^5) \tan(c+dx)}{2b^4d(a^2 - b^2)^2} - \frac{(-12a^2B + 6aAb - b^2B) \tanh^{-1}(\sin(c+dx))}{2b^5d} +$$

[Out] -((6*a*A*b - 12*a^2*B - b^2*B)*ArcTanh[Sin[c + d*x]])/(2*b^5*d) + (a^2*(6*a^4*A*b - 15*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 29*a^3*b^2*B - 20*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^5*(a + b)^(5/2)*d) + ((6*a^4*A*b - 11*a^2*A*b^3 + 2*A*b^5 - 12*a^5*B + 21*a^3*b^2*B - 6*a*b^4*B)*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) - ((3*a^3*A*b - 6*a*A*b^3 - 6*a^4*B + 10*a^2*b^2*B - b^4*B)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Sec[c + d*x]^3*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (a*(2*a^2*A*b - 5*A*b^3 - 4*a^3*B + 7*a*b^2*B)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.95939, antiderivative size = 407, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {4029, 4098, 4092, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(-11a^2Ab^3 + 6a^4Ab + 21a^3b^2B - 12a^5B - 6ab^4B + 2Ab^5) \tan(c+dx)}{2b^4d(a^2 - b^2)^2} - \frac{(-12a^2B + 6aAb - b^2B) \tanh^{-1}(\sin(c+dx))}{2b^5d} +$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] -((6*a*A*b - 12*a^2*B - b^2*B)*ArcTanh[Sin[c + d*x]])/(2*b^5*d) + (a^2*(6*a^4*A*b - 15*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 29*a^3*b^2*B - 20*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^5*(a + b)^(5/2)*d) + ((6*a^4*A*b - 11*a^2*A*b^3 + 2*A*b^5 - 12*a^5*B + 21*a^3*b^2*B - 6*a*b^4*B)*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) - ((3*a^3*A*b - 6*a*A*b^3 - 6*a^4*B + 10*a^2*b^2*B - b^4*B)*Sec[c + d*x]*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Sec[c + d*x]^3*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (a*(2*a^2*A*b - 5*A*b^3 - 4*a^3*B + 7*a*b^2*B)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)), x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4092

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Csc[e + f*x]*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[a*C + b*(C*(m + 2) + A*(m + 3))*Csc[e + f*x] - (2*a*C - b*B*(m + 3))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^5(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{a(Ab-aB)\sec^3(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{\int \frac{\sec^3(c+dx)(3a(Ab-aB)-2b(Ab-aB)\sec(c+dx)-}{(a+b\sec(c+dx))^2}}{2b(a^2-b^2)}}{2b(a^2-b^2)} \\
&= \frac{a(Ab-aB)\sec^3(c+dx)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{a(2a^2Ab-5Ab^3-4a^3B+7ab^2B)\sec^3(c+dx)\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(3a^3Ab-6aAb^3-6a^4B+10a^2b^2B-b^4B)\sec(c+dx)\tan(c+dx)}{2b^3(a^2-b^2)^2d} + \frac{a(Ab-aB)\sec^3(c+dx)\tan(c+dx)}{2b(a^2-b^2)d} \\
&= \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\tan(c+dx)}{2b^4(a^2-b^2)^2d} - \frac{(3a^3Ab-6aAb^3-6a^4B+10a^2b^2B-b^4B)\sec(c+dx)\tan(c+dx)}{2b^3(a^2-b^2)^2d} \\
&= \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\tan(c+dx)}{2b^4(a^2-b^2)^2d} - \frac{(3a^3Ab-6aAb^3-6a^4B+10a^2b^2B-b^4B)\sec(c+dx)\tan(c+dx)}{2b^3(a^2-b^2)^2d} \\
&= -\frac{(6aAb-12a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^5d} + \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\tan(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= -\frac{(6aAb-12a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^5d} + \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\tan(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= -\frac{(6aAb-12a^2B-b^2B)\tanh^{-1}(\sin(c+dx))}{2b^5d} + \frac{a^2(6a^4Ab-15a^2Ab^3+12Ab^5-12a^5B+21a^3b^2B-6ab^4B)\tan(c+dx)}{2b^4(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 2.9472, size = 507, normalized size = 1.25

$$\frac{16a^2(15a^2Ab^3-6a^4Ab-29a^3b^2B+12a^5B+20ab^4B-12Ab^5)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}} - 8(12a^2B-6aAb+b^2B)\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right) - \sin(c+dx)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

```
[Out] ((16*a^2*(-6*a^4*A*b + 15*a^2*A*b^3 - 12*A*b^5 + 12*a^5*B - 29*a^3*b^2*B +
20*a*b^4*B)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/(a^2 - b^
2)^(5/2) - 8*(-6*a*A*b + 12*a^2*B + b^2*B)*Log[Cos[(c + d*x)/2] - Sin[(c +
d*x)/2]] + 8*(-6*a*A*b + 12*a^2*B + b^2*B)*Log[Cos[(c + d*x)/2] + Sin[(c +
d*x)/2]] + (2*b*(18*a^5*A*b^2 - 32*a^3*A*b^4 + 8*a*A*b^6 - 36*a^6*b*B + 68*
a^4*b^3*B - 30*a^2*b^5*B + 4*b^7*B + (18*a^6*A*b - 25*a^4*A*b^3 - 10*a^2*A*
b^5 + 8*A*b^7 - 36*a^7*B + 47*a^5*b^2*B + 14*a^3*b^4*B - 16*a*b^6*B)*Cos[c
+ d*x] - 2*a*b*(-9*a^4*A*b + 16*a^2*A*b^3 - 4*A*b^5 + 18*a^5*B - 32*a^3*b^2
*B + 11*a*b^4*B)*Cos[2*(c + d*x)] + 6*a^6*A*b*Cos[3*(c + d*x)] - 11*a^4*A*b
^3*Cos[3*(c + d*x)] + 2*a^2*A*b^5*Cos[3*(c + d*x)] - 12*a^7*B*Cos[3*(c + d
x)] + 21*a^5*b^2*B*Cos[3*(c + d*x)] - 6*a^3*b^4*B*Cos[3*(c + d*x)])*Sec[c +
d*x]*Tan[c + d*x])/((a^2 - b^2)^2*(b + a*Cos[c + d*x])^2))/(16*b^5*d)
```

Maple [B] time = 0.106, size = 1599, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x)
```

```
[Out] 6/d*a^6/b^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d
*x+1/2*c))/((a+b)*(a-b))^(1/2)*A-15/d*a^4/b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a
-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*A-12/d*a^7
/b^5/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*
c))/((a+b)*(a-b))^(1/2)*B+29/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1
/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2)*B-20/d*a^3/b/(a^4
-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)
*(a-b))^(1/2)*B+10/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*
b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B-1/d*a^5/b^3/(tan(1/2*d*x+1/2*c)
^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B+1/d*a
^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*
tan(1/2*d*x+1/2*c)*A-8/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2
*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-4/d*a^5/b^3/(tan(1/2*d*x+1/2*c)
^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)
^3*A+4/d*a^5/b^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+
b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-1/d*a^5/b^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2
*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-10/d*a^
4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*
b+b^2)*tan(1/2*d*x+1/2*c)^3*B+1/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d
*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+8/d*a^3/b
/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2
```

$$\begin{aligned} &) * \tan(1/2*d*x+1/2*c)^3 * A + 6/d * a^6/b^4 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^2 / (a - b) / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x+1/2*c)^3 * B - 6/d * a^6/b^4 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^2 / (a + b) / (a - b)^2 * \tan(1/2*d*x+1/2*c) * B + 1/2/d/b^3 / (\tan(1/2*d*x+1/2*c) - 1) * B - 1/2/d * B/b^3 / (\tan(1/2*d*x+1/2*c) + 1)^2 - 1/d/b^3 / (\tan(1/2*d*x+1/2*c) + 1) * A + 1/2/d/b^3 / (\tan(1/2*d*x+1/2*c) + 1) * B - 1/2/d/b^3 * \ln(\tan(1/2*d*x+1/2*c) - 1) * B + 1/2/d/b^3 * \ln(\tan(1/2*d*x+1/2*c) + 1) * B + 1/2/d * B/b^3 / (\tan(1/2*d*x+1/2*c) - 1)^2 - 1/d/b^3 / (\tan(1/2*d*x+1/2*c) - 1) * A + 3/d/b^4 * \ln(\tan(1/2*d*x+1/2*c) - 1) * A * a - 6/d/b^5 * \ln(\tan(1/2*d*x+1/2*c) - 1) * B * a^2 + 3/d/b^4 / (\tan(1/2*d*x+1/2*c) + 1) * B * a - 3/d/b^4 * \ln(\tan(1/2*d*x+1/2*c) + 1) * A * a + 6/d/b^5 * \ln(\tan(1/2*d*x+1/2*c) + 1) * B * a^2 + 3/d/b^4 / (\tan(1/2*d*x+1/2*c) - 1) * B * a + 12/d * a^2 / (a^4 - 2*a^2*b^2 + b^4) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan(1/2*d*x+1/2*c) / ((a + b) * (a - b))^{(1/2)}) * A \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 171.058, size = 5414, normalized size = 13.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4 * (((12 * B * a^9 - 6 * A * a^8 * b - 29 * B * a^7 * b^2 + 15 * A * a^6 * b^3 + 20 * B * a^5 * b^4 - 12 * A * a^4 * b^5) * \cos(d * x + c)^4 + 2 * (12 * B * a^8 * b - 6 * A * a^7 * b^2 - 29 * B * a^6 * b^3 + 15 * A * a^5 * b^4 + 20 * B * a^4 * b^5 - 12 * A * a^3 * b^6) * \cos(d * x + c)^3 + (12 * B * a^7 * b^2 - 6 * A * a^6 * b^3 - 29 * B * a^5 * b^4 + 15 * A * a^4 * b^5 + 20 * B * a^3 * b^6 - 12 * A * a^2 * b^7) * \cos(d * x + c)^2) * \sqrt{a^2 - b^2} * \log((2 * a * b * \cos(d * x + c) - (a^2 - 2 * b^2) * \cos(d * x + c))^2 + 2 * \sqrt{a^2 - b^2} * (b * \cos(d * x + c) + a) * \sin(d * x + c) + 2 * a^2 - b^2) / (a^2 * \cos(d * x + c)^2 + 2 * a * b * \cos(d * x + c) + b^2)) - ((12 * B * a^{10} - 6 \end{aligned}$$

$$\begin{aligned}
& *A*a^9*b - 35*B*a^8*b^2 + 18*A*a^7*b^3 + 33*B*a^6*b^4 - 18*A*a^5*b^5 - 9*B* \\
& a^4*b^6 + 6*A*a^3*b^7 - B*a^2*b^8)*\cos(dx + c)^4 + 2*(12*B*a^9*b - 6*A*a^8 \\
& *b^2 - 35*B*a^7*b^3 + 18*A*a^6*b^4 + 33*B*a^5*b^5 - 18*A*a^4*b^6 - 9*B*a^3* \\
& b^7 + 6*A*a^2*b^8 - B*a*b^9)*\cos(dx + c)^3 + (12*B*a^8*b^2 - 6*A*a^7*b^3 - \\
& 35*B*a^6*b^4 + 18*A*a^5*b^5 + 33*B*a^4*b^6 - 18*A*a^3*b^7 - 9*B*a^2*b^8 + \\
& 6*A*a*b^9 - B*b^10)*\cos(dx + c)^2*\log(\sin(dx + c) + 1) + ((12*B*a^10 - 6 \\
& *A*a^9*b - 35*B*a^8*b^2 + 18*A*a^7*b^3 + 33*B*a^6*b^4 - 18*A*a^5*b^5 - 9*B* \\
& a^4*b^6 + 6*A*a^3*b^7 - B*a^2*b^8)*\cos(dx + c)^4 + 2*(12*B*a^9*b - 6*A*a^8 \\
& *b^2 - 35*B*a^7*b^3 + 18*A*a^6*b^4 + 33*B*a^5*b^5 - 18*A*a^4*b^6 - 9*B*a^3* \\
& b^7 + 6*A*a^2*b^8 - B*a*b^9)*\cos(dx + c)^3 + (12*B*a^8*b^2 - 6*A*a^7*b^3 - \\
& 35*B*a^6*b^4 + 18*A*a^5*b^5 + 33*B*a^4*b^6 - 18*A*a^3*b^7 - 9*B*a^2*b^8 + \\
& 6*A*a*b^9 - B*b^10)*\cos(dx + c)^2*\log(-\sin(dx + c) + 1) - 2*(B*a^6*b^4 - \\
& 3*B*a^4*b^6 + 3*B*a^2*b^8 - B*b^10 - (12*B*a^9*b - 6*A*a^8*b^2 - 33*B*a^7* \\
& b^3 + 17*A*a^6*b^4 + 27*B*a^5*b^5 - 13*A*a^4*b^6 - 6*B*a^3*b^7 + 2*A*a^2*b^ \\
& 8)*\cos(dx + c)^3 - (18*B*a^8*b^2 - 9*A*a^7*b^3 - 50*B*a^6*b^4 + 25*A*a^5*b \\
& ^5 + 43*B*a^4*b^6 - 20*A*a^3*b^7 - 11*B*a^2*b^8 + 4*A*a*b^9)*\cos(dx + c)^2 \\
& - 2*(2*B*a^7*b^3 - A*a^6*b^4 - 6*B*a^5*b^5 + 3*A*a^4*b^6 + 6*B*a^3*b^7 - 3 \\
& *A*a^2*b^8 - 2*B*a*b^9 + A*b^10)*\cos(dx + c))*\sin(dx + c))/((a^8*b^5 - 3* \\
& a^6*b^7 + 3*a^4*b^9 - a^2*b^11)*d*\cos(dx + c)^4 + 2*(a^7*b^6 - 3*a^5*b^8 + \\
& 3*a^3*b^10 - a*b^12)*d*\cos(dx + c)^3 + (a^6*b^7 - 3*a^4*b^9 + 3*a^2*b^11 \\
& - b^13)*d*\cos(dx + c)^2), -1/4*(2*((12*B*a^9 - 6*A*a^8*b - 29*B*a^7*b^2 + \\
& 15*A*a^6*b^3 + 20*B*a^5*b^4 - 12*A*a^4*b^5)*\cos(dx + c)^4 + 2*(12*B*a^8*b \\
& - 6*A*a^7*b^2 - 29*B*a^6*b^3 + 15*A*a^5*b^4 + 20*B*a^4*b^5 - 12*A*a^3*b^6)* \\
& \cos(dx + c)^3 + (12*B*a^7*b^2 - 6*A*a^6*b^3 - 29*B*a^5*b^4 + 15*A*a^4*b^5 \\
& + 20*B*a^3*b^6 - 12*A*a^2*b^7)*\cos(dx + c)^2)*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{ \\
& t(-a^2 + b^2)*(b*\cos(dx + c) + a)/((a^2 - b^2)*\sin(dx + c)) - ((12*B*a^1 \\
& 0 - 6*A*a^9*b - 35*B*a^8*b^2 + 18*A*a^7*b^3 + 33*B*a^6*b^4 - 18*A*a^5*b^5 - \\
& 9*B*a^4*b^6 + 6*A*a^3*b^7 - B*a^2*b^8)*\cos(dx + c)^4 + 2*(12*B*a^9*b - 6* \\
& A*a^8*b^2 - 35*B*a^7*b^3 + 18*A*a^6*b^4 + 33*B*a^5*b^5 - 18*A*a^4*b^6 - 9*B \\
& *a^3*b^7 + 6*A*a^2*b^8 - B*a*b^9)*\cos(dx + c)^3 + (12*B*a^8*b^2 - 6*A*a^7* \\
& b^3 - 35*B*a^6*b^4 + 18*A*a^5*b^5 + 33*B*a^4*b^6 - 18*A*a^3*b^7 - 9*B*a^2*b \\
& ^8 + 6*A*a*b^9 - B*b^10)*\cos(dx + c)^2)*\log(\sin(dx + c) + 1) + ((12*B*a^1 \\
& 0 - 6*A*a^9*b - 35*B*a^8*b^2 + 18*A*a^7*b^3 + 33*B*a^6*b^4 - 18*A*a^5*b^5 - \\
& 9*B*a^4*b^6 + 6*A*a^3*b^7 - B*a^2*b^8)*\cos(dx + c)^4 + 2*(12*B*a^9*b - 6* \\
& A*a^8*b^2 - 35*B*a^7*b^3 + 18*A*a^6*b^4 + 33*B*a^5*b^5 - 18*A*a^4*b^6 - 9*B \\
& *a^3*b^7 + 6*A*a^2*b^8 - B*a*b^9)*\cos(dx + c)^3 + (12*B*a^8*b^2 - 6*A*a^7* \\
& b^3 - 35*B*a^6*b^4 + 18*A*a^5*b^5 + 33*B*a^4*b^6 - 18*A*a^3*b^7 - 9*B*a^2*b \\
& ^8 + 6*A*a*b^9 - B*b^10)*\cos(dx + c)^2)*\log(-\sin(dx + c) + 1) - 2*(B*a^6* \\
& b^4 - 3*B*a^4*b^6 + 3*B*a^2*b^8 - B*b^10 - (12*B*a^9*b - 6*A*a^8*b^2 - 33*B \\
& *a^7*b^3 + 17*A*a^6*b^4 + 27*B*a^5*b^5 - 13*A*a^4*b^6 - 6*B*a^3*b^7 + 2*A*a \\
& ^2*b^8)*\cos(dx + c)^3 - (18*B*a^8*b^2 - 9*A*a^7*b^3 - 50*B*a^6*b^4 + 25*A* \\
& a^5*b^5 + 43*B*a^4*b^6 - 20*A*a^3*b^7 - 11*B*a^2*b^8 + 4*A*a*b^9)*\cos(dx + \\
& c)^2 - 2*(2*B*a^7*b^3 - A*a^6*b^4 - 6*B*a^5*b^5 + 3*A*a^4*b^6 + 6*B*a^3*b^ \\
& 7 - 3*A*a^2*b^8 - 2*B*a*b^9 + A*b^10)*\cos(dx + c))*\sin(dx + c))/((a^8*b^5 \\
& - 3*a^6*b^7 + 3*a^4*b^9 - a^2*b^11)*d*\cos(dx + c)^4 + 2*(a^7*b^6 - 3*a^5*
\end{aligned}$$

$b^8 + 3a^3b^{10} - ab^{12})d\cos(dx + c)^3 + (a^6b^7 - 3a^4b^9 + 3a^2b^{11} - b^{13})d\cos(dx + c)^2]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^5(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**5*(A+B*sec(dx+c))/(a+b*sec(dx+c))**3,x)

[Out] Integral((A + B*sec(c + dx))*sec(c + dx)**5/(a + b*sec(c + dx))**3, x)

Giac [B] time = 1.70943, size = 1878, normalized size = 4.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^5*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="giac")

[Out]
$$-1/2*(2*(12B*a^7 - 6A*a^6*b - 29B*a^5*b^2 + 15A*a^4*b^3 + 20B*a^3*b^4 - 12A*a^2*b^5)*(pi*floor(1/2*(dx + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*dx + 1/2*c) - b*tan(1/2*dx + 1/2*c))/sqrt(-a^2 + b^2)))/((a^4*b^5 - 2a^2*b^7 + b^9)*sqrt(-a^2 + b^2)) - 2*(12B*a^7*tan(1/2*dx + 1/2*c)^7 - 6A*a^6*b*tan(1/2*dx + 1/2*c)^7 - 18B*a^6*b*tan(1/2*dx + 1/2*c)^7 + 9A*a^5*b^2*tan(1/2*dx + 1/2*c)^7 - 17B*a^5*b^2*tan(1/2*dx + 1/2*c)^7 + 9A*a^4*b^3*tan(1/2*dx + 1/2*c)^7 + 33B*a^4*b^3*tan(1/2*dx + 1/2*c)^7 - 16A*a^3*b^4*tan(1/2*dx + 1/2*c)^7 - 2B*a^3*b^4*tan(1/2*dx + 1/2*c)^7 + 2A*a^2*b^5*tan(1/2*dx + 1/2*c)^7 - 13B*a^2*b^5*tan(1/2*dx + 1/2*c)^7 + 4A*a*b^6*tan(1/2*dx + 1/2*c)^7 + 4B*a*b^6*tan(1/2*dx + 1/2*c)^7 - 2A*b^7*tan(1/2*dx + 1/2*c)^7 + B*b^7*tan(1/2*dx + 1/2*c)^7 - 36B*a^7*tan(1/2*dx + 1/2*c)^5 + 18A*a^6*b*tan(1/2*dx + 1/2*c)^5 + 18B*a^6*b*tan(1/2*dx + 1/2*c)^5 - 9A*a^5*b^2*tan(1/2*dx + 1/2*c)^5 + 67B*a^5*b^2*tan(1/2*dx + 1/2*c)^5 - 35A*a^4*b^3*tan(1/2*dx + 1/2*c)^5 - 29B*a^4*b^3*tan(1/2*dx + 1/2*c)^5 + 16A*a^3*b^4*tan(1/2*dx + 1/2*c)^5 - 26B*a^3*b^4*tan(1/2*dx + 1/2*c)^5 + 10A*a^2*b^5*tan(1/2*dx + 1/2*c)^5 + 5B*a^2*b^5*tan(1/2*dx + 1/2*c)^5$$

$$\begin{aligned}
& 2*d*x + 1/2*c)^5 - 4*A*a*b^6*\tan(1/2*d*x + 1/2*c)^5 + 4*B*a*b^6*\tan(1/2*d*x \\
& + 1/2*c)^5 - 2*A*b^7*\tan(1/2*d*x + 1/2*c)^5 + 3*B*b^7*\tan(1/2*d*x + 1/2*c) \\
& ^5 + 36*B*a^7*\tan(1/2*d*x + 1/2*c)^3 - 18*A*a^6*b*\tan(1/2*d*x + 1/2*c)^3 + \\
& 18*B*a^6*b*\tan(1/2*d*x + 1/2*c)^3 - 9*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 - 67 \\
& *B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 + 35*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 2 \\
& 9*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 + 16*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + \\
& 26*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 - 10*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + \\
& 5*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a*b^6*\tan(1/2*d*x + 1/2*c)^3 - 4* \\
& B*a*b^6*\tan(1/2*d*x + 1/2*c)^3 + 2*A*b^7*\tan(1/2*d*x + 1/2*c)^3 + 3*B*b^7*tan \\
& (1/2*d*x + 1/2*c)^3 - 12*B*a^7*\tan(1/2*d*x + 1/2*c) + 6*A*a^6*b*\tan(1/2*d \\
& *x + 1/2*c) - 18*B*a^6*b*\tan(1/2*d*x + 1/2*c) + 9*A*a^5*b^2*\tan(1/2*d*x + 1 \\
& /2*c) + 17*B*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 9*A*a^4*b^3*\tan(1/2*d*x + 1/2*c \\
&) + 33*B*a^4*b^3*\tan(1/2*d*x + 1/2*c) - 16*A*a^3*b^4*\tan(1/2*d*x + 1/2*c) + \\
& 2*B*a^3*b^4*\tan(1/2*d*x + 1/2*c) - 2*A*a^2*b^5*\tan(1/2*d*x + 1/2*c) - 13*B \\
& *a^2*b^5*\tan(1/2*d*x + 1/2*c) + 4*A*a*b^6*\tan(1/2*d*x + 1/2*c) - 4*B*a*b^6* \\
& \tan(1/2*d*x + 1/2*c) + 2*A*b^7*\tan(1/2*d*x + 1/2*c) + B*b^7*\tan(1/2*d*x + 1 \\
& /2*c))/((a^4*b^4 - 2*a^2*b^6 + b^8)*(a*\tan(1/2*d*x + 1/2*c)^4 - b*\tan(1/2*d \\
& *x + 1/2*c)^4 - 2*a*\tan(1/2*d*x + 1/2*c)^2 + a + b)^2) - (12*B*a^2 - 6*A*a* \\
& b + B*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/b^5 + (12*B*a^2 - 6*A*a*b + B \\
& *b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/b^5)/d
\end{aligned}$$

$$3.329 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=289

$$\frac{(-3a^2B + aAb + 2b^2B) \tan(c + dx)}{2b^3d(a^2 - b^2)} - \frac{a(-5a^2Ab^3 + 2a^4Ab + 15a^3b^2B - 6a^5B - 12ab^4B + 6Ab^5) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

```
[Out] ((A*b - 3*a*B)*ArcTanh[Sin[c + d*x]])/(b^4*d) - (a*(2*a^4*A*b - 5*a^2*A*b^3 + 6*A*b^5 - 6*a^5*B + 15*a^3*b^2*B - 12*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^4*(a + b)^(5/2)*d) - ((a*A*b - 3*a^2*B + 2*b^2*B)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) + (a*(A*b - a*B)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a^2*(a^2*A*b - 4*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 1.42402, antiderivative size = 289, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {4029, 4090, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(-3a^2B + aAb + 2b^2B) \tan(c + dx)}{2b^3d(a^2 - b^2)} - \frac{a(-5a^2Ab^3 + 2a^4Ab + 15a^3b^2B - 6a^5B - 12ab^4B + 6Ab^5) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]
```

```
[Out] ((A*b - 3*a*B)*ArcTanh[Sin[c + d*x]])/(b^4*d) - (a*(2*a^4*A*b - 5*a^2*A*b^3 + 6*A*b^5 - 6*a^5*B + 15*a^3*b^2*B - 12*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^4*(a + b)^(5/2)*d) - ((a*A*b - 3*a^2*B + 2*b^2*B)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)*d) + (a*(A*b - a*B)*Sec[c + d*x]^2*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a^2*(a^2*A*b - 4*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Tan[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*
```

```
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B - a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4082

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
```


}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^3} dx &= \frac{a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{\int \frac{\sec^2(c + dx)(2a(Ab - aB) - 2b(Ab - aB) \sec(c + dx) - (a + b \sec(c + dx))^2)}{(a + b \sec(c + dx))^2} dx}{2b(a^2 - b^2)} \\
 &= \frac{a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} - \frac{a^2(a^2 Ab - 4Ab^3 - 3a^3 B + 6ab^2 B) \tan(c + dx)}{2b^3(a^2 - b^2)^2 d(a + b \sec(c + dx))} \\
 &= -\frac{(aAb - 3a^2 B + 2b^2 B) \tan(c + dx)}{2b^3(a^2 - b^2)d} + \frac{a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} - \\
 &= -\frac{(aAb - 3a^2 B + 2b^2 B) \tan(c + dx)}{2b^3(a^2 - b^2)d} + \frac{a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} - \\
 &= \frac{(Ab - 3aB) \tanh^{-1}(\sin(c + dx))}{b^4 d} - \frac{(aAb - 3a^2 B + 2b^2 B) \tan(c + dx)}{2b^3(a^2 - b^2)d} + \frac{a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} \\
 &= \frac{(Ab - 3aB) \tanh^{-1}(\sin(c + dx))}{b^4 d} - \frac{(aAb - 3a^2 B + 2b^2 B) \tan(c + dx)}{2b^3(a^2 - b^2)d} + \frac{a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{2b(a^2 - b^2)d(a + b \sec(c + dx))^2} \\
 &= \frac{(Ab - 3aB) \tanh^{-1}(\sin(c + dx))}{b^4 d} - \frac{a(2a^4 Ab - 5a^2 Ab^3 + 6Ab^5 - 6a^5 B + 15a^3 B^2)}{(a - b)^{5/2} b^4 d}
 \end{aligned}$$

Mathematica [A] time = 6.47046, size = 418, normalized size = 1.45

$$\frac{a^2 A b \sin(c + dx) - a^3 B \sin(c + dx)}{2b^2 d(b - a)(a + b)(a \cos(c + dx) + b)^2} + \frac{5a^2 A b^3 \sin(c + dx) - 2a^4 A b \sin(c + dx) - 7a^3 b^2 B \sin(c + dx) + 4a^5 B \sin(c + dx)}{2b^3 d(b - a)^2(a + b)^2(a \cos(c + dx) + b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] (a*(2*a^4*A*b - 5*a^2*A*b^3 + 6*A*b^5 - 6*a^5*B + 15*a^3*b^2*B - 12*a*b^4*B)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])/(b^4*Sqrt[a^2 - b^2])*(-a^2 + b^2)^2*d + ((-(A*b) + 3*a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/(b^4*d) + ((A*b - 3*a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/(b^4*d) + (B*Sin[(c + d*x)/2])/(b^3*d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (B*Sin[(c + d*x)/2])/(b^3*d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])) + (a^2*A*b*Sin[c + d*x] - a^3*B*Sin[c + d*x])/(2*b^2*(-a + b)*(a + b)*d*(b + a*Cos[c + d*x])^2) + (-2*a^4*A*b*Sin[c + d*x] + 5*a^2*A*b^3*Sin[c + d*x] + 4*a^5*B*Sin[c + d*x] - 7*a^3*b^2*B*Sin[c + d*x])/(2*b^3*(-a + b)^2*(a + b)^2*d*(b + a*Cos[c + d*x]))

Maple [B] time = 0.097, size = 1406, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x)

[Out] 2/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-1/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-6/d*a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-4/d*a^5/b^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+1/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+8/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-2/d*a^4/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-1/d*a^3/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a

$$\begin{aligned}
& +b)/(a-b)^2 \tan(1/2 dx + 1/2 c) * A + 6/d * a^2 / (\tan(1/2 dx + 1/2 c))^2 * a - \tan(1/2 dx + 1/2 c)^2 * b - a - b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx + 1/2 c) * A + 4/d * a^5 / b^3 / (\tan(1/2 dx + 1/2 c))^2 * a - \tan(1/2 dx + 1/2 c)^2 * b - a - b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx + 1/2 c) * B + 1/d * a^4 / b^2 / (\tan(1/2 dx + 1/2 c))^2 * a - \tan(1/2 dx + 1/2 c)^2 * b - a - b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx + 1/2 c) * B - 8/d * a^3 / b / (\tan(1/2 dx + 1/2 c))^2 * a - \tan(1/2 dx + 1/2 c)^2 * b - a - b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx + 1/2 c) * B - 2/d * a^5 / b^3 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) * (a-b))^{1/2} * \operatorname{arctanh}((a-b) * \tan(1/2 dx + 1/2 c) / ((a+b) * (a-b))^{1/2}) * A + 5/d * a^3 / b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) * (a-b))^{1/2} * \operatorname{arctanh}((a-b) * \tan(1/2 dx + 1/2 c) / ((a+b) * (a-b))^{1/2}) * A - 6/d * a * b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) * (a-b))^{1/2} * \operatorname{arctanh}((a-b) * \tan(1/2 dx + 1/2 c) / ((a+b) * (a-b))^{1/2}) * A + 6/d * a^6 / b^4 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) * (a-b))^{1/2} * \operatorname{arctanh}((a-b) * \tan(1/2 dx + 1/2 c) / ((a+b) * (a-b))^{1/2}) * B - 15/d * a^4 / b^2 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) * (a-b))^{1/2} * \operatorname{arctanh}((a-b) * \tan(1/2 dx + 1/2 c) / ((a+b) * (a-b))^{1/2}) * B + 12/d * a^2 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) * (a-b))^{1/2} * \operatorname{arctanh}((a-b) * \tan(1/2 dx + 1/2 c) / ((a+b) * (a-b))^{1/2}) * B - 1/d / b^3 / (\tan(1/2 dx + 1/2 c) + 1) * B + 1/d / b^3 * \ln(\tan(1/2 dx + 1/2 c) + 1) * A - 3/d / b^4 * \ln(\tan(1/2 dx + 1/2 c) + 1) * B * a - 1/d / b^3 / (\tan(1/2 dx + 1/2 c) - 1) * B - 1/d / b^3 * \ln(\tan(1/2 dx + 1/2 c) - 1) * A + 3/d / b^4 * \ln(\tan(1/2 dx + 1/2 c) - 1) * B * a
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 114.913, size = 4591, normalized size = 15.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4 * (((6 * B * a^8 - 2 * A * a^7 * b - 15 * B * a^6 * b^2 + 5 * A * a^5 * b^3 + 12 * B * a^4 * b^4 - \\ & 6 * A * a^3 * b^5) * \cos(dx + c)^3 + 2 * (6 * B * a^7 * b - 2 * A * a^6 * b^2 - 15 * B * a^5 * b^3 + 5 \\ & * A * a^4 * b^4 + 12 * B * a^3 * b^5 - 6 * A * a^2 * b^6) * \cos(dx + c)^2 + (6 * B * a^6 * b^2 - 2 * \\ & A * a^5 * b^3 - 15 * B * a^4 * b^4 + 5 * A * a^3 * b^5 + 12 * B * a^2 * b^6 - 6 * A * a * b^7) * \cos(dx \\ & + c) * \sqrt{a^2 - b^2} * \log((2 * a * b * \cos(dx + c) - (a^2 - 2 * b^2) * \cos(dx + c)^2 \\ & - 2 * \sqrt{a^2 - b^2} * (b * \cos(dx + c) + a) * \sin(dx + c) + 2 * a^2 - b^2) / (a^2 \\ & * \cos(dx + c)^2 + 2 * a * b * \cos(dx + c) + b^2)) + 2 * ((3 * B * a^9 - A * a^8 * b - 9 * B * \\ & a^7 * b^2 + 3 * A * a^6 * b^3 + 9 * B * a^5 * b^4 - 3 * A * a^4 * b^5 - 3 * B * a^3 * b^6 + A * a^2 * b^7 \\ &) * \cos(dx + c)^3 + 2 * (3 * B * a^8 * b - A * a^7 * b^2 - 9 * B * a^6 * b^3 + 3 * A * a^5 * b^4 + 9 \\ & * B * a^4 * b^5 - 3 * A * a^3 * b^6 - 3 * B * a^2 * b^7 + A * a * b^8) * \cos(dx + c)^2 + (3 * B * a^7 \\ & * b^2 - A * a^6 * b^3 - 9 * B * a^5 * b^4 + 3 * A * a^4 * b^5 + 9 * B * a^3 * b^6 - 3 * A * a^2 * b^7 - \\ & 3 * B * a * b^8 + A * b^9) * \cos(dx + c)) * \log(\sin(dx + c) + 1) - 2 * ((3 * B * a^9 - A * a^8 \\ & * b - 9 * B * a^7 * b^2 + 3 * A * a^6 * b^3 + 9 * B * a^5 * b^4 - 3 * A * a^4 * b^5 - 3 * B * a^3 * b^6 + \\ & A * a^2 * b^7) * \cos(dx + c)^3 + 2 * (3 * B * a^8 * b - A * a^7 * b^2 - 9 * B * a^6 * b^3 + 3 * A * a^5 \\ & * b^4 + 9 * B * a^4 * b^5 - 3 * A * a^3 * b^6 - 3 * B * a^2 * b^7 + A * a * b^8) * \cos(dx + c)^2 \\ & + (3 * B * a^7 * b^2 - A * a^6 * b^3 - 9 * B * a^5 * b^4 + 3 * A * a^4 * b^5 + 9 * B * a^3 * b^6 - 3 * A * \\ & a^2 * b^7 - 3 * B * a * b^8 + A * b^9) * \cos(dx + c)) * \log(-\sin(dx + c) + 1) - 2 * (2 * B * \\ & a^6 * b^3 - 6 * B * a^4 * b^5 + 6 * B * a^2 * b^7 - 2 * B * b^9 + (6 * B * a^8 * b - 2 * A * a^7 * b^2 - \\ & 17 * B * a^6 * b^3 + 7 * A * a^5 * b^4 + 13 * B * a^4 * b^5 - 5 * A * a^3 * b^6 - 2 * B * a^2 * b^7) * \cos(dx \\ & + c)^2 + (9 * B * a^7 * b^2 - 3 * A * a^6 * b^3 - 25 * B * a^5 * b^4 + 9 * A * a^4 * b^5 + 20 * B \\ & * a^3 * b^6 - 6 * A * a^2 * b^7 - 4 * B * a * b^8) * \cos(dx + c)) * \sin(dx + c) / ((a^8 * b^4 - \\ & 3 * a^6 * b^6 + 3 * a^4 * b^8 - a^2 * b^{10}) * d * \cos(dx + c)^3 + 2 * (a^7 * b^5 - 3 * a^5 * b^7 \\ & + 3 * a^3 * b^9 - a * b^{11}) * d * \cos(dx + c)^2 + (a^6 * b^6 - 3 * a^4 * b^8 + 3 * a^2 * b^{10} \\ & - b^{12}) * d * \cos(dx + c)), 1/2 * (((6 * B * a^8 - 2 * A * a^7 * b - 15 * B * a^6 * b^2 + 5 * A * \\ & a^5 * b^3 + 12 * B * a^4 * b^4 - 6 * A * a^3 * b^5) * \cos(dx + c)^3 + 2 * (6 * B * a^7 * b - 2 * A * a^6 \\ & * b^2 - 15 * B * a^5 * b^3 + 5 * A * a^4 * b^4 + 12 * B * a^3 * b^5 - 6 * A * a^2 * b^6) * \cos(dx + \\ & c)^2 + (6 * B * a^6 * b^2 - 2 * A * a^5 * b^3 - 15 * B * a^4 * b^4 + 5 * A * a^3 * b^5 + 12 * B * a^2 * \\ & b^6 - 6 * A * a * b^7) * \cos(dx + c)) * \sqrt{-a^2 + b^2} * \arctan(-\sqrt{-a^2 + b^2} * (b \\ & * \cos(dx + c) + a) / ((a^2 - b^2) * \sin(dx + c))) - ((3 * B * a^9 - A * a^8 * b - 9 * B * \\ & a^7 * b^2 + 3 * A * a^6 * b^3 + 9 * B * a^5 * b^4 - 3 * A * a^4 * b^5 - 3 * B * a^3 * b^6 + A * a^2 * b^7 \\ &) * \cos(dx + c)^3 + 2 * (3 * B * a^8 * b - A * a^7 * b^2 - 9 * B * a^6 * b^3 + 3 * A * a^5 * b^4 + 9 \\ & * B * a^4 * b^5 - 3 * A * a^3 * b^6 - 3 * B * a^2 * b^7 + A * a * b^8) * \cos(dx + c)^2 + (3 * B * a^7 \\ & * b^2 - A * a^6 * b^3 - 9 * B * a^5 * b^4 + 3 * A * a^4 * b^5 + 9 * B * a^3 * b^6 - 3 * A * a^2 * b^7 - \\ & 3 * B * a * b^8 + A * b^9) * \cos(dx + c)) * \log(\sin(dx + c) + 1) + ((3 * B * a^9 - A * a^8 * \\ & b - 9 * B * a^7 * b^2 + 3 * A * a^6 * b^3 + 9 * B * a^5 * b^4 - 3 * A * a^4 * b^5 - 3 * B * a^3 * b^6 + A \\ & * a^2 * b^7) * \cos(dx + c)^3 + 2 * (3 * B * a^8 * b - A * a^7 * b^2 - 9 * B * a^6 * b^3 + 3 * A * a^5 \\ & * b^4 + 9 * B * a^4 * b^5 - 3 * A * a^3 * b^6 - 3 * B * a^2 * b^7 + A * a * b^8) * \cos(dx + c)^2 + \\ & (3 * B * a^7 * b^2 - A * a^6 * b^3 - 9 * B * a^5 * b^4 + 3 * A * a^4 * b^5 + 9 * B * a^3 * b^6 - 3 * A * a^2 \\ & * b^7 - 3 * B * a * b^8 + A * b^9) * \cos(dx + c)) * \log(-\sin(dx + c) + 1) + (2 * B * a^6 * \\ & b^3 - 6 * B * a^4 * b^5 + 6 * B * a^2 * b^7 - 2 * B * b^9 + (6 * B * a^8 * b - 2 * A * a^7 * b^2 - 17 * B \\ & * a^6 * b^3 + 7 * A * a^5 * b^4 + 13 * B * a^4 * b^5 - 5 * A * a^3 * b^6 - 2 * B * a^2 * b^7) * \cos(dx \\ & + c)^2 + (9 * B * a^7 * b^2 - 3 * A * a^6 * b^3 - 25 * B * a^5 * b^4 + 9 * A * a^4 * b^5 + 20 * B * a^3 \\ & * b^6 - 6 * A * a^2 * b^7 - 4 * B * a * b^8) * \cos(dx + c)) * \sin(dx + c) / ((a^8 * b^4 - 3 * a^6 \\ & * b^6 + 3 * a^4 * b^8 - a^2 * b^{10}) * d * \cos(dx + c)^3 + 2 * (a^7 * b^5 - 3 * a^5 * b^7 + \\ & 3 * a^3 * b^9 - a * b^{11}) * d * \cos(dx + c)^2 + (a^6 * b^6 - 3 * a^4 * b^8 + 3 * a^2 * b^{10} - \end{aligned}$$

$b^{12} \cdot d \cdot \cos(dx + c)]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**4*(A+B*sec(dx+c))/(a+b*sec(dx+c))**3,x)

[Out] Integral((A + B*sec(c + dx))*sec(c + dx)**4/(a + b*sec(c + dx))**3, x)

Giac [B] time = 1.58403, size = 784, normalized size = 2.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="giac")

[Out] $((6Ba^6 - 2Aa^5b - 15B^2a^4b^2 + 5A^2a^3b^3 + 12B^2a^2b^4 - 6A^2a^2b^5) \cdot (\pi \cdot \text{floor}(1/2(dx + c)/\pi + 1/2) \cdot \text{sgn}(-2a + 2b) + \arctan(-a \tan(1/2(dx + 1/2c) - b \tan(1/2dx + 1/2c)) / \sqrt{-a^2 + b^2})) / ((a^4b^4 - 2a^2b^6 + b^8) \sqrt{-a^2 + b^2}) - (4B^2a^6 \tan(1/2dx + 1/2c)^3 - 2A^2a^5b \tan(1/2dx + 1/2c)^3 - 5B^2a^5b \tan(1/2dx + 1/2c)^3 + 3A^2a^4b^2 \tan(1/2dx + 1/2c)^3 - 7B^2a^4b^2 \tan(1/2dx + 1/2c)^3 + 5A^2a^3b^3 \tan(1/2dx + 1/2c)^3 + 8B^2a^3b^3 \tan(1/2dx + 1/2c)^3 - 6A^2a^2b^4 \tan(1/2dx + 1/2c)^3 - 4B^2a^6 \tan(1/2dx + 1/2c) + 2A^2a^5b \tan(1/2dx + 1/2c) - 5B^2a^5b \tan(1/2dx + 1/2c) + 3A^2a^4b^2 \tan(1/2dx + 1/2c) + 7B^2a^4b^2 \tan(1/2dx + 1/2c) - 5A^2a^3b^3 \tan(1/2dx + 1/2c) + 8B^2a^3b^3 \tan(1/2dx + 1/2c) - 6A^2a^2b^4 \tan(1/2dx + 1/2c)) / ((a^4b^3 - 2a^2b^5 + b^7) \cdot (a \tan(1/2dx + 1/2c)^2 - b \tan(1/2dx + 1/2c)^2 - a - b)^2 - (3Ba - Ab) \cdot \log(\text{abs}(\tan(1/2dx + 1/2c) + 1)) / b^4 + (3Ba - Ab) \cdot \log(\text{abs}(\tan(1/2dx + 1/2c) - 1)) / b^4 - 2B \tan(1/2dx + 1/2c) / ((\tan(1/2dx + 1/2c)^2 - 1) \cdot b^3)) / d$

$$3.330 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=220

$$\frac{(a^2 Ab^3 + 5a^3 b^2 B - 2a^5 B - 6ab^4 B + 2Ab^5) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{b^3 d (a-b)^{5/2} (a+b)^{5/2}} - \frac{a^2 (Ab - aB) \tan(c+dx)}{2b^2 d (a^2 - b^2) (a+b \sec(c+dx))^2} + \frac{a (a^2 Ab - 3a^3 b^2 B - 2a^5 B - 6ab^4 B + 2Ab^5)}{2b^2 d (a-b)^{5/2} (a+b)^{5/2}}$$

[Out] (B*ArcTanh[Sin[c + d*x]])/(b^3*d) + ((a^2*A*b^3 + 2*A*b^5 - 2*a^5*B + 5*a^3*b^2*B - 6*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^3*(a + b)^(5/2)*d - (a^2*(A*b - a*B)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (a*(a^2*Ab - 4*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.686463, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4028, 4080, 3998, 3770, 3831, 2659, 208}

$$\frac{(a^2 Ab^3 + 5a^3 b^2 B - 2a^5 B - 6ab^4 B + 2Ab^5) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{b^3 d (a-b)^{5/2} (a+b)^{5/2}} - \frac{a^2 (Ab - aB) \tan(c+dx)}{2b^2 d (a^2 - b^2) (a+b \sec(c+dx))^2} + \frac{a (a^2 Ab - 3a^3 b^2 B - 2a^5 B - 6ab^4 B + 2Ab^5)}{2b^2 d (a-b)^{5/2} (a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] (B*ArcTanh[Sin[c + d*x]])/(b^3*d) + ((a^2*A*b^3 + 2*A*b^5 - 2*a^5*B + 5*a^3*b^2*B - 6*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^3*(a + b)^(5/2)*d - (a^2*(A*b - a*B)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (a*(a^2*Ab - 4*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Tan[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4028

Int[csc[(e_.) + (f_.)*(x_.)]^3*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(a^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e

+ f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4080

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{a^2(Ab-aB)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\sec(c+dx)(-2ab(Ab-aB)-(a^2-2b^2)(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^2} dx \\
&= -\frac{a^2(Ab-aB)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{a(a^2Ab-4Ab^3-3a^3B+6ab^2B)\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{a^2(Ab-aB)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{a(a^2Ab-4Ab^3-3a^3B+6ab^2B)\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^3d} - \frac{a^2(Ab-aB)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{a(a^2Ab-4Ab^3-3a^3B+6ab^2B)\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^3d} - \frac{a^2(Ab-aB)\tan(c+dx)}{2b^2(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{a(a^2Ab-4Ab^3-3a^3B+6ab^2B)\tan(c+dx)}{2b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^3d} + \frac{(a^2Ab^3+2Ab^5-2a^5B+5a^3b^2B-6ab^4B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a^2-b^2}}\right)}{(a-b)^{5/2}b^3(a+b)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 1.82697, size = 270, normalized size = 1.23

$$\cos(c+dx)(A+B\sec(c+dx)) \left(\frac{ab(-2a^3B+5ab^2B-3Ab^3)\sin(c+dx)}{(a-b)^2(a+b)^2(a\cos(c+dx)+b)} + \frac{2(-a^2Ab^3-5a^3b^2B+2a^5B+6ab^4B-2Ab^5)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}} + \frac{ab}{(b-a)} \right)$$

$$2b^3d(A\cos(c+dx) + \dots)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] (Cos[c + d*x]*(A + B*Sec[c + d*x])*((2*(-(a^2*A*b^3) - 2*A*b^5 + 2*a^5*B - 5*a^3*b^2*B + 6*a*b^4*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(5/2) - 2*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (a*b^2*(-(A*b) + a*B)*Sin[c + d*x])/((-a + b)*(a + b)*(b + a*Cos[c + d*x])^2) + (a*b*(-3*A*b^3 - 2*a^3*B +

$$5*a*b^2*B*\sin[c + d*x])/((a - b)^2*(a + b)^2*(b + a*\cos[c + d*x])))/(2*b^3*d*(B + A*\cos[c + d*x]))$$

Maple [B] time = 0.095, size = 1085, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^3*(A+B*\sec(dx+c))/(a+b*\sec(dx+c))^3, x)$

[Out]
$$\frac{1}{d*a^2} \frac{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2/(a-b)}}{(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^{3*A+4/d*b} / (\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2*a/(a-b)}} \frac{(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^{3*A+2/d*a^4/b^2}}{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2/(a-b)}} \frac{(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^{3*B-1/d*a^3/b}}{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2/(a-b)}} \frac{(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^{3*B-6/d}}{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2*a^2/(a-b)}} \frac{(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^{3*B+1/d*a^2}}{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2/(a+b)}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*A-4/d*b}{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2*a/(a+b)}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*A-2/d*a^4/b^2}{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2/(a+b)}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*B-1/d*a^3/b}{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2/(a+b)}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*B+6/d}{(\tan(1/2*d*x+1/2*c)^{2*a} - \tan(1/2*d*x+1/2*c)^{2*b-a-b})^{2*a^2/(a+b)}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*B+1/d*a^2}{(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*arctanh((a-b)*\tan(1/2*d*x+1/2*c))^{1/2}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*A+2/d*b^2}{(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*arctanh((a-b)*\tan(1/2*d*x+1/2*c))^{1/2}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*A-2/d*a^5/b^3}{(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*arctanh((a-b)*\tan(1/2*d*x+1/2*c))^{1/2}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*B+5/d*a^3/b}{(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*arctanh((a-b)*\tan(1/2*d*x+1/2*c))^{1/2}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*B-6/d*b}{(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{1/2}*arctanh((a-b)*\tan(1/2*d*x+1/2*c))^{1/2}} \frac{(a-b)^2*\tan(1/2*d*x+1/2*c)*B*a+1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/d/b^3*\ln(\tan(1/2*d*x+1/2*c)-1)*B}{(a-b)^2*\tan(1/2*d*x+1/2*c)}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 43.5527, size = 3051, normalized size = 13.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] [-1/4*((2*B*a^5*b^2 - 5*B*a^3*b^4 - A*a^2*b^5 + 6*B*a*b^6 - 2*A*b^7 + (2*B*a^7 - 5*B*a^5*b^2 - A*a^4*b^3 + 6*B*a^3*b^4 - 2*A*a^2*b^5)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 5*B*a^4*b^3 - A*a^3*b^4 + 6*B*a^2*b^5 - 2*A*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 2*(B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8 + (B*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*cos(d*x + c)^2 + 2*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*cos(d*x + c))*log(sin(d*x + c) + 1) + 2*(B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8 + (B*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*cos(d*x + c)^2 + 2*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(3*B*a^6*b^2 - A*a^5*b^3 - 9*B*a^4*b^4 + 5*A*a^3*b^5 + 6*B*a^2*b^6 - 4*A*a*b^7 + (2*B*a^7*b - 7*B*a^5*b^3 + 3*A*a^4*b^4 + 5*B*a^3*b^5 - 3*A*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*b^9)*d*cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*cos(d*x + c) + (a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d), -1/2*((2*B*a^5*b^2 - 5*B*a^3*b^4 - A*a^2*b^5 + 6*B*a*b^6 - 2*A*b^7 + (2*B*a^7 - 5*B*a^5*b^2 - A*a^4*b^3 + 6*B*a^3*b^4 - 2*A*a^2*b^5)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 5*B*a^4*b^3 - A*a^3*b^4 + 6*B*a^2*b^5 - 2*A*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8 + (B*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*cos(d*x + c)^2 + 2*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*cos(d*x + c))*log(sin(d*x + c) + 1) + (B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8 + (B*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*cos(d*x + c)^2 + 2*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) + (3*B*a^6*b^2 - A*a^5*b^3 - 9*B*a^4*b^4 + 5*A*a^3*b^5 + 6*B*a^2*b^6 - 4*A*a*b^7 + (2*B*a^7*b - 7*B*a^5*b^3 + 3*A*a^4*b^4 + 5*B*a^3*b^5 - 3*A*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 3*
```

$a^6 b^5 + 3 a^4 b^7 - a^2 b^9) d \cos(dx + c)^2 + 2(a^7 b^4 - 3 a^5 b^6 + 3 a^3 b^8 - a b^{10}) d \cos(dx + c) + (a^6 b^5 - 3 a^4 b^7 + 3 a^2 b^9 - b^{11}) d]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**3*(A+B*sec(dx+c))/(a+b*sec(dx+c))**3,x)

[Out] Integral((A + B*sec(c + dx))*sec(c + dx)**3/(a + b*sec(c + dx))**3, x)

Giac [B] time = 1.51929, size = 656, normalized size = 2.98

$$\frac{(2Ba^5 - 5Ba^3b^2 - Aa^2b^3 + 6Bab^4 - 2Ab^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4b^3 - 2a^2b^5 + b^7) \sqrt{-a^2+b^2}} - \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{b^3} + \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="giac")

[Out] $-\left((2Ba^5 - 5Ba^3b^2 - Aa^2b^3 + 6Bab^4 - 2Ab^5) \left(\pi \operatorname{floor}\left(\frac{1}{2}(dx + c)\right) / \pi + \frac{1}{2}\right) \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2 + b^2}}\right)\right) / \left((a^4b^3 - 2a^2b^5 + b^7) \sqrt{-a^2 + b^2}\right) - B \log\left(\frac{\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|}{b^3}\right) + B \log\left(\frac{\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|}{b^3}\right) - \frac{(2Ba^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3Ba^4b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + Aa^3b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 5Ba^3b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 3Aa^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 6Ba^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 1/2c) - 4Aa^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2Ba^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 3Ba^4b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + Aa^3b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 5Ba^3b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 3Aa^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 6Ba^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 4Aa^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 4Aa^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)) / \left((a^4b^2 - 2a^2b^4 + b^6) (a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a - b)^2\right)$

))/d

$$3.331 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=180

$$\frac{(a^2(-B) + 3aAb - 2b^2B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(a^2Ab + a^3B - 4ab^2B + 2Ab^3) \tan(c+dx)}{2bd(a^2-b^2)^2(a+b \sec(c+dx))} + \frac{a(Ab - aB) \tan(c+dx)}{2bd(a^2-b^2)(a+b \sec(c+dx))}$$

[Out] -(((3*a*A*b - a^2*B - 2*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d)) + (a*(A*b - a*B)*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((a^2*A*b + 2*A*b^3 + a^3*B - 4*a*b^2*B)*Tan[c + d*x])/(2*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.335514, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4009, 4003, 12, 3831, 2659, 208}

$$\frac{(a^2(-B) + 3aAb - 2b^2B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(a^2Ab + a^3B - 4ab^2B + 2Ab^3) \tan(c+dx)}{2bd(a^2-b^2)^2(a+b \sec(c+dx))} + \frac{a(Ab - aB) \tan(c+dx)}{2bd(a^2-b^2)(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] -(((3*a*A*b - a^2*B - 2*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d)) + (a*(A*b - a*B)*Tan[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + ((a^2*A*b + 2*A*b^3 + a^3*B - 4*a*b^2*B)*Tan[c + d*x])/(2*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4009

Int[csc[(e_.) + (f_.)*(x_.)]^2*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{a(Ab-aB)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{\int \frac{\sec(c+dx)(-2b(Ab-aB)+(aAb+a^2B-2b^2B)\sec(c+dx))}{(a+b\sec(c+dx))^2} dx}{2b(a^2-b^2)} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\tan(c+dx)}{2b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(3aAb-a^2B-2b^2B)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} + \frac{a(Ab-aB)\tan(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.677794, size = 157, normalized size = 0.87

$$\frac{\frac{(2a^2A-3abB+Ab^2)\sin(c+dx)}{(a-b)^2(a+b)^2(a\cos(c+dx)+b)} - \frac{2(a^2B-3aAb+2b^2B)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}}}{2d} + \frac{(aB-Ab)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] ((-2*(-3*a*A*b + a^2*B + 2*b^2*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(5/2) + (((-A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(b + a*Cos[c + d*x])^2) + ((2*a^2*A + A*b^2 - 3*a*b*B)*Sin[c + d*x])/((a - b)^2*(a + b)^2*(b + a*Cos[c + d*x]))/(2*d)

Maple [A] time = 0.084, size = 238, normalized size = 1.3

$$\frac{1}{d} \left(2 \frac{1}{\left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)^2} \left(-1/2 \frac{(2a^2A + Aab + 2Ab^2 - Ba^2 - 4Bab)(\tan(1/2 dx + c/2))}{(a-b)(a^2 + 2ab + b^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x)`

[Out] `1/d*(2*(-1/2*(2*A*a^2+A*a*b+2*A*b^2-B*a^2-4*B*a*b)/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3+1/2*(2*A*a^2-A*a*b+2*A*b^2+B*a^2-4*B*a*b)/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2-(3*A*a*b-B*a^2-2*B*b^2)/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.656479, size = 1631, normalized size = 9.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] `[1/4*((B*a^2*b^2 - 3*A*a*b^3 + 2*B*b^4 + (B*a^4 - 3*A*a^3*b + 2*B*a^2*b^2)*cos(d*x + c)^2 + 2*(B*a^3*b - 3*A*a^2*b^2 + 2*B*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a`

$$\begin{aligned} &^2 - b^2)(b \cos(dx + c) + a) \sin(dx + c) + 2a^2 - b^2)/(a^2 \cos(dx + c) \\ &)^2 + 2ab \cos(dx + c) + b^2)) + 2*(B*a^5 + A*a^4*b - 5*B*a^3*b^2 + A*a^2 \\ &*b^3 + 4*B*a*b^4 - 2*A*b^5 + (2*A*a^5 - 3*B*a^4*b - A*a^3*b^2 + 3*B*a^2*b^3 \\ &- A*a*b^4)*\cos(dx + c))*\sin(dx + c))/((a^8 - 3*a^6*b^2 + 3*a^4*b^4 - a^2 \\ &*b^6)*d*\cos(dx + c)^2 + 2*(a^7*b - 3*a^5*b^3 + 3*a^3*b^5 - a*b^7)*d*\cos(dx \\ &x + c) + (a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8)*d), 1/2*((B*a^2*b^2 - 3*A* \\ &a*b^3 + 2*B*b^4 + (B*a^4 - 3*A*a^3*b + 2*B*a^2*b^2)*\cos(dx + c)^2 + 2*(B*a \\ &^3*b - 3*A*a^2*b^2 + 2*B*a*b^3)*\cos(dx + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{ \\ &(-a^2 + b^2)*(b \cos(dx + c) + a)/((a^2 - b^2)*\sin(dx + c))}) + (B*a^5 + A* \\ &a^4*b - 5*B*a^3*b^2 + A*a^2*b^3 + 4*B*a*b^4 - 2*A*b^5 + (2*A*a^5 - 3*B*a^4* \\ &b - A*a^3*b^2 + 3*B*a^2*b^3 - A*a*b^4)*\cos(dx + c))*\sin(dx + c))/((a^8 - \\ &3*a^6*b^2 + 3*a^4*b^4 - a^2*b^6)*d*\cos(dx + c)^2 + 2*(a^7*b - 3*a^5*b^3 + \\ &3*a^3*b^5 - a*b^7)*d*\cos(dx + c) + (a^6*b^2 - 3*a^4*b^4 + 3*a^2*b^6 - b^8) \\ &*d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)**2*(A+B*sec(dx+c))/(a+b*sec(dx+c))**3,x)

[Out] Integral((A + B*sec(c + dx))*sec(c + dx)**2/(a + b*sec(c + dx))**3, x)

Giac [B] time = 1.44321, size = 540, normalized size = 3.

$$\frac{(Ba^2 - 3Aab + 2Bb^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{-a^2+b^2}} - \frac{2Aa^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Aa^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{(a^4 - 2a^2b^2 + b^4) \sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="giac")

```
[Out] ((B*a^2 - 3*A*a*b + 2*B*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2
*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 +
b^2)))/((a^4 - 2*a^2*b^2 + b^4)*sqrt(-a^2 + b^2)) - (2*A*a^3*tan(1/2*d*x +
1/2*c)^3 - B*a^3*tan(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 -
3*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 + A*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 4*B*a*
b^2*tan(1/2*d*x + 1/2*c)^3 - 2*A*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*A*a^3*tan(1
/2*d*x + 1/2*c) - B*a^3*tan(1/2*d*x + 1/2*c) - A*a^2*b*tan(1/2*d*x + 1/2*c)
+ 3*B*a^2*b*tan(1/2*d*x + 1/2*c) - A*a*b^2*tan(1/2*d*x + 1/2*c) + 4*B*a*b^
2*tan(1/2*d*x + 1/2*c) - 2*A*b^3*tan(1/2*d*x + 1/2*c))/((a^4 - 2*a^2*b^2 +
b^4)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)^2))/d
```

$$3.332 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=164

$$\frac{(2a^2A - 3abB + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-B) + 3aAb - 2b^2B) \tan(c+dx)}{2d(a^2 - b^2)^2(a+b \sec(c+dx))} - \frac{(Ab - aB) \tan(c+dx)}{2d(a^2 - b^2)(a+b \sec(c+dx))}$$

[Out] ((2*a^2*A + A*b^2 - 3*a*b*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d) - ((A*b - a*B)*Tan[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((3*a*A*b - a^2*B - 2*b^2*B)*Tan[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.264168, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {4003, 12, 3831, 2659, 208}

$$\frac{(2a^2A - 3abB + Ab^2) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-B) + 3aAb - 2b^2B) \tan(c+dx)}{2d(a^2 - b^2)^2(a+b \sec(c+dx))} - \frac{(Ab - aB) \tan(c+dx)}{2d(a^2 - b^2)(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] ((2*a^2*A + A*b^2 - 3*a*b*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*(a + b)^(5/2)*d) - ((A*b - a*B)*Tan[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((3*a*A*b - a^2*B - 2*b^2*B)*Tan[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4003

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab-aB)\tan(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{\int \frac{\sec(c+dx)(-2(aA-bB)+(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^2} dx}{2(a^2-b^2)} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(3aAb-a^2B-2b^2B)\tan(c+dx)}{2(a^2-b^2)^2d(a+b\sec(c+dx))} + \frac{\int \frac{(2a^2A}{(a+b\sec(c+dx))^2} dx}{2(a^2-b^2)} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(3aAb-a^2B-2b^2B)\tan(c+dx)}{2(a^2-b^2)^2d(a+b\sec(c+dx))} + \frac{(2a^2A}{(a+b\sec(c+dx))^2} dx}{2(a^2-b^2)} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(3aAb-a^2B-2b^2B)\tan(c+dx)}{2(a^2-b^2)^2d(a+b\sec(c+dx))} + \frac{(2a^2A}{(a+b\sec(c+dx))^2} dx}{2(a^2-b^2)} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(3aAb-a^2B-2b^2B)\tan(c+dx)}{2(a^2-b^2)^2d(a+b\sec(c+dx))} + \frac{(2a^2A}{(a+b\sec(c+dx))^2} dx}{2(a^2-b^2)} \\
&= \frac{(2a^2A+Ab^2-3abB)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} - \frac{(Ab-aB)\tan(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.855897, size = 172, normalized size = 1.05

$$\frac{\frac{(-4a^2Ab+2a^3B+ab^2B+Ab^3)\sin(c+dx)}{a(a-b)^2(a+b)^2(a\cos(c+dx)+b)} - \frac{2(2a^2A-3abB+Ab^2)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{5/2}} + \frac{b(Ab-aB)\sin(c+dx)}{a(a-b)(a+b)(a\cos(c+dx)+b)^2}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] ((-2*(2*a^2*A + A*b^2 - 3*a*b*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2 - b^2)^(5/2) + (b*(A*b - a*B)*Sin[c + d*x])/(a*(a - b)*(a + b)*(b + a*Cos[c + d*x])^2) + ((-4*a^2*A*b + A*b^3 + 2*a^3*B + a*b^2*B)*Sin[c + d*x])/(a*(a - b)^2*(a + b)^2*(b + a*Cos[c + d*x]))/(2*d)

Maple [A] time = 0.084, size = 236, normalized size = 1.4

$$\frac{1}{d} \left(-2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^2} \right) \left(-1/2 \frac{(4 Aab + Ab^2 - 2 Ba^2 - Bab - 2 Bb^2) (\tan(1/2 dx + c/2))}{(a - b)(a^2 + 2 ab + b^2)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x)`

[Out] `1/d*(-2*(-1/2*(4*A*a*b+A*b^2-2*B*a^2-B*a*b-2*B*b^2)/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3+1/2*(4*A*a*b-A*b^2-2*B*a^2+B*a*b-2*B*b^2)/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2+(2*A*a^2+A*b^2-3*B*a*b)/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arc tanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2)))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.665143, size = 1631, normalized size = 9.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")`

[Out] `[1/4*((2*A*a^2*b^2 - 3*B*a*b^3 + A*b^4 + (2*A*a^4 - 3*B*a^3*b + A*a^2*b^2)*cos(d*x + c)^2 + 2*(2*A*a^3*b - 3*B*a^2*b^2 + A*a*b^3)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a`

$$\begin{aligned} &^2 - b^2) * (b * \cos(dx + c) + a) * \sin(dx + c) + 2 * a^2 - b^2) / (a^2 * \cos(dx + c) \\ &)^2 + 2 * a * b * \cos(dx + c) + b^2)) + 2 * (B * a^4 * b - 3 * A * a^3 * b^2 + B * a^2 * b^3 + 3 \\ & * A * a * b^4 - 2 * B * b^5 + (2 * B * a^5 - 4 * A * a^4 * b - B * a^3 * b^2 + 5 * A * a^2 * b^3 - B * a * b \\ &^4 - A * b^5) * \cos(dx + c)) * \sin(dx + c)) / ((a^8 - 3 * a^6 * b^2 + 3 * a^4 * b^4 - a^2 \\ & * b^6) * d * \cos(dx + c)^2 + 2 * (a^7 * b - 3 * a^5 * b^3 + 3 * a^3 * b^5 - a * b^7) * d * \cos(dx \\ & + c) + (a^6 * b^2 - 3 * a^4 * b^4 + 3 * a^2 * b^6 - b^8) * d), 1/2 * ((2 * A * a^2 * b^2 - 3 * \\ & B * a * b^3 + A * b^4 + (2 * A * a^4 - 3 * B * a^3 * b + A * a^2 * b^2) * \cos(dx + c)^2 + 2 * (2 * A \\ & * a^3 * b - 3 * B * a^2 * b^2 + A * a * b^3) * \cos(dx + c)) * \sqrt{-a^2 + b^2} * \arctan(-\sqrt{ \\ & (-a^2 + b^2) * (b * \cos(dx + c) + a) / ((a^2 - b^2) * \sin(dx + c))}) + (B * a^4 * b - \\ & 3 * A * a^3 * b^2 + B * a^2 * b^3 + 3 * A * a * b^4 - 2 * B * b^5 + (2 * B * a^5 - 4 * A * a^4 * b - B * a^ \\ & 3 * b^2 + 5 * A * a^2 * b^3 - B * a * b^4 - A * b^5) * \cos(dx + c)) * \sin(dx + c)) / ((a^8 - \\ & 3 * a^6 * b^2 + 3 * a^4 * b^4 - a^2 * b^6) * d * \cos(dx + c)^2 + 2 * (a^7 * b - 3 * a^5 * b^3 + \\ & 3 * a^3 * b^5 - a * b^7) * d * \cos(dx + c) + (a^6 * b^2 - 3 * a^4 * b^4 + 3 * a^2 * b^6 - b^8) \\ & * d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+B*sec(dx+c))/(a+b*sec(dx+c))**3,x)

[Out] Integral((A + B*sec(c + dx))*sec(c + dx)/(a + b*sec(c + dx))**3, x)

Giac [B] time = 1.47987, size = 539, normalized size = 3.29

$$\frac{(2Aa^2 - 3Bab + Ab^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{-a^2+b^2}} - \frac{2Ba^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 4Aa^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{\sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="giac")

[Out] ((2*A*a^2 - 3*B*a*b + A*b^2)*(pi*floor(1/2*(dx + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 +

$$\begin{aligned} & b^2)))/((a^4 - 2*a^2*b^2 + b^4)*\text{sqrt}(-a^2 + b^2)) - (2*B*a^3*\tan(1/2*d*x + \\ & 1/2*c)^3 - 4*A*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - B*a^2*b*\tan(1/2*d*x + 1/2*c) \\ & ^3 + 3*A*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + B*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + A* \\ & b^3*\tan(1/2*d*x + 1/2*c)^3 - 2*B*b^3*\tan(1/2*d*x + 1/2*c)^3 - 2*B*a^3*\tan(1 \\ & /2*d*x + 1/2*c) + 4*A*a^2*b*\tan(1/2*d*x + 1/2*c) - B*a^2*b*\tan(1/2*d*x + 1/ \\ & 2*c) + 3*A*a*b^2*\tan(1/2*d*x + 1/2*c) - B*a*b^2*\tan(1/2*d*x + 1/2*c) - A*b^ \\ & 3*\tan(1/2*d*x + 1/2*c) - 2*B*b^3*\tan(1/2*d*x + 1/2*c))/((a^4 - 2*a^2*b^2 + \\ & b^4)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^2))/d \end{aligned}$$

$$3.333 \quad \int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=205

$$\frac{(-5a^2Ab^3 + 6a^4Ab - a^3b^2B - 2a^5B + 2Ab^5) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b(5a^2Ab - 3a^3B - 2Ab^3) \tan(c+dx)}{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))} + \frac{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))}{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))}$$

[Out] (A*x)/a^3 - ((6*a^4*A*b - 5*a^2*A*b^3 + 2*A*b^5 - 2*a^5*B - a^3*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(5/2)*(a + b)^(5/2)*d) + (b*(A*b - a*B)*Tan[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(5*a^2*A*b - 2*A*b^3 - 3*a^3*B)*Tan[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.536315, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {3923, 4060, 3919, 3831, 2659, 208}

$$\frac{(-5a^2Ab^3 + 6a^4Ab - a^3b^2B - 2a^5B + 2Ab^5) \tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b(5a^2Ab - 3a^3B - 2Ab^3) \tan(c+dx)}{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))} + \frac{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))}{2a^2d(a^2-b^2)^2(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^3, x]

[Out] (A*x)/a^3 - ((6*a^4*A*b - 5*a^2*A*b^3 + 2*A*b^5 - 2*a^5*B - a^3*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*(a - b)^(5/2)*(a + b)^(5/2)*d) + (b*(A*b - a*B)*Tan[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(5*a^2*A*b - 2*A*b^3 - 3*a^3*B)*Tan[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x],

$x]$ /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^3} dx &= \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} - \frac{\int \frac{-2A(a^2 - b^2) + 2a(Ab - aB) \sec(c + dx) - b(Ab - aB) \sec^2(c + dx)}{(a + b \sec(c + dx))^2} dx}{2a(a^2 - b^2)} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{b(5a^2 Ab - 2Ab^3 - 3a^3 B) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} + \frac{\int \frac{2A(a^2 - b^2)^2 -}{(a + b \sec(c + dx))^2} dx}{2a^2(a^2 - b^2)^2} \\
&= \frac{Ax}{a^3} + \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{b(5a^2 Ab - 2Ab^3 - 3a^3 B) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} - \frac{(6a^4 A - 6a^3 B)}{2a^2(a^2 - b^2)^2} \\
&= \frac{Ax}{a^3} + \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{b(5a^2 Ab - 2Ab^3 - 3a^3 B) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} - \frac{(6a^4 A - 6a^3 B)}{2a^2(a^2 - b^2)^2} \\
&= \frac{Ax}{a^3} + \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \sec(c + dx))^2} + \frac{b(5a^2 Ab - 2Ab^3 - 3a^3 B) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))} - \frac{(6a^4 A - 6a^3 B)}{2a^2(a^2 - b^2)^2} \\
&= \frac{Ax}{a^3} - \frac{(6a^4 Ab - 5a^2 Ab^3 + 2Ab^5 - 2a^5 B - a^3 b^2 B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{5/2}(a+b)^{5/2}d} + \frac{b(Ab - aB)}{2a(a^2 - b^2)}
\end{aligned}$$

Mathematica [A] time = 1.41674, size = 267, normalized size = 1.3

$$\sec^2(c + dx)(a \cos(c + dx) + b)(A + B \sec(c + dx)) \left(-\frac{ab(-6a^2 Ab + 4a^3 B - ab^2 B + 3Ab^3) \sin(c + dx)(a \cos(c + dx) + b)}{(a-b)^2(a+b)^2} - \frac{2(5a^2 Ab^3 - 6a^4 Ab + a^3 b^2 B)}{(a-b)^2(a+b)^2} \right)$$

$$2a^3 d(a + b \sec(c + dx))^3 (A \cos(c + dx) + b)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^3,x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*(2*A*(c + d*x)*(b + a*Cos[c + d*x])^2 - (2*(-6*a^4*A*b + 5*a^2*A*b^3 - 2*A*b^5 + 2*a^5*B + a^3*b^2*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*Cos[c + d*x])^2)/(a^2 - b^2)^(5/2) + (a*b^2*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)) - (a*b*(-6*a^2*A*b + 3*A*b^3 + 4*a^3*B - a*b^2*B)*(b + a*Cos[c + d*x])*Sin[c + d*x])/((a - b)^2*(a + b)^2))/(2*a^3*d*(B + A*Cos[c + d*x])*

$$(a + b \cdot \sec[c + d \cdot x])^3$$

Maple [B] time = 0.099, size = 1063, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x)`

[Out]
$$\begin{aligned} & 2/d \cdot A/a^3 \cdot \arctan(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) - 6/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b^2 / (a - b) / (a^2 + 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot A - 1/d \cdot a / \\ & (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b^3 / (a - b) / (a^2 + 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot A + 2/d \cdot a^2 / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b^4 / (a - b) / (a^2 + 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot A + 4/d \cdot a / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b / (a - b) / (a^2 + 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot B + 1/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b^2 / (a - b) / (a^2 + 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot B + 6/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b^2 / (a + b) / (a - b)^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A - 1/d \cdot a / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b^3 / (a + b) / (a - b)^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A - 2/d \cdot a^2 / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b^4 / (a + b) / (a - b)^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A - 4/d \cdot a / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b / (a + b) / (a - b)^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot B + 1/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^2 \cdot b^2 / (a + b) / (a - b)^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot B - 6/d \cdot a \cdot b / (a^4 - 2 \cdot a^2 \cdot b^2 + b^4) / ((a + b) \cdot (a - b))^{1/2} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{1/2}) \cdot A + 5/d \cdot a / (a^4 - 2 \cdot a^2 \cdot b^2 + b^4) / ((a + b) \cdot (a - b))^{1/2} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{1/2}) \cdot A \cdot b^3 - 2/d \cdot a^3 / (a^4 - 2 \cdot a^2 \cdot b^2 + b^4) / ((a + b) \cdot (a - b))^{1/2} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{1/2}) \cdot A \cdot b^5 + 2/d \cdot a^2 / (a^4 - 2 \cdot a^2 \cdot b^2 + b^4) / ((a + b) \cdot (a - b))^{1/2} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{1/2}) \cdot B + 1/d / (a^4 - 2 \cdot a^2 \cdot b^2 + b^4) / ((a + b) \cdot (a - b))^{1/2} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{1/2}) \cdot B \cdot b^2 \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.750819, size = 2479, normalized size = 12.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(4*(A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6)*d*x*cos(d*x + c)^2 \\ & + 8*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*d*x*cos(d*x + c) + 4*(A \\ & *a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*d*x - (2*B*a^5*b^2 - 6*A*a^4* \\ & b^3 + B*a^3*b^4 + 5*A*a^2*b^5 - 2*A*b^7 + (2*B*a^7 - 6*A*a^6*b + B*a^5*b^2 \\ & + 5*A*a^4*b^3 - 2*A*a^2*b^5)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 6*A*a^5*b^2 + \\ & B*a^4*b^3 + 5*A*a^3*b^4 - 2*A*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a \\ & *b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d \\ & *x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d* \\ & x + c) + b^2)) - 2*(3*B*a^6*b^2 - 5*A*a^5*b^3 - 3*B*a^4*b^4 + 7*A*a^3*b^5 - \\ & 2*A*a*b^7 + (4*B*a^7*b - 6*A*a^6*b^2 - 5*B*a^5*b^3 + 9*A*a^4*b^4 + B*a^3*b \\ & ^5 - 3*A*a^2*b^6)*cos(d*x + c))*sin(d*x + c))/((a^11 - 3*a^9*b^2 + 3*a^7*b^4 \\ & - a^5*b^6)*d*cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7 \\ &)*d*cos(d*x + c) + (a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d), 1/2*(2*(\\ & A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6)*d*x*cos(d*x + c)^2 + 4*(A*a^ \\ & 7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*d*x*cos(d*x + c) + 2*(A*a^6*b^2 \\ & - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*d*x + (2*B*a^5*b^2 - 6*A*a^4*b^3 + B*a \\ & ^3*b^4 + 5*A*a^2*b^5 - 2*A*b^7 + (2*B*a^7 - 6*A*a^6*b + B*a^5*b^2 + 5*A*a^4 \\ & *b^3 - 2*A*a^2*b^5)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 6*A*a^5*b^2 + B*a^4*b^3 \\ & + 5*A*a^3*b^4 - 2*A*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^ \\ & 2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - (3*B*a^6*b^2 - \\ & 5*A*a^5*b^3 - 3*B*a^4*b^4 + 7*A*a^3*b^5 - 2*A*a*b^7 + (4*B*a^7*b - 6*A*a^6* \\ & b^2 - 5*B*a^5*b^3 + 9*A*a^4*b^4 + B*a^3*b^5 - 3*A*a^2*b^6)*cos(d*x + c))*si \\ & n(d*x + c))/((a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d*cos(d*x + c)^2 + 2* \\ & (a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*cos(d*x + c) + (a^9*b^2 - 3*a^ \\ & 7*b^4 + 3*a^5*b^6 - a^3*b^8)*d)] \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)

[Out] Integral((A + B*sec(c + d*x))/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.43989, size = 617, normalized size = 3.01

$$\frac{(2Ba^5 - 6Aa^4b + Ba^3b^2 + 5Aa^2b^3 - 2Ab^5) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{(a^7 - 2a^5b^2 + a^3b^4) \sqrt{-a^2+b^2}} + \frac{(dx+c)A}{a^3} + \frac{4Ba^4b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 6Aa^3b}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] ((2*B*a^5 - 6*A*a^4*b + B*a^3*b^2 + 5*A*a^2*b^3 - 2*A*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/((a^7 - 2*a^5*b^2 + a^3*b^4)*sqrt(-a^2 + b^2)) + (d*x + c)*A/a^3 + (4*B*a^4*b*tan(1/2*d*x + 1/2*c)^3 - 6*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 - 3*B*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 + 5*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 - B*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 + 3*A*a*b^4*tan(1/2*d*x + 1/2*c)^3 - 2*A*b^5*tan(1/2*d*x + 1/2*c)^3 - 4*B*a^4*b*tan(1/2*d*x + 1/2*c) + 6*A*a^3*b^2*tan(1/2*d*x + 1/2*c) - 3*B*a^3*b^2*tan(1/2*d*x + 1/2*c) + 5*A*a^2*b^3*tan(1/2*d*x + 1/2*c) + B*a^2*b^3*tan(1/2*d*x + 1/2*c) - 3*A*a*b^4*tan(1/2*d*x + 1/2*c) - 2*A*b^5*tan(1/2*d*x + 1/2*c))/((a^6 - 2*a^4*b^2 + a^2*b^4)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a - b)^2))/d

$$3.334 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=290

$$\frac{(-11a^2Ab^2 + 2a^4A + 5a^3bB - 2ab^3B + 6Ab^4) \sin(c + dx)}{2a^3d(a^2 - b^2)^2} + \frac{b(-15a^2Ab^3 + 12a^4Ab + 5a^3b^2B - 6a^5B - 2ab^4B + 6Ab^5)}{a^4d(a - b)^{5/2}(a + b)^{5/2}}$$

[Out] -(((3*A*b - a*B)*x)/a^4) + (b*(12*a^4*A*b - 15*a^2*A*b^3 + 6*A*b^5 - 6*a^5*B + 5*a^3*b^2*B - 2*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(5/2)*(a + b)^(5/2)*d) + ((2*a^4*A - 11*a^2*A*b^2 + 6*A*b^4 + 5*a^3*b*B - 2*a*b^3*B)*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + (b*(A*b - a*B)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(6*a^2*A*b - 3*A*b^3 - 4*a^3*B + a*b^2*B)*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.53495, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {4030, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{(-11a^2Ab^2 + 2a^4A + 5a^3bB - 2ab^3B + 6Ab^4) \sin(c + dx)}{2a^3d(a^2 - b^2)^2} + \frac{b(-15a^2Ab^3 + 12a^4Ab + 5a^3b^2B - 6a^5B - 2ab^4B + 6Ab^5)}{a^4d(a - b)^{5/2}(a + b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] -(((3*A*b - a*B)*x)/a^4) + (b*(12*a^4*A*b - 15*a^2*A*b^3 + 6*A*b^5 - 6*a^5*B + 5*a^3*b^2*B - 2*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(5/2)*(a + b)^(5/2)*d) + ((2*a^4*A - 11*a^2*A*b^2 + 6*A*b^4 + 5*a^3*b*B - 2*a*b^3*B)*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + (b*(A*b - a*B)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(6*a^2*A*b - 3*A*b^3 - 4*a^3*B + a*b^2*B)*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4030

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b

```

- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*
(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e
+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 3919

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]

```

Rule 3831

```

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)), x_Symbo
l] :> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2659


```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{b(Ab-aB)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{\int \frac{\cos(c+dx)(-2a^2A+3Ab^2-abB+2a(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^2}}{2a(a^2-b^2)} \\
&= \frac{b(Ab-aB)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{b(6a^2Ab-3Ab^3-4a^3B+ab^2B)\sin(c+dx)}{2a^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{(2a^4A-11a^2Ab^2+6Ab^4+5a^3bB-2ab^3B)\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b(Ab-aB)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(3Ab-aB)x}{a^4} + \frac{(2a^4A-11a^2Ab^2+6Ab^4+5a^3bB-2ab^3B)\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b(Ab-aB)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(3Ab-aB)x}{a^4} + \frac{(2a^4A-11a^2Ab^2+6Ab^4+5a^3bB-2ab^3B)\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b(Ab-aB)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(3Ab-aB)x}{a^4} + \frac{(2a^4A-11a^2Ab^2+6Ab^4+5a^3bB-2ab^3B)\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b(Ab-aB)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(3Ab-aB)x}{a^4} + \frac{b(12a^4Ab-15a^2Ab^3+6Ab^5-6a^5B+5a^3b^2B-2ab^4B)\tan(c+dx)}{a^4(a-b)^{5/2}(a+b)^{5/2}d}
\end{aligned}$$

Mathematica [A] time = 1.96861, size = 306, normalized size = 1.06

$$\sec^2(c + dx)(a \cos(c + dx) + b)(A + B \sec(c + dx)) \left(\frac{ab^2(-8a^2Ab + 6a^3B - 3ab^2B + 5Ab^3) \sin(c + dx)(a \cos(c + dx) + b)}{(a-b)^2(a+b)^2} - \frac{2b(-15a^2Ab^3 + 12a^4Ab + 5a^5B)}{2a^4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*(2*(-3*A*b + a*B)*(c + d*x)*(b + a*Cos[c + d*x])^2 - (2*b*(12*a^4*A*b - 15*a^2*A*b^3 + 6*A*b^5 - 6*a^5*B + 5*a^3*b^2*B - 2*a*b^4*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*Cos[c + d*x])^2)/(a^2 - b^2)^(5/2) + (a*b^3*(A*b - a*B)*Sin[c + d*x])/((a - b)*(a + b)) + (a*b^2*(-8*a^2*A*b + 5*A*b^3 + 6*a^3*B - 3*a*b^2*B)*(b + a*Cos[c + d*x])*Sin[c + d*x])/((a - b)^2*(a + b)^2) + 2*a*A*(b + a*Cos[c + d*x])^2*Ssin[c + d*x]))/(2*a^4*d*(B + A*Cos[c + d*x])*(a + b*Sec[c + d*x])^3)

Maple [B] time = 0.123, size = 1349, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3, x)

[Out] 2/d/a^3*A*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-6/d/a^4*A*arctan(tan(1/2*d*x+1/2*c))*b+2/d/a^3*B*arctan(tan(1/2*d*x+1/2*c))+8/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-4/d*b^5/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-1/d*b^3/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+2/d*b^4/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-8/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^3/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A+1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B

$$\begin{aligned} & \frac{1}{2}d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a+b)/(a-b)^2*\tan(1/2* \\ & d*x+1/2*c)*A+4/d*b^5/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b \\ &)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A+6/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2* \\ & d*x+1/2*c)^2*b-a-b)^2*b^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-1/d*b^3/a/(\tan \\ & (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x \\ & +1/2*c)*B-2/d*b^4/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^2 \\ & /(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+12/d*b^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a- \\ & b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}}*A-15/d*b^4/ \\ & a^2/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) \\ &)/((a+b)*(a-b))^{(1/2)}}*A+6/d*b^6/a^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2) \\ &)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}}*A-6/d*b/(a^4-2*a^2* \\ & b^2+b^4)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b)) \\ & ^{(1/2)}}*B*a+5/d*b^3/a/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b) \\ & *\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}}*B-2/d*b^5/a^3/(a^4-2*a^2*b^2+b^4)/ \\ & ((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{(1/2)}}*B \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.916193, size = 3394, normalized size = 11.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(4*(B*a^9 - 3*A*a^8*b - 3*B*a^7*b^2 + 9*A*a^6*b^3 + 3*B*a^5*b^4 - 9*A* \\ & a^4*b^5 - B*a^3*b^6 + 3*A*a^2*b^7)*d*x*\cos(d*x + c)^2 + 8*(B*a^8*b - 3*A*a^ \\ & 7*b^2 - 3*B*a^6*b^3 + 9*A*a^5*b^4 + 3*B*a^4*b^5 - 9*A*a^3*b^6 - B*a^2*b^7 + \\ & 3*A*a*b^8)*d*x*\cos(d*x + c) + 4*(B*a^7*b^2 - 3*A*a^6*b^3 - 3*B*a^5*b^4 + 9 \end{aligned}$$

$$\begin{aligned}
& *A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7 - B*a*b^8 + 3*A*b^9)*d*x - (6*B*a^5* \\
& b^3 - 12*A*a^4*b^4 - 5*B*a^3*b^5 + 15*A*a^2*b^6 + 2*B*a*b^7 - 6*A*b^8 + (6* \\
& B*a^7*b - 12*A*a^6*b^2 - 5*B*a^5*b^3 + 15*A*a^4*b^4 + 2*B*a^3*b^5 - 6*A*a^2* \\
& *b^6)*\cos(d*x + c)^2 + 2*(6*B*a^6*b^2 - 12*A*a^5*b^3 - 5*B*a^4*b^4 + 15*A*a \\
& ^3*b^5 + 2*B*a^2*b^6 - 6*A*a*b^7)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log((2*a*b* \\
& \cos(d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 + 2*\sqrt{a^2 - b^2}*(b*\cos(d*x \\
& + c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + \\
& c) + b^2)) + 2*(2*A*a^7*b^2 + 5*B*a^6*b^3 - 13*A*a^5*b^4 - 7*B*a^4*b^5 + 1 \\
& 7*A*a^3*b^6 + 2*B*a^2*b^7 - 6*A*a*b^8 + 2*(A*a^9 - 3*A*a^7*b^2 + 3*A*a^5*b^4 \\
& - A*a^3*b^6)*\cos(d*x + c)^2 + (4*A*a^8*b + 6*B*a^7*b^2 - 20*A*a^6*b^3 - 9 \\
& *B*a^5*b^4 + 25*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7)*\cos(d*x + c))*\sin(d* \\
& x + c))/((a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*d*\cos(d*x + c)^2 + 2*(a^ \\
& 11*b - 3*a^9*b^3 + 3*a^7*b^5 - a^5*b^7)*d*\cos(d*x + c) + (a^10*b^2 - 3*a^8* \\
& b^4 + 3*a^6*b^6 - a^4*b^8)*d), 1/2*(2*(B*a^9 - 3*A*a^8*b - 3*B*a^7*b^2 + 9* \\
& A*a^6*b^3 + 3*B*a^5*b^4 - 9*A*a^4*b^5 - B*a^3*b^6 + 3*A*a^2*b^7)*d*x*\cos(d* \\
& x + c)^2 + 4*(B*a^8*b - 3*A*a^7*b^2 - 3*B*a^6*b^3 + 9*A*a^5*b^4 + 3*B*a^4*b \\
& ^5 - 9*A*a^3*b^6 - B*a^2*b^7 + 3*A*a*b^8)*d*x*\cos(d*x + c) + 2*(B*a^7*b^2 - \\
& 3*A*a^6*b^3 - 3*B*a^5*b^4 + 9*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7 - B*a* \\
& b^8 + 3*A*b^9)*d*x - (6*B*a^5*b^3 - 12*A*a^4*b^4 - 5*B*a^3*b^5 + 15*A*a^2*b \\
& ^6 + 2*B*a*b^7 - 6*A*b^8 + (6*B*a^7*b - 12*A*a^6*b^2 - 5*B*a^5*b^3 + 15*A*a \\
& ^4*b^4 + 2*B*a^3*b^5 - 6*A*a^2*b^6)*\cos(d*x + c)^2 + 2*(6*B*a^6*b^2 - 12*A* \\
& a^5*b^3 - 5*B*a^4*b^4 + 15*A*a^3*b^5 + 2*B*a^2*b^6 - 6*A*a*b^7)*\cos(d*x + c \\
&))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b \\
& ^2)*\sin(d*x + c))) + (2*A*a^7*b^2 + 5*B*a^6*b^3 - 13*A*a^5*b^4 - 7*B*a^4*b^ \\
& 5 + 17*A*a^3*b^6 + 2*B*a^2*b^7 - 6*A*a*b^8 + 2*(A*a^9 - 3*A*a^7*b^2 + 3*A*a \\
& ^5*b^4 - A*a^3*b^6)*\cos(d*x + c)^2 + (4*A*a^8*b + 6*B*a^7*b^2 - 20*A*a^6*b^ \\
& 3 - 9*B*a^5*b^4 + 25*A*a^4*b^5 + 3*B*a^3*b^6 - 9*A*a^2*b^7)*\cos(d*x + c))*\sin \\
& (d*x + c))/((a^12 - 3*a^10*b^2 + 3*a^8*b^4 - a^6*b^6)*d*\cos(d*x + c)^2 + \\
& 2*(a^11*b - 3*a^9*b^3 + 3*a^7*b^5 - a^5*b^7)*d*\cos(d*x + c) + (a^10*b^2 - 3 \\
& *a^8*b^4 + 3*a^6*b^6 - a^4*b^8)*d)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [A] time = 1.46853, size = 737, normalized size = 2.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out]
$$-\left(\left(6B a^5 b - 12A a^4 b^2 - 5B a^3 b^3 + 15A a^2 b^4 + 2B a b^5 - 6A b^6\right) \left(\pi \operatorname{floor}\left(\frac{1}{2}(d x + c)\right) / \pi + \frac{1}{2}\right) \operatorname{sgn}(-2 a + 2 b) + \arctan\left(-\left(a \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) / \sqrt{-a^2 + b^2}\right)\right) / \left(\left(a^8 - 2 a^6 b^2 + a^4 b^4\right) \sqrt{-a^2 + b^2}\right) + \left(6 B a^4 b^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - 8 A a^3 b^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - 5 B a^3 b^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 7 A a^2 b^4 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - 3 B a^2 b^4 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 5 A a b^5 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 + 2 B a b^5 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - 4 A b^6 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - 6 B a^4 b^2 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 8 A a^3 b^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 5 B a^3 b^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 7 A a^2 b^4 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 3 B a^2 b^4 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 5 A a b^5 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 2 B a b^5 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 4 A b^6 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) / \left(\left(a^7 - 2 a^5 b^2 + a^3 b^4\right) \left(a \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - a - b\right)^2 - (B a - 3 A b) (d x + c) / a^4 - 2 A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 + 1\right) a^3\right) / d$$

$$3.335 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=393

$$\frac{(-21a^2Ab^3 + 6a^4Ab + 11a^3b^2B - 2a^5B - 6ab^4B + 12Ab^5) \sin(c+dx)}{2a^4d(a^2-b^2)^2} + \frac{(-10a^2Ab^2 + a^4A + 6a^3bB - 3ab^3B + 6Ab^4) \sin(c+dx)}{2a^3d(a^2-b^2)^2}$$

[Out] ((a^2*A + 12*A*b^2 - 6*a*b*B)*x)/(2*a^5) - (b^2*(20*a^4*A*b - 29*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 15*a^3*b^2*B - 6*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(5/2)*(a + b)^(5/2)*d) - ((6*a^4*A*b - 21*a^2*A*b^3 + 12*A*b^5 - 2*a^5*B + 11*a^3*b^2*B - 6*a*b^4*B)*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^2*d) + ((a^4*A - 10*a^2*A*b^2 + 6*A*b^4 + 6*a^3*b*B - 3*a*b^3*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + (b*(A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(7*a^2*A*b - 4*A*b^3 - 5*a^3*B + 2*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.99893, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4030, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{(-21a^2Ab^3 + 6a^4Ab + 11a^3b^2B - 2a^5B - 6ab^4B + 12Ab^5) \sin(c+dx)}{2a^4d(a^2-b^2)^2} + \frac{(-10a^2Ab^2 + a^4A + 6a^3bB - 3ab^3B + 6Ab^4) \sin(c+dx)}{2a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] ((a^2*A + 12*A*b^2 - 6*a*b*B)*x)/(2*a^5) - (b^2*(20*a^4*A*b - 29*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 15*a^3*b^2*B - 6*a*b^4*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^5*(a - b)^(5/2)*(a + b)^(5/2)*d) - ((6*a^4*A*b - 21*a^2*A*b^3 + 12*A*b^5 - 2*a^5*B + 11*a^3*b^2*B - 6*a*b^4*B)*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^2*d) + ((a^4*A - 10*a^2*A*b^2 + 6*A*b^4 + 6*a^3*b*B - 3*a*b^3*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + (b*(A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(7*a^2*A*b - 4*A*b^3 - 5*a^3*B + 2*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}
```

}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{b(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} - \int \frac{\cos^2(c+dx)(-2(a^2A-2Ab^2+abB)+2a(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^2} dx \\
&= \frac{b(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{b(7a^2Ab-4Ab^3-5a^3B+2ab^2B)\cos(c+dx)\sin(c+dx)}{2a^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{(a^4A-10a^2Ab^2+6Ab^4+6a^3bB-3ab^3B)\cos(c+dx)\sin(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b(Ab-aB)\cos(c+dx)\sin(c+dx)}{2a(a^2-b^2)d} \\
&= -\frac{(6a^4Ab-21a^2Ab^3+12Ab^5-2a^5B+11a^3b^2B-6ab^4B)\sin(c+dx)}{2a^4(a^2-b^2)^2d} + \frac{(a^4A-10a^2Ab^2+6Ab^4+6a^3bB-3ab^3B)\cos(c+dx)\sin(c+dx)}{2a^3(a^2-b^2)^2d} \\
&= \frac{(a^2A+12Ab^2-6abB)x}{2a^5} - \frac{(6a^4Ab-21a^2Ab^3+12Ab^5-2a^5B+11a^3b^2B-6ab^4B)\sin(c+dx)}{2a^4(a^2-b^2)^2d} \\
&= \frac{(a^2A+12Ab^2-6abB)x}{2a^5} - \frac{(6a^4Ab-21a^2Ab^3+12Ab^5-2a^5B+11a^3b^2B-6ab^4B)\sin(c+dx)}{2a^4(a^2-b^2)^2d} \\
&= \frac{(a^2A+12Ab^2-6abB)x}{2a^5} - \frac{(6a^4Ab-21a^2Ab^3+12Ab^5-2a^5B+11a^3b^2B-6ab^4B)\sin(c+dx)}{2a^4(a^2-b^2)^2d} \\
&= \frac{(a^2A+12Ab^2-6abB)x}{2a^5} - \frac{b^2(20a^4Ab-29a^2Ab^3+12Ab^5-12a^5B+15a^3b^2B-6ab^4B)\sin(c+dx)}{a^5(a-b)^{5/2}(a+b)}
\end{aligned}$$

Mathematica [A] time = 4.25608, size = 734, normalized size = 1.87

$$\frac{16ab(a^2-b^2)^2(c+dx)(a^2A-6abB+12Ab^2)\cos(c+dx)+4(a^3-ab^2)^2(c+dx)(a^2A-6abB+12Ab^2)\cos(2(c+dx))-48a^6Ab^2\sin(2(c+dx))-2a^6Ab^2\sin(4(c+dx))-32a^5B\sin(4(c+dx))}{a^5(a-b)^{5/2}(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

```
[Out] ((16*b^2*(20*a^4*A*b - 29*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 15*a^3*b^2*B -
6*a*b^4*B)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]))/(a^2 - b^2
)^(5/2) + (4*a^8*A*c + 48*a^6*A*b^2*c - 12*a^4*A*b^4*c - 136*a^2*A*b^6*c +
96*A*b^8*c - 24*a^7*b*B*c + 72*a^3*b^5*B*c - 48*a*b^7*B*c + 4*a^8*A*d*x + 4
8*a^6*A*b^2*d*x - 12*a^4*A*b^4*d*x - 136*a^2*A*b^6*d*x + 96*A*b^8*d*x - 24*
a^7*b*B*d*x + 72*a^3*b^5*B*d*x - 48*a*b^7*B*d*x + 16*a*b*(a^2 - b^2)^2*(a^2
*A + 12*A*b^2 - 6*a*b*B)*(c + d*x)*Cos[c + d*x] + 4*(a^3 - a*b^2)^2*(a^2*A
+ 12*A*b^2 - 6*a*b*B)*(c + d*x)*Cos[2*(c + d*x)] - 8*a^7*A*b*Sin[c + d*x] -
32*a^5*A*b^3*Sin[c + d*x] + 160*a^3*A*b^5*Sin[c + d*x] - 96*a*A*b^7*Sin[c
+ d*x] + 4*a^8*B*Sin[c + d*x] + 8*a^6*b^2*B*Sin[c + d*x] - 84*a^4*b^4*B*Sin
[c + d*x] + 48*a^2*b^6*B*Sin[c + d*x] + 2*a^8*A*Sin[2*(c + d*x)] - 48*a^6*A
*b^2*Sin[2*(c + d*x)] + 130*a^4*A*b^4*Sin[2*(c + d*x)] - 72*a^2*A*b^6*Sin[2
*(c + d*x)] + 16*a^7*b*B*Sin[2*(c + d*x)] - 64*a^5*b^3*B*Sin[2*(c + d*x)] +
36*a^3*b^5*B*Sin[2*(c + d*x)] - 8*a^7*A*b*Sin[3*(c + d*x)] + 16*a^5*A*b^3*
Sin[3*(c + d*x)] - 8*a^3*A*b^5*Sin[3*(c + d*x)] + 4*a^8*B*Sin[3*(c + d*x)]
- 8*a^6*b^2*B*Sin[3*(c + d*x)] + 4*a^4*b^4*B*Sin[3*(c + d*x)] + a^8*A*Sin[4
*(c + d*x)] - 2*a^6*A*b^2*Sin[4*(c + d*x)] + a^4*A*b^4*Sin[4*(c + d*x)]/((
a^2 - b^2)^2*(b + a*cos[c + d*x])^2))/(16*a^5*d)
```

Maple [B] time = 0.134, size = 1552, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x)
```

```
[Out] -6/d/a^4/(1+tan(1/2*d*x+1/2*c))^2*tan(1/2*d*x+1/2*c)^3*A*b-6/d/a^4/(1+tan
(1/2*d*x+1/2*c))^2*tan(1/2*d*x+1/2*c)*A*b-15/d*b^4/a^2/(a^4-2*a^2*b^2+b^4
)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))
*B+6/d*b^6/a^4/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/
2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+6/d*b^6/a^4/(tan(1/2*d*x+1/2*c))^2*a-tan
(1/2*d*x+1/2*c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+4/d
*b^5/a^3/(tan(1/2*d*x+1/2*c))^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2/(a+b)/(a-b)^
2*tan(1/2*d*x+1/2*c)*B-4/d*b^5/a^3/(tan(1/2*d*x+1/2*c))^2*a-tan(1/2*d*x+1/2*
c)^2*b-a-b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-20/d/a/(a^4-2*a^
2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b
))^(1/2))*A*b^3+29/d/a^3/(a^4-2*a^2*b^2+b^4)/((a+b)*(a-b))^(1/2)*arctanh((a
-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A*b^5-10/d/a^2/(tan(1/2*d*x+1/2
*c))^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x
+1/2*c)^3*A+10/d/a^2/(tan(1/2*d*x+1/2*c))^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^2*
b^4/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A-12/d*b^7/a^5/(a^4-2*a^2*b^2+b^4)/((a
```

$$\begin{aligned}
& +b)(a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2 dx + 1/2 c)) / ((a+b)(a-b))^{1/2} * A + 1/ \\
& d * b^4 / a^2 / (\tan(1/2 dx + 1/2 c))^{2 * a - \tan(1/2 dx + 1/2 c)^2 * b - a - b)^2 / (a+b) / (a-b) \\
& ^2 * \tan(1/2 dx + 1/2 c) * B - 1/d * b^5 / a^3 / (\tan(1/2 dx + 1/2 c))^{2 * a - \tan(1/2 dx + 1/2 \\
& * c)^2 * b - a - b)^2 / (a-b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 dx + 1/2 c)^3 * A + 8/d * b^3 / a / (\tan(\\
& 1/2 dx + 1/2 c))^{2 * a - \tan(1/2 dx + 1/2 c)^2 * b - a - b)^2 / (a-b) / (a^2 + 2 * a * b + b^2) * \tan(\\
& 1/2 dx + 1/2 c)^3 * B + 1/d * b^4 / a^2 / (\tan(1/2 dx + 1/2 c))^{2 * a - \tan(1/2 dx + 1/2 c)^2 \\
& * b - a - b)^2 / (a-b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 dx + 1/2 c)^3 * B - 1/d * b^5 / a^3 / (\tan(1/2 \\
& * dx + 1/2 c))^{2 * a - \tan(1/2 dx + 1/2 c)^2 * b - a - b)^2 / (a+b) / (a-b)^2 * \tan(1/2 dx + 1/2 \\
& * c) * A - 8/d * b^3 / a / (\tan(1/2 dx + 1/2 c))^{2 * a - \tan(1/2 dx + 1/2 c)^2 * b - a - b)^2 / (a+b) \\
& / (a-b)^2 * \tan(1/2 dx + 1/2 c) * B - 6/d * b^6 / a^4 / (\tan(1/2 dx + 1/2 c))^{2 * a - \tan(1/2 d \\
& * x + 1/2 c)^2 * b - a - b)^2 / (a+b) / (a-b)^2 * \tan(1/2 dx + 1/2 c) * A + 1/d * A / a^3 * \operatorname{arctan}(\tan \\
& (1/2 dx + 1/2 c)) + 2/d / a^3 / (1 + \tan(1/2 dx + 1/2 c))^2)^2 * \tan(1/2 dx + 1/2 c)^3 * B \\
& + 1/d / a^3 / (1 + \tan(1/2 dx + 1/2 c))^2)^2 * \tan(1/2 dx + 1/2 c) * A + 2/d / a^3 / (1 + \tan(1/2 \\
& * dx + 1/2 c))^2)^2 * \tan(1/2 dx + 1/2 c) * B + 12/d / a^5 * \operatorname{arctan}(\tan(1/2 dx + 1/2 c)) * A \\
& * b^2 - 6/d / a^4 * \operatorname{arctan}(\tan(1/2 dx + 1/2 c)) * B * b + 12/d / (a^4 - 2 * a^2 * b^2 + b^4) / ((a+b) \\
& * (a-b))^{1/2} \operatorname{arctanh}((a-b) \tan(1/2 dx + 1/2 c)) / ((a+b)(a-b))^{1/2} * B * b^2 - 1 \\
& / d / a^3 / (1 + \tan(1/2 dx + 1/2 c))^2)^2 * \tan(1/2 dx + 1/2 c)^3 * A
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.11101, size = 4018, normalized size = 10.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c))/(a+b*sec(dx+c))^3,x, algorithm="fricas")

[Out] $[1/4 * (2 * (A * a^{10} - 6 * B * a^9 * b + 9 * A * a^8 * b^2 + 18 * B * a^7 * b^3 - 33 * A * a^6 * b^4 - 18 * B * a^5 * b^5 + 35 * A * a^4 * b^6 + 6 * B * a^3 * b^7 - 12 * A * a^2 * b^8) * dx * \cos(dx + c))^2$

$$\begin{aligned}
& + 4*(A*a^9*b - 6*B*a^8*b^2 + 9*A*a^7*b^3 + 18*B*a^6*b^4 - 33*A*a^5*b^5 - 1 \\
& 8*B*a^4*b^6 + 35*A*a^3*b^7 + 6*B*a^2*b^8 - 12*A*a*b^9)*d*x*cos(d*x + c) + 2 \\
& *(A*a^8*b^2 - 6*B*a^7*b^3 + 9*A*a^6*b^4 + 18*B*a^5*b^5 - 33*A*a^4*b^6 - 18* \\
& B*a^3*b^7 + 35*A*a^2*b^8 + 6*B*a*b^9 - 12*A*b^10)*d*x - (12*B*a^5*b^4 - 20* \\
& A*a^4*b^5 - 15*B*a^3*b^6 + 29*A*a^2*b^7 + 6*B*a*b^8 - 12*A*b^9 + (12*B*a^7*b^2 \\
& - 20*A*a^6*b^3 - 15*B*a^5*b^4 + 29*A*a^4*b^5 + 6*B*a^3*b^6 - 12*A*a^2*b^7) \\
& *cos(d*x + c)^2 + 2*(12*B*a^6*b^3 - 20*A*a^5*b^4 - 15*B*a^4*b^5 + 29*A*a^3*b^6 \\
& + 6*B*a^2*b^7 - 12*A*a*b^8)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) \\
& - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) \\
& + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(2*B*a^8*b^2 \\
& - 6*A*a^7*b^3 - 13*B*a^6*b^4 + 27*A*a^5*b^5 + 17*B*a^4*b^6 - 33*A*a^3*b^7 - 6*B*a^2*b^8 \\
& + 12*A*a*b^9 + (A*a^10 - 3*A*a^8*b^2 + 3*A*a^6*b^4 - A*a^4*b^6)*cos(d*x + c)^3 + 2*(B*a^10 \\
& - 2*A*a^9*b - 3*B*a^8*b^2 + 6*A*a^7*b^3 + 3*B*a^6*b^4 - 6*A*a^5*b^5 - B*a^4*b^6 + 2*A*a^3*b^7) \\
& *cos(d*x + c)^2 + (4*B*a^9*b - 11*A*a^8*b^2 - 20*B*a^7*b^3 + 43*A*a^6*b^4 + 25*B*a^5*b^5 \\
& - 50*A*a^4*b^6 - 9*B*a^3*b^7 + 18*A*a^2*b^8)*cos(d*x + c))*sin(d*x + c))/((a^13 - 3*a^11*b^2 \\
& + 3*a^9*b^4 - a^7*b^6)*d*cos(d*x + c)^2 + 2*(a^12*b - 3*a^10*b^3 + 3*a^8*b^5 - a^6*b^7) \\
& *d*cos(d*x + c) + (a^11*b^2 - 3*a^9*b^4 + 3*a^7*b^6 - a^5*b^8)*d), 1/2*((A*a^10 - 6*B*a^9*b \\
& + 9*A*a^8*b^2 + 18*B*a^7*b^3 - 33*A*a^6*b^4 - 18*B*a^5*b^5 + 35*A*a^4*b^6 + 6*B*a^3*b^7 \\
& - 12*A*a^2*b^8)*d*x*cos(d*x + c)^2 + 2*(A*a^9*b - 6*B*a^8*b^2 + 9*A*a^7*b^3 + 18*B*a^6*b^4 \\
& - 33*A*a^5*b^5 - 18*B*a^4*b^6 + 35*A*a^3*b^7 + 6*B*a^2*b^8 - 12*A*a*b^9)*d*x*cos(d*x + c) \\
& + (A*a^8*b^2 - 6*B*a^7*b^3 + 9*A*a^6*b^4 + 18*B*a^5*b^5 - 33*A*a^4*b^6 - 18*B*a^3*b^7 + 35*A*a^2*b^8 \\
& + 6*B*a*b^9 - 12*A*b^10)*d*x + (12*B*a^5*b^4 - 20*A*a^4*b^5 - 15*B*a^3*b^6 + 29*A*a^2*b^7 + 6*B*a*b^8 \\
& - 12*A*b^9 + (12*B*a^7*b^2 - 20*A*a^6*b^3 - 15*B*a^5*b^4 + 29*A*a^4*b^5 + 6*B*a^3*b^6 - 12*A*a^2*b^7) \\
& *cos(d*x + c)^2 + 2*(12*B*a^6*b^3 - 20*A*a^5*b^4 - 15*B*a^4*b^5 + 29*A*a^3*b^6 + 6*B*a^2*b^7 - 12*A*a*b^8) \\
& *cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2) \\
& *sin(d*x + c))) + (2*B*a^8*b^2 - 6*A*a^7*b^3 - 13*B*a^6*b^4 + 27*A*a^5*b^5 + 17*B*a^4*b^6 \\
& - 33*A*a^3*b^7 - 6*B*a^2*b^8 + 12*A*a*b^9 + (A*a^10 - 3*A*a^8*b^2 + 3*A*a^6*b^4 - A*a^4*b^6) \\
& *cos(d*x + c)^3 + 2*(B*a^10 - 2*A*a^9*b - 3*B*a^8*b^2 + 6*A*a^7*b^3 + 3*B*a^6*b^4 - 6*A*a^5*b^5 \\
& - B*a^4*b^6 + 2*A*a^3*b^7)*cos(d*x + c)^2 + (4*B*a^9*b - 11*A*a^8*b^2 - 20*B*a^7*b^3 + 43*A*a^6*b^4 \\
& + 25*B*a^5*b^5 - 50*A*a^4*b^6 - 9*B*a^3*b^7 + 18*A*a^2*b^8)*cos(d*x + c))*sin(d*x + c))/((a^13 - 3*a^11*b^2 \\
& + 3*a^9*b^4 - a^7*b^6)*d*cos(d*x + c)^2 + 2*(a^12*b - 3*a^10*b^3 + 3*a^8*b^5 - a^6*b^7) \\
& *d*cos(d*x + c) + (a^11*b^2 - 3*a^9*b^4 + 3*a^7*b^6 - a^5*b^8)*d)]
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos^2(c + dx)}{(a + b \sec(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)**2/(a + b*sec(c + d*x))**3, x)

Giac [B] time = 1.53663, size = 1827, normalized size = 4.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] $\frac{1}{2} * (2 * (12 * B * a^5 * b^2 - 20 * A * a^4 * b^3 - 15 * B * a^3 * b^4 + 29 * A * a^2 * b^5 + 6 * B * a * b^6 - 12 * A * b^7) * (\pi * \text{floor}(1/2 * (d * x + c) / \pi + 1/2) * \text{sgn}(-2 * a + 2 * b) + \arctan(-(a * \tan(1/2 * d * x + 1/2 * c) - b * \tan(1/2 * d * x + 1/2 * c)) / \sqrt{-a^2 + b^2}))) / ((a^9 - 2 * a^7 * b^2 + a^5 * b^4) * \sqrt{-a^2 + b^2}) - 2 * (A * a^7 * \tan(1/2 * d * x + 1/2 * c)^7 - 2 * B * a^7 * \tan(1/2 * d * x + 1/2 * c)^7 + 4 * A * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^7 + 4 * B * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^7 - 13 * A * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 + 2 * B * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 2 * A * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^7 - 16 * B * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^7 + 33 * A * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^7 + 9 * B * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^7 - 17 * A * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^7 + 9 * B * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^7 - 18 * A * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^7 - 6 * B * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^7 + 12 * A * b^7 * \tan(1/2 * d * x + 1/2 * c)^7 - 3 * A * a^7 * \tan(1/2 * d * x + 1/2 * c)^5 + 2 * B * a^7 * \tan(1/2 * d * x + 1/2 * c)^5 - 4 * A * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^5 + 4 * B * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^5 - 5 * A * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 10 * B * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 26 * A * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 - 16 * B * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 29 * A * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^5 + 35 * B * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^5 - 67 * A * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^5 + 9 * B * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^5 - 18 * A * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^5 - 18 * B * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^5 + 36 * A * b^7 * \tan(1/2 * d * x + 1/2 * c)^5 + 3 * A * a^7 * \tan(1/2 * d * x + 1/2 * c)^3 + 2 * B * a^7 * \tan(1/2 * d * x + 1/2 * c)^3 - 4 * A * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^3 - 4 * B * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^3 + 5 * A * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 10 * B * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 26 * A * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 16 * B * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^3 - 29 * A * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 35 * B * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^3 - 67 * A * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^3 - 9 * B * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^3 + 18 * A * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^3 - 18 * B * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^3 + 36 * A * b^7 * \tan(1/2 * d * x + 1/2 * c)^3 - A * a^7 * \tan(1/2 * d * x + 1/2 * c) - 2 * B * a^7 * \tan(1/2 * d * x + 1/2 * c) + 4 * A * a^6 * b * \tan(1/2 * d * x + 1/2 * c) - 4 * B * a^6 * b * \tan(1/2 * d * x + 1/2 * c) + 1$

$$\frac{3Aa^5b^2\tan(1/2dx + 1/2c) + 2Ba^5b^2\tan(1/2dx + 1/2c) - 2Aa^4b^3\tan(1/2dx + 1/2c) + 16Ba^4b^3\tan(1/2dx + 1/2c) - 33Aa^3b^4\tan(1/2dx + 1/2c) + 9Ba^3b^4\tan(1/2dx + 1/2c) - 17Aa^2b^5\tan(1/2dx + 1/2c) - 9Ba^2b^5\tan(1/2dx + 1/2c) + 18Aab^6\tan(1/2dx + 1/2c) - 6Bab^6\tan(1/2dx + 1/2c) + 12Ab^7\tan(1/2dx + 1/2c)}{(a^8 - 2a^6b^2 + a^4b^4)(a\tan(1/2dx + 1/2c)^4 - b\tan(1/2dx + 1/2c)^4 - 2b\tan(1/2dx + 1/2c)^2 - a - b)^2 + (Aa^2 - 6Bab + 12Ab^2)(dx + c)/a^5}/d$$

$$3.336 \quad \int \frac{\sec^5(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=418

$$\frac{(3a^3Ab + 23a^2b^2B - 12a^4B - 8aAb^3 - 6b^4B) \tan(c+dx)}{6b^4d(a^2 - b^2)^2} - \frac{a(-7a^4Ab^3 + 8a^2Ab^5 + 2a^6Ab + 28a^5b^2B - 35a^3b^4B - 8b^5d(a-b)^{7/2}(a+b \sec(c+dx)))}{b^5d(a-b)^{7/2}(a+b \sec(c+dx))}$$

[Out] ((A*b - 4*a*B)*ArcTanh[Sin[c + d*x]])/(b^5*d) - (a*(2*a^6*A*b - 7*a^4*A*b^3 + 8*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 28*a^5*b^2*B - 35*a^3*b^4*B + 20*a*b^6*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^5*(a + b)^(7/2)*d) - ((3*a^3*A*b - 8*a*A*b^3 - 12*a^4*B + 23*a^2*b^2*B - 6*b^4*B)*Tan[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Sec[c + d*x]^3*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (a*(a^2*A*b - 6*A*b^3 - 4*a^3*B + 9*a*b^2*B)*Sec[c + d*x]^2*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - (a^2*(a^4*A*b - 2*a^2*A*b^3 + 6*A*b^5 - 4*a^5*B + 11*a^3*b^2*B - 12*a*b^4*B)*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 5.27344, antiderivative size = 418, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$, Rules used = {4029, 4098, 4090, 4082, 3998, 3770, 3831, 2659, 208}

$$\frac{(3a^3Ab + 23a^2b^2B - 12a^4B - 8aAb^3 - 6b^4B) \tan(c+dx)}{6b^4d(a^2 - b^2)^2} - \frac{a(-7a^4Ab^3 + 8a^2Ab^5 + 2a^6Ab + 28a^5b^2B - 35a^3b^4B - 8b^5d(a-b)^{7/2}(a+b \sec(c+dx)))}{b^5d(a-b)^{7/2}(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4,x]

[Out] ((A*b - 4*a*B)*ArcTanh[Sin[c + d*x]])/(b^5*d) - (a*(2*a^6*A*b - 7*a^4*A*b^3 + 8*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 28*a^5*b^2*B - 35*a^3*b^4*B + 20*a*b^6*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^5*(a + b)^(7/2)*d) - ((3*a^3*A*b - 8*a*A*b^3 - 12*a^4*B + 23*a^2*b^2*B - 6*b^4*B)*Tan[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Sec[c + d*x]^3*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (a*(a^2*A*b - 6*A*b^3 - 4*a^3*B + 9*a*b^2*B)*Sec[c + d*x]^2*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - (a^2*(a^4*A*b - 2*a^2*A*b^3 + 6*A*b^5 - 4*a^5*B + 11*a^3*b^2*B - 12*a*b^4*B)*Tan[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

$a^5*B + 11*a^3*b^2*B - 12*a*b^4*B)*\text{Tan}[c + d*x]/(2*b^4*(a^2 - b^2)^3*d*(a + b*\text{Sec}[c + d*x]))$

Rule 4029

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*d^2*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-2})/(b*f*(m+1)*(a^2 - b^2)), x] - \text{Dist}[d/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-2}*\text{Simp}[a*d*(A*b - a*B)*(n-2) + b*d*(A*b - a*B)*(m+1)*\text{Csc}[e + f*x] - (a*A*b*d*(m+n) - d*B*(a^2*(n-1) + b^2*(m+1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$

Rule 4098

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(d*(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1})/(b*f*(a^2 - b^2)*(m+1)), x] + \text{Dist}[d/(b*(a^2 - b^2)*(m+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[A*b^2*(n-1) - a*(b*B - a*C)*(n-1) + b*(a*A - b*B + a*C)*(m+1)*\text{Csc}[e + f*x] - (b*(A*b - a*B)*(m+n+1) + C*(a^2*n + b^2*(m+1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$

Rule 4090

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(a*(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(b^2*f*(m+1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m+1)*(a^2 - b^2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*\text{Simp}[b*(m+1)*(-(a*(b*B - a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m+1)) - a*(A*b^2*(m+2) + C*(a^2 + b^2*(m+1)))]*\text{Csc}[e + f*x] - b*C*(m+1)*(a^2 - b^2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 4082

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Csc}[e + f*x], x], x], x] /; \text{Fr}$

eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3998

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^5(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^4} dx &= \frac{a(Ab-aB)\sec^3(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{\int \frac{\sec^3(c+dx)(3a(Ab-aB)-3b(Ab-aB)\sec(c+dx)-(a+b\sec(c+dx))^3)}{(a+b\sec(c+dx))^3} dx}{3b(a^2-b^2)} \\
&= \frac{a(Ab-aB)\sec^3(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\sec^2(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{a(Ab-aB)\sec^3(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\sec^2(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= -\frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\tan(c+dx)}{6b^4(a^2-b^2)^2d} + \frac{a(Ab-aB)\sec^3(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\tan(c+dx)}{6b^4(a^2-b^2)^2d} + \frac{a(Ab-aB)\sec^3(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(Ab-4aB)\tanh^{-1}(\sin(c+dx))}{b^5d} - \frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\tan(c+dx)}{6b^4(a^2-b^2)^2d} \\
&= \frac{(Ab-4aB)\tanh^{-1}(\sin(c+dx))}{b^5d} - \frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\tan(c+dx)}{6b^4(a^2-b^2)^2d} \\
&= \frac{(Ab-4aB)\tanh^{-1}(\sin(c+dx))}{b^5d} - \frac{a(2a^6Ab-7a^4Ab^3+8a^2Ab^5-8Ab^7-8a^7B)}{(a+b\sec(c+dx))^4}
\end{aligned}$$

Mathematica [A] time = 2.99968, size = 548, normalized size = 1.31

$$\frac{2b \tan(c+dx) (-6a^2b(15a^3Ab^3-5a^5Ab-57a^4b^2B+53a^2b^4B+20a^6B-20aAb^5-6b^6B) \cos(2(c+dx)) + a(-7a^5Ab^3-50a^3Ab^5+18a^7Ab+28a^6b^2B+305a^4b^4B-438a^2b^6B))}{(a+b\sec(c+dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^5*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4, x]

```
[Out] ((-48*a*(-2*a^6*A*b + 7*a^4*A*b^3 - 8*a^2*A*b^5 + 8*A*b^7 + 8*a^7*B - 28*a^5*b^2*B + 35*a^3*b^4*B - 20*a*b^6*B)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])/(a^2 - b^2)^(7/2) - 48*(A*b - 4*a*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 48*(A*b - 4*a*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*b*(30*a^7*A*b^2 - 90*a^5*A*b^4 + 120*a^3*A*b^6 - 120*a^8*b*B + 318*a^6*b^3*B - 246*a^4*b^5*B - 36*a^2*b^7*B + 24*b^9*B + a*(18*a^7*A*b - 7*a^5*A*b^3 - 50*a^3*A*b^5 + 144*a*A*b^7 - 72*a^8*B + 28*a^6*b^2*B + 305*a^4*b^4*B - 438*a^2*b^6*B + 72*b^8*B)*Cos[c + d*x] - 6*a^2*b*(-5*a^5*A*b + 15*a^3*A*b^3 - 20*a*A*b^5 + 20*a^6*B - 57*a^4*b^2*B + 53*a^2*b^4*B - 6*b^6*B)*Cos[2*(c + d*x)] + 6*a^8*A*b*Cos[3*(c + d*x)] - 17*a^6*A*b^3*Cos[3*(c + d*x)] + 26*a^4*A*b^5*Cos[3*(c + d*x)] - 24*a^9*B*Cos[3*(c + d*x)] + 68*a^7*b^2*B*Cos[3*(c + d*x)] - 65*a^5*b^4*B*Cos[3*(c + d*x)] + 6*a^3*b^6*B*Cos[3*(c + d*x)])*Tan[c + d*x])/((-a^2 + b^2)^3*(b + a*Cos[c + d*x])^3)/(48*b^5*d)
```

Maple [B] time = 0.108, size = 2948, normalized size = 7.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x)
```

```
[Out] -28/d*a^6/b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B+35/d*a^4/b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-20/d*a^2*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-20/d*a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B-20/d*a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B+4/d*a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A+40/d*a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-4/d*a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A-2/d*a^7/b^4/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*A-4/d*a^6/b^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-6/d*a^4/b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A+1/d*a^5/b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A+2/d*a^6/b^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3
```

$$\begin{aligned}
& a^2 b^3 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) A - 24/d a^2 b / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a^2 - 2 a b + b^2) / (a^2 + 2 a b + b^2) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 \\
& A + 12/d a^7 / b^4 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a^2 - 2 a b + b^2) / (a^2 + 2 a b + b^2) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 B - 2/d a^6 / b^3 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a + b) / (a^3 - 3 a^2 b + 3 a b^2 - b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) \\
& B - 1/d a^5 / b^2 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a - b) / (a^3 + 3 a^2 b + 3 a b^2 + b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 A - 6/d a^4 / b / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a - b) / (a^3 + 3 a^2 b + 3 a b^2 + b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 A + 2/d a^6 / b^3 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a - b) / (a^3 + 3 a^2 b + 3 a b^2 + b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 B + 18/d a^5 / b^2 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a - b) / (a^3 + 3 a^2 b + 3 a b^2 + b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 B - 116/3/d a^5 / b^2 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a^2 - 2 a b + b^2) / (a^2 + 2 a b + b^2) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 B + 44/3/d a^4 / b / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a^2 - 2 a b + b^2) / (a^2 + 2 a b + b^2) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 A - 6/d a^7 / b^4 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a - b) / (a^3 + 3 a^2 b + 3 a b^2 + b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 B + 2/d a^6 / b^3 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a - b) / (a^3 + 3 a^2 b + 3 a b^2 + b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 A - 5/d a^4 / b / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a - b) / (a^3 + 3 a^2 b + 3 a b^2 + b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 B + 12/d a^2 b / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a - b) / (a^3 + 3 a^2 b + 3 a b^2 + b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 A + 18/d a^5 / b^2 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a + b) / (a^3 - 3 a^2 b + 3 a b^2 - b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) B + 5/d a^4 / b / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a + b) / (a^3 - 3 a^2 b + 3 a b^2 - b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) B + 12/d a^2 b / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a + b) / (a^3 - 3 a^2 b + 3 a b^2 - b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) A - 6/d a^7 / b^4 / \left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2 a - \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 b - a - b)^3 / (a + b) / (a^3 - 3 a^2 b + 3 a b^2 - b^3) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) B + 8/d a b^2 / (a^6 - 3 a^4 b^2 + 3 a^2 b^4 - b^6) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)) / ((a + b) * (a - b))^{(1/2)} * A + 8/d a^8 / b^5 / (a^6 - 3 a^4 b^2 + 3 a^2 b^4 - b^6) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)) / ((a + b) * (a - b))^{(1/2)} * B + 7/d a^5 / b^2 / (a^6 - 3 a^4 b^2 + 3 a^2 b^4 - b^6) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)) / ((a + b) * (a - b))^{(1/2)} * A + 1/d / b^4 * \ln(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1) * A - 1/d * B / b^4 / (\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1) - 1/d / b^4 * \ln(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1) * A - 1/d * B / b^4 / (\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1) - 4/d / b^5 * \ln(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1) * B * a - 8/d a^3 / (a^6 - 3 a^4 b^2 + 3 a^2 b^4 - b^6) / ((a + b) * (a - b))^{(1/2)} * \operatorname{arctanh}((a - b) * \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)) / ((a + b) * (a - b))^{(1/2)} * A + 4/d / b^5 * \ln(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1) * B * a
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^5(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**5*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**4,x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**5/(a + b*sec(c + d*x))**4, x)
```

Giac [B] time = 1.61392, size = 1357, normalized size = 3.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^5*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/3*(3*(8*B*a^8 - 2*A*a^7*b - 28*B*a^6*b^2 + 7*A*a^5*b^3 + 35*B*a^4*b^4 - 8
*A*a^3*b^5 - 20*B*a^2*b^6 + 8*A*a*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sg
n(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/s
qrt(-a^2 + b^2)))/((a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*sqrt(-a^2 + b^2
)) - (18*B*a^9*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^8*b*tan(1/2*d*x + 1/2*c)^5 -
42*B*a^8*b*tan(1/2*d*x + 1/2*c)^5 + 15*A*a^7*b^2*tan(1/2*d*x + 1/2*c)^5 - 2
4*B*a^7*b^2*tan(1/2*d*x + 1/2*c)^5 + 6*A*a^6*b^3*tan(1/2*d*x + 1/2*c)^5 + 1
17*B*a^6*b^3*tan(1/2*d*x + 1/2*c)^5 - 45*A*a^5*b^4*tan(1/2*d*x + 1/2*c)^5 -
24*B*a^5*b^4*tan(1/2*d*x + 1/2*c)^5 + 6*A*a^4*b^5*tan(1/2*d*x + 1/2*c)^5 -
105*B*a^4*b^5*tan(1/2*d*x + 1/2*c)^5 + 60*A*a^3*b^6*tan(1/2*d*x + 1/2*c)^5
+ 60*B*a^3*b^6*tan(1/2*d*x + 1/2*c)^5 - 36*A*a^2*b^7*tan(1/2*d*x + 1/2*c)^
5 - 36*B*a^9*tan(1/2*d*x + 1/2*c)^3 + 12*A*a^8*b*tan(1/2*d*x + 1/2*c)^3 + 1
52*B*a^7*b^2*tan(1/2*d*x + 1/2*c)^3 - 56*A*a^6*b^3*tan(1/2*d*x + 1/2*c)^3 -
236*B*a^5*b^4*tan(1/2*d*x + 1/2*c)^3 + 116*A*a^4*b^5*tan(1/2*d*x + 1/2*c)^
3 + 120*B*a^3*b^6*tan(1/2*d*x + 1/2*c)^3 - 72*A*a^2*b^7*tan(1/2*d*x + 1/2*c
)^3 + 18*B*a^9*tan(1/2*d*x + 1/2*c) - 6*A*a^8*b*tan(1/2*d*x + 1/2*c) + 42*B
*a^8*b*tan(1/2*d*x + 1/2*c) - 15*A*a^7*b^2*tan(1/2*d*x + 1/2*c) - 24*B*a^7*
b^2*tan(1/2*d*x + 1/2*c) + 6*A*a^6*b^3*tan(1/2*d*x + 1/2*c) - 117*B*a^6*b^3
*tan(1/2*d*x + 1/2*c) + 45*A*a^5*b^4*tan(1/2*d*x + 1/2*c) - 24*B*a^5*b^4*ta
n(1/2*d*x + 1/2*c) + 6*A*a^4*b^5*tan(1/2*d*x + 1/2*c) + 105*B*a^4*b^5*tan(1
/2*d*x + 1/2*c) - 60*A*a^3*b^6*tan(1/2*d*x + 1/2*c) + 60*B*a^3*b^6*tan(1/2*
d*x + 1/2*c) - 36*A*a^2*b^7*tan(1/2*d*x + 1/2*c))/((a^6*b^4 - 3*a^4*b^6 + 3
*a^2*b^8 - b^10)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 - a -
b)^3) - 3*(4*B*a - A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/b^5 + 3*(4*B*a
- A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/b^5 - 6*B*tan(1/2*d*x + 1/2*c)/((
tan(1/2*d*x + 1/2*c)^2 - 1)*b^4))/d
```

$$3.337 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=310

$$\frac{(3a^2Ab^5 - 7a^5b^2B + 8a^3b^4B + 2a^7B - 8ab^6B + 2Ab^7) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(Ab - aB) \tan(c+dx) \sec^2(c+dx)}{3bd(a^2 - b^2)(a+b \sec(c+dx))^3}$$

[Out] (B*ArcTanh[Sin[c + d*x]])/(b^4*d) - ((3*a^2*A*b^5 + 2*A*b^7 + 2*a^7*B - 7*a^5*b^2*B + 8*a^3*b^4*B - 8*a*b^6*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^4*(a + b)^(7/2)*d) + (a*(A*b - a*B)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (a^2*(5*A*b^3 + 3*a^3*B - 8*a*b^2*B)*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - (a*(a^2*A*b^3 - 16*A*b^5 + 9*a^5*B - 28*a^3*b^2*B + 34*a*b^4*B)*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.36639, antiderivative size = 310, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {4029, 4090, 4080, 3998, 3770, 3831, 2659, 208}

$$\frac{(3a^2Ab^5 - 7a^5b^2B + 8a^3b^4B + 2a^7B - 8ab^6B + 2Ab^7) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(Ab - aB) \tan(c+dx) \sec^2(c+dx)}{3bd(a^2 - b^2)(a+b \sec(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4, x]

[Out] (B*ArcTanh[Sin[c + d*x]])/(b^4*d) - ((3*a^2*A*b^5 + 2*A*b^7 + 2*a^7*B - 7*a^5*b^2*B + 8*a^3*b^4*B - 8*a*b^6*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^4*(a + b)^(7/2)*d) + (a*(A*b - a*B)*Sec[c + d*x]^2*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (a^2*(5*A*b^3 + 3*a^3*B - 8*a*b^2*B)*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - (a*(a^2*A*b^3 - 16*A*b^5 + 9*a^5*B - 28*a^3*b^2*B + 34*a*b^4*B)*Tan[c + d*x])/(6*b^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4029

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*

```
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]
```

Rule 4090

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(a*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(m + 1)*(-(a*(b*B - a*C)) + A*b^2) + (b*B*(a^2 + b^2*(m + 1)) - a*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))*Csc[e + f*x] - b*C*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4080

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 3998

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[B/b, Int[Csc[e + f*x], x], x] + Dist[(A*b - a*B)/b, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
```



```
1] :=> Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] :=> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^4} dx &= \frac{a(Ab-aB)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{\int \frac{\sec^2(c+dx)(2a(Ab-aB)-3b(Ab-aB)\sec(c+dx)+3(a+b\sec(c+dx))^3)}{(a+b\sec(c+dx))^3} dx}{3b(a^2-b^2)} \\
&= \frac{a(Ab-aB)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\tan(c+dx)}{6b^3(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{a(Ab-aB)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\tan(c+dx)}{6b^3(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{a(Ab-aB)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\tan(c+dx)}{6b^3(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{a(Ab-aB)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\tan(c+dx)}{6b^3(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^4d} + \frac{a(Ab-aB)\sec^2(c+dx)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\tan(c+dx)}{6b^3(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))}{b^4d} - \frac{(3a^2Ab^5+2Ab^7+2a^7B-7a^5b^2B+8a^3b^4B-8ab^6B)}{(a-b)^{7/2}b^4(a+b)^{7/2}d}
\end{aligned}$$

Mathematica [A] time = 1.8103, size = 369, normalized size = 1.19

$$\cos(c+dx)(A+B\sec(c+dx)) \left(-\frac{2ab\sin(c+dx)(a^2(4a^2Ab^3+17a^3b^2B-6a^5B-26ab^4B+11Ab^5)\cos(2(c+dx))-6ab(-a^2Ab^3-15a^3b^2B+5a^5B+20ab^4B-9b^2-a^2)^3(a\cos(c+dx)+b)^3}{(b^2-a^2)^3(a\cos(c+dx)+b)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4, x]

[Out] (Cos[c + d*x]*(A + B*Sec[c + d*x])*((24*(3*a^2*A*b^5 + 2*A*b^7 + 2*a^7*B - 7*a^5*b^2*B + 8*a^3*b^4*B - 8*a*b^6*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2]])/

$$\frac{\sqrt{a^2 - b^2}}{(a^2 - b^2)^{7/2}} - 24B \operatorname{Log}\left[\frac{\cos\left(\frac{c + dx}{2}\right) - \sin\left(\frac{c + dx}{2}\right)}{2}\right] + 24B \operatorname{Log}\left[\frac{\cos\left(\frac{c + dx}{2}\right) + \sin\left(\frac{c + dx}{2}\right)}{2}\right] - (2ab(8a^4A^2b^3 + a^2Ab^5 + 36A^2b^7 - 6a^7B - 5a^5b^2B + 38a^3b^4B - 72a^2b^6B - 6ab(-(a^2Ab^3) - 9A^2b^5 + 5a^5B - 15a^3b^2B + 20ab^4B)) \cos[c + dx] + a^2(4a^2A^2b^3 + 11A^2b^5 - 6a^5B + 17a^3b^2B - 26ab^4B) \cos[2(c + dx)]) \sin[c + dx]) / ((-a^2 + b^2)^3 (b + a \cos[c + dx])^3) / (24b^4d(B + A \cos[c + dx]))$$

Maple [B] time = 0.122, size = 2264, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c))^4 (A+B\sec(dx+c)) / (a+b\sec(dx+c))^4 dx$

[Out] $\frac{4}{3} \frac{d}{dx} \left(\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b}{(a^2 - 2ab + b^2)} \right)^3 \frac{a^3}{(a^2 - 2ab + b^2)} \frac{1}{(a^2 + 2ab + b^2)} \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A + 8/d b^2}{(a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6)} \frac{1}{((a+b)(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)(a-b)}\right) \frac{1}{((a+b)(a-b))^{1/2}} B a^{-2} / d b^4}{(a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6)} \frac{1}{((a+b)(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)(a-b)}\right) \frac{1}{((a+b)(a-b))^{1/2}} B a^{-7-3} / d b}{(a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6)} \frac{1}{((a+b)(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)(a-b)}\right) \frac{1}{((a+b)(a-b))^{1/2}} A a^{-2+7} / d b^2}{(a^6 - 3a^4 b^2 + 3a^2 b^4 - b^6)} \frac{1}{((a+b)(a-b))^{1/2}} \operatorname{arctanh}\left(\frac{(a-b)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a+b)(a-b)}\right) \frac{1}{((a+b)(a-b))^{1/2}} B a^{-5-4} / d a^3}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3} \frac{1}{(a+b)} \frac{1}{(a^3 - 3a^2 b + 3a b^2 - b^3)} \frac{1}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)} \frac{1}{(a^3 + 3a^2 b + 3a b^2 + b^3)} \frac{1}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5} \frac{1}{d a^3} \frac{1}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3} \frac{1}{(a+b)} \frac{1}{(a^3 - 3a^2 b + 3a b^2 - b^3)} \frac{1}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)} \frac{1}{d b^3} \frac{1}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3} \frac{1}{a^6} \frac{1}{(a^2 - 2ab + b^2)} \frac{1}{(a^2 + 2ab + b^2)} \frac{1}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3} \frac{1}{d b} \frac{1}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3} \frac{1}{a^2} \frac{1}{(a^2 - 2ab + b^2)} \frac{1}{(a^2 + 2ab + b^2)} \frac{1}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3} \frac{1}{d b} \frac{1}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3} \frac{1}{a^2} \frac{1}{(a^3 - 3a^2 b + 3a b^2 + b^3)} \frac{1}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5} \frac{1}{d b^2} \frac{1}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3} \frac{1}{a} \frac{1}{(a^3 + 3a^2 b + 3a b^2 + b^3)} \frac{1}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5} \frac{1}{d b} \frac{1}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3} \frac{1}{a^2} \frac{1}{(a^3 - 3a^2 b + 3a b^2 - b^3)} \frac{1}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5} \frac{1}{d b^2} \frac{1}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3} \frac{1}{A + 12/d b^2} \frac{1}{(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 a - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 b - a - b)^3}$

$$\begin{aligned} & *a/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+2/d*a^6/b^3/(\tan(\\ & 1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2 \\ & -b^3)*\tan(1/2*d*x+1/2*c)*B+2/d*a^6/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+ \\ & 1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-1/ \\ & d*a^5/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+ \\ & 3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-6/d*a^4/b/(\tan(1/2*d*x+1/2*c)^2 \\ & *a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d* \\ & x+1/2*c)^5*B-3/d*a^2*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^ \\ & 3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+1/d*a^5/b^2/(\tan(1 \\ & /2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2- \\ & b^3)*\tan(1/2*d*x+1/2*c)*B-6/d*a^4/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2 \\ & *c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+3/d*a^2 \\ & *b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b \\ & +3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+1/d*B/b^4*\ln(\tan(1/2*d*x+1/2*c)+1)-1/d*B \\ & /b^4*\ln(\tan(1/2*d*x+1/2*c)-1)-8/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b \\ &))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))*B*a^3-2/d*b^ \\ & 3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d \\ & *x+1/2*c))/((a+b)*(a-b))^(1/2))*A \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 116.544, size = 5023, normalized size = 16.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

```

[Out] [-1/12*(3*(2*B*a^7*b^3 - 7*B*a^5*b^5 + 8*B*a^3*b^7 + 3*A*a^2*b^8 - 8*B*a*b^9
+ 2*A*b^10 + (2*B*a^10 - 7*B*a^8*b^2 + 8*B*a^6*b^4 + 3*A*a^5*b^5 - 8*B*a^4*b^6
+ 2*A*a^3*b^7)*cos(d*x + c)^3 + 3*(2*B*a^9*b - 7*B*a^7*b^3 + 8*B*a^5*b^5
+ 3*A*a^4*b^6 - 8*B*a^3*b^7 + 2*A*a^2*b^8)*cos(d*x + c)^2 + 3*(2*B*a^8*b^2
- 7*B*a^6*b^4 + 8*B*a^4*b^6 + 3*A*a^3*b^7 - 8*B*a^2*b^8 + 2*A*a*b^9)*cos
(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x
+ c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2
)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) - 6*(B*a^8*b^3 - 4*B*a^6
*b^5 + 6*B*a^4*b^7 - 4*B*a^2*b^9 + B*b^11 + (B*a^11 - 4*B*a^9*b^2 + 6*B*a^7
*b^4 - 4*B*a^5*b^6 + B*a^3*b^8)*cos(d*x + c)^3 + 3*(B*a^10*b - 4*B*a^8*b^3
+ 6*B*a^6*b^5 - 4*B*a^4*b^7 + B*a^2*b^9)*cos(d*x + c)^2 + 3*(B*a^9*b^2 - 4*
B*a^7*b^4 + 6*B*a^5*b^6 - 4*B*a^3*b^8 + B*a*b^10)*cos(d*x + c))*log(sin(d*x
+ c) + 1) + 6*(B*a^8*b^3 - 4*B*a^6*b^5 + 6*B*a^4*b^7 - 4*B*a^2*b^9 + B*b^11
+ (B*a^11 - 4*B*a^9*b^2 + 6*B*a^7*b^4 - 4*B*a^5*b^6 + B*a^3*b^8)*cos(d*x
+ c)^3 + 3*(B*a^10*b - 4*B*a^8*b^3 + 6*B*a^6*b^5 - 4*B*a^4*b^7 + B*a^2*b^9)
*cos(d*x + c)^2 + 3*(B*a^9*b^2 - 4*B*a^7*b^4 + 6*B*a^5*b^6 - 4*B*a^3*b^8 +
B*a*b^10)*cos(d*x + c))*log(-sin(d*x + c) + 1) + 2*(11*B*a^8*b^3 - 2*A*a^7*
b^4 - 43*B*a^6*b^5 + 7*A*a^5*b^6 + 68*B*a^4*b^7 - 23*A*a^3*b^8 - 36*B*a^2*b
^9 + 18*A*a*b^10 + (6*B*a^10*b - 23*B*a^8*b^3 - 4*A*a^7*b^4 + 43*B*a^6*b^5
- 7*A*a^5*b^6 - 26*B*a^4*b^7 + 11*A*a^3*b^8)*cos(d*x + c)^2 + 3*(5*B*a^9*b^2
- 20*B*a^7*b^4 - A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20*B*a^3*b^8 +
9*A*a^2*b^9)*cos(d*x + c))*sin(d*x + c))/((a^11*b^4 - 4*a^9*b^6 + 6*a^7*b^8
- 4*a^5*b^10 + a^3*b^12)*d*cos(d*x + c)^3 + 3*(a^10*b^5 - 4*a^8*b^7 + 6*a^6
*b^9 - 4*a^4*b^11 + a^2*b^13)*d*cos(d*x + c)^2 + 3*(a^9*b^6 - 4*a^7*b^8 +
6*a^5*b^10 - 4*a^3*b^12 + a*b^14)*d*cos(d*x + c) + (a^8*b^7 - 4*a^6*b^9 + 6
*a^4*b^11 - 4*a^2*b^13 + b^15)*d), -1/6*(3*(2*B*a^7*b^3 - 7*B*a^5*b^5 + 8*B
*a^3*b^7 + 3*A*a^2*b^8 - 8*B*a*b^9 + 2*A*b^10 + (2*B*a^10 - 7*B*a^8*b^2 + 8
*B*a^6*b^4 + 3*A*a^5*b^5 - 8*B*a^4*b^6 + 2*A*a^3*b^7)*cos(d*x + c)^3 + 3*(2
*B*a^9*b - 7*B*a^7*b^3 + 8*B*a^5*b^5 + 3*A*a^4*b^6 - 8*B*a^3*b^7 + 2*A*a^2*
b^8)*cos(d*x + c)^2 + 3*(2*B*a^8*b^2 - 7*B*a^6*b^4 + 8*B*a^4*b^6 + 3*A*a^3*
b^7 - 8*B*a^2*b^8 + 2*A*a*b^9)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(
-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) - 3*(B*a^8*b^3
- 4*B*a^6*b^5 + 6*B*a^4*b^7 - 4*B*a^2*b^9 + B*b^11 + (B*a^11 - 4*B*a^9*b^2
+ 6*B*a^7*b^4 - 4*B*a^5*b^6 + B*a^3*b^8)*cos(d*x + c)^3 + 3*(B*a^10*b - 4*
B*a^8*b^3 + 6*B*a^6*b^5 - 4*B*a^4*b^7 + B*a^2*b^9)*cos(d*x + c)^2 + 3*(B*a^9
*b^2 - 4*B*a^7*b^4 + 6*B*a^5*b^6 - 4*B*a^3*b^8 + B*a*b^10)*cos(d*x + c))*l
og(sin(d*x + c) + 1) + 3*(B*a^8*b^3 - 4*B*a^6*b^5 + 6*B*a^4*b^7 - 4*B*a^2*b
^9 + B*b^11 + (B*a^11 - 4*B*a^9*b^2 + 6*B*a^7*b^4 - 4*B*a^5*b^6 + B*a^3*b^8
)*cos(d*x + c)^3 + 3*(B*a^10*b - 4*B*a^8*b^3 + 6*B*a^6*b^5 - 4*B*a^4*b^7 +
B*a^2*b^9)*cos(d*x + c)^2 + 3*(B*a^9*b^2 - 4*B*a^7*b^4 + 6*B*a^5*b^6 - 4*B*
a^3*b^8 + B*a*b^10)*cos(d*x + c))*log(-sin(d*x + c) + 1) + (11*B*a^8*b^3 -
2*A*a^7*b^4 - 43*B*a^6*b^5 + 7*A*a^5*b^6 + 68*B*a^4*b^7 - 23*A*a^3*b^8 - 36
*B*a^2*b^9 + 18*A*a*b^10 + (6*B*a^10*b - 23*B*a^8*b^3 - 4*A*a^7*b^4 + 43*B*
a^6*b^5 - 7*A*a^5*b^6 - 26*B*a^4*b^7 + 11*A*a^3*b^8)*cos(d*x + c)^2 + 3*(5*
B*a^9*b^2 - 20*B*a^7*b^4 - A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20*B*a^

```

$3*b^8 + 9*A*a^2*b^9)*\cos(d*x + c))*\sin(d*x + c))/((a^{11}*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^{10} + a^3*b^{12})*d*\cos(d*x + c)^3 + 3*(a^{10}*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^{11} + a^2*b^{13})*d*\cos(d*x + c)^2 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^{10} - 4*a^3*b^{12} + a*b^{14})*d*\cos(d*x + c) + (a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^{11} - 4*a^2*b^{13} + b^{15})*d)]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^4(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**4/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.65944, size = 1139, normalized size = 3.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out] $-1/3*(3*(2*B*a^7 - 7*B*a^5*b^2 + 8*B*a^3*b^4 + 3*A*a^2*b^5 - 8*B*a*b^6 + 2*A*b^7)*(pi*\text{floor}(1/2*(d*x + c)/pi + 1/2))*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^{10})*\sqrt{-a^2 + b^2}) - 3*B*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/b^4 + 3*B*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/b^4 - (6*B*a^8*\tan(1/2*d*x + 1/2*c)^5 - 15*B*a^7*b*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^6*b^2*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a^5*b^3*\tan(1/2*d*x + 1/2*c)^5 + 45*B*a^5*b^3*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^4*b^4*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^4*b^4*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a^3*b^5*\tan(1/2*d*x + 1/2*c)^5 - 60*B*a^3*b^5*\tan(1/2*d*x + 1/2*c)^5 + 27*A*a^2*b^6*\tan(1/2*d*x + 1/2*c)^5 + 36*B*a^2*b^6*\tan(1/2*d*x + 1/2*c)^5 - 18*A*a*b^7*\tan(1/2*d*x + 1/2*c)^5 - 12*B*a^8*\tan(1/2*d*x + 1/2*c)^3 + 56*B*a^6*b^2*\tan(1/2*d*x + 1/2*c)^3 + 4*A*a^5*b^3*\tan(1/2*d*x + 1/2*c)^3 - 116*B*a^4*b^4*\tan(1/2*d*x + 1/2*c)^3 + 32*A*a^3*b^5*\tan(1/2*$

$$\begin{aligned}
& d*x + 1/2*c)^3 + 72*B*a^2*b^6*\tan(1/2*d*x + 1/2*c)^3 - 36*A*a*b^7*\tan(1/2*d \\
& *x + 1/2*c)^3 + 6*B*a^8*\tan(1/2*d*x + 1/2*c) + 15*B*a^7*b*\tan(1/2*d*x + 1/2 \\
& *c) - 6*B*a^6*b^2*\tan(1/2*d*x + 1/2*c) - 6*A*a^5*b^3*\tan(1/2*d*x + 1/2*c) - \\
& 45*B*a^5*b^3*\tan(1/2*d*x + 1/2*c) - 3*A*a^4*b^4*\tan(1/2*d*x + 1/2*c) - 6*B \\
& *a^4*b^4*\tan(1/2*d*x + 1/2*c) - 6*A*a^3*b^5*\tan(1/2*d*x + 1/2*c) + 60*B*a^3 \\
& *b^5*\tan(1/2*d*x + 1/2*c) - 27*A*a^2*b^6*\tan(1/2*d*x + 1/2*c) + 36*B*a^2*b^ \\
& 6*\tan(1/2*d*x + 1/2*c) - 18*A*a*b^7*\tan(1/2*d*x + 1/2*c))/((a^6*b^3 - 3*a^4 \\
& *b^5 + 3*a^2*b^7 - b^9)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^ \\
& 2 - a - b)^3))/d
\end{aligned}$$

$$3.338 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=274

$$\frac{(a^3 A - 3a^2 b B + 4a A b^2 - 2b^3 B) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2(Ab - aB) \tan(c+dx)}{3b^2 d (a^2 - b^2) (a+b \sec(c+dx))^3} + \frac{a(a^2 Ab - 4a^3 B + 9ab^2)}{6b^2 d (a^2 - b^2)^2 (a+b \sec(c+dx))}$$

[Out] ((a^3*A + 4*a*A*b^2 - 3*a^2*b*B - 2*b^3*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) - (a^2*(A*b - a*B)*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (a*(a^2*A*b - 6*A*b^3 - 4*a^3*B + 9*a*b^2*B)*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((a^4*A*b - 10*a^2*A*b^3 - 6*A*b^5 + 2*a^5*B - 5*a^3*b^2*B + 18*a*b^4*B)*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.699892, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4028, 4080, 4003, 12, 3831, 2659, 208}

$$\frac{(a^3 A - 3a^2 b B + 4a A b^2 - 2b^3 B) \tanh^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2(Ab - aB) \tan(c+dx)}{3b^2 d (a^2 - b^2) (a+b \sec(c+dx))^3} + \frac{a(a^2 Ab - 4a^3 B + 9ab^2)}{6b^2 d (a^2 - b^2)^2 (a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4,x]

[Out] ((a^3*A + 4*a*A*b^2 - 3*a^2*b*B - 2*b^3*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) - (a^2*(A*b - a*B)*Tan[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (a*(a^2*A*b - 6*A*b^3 - 4*a^3*B + 9*a*b^2*B)*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((a^4*A*b - 10*a^2*A*b^3 - 6*A*b^5 + 2*a^5*B - 5*a^3*b^2*B + 18*a*b^4*B)*Tan[c + d*x])/(6*b^2*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4028

Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(a^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x]

+ Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e + f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4080

Int[csc[(e_.) + (f_.)*(x_.)]*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 4003

Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^4} dx &= -\frac{a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{\int \frac{\sec(c+dx)(-3ab(Ab-aB)-(a^2-3b^2)(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx}{3b^2(a^2-b^2)} \\
&= -\frac{a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= -\frac{a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= -\frac{a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= -\frac{a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= -\frac{a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= -\frac{a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\tan(c+dx)}{6b^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{(a^3A+4aAb^2-3a^2bB-2b^3B)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} - \frac{a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^3}
\end{aligned}$$

Mathematica [A] time = 2.23161, size = 226, normalized size = 0.82

$$\frac{(-13a^2Ab+4a^3B+11ab^2B-2Ab^3)\sin(c+dx)}{(a-b)^3(a+b)^3(a\cos(c+dx)+b)} + \frac{(3a^2A-5abB+2Ab^2)\sin(c+dx)}{(a-b)^2(a+b)^2(a\cos(c+dx)+b)^2} - \frac{6(a^3A-3a^2bB+4aAb^2-2b^3B)\tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{7/2}} + \frac{2(aB-Ab)\sin(c+dx)}{(a-b)(a+b)(a\cos(c+dx)+b)}$$

$6d$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4,x]

[Out]
$$\frac{((-6*(a^3*A + 4*a*A*b^2 - 3*a^2*b*B - 2*b^3*B)*\text{ArcTanh}[\frac{(-a + b)*\text{Tan}[(c + d*x)/2]}{\sqrt{a^2 - b^2}}])/\sqrt{a^2 - b^2})/(a^2 - b^2)^{7/2} + (2*(-(A*b) + a*B)*\text{Sin}[c + d*x])/\left((a - b)*(a + b)*(b + a*\text{Cos}[c + d*x])^3\right) + \left(\frac{3*a^2*A + 2*A*b^2 - 5*a*b*B}{(a - b)^2*(a + b)^2*(b + a*\text{Cos}[c + d*x])^2}\right) + \left(\frac{-13*a^2*A*b - 2*A*b^3 + 4*a^3*B + 11*a*b^2*B}{(a - b)^3*(a + b)^3*(b + a*\text{Cos}[c + d*x])}\right)}{6*d}$$

Maple [A] time = 0.094, size = 375, normalized size = 1.4

$$\frac{1}{d} \left(-2 \frac{1}{\left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b \right)^3} \left(-1/2 \frac{(Aa^3 + 6Aa^2b + 2Aab^2 + 2Ab^3 - 2Ba^3 - 3Ba^2b - 3Ba^2b^2)}{(a-b)(a^3 + 3a^2b + 3ab^2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x)

[Out]
$$\frac{1}{d} \left(-2 \left(-1/2 \frac{(A*a^3 + 6*A*a^2*b + 2*A*a*b^2 + 2*A*b^3 - 2*B*a^3 - 3*B*a^2*b - 6*B*a*b^2)}{(a-b)} \right) / \left(a^3 + 3*a^2*b + 3*a*b^2 + b^3 \right) * \tan(1/2*d*x + 1/2*c)^5 + 2/3 \left(7*A*a^2*b + 3*A*b^3 - B*a^3 - 9*B*a*b^2 \right) / \left(a^2 + 2*a*b + b^2 \right) / \left(a^2 - 2*a*b + b^2 \right) * \tan(1/2*d*x + 1/2*c)^3 + 1/2 \left(A*a^3 - 6*A*a^2*b + 2*A*a*b^2 - 2*A*b^3 + 2*B*a^3 - 3*B*a^2*b + 6*B*a*b^2 \right) / (a+b) / \left(a^3 - 3*a^2*b + 3*a*b^2 - b^3 \right) * \tan(1/2*d*x + 1/2*c) \right) / \left(\tan(1/2*d*x + 1/2*c)^2 * a - \tan(1/2*d*x + 1/2*c)^2 * b - a - b \right)^3 + \left(A*a^3 + 4*A*a*b^2 - 3*B*a^2*b - 2*B*b^3 \right) / \left(a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6 \right) / \left((a+b)*(a-b) \right)^{1/2} * \text{arctanh} \left(\frac{(a-b)*\tan(1/2*d*x + 1/2*c)}{(a+b)*(a-b)} \right) \right)$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.799262, size = 2707, normalized size = 9.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out] [1/12*(3*(A*a^3*b^3 - 3*B*a^2*b^4 + 4*A*a*b^5 - 2*B*b^6 + (A*a^6 - 3*B*a^5*b + 4*A*a^4*b^2 - 2*B*a^3*b^3)*cos(d*x + c)^3 + 3*(A*a^5*b - 3*B*a^4*b^2 + 4*A*a^3*b^3 - 2*B*a^2*b^4)*cos(d*x + c)^2 + 3*(A*a^4*b^2 - 3*B*a^3*b^3 + 4*A*a^2*b^4 - 2*B*a*b^5)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(2*B*a^7 + A*a^6*b - 7*B*a^5*b^2 - 11*A*a^4*b^3 + 23*B*a^3*b^4 + 4*A*a^2*b^5 - 18*B*a*b^6 + 6*A*b^7 + (4*B*a^7 - 13*A*a^6*b + 7*B*a^5*b^2 + 11*A*a^4*b^3 - 11*B*a^3*b^4 + 2*A*a^2*b^5)*cos(d*x + c)^2 + 3*(A*a^7 + B*a^6*b - 10*A*a^5*b^2 + 8*B*a^4*b^3 + 7*A*a^3*b^4 - 9*B*a^2*b^5 + 2*A*a*b^6)*cos(d*x + c))*sin(d*x + c))/((a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*cos(d*x + c)^3 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d), 1/6*(3*(A*a^3*b^3 - 3*B*a^2*b^4 + 4*A*a*b^5 - 2*B*b^6 + (A*a^6 - 3*B*a^5*b + 4*A*a^4*b^2 - 2*B*a^3*b^3)*cos(d*x + c)^3 + 3*(A*a^5*b - 3*B*a^4*b^2 + 4*A*a^3*b^3 - 2*B*a^2*b^4)*cos(d*x + c)^2 + 3*(A*a^4*b^2 - 3*B*a^3*b^3 + 4*A*a^2*b^4 - 2*B*a*b^5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*B*a^7 + A*a^6*b - 7*B*a^5*b^2 - 11*A*a^4*b^3 + 23*B*a^3*b^4 + 4*A*a^2*b^5 - 18*B*a*b^6 + 6*A*b^7 + (4*B*a^7 - 13*A*a^6*b + 7*B*a^5*b^2 + 11*A*a^4*b^3 - 11*B*a^3*b^4 + 2*A*a^2*b^5)*cos(d*x + c)^2 + 3*(A*a^7 + B*a^6*b - 10*A*a^5*b^2 + 8*B*a^4*b^3 + 7*A*a^3*b^4 - 9*B*a^2*b^5 + 2*A*a*b^6)*cos(d*x + c))*sin(d*x + c))/((a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*cos(d*x + c)^3 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.55525, size = 936, normalized size = 3.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{3} \cdot (3 \cdot (A \cdot a^3 - 3 \cdot B \cdot a^2 \cdot b + 4 \cdot A \cdot a \cdot b^2 - 2 \cdot B \cdot b^3) \cdot (\pi \cdot \text{floor}(1/2 \cdot (d \cdot x + c)) / \pi + 1/2) \cdot \text{sgn}(-2 \cdot a + 2 \cdot b) + \arctan(-(a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / \sqrt{-a^2 + b^2})) / ((a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) \cdot \sqrt{-a^2 + b^2}) + (3 \cdot A \cdot a^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot B \cdot a^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 12 \cdot A \cdot a^4 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 3 \cdot B \cdot a^4 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 27 \cdot A \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot B \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 12 \cdot A \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 27 \cdot B \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 6 \cdot A \cdot a \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 18 \cdot B \cdot a \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 6 \cdot A \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 4 \cdot B \cdot a^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 28 \cdot A \cdot a^4 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 32 \cdot B \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 16 \cdot A \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 36 \cdot B \cdot a \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 12 \cdot A \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 3 \cdot A \cdot a^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 6 \cdot B \cdot a^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 12 \cdot A \cdot a^4 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 3 \cdot B \cdot a^4 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 27 \cdot A \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 6 \cdot B \cdot a^3 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 12 \cdot A \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 27 \cdot B \cdot a^2 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot A \cdot a \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 18 \cdot B \cdot a \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 6 \cdot A \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / ((a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) \cdot (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - a - b)^3) / d$$

$$3.339 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=263

$$-\frac{(4a^2Ab + a^3(-B) - 4ab^2B + Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(2a^3Ab - 10a^2b^2B + a^4B + 13aAb^3 - 6b^4B) \tan(c+dx)}{6bd(a^2 - b^2)^3(a+b \sec(c+dx))}$$

[Out] -(((4*a^2*A*b + A*b^3 - a^3*B - 4*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d)) + (a*(A*b - a*B)*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((2*a^2*A*b + 3*A*b^3 + a^3*B - 6*a*b^2*B)*Tan[c + d*x])/(6*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((2*a^3*A*b + 13*a*A*b^3 + a^4*B - 10*a^2*b^2*B - 6*b^4*B)*Tan[c + d*x])/(6*b*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.615023, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4009, 4003, 12, 3831, 2659, 208}

$$-\frac{(4a^2Ab + a^3(-B) - 4ab^2B + Ab^3) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(2a^3Ab - 10a^2b^2B + a^4B + 13aAb^3 - 6b^4B) \tan(c+dx)}{6bd(a^2 - b^2)^3(a+b \sec(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4, x]

[Out] -(((4*a^2*A*b + A*b^3 - a^3*B - 4*a*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d)) + (a*(A*b - a*B)*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + ((2*a^2*A*b + 3*A*b^3 + a^3*B - 6*a*b^2*B)*Tan[c + d*x])/(6*b*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + ((2*a^3*A*b + 13*a*A*b^3 + a^4*B - 10*a^2*b^2*B - 6*b^4*B)*Tan[c + d*x])/(6*b*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4009

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dis

```
t[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*
Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e
+ f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] &&
NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(cs
c[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e
+ f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(
(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a
*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{
a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -
1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^4} dx &= \frac{a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{\int \frac{\sec(c+dx)(-3b(Ab-aB)+(2aAb+a^2B-3b^2B)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx}{3b(a^2-b^2)} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{(2a^2Ab+3Ab^3+a^3B-6ab^2B)\tan(c+dx)}{6b(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= -\frac{(4a^2Ab+Ab^3-a^3B-4ab^2B)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} + \frac{a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^3}
\end{aligned}$$

Mathematica [A] time = 1.15707, size = 252, normalized size = 0.96

$$\frac{2\sin(c+dx)(a(-10a^2Ab^2-6a^4A+13a^3bB+2ab^3B+Ab^4)\cos(2(c+dx))-6(9a^2Ab^3+2a^4Ab-9a^3b^2B+a^5B-2ab^4B-Ab^5)\cos(c+dx)-14a^3Ab^2-6a^5A+22a^2b^3B+11a^4b^2)}{(a\cos(c+dx)+b)^3}$$

$$24d(b^2-a^2)^3$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4,x]

[Out] ((24*(-4*a^2*A*b - A*b^3 + a^3*B + 4*a*b^2*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + (2*(-6*a^5*A - 14*a^3*A*b^2 - 25*a*A*b^4 + 11*a^4*b*B + 22*a^2*b^3*B + 12*b^5*B - 6*(2*a^4*A*b + 9*a^2*A*b^3 - A*b^5 + a^5*B - 9*a^3*b^2*B - 2*a*b^4*B)*Cos[c + d*x] + a*(-6*a^4*A - 1

$$0*a^2*A*b^2 + A*b^4 + 13*a^3*b*B + 2*a*b^3*B)*\text{Cos}[2*(c + d*x)]*\text{Sin}[c + d*x])/(b + a*\text{Cos}[c + d*x])^3/(24*(-a^2 + b^2)^3*d)$$

Maple [A] time = 0.089, size = 388, normalized size = 1.5

$$\frac{1}{d} \left(2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^3} \left(-1/2 \frac{(2 Aa^3 + 2 Aa^2 b + 6 Aab^2 + Ab^3 - Ba^3 - 6 Ba^2 b - (a-b)(a^3 + 3 a^2 b + 3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x)`

[Out] `1/d*(2*(-1/2*(2*A*a^3+2*A*a^2*b+6*A*a*b^2+A*b^3-B*a^3-6*B*a^2*b-2*B*a*b^2-2*B*b^3)/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5+2/3*(3*A*a^3+7*A*a*b^2-7*B*a^2*b-3*B*b^3)/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3-1/2*(2*A*a^3-2*A*a^2*b+6*A*a*b^2-A*b^3+B*a^3-6*B*a^2*b+2*B*a*b^2-2*B*b^3)/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3-(4*A*a^2*b+A*b^3-B*a^3-4*B*a*b^2)/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^(1/2))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 0.844989, size = 2715, normalized size = 10.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out] [1/12*(3*(B*a^3*b^3 - 4*A*a^2*b^4 + 4*B*a*b^5 - A*b^6 + (B*a^6 - 4*A*a^5*b + 4*B*a^4*b^2 - A*a^3*b^3)*cos(d*x + c)^3 + 3*(B*a^5*b - 4*A*a^4*b^2 + 4*B*a^3*b^3 - A*a^2*b^4)*cos(d*x + c)^2 + 3*(B*a^4*b^2 - 4*A*a^3*b^3 + 4*B*a^2*b^4 - A*a*b^5)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(B*a^6*b + 2*A*a^5*b^2 - 11*B*a^4*b^3 + 11*A*a^3*b^4 + 4*B*a^2*b^5 - 13*A*a*b^6 + 6*B*b^7 + (6*A*a^7 - 13*B*a^6*b + 4*A*a^5*b^2 + 11*B*a^4*b^3 - 11*A*a^3*b^4 + 2*B*a^2*b^5 + A*a*b^6)*cos(d*x + c)^2 + 3*(B*a^7 + 2*A*a^6*b - 10*B*a^5*b^2 + 7*A*a^4*b^3 + 7*B*a^3*b^4 - 10*A*a^2*b^5 + 2*B*a*b^6 + A*b^7)*cos(d*x + c))*sin(d*x + c))/((a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*cos(d*x + c)^3 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d), 1/6*(3*(B*a^3*b^3 - 4*A*a^2*b^4 + 4*B*a*b^5 - A*b^6 + (B*a^6 - 4*A*a^5*b + 4*B*a^4*b^2 - A*a^3*b^3)*cos(d*x + c)^3 + 3*(B*a^5*b - 4*A*a^4*b^2 + 4*B*a^3*b^3 - A*a^2*b^4)*cos(d*x + c)^2 + 3*(B*a^4*b^2 - 4*A*a^3*b^3 + 4*B*a^2*b^4 - A*a*b^5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (B*a^6*b + 2*A*a^5*b^2 - 11*B*a^4*b^3 + 11*A*a^3*b^4 + 4*B*a^2*b^5 - 13*A*a*b^6 + 6*B*b^7 + (6*A*a^7 - 13*B*a^6*b + 4*A*a^5*b^2 + 11*B*a^4*b^3 - 11*A*a^3*b^4 + 2*B*a^2*b^5 + A*a*b^6)*cos(d*x + c)^2 + 3*(B*a^7 + 2*A*a^6*b - 10*B*a^5*b^2 + 7*A*a^4*b^3 + 7*B*a^3*b^4 - 10*A*a^2*b^5 + 2*B*a*b^6 + A*b^7)*cos(d*x + c))*sin(d*x + c))/((a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*cos(d*x + c)^3 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.58856, size = 980, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{3} \cdot (3 \cdot (B \cdot a^3 - 4 \cdot A \cdot a^2 \cdot b + 4 \cdot B \cdot a \cdot b^2 - A \cdot b^3) \cdot (\pi \cdot \text{floor}(\frac{1}{2} \cdot (d \cdot x + c)) / \pi + \frac{1}{2}) \cdot \text{sgn}(-2 \cdot a + 2 \cdot b) + \arctan\left(\frac{-(a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c))}{\sqrt{-a^2 + b^2}}\right)) / ((a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) \cdot \sqrt{-a^2 + b^2}) - (6 \cdot A \cdot a^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 3 \cdot B \cdot a^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 6 \cdot A \cdot a^4 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 12 \cdot B \cdot a^4 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 12 \cdot A \cdot a^3 \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 27 \cdot B \cdot a^3 \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 27 \cdot A \cdot a^2 \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 12 \cdot B \cdot a^2 \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 12 \cdot A \cdot a \cdot b^4 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 6 \cdot B \cdot a \cdot b^4 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 3 \cdot A \cdot b^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 6 \cdot B \cdot b^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 12 \cdot A \cdot a^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 28 \cdot B \cdot a^4 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 16 \cdot A \cdot a^3 \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 16 \cdot B \cdot a^2 \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 28 \cdot A \cdot a \cdot b^4 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 12 \cdot B \cdot b^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 6 \cdot A \cdot a^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 3 \cdot B \cdot a^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 6 \cdot A \cdot a^4 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 12 \cdot B \cdot a^4 \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 12 \cdot A \cdot a^3 \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 27 \cdot B \cdot a^3 \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 27 \cdot A \cdot a^2 \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 12 \cdot B \cdot a^2 \cdot b^3 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 12 \cdot A \cdot a \cdot b^4 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 6 \cdot B \cdot a \cdot b^4 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 3 \cdot A \cdot b^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 6 \cdot B \cdot b^5 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)) / ((a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) \cdot (a \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 - b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 - a - b)^3) / d$$

$$3.340 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=237

$$\frac{(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(11a^2Ab - 2a^3B - 13ab^2B + 4Ab^3) \tan(c+dx)}{6d(a^2-b^2)^3(a+b \sec(c+dx))} - \frac{(-2a^2B + \dots)}{6d(a^2 - \dots)}$$

[Out] ((2*a^3*A + 3*a*A*b^2 - 4*a^2*b*B - b^3*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) - ((A*b - a*B)*Tan[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((5*a*A*b - 2*a^2*B - 3*b^2*B)*Tan[c + d*x])/(6*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((11*a^2*A*b + 4*A*b^3 - 2*a^3*B - 13*a*b^2*B)*Tan[c + d*x])/(6*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.509945, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {4003, 12, 3831, 2659, 208}

$$\frac{(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(11a^2Ab - 2a^3B - 13ab^2B + 4Ab^3) \tan(c+dx)}{6d(a^2-b^2)^3(a+b \sec(c+dx))} - \frac{(-2a^2B + \dots)}{6d(a^2 - \dots)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4,x]

[Out] ((2*a^3*A + 3*a*A*b^2 - 4*a^2*b*B - b^3*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*(a + b)^(7/2)*d) - ((A*b - a*B)*Tan[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) - ((5*a*A*b - 2*a^2*B - 3*b^2*B)*Tan[c + d*x])/(6*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) - ((11*a^2*A*b + 4*A*b^3 - 2*a^3*B - 13*a*b^2*B)*Tan[c + d*x])/(6*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4003

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(

$(m + 1)(a^2 - b^2)$, $\text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*\text{Simp}[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*\text{Csc}[e + f*x], x], x] /;$ $\text{FreeQ}\{a, b, A, B, e, f\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$

Rule 12

$\text{Int}[(a_*)*(u_), x_Symbol] \text{ :> } \text{Dist}[a, \text{Int}[u, x], x] /;$ $\text{FreeQ}[a, x] \&\& \text{!Match}[Q[u, (b_*)*(v_)] /;$ $\text{FreeQ}[b, x]$

Rule 3831

$\text{Int}[\text{csc}[(e_*) + (f_*)*(x_)]/(\text{csc}[(e_*) + (f_*)*(x_)]*(b_*) + (a_*)), x_Symbol] \text{ :> } \text{Dist}[1/b, \text{Int}[1/(1 + (a*\text{Sin}[e + f*x])/b), x], x] /;$ $\text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2659

$\text{Int}[(a_*) + (b_*)*\text{sin}[\text{Pi}/2 + (c_*) + (d_*)*(x_)]^{(-1)}, x_Symbol] \text{ :> } \text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 208

$\text{Int}[(a_*) + (b_*)*(x_)^2)^{(-1)}, x_Symbol] \text{ :> } \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /;$ $\text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^4} dx &= -\frac{(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{\int \frac{\sec(c+dx)(-3(aA-bB)+2(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx}{3(a^2-b^2)} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(5aAb-2a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} + \frac{\int \frac{\sec(c+dx)(-3(aA-bB)+2(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx}{3(a^2-b^2)} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(5aAb-2a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} - \frac{(11a^2A-11a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(5aAb-2a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} - \frac{(11a^2A-11a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(5aAb-2a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} - \frac{(11a^2A-11a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} \\
&= -\frac{(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{(5aAb-2a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} - \frac{(11a^2A-11a^2B-3b^2B)\tan(c+dx)}{6(a^2-b^2)^2 d(a+b\sec(c+dx))^2} \\
&= \frac{(2a^3A+3aAb^2-4a^2bB-b^3B)\tanh^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} - \frac{(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^3}
\end{aligned}$$

Mathematica [A] time = 1.05016, size = 404, normalized size = 1.7

$$\sec^3(c+dx)(a\cos(c+dx)+b)(A+B\sec(c+dx)) \left(\frac{24(2a^3A-4a^2bB+3aAb^2-b^3B)(a\cos(c+dx)+b)^3 \tanh^{-1}\left(\frac{(b-a)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + 54a^3Ab^2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4, x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^3*(A + B*Sec[c + d*x])*((24*(2*a^3*A + 3*a*A*b^2 - 4*a^2*b*B - b^3*B)*ArcTanh[(-a + b)*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2])*(b + a*Cos[c + d*x])^3)/Sqrt[a^2 - b^2] + 18*a^4*A*b*Sin[c + d*x] +

$$\begin{aligned} & 39a^2Ab^3\sin[c+dx] + 18A^2b^5\sin[c+dx] - 6a^5B\sin[c+dx] - \\ & 18a^3b^2B\sin[c+dx] - 51a^2b^4B\sin[c+dx] + 54a^3A^2b^2\sin[2(c+dx)] + 6a^2Ab^4\sin[2(c+dx)] \\ & - 12a^4bB\sin[2(c+dx)] - 54a^2b^3B\sin[2(c+dx)] + 6b^5B\sin[2(c+dx)] + 18a^4Ab\sin[3(c+dx)] \\ & - 5a^2A^2b^3\sin[3(c+dx)] + 2A^2b^5\sin[3(c+dx)] - 6a^5B\sin[3(c+dx)] \\ & - 10a^3b^2B\sin[3(c+dx)] + a^2b^4B\sin[3(c+dx)] \end{aligned}$$

))/((24*(-a^2 + b^2)^3*d*(B + A*cos[c + dx]))*(a + b*sec[c + dx])^4)

Maple [A] time = 0.096, size = 376, normalized size = 1.6

$$\frac{1}{d} \left(-2 \frac{1}{((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b - a - b)^3} \left(-1/2 \frac{(6 A a^2 b + 3 A a b^2 + 2 A b^3 - 2 B a^3 - 2 B a^2 b - 6 B a b^2 - 6 B b^3)}{(a - b)(a^3 + 3 a^2 b + 3 a b^2 + b^3)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^4,x)

[Out] 1/d*(-2*(-1/2*(6*A*a^2*b+3*A*a*b^2+2*A*b^3-2*B*a^3-2*B*a^2*b-6*B*a*b^2-B*b^3)/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5+2/3*(9*A*a^2*b+A*b^3-3*B*a^3-7*B*a*b^2)/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3-1/2*(6*A*a^2*b-3*A*a*b^2+2*A*b^3-2*B*a^3+2*B*a^2*b-6*B*a*b^2+B*b^3)/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c))/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3+(2*A*a^3+3*A*a*b^2-4*B*a^2*b-B*b^3)/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)))^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 0.839856, size = 2707, normalized size = 11.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out] [1/12*(3*(2*A*a^3*b^3 - 4*B*a^2*b^4 + 3*A*a*b^5 - B*b^6 + (2*A*a^6 - 4*B*a^5*b + 3*A*a^4*b^2 - B*a^3*b^3)*cos(d*x + c)^3 + 3*(2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3 - B*a^2*b^4)*cos(d*x + c)^2 + 3*(2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4 - B*a*b^5)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(2*B*a^5*b^2 - 11*A*a^4*b^3 + 11*B*a^3*b^4 + 7*A*a^2*b^5 - 13*B*a*b^6 + 4*A*b^7 + (6*B*a^7 - 18*A*a^6*b + 4*B*a^5*b^2 + 23*A*a^4*b^3 - 11*B*a^3*b^4 - 7*A*a^2*b^5 + B*a*b^6 + 2*A*b^7)*cos(d*x + c)^2 + 3*(2*B*a^6*b - 9*A*a^5*b^2 + 7*B*a^4*b^3 + 8*A*a^3*b^4 - 10*B*a^2*b^5 + A*a*b^6 + B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*cos(d*x + c)^3 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d), 1/6*(3*(2*A*a^3*b^3 - 4*B*a^2*b^4 + 3*A*a*b^5 - B*b^6 + (2*A*a^6 - 4*B*a^5*b + 3*A*a^4*b^2 - B*a^3*b^3)*cos(d*x + c)^3 + 3*(2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3 - B*a^2*b^4)*cos(d*x + c)^2 + 3*(2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4 - B*a*b^5)*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (2*B*a^5*b^2 - 11*A*a^4*b^3 + 11*B*a^3*b^4 + 7*A*a^2*b^5 - 13*B*a*b^6 + 4*A*b^7 + (6*B*a^7 - 18*A*a^6*b + 4*B*a^5*b^2 + 23*A*a^4*b^3 - 11*B*a^3*b^4 - 7*A*a^2*b^5 + B*a*b^6 + 2*A*b^7)*cos(d*x + c)^2 + 3*(2*B*a^6*b - 9*A*a^5*b^2 + 7*B*a^4*b^3 + 8*A*a^3*b^4 - 10*B*a^2*b^5 + A*a*b^6 + B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*cos(d*x + c)^3 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c)^2 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.54549, size = 936, normalized size = 3.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$-1/3*(3*(2*A*a^3 - 4*B*a^2*b + 3*A*a*b^2 - B*b^3)*(pi*\text{floor}(1/2*(d*x + c)/p$$

$$i + 1/2)*\text{sgn}(2*a - 2*b) + \arctan((a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x +$$

$$1/2*c))/\sqrt{-a^2 + b^2}))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*\sqrt{-a^2 +$$

$$b^2)) + (6*B*a^5*\tan(1/2*d*x + 1/2*c)^5 - 18*A*a^4*b*\tan(1/2*d*x + 1/2*c)^$$

$$5 - 6*B*a^4*b*\tan(1/2*d*x + 1/2*c)^5 + 27*A*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5$$

$$+ 12*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5$$

$$- 27*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b^4*\tan(1/2*d*x + 1/2*c)^5 +$$

$$12*B*a*b^4*\tan(1/2*d*x + 1/2*c)^5 - 6*A*b^5*\tan(1/2*d*x + 1/2*c)^5 + 3*B*b^$$

$$5*\tan(1/2*d*x + 1/2*c)^5 - 12*B*a^5*\tan(1/2*d*x + 1/2*c)^3 + 36*A*a^4*b*\tan$$

$$(1/2*d*x + 1/2*c)^3 - 16*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 - 32*A*a^2*b^3*\tan$$

$$(1/2*d*x + 1/2*c)^3 + 28*B*a*b^4*\tan(1/2*d*x + 1/2*c)^3 - 4*A*b^5*\tan(1/2*$$

$$d*x + 1/2*c)^3 + 6*B*a^5*\tan(1/2*d*x + 1/2*c) - 18*A*a^4*b*\tan(1/2*d*x + 1/$$

$$2*c) + 6*B*a^4*b*\tan(1/2*d*x + 1/2*c) - 27*A*a^3*b^2*\tan(1/2*d*x + 1/2*c) +$$

$$12*B*a^3*b^2*\tan(1/2*d*x + 1/2*c) - 6*A*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 27*$$

$$B*a^2*b^3*\tan(1/2*d*x + 1/2*c) - 3*A*a*b^4*\tan(1/2*d*x + 1/2*c) + 12*B*a*b^$$

$$4*\tan(1/2*d*x + 1/2*c) - 6*A*b^5*\tan(1/2*d*x + 1/2*c) - 3*B*b^5*\tan(1/2*d*x$$

$$+ 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 -$$

$$b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^3))/d$$

3.341 $\int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^4} dx$

Optimal. Leaf size=292

$$\frac{(-8a^4Ab^3 + 7a^2Ab^5 + 8a^6Ab - 3a^5b^2B - 2a^7B - 2Ab^7) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{b(-17a^2Ab^3 + 26a^4Ab - 4a^3b^2B - 6a^3d(a^2 - b^2)^3)}{6a^3d(a^2 - b^2)^3(a+b)^{7/2}}$$

[Out] (A*x)/a^4 - ((8*a^6*A*b - 8*a^4*A*b^3 + 7*a^2*A*b^5 - 2*A*b^7 - 2*a^7*B - 3*a^5*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(7/2)*(a + b)^(7/2)*d) + (b*(A*b - a*B)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (b*(8*a^2*A*b - 3*A*b^3 - 5*a^3*B)*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (b*(26*a^4*A*b - 17*a^2*A*b^3 + 6*A*b^5 - 11*a^5*B - 4*a^3*b^2*B)*Tan[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.06764, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$, Rules used = {3923, 4060, 3919, 3831, 2659, 208}

$$\frac{(-8a^4Ab^3 + 7a^2Ab^5 + 8a^6Ab - 3a^5b^2B - 2a^7B - 2Ab^7) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{b(-17a^2Ab^3 + 26a^4Ab - 4a^3b^2B - 6a^3d(a^2 - b^2)^3)}{6a^3d(a^2 - b^2)^3(a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^4, x]

[Out] (A*x)/a^4 - ((8*a^6*A*b - 8*a^4*A*b^3 + 7*a^2*A*b^5 - 2*A*b^7 - 2*a^7*B - 3*a^5*b^2*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^4*(a - b)^(7/2)*(a + b)^(7/2)*d) + (b*(A*b - a*B)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (b*(8*a^2*A*b - 3*A*b^3 - 5*a^3*B)*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (b*(26*a^4*A*b - 17*a^2*A*b^3 + 6*A*b^5 - 11*a^5*B - 4*a^3*b^2*B)*Tan[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f

```
*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)
), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c -
a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && Ne
Q[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4060

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)^(m_), x_Symbol] := Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbo
l] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f
}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^4} dx &= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} - \frac{\int \frac{-3A(a^2 - b^2) + 3a(Ab - aB) \sec(c + dx) - 2b(Ab - aB) \sec^2(c + dx)}{(a + b \sec(c + dx))^3} dx}{3a(a^2 - b^2)} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} + \frac{\int \frac{6A(a^2 - b^2)^2 - 2a}{(a + b \sec(c + dx))^3} dx}{6a^2(a^2 - b^2)^2} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} + \frac{b(26a^4Ab - 11a^5B)}{6a^2(a^2 - b^2)^2} \\
&= \frac{Ax}{a^4} + \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} + \frac{b(26a^4Ab - 11a^5B)}{6a^2(a^2 - b^2)^2} \\
&= \frac{Ax}{a^4} + \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} + \frac{b(26a^4Ab - 11a^5B)}{6a^2(a^2 - b^2)^2} \\
&= \frac{Ax}{a^4} + \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2) d(a + b \sec(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \tan(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \sec(c + dx))^2} + \frac{b(26a^4Ab - 11a^5B)}{6a^2(a^2 - b^2)^2} \\
&= \frac{Ax}{a^4} - \frac{(8a^6Ab - 8a^4Ab^3 + 7a^2Ab^5 - 2Ab^7 - 2a^7B - 3a^5b^2B) \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{7/2}(a+b)^{7/2}d} + \frac{b(26a^4Ab - 11a^5B)}{6a^2(a^2 - b^2)^2}
\end{aligned}$$

Mathematica [B] time = 3.37973, size = 769, normalized size = 2.63

$$\sec^3(c + dx)(a \cos(c + dx) + b)(A + B \sec(c + dx)) \left(\frac{36a^7Ab^2 \sin(c+dx) + 36a^7Ab^2 \sin(3(c+dx)) + 120a^6Ab^3 \sin(2(c+dx)) + 72a^5Ab^4 \sin(c+dx) - 36a^4Ab^5 \sin(-c-dx) - 36a^4Ab^5 \sin(-3(c+dx)) - 120a^3Ab^6 \sin(-2(c+dx)) - 72a^2Ab^7 \sin(-c-dx) - 36aAb^8 \sin(-c-dx)}{a^4(a-b)^{7/2}(a+b)^{7/2}d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^4, x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^3*(A + B*Sec[c + d*x])*((-24*(-8*a^6*A*b + 8*a^4*A*b^3 - 7*a^2*A*b^5 + 2*A*b^7 + 2*a^7*B + 3*a^5*b^2*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*(b + a*Cos[c + d*x])^3)/(a^2 - b^2

$$\begin{aligned}
& 2)^{(7/2)} + (36a^8Ab^3c - 84a^6A^2b^3c + 36a^4A^4b^5c + 36a^2A^6b^7c \\
& - 24A^8b^9c + 36a^8Ab^3d^2x - 84a^6A^2b^3d^2x + 36a^4A^4b^5d^2x + 36a^2A^6b^7d^2x - 24A^8b^9d^2x + 18a^8A^2(a^2 - b^2)^3(c + d^2x) \\
& \cos[c + d^2x] + 36a^8Ab^3(a^2 - b^2)^3(c + d^2x)\cos[2(c + d^2x)] + 6a^9A^2c\cos[3(c + d^2x)] - 18a^7A^4b^2c\cos[3(c + d^2x)] \\
& + 18a^5A^6b^4c\cos[3(c + d^2x)] - 6a^3A^8b^6c\cos[3(c + d^2x)] + 6a^9A^2d^2x\cos[3(c + d^2x)] - 18a^7A^4b^2d^2x\cos[3(c + d^2x)] \\
& + 18a^5A^6b^4d^2x\cos[3(c + d^2x)] - 6a^3A^8b^6d^2x\cos[3(c + d^2x)] + 36a^7A^2b^2\sin[c + d^2x] + 72a^5A^4b^4\sin[c + d^2x] \\
& - 57a^3A^6b^6\sin[c + d^2x] + 24a^8A^2b^8\sin[c + d^2x] - 18a^6b^3B\sin[c + d^2x] - 39a^6b^3B\sin[c + d^2x] - 18a^4b^5B\sin[c + d^2x] \\
& + 120a^6A^2b^3\sin[2(c + d^2x)] - 90a^4A^4b^5\sin[2(c + d^2x)] + 30a^2A^6b^7\sin[2(c + d^2x)] - 54a^7b^2B\sin[2(c + d^2x)] \\
& - 6a^5b^4B\sin[2(c + d^2x)] + 36a^7A^2b^2\sin[3(c + d^2x)] - 32a^5A^4b^4\sin[3(c + d^2x)] + 11a^3A^6b^6\sin[3(c + d^2x)] \\
& - 18a^8b^3B\sin[3(c + d^2x)] + 5a^6b^3B\sin[3(c + d^2x)] - 2a^4b^5B\sin[3(c + d^2x)])/(a^2 - b^2)^3)/(24a^4d^2(B + A\cos[c + d^2x]) \\
& (a + b\sec[c + d^2x])^4)
\end{aligned}$$

Maple [B] time = 0.108, size = 2242, normalized size = 7.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B\sec(dx+c))/(a+b\sec(dx+c))^4, x)$

[Out]
$$\begin{aligned}
& 3/d^2b^2/(a^6-3a^4b^2+3a^2b^4-b^6)/((a+b)(a-b))^{(1/2)}\operatorname{arctanh}((a-b)\tan \\
& (1/2dx+1/2c)/((a+b)(a-b))^{(1/2)})B^8a-8/d^2b/(a^6-3a^4b^2+3a^2b^4-b^6) \\
& /((a+b)(a-b))^{(1/2)}\operatorname{arctanh}((a-b)\tan(1/2dx+1/2c)/((a+b)(a-b))^{(1/2)}) \\
& *A^2a^2-12/d^2b/(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3a^2/(a^2-2a^2b+b^2) \\
& /(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3B+6/d^2b/(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3 \\
& *A+3/d^2a/(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3b^4/(a-b) \\
& /(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3b^2/(a-b) \\
& /(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3A+6/d^2b/(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3 \\
& *A+6/d^2b/(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3a^2/(a-b) \\
& /(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3B-12/d^2b^2/(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3 \\
& *A+24/d^2b^2/(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3a^2/(a-b) \\
& /(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3b^6/(a+b) \\
& /(\tan(1/2dx+1/2c)^2a-\tan(1/2dx+1/2c)^2b-a-b)^3
\end{aligned}$$

$$\begin{aligned}
& 2-b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A + 1/d/a^2 / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^5 / (a - b) / (a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 \cdot A - 2 \\
& / d/a^3 / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^6 / (a - b) / (a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 \cdot A + 6/d/a / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \\
& \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^4 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A - 3/d/a / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^2 \\
& / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot B - 1/d/a^2 / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^5 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \\
&) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A - 4/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^3 / (a - b) / (a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 \cdot A + 2/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^3 / (a - b) / (a^3 + 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 + b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 \cdot B - 4/3/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^3 / (a^2 - 2 \cdot a \cdot b + b^2) / (a^2 + 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot B + 4/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^3 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot A + 2/d / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^3 / (a + b) / (a^3 - 3 \cdot a^2 \cdot b + 3 \cdot a \cdot b^2 - b^3) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot B - 7/d/a^2 / (a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) / ((a + b) \cdot (a - b))^{(1/2)} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{(1/2)}) \cdot A \cdot b^5 + 2/d/a^4 / (a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) / ((a + b) \cdot (a - b))^{(1/2)} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{(1/2)}) \cdot A \cdot b^7 + 4/d/a^3 / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^6 / (a^2 - 2 \cdot a \cdot b + b^2) / (a^2 + 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot A - 44/3/d/a / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a - \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b - a - b)^3 \cdot b^4 / (a^2 - 2 \cdot a \cdot b + b^2) / (a^2 + 2 \cdot a \cdot b + b^2) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 \cdot A + 2/d \cdot A/a^4 \cdot \operatorname{arctan}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) + 2/d / (a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) / ((a + b) \cdot (a - b))^{(1/2)} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{(1/2)}) \cdot B \cdot a^3 + 8/d \cdot b^3 / (a^6 - 3 \cdot a^4 \cdot b^2 + 3 \cdot a^2 \cdot b^4 - b^6) / ((a + b) \cdot (a - b))^{(1/2)} \cdot \operatorname{arctanh}((a - b) \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) / ((a + b) \cdot (a - b))^{(1/2)}) \cdot A
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.04381, size = 4111, normalized size = 14.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/12*(12*(A*a^{11} - 4*A*a^9*b^2 + 6*A*a^7*b^4 - 4*A*a^5*b^6 + A*a^3*b^8)*d* \\ & x*\cos(d*x + c)^3 + 36*(A*a^{10}*b - 4*A*a^8*b^3 + 6*A*a^6*b^5 - 4*A*a^4*b^7 + \\ & A*a^2*b^9)*d*x*\cos(d*x + c)^2 + 36*(A*a^9*b^2 - 4*A*a^7*b^4 + 6*A*a^5*b^6 \\ & - 4*A*a^3*b^8 + A*a*b^{10})*d*x*\cos(d*x + c) + 12*(A*a^8*b^3 - 4*A*a^6*b^5 + \\ & 6*A*a^4*b^7 - 4*A*a^2*b^9 + A*b^{11})*d*x - 3*(2*B*a^7*b^3 - 8*A*a^6*b^4 + 3* \\ & B*a^5*b^5 + 8*A*a^4*b^6 - 7*A*a^2*b^8 + 2*A*b^{10} + (2*B*a^{10} - 8*A*a^9*b + \\ & 3*B*a^8*b^2 + 8*A*a^7*b^3 - 7*A*a^5*b^5 + 2*A*a^3*b^7)*\cos(d*x + c)^3 + 3*(\\ & 2*B*a^9*b - 8*A*a^8*b^2 + 3*B*a^7*b^3 + 8*A*a^6*b^4 - 7*A*a^4*b^6 + 2*A*a^2 \\ & *b^8)*\cos(d*x + c)^2 + 3*(2*B*a^8*b^2 - 8*A*a^7*b^3 + 3*B*a^6*b^4 + 8*A*a^5 \\ & *b^5 - 7*A*a^3*b^7 + 2*A*a*b^9)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\log((2*a*b*\cos \\ & (d*x + c) - (a^2 - 2*b^2)*\cos(d*x + c)^2 - 2*\sqrt{a^2 - b^2}*(b*\cos(d*x + \\ & c) + a)*\sin(d*x + c) + 2*a^2 - b^2)/(a^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c \\ &) + b^2)) - 2*(11*B*a^8*b^3 - 26*A*a^7*b^4 - 7*B*a^6*b^5 + 43*A*a^5*b^6 - 4 \\ & *B*a^4*b^7 - 23*A*a^3*b^8 + 6*A*a*b^{10} + (18*B*a^{10}*b - 36*A*a^9*b^2 - 23*B \\ & *a^8*b^3 + 68*A*a^7*b^4 + 7*B*a^6*b^5 - 43*A*a^5*b^6 - 2*B*a^4*b^7 + 11*A*a \\ & ^3*b^8)*\cos(d*x + c)^2 + 3*(9*B*a^9*b^2 - 20*A*a^8*b^3 - 8*B*a^7*b^4 + 35*A \\ & *a^6*b^5 - B*a^5*b^6 - 20*A*a^4*b^7 + 5*A*a^2*b^9)*\cos(d*x + c))*\sin(d*x + \\ & c))/((a^{15} - 4*a^{13}*b^2 + 6*a^{11}*b^4 - 4*a^9*b^6 + a^7*b^8)*d*\cos(d*x + c)^ \\ & 3 + 3*(a^{14}*b - 4*a^{12}*b^3 + 6*a^{10}*b^5 - 4*a^8*b^7 + a^6*b^9)*d*\cos(d*x + \\ & c)^2 + 3*(a^{13}*b^2 - 4*a^{11}*b^4 + 6*a^9*b^6 - 4*a^7*b^8 + a^5*b^{10})*d*\cos(d \\ & *x + c) + (a^{12}*b^3 - 4*a^{10}*b^5 + 6*a^8*b^7 - 4*a^6*b^9 + a^4*b^{11})*d), 1/ \\ & 6*(6*(A*a^{11} - 4*A*a^9*b^2 + 6*A*a^7*b^4 - 4*A*a^5*b^6 + A*a^3*b^8)*d*x*\cos \\ & (d*x + c)^3 + 18*(A*a^{10}*b - 4*A*a^8*b^3 + 6*A*a^6*b^5 - 4*A*a^4*b^7 + A*a^ \\ & 2*b^9)*d*x*\cos(d*x + c)^2 + 18*(A*a^9*b^2 - 4*A*a^7*b^4 + 6*A*a^5*b^6 - 4*A \\ & *a^3*b^8 + A*a*b^{10})*d*x*\cos(d*x + c) + 6*(A*a^8*b^3 - 4*A*a^6*b^5 + 6*A*a^ \\ & 4*b^7 - 4*A*a^2*b^9 + A*b^{11})*d*x + 3*(2*B*a^7*b^3 - 8*A*a^6*b^4 + 3*B*a^5* \\ & b^5 + 8*A*a^4*b^6 - 7*A*a^2*b^8 + 2*A*b^{10} + (2*B*a^{10} - 8*A*a^9*b + 3*B*a^ \\ & 8*b^2 + 8*A*a^7*b^3 - 7*A*a^5*b^5 + 2*A*a^3*b^7)*\cos(d*x + c)^3 + 3*(2*B*a^ \\ & 9*b - 8*A*a^8*b^2 + 3*B*a^7*b^3 + 8*A*a^6*b^4 - 7*A*a^4*b^6 + 2*A*a^2*b^8)* \\ & \cos(d*x + c)^2 + 3*(2*B*a^8*b^2 - 8*A*a^7*b^3 + 3*B*a^6*b^4 + 8*A*a^5*b^5 - \\ & 7*A*a^3*b^7 + 2*A*a*b^9)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\arctan(-\sqrt{-a^2 \\ & + b^2}*(b*\cos(d*x + c) + a)/((a^2 - b^2)*\sin(d*x + c))) - (11*B*a^8*b^3 - 2 \\ & 6*A*a^7*b^4 - 7*B*a^6*b^5 + 43*A*a^5*b^6 - 4*B*a^4*b^7 - 23*A*a^3*b^8 + 6*A \\ & *a*b^{10} + (18*B*a^{10}*b - 36*A*a^9*b^2 - 23*B*a^8*b^3 + 68*A*a^7*b^4 + 7*B*a \\ & ^6*b^5 - 43*A*a^5*b^6 - 2*B*a^4*b^7 + 11*A*a^3*b^8)*\cos(d*x + c)^2 + 3*(9*B \\ & *a^9*b^2 - 20*A*a^8*b^3 - 8*B*a^7*b^4 + 35*A*a^6*b^5 - B*a^5*b^6 - 20*A*a^4 \\ & *b^7 + 5*A*a^2*b^9)*\cos(d*x + c))*\sin(d*x + c))/((a^{15} - 4*a^{13}*b^2 + 6*a^{1 \\ & 1}*b^4 - 4*a^9*b^6 + a^7*b^8)*d*\cos(d*x + c)^3 + 3*(a^{14}*b - 4*a^{12}*b^3 + 6* \\ & a^{10}*b^5 - 4*a^8*b^7 + a^6*b^9)*d*\cos(d*x + c)^2 + 3*(a^{13}*b^2 - 4*a^{11}*b^4 \\ & + 6*a^9*b^6 - 4*a^7*b^8 + a^5*b^{10})*d*\cos(d*x + c) + (a^{12}*b^3 - 4*a^{10}*b^ \\ & \end{aligned}$$

$5 + 6*a^8*b^7 - 4*a^6*b^9 + a^4*b^{11})*d]$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**4,x)

[Out] Integral((A + B*sec(c + d*x))/(a + b*sec(c + d*x))**4, x)

Giac [B] time = 1.47087, size = 1099, normalized size = 3.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out] $\frac{1}{3} * (3 * (2 * B * a^7 - 8 * A * a^6 * b + 3 * B * a^5 * b^2 + 8 * A * a^4 * b^3 - 7 * A * a^2 * b^5 + 2 * A * b^7) * (\pi * \text{floor}(1/2 * (d * x + c) / \pi + 1/2) * \text{sgn}(-2 * a + 2 * b) + \arctan(-(a * \tan(1/2 * d * x + 1/2 * c) - b * \tan(1/2 * d * x + 1/2 * c)) / \sqrt{-a^2 + b^2}))) / ((a^{10} - 3 * a^8 * b^2 + 3 * a^6 * b^4 - a^4 * b^6) * \sqrt{-a^2 + b^2}) + 3 * (d * x + c) * A / a^4 + (18 * B * a^7 * b * \tan(1/2 * d * x + 1/2 * c)^5 - 36 * A * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 27 * B * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 60 * A * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 6 * B * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 6 * A * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c)^5 - 3 * B * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c)^5 - 45 * A * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c)^5 + 6 * B * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c)^5 + 6 * A * a^2 * b^6 * \tan(1/2 * d * x + 1/2 * c)^5 + 15 * A * a * b^7 * \tan(1/2 * d * x + 1/2 * c)^5 - 6 * A * b^8 * \tan(1/2 * d * x + 1/2 * c)^5 - 36 * B * a^7 * b * \tan(1/2 * d * x + 1/2 * c)^3 + 72 * A * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 + 32 * B * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c)^3 - 116 * A * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 4 * B * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c)^3 + 56 * A * a^2 * b^6 * \tan(1/2 * d * x + 1/2 * c)^3 - 12 * A * b^8 * \tan(1/2 * d * x + 1/2 * c)^3 + 18 * B * a^7 * b * \tan(1/2 * d * x + 1/2 * c) - 36 * A * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c) + 27 * B * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c) - 60 * A * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c) + 6 * B * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c) + 6 * A * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c) + 3 * B * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c) + 45 * A * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c) + 6 * B * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c) + 6 * A * a^2 * b^6 * \tan(1/2 * d * x + 1/2 * c) - 15 * A * a * b^7 * \tan(1/2 * d * x + 1/2 * c) - 6 * A * b^8 * \tan(1/2 * d * x + 1/2 * c)) / ((a^9 - 3 * a^7$

$$\frac{(b^2 + 3a^5b^4 - a^3b^6)(a \tan(1/2dx + 1/2c)^2 - b \tan(1/2dx + 1/2c)^2 - a - b)^3}{d}$$

$$3.342 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=411

$$\frac{(-65a^4Ab^2 + 68a^2Ab^4 + 6a^6A - 17a^3b^3B + 26a^5bB + 6ab^5B - 24Ab^6) \sin(c+dx)}{6a^4d(a^2-b^2)^3} + \frac{b(-35a^4Ab^3 + 28a^2Ab^5 + 20a^6Ab^7 - 8a^7B + 8a^5b^2B - 7a^3b^4B + 2ab^6B) \operatorname{ArcTanh}[\operatorname{Sqrt}[a-b] \operatorname{Tan}[(c+dx)/2]] / \operatorname{Sqrt}[a+b]}{(a^5(a-b)^{7/2}(a+b)^{7/2}d) + (6a^6A - 65a^4Ab^2 + 68a^2Ab^4 - 24Aab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B) \operatorname{Sin}[c+dx]} / (6a^4(a^2-b^2)^3d) + (b(Ab - aB) \operatorname{Sin}[c+dx]) / (3a(a^2-b^2)d(a+b \operatorname{Sec}[c+dx])^3) + (b(9a^2Ab - 4Ab^3 - 6a^3B + ab^2B) \operatorname{Sin}[c+dx]) / (6a^2(a^2-b^2)^2d(a+b \operatorname{Sec}[c+dx])^2) + (b(12a^4Ab - 11a^2Ab^3 + 4Ab^5 - 6a^5B + 2a^3b^2B - ab^4B) \operatorname{Sin}[c+dx]) / (2a^3(a^2-b^2)^3d(a+b \operatorname{Sec}[c+dx]))$$

[Out] -(((4*A*b - a*B)*x)/a^5) + (b*(20*a^6*A*b - 35*a^4*A*b^3 + 28*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 8*a^5*b^2*B - 7*a^3*b^4*B + 2*a*b^6*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2]]/Sqrt[a + b]])/(a^5*(a - b)^(7/2)*(a + b)^(7/2)*d) + ((6*a^6*A - 65*a^4*A*b^2 + 68*a^2*A*b^4 - 24*A*b^6 + 26*a^5*b*B - 17*a^3*b^3*B + 6*a*b^5*B)*Sin[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + (b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (b*(9*a^2*A*b - 4*A*b^3 - 6*a^3*B + a*b^2*B)*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (b*(12*a^4*A*b - 11*a^2*A*b^3 + 4*A*b^5 - 6*a^5*B + 2*a^3*b^2*B - a*b^4*B)*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 5.59506, antiderivative size = 411, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {4030, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{(-65a^4Ab^2 + 68a^2Ab^4 + 6a^6A - 17a^3b^3B + 26a^5bB + 6ab^5B - 24Ab^6) \sin(c+dx)}{6a^4d(a^2-b^2)^3} + \frac{b(-35a^4Ab^3 + 28a^2Ab^5 + 20a^6Ab^7 - 8a^7B + 8a^5b^2B - 7a^3b^4B + 2ab^6B) \operatorname{ArcTanh}[\operatorname{Sqrt}[a-b] \operatorname{Tan}[(c+dx)/2]] / \operatorname{Sqrt}[a+b]}{(a^5(a-b)^{7/2}(a+b)^{7/2}d) + (6a^6A - 65a^4Ab^2 + 68a^2Ab^4 - 24Aab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B) \operatorname{Sin}[c+dx]} / (6a^4(a^2-b^2)^3d) + (b(Ab - aB) \operatorname{Sin}[c+dx]) / (3a(a^2-b^2)d(a+b \operatorname{Sec}[c+dx])^3) + (b(9a^2Ab - 4Ab^3 - 6a^3B + ab^2B) \operatorname{Sin}[c+dx]) / (6a^2(a^2-b^2)^2d(a+b \operatorname{Sec}[c+dx])^2) + (b(12a^4Ab - 11a^2Ab^3 + 4Ab^5 - 6a^5B + 2a^3b^2B - ab^4B) \operatorname{Sin}[c+dx]) / (2a^3(a^2-b^2)^3d(a+b \operatorname{Sec}[c+dx]))$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4, x]

[Out] -(((4*A*b - a*B)*x)/a^5) + (b*(20*a^6*A*b - 35*a^4*A*b^3 + 28*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 8*a^5*b^2*B - 7*a^3*b^4*B + 2*a*b^6*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2]]/Sqrt[a + b]])/(a^5*(a - b)^(7/2)*(a + b)^(7/2)*d) + ((6*a^6*A - 65*a^4*A*b^2 + 68*a^2*A*b^4 - 24*A*b^6 + 26*a^5*b*B - 17*a^3*b^3*B + 6*a*b^5*B)*Sin[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + (b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (b*(9*a^2*A*b - 4*A*b^3 - 6*a^3*B + a*b^2*B)*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (b*(12*a^4*A*b - 11*a^2*A*b^3 + 4*A*b^5 - 6*a^5*B + 2*a^3*b^2*B - a*b^4*B)*Sin[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}
```

}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^4} dx &= \frac{b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} - \int \frac{\cos(c+dx)(-3a^2A+4Ab^2-abB+3a(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^3} dx \\
&= \frac{b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{b(9a^2Ab-4Ab^3-6a^3B+ab^2B)\sin(c+dx)}{6a^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{b(9a^2Ab-4Ab^3-6a^3B+ab^2B)\sin(c+dx)}{6a^2(a^2-b^2)^2d(a+b\sec(c+dx))^2} \\
&= \frac{(6a^6A-65a^4Ab^2+68a^2Ab^4-24Ab^6+26a^5bB-17a^3b^3B+6ab^5B)\sin(c+dx)}{6a^4(a^2-b^2)^3d} \\
&= -\frac{(4Ab-aB)x}{a^5} + \frac{(6a^6A-65a^4Ab^2+68a^2Ab^4-24Ab^6+26a^5bB-17a^3b^3B+6ab^5B)\sin(c+dx)}{6a^4(a^2-b^2)^3d} \\
&= -\frac{(4Ab-aB)x}{a^5} + \frac{(6a^6A-65a^4Ab^2+68a^2Ab^4-24Ab^6+26a^5bB-17a^3b^3B+6ab^5B)\sin(c+dx)}{6a^4(a^2-b^2)^3d} \\
&= -\frac{(4Ab-aB)x}{a^5} + \frac{(6a^6A-65a^4Ab^2+68a^2Ab^4-24Ab^6+26a^5bB-17a^3b^3B+6ab^5B)\sin(c+dx)}{6a^4(a^2-b^2)^3d} \\
&= -\frac{(4Ab-aB)x}{a^5} + \frac{b(20a^6Ab-35a^4Ab^3+28a^2Ab^5-8Ab^7-8a^7B+8a^5b^2B-8a^3b^4B+8ab^6B)\sin(c+dx)}{a^5(a-b)^{7/2}(a+b)^{7/2}}
\end{aligned}$$

Mathematica [B] time = 6.08404, size = 1205, normalized size = 2.93

$$(b+a\cos(c+dx))\sec^3(c+dx)(A+B\sec(c+dx)) \left(\frac{24b(8Ba^7-20Aba^6-8b^2Ba^5+35Ab^3a^4+7b^4Ba^3-28Ab^5a^2-2b^6Ba+8Ab^7)\tanh^{-1}\left(\frac{(b-a)\tan(c+dx)}{\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{7/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4, x]

```
[Out] ((b + a*cos[c + d*x])*sec[c + d*x]^3*(A + B*sec[c + d*x])*((24*b*(-20*a^6*A
*b + 35*a^4*A*b^3 - 28*a^2*A*b^5 + 8*A*b^7 + 8*a^7*B - 8*a^5*b^2*B + 7*a^3*
b^4*B - 2*a*b^6*B)*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/sqrt[a^2 - b^2])*(b
+ a*cos[c + d*x])^3)/(a^2 - b^2)^(7/2) + (-144*a^8*A*b^2*c + 336*a^6*A*b^4*
c - 144*a^4*A*b^6*c - 144*a^2*A*b^8*c + 96*A*b^10*c + 36*a^9*b*B*c - 84*a^7
*b^3*B*c + 36*a^5*b^5*B*c + 36*a^3*b^7*B*c - 24*a*b^9*B*c - 144*a^8*A*b^2*d
*x + 336*a^6*A*b^4*d*x - 144*a^4*A*b^6*d*x - 144*a^2*A*b^8*d*x + 96*A*b^10*
d*x + 36*a^9*b*B*d*x - 84*a^7*b^3*B*d*x + 36*a^5*b^5*B*d*x + 36*a^3*b^7*B*d
*x - 24*a*b^9*B*d*x + 18*a*(a^2 - b^2)^3*(a^2 + 4*b^2)*(-4*A*b + a*B)*(c +
d*x)*cos[c + d*x] + 36*a^2*b*(a^2 - b^2)^3*(-4*A*b + a*B)*(c + d*x)*cos[2*(
c + d*x)] - 24*a^9*A*b*c*cos[3*(c + d*x)] + 72*a^7*A*b^3*c*cos[3*(c + d*x)]
- 72*a^5*A*b^5*c*cos[3*(c + d*x)] + 24*a^3*A*b^7*c*cos[3*(c + d*x)] + 6*a^
10*B*c*cos[3*(c + d*x)] - 18*a^8*b^2*B*c*cos[3*(c + d*x)] + 18*a^6*b^4*B*c*
cos[3*(c + d*x)] - 6*a^4*b^6*B*c*cos[3*(c + d*x)] - 24*a^9*A*b*d*x*cos[3*(c
+ d*x)] + 72*a^7*A*b^3*d*x*cos[3*(c + d*x)] - 72*a^5*A*b^5*d*x*cos[3*(c +
d*x)] + 24*a^3*A*b^7*d*x*cos[3*(c + d*x)] + 6*a^10*B*d*x*cos[3*(c + d*x)] -
18*a^8*b^2*B*d*x*cos[3*(c + d*x)] + 18*a^6*b^4*B*d*x*cos[3*(c + d*x)] - 6*
a^4*b^6*B*d*x*cos[3*(c + d*x)] + 18*a^9*A*b*Sin[c + d*x] - 90*a^7*A*b^3*Sin
[c + d*x] - 135*a^5*A*b^5*Sin[c + d*x] + 228*a^3*A*b^7*Sin[c + d*x] - 96*a*
A*b^9*Sin[c + d*x] + 36*a^8*b^2*B*Sin[c + d*x] + 72*a^6*b^4*B*Sin[c + d*x]
- 57*a^4*b^6*B*Sin[c + d*x] + 24*a^2*b^8*B*Sin[c + d*x] + 6*a^10*A*Sin[2*(c
+ d*x)] + 18*a^8*A*b^2*Sin[2*(c + d*x)] - 300*a^6*A*b^4*Sin[2*(c + d*x)] +
336*a^4*A*b^6*Sin[2*(c + d*x)] - 120*a^2*A*b^8*Sin[2*(c + d*x)] + 120*a^7*
b^3*B*Sin[2*(c + d*x)] - 90*a^5*b^5*B*Sin[2*(c + d*x)] + 30*a^3*b^7*B*Sin[2
*(c + d*x)] + 18*a^9*A*b*Sin[3*(c + d*x)] - 114*a^7*A*b^3*Sin[3*(c + d*x)]
+ 125*a^5*A*b^5*Sin[3*(c + d*x)] - 44*a^3*A*b^7*Sin[3*(c + d*x)] + 36*a^8*b
^2*B*Sin[3*(c + d*x)] - 32*a^6*b^4*B*Sin[3*(c + d*x)] + 11*a^4*b^6*B*Sin[3*
(c + d*x)] + 3*a^10*A*Sin[4*(c + d*x)] - 9*a^8*A*b^2*Sin[4*(c + d*x)] + 9*a
^6*A*b^4*Sin[4*(c + d*x)] - 3*a^4*A*b^6*Sin[4*(c + d*x)])/(a^2 - b^2)^3)/(
24*a^5*d*(B + A*cos[c + d*x])*(a + b*sec[c + d*x])^4)
```

Maple [B] time = 0.144, size = 2891, normalized size = 7.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x)
```

```
[Out] -40/d*b^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+
b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-35/d*b^4/a/(a^6-3*a^4*b^2+3*a^2
*b^4-b^6)/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b)
```

$$\begin{aligned}
&)^{(1/2)} * A + 28/d * b^6/a^3 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * a \\
& \operatorname{rctanh}((a-b)*\tan(1/2*d*x+1/2*c)) / ((a+b)*(a-b))^{(1/2)} * A - 8/d * b^8/a^5 / (a^6 - 3*a \\
& ^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)) / \\
& ((a+b)*(a-b))^{(1/2)} * A + 2/d/a^4 * B * \operatorname{arctan}(\tan(1/2*d*x+1/2*c)) - 8/d * a^2 * b / (a^6 - \\
& 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2* \\
& c)) / ((a+b)*(a-b))^{(1/2)} * B + 5/d/a / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^ \\
& 2 * b - a - b)^3 * b^4 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * A - 12/d * \\
& a / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * b^2 / (a-b) / (a^3 + 3*a^ \\
& 2 * b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * B + 2/d/a^3 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan \\
& (1/2*d*x+1/2*c)^2 * b - a - b)^3 * b^6 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+ \\
& 1/2*c) * A - 18/d/a^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * b^5 \\
& / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * A - 2/d/a^3 / (\tan(1/2*d* \\
& x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * b^6 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b \\
& ^3) * \tan(1/2*d*x+1/2*c)^5 * A - 5/d/a / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c) \\
& ^2 * b - a - b)^3 * b^4 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * A - 12/d * a \\
& / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * b^2 / (a+b) / (a^3 - 3*a^2 \\
& * b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * B - 18/d/a^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1 \\
& /2*d*x+1/2*c)^2 * b - a - b)^3 * b^5 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/ \\
& 2*c) * A + 20/d * a * b^2 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a+b)*(a-b))^{(1/2)} * \operatorname{arctanh} \\
& ((a-b)*\tan(1/2*d*x+1/2*c)) / ((a+b)*(a-b))^{(1/2)} * A + 24/d * b^2 * a / (\tan(1/2*d*x+1/ \\
& 2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \tan(\\
& 1/2*d*x+1/2*c)^3 * B - 44/3/d * b^4/a / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^ \\
& 2 * b - a - b)^3 / (a^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x+1/2*c)^3 * B + 6/d * b^7/a \\
& ^4 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a-b) / (a^3 + 3*a^2 * b \\
& + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * A + 4/d * b^6/a^3 / (\tan(1/2*d*x+1/2*c)^2 * a - ta \\
& n(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x+1/2 \\
& *c)^3 * B - 2/d * b^6/a^3 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (\\
& a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * B - 2/d * b^6/a^3 / (\tan(1/2*d* \\
& x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \\
& \tan(1/2*d*x+1/2*c)^5 * B + 116/3/d * b^5/a^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+ \\
& 1/2*c)^2 * b - a - b)^3 / (a^2 - 2*a*b + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x+1/2*c)^3 * A - 12 \\
& /d * b^7/a^4 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a^2 - 2*a*b \\
& + b^2) / (a^2 + 2*a*b + b^2) * \tan(1/2*d*x+1/2*c)^3 * A + 6/d * b^4/a / (\tan(1/2*d*x+1/2*c)^ \\
& 2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d \\
& *x+1/2*c)^5 * B + 1/d * b^5/a^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - \\
& b)^3 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * B + 6/d * b^4/a / (\tan(\\
& 1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 \\
& - b^3) * \tan(1/2*d*x+1/2*c) * B - 1/d * b^5/a^2 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+ \\
& 1/2*c)^2 * b - a - b)^3 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * B + 6/d * \\
& b^7/a^4 / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 / (a+b) / (a^3 - 3* \\
& a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) * A + 20/d / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/ \\
& 2*d*x+1/2*c)^2 * b - a - b)^3 * b^3 / (a-b) / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2 \\
& *c)^5 * A - 4/d / (\tan(1/2*d*x+1/2*c)^2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * b^3 / (a-b) \\
& / (a^3 + 3*a^2*b + 3*a*b^2 + b^3) * \tan(1/2*d*x+1/2*c)^5 * B + 20/d / (\tan(1/2*d*x+1/2*c)^ \\
& 2 * a - \tan(1/2*d*x+1/2*c)^2 * b - a - b)^3 * b^3 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1
\end{aligned}$$

$$\begin{aligned} & /2*d*x+1/2*c)*A+4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b \\ & ^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+2/d*b^7/a^4/(a^6-3* \\ & a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))} \\ & /((a+b)*(a-b))^{(1/2)*B+8/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))} \\ & ^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))}/((a+b)*(a-b))^{(1/2)*B-7/d*b^5/a^2/} \\ & (a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)*\operatorname{arctanh}((a-b)*\tan(1/2*d*x \\ & +1/2*c))}/((a+b)*(a-b))^{(1/2)*B+2/d/a^4*A*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+ \\ & 1/2*c)^2)-8/d/a^5*A*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*b} \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.36104, size = 5736, normalized size = 13.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/12*(12*(B*a^{12} - 4*A*a^{11}*b - 4*B*a^{10}*b^2 + 16*A*a^9*b^3 + 6*B*a^8*b^4 \\ & - 24*A*a^7*b^5 - 4*B*a^6*b^6 + 16*A*a^5*b^7 + B*a^4*b^8 - 4*A*a^3*b^9)*d*x* \\ & \cos(d*x + c)^3 + 36*(B*a^{11}*b - 4*A*a^{10}*b^2 - 4*B*a^9*b^3 + 16*A*a^8*b^4 + \\ & 6*B*a^7*b^5 - 24*A*a^6*b^6 - 4*B*a^5*b^7 + 16*A*a^4*b^8 + B*a^3*b^9 - 4*A* \\ & a^2*b^{10})*d*x*\cos(d*x + c)^2 + 36*(B*a^{10}*b^2 - 4*A*a^9*b^3 - 4*B*a^8*b^4 + \\ & 16*A*a^7*b^5 + 6*B*a^6*b^6 - 24*A*a^5*b^7 - 4*B*a^4*b^8 + 16*A*a^3*b^9 + B \\ & *a^2*b^{10} - 4*A*a*b^{11})*d*x*\cos(d*x + c) + 12*(B*a^9*b^3 - 4*A*a^8*b^4 - 4* \\ & B*a^7*b^5 + 16*A*a^6*b^6 + 6*B*a^5*b^7 - 24*A*a^4*b^8 - 4*B*a^3*b^9 + 16*A* \\ & a^2*b^{10} + B*a*b^{11} - 4*A*b^{12})*d*x - 3*(8*B*a^7*b^4 - 20*A*a^6*b^5 - 8*B*a \\ & ^5*b^6 + 35*A*a^4*b^7 + 7*B*a^3*b^8 - 28*A*a^2*b^9 - 2*B*a*b^{10} + 8*A*b^{11} \\ & + (8*B*a^{10}*b - 20*A*a^9*b^2 - 8*B*a^8*b^3 + 35*A*a^7*b^4 + 7*B*a^6*b^5 - 2 \end{aligned}$$

$$\begin{aligned}
& 8A^5b^6 - 2B^4b^7 + 8A^3b^8) \cos(dx + c)^3 + 3(8B^9b^2 - 20A^8b^3 - 8B^7b^4 + 35A^6b^5 + 7B^5b^6 - 28A^4b^7 - 2B^3b^8 + 8A^2b^9) \cos(dx + c)^2 + 3(8B^8b^3 - 20A^7b^4 - 8B^6b^5 + 35A^5b^6 + 7B^4b^7 - 28A^3b^8 - 2B^2b^9 + 8A^1b^{10}) \cos(dx + c) \sqrt{a^2 - b^2} \log((2ab \cos(dx + c) - (a^2 - 2b^2) \cos(dx + c)^2 + 2\sqrt{a^2 - b^2})(b \cos(dx + c) + a) \sin(dx + c) + 2(a^2 - b^2) / (a^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + b^2)) + 2(6A^9b^3 + 26B^8b^4 - 71A^7b^5 - 43B^6b^6 + 133A^5b^7 + 23B^4b^8 - 92A^3b^9 - 6B^2b^{10} + 24A^1b^{11} + 6(A^{12} - 4A^{10}b^2 + 6A^8b^4 - 4A^6b^6 + A^4b^8) \cos(dx + c)^3 + (18A^{11}b + 36B^{10}b^2 - 132A^9b^3 - 68B^8b^4 + 239A^7b^5 + 43B^6b^6 - 169A^5b^7 - 11B^4b^8 + 44A^3b^9) \cos(dx + c)^2 + 3(6A^{10}b^2 + 20B^9b^3 - 59A^8b^4 - 35B^7b^5 + 110A^6b^6 + 20B^5b^7 - 77A^4b^8 - 5B^3b^9 + 20A^2b^{10}) \cos(dx + c) \sin(dx + c)) / ((a^{16} - 4a^{14}b^2 + 6a^{12}b^4 - 4a^{10}b^6 + a^8b^8) d \cos(dx + c)^3 + 3(a^{15}b - 4a^{13}b^3 + 6a^{11}b^5 - 4a^9b^7 + a^7b^9) d \cos(dx + c)^2 + 3(a^{14}b^2 - 4a^{12}b^4 + 6a^{10}b^6 - 4a^8b^8 + a^6b^{10}) d \cos(dx + c) + (a^{13}b^3 - 4a^{11}b^5 + 6a^9b^7 - 4a^7b^9 + a^5b^{11}) d), \\
& 1/6(6(B^{12} - 4A^{11}b - 4B^{10}b^2 + 16A^9b^3 + 6B^8b^4 - 24A^7b^5 - 4B^6b^6 + 16A^5b^7 + B^4b^8 - 4A^3b^9) d^2 \cos(dx + c)^3 + 18(B^{11}b - 4A^{10}b^2 - 4B^9b^3 + 16A^8b^4 + 6B^7b^5 - 24A^6b^6 - 4B^5b^7 + 16A^4b^8 + B^3b^9 - 4A^2b^{10}) d^2 \cos(dx + c)^2 + 18(B^{10}b^2 - 4A^9b^3 - 4B^8b^4 + 16A^7b^5 + 6B^6b^6 - 24A^5b^7 - 4B^4b^8 + 16A^3b^9 + B^2b^{10} - 4A^1b^{11}) d^2 \cos(dx + c) + 6(B^9b^3 - 4A^8b^4 - 4B^7b^5 + 16A^6b^6 + 6B^5b^7 - 24A^4b^8 - 4B^3b^9 + 16A^2b^{10} + B^1b^{11} - 4A^0b^{12}) d^2 x - 3(8B^7b^4 - 20A^6b^5 - 8B^5b^6 + 35A^4b^7 + 7B^3b^8 - 28A^2b^9 - 2B^1b^{10} + 8A^0b^{11} + (8B^{10}b - 20A^9b^2 - 8B^8b^3 + 35A^7b^4 + 7B^6b^5 - 28A^5b^6 - 2B^4b^7 + 8A^3b^8) \cos(dx + c)^3 + 3(8B^9b^2 - 20A^8b^3 - 8B^7b^4 + 35A^6b^5 + 7B^5b^6 - 28A^4b^7 - 2B^3b^8 + 8A^2b^9) \cos(dx + c)^2 + 3(8B^8b^3 - 20A^7b^4 - 8B^6b^5 + 35A^5b^6 + 7B^4b^7 - 28A^3b^8 - 2B^2b^9 + 8A^1b^{10}) \cos(dx + c)) \sqrt{-a^2 + b^2} \arctan(-\sqrt{-a^2 + b^2})(b \cos(dx + c) + a) / ((a^2 - b^2) \sin(dx + c)) + (6A^9b^3 + 26B^8b^4 - 71A^7b^5 - 43B^6b^6 + 133A^5b^7 + 23B^4b^8 - 92A^3b^9 - 6B^2b^{10} + 24A^1b^{11} + 6(A^{12} - 4A^{10}b^2 + 6A^8b^4 - 4A^6b^6 + A^4b^8) \cos(dx + c)^3 + (18A^{11}b + 36B^{10}b^2 - 132A^9b^3 - 68B^8b^4 + 239A^7b^5 + 43B^6b^6 - 169A^5b^7 - 11B^4b^8 + 44A^3b^9) \cos(dx + c)^2 + 3(6A^{10}b^2 + 20B^9b^3 - 59A^8b^4 - 35B^7b^5 + 110A^6b^6 + 20B^5b^7 - 77A^4b^8 - 5B^3b^9 + 20A^2b^{10}) \cos(dx + c) \sin(dx + c)) / ((a^{16} - 4a^{14}b^2 + 6a^{12}b^4 - 4a^{10}b^6 + a^8b^8) d \cos(dx + c)^3 + 3(a^{15}b - 4a^{13}b^3 + 6a^{11}b^5 - 4a^9b^7 + a^7b^9) d \cos(dx + c)^2 + 3(a^{14}b^2 - 4a^{12}b^4 + 6a^{10}b^6 - 4a^8b^8 + a^6b^{10}) d \cos(dx + c) + (a^{13}b^3 - 4a^{11}
\end{aligned}$$

$$1*b^5 + 6*a^9*b^7 - 4*a^7*b^9 + a^5*b^{11})*d)]$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**4,x)

[Out] Timed out

Giac [B] time = 1.5629, size = 1304, normalized size = 3.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/3*(3*(8*B*a^7*b - 20*A*a^6*b^2 - 8*B*a^5*b^3 + 35*A*a^4*b^4 + 7*B*a^3*b^5 - 28*A*a^2*b^6 - 2*B*a*b^7 + 8*A*b^8)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{-a^2 + b^2}))/((a^{11} - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*\sqrt{-a^2 + b^2}) + (36*B*a^7*b^2*\tan(1/2*d*x + 1/2*c)^5 - 60*A*a^6*b^3*\tan(1/2*d*x + 1/2*c)^5 - 60*B*a^6*b^3*\tan(1/2*d*x + 1/2*c)^5 + 105*A*a^5*b^4*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^5*b^4*\tan(1/2*d*x + 1/2*c)^5 + 24*A*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 + 45*B*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 - 117*A*a^3*b^6*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^3*b^6*\tan(1/2*d*x + 1/2*c)^5 + 24*A*a^2*b^7*\tan(1/2*d*x + 1/2*c)^5 - 15*B*a^2*b^7*\tan(1/2*d*x + 1/2*c)^5 + 42*A*a*b^8*\tan(1/2*d*x + 1/2*c)^5 + 6*B*a*b^8*\tan(1/2*d*x + 1/2*c)^5 - 18*A*b^9*\tan(1/2*d*x + 1/2*c)^5 - 72*B*a^7*b^2*\tan(1/2*d*x + 1/2*c)^3 + 120*A*a^6*b^3*\tan(1/2*d*x + 1/2*c)^3 + 116*B*a^5*b^4*\tan(1/2*d*x + 1/2*c)^3 - 236*A*a^4*b^5*\tan(1/2*d*x + 1/2*c)^3 - 56*B*a^3*b^6*\tan(1/2*d*x + 1/2*c)^3 + 152*A*a^2*b^7*\tan(1/2*d*x + 1/2*c)^3 + 12*B*a*b^8*\tan(1/2*d*x + 1/2*c)^3 - 36*A*b^9*\tan(1/2*d*x + 1/2*c)^3 + 36*B*a^7*b^2*\tan(1/2*d*x + 1/2*c) - 60*A*a^6*b^3*\tan(1/2*d*x + 1/2*c) + 60*B*a^6*b^3*\tan(1/2*d*x + 1/2*c) - 105*A*a^5*b^4*\tan(1/2*d*x + 1/2*c) - 6*B*a^5*b^4*\tan(1/2*d*x + 1/2*c) + 24*A*a^4*b^5*\tan(1/2*d*x + 1/2*c) - 45 \end{aligned}$$

$$\begin{aligned}
& *B*a^4*b^5*\tan(1/2*d*x + 1/2*c) + 117*A*a^3*b^6*\tan(1/2*d*x + 1/2*c) - 6*B* \\
& a^3*b^6*\tan(1/2*d*x + 1/2*c) + 24*A*a^2*b^7*\tan(1/2*d*x + 1/2*c) + 15*B*a^2 \\
& *b^7*\tan(1/2*d*x + 1/2*c) - 42*A*a*b^8*\tan(1/2*d*x + 1/2*c) + 6*B*a*b^8*\tan \\
& (1/2*d*x + 1/2*c) - 18*A*b^9*\tan(1/2*d*x + 1/2*c))/((a^{10} - 3*a^8*b^2 + 3*a \\
& ^6*b^4 - a^4*b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 - a \\
& - b)^3) - 3*(B*a - 4*A*b)*(d*x + c)/a^5 - 6*A*\tan(1/2*d*x + 1/2*c)/((\tan(1/ \\
& 2*d*x + 1/2*c)^2 + 1)*a^4))/d
\end{aligned}$$

$$3.343 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^4} dx$$

Optimal. Leaf size=538

$$\frac{(-146a^4Ab^3 + 167a^2Ab^5 + 24a^6Ab + 65a^5b^2B - 68a^3b^4B - 6a^7B + 24ab^6B - 60Ab^7) \sin(c+dx)}{6a^5d(a^2 - b^2)^3} + \frac{(-23a^4Ab^2 + 27a^2Ab^4 + 24a^6Ab + 65a^5b^2B - 68a^3b^4B - 6a^7B + 24ab^6B - 60Ab^7) \sin(c+dx)}{6a^5d(a^2 - b^2)^3}$$

[Out] ((a^2*A + 20*A*b^2 - 8*a*b*B)*x)/(2*a^6) - (b^2*(40*a^6*A*b - 84*a^4*A*b^3 + 69*a^2*A*b^5 - 20*A*b^7 - 20*a^7*B + 35*a^5*b^2*B - 28*a^3*b^4*B + 8*a*b^6*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^6*(a - b)^(7/2))*(a + b)^(7/2)*d - ((24*a^6*A*b - 146*a^4*A*b^3 + 167*a^2*A*b^5 - 60*A*b^7 - 6*a^7*B + 65*a^5*b^2*B - 68*a^3*b^4*B + 24*a*b^6*B)*Sin[c + d*x])/(6*a^5*(a^2 - b^2)^3*d) + ((a^6*A - 23*a^4*A*b^2 + 27*a^2*A*b^4 - 10*A*b^6 + 12*a^5*b*B - 11*a^3*b^3*B + 4*a*b^5*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^3*d) + (b*(A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (b*(10*a^2*A*b - 5*A*b^3 - 7*a^3*B + 2*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (b*(48*a^4*A*b - 53*a^2*A*b^3 + 20*A*b^5 - 27*a^5*B + 20*a^3*b^2*B - 8*a*b^4*B)*Cos[c + d*x]*Sin[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 6.84428, antiderivative size = 538, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4030, 4100, 4104, 3919, 3831, 2659, 208}

$$\frac{(-146a^4Ab^3 + 167a^2Ab^5 + 24a^6Ab + 65a^5b^2B - 68a^3b^4B - 6a^7B + 24ab^6B - 60Ab^7) \sin(c+dx)}{6a^5d(a^2 - b^2)^3} + \frac{(-23a^4Ab^2 + 27a^2Ab^4 + 24a^6Ab + 65a^5b^2B - 68a^3b^4B - 6a^7B + 24ab^6B - 60Ab^7) \sin(c+dx)}{6a^5d(a^2 - b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4,x]

[Out] ((a^2*A + 20*A*b^2 - 8*a*b*B)*x)/(2*a^6) - (b^2*(40*a^6*A*b - 84*a^4*A*b^3 + 69*a^2*A*b^5 - 20*A*b^7 - 20*a^7*B + 35*a^5*b^2*B - 28*a^3*b^4*B + 8*a*b^6*B)*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^6*(a - b)^(7/2))*(a + b)^(7/2)*d - ((24*a^6*A*b - 146*a^4*A*b^3 + 167*a^2*A*b^5 - 60*A*b^7 - 6*a^7*B + 65*a^5*b^2*B - 68*a^3*b^4*B + 24*a*b^6*B)*Sin[c + d*x])/(6*a^5*(a^2 - b^2)^3*d) + ((a^6*A - 23*a^4*A*b^2 + 27*a^2*A*b^4 - 10*A*b^6 + 12*a^5*b*B - 11*a^3*b^3*B + 4*a*b^5*B)*Cos[c + d*x]*Sin[c + d*x])/(2*a^4*(a^2 - b^2)^3*d) + (b*(A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^3) + (b*(10*a^2*A*b - 5*A*b^3 - 7*a^3*B + 2*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^2) + (b*(48*a^4*A*b - 53*a^2*A*b^3 + 20*A*b^5 - 27*a^5*B + 20*a^3*b^2*B - 8*a*b^4*B)*Cos[c + d*x]*Sin[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*Sec[c + d*x]))

$$5*(a^2 - b^2)^3*d) + ((a^6*A - 23*a^4*A*b^2 + 27*a^2*A*b^4 - 10*A*b^6 + 12*a^5*b*B - 11*a^3*b^3*B + 4*a*b^5*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^4*(a^2 - b^2)^3*d) + (b*(A*b - a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^3) + (b*(10*a^2*A*b - 5*A*b^3 - 7*a^3*B + 2*a*b^2*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x])^2) + (b*(48*a^4*A*b - 53*a^2*A*b^3 + 20*A*b^5 - 27*a^5*B + 20*a^3*b^2*B - 8*a*b^4*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(6*a^3*(a^2 - b^2)^3*d*(a + b*\text{Sec}[c + d*x]))$$

Rule 4030

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*(a^2*(m+1) - b^2*(m+n+1)) + a*b*B*n - a*(A*b - a*B)*(m+1)*\text{Csc}[e + f*x] + b*(A*b - a*B)*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4100

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.) * (\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*(A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C)*(m+n+1) - a*(A*b - a*B + b*C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4104

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.) * (\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 3919

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]
]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c -
a*d, 0]
```

Rule 3831

```
Int[csc[(e_.) + (f_.)*(x_)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:= Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^4} dx &= \frac{b(Ab-aB)\cos(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} - \frac{\int \frac{\cos^2(c+dx)(-3a^2A+5Ab^2-2abB+3a(Ab-aB)\sec(c+dx))}{(a+b\sec(c+dx))^3}}{3a(a^2-b^2)} \\
&= \frac{b(Ab-aB)\cos(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{b(10a^2Ab-5Ab^3-7a^3B+2ab^2B)\cos(c+dx)}{6a^2(a^2-b^2)^2d(a+b\sec(c+dx))^3} \\
&= \frac{b(Ab-aB)\cos(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^3} + \frac{b(10a^2Ab-5Ab^3-7a^3B+2ab^2B)\cos(c+dx)}{6a^2(a^2-b^2)^2d(a+b\sec(c+dx))^3} \\
&= \frac{(a^6A-23a^4Ab^2+27a^2Ab^4-10Ab^6+12a^5bB-11a^3b^3B+4ab^5B)\cos(c+dx)}{2a^4(a^2-b^2)^3d} \\
&= -\frac{(24a^6Ab-146a^4Ab^3+167a^2Ab^5-60Ab^7-6a^7B+65a^5b^2B-68a^3b^4B+20ab^6B)}{6a^5(a^2-b^2)^3d} \\
&= \frac{(a^2A+20Ab^2-8abB)x}{2a^6} - \frac{(24a^6Ab-146a^4Ab^3+167a^2Ab^5-60Ab^7-6a^7B+65a^5b^2B-68a^3b^4B+20ab^6B)}{6a^5(a^2-b^2)^3} \\
&= \frac{(a^2A+20Ab^2-8abB)x}{2a^6} - \frac{(24a^6Ab-146a^4Ab^3+167a^2Ab^5-60Ab^7-6a^7B+65a^5b^2B-68a^3b^4B+20ab^6B)}{6a^5(a^2-b^2)^3} \\
&= \frac{(a^2A+20Ab^2-8abB)x}{2a^6} - \frac{(24a^6Ab-146a^4Ab^3+167a^2Ab^5-60Ab^7-6a^7B+65a^5b^2B-68a^3b^4B+20ab^6B)}{6a^5(a^2-b^2)^3} \\
&= \frac{(a^2A+20Ab^2-8abB)x}{2a^6} - \frac{b^2(40a^6Ab-84a^4Ab^3+69a^2Ab^5-20Ab^7-20a^7B)}{a^6(a^2-b^2)^3}
\end{aligned}$$

Mathematica [B] time = 5.8241, size = 1452, normalized size = 2.7

$$\frac{12Ac\cos(3(c+dx))a^{11}+12Adx\cos(3(c+dx))a^{11}+6A\sin(c+dx)a^{11}+24B\sin(2(c+dx))a^{11}+9A\sin(3(c+dx))a^{11}+12B\sin(4(c+dx))a^{11}+3A\sin(5(c+dx))a^{11}+72Ab\sin(3(c+dx))a^{11}}{a^6(a^2-b^2)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^4,x]

[Out]
$$\begin{aligned} &((-96b^2(-40a^6Ab + 84a^4A^2b^3 - 69a^2A^4b^5 + 20A^6b^7 + 20a^7B \\ &- 35a^5b^2B + 28a^3b^4B - 8a^2b^6B)*\text{ArcTanh}[\frac{(-a + b)\text{Tan}[(c + d*x)/2]}{\sqrt{a^2 - b^2}}])/(a^2 - b^2)^{7/2} + (72a^{10}Ab^3c + 1272a^8A^2b^3c \\ &- 3288a^6A^4b^5c + 1512a^4A^6b^7c + 1392a^2A^8b^9c - 960A^{10}b^{11}c - \\ &576a^9b^2B^3c + 1344a^7b^4B^5c - 576a^5b^6B^7c - 576a^3b^8B^9c + 38 \\ &4a^2b^{10}B^{11}c + 72a^{10}Ab^3d*x + 1272a^8A^2b^3d*x - 3288a^6A^4b^5d*x + \\ &1512a^4A^6b^7d*x + 1392a^2A^8b^9d*x - 960A^{10}b^{11}d*x - 576a^9b^2B^3d*x \\ &+ 1344a^7b^4B^5d*x - 576a^5b^6B^7d*x - 576a^3b^8B^9d*x + 384a^2b^{10} \\ &B^{11}d*x + 36a^2(a^2 - b^2)^3(a^2 + 4b^2)(a^2A + 20A^2b^2 - 8a^2b^2B)(c + \\ &d*x)\text{Cos}[c + d*x] + 72a^2b^2(a^2 - b^2)^3(a^2A + 20A^2b^2 - 8a^2b^2B)(c \\ &+ d*x)\text{Cos}[2(c + d*x)] + 12a^{11}A^3c\text{Cos}[3(c + d*x)] + 204a^9A^5b^2c\text{C} \\ &\text{os}[3(c + d*x)] - 684a^7A^7b^4c\text{Cos}[3(c + d*x)] + 708a^5A^9b^6c\text{Cos}[3 \\ &(c + d*x)] - 240a^3A^{10}b^8c\text{Cos}[3(c + d*x)] - 96a^{10}b^8B^3c\text{Cos}[3(c + d \\ &x)] + 288a^8b^3B^5c\text{Cos}[3(c + d*x)] - 288a^6b^5B^7c\text{Cos}[3(c + d*x)] + \\ &96a^4b^7B^9c\text{Cos}[3(c + d*x)] + 12a^{11}A^3d*x\text{Cos}[3(c + d*x)] + 204a^9 \\ &A^5b^2d*x\text{Cos}[3(c + d*x)] - 684a^7A^7b^4d*x\text{Cos}[3(c + d*x)] + 708a^5 \\ &A^9b^6d*x\text{Cos}[3(c + d*x)] - 240a^3A^{10}b^8d*x\text{Cos}[3(c + d*x)] - 96a^{10}b^8 \\ &B^3d*x\text{Cos}[3(c + d*x)] + 288a^8b^3B^5d*x\text{Cos}[3(c + d*x)] - 288a^6b^5 \\ &B^7d*x\text{Cos}[3(c + d*x)] + 96a^4b^7B^9d*x\text{Cos}[3(c + d*x)] + 6a^{11}A^3\text{Sin}[c \\ &+ d*x] - 270a^9A^5b^2\text{Sin}[c + d*x] + 750a^7A^7b^4\text{Sin}[c + d*x] + 1086a^5 \\ &A^9b^6\text{Sin}[c + d*x] - 2232a^3A^{10}b^8\text{Sin}[c + d*x] + 960a^2A^{10}b^{10}\text{Sin}[c + d \\ &x] + 72a^{10}b^8B^3\text{Sin}[c + d*x] - 360a^8b^3B^5\text{Sin}[c + d*x] - 540a^6b^5B^7 \\ &\text{Sin}[c + d*x] + 912a^4b^7B^9\text{Sin}[c + d*x] - 384a^2b^9B^{11}\text{Sin}[c + d*x] - 6 \\ &0a^{10}A^2b^8\text{Sin}[2(c + d*x)] - 372a^8A^4b^3\text{Sin}[2(c + d*x)] + 2772a^6A^6b^5 \\ &\text{Sin}[2(c + d*x)] - 3300a^4A^8b^7\text{Sin}[2(c + d*x)] + 1200a^2A^{10}b^9\text{Sin}[\\ &2(c + d*x)] + 24a^{11}B^3\text{Sin}[2(c + d*x)] + 72a^9b^2B^5\text{Sin}[2(c + d*x)] - \\ &1200a^7b^4B^7\text{Sin}[2(c + d*x)] + 1344a^5b^6B^9\text{Sin}[2(c + d*x)] - 480a^3 \\ &b^8B^{11}\text{Sin}[2(c + d*x)] + 9a^{11}A^3\text{Sin}[3(c + d*x)] - 279a^9A^5b^2\text{Sin}[3 \\ &(c + d*x)] + 1143a^7A^7b^4\text{Sin}[3(c + d*x)] - 1253a^5A^9b^6\text{Sin}[3(c + d \\ &x)] + 440a^3A^{10}b^8\text{Sin}[3(c + d*x)] + 72a^{10}b^8B^3\text{Sin}[3(c + d*x)] - 456a^8 \\ &b^3B^5\text{Sin}[3(c + d*x)] + 500a^6b^5B^7\text{Sin}[3(c + d*x)] - 176a^4b^7B^9 \\ &\text{Sin}[3(c + d*x)] - 30a^{10}A^2b^8\text{Sin}[4(c + d*x)] + 90a^8A^4b^3\text{Sin}[4(c + d \\ &x)] - 90a^6A^6b^5\text{Sin}[4(c + d*x)] + 30a^4A^8b^7\text{Sin}[4(c + d*x)] + 12a^2 \\ &A^{10}b^9\text{Sin}[4(c + d*x)] - 36a^9b^2B^5\text{Sin}[4(c + d*x)] + 36a^7b^4B^7\text{Sin}[4 \\ &(c + d*x)] - 12a^5b^6B^9\text{Sin}[4(c + d*x)] + 3a^{11}A^3\text{Sin}[5(c + d*x)] - 9 \\ &a^9A^5b^2\text{Sin}[5(c + d*x)] + 9a^7A^7b^4\text{Sin}[5(c + d*x)] - 3a^5A^9b^6\text{Si} \\ &n[5(c + d*x)]/((a^2 - b^2)^3(b + a\text{Cos}[c + d*x])^3)/(96a^6d) \end{aligned}$$

Maple [B] time = 0.148, size = 3099, normalized size = 5.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^2(A+B\sec(dx+c)))/(a+b\sec(dx+c))^4, x$

[Out]
$$\frac{6/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+20/d*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*B*a-12/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-35/d*b^4/a/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*B+28/d*b^6/a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*B-8/d*b^8/a^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*B+20/d*b^9/a^6/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a+b)*(a-b))^{1/2}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c))/((a+b)*(a-b))^{1/2})*A-30/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^4/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+34/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^6/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-6/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^5/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+34/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^6/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-30/d/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^4/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+6/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^5/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+3/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+2/d*b^6/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-2/d*b^6/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-18/d*b^5/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-5/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-18/d*b^5/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-3/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+24/d*b^8/a^5/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+20/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^3/(a-b$$

$$\begin{aligned} &)/(a^3+3a^2b+3ab^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-40/d/(\tan(1/2*d*x+1/2*c) \\ & ^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(\\ & 1/2*d*x+1/2*c)^3*B+20/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b) \\ & ^3*b^3/(a+b)/(a^3-3a^2b+3ab^2-b^3)*\tan(1/2*d*x+1/2*c)*B+84/d/a^2/(a^6-3 \\ & *a^4*b^2+3a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c) \\ &)/((a+b)*(a-b))^{(1/2)}*A*b^5-69/d/a^4/(a^6-3a^4*b^2+3a^2*b^4-b^6)/((a+b)* \\ & (a-b))^{(1/2)}*\operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A*b^7-21 \\ & 2/3/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^6/(a^2-2* \\ & a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+60/d/a/(\tan(1/2*d*x+1/2*c)^ \\ & 2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3*b^4/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1 \\ & /2*d*x+1/2*c)^3*A+1/d*A/a^4*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))-12/d*b^8/a^5/(\tan(1/ \\ & 2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3a^2b+3ab^2-b \\ & ^3)*\tan(1/2*d*x+1/2*c)*A-12/d*b^8/a^5/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1 \\ & /2*c)^2*b-a-b)^3/(a-b)/(a^3+3a^2b+3ab^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+6/d \\ & *b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a+b)/(a^3-3 \\ & *a^2b+3ab^2-b^3)*\tan(1/2*d*x+1/2*c)*B+116/3/d*b^5/a^2/(\tan(1/2*d*x+1/2*c) \\ &)^2*a-\tan(1/2*d*x+1/2*c)^2*b-a-b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2 \\ & *d*x+1/2*c)^3*B-40/d*b^3/(a^6-3a^4*b^2+3a^2*b^4-b^6)/((a+b)*(a-b))^{(1/2)}* \\ & \operatorname{arctanh}((a-b)*\tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^{(1/2)})*A-8/d/a^5/(1+\tan(1/2* \\ & d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*A*b-8/d/a^5/(1+\tan(1/2*d*x+1/2*c)^2)^2 \\ & *\tan(1/2*d*x+1/2*c)*A*b-1/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2* \\ & c)^3*A+2/d/a^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*B+1/d/a^4/(1 \\ & +\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*A+2/d/a^4/(1+\tan(1/2*d*x+1/2*c) \\ & ^2)^2*\tan(1/2*d*x+1/2*c)*B+20/d/a^6*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*A*b^2-8/d/a^ \\ & 5*\operatorname{arctan}(\tan(1/2*d*x+1/2*c))*B*b \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 1.56026, size = 6657, normalized size = 12.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="fricas")

[Out] [1/12*(6*(A*a^13 - 8*B*a^12*b + 16*A*a^11*b^2 + 32*B*a^10*b^3 - 74*A*a^9*b^4 - 48*B*a^8*b^5 + 116*A*a^7*b^6 + 32*B*a^6*b^7 - 79*A*a^5*b^8 - 8*B*a^4*b^9 + 20*A*a^3*b^10)*d*x*cos(d*x + c)^3 + 18*(A*a^12*b - 8*B*a^11*b^2 + 16*A*a^10*b^3 + 32*B*a^9*b^4 - 74*A*a^8*b^5 - 48*B*a^7*b^6 + 116*A*a^6*b^7 + 32*B*a^5*b^8 - 79*A*a^4*b^9 - 8*B*a^3*b^10 + 20*A*a^2*b^11)*d*x*cos(d*x + c)^2 + 18*(A*a^11*b^2 - 8*B*a^10*b^3 + 16*A*a^9*b^4 + 32*B*a^8*b^5 - 74*A*a^7*b^6 - 48*B*a^6*b^7 + 116*A*a^5*b^8 + 32*B*a^4*b^9 - 79*A*a^3*b^10 - 8*B*a^2*b^11 + 20*A*a*b^12)*d*x*cos(d*x + c) + 6*(A*a^10*b^3 - 8*B*a^9*b^4 + 16*A*a^8*b^5 + 32*B*a^7*b^6 - 74*A*a^6*b^7 - 48*B*a^5*b^8 + 116*A*a^4*b^9 + 32*B*a^3*b^10 - 79*A*a^2*b^11 - 8*B*a*b^12 + 20*A*b^13)*d*x - 3*(20*B*a^7*b^5 - 40*A*a^6*b^6 - 35*B*a^5*b^7 + 84*A*a^4*b^8 + 28*B*a^3*b^9 - 69*A*a^2*b^10 - 8*B*a*b^11 + 20*A*b^12 + (20*B*a^10*b^2 - 40*A*a^9*b^3 - 35*B*a^8*b^4 + 84*A*a^7*b^5 + 28*B*a^6*b^6 - 69*A*a^5*b^7 - 8*B*a^4*b^8 + 20*A*a^3*b^9)*cos(d*x + c)^3 + 3*(20*B*a^9*b^3 - 40*A*a^8*b^4 - 35*B*a^7*b^5 + 84*A*a^6*b^6 + 28*B*a^5*b^7 - 69*A*a^4*b^8 - 8*B*a^3*b^9 + 20*A*a^2*b^10)*cos(d*x + c)^2 + 3*(20*B*a^8*b^4 - 40*A*a^7*b^5 - 35*B*a^6*b^6 + 84*A*a^5*b^7 + 28*B*a^4*b^8 - 69*A*a^3*b^9 - 8*B*a^2*b^10 + 20*A*a*b^11)*cos(d*x + c))*sqrt(a^2 - b^2)*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 - 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)) + 2*(6*B*a^10*b^3 - 24*A*a^9*b^4 - 71*B*a^8*b^5 + 170*A*a^7*b^6 + 133*B*a^6*b^7 - 313*A*a^5*b^8 - 92*B*a^4*b^9 + 227*A*a^3*b^10 + 24*B*a^2*b^11 - 60*A*a*b^12 + 3*(A*a^13 - 4*A*a^11*b^2 + 6*A*a^9*b^4 - 4*A*a^7*b^6 + A*a^5*b^8)*cos(d*x + c)^4 + 3*(2*B*a^13 - 5*A*a^12*b - 8*B*a^11*b^2 + 20*A*a^10*b^3 + 12*B*a^9*b^4 - 30*A*a^8*b^5 - 8*B*a^7*b^6 + 20*A*a^6*b^7 + 2*B*a^5*b^8 - 5*A*a^4*b^9)*cos(d*x + c)^3 + (18*B*a^12*b - 63*A*a^11*b^2 - 132*B*a^10*b^3 + 342*A*a^9*b^4 + 239*B*a^8*b^5 - 590*A*a^7*b^6 - 169*B*a^6*b^7 + 421*A*a^5*b^8 + 44*B*a^4*b^9 - 110*A*a^3*b^10)*cos(d*x + c)^2 + 3*(6*B*a^11*b^2 - 23*A*a^10*b^3 - 59*B*a^9*b^4 + 146*A*a^8*b^5 + 110*B*a^7*b^6 - 263*A*a^6*b^7 - 77*B*a^5*b^8 + 190*A*a^4*b^9 + 20*B*a^3*b^10 - 50*A*a^2*b^11)*cos(d*x + c))*sin(d*x + c))/((a^17 - 4*a^15*b^2 + 6*a^13*b^4 - 4*a^11*b^6 + a^9*b^8)*d*cos(d*x + c)^3 + 3*(a^16*b - 4*a^14*b^3 + 6*a^12*b^5 - 4*a^10*b^7 + a^8*b^9)*d*cos(d*x + c)^2 + 3*(a^15*b^2 - 4*a^13*b^4 + 6*a^11*b^6 - 4*a^9*b^8 + a^7*b^10)*d*cos(d*x + c) + (a^14*b^3 - 4*a^12*b^5 + 6*a^10*b^7 - 4*a^8*b^9 + a^6*b^11)*d), 1/6*(3*(A*a^13 - 8*B*a^12*b + 16*A*a^11*b^2 + 32*B*a^10*b^3 - 74*A*a^9*b^4 - 48*B*a^8*b^5 + 116*A*a^7*b^6 + 32*B*a^6*b^7 - 79*A*a^5*b^8 - 8*B*a^4*b^9 + 20*A*a^3*b^10)*d*x*cos(d*x + c)^3 + 9*(A*a^12*b - 8*B*a^11*b^2 + 16*A*a^10*b^3 + 32*B*a^9*b^4 - 74*A*a^8*b^5 - 48*B*a^7*b^6 + 116*A*a^6*b^7 + 32*B*a^5*b^8 - 79*A*a^4*b^9 - 8*B*a^3*b^10 + 20*A*a^2*b^11)*d*x*cos(d*x + c)^2 + 9*(A*a^11*b^2 - 8*B*a^10*b^3 + 16*

$$\begin{aligned}
& Aa^9b^4 + 32Ba^8b^5 - 74Aa^7b^6 - 48Ba^6b^7 + 116Aa^5b^8 + 32 \\
& *Ba^4b^9 - 79Aa^3b^{10} - 8Ba^2b^{11} + 20Aa*b^{12})d*x*cos(d*x + c) + \\
& 3*(Aa^{10}b^3 - 8Ba^9b^4 + 16Aa^8b^5 + 32Ba^7b^6 - 74Aa^6b^7 - \\
& 48Ba^5b^8 + 116Aa^4b^9 + 32Ba^3b^{10} - 79Aa^2b^{11} - 8Ba*b^{12} \\
& + 20A*b^{13})d*x + 3*(20Ba^7b^5 - 40Aa^6b^6 - 35Ba^5b^7 + 84Aa^4 \\
& *b^8 + 28Ba^3b^9 - 69Aa^2b^{10} - 8Ba*b^{11} + 20A*b^{12} + (20Ba^{10}b \\
& ^2 - 40Aa^9b^3 - 35Ba^8b^4 + 84Aa^7b^5 + 28Ba^6b^6 - 69Aa^5b^7 \\
& ^7 - 8Ba^4b^8 + 20Aa^3b^9)*cos(d*x + c)^3 + 3*(20Ba^9b^3 - 40Aa^8 \\
& *b^4 - 35Ba^7b^5 + 84Aa^6b^6 + 28Ba^5b^7 - 69Aa^4b^8 - 8Ba^3 \\
& *b^9 + 20Aa^2b^{10})*cos(d*x + c)^2 + 3*(20Ba^8b^4 - 40Aa^7b^5 - 35 \\
& Ba^6b^6 + 84Aa^5b^7 + 28Ba^4b^8 - 69Aa^3b^9 - 8Ba^2b^{10} + 20 \\
& Aa*b^{11})*cos(d*x + c))*sqrt(-a^2 + b^2)*arctan(-sqrt(-a^2 + b^2)*(b*cos(d \\
& x + c) + a)/((a^2 - b^2)*sin(d*x + c))) + (6Ba^{10}b^3 - 24Aa^9b^4 - 71 \\
& *Ba^8b^5 + 170Aa^7b^6 + 133Ba^6b^7 - 313Aa^5b^8 - 92Ba^4b^9 + \\
& 227Aa^3b^{10} + 24Ba^2b^{11} - 60Aa*b^{12} + 3*(Aa^{13} - 4Aa^{11}b^2 + \\
& 6Aa^9b^4 - 4Aa^7b^6 + Aa^5b^8)*cos(d*x + c)^4 + 3*(2Ba^{13} - 5Aa \\
& ^{12}b - 8Ba^{11}b^2 + 20Aa^{10}b^3 + 12Ba^9b^4 - 30Aa^8b^5 - 8Ba^7 \\
& *b^6 + 20Aa^6b^7 + 2Ba^5b^8 - 5Aa^4b^9)*cos(d*x + c)^3 + (18Ba^ \\
& 12*b - 63Aa^{11}b^2 - 132Ba^{10}b^3 + 342Aa^9b^4 + 239Ba^8b^5 - 590 \\
& *Aa^7b^6 - 169Ba^6b^7 + 421Aa^5b^8 + 44Ba^4b^9 - 110Aa^3b^{10}) \\
& *cos(d*x + c)^2 + 3*(6Ba^{11}b^2 - 23Aa^{10}b^3 - 59Ba^9b^4 + 146Aa^ \\
& 8b^5 + 110Ba^7b^6 - 263Aa^6b^7 - 77Ba^5b^8 + 190Aa^4b^9 + 20Ba \\
& *a^3b^{10} - 50Aa^2b^{11})*cos(d*x + c))*sin(d*x + c))/((a^{17} - 4a^{15}b^2 \\
& + 6a^{13}b^4 - 4a^{11}b^6 + a^9b^8)*d*cos(d*x + c)^3 + 3*(a^{16}b - 4a^{14} \\
& b^3 + 6a^{12}b^5 - 4a^{10}b^7 + a^8b^9)*d*cos(d*x + c)^2 + 3*(a^{15}b^2 - 4 \\
& *a^{13}b^4 + 6a^{11}b^6 - 4a^9b^8 + a^7b^{10})*d*cos(d*x + c) + (a^{14}b^3 - \\
& 4a^{12}b^5 + 6a^{10}b^7 - 4a^8b^9 + a^6b^{11})*d)]
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**4,x)

[Out] Timed out

Giac [B] time = 1.63385, size = 1420, normalized size = 2.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^4,x, algorithm="giac")

[Out]
$$\frac{1}{6} \cdot (6 \cdot (20 \cdot B \cdot a^7 \cdot b^2 - 40 \cdot A \cdot a^6 \cdot b^3 - 35 \cdot B \cdot a^5 \cdot b^4 + 84 \cdot A \cdot a^4 \cdot b^5 + 28 \cdot B \cdot a^3 \cdot b^6 - 69 \cdot A \cdot a^2 \cdot b^7 - 8 \cdot B \cdot a \cdot b^8 + 20 \cdot A \cdot b^9) \cdot (\pi \cdot \text{floor}(1/2 \cdot (d \cdot x + c)) / \pi + 1/2) \cdot \text{sgn}(-2 \cdot a + 2 \cdot b) + \arctan(-a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / \sqrt{-a^2 + b^2}) / ((a^{12} - 3 \cdot a^{10} \cdot b^2 + 3 \cdot a^8 \cdot b^4 - a^6 \cdot b^6) \cdot \sqrt{-a^2 + b^2}) + 2 \cdot (60 \cdot B \cdot a^7 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 90 \cdot A \cdot a^6 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 105 \cdot B \cdot a^6 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 162 \cdot A \cdot a^5 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 24 \cdot B \cdot a^5 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 48 \cdot A \cdot a^4 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 117 \cdot B \cdot a^4 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 213 \cdot A \cdot a^3 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 24 \cdot B \cdot a^3 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 48 \cdot A \cdot a^2 \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 42 \cdot B \cdot a^2 \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 81 \cdot A \cdot a \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 18 \cdot B \cdot a \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 36 \cdot A \cdot b^{10} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 120 \cdot B \cdot a^7 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 180 \cdot A \cdot a^6 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 236 \cdot B \cdot a^5 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 392 \cdot A \cdot a^4 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 152 \cdot B \cdot a^3 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 284 \cdot A \cdot a^2 \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 36 \cdot B \cdot a \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 72 \cdot A \cdot b^{10} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 60 \cdot B \cdot a^7 \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 90 \cdot A \cdot a^6 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 105 \cdot B \cdot a^6 \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 162 \cdot A \cdot a^5 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 24 \cdot B \cdot a^5 \cdot b^5 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 48 \cdot A \cdot a^4 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 117 \cdot B \cdot a^4 \cdot b^6 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 213 \cdot A \cdot a^3 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 24 \cdot B \cdot a^3 \cdot b^7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 48 \cdot A \cdot a^2 \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 42 \cdot B \cdot a^2 \cdot b^8 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 81 \cdot A \cdot a \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 18 \cdot B \cdot a \cdot b^9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 36 \cdot A \cdot b^{10} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / ((a^{11} - 3 \cdot a^9 \cdot b^2 + 3 \cdot a^7 \cdot b^4 - a^5 \cdot b^6) \cdot (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - a - b)^3) + 3 \cdot (A \cdot a^2 - 8 \cdot B \cdot a \cdot b + 20 \cdot A \cdot b^2) \cdot (d \cdot x + c) / a^6 - 6 \cdot (A \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 2 \cdot B \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 8 \cdot A \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - A \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 2 \cdot B \cdot a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 8 \cdot A \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / ((\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^2 \cdot a^5) / d$$

$$3.344 \quad \int \frac{\frac{bB}{a} + B \sec(c+dx)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=61

$$\frac{2B\sqrt{a-b}\sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d} + \frac{bBx}{a^2}$$

[Out] (b*B*x)/a^2 + (2*Sqrt[a - b]*Sqrt[a + b]*B*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*d)

Rubi [A] time = 0.11474, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3919, 3831, 2659, 208}

$$\frac{2B\sqrt{a-b}\sqrt{a+b} \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d} + \frac{bBx}{a^2}$$

Antiderivative was successfully verified.

[In] Int[((b*B)/a + B*Sec[c + d*x])/(a + b*Sec[c + d*x]), x]

[Out] (b*B*x)/a^2 + (2*Sqrt[a - b]*Sqrt[a + b]*B*ArcTanh[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*d)

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\frac{bB}{a} + B \sec(c + dx)}{a + b \sec(c + dx)} dx &= \frac{bBx}{a^2} - \frac{\left(-aB + \frac{b^2B}{a}\right) \int \frac{\sec(c+dx)}{a+b \sec(c+dx)} dx}{a} \\
&= \frac{bBx}{a^2} - \frac{\left(-aB + \frac{b^2B}{a}\right) \int \frac{1}{1 + \frac{a \cos(c+dx)}{b}} dx}{ab} \\
&= \frac{bBx}{a^2} - \frac{\left(2\left(-aB + \frac{b^2B}{a}\right)\right) \text{Subst}\left(\int \frac{1}{1 + \frac{a}{b} + \left(1 - \frac{a}{b}\right)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{abd} \\
&= \frac{bBx}{a^2} + \frac{2\sqrt{a-b}\sqrt{a+b}B \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d}
\end{aligned}$$

Mathematica [A] time = 0.144292, size = 61, normalized size = 1.

$$\frac{B \left(b(c + dx) - 2\sqrt{a^2 - b^2} \tanh^{-1} \left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2 - b^2}} \right) \right)}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((b*B)/a + B*Sec[c + d*x])/(a + b*Sec[c + d*x]),x]
```

```
[Out] (B*(b*(c + d*x) - 2*Sqrt[a^2 - b^2]*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/Sqr
t[a^2 - b^2]])/(a^2*d)
```

Maple [B] time = 0.077, size = 116, normalized size = 1.9

$$2 \frac{\arctan(\tan(1/2 dx + c/2)) Bb}{da^2} + 2 \frac{B}{d\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right) - 2 \frac{Bb^2}{da^2\sqrt{(a+b)(a-b)}} \operatorname{Artanh}\left(\frac{(a-b)\tan(1/2 dx + c/2)}{\sqrt{(a+b)(a-b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*B/a+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out] `2/d/a^2*arctan(tan(1/2*d*x+1/2*c))*B*b+2/d/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B-2/d*b^2/a^2/((a+b)*(a-b))^(1/2)*arctanh((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*B`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*B/a+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 0.536089, size = 454, normalized size = 7.44

$$\left[\frac{2 B b d x + \sqrt{a^2 - b^2} B \log\left(\frac{2 a b \cos(dx+c) - (a^2 - 2 b^2) \cos(dx+c)^2 + 2 \sqrt{a^2 - b^2} (b \cos(dx+c) + a) \sin(dx+c) + 2 a^2 - b^2}{a^2 \cos(dx+c)^2 + 2 a b \cos(dx+c) + b^2}\right)}{2 a^2 d}, \frac{B b d x + \sqrt{-a^2 + b^2} B \arctan\left(\frac{b \cos(dx+c) + a}{\sqrt{-a^2 + b^2}}\right)}{a^2 d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*B/a+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out] `[1/2*(2*B*b*d*x + sqrt(a^2 - b^2))*B*log((2*a*b*cos(d*x + c) - (a^2 - 2*b^2)*cos(d*x + c)^2 + 2*sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*sin(d*x + c) + 2*a^2 - b^2)/(a^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + b^2)))/(a^2*d), (B*b*d*x + sqrt(-a^2 + b^2))*B*arctan(-sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)/((a^2 - b^2)))`

$- b^2 \sin(dx + c) / (a^2 d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{B \left(\int \frac{b}{a+b \sec(c+dx)} dx + \int \frac{a \sec(c+dx)}{a+b \sec(c+dx)} dx \right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*B/a+B*sec(d*x+c))/(a+b*sec(d*x+c)), x)

[Out] B*(Integral(b/(a + b*sec(c + d*x)), x) + Integral(a*sec(c + d*x)/(a + b*sec(c + d*x)), x))/a

Giac [B] time = 1.31344, size = 143, normalized size = 2.34

$$\frac{\frac{(dx+c)Bb}{a^2} + \frac{2(Ba^2 - Bb^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{-a^2+b^2}} \right) \right)}{\sqrt{-a^2+b^2} a^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*B/a+B*sec(d*x+c))/(a+b*sec(d*x+c)), x, algorithm="giac")

[Out] ((d*x + c)*B*b/a^2 + 2*(B*a^2 - B*b^2)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(-a^2 + b^2)))/(sqrt(-a^2 + b^2)*a^2))/d

$$3.345 \quad \int \frac{\frac{aB}{b} + B \sec(c+dx)}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=6

$$\frac{Bx}{b}$$

[Out] (B*x)/b

Rubi [A] time = 0.0013912, antiderivative size = 6, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {21, 8}

$$\frac{Bx}{b}$$

Antiderivative was successfully verified.

[In] Int[((a*B)/b + B*Sec[c + d*x])/(a + b*Sec[c + d*x]),x]

[Out] (B*x)/b

Rule 21

```
Int[(u_)*((a_) + (b_)*(v_))^(m_)*((c_) + (d_)*(v_))^(n_), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplifierQ[c + d*x,
  a + b*x])
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\int \frac{\frac{aB}{b} + B \sec(c+dx)}{a+b \sec(c+dx)} dx = \frac{B \int 1 dx}{b} = \frac{Bx}{b}$$

Mathematica [A] time = 0.0005538, size = 6, normalized size = 1.

$$\frac{Bx}{b}$$

Antiderivative was successfully verified.

[In] Integrate[((a*B)/b + B*Sec[c + d*x])/(a + b*Sec[c + d*x]),x]

[Out] (B*x)/b

Maple [A] time = 0.007, size = 7, normalized size = 1.2

$$\frac{Bx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a*B/b+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] B*x/b

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a*B/b+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.429939, size = 9, normalized size = 1.5

$$\frac{Bx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B/b+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] B*x/b
```

Sympy [A] time = 6.06857, size = 3, normalized size = 0.5

$$\frac{Bx}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B/b+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)
```

```
[Out] B*x/b
```

Giac [B] time = 1.38539, size = 18, normalized size = 3.

$$\frac{(dx + c)B}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B/b+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] (d*x + c)*B/(b*d)
```

$$3.346 \quad \int \frac{a+b \sec(c+dx)}{(b+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=86

$$-\frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d} + \frac{ax}{b^2} - \frac{a \tan(c+dx)}{bd(a \sec(c+dx)+b)}$$

[Out] (a*x)/b^2 - (2*Sqrt[a - b]*Sqrt[a + b]*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(b^2*d) - (a*Tan[c + d*x])/(b*d*(b + a*Sec[c + d*x]))

Rubi [A] time = 0.180483, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {3923, 3919, 3831, 2659, 205}

$$-\frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d} + \frac{ax}{b^2} - \frac{a \tan(c+dx)}{bd(a \sec(c+dx)+b)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sec[c + d*x])/(b + a*Sec[c + d*x])^2, x]

[Out] (a*x)/b^2 - (2*Sqrt[a - b]*Sqrt[a + b]*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(b^2*d) - (a*Tan[c + d*x])/(b*d*(b + a*Sec[c + d*x]))

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x

]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[1/b, Int[1/(1 + (a*Sin[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 205

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sec(c + dx)}{(b + a \sec(c + dx))^2} dx &= -\frac{a \tan(c + dx)}{bd(b + a \sec(c + dx))} + \frac{\int \frac{a(a^2 - b^2) + b(a^2 - b^2) \sec(c + dx)}{b + a \sec(c + dx)} dx}{b(a^2 - b^2)} \\
 &= \frac{ax}{b^2} - \frac{a \tan(c + dx)}{bd(b + a \sec(c + dx))} - \frac{(a^2 - b^2) \int \frac{\sec(c + dx)}{b + a \sec(c + dx)} dx}{b^2} \\
 &= \frac{ax}{b^2} - \frac{a \tan(c + dx)}{bd(b + a \sec(c + dx))} - \frac{(a^2 - b^2) \int \frac{1}{1 + \frac{b \cos(c + dx)}{a}} dx}{ab^2} \\
 &= \frac{ax}{b^2} - \frac{a \tan(c + dx)}{bd(b + a \sec(c + dx))} - \frac{(2(a^2 - b^2)) \text{Subst} \left(\int \frac{1}{1 + \frac{b}{a} + \left(1 - \frac{b}{a}\right)x^2} dx, x, \tan \left(\frac{1}{2}(c + dx) \right) \right)}{ab^2 d} \\
 &= \frac{ax}{b^2} - \frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1} \left(\frac{\sqrt{a-b} \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a+b}} \right)}{b^2 d} - \frac{a \tan(c + dx)}{bd(b + a \sec(c + dx))}
 \end{aligned}$$

Mathematica [A] time = 0.35524, size = 97, normalized size = 1.13

$$\frac{2\sqrt{b^2 - a^2} \tanh^{-1}\left(\frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right) + \frac{a(ac+adx - b \sin(c+dx) + b(c+dx) \cos(c+dx))}{a+b \cos(c+dx)}}{b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sec[c + d*x])/(b + a*Sec[c + d*x])^2, x]

[Out] (2*sqrt[-a^2 + b^2]*ArcTanh[((-a + b)*Tan[(c + d*x)/2])/sqrt[-a^2 + b^2]] + (a*(a*c + a*d*x + b*(c + d*x))*Cos[c + d*x] - b*Sin[c + d*x])/(a + b*Cos[c + d*x]))/(b^2*d)

Maple [B] time = 0.092, size = 163, normalized size = 1.9

$$2 \frac{a \arctan(\tan(1/2 dx + c/2))}{db^2} - 2 \frac{\tan(1/2 dx + c/2) a}{db \left((\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b + a + b \right)} - 2 \frac{a^2}{db^2 \sqrt{(a+b)(a-b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))/(b+a*sec(d*x+c))^2, x)

[Out] 2/d*a/b^2*arctan(tan(1/2*d*x+1/2*c))-2/d/b*tan(1/2*d*x+1/2*c)*a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)-2/d/b^2/((a+b)*(a-b))^(1/2)*arctan((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))*a^2+2/d/((a+b)*(a-b))^(1/2)*arctan((a-b)*tan(1/2*d*x+1/2*c)/((a+b)*(a-b))^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))/(b+a*sec(d*x+c))^2, x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 0.550893, size = 670, normalized size = 7.79

$$\frac{2 ab dx \cos(dx + c) + 2 a^2 dx - 2 ab \sin(dx + c) + \sqrt{-a^2 + b^2} (b \cos(dx + c) + a) \log\left(\frac{2 ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2 \sqrt{-a^2 + b^2} \cos(dx+c)}{b^2 \cos(dx+c)^2 + 2 ab \cos(dx+c) + a^2}\right)}{2 (b^3 d \cos(dx + c) + ab^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))/(b+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] [1/2*(2*a*b*d*x*cos(d*x + c) + 2*a^2*d*x - 2*a*b*sin(d*x + c) + sqrt(-a^2 + b^2)*(b*cos(d*x + c) + a)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2))/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)))/(b^3*d*cos(d*x + c) + a*b^2*d), (a*b*d*x*cos(d*x + c) + a^2*d*x - a*b*sin(d*x + c) - sqrt(a^2 - b^2)*(b*cos(d*x + c) + a)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))))/(b^3*d*cos(d*x + c) + a*b^2*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sec(c + dx)}{(a \sec(c + dx) + b)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))/(b+a*sec(d*x+c))**2,x)

[Out] Integral((a + b*sec(c + d*x))/(a*sec(c + d*x) + b)**2, x)

Giac [A] time = 1.37274, size = 188, normalized size = 2.19

$$\frac{\frac{(dx+c)a}{b^2} - \frac{2 a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a + b\right) b}}{d} - \frac{2 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) \sqrt{a^2 - b^2}}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*sec(d*x+c))/(b+a*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] ((d*x + c)*a/b^2 - 2*a*tan(1/2*d*x + 1/2*c)/((a*tan(1/2*d*x + 1/2*c)^2 - b*  
tan(1/2*d*x + 1/2*c)^2 + a + b)*b) - 2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sg  
n(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sq  
t(a^2 - b^2)))*sqrt(a^2 - b^2)/b^2)/d
```

$$3.347 \quad \int \frac{3+\sec(c+dx)}{2-\sec(c+dx)} dx$$

Optimal. Leaf size=87

$$-\frac{5 \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sqrt{3} \sin\left(\frac{1}{2}(c+dx)\right)\right)}{2\sqrt{3}d} + \frac{5 \log\left(\sqrt{3} \sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)}{2\sqrt{3}d} + \frac{3x}{2}$$

[Out] (3*x)/2 - (5*Log[Cos[(c + d*x)/2] - Sqrt[3]*Sin[(c + d*x)/2]])/(2*Sqrt[3]*d) + (5*Log[Cos[(c + d*x)/2] + Sqrt[3]*Sin[(c + d*x)/2]])/(2*Sqrt[3]*d)

Rubi [A] time = 0.0737429, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {3919, 3831, 2659, 207}

$$-\frac{5 \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sqrt{3} \sin\left(\frac{1}{2}(c+dx)\right)\right)}{2\sqrt{3}d} + \frac{5 \log\left(\sqrt{3} \sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)}{2\sqrt{3}d} + \frac{3x}{2}$$

Antiderivative was successfully verified.

[In] Int[(3 + Sec[c + d*x])/(2 - Sec[c + d*x]),x]

[Out] (3*x)/2 - (5*Log[Cos[(c + d*x)/2] - Sqrt[3]*Sin[(c + d*x)/2]])/(2*Sqrt[3]*d) + (5*Log[Cos[(c + d*x)/2] + Sqrt[3]*Sin[(c + d*x)/2]])/(2*Sqrt[3]*d)

Rule 3919

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(c*x)/a, x] - Dist[(b*c - a*d)/a, Int[Csc[e + f*x]/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3831

Int[csc[(e_.) + (f_.)*(x_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[1/b, Int[1/(1 + (a*Sine[e + f*x])/b), x], x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 207

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{3 + \sec(c + dx)}{2 - \sec(c + dx)} dx &= \frac{3x}{2} + \frac{5}{2} \int \frac{\sec(c + dx)}{2 - \sec(c + dx)} dx \\ &= \frac{3x}{2} - \frac{5}{2} \int \frac{1}{1 - 2 \cos(c + dx)} dx \\ &= \frac{3x}{2} - \frac{5 \operatorname{Subst}\left(\int \frac{1}{-1+3x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{d} \\ &= \frac{3x}{2} - \frac{5 \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sqrt{3} \sin\left(\frac{1}{2}(c + dx)\right)\right)}{2\sqrt{3}d} + \frac{5 \log\left(\cos\left(\frac{1}{2}(c + dx)\right) + \sqrt{3} \sin\left(\frac{1}{2}(c + dx)\right)\right)}{2\sqrt{3}d} \end{aligned}$$

Mathematica [A] time = 0.0686279, size = 39, normalized size = 0.45

$$\frac{9(c + dx) + 10\sqrt{3} \tanh^{-1}\left(\sqrt{3} \tan\left(\frac{1}{2}(c + dx)\right)\right)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(3 + Sec[c + d*x])/(2 - Sec[c + d*x]), x]
```

```
[Out] (9*(c + d*x) + 10*Sqrt[3]*ArcTanh[Sqrt[3]*Tan[(c + d*x)/2]])/(6*d)
```

Maple [A] time = 0.074, size = 39, normalized size = 0.5

$$3 \frac{\arctan(\tan(1/2 dx + c/2))}{d} + \frac{5\sqrt{3}}{3d} \operatorname{Artanh}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3+sec(d*x+c))/(2-sec(d*x+c)),x)`

[Out] $3/d*\arctan(\tan(1/2*d*x+1/2*c))+5/3/d*3^{(1/2)}*\operatorname{arctanh}(\tan(1/2*d*x+1/2*c)*3^{(1/2)})$

Maxima [A] time = 1.42947, size = 108, normalized size = 1.24

$$\frac{5\sqrt{3}\log\left(-\frac{\sqrt{3}-\frac{3\sin(dx+c)}{\cos(dx+c)+1}}{\sqrt{3}+\frac{3\sin(dx+c)}{\cos(dx+c)+1}}\right)-18\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+sec(d*x+c))/(2-sec(d*x+c)),x, algorithm="maxima")`

[Out] $-1/6*(5*\sqrt{3}*\log(-(\sqrt{3}-3*\sin(d*x+c))/(\cos(d*x+c)+1))/(\sqrt{3}+3*\sin(d*x+c)/(\cos(d*x+c)+1))-18*\arctan(\sin(d*x+c)/(\cos(d*x+c)+1)))/d$

Fricas [A] time = 0.497372, size = 225, normalized size = 2.59

$$\frac{18dx + 5\sqrt{3}\log\left(-\frac{2\cos(dx+c)^2 + 2(\sqrt{3}\cos(dx+c) - 2\sqrt{3})\sin(dx+c) + 4\cos(dx+c) - 7}{4\cos(dx+c)^2 - 4\cos(dx+c) + 1}\right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3+sec(d*x+c))/(2-sec(d*x+c)),x, algorithm="fricas")`

[Out] $1/12*(18*d*x + 5*\sqrt{3}*\log(-(2*\cos(d*x+c))^2 + 2*(\sqrt{3}*\cos(d*x+c) - 2*\sqrt{3})*\sin(d*x+c) + 4*\cos(d*x+c) - 7)/(4*\cos(d*x+c)^2 - 4*\cos(d*x+c) + 1)))/d$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{\sec(c+dx)}{\sec(c+dx)-2} dx - \int \frac{3}{\sec(c+dx)-2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+sec(d*x+c))/(2-sec(d*x+c)),x)

[Out] -Integral(sec(c + d*x)/(sec(c + d*x) - 2), x) - Integral(3/(sec(c + d*x) - 2), x)

Giac [A] time = 1.39533, size = 78, normalized size = 0.9

$$\frac{9 dx - 5 \sqrt{3} \log \left(\frac{\left| -2 \sqrt{3} + 6 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right|}{\left| 2 \sqrt{3} + 6 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right|} \right) + 9 c}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+sec(d*x+c))/(2-sec(d*x+c)),x, algorithm="giac")

[Out] 1/6*(9*d*x - 5*sqrt(3)*log(abs(-2*sqrt(3) + 6*tan(1/2*d*x + 1/2*c))/abs(2*sqrt(3) + 6*tan(1/2*d*x + 1/2*c))) + 9*c)/d

$$3.348 \quad \int \sec^4(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=485

$$\frac{2(a-b)\sqrt{a+b}(12a^2b(2A-B) - 16a^3B + 18ab^2(A-2B) + 3b^3(25A-49B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}}{315b^4d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(24*a^3*A*b + 57*a*A*b^3 - 16*a^4*B - 24*a^2*b^2*B + 147*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^5*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*A - 49*B) + 18*a*b^2*(A - 2*B) + 12*a^2*b*(2*A - B) - 16*a^3*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) - (2*(12*a^2*A*b - 75*A*b^3 - 8*a^3*B - 13*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (315*b^3*d) + (2*(9*a*A*b - 6*a^2*B + 49*b^2*B)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (315*b^2*d) + (2*(9*A*b + a*B)*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (63*b*d) + (2*B*Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/ (9*d)
```

Rubi [A] time = 1.43671, antiderivative size = 485, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4031, 4102, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(-6a^2B + 9aAb + 49b^2B) \tan(c + dx) \sec(c + dx) \sqrt{a + b \sec(c + dx)}}{315b^2d} - \frac{2(12a^2Ab - 8a^3B - 13ab^2B - 75Ab^3) \tan(c + dx)}{315b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^4*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(24*a^3*A*b + 57*a*A*b^3 - 16*a^4*B - 24*a^2*b^2*B + 147*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^5*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*A - 49*B) + 18*a*b^2*(A - 2*B) + 12*a^2*b*(2*A - B) - 16*a^3*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(315*b^4*d) - (2*(12*a^2*A*b - 75*A*b^3 - 8*a^3*B - 13*a*b^2*B)*Sqrt[a +
```

$$b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]]/(315*b^3*d) + (2*(9*a*A*b - 6*a^2*B + 49*b^2*B)*\text{Sec}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]]/(315*b^2*d) + (2*(9*A*b + a*B)*\text{Sec}[c + d*x]^2*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]]/(63*b*d) + (2*B*\text{Sec}[c + d*x]^3*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]]/(9*d)$$

Rule 4031

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(f*(m + n)), x] + \text{Dist}[d/(m + n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[a*B*(n-1) + (b*B*(m + n - 1) + a*A*(m + n))*\text{Csc}[e + f*x] + (a*B*m + A*b*(m + n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[0, m, 1] \&\& \text{GtQ}[n, 0]$$

Rule 4102

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1})/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[a*C*(n-1) + (A*b*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$$

Rule 4092

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[a*C + b*(C*(m + 2) + A*(m + 3))*\text{Csc}[e + f*x] - (2*a*C - b*B*(m + 3))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -1]$$

Rule 4082

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$$

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[
csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))] * EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[
csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))] * EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^4(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx))dx &= \frac{2B\sec^3(c+dx)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{9d} + \frac{2}{9} \int \frac{\sec^3}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{2(9Ab+aB)\sec^2(c+dx)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{63bd} + \frac{2}{9} \int \frac{\sec^3}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{2(9aAb-6a^2B+49b^2B)\sec(c+dx)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{315b^2d} + \frac{2}{9} \int \frac{\sec^3}{\sqrt{a+b\sec(c+dx)}} dx \\
&= -\frac{2(12a^2Ab-75Ab^3-8a^3B-13ab^2B)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{315b^3d} + \frac{2}{9} \int \frac{\sec^3}{\sqrt{a+b\sec(c+dx)}} dx \\
&= -\frac{2(12a^2Ab-75Ab^3-8a^3B-13ab^2B)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{315b^3d} + \frac{2}{9} \int \frac{\sec^3}{\sqrt{a+b\sec(c+dx)}} dx \\
&= -\frac{2(a-b)\sqrt{a+b}(24a^3Ab+57aAb^3-16a^4B-24a^2b^2B+16ab^3)}{315b^3d} + \frac{2}{9} \int \frac{\sec^3}{\sqrt{a+b\sec(c+dx)}} dx
\end{aligned}$$

Mathematica [B] time = 25.544, size = 3734, normalized size = 7.7

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^4*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((2*(24*a^3*A*b + 57*a*A*b^3 - 16*a^4*B - 24*a^2*b^2*B + 147*b^4*B)*Sin[c + d*x])/(315*b^4) + (2*Sec[c + d*x]^3*(9*A*b*Ssin[c + d*x] + a*B*Ssin[c + d*x]))/(63*b) + (2*Sec[c + d*x]^2*(9*a*A*b*Ssin[c + d*x] - 6*a^2*B*Ssin[c + d*x] + 49*b^2*B*Ssin[c + d*x]))/(315*b^2) + (2*Sec[c + d*x]*(-12*a^2*A*b*Ssin[c + d*x] + 75*A*b^3*Ssin[c + d*x] + 8*a^3*B*Ssin[c + d*x] + 13*a*b^2*B*Ssin[c + d*x]))/(315*b^3) + (2*B*Sec[c + d*x]^3*Tan[c + d*x])/9))/d + (2*((-19*a*A)/(105*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^3*A)/(105*b^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*a^4*B)/(315*b^3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (8*a^2*B)/(105*b*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (7*b*B)/(15*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^4*A*Sqrt[Sec[c + d*x]])/(105*b^3*Sqrt[b + a*Cos[c + d*x]]) - (17*a^2*A*Sqrt[Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]]) + (5*A*b*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (4*a*B*Sqrt[Sec[c + d*x]])/(35*Sqrt[b + a*Cos[c + d*x]]) + (16*a^5*B*Sqrt[Sec[c + d*x]])/(315*b^5*Sqrt[b + a*Cos[c + d*x]])

$$\begin{aligned}
& c + d*x]]/(315*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (4*a^3*B*\text{Sqrt}[\text{Sec}[c + d*x]]) \\
&)/(63*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^4*A*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c \\
& + d*x]])/(105*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (19*a^2*A*\text{Cos}[2*(c + d*x)]*\text{Sqr} \\
& \text{rt}[\text{Sec}[c + d*x]])/(105*b*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (7*a*B*\text{Cos}[2*(c + d*x) \\
&]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (16*a^5*B*\text{Cos}[2*(c + \\
& d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(315*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (8*a^3*B*\text{Cos} \\
& [2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(105*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]])*\text{Sqrt} \\
& \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*(2*(a + b)*(-24*a \\
& ^3*A*b - 57*a*A*b^3 + 16*a^4*B + 24*a^2*b^2*B - 147*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x] \\
&]/(1 + \text{Cos}[c + d*x]))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]) \\
&)]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16* \\
& a^3*B + 12*a^2*b*(2*A + B) - 18*a*b^2*(A + 2*B) + 3*b^3*(25*A + 49*B))*\text{Sqrt} \\
& [\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{C} \\
& os[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-24* \\
& a^3*A*b - 57*a*A*b^3 + 16*a^4*B + 24*a^2*b^2*B - 147*b^4*B)*\text{Cos}[c + d*x]*(b \\
& + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2))/(315*b^4*d*(b + a* \\
& \text{Cos}[c + d*x])* \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]* \text{Sqrt}[\text{Sec}[c + d*x]]*((a*\text{Sqrt}[\text{Cos}[(c + \\
& d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(2*(a + b)*(-24*a^3*A*b - 57*a*A*b^3 \\
& + 16*a^4*B + 24*a^2*b^2*B - 147*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]) \\
&]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin} \\
& \text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^3*B + 12*a^2*b*(2* \\
& A + B) - 18*a*b^2*(A + 2*B) + 3*b^3*(25*A + 49*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{C} \\
& os[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Ellip} \\
& ticF[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-24*a^3*A*b - 57*a*A*b^3 \\
& + 16*a^4*B + 24*a^2*b^2*B - 147*b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{S} \\
& ec[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2))/(315*b^4*(b + a*\text{Cos}[c + d*x])^(3/2)*\text{Sqr} \\
& \text{rt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d \\
& *x)/2]*(2*(a + b)*(-24*a^3*A*b - 57*a*A*b^3 + 16*a^4*B + 24*a^2*b^2*B - 147 \\
& *b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a \\
& + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + \\
& b)] + 2*b*(a + b)*(-16*a^3*B + 12*a^2*b*(2*A + B) - 18*a*b^2*(A + 2*B) + 3 \\
& *b^3*(25*A + 49*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c \\
& + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], \\
& (a - b)/(a + b)] + (-24*a^3*A*b - 57*a*A*b^3 + 16*a^4*B + 24*a^2*b^2*B - 14 \\
& 7*b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x) \\
& /2))/(315*b^4*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt} \\
& [\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(((-24*a^3*A*b - 57*a*A*b^3 + 16*a^4*B + \\
& 24*a^2*b^2*B - 147*b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2 \\
&]^4)/2 + ((a + b)*(-24*a^3*A*b - 57*a*A*b^3 + 16*a^4*B + 24*a^2*b^2*B - 147 \\
& *b^4*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[A \\
& rcSin[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \\
& \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \\
& \text{Cos}[c + d*x])] + (b*(a + b)*(-16*a^3*B + 12*a^2*b*(2*A + B) - 18*a*b^2*(A \\
& + 2*B) + 3*b^3*(25*A + 49*B))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d
\end{aligned}$$

```

*x]*Sin[c + d*x]/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x]))/
Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] + ((a + b)*(-24*a^3*A*b - 57*a*A*b^3
+ 16*a^4*B + 24*a^2*b^2*B - 147*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])
]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*SIN[c + d*x])/
((a + b)*(1 + Cos[c + d*x])))) + ((b + a*cos[c + d*x])*Sin[c + d*x])/((a + b
)*(1 + Cos[c + d*x])^2))/Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d
*x]))] + (b*(a + b)*(-16*a^3*B + 12*a^2*b*(2*A + B) - 18*a*b^2*(A + 2*B) +
3*b^3*(25*A + 49*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*EllipticF[ArcSin
[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*SIN[c + d*x])/((a + b)*(1 + Cos[
c + d*x])))) + ((b + a*cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x
])^2))/Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] - a*(-24*a^
3*A*b - 57*a*A*b^3 + 16*a^4*B + 24*a^2*b^2*B - 147*b^4*B)*Cos[c + d*x]*Sec[
(c + d*x)/2]^2*SIN[c + d*x]*Tan[(c + d*x)/2] - (-24*a^3*A*b - 57*a*A*b^3 +
16*a^4*B + 24*a^2*b^2*B - 147*b^4*B)*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^
2*SIN[c + d*x]*Tan[(c + d*x)/2] + (-24*a^3*A*b - 57*a*A*b^3 + 16*a^4*B + 24
*a^2*b^2*B - 147*b^4*B)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c + d*x)/2]^
2*Tan[(c + d*x)/2]^2 + (b*(a + b)*(-16*a^3*B + 12*a^2*b*(2*A + B) - 18*a*b^
2*(A + 2*B) + 3*b^3*(25*A + 49*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sq
rt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2)/(
Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)]
) + ((a + b)*(-24*a^3*A*b - 57*a*A*b^3 + 16*a^4*B + 24*a^2*b^2*B - 147*b^4*
B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*cos[c + d*x])/((a + b
)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2*Sqrt[1 - ((a - b)*Tan[(c + d*x)/2]
^2)/(a + b)]/Sqrt[1 - Tan[(c + d*x)/2]^2]))/(315*b^4*Sqrt[b + a*cos[c + d*
x]]*Sqrt[Sec[(c + d*x)/2]^2]) + ((2*(a + b)*(-24*a^3*A*b - 57*a*A*b^3 + 16*
a^4*B + 24*a^2*b^2*B - 147*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqr
t[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(
c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^3*B + 12*a^2*b*(2*A + B
) - 18*a*b^2*(A + 2*B) + 3*b^3*(25*A + 49*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c
+ d*x])]*Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[
ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-24*a^3*A*b - 57*a*A*b^3 + 16
*a^4*B + 24*a^2*b^2*B - 147*b^4*B)*Cos[c + d*x]*(b + a*cos[c + d*x])*Sec[(c
+ d*x)/2]^2*Tan[(c + d*x)/2])*(-(Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*
x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(315*b^4*Sqrt[b + a
*cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x
]]))

```

Maple [B] time = 1.664, size = 4394, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^4*(A+B*\sec(d*x+c))*(a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -2/315/d/b^4*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))^{(1/2)} \\ & *(-35*B*b^5+24*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a^3*b^2-16*B*\cos(d*x+c)^6*a^5-57*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a^2*b^3-57*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a*b^4-16*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a^4*b-4*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a^3*b^2-24*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a^2*b^3+16*B*\cos(d*x+c)^5*a^5+147*B*\cos(d*x+c)^5*b^5-98*B*\cos(d*x+c)^4*b^5-14*B*\cos(d*x+c)^2*b^5+75*A*\cos(d*x+c)^5*b^5 \\ & -30*A*\cos(d*x+c)^3*b^5-45*A*\cos(d*x+c)*b^5+16*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a^5-147*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b^5+75*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b^5+147*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b^5+16*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a^5-147*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b^5+75*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b^5+147*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b^5-40*B*\cos(d*x+c)*a*b^4+57*A*\cos(d*x+c)^6*a^2*b^3+75*A*\cos(d*x+c)^6*a*b^4+8*B*\cos(d*x+c)^6*a^4*b-24*B*\cos(d*x+c)^6*a^3*b^2+13*B*\cos(d*x+c)^6*a^2*b^3+147*B*\cos(d*x+c)^6*a*b^4-24*A*\cos(d*x+c)^5*a^4*b+24*A*\cos(d*x+c)^5*a^3*b^2-60*A*\cos(d*x+c)^5*a^2*b^3+57*A*\cos(d*x+c)^5*a*b^4-16*B*\cos(d*x+c)^5*a^4*b+26*B*\cos(d*x+c)^5*a^3*b^2-24*B*\cos(d*x+c)^5*a^2*b^3-85*B*\cos(d*x+c)^5*a*b^4-12*A*\cos(d*x+c)^4*a^3*b^2-78*A*\cos(d*x+c)^4*a*b^4+8*B*\cos(d*x+c) \end{aligned}$$

$$\begin{aligned}
&)^4 a^4 b + 10 B \cos(d*x+c)^4 a^2 b^3 + 3 A \cos(d*x+c)^3 a^2 b^3 - 2 B \cos(d*x+c) \\
& ^3 a^3 b^2 - 22 B \cos(d*x+c)^3 a^2 b^4 - 54 A \cos(d*x+c)^2 a^2 b^4 + B \cos(d*x+c)^2 a \\
& ^2 b^3 + 24 A \cos(d*x+c)^6 a^4 b - 12 A \cos(d*x+c)^6 a^3 b^2 + 111 B \cos(d*x+c)^5 \\
& * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos \\
& (d*x+c) + 1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2} \\
&) * a^2 b^4 + 16 B \cos(d*x+c)^5 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(\\
& a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d \\
& *x+c), ((a-b)/(a+b))^{1/2}) * a^4 b + 24 B \cos(d*x+c)^5 \sin(d*x+c) * (\cos(d*x+c) / (\\
& \cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{Elliptic} \\
& \text{icE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 b^2 + 24 B \cos(d*x+c) \\
& ^5 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\\
& \cos(d*x+c) + 1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2} \\
&)) * a^2 b^3 - 147 B \cos(d*x+c)^5 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} \\
& * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \\
& \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 b^4 + 24 A \cos(d*x+c)^4 \sin(d*x+c) * (\cos(d*x \\
& +c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{E} \\
& \text{llipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 b^2 + 6 A \cos(d* \\
& x+c)^4 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c) \\
&)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b)) \\
& ^{1/2}) * a^2 b^3 + 57 A \cos(d*x+c)^4 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1 \\
& /2) * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c) \\
&)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 b^4 - 24 A \cos(d*x+c)^4 \sin(d*x+c) * (\cos(\\
& d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} \\
& * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^4 b - 24 A \cos(\\
& d*x+c)^4 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x \\
& +c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b) \\
&))^{1/2}) * a^3 b^2 - 57 A \cos(d*x+c)^4 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} \\
& * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticE}((-1+\cos(d*x \\
& +c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 b^3 - 57 A \cos(d*x+c)^4 \sin(d*x+c) * (\\
& \cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} \\
& * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 b^4 - 16 B \cos \\
& (d*x+c)^4 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos \\
& (d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/ \\
& (a+b))^{1/2}) * a^4 b - 4 B \cos(d*x+c)^4 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1)) \\
& ^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticF}((-1+\cos(d* \\
& x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 b^2 - 24 B \cos(d*x+c)^4 \sin(d*x+c) * \\
& (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1)) \\
& ^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 b^3 + 11 \\
& 1 B \cos(d*x+c)^4 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \\
& * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a \\
& -b)/(a+b))^{1/2}) * a^2 b^4 + 16 B \cos(d*x+c)^4 \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) \\
& + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + 1))^{1/2} * \text{EllipticE}((-1+c \\
& \cos(d*x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^4 b + 24 B \cos(d*x+c)^4 \sin(d*x+ \\
& c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1/(a+b)) * (b+a \cos(d*x+c)) / (\cos(d*x+c) + \\
& 1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 b^2
\end{aligned}$$

$$\begin{aligned}
& +24*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b \\
& +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (\\
& (a-b)/(a+b))^{(1/2)})*a^2*b^3-147*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(\\
& d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE(\\
& (-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^4+6*A*\cos(d*x+c)^5*\sin(\\
& d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\
& +c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2 \\
& *b^3+57*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+ \\
& c), ((a-b)/(a+b))^{(1/2)})*a*b^4-24*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^4*b-24*A*\cos(d*x+c)^5*\sin \\
& (d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d \\
& *x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a \\
& ^3*b^2)/(b+a*\cos(d*x+c))/\cos(d*x+c)^4/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \sec(dx+c)^5 + A \sec(dx+c)^4\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^5 + A*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sec^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**4, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec^4(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^4, x)

$$3.349 \quad \int \sec^3(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=397

$$\frac{2(a-b)\sqrt{a+b}(-8a^2B + 2ab(7A-3B) + b^2(63A-25B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{105b^3d}$$

[Out] (2*(a - b)*Sqrt[a + b]*(14*a^2*A*b - 63*A*b^3 - 8*a^3*B - 19*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) + (2*(a - b)*Sqrt[a + b]*(b^2*(63*A - 25*B) + 2*a*b*(7*A - 3*B) - 8*a^2*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(7*a*A*b - 4*a^2*B + 25*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(105*b^2*d) + (2*(7*A*b + a*B)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(35*b*d) + (2*B*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(7*d)

Rubi [A] time = 0.932789, antiderivative size = 397, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4031, 4092, 4082, 4005, 3832, 4004}

$$\frac{2(-4a^2B + 7aAb + 25b^2B) \tan(c + dx) \sqrt{a + b \sec(c + dx)}}{105b^2d} + \frac{2(a-b)\sqrt{a+b}(-8a^2B + 2ab(7A-3B) + b^2(63A-25B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{105b^3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*(a - b)*Sqrt[a + b]*(14*a^2*A*b - 63*A*b^3 - 8*a^3*B - 19*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^4*d) + (2*(a - b)*Sqrt[a + b]*(b^2*(63*A - 25*B) + 2*a*b*(7*A - 3*B) - 8*a^2*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(105*b^3*d) + (2*(7*a*A*b - 4*a^2*B + 25*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(105*b^2*d) + (2*(7*A*b + a*B)*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(35*b*d) + (2*B*Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(7*d)

$c + d*x]^2*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]]/(7*d)$

Rule 4031

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_})*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \text{ :> } -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(f*(m + n)), x] + \text{Dist}[d/(m + n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n-1})*\text{Simp}[a*B*(n-1) + (b*B*(m + n - 1) + a*A*(m + n))*\text{Csc}[e + f*x] + (a*B*m + A*b*(m + n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[0, m, 1] \&\& \text{GtQ}[n, 0]$

Rule 4092

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_}), x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[a*C + b*(C*(m + 2) + A*(m + 3))*\text{Csc}[e + f*x] - (2*a*C - b*B*(m + 3))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -1]$

Rule 4082

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m_}), x_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& \text{!LtQ}[m, -1]$

Rule 4005

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{ :> } \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x])))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \text{ :> } \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))]/(a + b))*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}[\{a, b, e,$

f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \sec^3(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{2B \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{7d} + \frac{2}{7} \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{2(7Ab + aB) \sec(c + dx) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{35bd} + \frac{2}{7} \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{2(7aAb - 4a^2B + 25b^2B) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^2d} + \frac{2}{7} \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{2(7aAb - 4a^2B + 25b^2B) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105b^2d} + \frac{2}{7} \int \frac{\sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{2(a - b) \sqrt{a + b} (14a^2Ab - 63Ab^3 - 8a^3B - 19ab^2B) \cot(c + dx)}{105b^2d} \end{aligned}$$

Mathematica [B] time = 24.4237, size = 3330, normalized size = 8.39

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((2*(-14*a^2*A*b + 63*A*b^3 + 8*a^3*B + 19*a*b^2*B)*Sin[c + d*x]))/(105*b^3) + (2*Sec[c + d*x]^2*(7*A*b*Ssin[c + d*x] + a*B*Sin[c + d*x]))/(35*b) + (2*Sec[c + d*x]*(7*a*A*b*Ssin[c + d*x] - 4*a^2*B*Sin[c + d*x] + 25*b^2*B*Sin[c + d*x]))/(105*b^2) + (2*B*Sec[c + d*x]^2*Tan[c + d

$$\begin{aligned}
& *x])/7)/d - (2*((2*a^2*A)/(15*b*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])) - (3*A*b)/(5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (19*a*B)/(10 \\
& 5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^3*B)/(105*b^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a*A*Sqrt[Sec[c + d*x]])/(15*Sqrt \\
& [b + a*Cos[c + d*x]]) + (2*a^3*A*Sqrt[Sec[c + d*x]])/(15*b^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^4*B*Sqrt[Sec[c + d*x]])/(105*b^3*Sqrt[b + a*Cos[c + d*x]] \\
&]) - (17*a^2*B*Sqrt[Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]]) + (5*b*B*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (3*a*A*Cos[2*(c + d*x)] \\
&)*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]) + (2*a^3*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*b^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^4*B*Cos[2 \\
& *(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*b^3*Sqrt[b + a*Cos[c + d*x]]) - (19*a^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*b*Sqrt[b + a*Cos[c + d*x]]) \\
&)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(2*(a + b)*(-14*a^2*A*b + 63*A*b^3 + 8*a^3*B + 19*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c \\
& + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^2*B - 2*a*b*(7*A \\
& + 3*B) + b^2*(63*A + 25*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c \\
& + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*A*b + 63*A*b^3 + 8*a^3*B + 19*a*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]) \\
&)/(105*b^3*d*(b + a*Cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]])*(-a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-14*a^2*A*b \\
& + 63*A*b^3 + 8*a^3*B + 19*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[Arc \\
& Sin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^2*B - 2*a*b*(7*A + 3*B) + b^2*(63*A + 25*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b \\
& + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*A*b + 63*A*b^3 + 8*a^3*B + 19*a*b^2*B) \\
& *Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(105*b^3*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]) + (Sqrt[Cos[(c \\
& + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-14*a^2*A*b + 63*A*b^3 + 8*a^3*B + 19*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + \\
& a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^2*B - 2*a*b*(7*A + 3*B) + b^2*(6 \\
& 3*A + 25*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b) \\
& /((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-14*a^2*A*b + 63*A*b^3 + 8*a^3*B + 19*a*b^2*B)*Cos[c + d*x]*(b \\
& + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(105*b^3*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) - (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[\\
& c + d*x]]*(((-14*a^2*A*b + 63*A*b^3 + 8*a^3*B + 19*a*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4)/2 + ((a + b)*(-14*a^2*A*b + 63*A*b^3 \\
& + 8*a^3*B + 19*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*((Cos[c + d*x]*S \\
& in[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] - (b*(a + b)*(8*a^2*B - 2*a*b*(7*A + 3*B)
\end{aligned}$$

$$\begin{aligned}
& + b^2(63A + 25B) \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \\
&] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \\
& + ((a + b)(-14a^2Ab + 63A^2b^3 + 8a^3B + 19ab^2B) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * (-((a \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])))) \\
& + ((b + a \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} - (b(a + b)(8a^2B - 2ab(7A + 3B) + b^2(63A + 25B)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] * (-((a \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])))) + ((b + a \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} - a(-14a^2Ab + 63A^2b^3 + 8a^3B + 19ab^2B) \cos[c + dx] * \text{Sec}[(c + dx)/2]^2 \sin[c + dx] * \text{Tan}[(c + dx)/2] - (-14a^2Ab + 63A^2b^3 + 8a^3B + 19ab^2B) * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \sin[c + dx] * \text{Tan}[(c + dx)/2] + (-14a^2Ab + 63A^2b^3 + 8a^3B + 19ab^2B) \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \text{Tan}[(c + dx)/2]^2 - (b(a + b)(8a^2B - 2ab(7A + 3B) + b^2(63A + 25B)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{Sec}[(c + dx)/2]^2) / (\sqrt{1 - \text{Tan}[(c + dx)/2]^2} * \sqrt{1 - ((a - b) \text{Tan}[(c + dx)/2]^2) / (a + b)}) + ((a + b)(-14a^2Ab + 63A^2b^3 + 8a^3B + 19ab^2B) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{Sec}[(c + dx)/2]^2 \sqrt{1 - ((a - b) \text{Tan}[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \text{Tan}[(c + dx)/2]^2}) / (105b^3 \sqrt{b + a \cos[c + dx]} * \sqrt{\text{Sec}[(c + dx)/2]^2}) - ((2(a + b)(-14a^2Ab + 63A^2b^3 + 8a^3B + 19ab^2B) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] - 2b(a + b)(8a^2B - 2ab(7A + 3B) + b^2(63A + 25B)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (a - b)/(a + b)] + (-14a^2Ab + 63A^2b^3 + 8a^3B + 19ab^2B) \cos[c + dx] * (b + a \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \text{Tan}[(c + dx)/2]) * (-\cos[(c + dx)/2] * \text{Sec}[c + dx] * \sin[(c + dx)/2] + \cos[(c + dx)/2]^2 * \text{Sec}[c + dx] * \text{Tan}[c + dx])) / (105b^3 \sqrt{b + a \cos[c + dx]} * \sqrt{\text{Sec}[(c + dx)/2]^2} * \sqrt{\cos[(c + dx)/2]^2 * \text{Sec}[c + dx]})
\end{aligned}$$

Maple [B] time = 1.091, size = 3438, normalized size = 8.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x)`

```
[Out] -2/105/d/b^3*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d
*x+c))^2*(-15*B*b^4+8*B*cos(d*x+c)^5*a^4+2*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2+19*B*sin
(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*
x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+
b))^(1/2))*a*b^3+14*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+
c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b+14*A*sin(d*x+c)*cos(d*x+c)^4*(cos
(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/
2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2-63*A*s
in(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(
d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(
a+b))^(1/2))*a*b^3-14*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))
^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*
x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2+49*A*sin(d*x+c)*cos(d*x+c)^4*
(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3-8*B*
sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(
a+b))^(1/2))*a^3*b-19*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1)
)^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2-19*B*sin(d*x+c)*cos(d*x+c)^4
*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3+8*B
*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*co
s(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)
/(a+b))^(1/2))*a^3*b+19*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1
))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(
d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3+14*A*sin(d*x+c)*cos(d*x+c)^3*
(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b+14*A
*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*co
s(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)
/(a+b))^(1/2))*a^2*b^2-63*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3-14*A*sin(d*x+c)*cos(d*x+c)^
3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2+
49*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+
a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*a*b^3-8*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+c
```

```

os(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^3*b-19*B*sin(d*x+c)*cos(d*x+c)
^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b))*(b+a*cos(d*x+c))/(cos(d*x+c)+
1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*b^2
-19*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (
(a-b)/(a+b))^(1/2))*a*b^3-35*A*cos(d*x+c)^4*a*b^3+8*B*cos(d*x+c)^4*a^3*b-20
*B*cos(d*x+c)^4*a^2*b^2+19*B*cos(d*x+c)^4*a*b^3+7*A*cos(d*x+c)^3*a^2*b^2-4*
B*cos(d*x+c)^3*a^3*b-26*B*cos(d*x+c)^3*a*b^3-28*A*cos(d*x+c)^2*a*b^3+B*cos(
d*x+c)^2*a^2*b^2-18*B*cos(d*x+c)*a*b^3-14*A*cos(d*x+c)^5*a^3*b+7*A*cos(d*x+
c)^5*a^2*b^2+63*A*cos(d*x+c)^5*a*b^3-4*B*cos(d*x+c)^5*a^3*b+19*B*cos(d*x+c)
^5*a^2*b^2+25*B*cos(d*x+c)^5*a*b^3+14*A*cos(d*x+c)^4*a^3*b-14*A*cos(d*x+c)^
4*a^2*b^2+8*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(
d*x+c), ((a-b)/(a+b))^(1/2))*a^3*b+2*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellipt
icF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*b^2-63*A*sin(d*x+c)
*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/
2))*b^4+63*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(
a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d
*x+c), ((a-b)/(a+b))^(1/2))*b^4-8*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos
(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE
((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^4+25*B*sin(d*x+c)*cos(d*
x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^4
-63*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (
(a-b)/(a+b))^(1/2))*b^4+63*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c
)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+c
os(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^4-8*B*sin(d*x+c)*cos(d*x+c)^3*
(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^4+25*B*s
in(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(
d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(
a+b))^(1/2))*b^4+63*A*cos(d*x+c)^4*b^4+25*B*cos(d*x+c)^4*b^4-10*B*cos(d*x+c
)^2*b^4-8*B*cos(d*x+c)^4*a^4-42*A*cos(d*x+c)^3*b^4-21*A*cos(d*x+c)*b^4)/(b+
a*cos(d*x+c))/cos(d*x+c)^3/sin(d*x+c)^5

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \sec(dx+c)^4 + A \sec(dx+c)^3\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^3, x)

$$3.350 \quad \int \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=314

$$\frac{2(a-b)\sqrt{a+b}(-2aB+5Ab-9bB)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{15b^2d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(5*a*A*b - 2*a^2*B + 9*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^3*d) - (2*(a - b)*Sqrt[a + b]*(5*A*b - 2*a*B - 9*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^2*d) + (2*(5*A*b - 2*a*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b*d) + (2*B*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*b*d)

Rubi [A] time = 0.597502, antiderivative size = 314, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4010, 4002, 4005, 3832, 4004}

$$\frac{2(a-b)\sqrt{a+b}(-2a^2B+5aAb+9b^2B)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{15b^3d} \quad 2(a -$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (-2*(a - b)*Sqrt[a + b]*(5*a*A*b - 2*a^2*B + 9*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^3*d) - (2*(a - b)*Sqrt[a + b]*(5*A*b - 2*a*B - 9*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^2*d) + (2*(5*A*b - 2*a*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(15*b*d) + (2*B*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*b*d)

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]]*(

$a + b \operatorname{Csc}[e + f x]^{(m+1)} / (b f (m+2)), x] + \operatorname{Dist}[1 / (b (m+2)), \operatorname{Int}[\operatorname{Csc}[e + f x] (a + b \operatorname{Csc}[e + f x])^m \operatorname{Simp}[b B (m+1) + (A b (m+2) - a B) \operatorname{Csc}[e + f x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, m\}, x] \&\& \operatorname{NeQ}[A b - a B, 0] \&\& \operatorname{!LtQ}[m, -1]$

Rule 4002

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)(x_.)] * (\operatorname{csc}[(e_.) + (f_.)(x_.)] * (b_.) + (a_.))^{(m_.)} * (\operatorname{csc}[(e_.) + (f_.)(x_.)] * (B_.) + (A_.)), x_Symbol] \rightarrow -\operatorname{Simp}[(B \operatorname{Cot}[e + f x] * (a + b \operatorname{Csc}[e + f x])^m) / (f (m+1)), x] + \operatorname{Dist}[1 / (m+1), \operatorname{Int}[\operatorname{Csc}[e + f x] * (a + b \operatorname{Csc}[e + f x])^{(m-1)} * \operatorname{Simp}[b B m + a A (m+1) + (a B m + A b (m+1)) * \operatorname{Csc}[e + f x], x], x] /; \operatorname{FreeQ}\{a, b, A, B, e, f\}, x] \&\& \operatorname{NeQ}[A b - a B, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[m, 0]$

Rule 4005

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)(x_.)] * (\operatorname{csc}[(e_.) + (f_.)(x_.)] * (B_.) + (A_.))) / \operatorname{Sqrt}[\operatorname{csc}[(e_.) + (f_.)(x_.)] * (b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Dist}[A - B, \operatorname{Int}[\operatorname{Csc}[e + f x] / \operatorname{Sqrt}[a + b \operatorname{Csc}[e + f x]], x], x] + \operatorname{Dist}[B, \operatorname{Int}[(\operatorname{Csc}[e + f x] * (1 + \operatorname{Csc}[e + f x])) / \operatorname{Sqrt}[a + b \operatorname{Csc}[e + f x]], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)(x_.)] / \operatorname{Sqrt}[\operatorname{csc}[(e_.) + (f_.)(x_.)] * (b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Simp}[(-2 \operatorname{Rt}[a + b, 2] * \operatorname{Sqrt}[(b * (1 - \operatorname{Csc}[e + f x])) / (a + b)] * \operatorname{Sqrt}[-((b * (1 + \operatorname{Csc}[e + f x])) / (a - b))] * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b \operatorname{Csc}[e + f x]]] / \operatorname{Rt}[a + b, 2]], (a + b) / (a - b))] / (b f \operatorname{Cot}[e + f x]), x] /; \operatorname{FreeQ}\{a, b, e, f\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$

Rule 4004

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)(x_.)] * (\operatorname{csc}[(e_.) + (f_.)(x_.)] * (B_.) + (A_.))) / \operatorname{Sqrt}[\operatorname{csc}[(e_.) + (f_.)(x_.)] * (b_.) + (a_.)], x_Symbol] \rightarrow \operatorname{Simp}[(-2 * (A b - a B) \operatorname{Rt}[a + (b B) / A, 2] * \operatorname{Sqrt}[(b * (1 - \operatorname{Csc}[e + f x])) / (a + b)] * \operatorname{Sqrt}[-((b * (1 + \operatorname{Csc}[e + f x])) / (a - b))] * \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b \operatorname{Csc}[e + f x]]] / \operatorname{Rt}[a + (b B) / A, 2]], (a A + b B) / (a A - b B))] / (b^2 f \operatorname{Cot}[e + f x]), x] /; \operatorname{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned}
\int \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{2B(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5bd} + \frac{2 \int \sec(c + dx) \sqrt{a + b \sec(c + dx)} dx}{5bd} \\
&= \frac{2(5Ab - 2aB) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15bd} + \frac{2B(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5bd} \\
&= \frac{2(5Ab - 2aB) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15bd} + \frac{2B(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5bd} \\
&= -\frac{2(a - b) \sqrt{a + b} (5aAb - 2a^2B + 9b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{15b^3d}
\end{aligned}$$

Mathematica [A] time = 18.4535, size = 434, normalized size = 1.38

$$2 \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a + b \sec(c + dx)}} \left(2b(a + b)(-2aB + 5Ab + 9bB) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \sqrt{\frac{a \cos(c + dx) + b}{(a + b)(\cos(c + dx) + 1)}} \text{EllipticE}\left[\text{ArcSin}\left[\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right]\right], \frac{a - b}{a + b}\right) + \frac{2B(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5bd}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(2*(a + b)*(-5*a*A*b + 2*a^2*B - 9*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(5*A*b - 2*a*B + 9*b*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-5*a*A*b + 2*a^2*B - 9*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2 * Tan[(c + d*x)/2))/(15*b^2*d*(b + a*Cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b*Sec[c + d*x]]*((2*(5*a*A*b - 2*a^2*B + 9*b^2*B)*Sin[c + d*x])/(15*b^2) + (2*Sec[c + d*x]*(5*A*b*Ssin[c + d*x] + a*B*Ssin[c + d*x]))/(15*b) + (2*B*Sec[c + d*x]*Tan[c + d*x])/5))/d

Maple [B] time = 0.718, size = 2498, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(A+B*\sec(dx+c))*(a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$-2/15/d/b^2*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^{1/2}*(5*A*\cos(dx+c)^3*b^3+5*A*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-5*A*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-5*A*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-2*B*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b+7*B*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+2*B*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-9*B*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+5*A*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-5*A*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-5*A*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-2*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b+7*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2+2*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b-9*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2-3*B*b^3-5*A*\cos(dx+c)*b^3-2*B*\cos(dx+c)^4*a^3+2*B*\cos(dx+c)^3*a^3+9*B*\cos(dx+c)^3*b^3-6*B*\cos(dx+c)^2*b^3+5*A*\cos(dx+c)^4*a*b^2+B*\cos(dx+c)^4*a^2*b+9*B*\cos(dx+c)^4*a*b^2-5*A*\cos(dx+c)^3*a^2*b+5*A*\cos(dx+c)^3*a*b^2-2*B*\cos(dx+c)^3*a^2*b-5*B*\cos(dx+c)^3*a*b^2-10*A*\cos(dx+c)^2*a*b^2+B*\cos(dx+c)^2*a^2*b-4*B*\cos(dx+c)*a*b^2+5*A*\cos(dx+c)^4*a^2*b+5*A*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}$$

```

1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3+9*B
*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos
s(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)
/(a+b))^(1/2))*b^3+2*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x
+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3-9*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3+5*A*sin(d*x+
c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))
/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*b^3+9*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(
d*x+c),((a-b)/(a+b))^(1/2))*b^3+2*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(co
s(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3-9*B*sin(d*x+c)*cos(d*
x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3
)/(b+a*cos(d*x+c))/cos(d*x+c)^2/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^2, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \sec(dx + c)^3 + A \sec(dx + c)^2\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm
="fricas")
```

[Out] `integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)`

[Out] `Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sec(c + d*x)**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^2, x)`

3.351 $\int \sec(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx))dx$

Optimal. Leaf size=256

$$\frac{2(a-b)\sqrt{a+b}(3A-B)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{3bd} - \frac{2(a-b)\sqrt{a+b}(3A+B)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{3bd}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(3*A*b + a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*(a - b)*Sqrt[a + b]*(3*A - B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (2*B*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rubi [A] time = 0.340192, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4002, 4005, 3832, 4004}

$$\frac{2(a-b)\sqrt{a+b}(aB+3Ab)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{3b^2d} + \frac{2(a-b)\sqrt{a+b}(3A+B)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{3b^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (-2*(a - b)*Sqrt[a + b]*(3*A*b + a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*(a - b)*Sqrt[a + b]*(3*A - B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (2*B*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*d)

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B,

0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \sec(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{2B\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\sec(c + dx) \left(\frac{1}{2}(3A + B)\right)}{\sqrt{a + b \sec(c + dx)}} dx \\ &= \frac{2B\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{1}{3} ((a - b)(3A - B)) \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx \\ &= -\frac{2(a - b)\sqrt{a + b}(3Ab + aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3b^2d} \end{aligned}$$

Mathematica [A] time = 14.9369, size = 408, normalized size = 1.59

$$2\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx))\left(2b(a+b)(3A+B)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{a\cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))*(-2*(a + b)*(3*A*b + a*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] *Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*A + B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] *Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - (3*A*b + a*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(3*b*d*(b + a*Cos[c + d*x])*(B + A*Cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2*Sec[c + d*x]^(3/2)) + (Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x])*((2*(3*A*b + a*B)*Sin[c + d*x])/(3*b) + (2*B*Tan[c + d*x])/3))/(d*(B + A*Cos[c + d*x]))

Maple [B] time = 0.49, size = 1752, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x)

[Out] -2/3/d/b*(-1+cos(d*x+c))^2*(-B*b^2+B*cos(d*x+c)^3*a^2-B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2+3*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-3*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-B*cos(d*x+c)*sin(d


```

*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+
c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2+
3*A*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a
-b)/(a+b))^(1/2))*b^2-3*A*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1
))^^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(
d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+B*cos(d*x+c)^2*sin(d*x+c)*(cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2
)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+3*A*cos(d*x
+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*a*b+3*A*cos(d*x+c)^3*a*b+B*cos(d*x+c)^3*a*b-3*A*cos(d*x+c)^2*a*b+B*c
os(d*x+c)^2*a*b-2*B*cos(d*x+c)*a*b-3*A*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellip
ticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+B*cos(d*x+c)^2*sin
(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*
x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*
b-B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a
-b)/(a+b))^(1/2))*a*b+3*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))
^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*
x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b-3*A*cos(d*x+c)*sin(d*x+c)*(cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*
EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+B*cos(d*x+c)*
sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
*a*b-B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+
a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*a*b+3*A*cos(d*x+c)^2*b^2-B*cos(d*x+c)^2*a^2-3*A*cos(d*x+
c)*b^2+B*cos(d*x+c)^2*b^2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+
1)^2/(b+a*cos(d*x+c))/cos(d*x+c)/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a \sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \sec(dx + c)^2 + A \sec(dx + c)\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c), x)

3.352 $\int \sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=320

$$\frac{2\sqrt{a+b}(B(a-b) + Ab) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2A\sqrt{a+b} \cot(c + dx)}{bd}$$

[Out] $(-2*(a - b)*\operatorname{Sqrt}[a + b]*B*\operatorname{Cot}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(b*d) + (2*\operatorname{Sqrt}[a + b]*(A*b + (a - b)*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(b*d) - (2*A*\operatorname{Sqrt}[a + b]*\operatorname{Cot}[c + d*x]*\operatorname{EllipticPi}[(a + b)/a, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/d$

Rubi [A] time = 0.290496, antiderivative size = 320, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3916, 3784, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(B(a-b) + Ab) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) - 2A\sqrt{a+b} \cot(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x]), x]$

[Out] $(-2*(a - b)*\operatorname{Sqrt}[a + b]*B*\operatorname{Cot}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(b*d) + (2*\operatorname{Sqrt}[a + b]*(A*b + (a - b)*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(b*d) - (2*A*\operatorname{Sqrt}[a + b]*\operatorname{Cot}[c + d*x]*\operatorname{EllipticPi}[(a + b)/a, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/d$

Rule 3916

$\operatorname{Int}[\operatorname{Sqrt}[\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := \operatorname{Dist}[a*c, \operatorname{Int}[1/\operatorname{Sqrt}[a + b*\operatorname{Csc}[e + f*x]], x], x] + \operatorname{Int}[(\operatorname{Csc}[e + f*x]*(b*c + a*d + b*d*\operatorname{Csc}[e + f*x]))/\operatorname{Sqrt}[a + b*\operatorname{Csc}[e + f*x]]$

, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\int \sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx = (aA) \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx + \int \frac{\sec(c + dx)(Ab + aB + bB \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx$$

$$= -\frac{2A\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{d}$$

$$= -\frac{2(a-b)\sqrt{a+b} B \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{bd}$$

Mathematica [C] time = 17.8871, size = 913, normalized size = 2.85

$$\frac{2B \cos(c + dx) \sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx)) \sin(c + dx)}{d(B + A \cos(c + dx))} + \frac{2\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx)) \left(a \sqrt{\frac{b-a}{a+b}} B \tan\left(\frac{c + dx}{2}\right) \right)}{d(B + A \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*B*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x])*Sin[c + d*x])/(d*(B + A*Cos[c + d*x])) + (2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))*(a*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - 2*a*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^3 + a*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 + (2*I)*a*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*B*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*(A - B)*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(Sqrt[(-a + b)/(a + b)]*d*Sqrt[b + a*Cos[c + d*x]]*(B + A*Cos[c + d*x])*Sec[c + d*x]^((3/2))*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x)/2]^2)*(1 + Tan[(c + d*x)/2]^2))

$$\text{an}[(c + d*x)/2]^2)^{(3/2)} * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)]$$

Maple [B] time = 0.403, size = 1372, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x)`

[Out]
$$\begin{aligned} & 2/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))^{(1/2)} \\ & (A*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a-A*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b-2*A*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) \\ & *a-B*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a-B*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b+B*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a+B*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a-A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b-2*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)}) \\ & *a-B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a-B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *a+B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\ & *b*s \end{aligned}$$

$\frac{\ln(d*x+c) - B*\cos(d*x+c)^2*a + B*\cos(d*x+c)*a - B*\cos(d*x+c)*b + B*b}{\sin(d*x+c)^5} / (b+a*\cos(d*x+c))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a), x)
```


3.353 $\int \cos(c+dx)\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx))dx$

Optimal. Leaf size=344

$$\frac{\sqrt{a+b}(A+2B)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{d} - \frac{\sqrt{a+b}(2aB+Ab)\cot(c+dx)}{d}$$

```
[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(A + 2*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/d - (Sqrt[a + b]*(A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rubi [A] time = 0.36894, antiderivative size = 344, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4032, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(A+2B)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{d} - \frac{\sqrt{a+b}(2aB+Ab)\cot(c+dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]
```

```
[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(A + 2*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/d - (Sqrt[a + b]*(A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rule 4032

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*A*(n + 1))*Csc[e + f*x] - A*b*(m + n + 1)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && LeQ[n, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
```


$$\begin{aligned}
 & \frac{-a + b}{a + b}] \operatorname{Tan}[(c + d*x)/2]], \frac{(a + b)}{(a - b)] \operatorname{Tan}[(c + d*x)/2]^2 \operatorname{Sqr} \\
 & \operatorname{t}[1 - \operatorname{Tan}[(c + d*x)/2]^2] \operatorname{Sqr} \operatorname{t}[(a + b - a*\operatorname{Tan}[(c + d*x)/2]^2 + b*\operatorname{Tan}[(c + d \\
 & *x)/2]^2)/(a + b)] - (4*I)*a*B*\operatorname{EllipticPi}[-((a + b)/(a - b)), I*\operatorname{ArcSinh}[\operatorname{Sqr} \\
 & \operatorname{t}[(-a + b)/(a + b)]*\operatorname{Tan}[(c + d*x)/2]], \frac{(a + b)}{(a - b)] \operatorname{Tan}[(c + d*x)/2]^2 * \\
 & \operatorname{Sqr} \operatorname{t}[1 - \operatorname{Tan}[(c + d*x)/2]^2] \operatorname{Sqr} \operatorname{t}[(a + b - a*\operatorname{Tan}[(c + d*x)/2]^2 + b*\operatorname{Tan}[(c \\
 & + d*x)/2]^2)/(a + b)] - I*A*(a - b)*\operatorname{EllipticE}[I*\operatorname{ArcSinh}[\operatorname{Sqr} \operatorname{t}[(-a + b)/(a + \\
 & b)]*\operatorname{Tan}[(c + d*x)/2]], \frac{(a + b)}{(a - b)] \operatorname{Sqr} \operatorname{t}[1 - \operatorname{Tan}[(c + d*x)/2]^2]*(1 + \operatorname{T} \\
 & \operatorname{an}[(c + d*x)/2]^2)*\operatorname{Sqr} \operatorname{t}[(a + b - a*\operatorname{Tan}[(c + d*x)/2]^2 + b*\operatorname{Tan}[(c + d*x)/2]^ \\
 & ^2)/(a + b)] + (2*I)*(a - b)*B*\operatorname{EllipticF}[I*\operatorname{ArcSinh}[\operatorname{Sqr} \operatorname{t}[(-a + b)/(a + b)]*\operatorname{T} \\
 & \operatorname{an}[(c + d*x)/2]], \frac{(a + b)}{(a - b)] \operatorname{Sqr} \operatorname{t}[1 - \operatorname{Tan}[(c + d*x)/2]^2]*(1 + \operatorname{Tan}[(c \\
 & + d*x)/2]^2)*\operatorname{Sqr} \operatorname{t}[(a + b - a*\operatorname{Tan}[(c + d*x)/2]^2 + b*\operatorname{Tan}[(c + d*x)/2]^2)/(a \\
 & + b))]/(\operatorname{Sqr} \operatorname{t}[(-a + b)/(a + b)]*d*\operatorname{Sqr} \operatorname{t}[b + a*\operatorname{Cos}[c + d*x]]*\operatorname{Sqr} \operatorname{t}[\operatorname{Sec}[c + d*x \\
 &]]*\operatorname{Sqr} \operatorname{t}[(1 + \operatorname{Tan}[(c + d*x)/2]^2)/(1 - \operatorname{Tan}[(c + d*x)/2]^2)]*(b - b*\operatorname{Tan}[(c + \\
 & d*x)/2]^4 + a*(-1 + \operatorname{Tan}[(c + d*x)/2]^2)^2)
 \end{aligned}$$

Maple [B] time = 0.385, size = 1389, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2), x)`

[Out] `1/d*(-1+cos(d*x+c))^2*(2*A*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a-A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-2*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*b+2*B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a-2*B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-4*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a+2*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(co`

$$\begin{aligned} & \sin(dx+c+1)^{1/2} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \\ & \cdot a \sin(dx+c) - A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) \\ & \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{1/2} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \\ & \cdot b \sin(dx+c) - 2A \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) \\ & \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{1/2} \operatorname{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \\ & \cdot b \sin(dx+c) + 2B \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) \\ & \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \\ & \cdot a - 2B \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{a+b}\right) (b+a \cos(dx+c)) \\ & \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \\ & \cdot b - 4B \operatorname{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{1/2}\right) \cdot \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{1/2} \left(\frac{1}{a+b}\right) \\ & (b+a \cos(dx+c)) \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{1/2} \sin(dx+c) \cdot a - A \cos(dx+c)^3 + A \\ & a \cos(dx+c)^2 - A \cos(dx+c)^2 b + A b \cos(dx+c) \cdot (\cos(dx+c)+1)^2 \cdot \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)}\right)^{1/2} \\ & \left(\frac{b+a \cos(dx+c)}{\sin(dx+c)}\right)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx + c) + A)*sqrt(b*sec(dx + c) + a)*cos(dx + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left((B \cos(dx+c) \sec(dx+c) + A \cos(dx+c)) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))*(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(dx + c)*sec(dx + c) + A*cos(dx + c))*sqrt(b*sec(dx + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*cos(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c), x)

$$3.354 \quad \int \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=429

$$\frac{\sqrt{a+b}(2a(A+2B)+Ab)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{4ad} - \frac{\sqrt{a+b}(4a^2A+4abB-Ab^2)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{a};\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{4a^2d} + \frac{\sqrt{a+b}(4aB+Ab^2)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{4ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(A*b + 4*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b*d) + (Sqrt[a + b]*(
A*b + 2*a*(A + 2*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) - (Sqrt[a + b]*(4*a^2*A - A*b^2
+ 4*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x
]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + ((A*b + 4*a*B)*Sqrt[a + b*
Sec[c + d*x]]*Sin[c + d*x])/(4*a*d) + (A*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*
x]]*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.732771, antiderivative size = 429, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4032, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(4a^2A+4abB-Ab^2)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{a};\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{4a^2d} + \frac{\sqrt{a+b}(4aB+Ab^2)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{4ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(A*b + 4*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b*d) + (Sqrt[a + b]*(
A*b + 2*a*(A + 2*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]
/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-
((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) - (Sqrt[a + b]*(4*a^2*A - A*b^2
+ 4*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x
]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^2*d) + ((A*b + 4*a*B)*Sqrt[a + b*
Sec[c + d*x]]*Sin[c + d*x])/(4*a*d) + (A*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*
x]]*Sin[c + d*x])/(2*d)
```

$\text{Sec}[c + d*x] * \text{Sin}[c + d*x] / (4*a*d) + (A*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]] * \text{Sin}[c + d*x]) / (2*d)$

Rule 4032

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n) / (f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1} * (d*\text{Csc}[e + f*x])^{n+1} * \text{Simp}[A*b*m - a*B*n - (b*B*n + a*A*(n+1))*\text{Csc}[e + f*x] - A*b*(m+n+1)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[0, m, 1] \&\& \text{LeQ}[n, -1]$

Rule 4104

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)] * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x] * (a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n) / (a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n+1} * \text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4058

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x] * (1 + \text{Csc}[e + f*x])) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)) / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x] / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

$\text{Int}[1/\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x])) / (a + b)]) * \text{Sqrt}[-(b*(1 + \text{Csc}[c + d*x])) / (a - b)]) * \text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]] / \text{Rt}[a + b, 2]], (a + b)/(a - b)]) / (a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\&$

NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx &= \frac{A \cos(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\cos(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{(Ab + 4aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4ad} + \frac{A \cos(c + dx)}{\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(Ab + 4aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4ad} + \frac{A \cos(c + dx)}{\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(a - b)\sqrt{a + b}(Ab + 4aB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{4abd} \\
 &= \frac{(a - b)\sqrt{a + b}(Ab + 4aB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{4abd}
 \end{aligned}$$

Mathematica [B] time = 18.83, size = 1161, normalized size = 2.71

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] $(A\sqrt{a + b\sec[c + dx]}\sin[2(c + dx)]/(4d) + (\sqrt{a + b\sec[c + dx]}\sqrt{(1 - \tan[(c + dx)/2]^2})^{-1}*(aA*b\tan[(c + dx)/2] + A*b^2\tan[(c + dx)/2] + 4a^2*B\tan[(c + dx)/2] + 4a*b*B\tan[(c + dx)/2] - 2aA*b\tan[(c + dx)/2]^3 - 8a^2*B\tan[(c + dx)/2]^3 + aA*b\tan[(c + dx)/2]^5 - A*b^2\tan[(c + dx)/2]^5 + 4a^2*B\tan[(c + dx)/2]^5 - 4a*b*B\tan[(c + dx)/2]^5 - 8a^2*A*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + dx)/2]^2}*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(a + b)} + 2A*b^2*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + dx)/2]^2}*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(a + b)} - 8a*b*B*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + dx)/2]^2}*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(a + b)} - 8a^2*A*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]*\tan[(c + dx)/2]^2*\sqrt{1 - \tan[(c + dx)/2]^2}*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(a + b)} + 2A*b^2*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]*\tan[(c + dx)/2]^2*\sqrt{1 - \tan[(c + dx)/2]^2}*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(a + b)} - 8a*b*B*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]*\tan[(c + dx)/2]^2*\sqrt{1 - \tan[(c + dx)/2]^2}*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(a + b)} + (a + b)*(A*b + 4a*B)*\text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + dx)/2]^2}*(1 + \tan[(c + dx)/2]^2)*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(a + b)} - 2a*(2aA - A*b + 4b*B)*\text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)]*\sqrt{1 - \tan[(c + dx)/2]^2}*(1 + \tan[(c + dx)/2]^2)*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(a + b)))/(4a*d*\sqrt{b + a*\cos[c + dx]})*\sqrt{\sec[c + dx]}*(1 + \tan[(c + dx)/2]^2)^{(3/2)}*\sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2)/(1 + \tan[(c + dx)/2]^2)})$

Maple [B] time = 0.379, size = 2065, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x)

[Out] $-1/4/d/a*(-1+\cos(dx+c))^2*(-4A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c)),((a-b)/(a+b))^{1/2})*a^2*\sin(dx+c)+2A*\cos(dx+c)^4*a^2+8A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{Ellip}$

$$\begin{aligned}
& \text{ticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * \sin(d*x+c) + 4 * B \\
& * \cos(d*x+c)^3 * a^2 + A * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/ \\
& \sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2 + 4 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/ \\
& \cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{Elliptic} \\
& \text{icE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 + 3 * A * \cos(d*x+c)^3 * a * \\
& b - A * \cos(d*x+c)^2 * a * b + 4 * B * \cos(d*x+c)^2 * a * b - 4 * B * \cos(d*x+c) * a * b + 2 * A * \cos(d*x+c) \\
& * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
&) * a * b + A * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b \\
& +a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (\\
& (a-b)/(a+b))^{1/2}) * a * b - 8 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1 \\
&))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(\\
& d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b + 4 * B * \cos(d*x+c) * \sin(d*x+c) * (\cos(\\
& d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
&) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b + 8 * B * \cos(d*x \\
& +c) * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * (\cos(d*x+ \\
& c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{si} \\
& \text{n}(d*x+c) * a * b - 8 * B * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) \\
&) * a * b * \sin(d*x+c) + 8 * B * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (\\
& (a-b)/(a+b))^{1/2}) * a * b * \sin(d*x+c) - 2 * A * \cos(d*x+c)^2 * a^2 - 2 * A * \cos(d*x+c) * a * b - \\
& 2 * A * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * b^2 * (\cos(\\
& d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
&) * \sin(d*x+c) + 4 * B * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \\
& a^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{1/2} * \sin(d*x+c) + A * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/ \\
& (a+b))^{1/2}) * b^2 * \sin(d*x+c) + A * \cos(d*x+c)^2 * b^2 - 4 * B * \cos(d*x+c)^2 * a^2 - A * \cos(\\
& d*x+c) * b^2 - 4 * A * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b) \\
&))^{1/2}) * a^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{1/2} * \sin(d*x+c) + 8 * A * \cos(d*x+c) * \text{EllipticPi}((-1+\cos(d*x+c))/\sin \\
& (d*x+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(\\
& a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - 2 * A * \sin(d*x+c) * \cos(d \\
& *x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+ \\
& c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2}) * \\
& b^2 + A * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c) \\
& /(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \sin(\\
& d*x+c) * a * b + 2 * A * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos \\
& (d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
&) * \sin(d*x+c) * a * b + 4 * B * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * \\
& (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(d*x+c))/(\cos(d*x \\
& +c)+1))^{1/2} * \sin(d*x+c) * a * b * (\cos(d*x+c)+1)^2 * ((b+a * \cos(d*x+c))/\cos(d*x+c) \\
&))^{1/2} / (b+a * \cos(d*x+c)) / \sin(d*x+c)^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^2, x)
```

$$3.355 \quad \int \cos^3(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=509

$$\frac{\sqrt{a+b}(2a+b)(8aA+6abB-3Ab)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{-b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right),\frac{a+b}{a-b}\right)}{24a^2d} + (16$$

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*A - 3*A*b^2 + 6*a*b*B)*Cot[c + d*x]*EllipticE[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^2*b
*d) + (Sqrt[a + b]*(2*a + b)*(8*a*A - 3*A*b + 6*a*B)*Cot[c + d*x]*EllipticF
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^2*
d) - (Sqrt[a + b]*(4*a^2*A*b + A*b^3 + 8*a^3*B - 2*a*b^2*B)*Cot[c + d*x]*El
lipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(
a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/
(a - b))]/(8*a^3*d) + ((16*a^2*A - 3*A*b^2 + 6*a*b*B)*Sqrt[a + b*Sec[c + d
*x]]*Sin[c + d*x])/(24*a^2*d) + ((A*b + 6*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[
c + d*x]]*Sin[c + d*x])/(12*a*d) + (A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x
]]*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.12949, antiderivative size = 509, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4032, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(16a^2A + 6abB - 3Ab^2) \sin(c + dx) \sqrt{a + b \sec(c + dx)}}{24a^2d} + \frac{(a - b) \sqrt{a + b} (16a^2A + 6abB - 3Ab^2) \cot(c + dx) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{24a^2bd}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*A - 3*A*b^2 + 6*a*b*B)*Cot[c + d*x]*EllipticE[
ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^2*b
*d) + (Sqrt[a + b]*(2*a + b)*(8*a*A - 3*A*b + 6*a*B)*Cot[c + d*x]*EllipticF
[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 -
Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^2*
d) - (Sqrt[a + b]*(4*a^2*A*b + A*b^3 + 8*a^3*B - 2*a*b^2*B)*Cot[c + d*x]*El
```

$$\text{lipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b \text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)] * \text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)] * \text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(8*a^3*d) + ((16*a^2*A - 3*A*b^2 + 6*a*b*B)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(24*a^2*d) + ((A*b + 6*a*B)*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(12*a*d) + (A*\text{Cos}[c + d*x]^2*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$$

Rule 4032

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)} * (d*\text{Csc}[e + f*x])^{(n+1)} * \text{Simp}[A*b*m - a*B*n - (b*B*n + a*A*(n+1))*\text{Csc}[e + f*x] - A*b*(m+n+1)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[0, m, 1] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[(\text{C}_.) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2 * (\text{C}_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)} * (d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{(n+1)} * \text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

$$\text{Int}[(\text{C}_.) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2 * (\text{C}_.)) / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)) / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x] / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

$$\text{Int}[1/\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[a$$

```

+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} \int \frac{\cos^2(c + dx) \sqrt{a + b \sec(c + dx)}}{\cos(c + dx)} dx \\
&= \frac{(Ab + 6aB) \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12ad} + \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)}}{3d} \\
&= \frac{(16a^2A - 3Ab^2 + 6abB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24a^2d} + \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)}}{3d} \\
&= \frac{(16a^2A - 3Ab^2 + 6abB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24a^2d} + \frac{A \cos^2(c + dx) \sqrt{a + b \sec(c + dx)}}{3d} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2A - 3Ab^2 + 6abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{24a^2bd} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2A - 3Ab^2 + 6abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{24a^2bd}
\end{aligned}$$

Mathematica [B] time = 20.1862, size = 1565, normalized size = 3.07

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((A*Sin[c + d*x])/12 + ((A*b + 6*a*B)*Sin[2*(c + d*x)]/(24*a) + (A*Sin[3*(c + d*x)]/12))/d + (Sqrt[a + b*Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(-16*a^3*A*Tan[(c + d*x)/2] - 16*a^2*A*b*Tan[(c + d*x)/2] + 3*a*A*b^2*Tan[(c + d*x)/2] + 3*A*b^3*Tan[(c + d*x)/2] - 6*a^2*b*B*Tan[(c + d*x)/2] - 6*a*b^2*B*Tan[(c + d*x)/2] + 32*a^3*A*Tan[(c + d*x)/2]^3 - 6*a*A*b^2*Tan[(c + d*x)/2]^3 + 12*a^2*b*B*Tan[(c + d*x)/2]^3 - 16*a^3*A*Tan[(c + d*x)/2]^5 + 16*a^2*A*b*Tan[(c + d*x)/2]^5 + 3*a*A*b^2*Tan[(c + d*x)/2]^5 - 3*A*b^3*Tan[(c + d*x)/2]^5 - 6*a^2*b*B*Tan[(c + d*x)/2]^5 + 6*a*b^2*B*Tan[(c + d*x)/2]^5 + 24*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*a^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 12*a*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 24*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 48*a^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 12*a*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (a + b)*(16*a^2*A - 3*A*b^2 + 6*a*b*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*a*(-(A*b^2) + 2*a*b*(7*A - 3*B) + 12*a^2*B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(24*a^2*d*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[1 + Tan[(c + d*x)/2]^2]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan

$[(c + d*x)/2]^2)$

Maple [B] time = 0.453, size = 2954, normalized size = 5.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^3*(A+B*\sec(d*x+c))*(a+b*\sec(d*x+c))^{1/2}, x)$

[Out] $-1/24/d/a^2*(-1+\cos(d*x+c))^2*(16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2}*a^3*\sin(d*x+c)+6*B*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2}*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b+6*B*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2}*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*a+12*B*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2}*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b-12*B*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*a+16*A*\cos(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2})*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-3*A*\cos(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2})*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+6*A*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-24*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2})*a^3+48*B*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)-28*A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b+2*A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*a+24*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a$

```

*cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1
,((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-3*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2
)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))
/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)-12*B*a^3*cos(d*x+c)^2+8*A*c
os(d*x+c)^5*a^3+8*A*cos(d*x+c)^3*a^3-16*A*cos(d*x+c)^2*a^3-3*A*cos(d*x+c)^2
*b^3+6*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d
*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2
))*b^3*sin(d*x+c)-24*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(
d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(
a+b))^(1/2))*a^3*sin(d*x+c)+48*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+
c),-1,((a-b)/(a+b))^(1/2))*a^3*sin(d*x+c)+3*A*cos(d*x+c)*b^3+12*B*cos(d*x+c
)^4*a^3+6*A*cos(d*x+c)^2*a^2*b+6*B*cos(d*x+c)^2*a*b^2-16*A*cos(d*x+c)*a^2*b
-2*A*cos(d*x+c)*a*b^2-12*B*cos(d*x+c)*a^2*b+12*B*cos(d*x+c)*sin(d*x+c)*(cos
(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/
2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b-12*B*cos
(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(
a+b))^(1/2))*a*b^2+16*A*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a
-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d
*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b-3*A*cos(d*x+c)*sin(d*x+c)*(cos(d*
x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*
EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2-28*A*cos(d*
x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*(cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*s
in(d*x+c)*b+2*A*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b
))^(1/2))*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a+24*A*cos(d*x+c)*EllipticPi((-1+cos(d*x+c)
)/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+6*B*cos(d*x+c)
*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2)
)*a^2*b+6*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+
c),((a-b)/(a+b))^(1/2))*a*b^2-A*cos(d*x+c)^3*a*b^2+18*B*cos(d*x+c)^3*a^2*b+
3*A*cos(d*x+c)^2*a*b^2-6*B*cos(d*x+c)^2*a^2*b-6*B*cos(d*x+c)*a*b^2+10*A*cos
(d*x+c)^4*a^2*b*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*
cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a \cos(dx + c)}^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^3, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(dx + c)^3 \sec(dx + c) + A \cos(dx + c)^3\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*sqrt(b*sec(d*x
+ c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^3, x)
```

$$3.356 \quad \int \sec^3(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=475

$$\frac{2(a-b)\sqrt{a+b}(-6a^2b(3A-B) + 8a^3B - 3ab^2(57A-13B) + 3b^3(25A-49B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{315b^3d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(18*a^3*A*b - 246*a*A*b^3 - 8*a^4*B - 33*a^2*b^2*B -
147*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b))]/(315*b^4*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*A
- 49*B) - 3*a*b^2*(57*A - 13*B) - 6*a^2*b*(3*A - B) + 8*a^3*B)*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)
)]/(315*b^3*d) - (2*(18*a^2*A*b - 75*A*b^3 - 8*a^3*B - 39*a*b^2*B)*Sqrt[a +
b*Sec[c + d*x]]*Tan[c + d*x])/(315*b^2*d) - (2*(18*a*A*b - 8*a^2*B - 49*b^
2*B)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*b^2*d) + (2*(9*A*b - 4*a
*B)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*b^2*d) + (2*B*Sec[c + d*x]
*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(9*b*d)
```

Rubi [A] time = 1.22462, antiderivative size = 475, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4033, 4082, 4002, 4005, 3832, 4004}

$$\frac{2(-8a^2B + 18aAb - 49b^2B) \tan(c + dx)(a + b \sec(c + dx))^{3/2}}{315b^2d} - \frac{2(18a^2Ab - 8a^3B - 39ab^2B - 75Ab^3) \tan(c + dx) \sqrt{a+b}}{315b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(18*a^3*A*b - 246*a*A*b^3 - 8*a^4*B - 33*a^2*b^2*B -
147*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b))]/(315*b^4*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*A
- 49*B) - 3*a*b^2*(57*A - 13*B) - 6*a^2*b*(3*A - B) + 8*a^3*B)*Cot[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*
Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)
)]/(315*b^3*d) - (2*(18*a^2*A*b - 75*A*b^3 - 8*a^3*B - 39*a*b^2*B)*Sqrt[a +
```

$$b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x]]/(315*b^2*d) - (2*(18*a*A*b - 8*a^2*B - 49*b^2*B)*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Tan}[c + d*x]]/(315*b^2*d) + (2*(9*A*b - 4*a*B)*(a + b*\text{Sec}[c + d*x])^(5/2)*\text{Tan}[c + d*x]]/(63*b^2*d) + (2*B*\text{Sec}[c + d*x]*(a + b*\text{Sec}[c + d*x])^(5/2)*\text{Tan}[c + d*x]]/(9*b*d)$$

Rule 4033

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1)*(d*\text{Csc}[e + f*x])^(n - 2))/(b*f*(m + n)), x] + \text{Dist}[d^2/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^(n - 2)*\text{Simp}[a*B*(n - 2) + B*b*(m + n - 1)*\text{Csc}[e + f*x] + (A*b*(m + n) - a*B*(n - 1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[m + n, 0] \&\& !\text{IGtQ}[m, 1]$$

Rule 4082

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*\text{Simp}[b*A*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$$

Rule 4002

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m - 1)*\text{Simp}[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, A, B, e, f\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0]$$

Rule 4005

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$$

Rule 3832

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S$$

```

ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \sec^3(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{2B \sec(c + dx)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{9bd} + \frac{2 \int \sec(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx}{9bd} \\
&= \frac{2(9Ab - 4aB)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{63b^2d} + \frac{2B \sec(c + dx)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{63b^2d} \\
&= -\frac{2(18aAb - 8a^2B - 49b^2B)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{315b^2d} \\
&= -\frac{2(18a^2Ab - 75Ab^3 - 8a^3B - 39ab^2B)\sqrt{a + b \sec(c + dx)}}{315b^2d} \\
&= -\frac{2(18a^2Ab - 75Ab^3 - 8a^3B - 39ab^2B)\sqrt{a + b \sec(c + dx)}}{315b^2d} \\
&= \frac{2(a - b)\sqrt{a + b}(18a^3Ab - 246aAb^3 - 8a^4B - 33a^2b^2B - 14ab^3B)}{315b^2d}
\end{aligned}$$

Mathematica [B] time = 25.7647, size = 3766, normalized size = 7.93

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```



```

[Out] (Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*((2*(-18*a^3*A*b + 246*a*A*b^3 + 8
*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*Sin[c + d*x])/(315*b^3) + (2*Sec[c + d*x
]^3*(9*A*b*Ssin[c + d*x] + 10*a*B*Ssin[c + d*x]))/63 + (2*Sec[c + d*x]^2*(72*
a*A*b*Ssin[c + d*x] + 3*a^2*B*Ssin[c + d*x] + 49*b^2*B*Ssin[c + d*x]))/(315*b)
+ (2*Sec[c + d*x]*(9*a^2*A*b*Ssin[c + d*x] + 75*A*b^3*Ssin[c + d*x] - 4*a^3*
B*Ssin[c + d*x] + 88*a*b^2*B*Ssin[c + d*x]))/(315*b^2) + (2*b*B*Sec[c + d*x]^
3*Tan[c + d*x])/9))/(d*(b + a*Cos[c + d*x])) - (2*((2*a^3*A)/(35*b*Sqrt[b +
a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (82*a*A*b)/(105*Sqrt[b + a*Cos[c + d
*x]])*Sqrt[Sec[c + d*x]]) - (11*a^2*B)/(105*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Se
c[c + d*x]]) - (8*a^4*B)/(315*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x
]]) - (7*b^2*B)/(15*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (31*a^2*
A*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) + (2*a^4*A*Sqrt[Sec[c
+ d*x]])/(35*b^2*Sqrt[b + a*Cos[c + d*x]]) + (5*A*b^2*Sqrt[Sec[c + d*x]])/(
21*Sqrt[b + a*Cos[c + d*x]]) - (8*a^5*B*Sqrt[Sec[c + d*x]])/(315*b^3*Sqrt[b
+ a*Cos[c + d*x]]) - (31*a^3*B*Sqrt[Sec[c + d*x]])/(315*b*Sqrt[b + a*Cos[c
+ d*x]]) + (13*a*b*B*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) -
(82*a^2*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x
]]) + (2*a^4*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(35*b^2*Sqrt[b + a*Cos[c
+ d*x]]) - (8*a^5*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(315*b^3*Sqrt[b +
a*Cos[c + d*x]]) - (11*a^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*b*S
qrt[b + a*Cos[c + d*x]]) - (7*a*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(1
5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*S
ec[c + d*x])^(3/2)*(2*(a + b)*(-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2
*b^2*B + 147*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c
+ d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]],
(a - b)/(a + b)] - 2*b*(a + b)*(8*a^3*B - 6*a^2*b*(3*A + B) + 3*a*b^2*(57*A
+ 13*B) + 3*b^3*(25*A + 49*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[
(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c
+ d*x)/2]], (a - b)/(a + b)] + (-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^
2*b^2*B + 147*b^4*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*T
an[(c + d*x)/2))/(315*b^3*d*(b + a*Cos[c + d*x])^2*Sqrt[Sec[(c + d*x)/2]^2
]*Sec[c + d*x]^(3/2)*(-(a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x
]*(2*(a + b)*(-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*
B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)
*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]
- 2*b*(a + b)*(8*a^3*B - 6*a^2*b*(3*A + B) + 3*a*b^2*(57*A + 13*B) + 3*b^3*
(25*A + 49*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*
x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a -
b)/(a + b)] + (-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4
*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])
/(315*b^3*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]) + (Sqrt[Cos[
(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-18*a^3*A*b + 246
*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c
+ d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE
[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(8*a^3*B - 6*a^2*

```

$$\begin{aligned}
& b*(3*A + B) + 3*a*b^2*(57*A + 13*B) + 3*b^3*(25*A + 49*B))*\text{Sqrt}[\text{Cos}[c + d*x] \\
&]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x] \\
&))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-18*a^3*A*b + 24 \\
& 6*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + \\
& d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((315*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d* \\
& x])* \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((\\
& (-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*\text{Cos}[c + d* \\
& x]*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4)/2 + ((a + b)*(-18*a^3*A*b + 246 \\
& *a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((\\
& a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a \\
& + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \\
& \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (b*(a + b)*(8*a^3*B \\
& - 6*a^2*b*(3*A + B) + 3*a*b^2*(57*A + 13*B) + 3*b^3*(25*A + 49*B))*\text{Sqrt}[(\\
& b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + \\
& d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x]) \\
& ^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]) \\
&] + ((a + b)*(-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B) \\
& * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]] \\
& , (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b \\
& + a*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + \\
& a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - (b*(a + b)*(8*a^3*B - 6*a^2 \\
& *b*(3*A + B) + 3*a*b^2*(57*A + 13*B) + 3*b^3*(25*A + 49*B))*\text{Sqrt}[\text{Cos}[c + d* \\
& x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] \\
& *((-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])* \\
& \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((\\
& a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a \\
& ^2*b^2*B + 147*b^4*B)*\text{Cos}[c + d*x]* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + \\
& d*x)/2] - (-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B) \\
& *(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (- \\
& 18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*\text{Cos}[c + d*x] \\
& *(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 - (b*(a + b)*(8 \\
& *a^3*B - 6*a^2*b*(3*A + B) + 3*a*b^2*(57*A + 13*B) + 3*b^3*(25*A + 49*B))*\text{S} \\
& \text{qrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 \\
& + \text{Cos}[c + d*x]))]* \text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 \\
& - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-18*a^3*A*b + 246*a*A* \\
& b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d* \\
& x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]* \text{Sec}[(c + d*x)/ \\
& 2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 - \text{Tan}[(c + d*x) \\
& /2]^2]))/(315*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x])* \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - ((2* \\
& (a + b)*(-18*a^3*A*b + 246*a*A*b^3 + 8*a^4*B + 33*a^2*b^2*B + 147*b^4*B)*\text{S} \\
& \text{qrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \\
& \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b \\
& *(a + b)*(8*a^3*B - 6*a^2*b*(3*A + B) + 3*a*b^2*(57*A + 13*B) + 3*b^3*(25*A \\
& + 49*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/ \\
& (a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a
\end{aligned}$$

$$\begin{aligned}
& *x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)}) \\
& *a^{5-147*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{(1/2)})*b^{5+75*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\
& *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^{5+147*B*\cos(d*x+c)^5*\sin(d*x+c) \\
& *(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)} \\
& *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^{5-85*B*\cos(d*x+c)*a*b^4+246*A*\cos(d*x+c)^6*a^2*b^3+75*A*\cos(d*x+c)^6*a*b^4-4*B*\cos(d*x+c)^6*a^4*b+33*B*\cos(d*x+c)^6*a^3*b^2+88*B*\cos(d*x+c)^6*a^2*b^3+147*B*\cos(d*x+c)^6*a*b^4+18*A*\cos(d*x+c)^5*a^4*b-18*A*\cos(d*x+c)^5*a^3*b^2-165*A*\cos(d*x+c)^5*a^2*b^3+246*A*\cos(d*x+c)^5*a*b^4+8*B*\cos(d*x+c)^5*a^4*b-34*B*\cos(d*x+c)^5*a^3*b^2+33*B*\cos(d*x+c)^5*a^2*b^3-10*B*\cos(d*x+c)^5*a*b^4+9*A*\cos(d*x+c)^4*a^3*b^2-204*A*\cos(d*x+c)^4*a*b^4-4*B*\cos(d*x+c)^4*a^4*b-68*B*\cos(d*x+c)^4*a^2*b^3-81*A*\cos(d*x+c)^3*a^2*b^3+B*\cos(d*x+c)^3*a^3*b^2-52*B*\cos(d*x+c)^3*a*b^4-117*A*\cos(d*x+c)^2*a*b^4-53*B*\cos(d*x+c)^2*a^2*b^3-18*A*\cos(d*x+c)^6*a^4*b+9*A*\cos(d*x+c)^6*a^3*b^2+186*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^4-8*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^4*b-33*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b^2-33*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^3-147*B*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^4-18*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b^2+153*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^3+246*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^4+18*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^4*b+18*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b^2-246*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^3-246*A*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^4+
\end{aligned}$$

$$\begin{aligned}
& 8*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a \\
& *\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a \\
& -b)/(a+b))^{1/2})*a^4*b^2*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c) \\
& +1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+co \\
& s(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3*b^2+33*B*\cos(d*x+c)^4*\sin(d*x \\
& +c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^ \\
& 3+186*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)* \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c) \\
& , ((a-b)/(a+b))^{1/2})*a*b^4-8*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d* \\
& x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((- \\
& 1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^4*b-33*B*\cos(d*x+c)^4*\sin(d \\
& *x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+ \\
& c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3* \\
& b^2-33*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c) \\
&), ((a-b)/(a+b))^{1/2})*a^2*b^3-147*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(c \\
& os(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*Ellipti \\
& cE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^4+153*A*\cos(d*x+c)^5 \\
& *\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(co \\
& s(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2} \\
&)*a^2*b^3+246*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(\\
& 1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/si \\
& n(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^4+18*A*\cos(d*x+c)^5*\sin(d*x+c)*(\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*Ell \\
& ipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^4*b+18*A*\cos(d*x+c) \\
&)^5*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2} \\
&)*a^3*b^2)/(b+a*\cos(d*x+c))/\cos(d*x+c)^4/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx+c)^5 + Aa \sec(dx+c)^3 + (Ba + Ab) \sec(dx+c)^4\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^5 + A*a*sec(d*x + c)^3 + (B*a + A*b)*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^3, x)

$(c + d*x)^{(5/2)}*Tan[c + d*x]/(7*b*d)$

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \sec^2(c+dx)(a+b\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= \frac{2B(a+b\sec(c+dx))^{5/2}\tan(c+dx)}{7bd} + \frac{2\int \sec(c+dx)(a+b\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx}{35bd} \\
&= \frac{2(7Ab-2aB)(a+b\sec(c+dx))^{3/2}\tan(c+dx)}{35bd} + \frac{2B(a+b\sec(c+dx))^{5/2}\tan(c+dx)}{105bd} \\
&= \frac{2(21aAb-6a^2B+25b^2B)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{105bd} \\
&= \frac{2(21aAb-6a^2B+25b^2B)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{105bd} \\
&= -\frac{2(a-b)\sqrt{a+b}(21a^2Ab+63Ab^3-6a^3B+82ab^2B)\cot(c+dx)}{105bd}
\end{aligned}$$

Mathematica [B] time = 24.5464, size = 3342, normalized size = 8.61

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*((-2*(-21*a^2*A*b - 63*A*b^3 + 6*a^3*B - 82*a*b^2*B)*Sin[c + d*x])/(105*b^2) + (2*Sec[c + d*x]^2*(7*A*b*SIN[c + d*x] + 8*a*B*SIN[c + d*x]))/35 + (2*Sec[c + d*x]*(42*a*A*b*SIN[c + d*x] + 3*a^2*B*SIN[c + d*x] + 25*b^2*B*SIN[c + d*x]))/(105*b) + (2*b*B*Sec[c + d*x]^2*Tan[c + d*x])/7)/(d*(b + a*Cos[c + d*x])) + (2*(-(a^2*A)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (3*A*b^2)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*a^3*B)/(35*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (82*a*b*B)/(105*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (a^3*A*Sqrt[Sec[c + d*x]])/(5*b*Sqrt[b + a*Cos[c + d*x]]) + (a*A*b*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]) - (31*a^2*B*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) + (2*a^4*B*Sqrt[Sec[c + d*x]])/(35*b^2*Sqrt[b + a*Cos[c + d*x]]) + (5*b^2*B*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (a^3*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*b*Sqrt[b + a*Cos[c + d*x]]) - (3*a*A*b*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]) - (82*a^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) + (2*a^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(35*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])

$$\begin{aligned}
& d*x])^{(3/2)}*(2*(a + b)*(-21*a^2*A*b - 63*A*b^3 + 6*a^3*B - 82*a*b^2*B)*Sqrt \\
& [Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + C \\
& os[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(\\
& a + b)*(-6*a^2*B + 3*a*b*(7*A + 19*B) + b^2*(63*A + 25*B))*Sqrt[Cos[c + d*x \\
&]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]) \\
&)]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-21*a^2*A*b - 63 \\
& *A*b^3 + 6*a^3*B - 82*a*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d \\
& *x)/2]^2*Tan[(c + d*x)/2))/(105*b^2*d*(b + a*Cos[c + d*x])^2*Sqrt[Sec[(c + \\
& d*x)/2]^2]*Sec[c + d*x]^(3/2)*((a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Si \\
& n[c + d*x]*(2*(a + b)*(-21*a^2*A*b - 63*A*b^3 + 6*a^3*B - 82*a*b^2*B)*Sqrt[\\
& Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Co \\
& s[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a \\
& + b)*(-6*a^2*B + 3*a*b*(7*A + 19*B) + b^2*(63*A + 25*B))*Sqrt[Cos[c + d*x] \\
&]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x])) \\
&]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-21*a^2*A*b - 63* \\
& A*b^3 + 6*a^3*B - 82*a*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d* \\
& x)/2]^2*Tan[(c + d*x)/2))/(105*b^2*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c \\
& + d*x)/2]^2]) - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2* \\
& (a + b)*(-21*a^2*A*b - 63*A*b^3 + 6*a^3*B - 82*a*b^2*B)*Sqrt[Cos[c + d*x]/(\\
& 1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]* \\
& EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-6*a^2* \\
& B + 3*a*b*(7*A + 19*B) + b^2*(63*A + 25*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + \\
& d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[Ar \\
& cSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-21*a^2*A*b - 63*A*b^3 + 6*a^3* \\
& B - 82*a*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c \\
& + d*x)/2]))/(105*b^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + \\
& (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*((-21*a^2*A*b - 63*A*b^3 + 6*a^3* \\
& B - 82*a*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4)/2 + (\\
& (a + b)*(-21*a^2*A*b - 63*A*b^3 + 6*a^3*B - 82*a*b^2*B)*Sqrt[(b + a*Cos[c + \\
& d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a \\
& - b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + \\
& d*x]/(1 + Cos[c + d*x]))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] + (b*(a + b \\
&)*(-6*a^2*B + 3*a*b*(7*A + 19*B) + b^2*(63*A + 25*B))*Sqrt[(b + a*Cos[c + d \\
& *x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - \\
& b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d \\
& x]/(1 + Cos[c + d*x]))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] + ((a + b)*(- \\
& 21*a^2*A*b - 63*A*b^3 + 6*a^3*B - 82*a*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c \\
& + d*x])]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*Sin[c + \\
& d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((b + a*Cos[c + d*x])*Sin[c + d*x])/ \\
& ((a + b)*(1 + Cos[c + d*x])^2))/Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Co \\
& s[c + d*x]))] + (b*(a + b)*(-6*a^2*B + 3*a*b*(7*A + 19*B) + b^2*(63*A + 25* \\
& B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*EllipticF[ArcSin[Tan[(c + d*x)/2] \\
&], (a - b)/(a + b)]*(-((a*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((b \\
& + a*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])^2))/Sqrt[(b + \\
& a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] - a*(-21*a^2*A*b - 63*A*b^3
\end{aligned}$$

$$\begin{aligned}
&+ 6a^3B - 82ab^2B) \cos[c + dx] \operatorname{Sec}[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] \\
&- (-21a^2Ab - 63A^2b^3 + 6a^3B - 82ab^2B)(b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] \\
&+ (-21a^2Ab - 63A^2b^3 + 6a^3B - 82ab^2B) \cos[c + dx] (b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2]^2 \\
&+ (b(a + b)(-6a^2B + 3ab(7A + 19B) + b^2(63A + 25B)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} \\
&/((a + b)(1 + \cos[c + dx])) \operatorname{Sec}[(c + dx)/2]^2 / (\sqrt{1 - \tan[(c + dx)/2]^2}) \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)} \\
&+ ((a + b)(-21a^2Ab - 63A^2b^3 + 6a^3B - 82ab^2B) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} \\
&/((a + b)(1 + \cos[c + dx])) \operatorname{Sec}[(c + dx)/2]^2 \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)} / \sqrt{1 - \tan[(c + dx)/2]^2} \\
&/ (105b^2 \sqrt{b + a \cos[c + dx]} \sqrt{\operatorname{Sec}[(c + dx)/2]^2}) + ((2(a + b)(-21a^2Ab - 63A^2b^3 + 6a^3B - 82ab^2B) \sqrt{\cos[c + dx]} \\
&/ (1 + \cos[c + dx]) \sqrt{(b + a \cos[c + dx])} / ((a + b)(1 + \cos[c + dx]))) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \\
&+ 2b(a + b)(-6a^2B + 3ab(7A + 19B) + b^2(63A + 25B)) \sqrt{\cos[c + dx]/(1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx])} \\
&/((a + b)(1 + \cos[c + dx])) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] + (-21a^2Ab - 63A^2b^3 + 6a^3B - 82ab^2B) \cos[c + dx] \\
&(b + a \cos[c + dx]) \operatorname{Sec}[(c + dx)/2]^2 \tan[(c + dx)/2] * (-\cos[(c + dx)/2] \operatorname{Sec}[c + dx] \sin[(c + dx)/2] + \cos[(c + dx)/2]^2 \operatorname{Sec}[c + dx] \tan[c + dx]) \\
&/ (105b^2 \sqrt{b + a \cos[c + dx]} \sqrt{\operatorname{Sec}[(c + dx)/2]^2 \operatorname{Sec}[c + dx]})
\end{aligned}$$

Maple [B] time = 1.07, size = 3424, normalized size = 8.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}(\sec(dx+c)^2(a+b\sec(dx+c))^{3/2}(A+B\sec(dx+c)), x)$

[Out] $\begin{aligned}
&2/105/d/b^2(\cos(dx+c)+1)^2((b+a\cos(dx+c))/\cos(dx+c))^{1/2}(-1+\cos(dx+c))^{1/2} \\
&(15Bb^4+6B\cos(dx+c)^5a^4-51B\sin(dx+c)\cos(dx+c)^4(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} \\
&(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&a^2b^2-82B\sin(dx+c)\cos(dx+c)^3(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
&\operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&a^3+21A\sin(dx+c)\cos(dx+c)^4(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
&\operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&a^3b+21A\sin(dx+c)\cos(dx+c)^4(\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
&\operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) \\
&a^2b^2+63A\sin
\end{aligned}$

$$\begin{aligned}
& n(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d \\
& *x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a \\
& +b))^{1/2})*a^b-21*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x \\
& +c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b^2-84*A*\sin(d*x+c)*\cos(d*x+c)^4*(\\
& \cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^b-6*B*s \\
& in(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(\\
& d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(\\
& a+b))^{1/2})*a^3*b+82*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1)) \\
& ^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d* \\
& x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b^2+82*B*\sin(d*x+c)*\cos(d*x+c)^4* \\
& (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)) \\
& ^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^b+6*B* \\
& sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/ \\
& (a+b))^{1/2})*a^3*b-82*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(\cos(d*x+c)+1) \\
&)^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d \\
& *x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^b+21*A*\sin(d*x+c)*\cos(d*x+c)^3*(\\
& \cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^3*b+21*A* \\
& sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/ \\
& (a+b))^{1/2})*a^2*b^2+63*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+ \\
& 1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos \\
& (d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^b-21*A*\sin(d*x+c)*\cos(d*x+c)^3 \\
& *(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b^2-8 \\
& 4*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a \\
& *cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a \\
& -b)/(a+b))^{1/2})*a^b-6*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c) \\
& +1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+co \\
& s(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^3*b+82*B*\sin(d*x+c)*\cos(d*x+c)^ \\
& 3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1 \\
&))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b^2+ \\
& 82*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+ \\
& a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((\\
& a-b)/(a+b))^{1/2})*a^b+6*B*\cos(d*x+c)^4*a^3*b+55*B*\cos(d*x+c)^4*a^2*b^2-8 \\
& 2*B*\cos(d*x+c)^4*a^b+63*A*\cos(d*x+c)^3*a^2*b^2-3*B*\cos(d*x+c)^3*a^3*b+68* \\
& B*\cos(d*x+c)^3*a^b+63*A*\cos(d*x+c)^2*a^b+27*B*\cos(d*x+c)^2*a^2*b^2+39*B \\
& *cos(d*x+c)*a^b-21*A*\cos(d*x+c)^5*a^3*b-42*A*\cos(d*x+c)^5*a^2*b^2-63*A*co \\
& s(d*x+c)^5*a^b-3*B*\cos(d*x+c)^5*a^3*b-82*B*\cos(d*x+c)^5*a^2*b^2-25*B*\cos(\\
& d*x+c)^5*a^b+21*A*\cos(d*x+c)^4*a^3*b-21*A*\cos(d*x+c)^4*a^2*b^2+6*B*\sin(d* \\
& x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))
\end{aligned}$$

$$\begin{aligned} &^{(1/2)} * a^3 * b - 51 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} \\ & * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * a^2 * b^2 + 63 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \\ & * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 63 * A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 6 * B * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * a^4 - 25 * B * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * b^4 + 63 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 63 * A * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 6 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * a^4 - 25 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 63 * A * \cos(dx+c)^4 * b^4 - 25 * B * \cos(dx+c)^4 * b^4 + 10 * B * \cos(dx+c)^2 * b^4 - 6 * B * \cos(dx+c)^4 * a^4 + 42 * A * \cos(dx+c)^3 * b^4 + 21 * A * \cos(dx+c) * b^4 / (b+a*\cos(dx+c)) / \cos(dx+c)^3 / \sin(dx+c)^5 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx+c)^4 + Aa \sec(dx+c)^2 + (Ba + Ab) \sec(dx+c)^3\right) \sqrt{b \sec(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^4 + A*a*sec(d*x + c)^2 + (B*a + A*b)*sec(d*x + c
)^3)*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^2, x
)
```

3.358 $\int \sec(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=312

$$\frac{2(a-b)\sqrt{a+b}(15aA-3aB-5Ab+9bB)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a}{a-b}\right)}{15bd}$$

[Out] $(-2*(a-b)*\operatorname{Sqrt}[a+b]*(20*a*A*b+3*a^2*B+9*b^2*B)*\operatorname{Cot}[c+dx]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+dx]]]/\operatorname{Sqrt}[a+b]],(a+b)/(a-b)]*\operatorname{Sqrt}[(b*(1-\operatorname{Sec}[c+dx]))/(a+b)]*\operatorname{Sqrt}[-(b*(1+\operatorname{Sec}[c+dx]))/(a-b)]/(15*b^2*d)+(2*(a-b)*\operatorname{Sqrt}[a+b]*(15*a*A-5*A*b-3*a*B+9*b*B)*\operatorname{Cot}[c+dx]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+dx]]]/\operatorname{Sqrt}[a+b]],(a+b)/(a-b)]*\operatorname{Sqrt}[(b*(1-\operatorname{Sec}[c+dx]))/(a+b)]*\operatorname{Sqrt}[-(b*(1+\operatorname{Sec}[c+dx]))/(a-b)]/(15*b*d)+(2*(5*A*b+3*a*B)*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+dx]]*\operatorname{Tan}[c+dx])/(15*d)+(2*B*(a+b*\operatorname{Sec}[c+dx])^(3/2)*\operatorname{Tan}[c+dx])/(5*d)$

Rubi [A] time = 0.570295, antiderivative size = 312, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4002, 4005, 3832, 4004}

$$\frac{2(a-b)\sqrt{a+b}(3a^2B+20aAb+9b^2B)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{15b^2d} + \frac{2(3a^2B+20aAb+9b^2B)\cot(c+dx)\sqrt{a+b}}{15bd}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sec}[c+dx]*(a+b*\operatorname{Sec}[c+dx])^(3/2)*(A+B*\operatorname{Sec}[c+dx]),x]$

[Out] $(-2*(a-b)*\operatorname{Sqrt}[a+b]*(20*a*A*b+3*a^2*B+9*b^2*B)*\operatorname{Cot}[c+dx]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+dx]]]/\operatorname{Sqrt}[a+b]],(a+b)/(a-b)]*\operatorname{Sqrt}[(b*(1-\operatorname{Sec}[c+dx]))/(a+b)]*\operatorname{Sqrt}[-(b*(1+\operatorname{Sec}[c+dx]))/(a-b)]/(15*b^2*d)+(2*(a-b)*\operatorname{Sqrt}[a+b]*(15*a*A-5*A*b-3*a*B+9*b*B)*\operatorname{Cot}[c+dx]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+dx]]]/\operatorname{Sqrt}[a+b]],(a+b)/(a-b)]*\operatorname{Sqrt}[(b*(1-\operatorname{Sec}[c+dx]))/(a+b)]*\operatorname{Sqrt}[-(b*(1+\operatorname{Sec}[c+dx]))/(a-b)]/(15*b*d)+(2*(5*A*b+3*a*B)*\operatorname{Sqrt}[a+b*\operatorname{Sec}[c+dx]]*\operatorname{Tan}[c+dx])/(15*d)+(2*B*(a+b*\operatorname{Sec}[c+dx])^(3/2)*\operatorname{Tan}[c+dx])/(5*d)$

Rule 4002

$\operatorname{Int}[\operatorname{csc}[(e_.)+(f_.)*(x_)]*(\operatorname{csc}[(e_.)+(f_.)*(x_)]*(b_.)+(a_))^(m_)*\operatorname{csc}[(e_.)+(f_.)*(x_)]*(B_.)+(A_.)],x_Symbol] \rightarrow -\operatorname{Simp}[(B*\operatorname{Cot}[e+f*x]*(a$

+ b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{2B(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2}{5} \int \sec(c + dx) \sqrt{a + b \sec(c + dx)} dx \\
 &= \frac{2(5Ab + 3aB) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2B(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
 &= \frac{2(5Ab + 3aB) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2B(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
 &= -\frac{2(a - b) \sqrt{a + b} (20aAb + 3a^2B + 9b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{15b^2d}
 \end{aligned}$$

Mathematica [A] time = 18.7551, size = 502, normalized size = 1.61

$$\frac{\cos^2(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) \left(\frac{2(3a^2B + 20aAb + 9b^2B) \sin(c + dx)}{15b} + \frac{2}{15} \sec(c + dx)(6aB \sin(c + dx) + 5A) \right)}{d(a \cos(c + dx) + b)(A \cos(c + dx) + B)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (-2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x])*(2*(a + b)*(20*a*A*b + 3*a^2*B + 9*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(3*a*(5*A + B) + b*(5*A + 9*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (20*a*A*b + 3*a^2*B + 9*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((15*b*d*(b + a*Cos[c + d*x])^2*(B + A*Cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2*Sec[c + d*x]^(5/2) + (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x])*((2*(20*a*A*b + 3*a^2*B + 9*b^2*B)*Sin[c + d*x])/(15*b) + (2*Sec[c + d*x]*(5*A*b*Sin[c + d*x] + 6*a*B*Sin[c + d*x]))/15 + (2*b*B*Sec[c + d*x]*Tan[c + d*x])/5)]/(d*(b + a*Cos[c + d*x])*(B + A*Cos[c + d*x]))

Maple [B] time = 0.71, size = 2683, normalized size = 8.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)

[Out] 2/15/d/b*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(-15*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b-5*A*cos(d*x+c)^3*b^3-20*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2-15*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c)

$$\begin{aligned} & (x+c+1)^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 - 9*B*\sin(d*x+c)*\cos(d*x+c) \\ & ^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 + 3*B \\ & * \sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 + 9*B*\sin(d*x+c)*\cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^3 / (b+a*\cos(d*x+c)) / \cos(d*x+c)^2 / \sin(d*x+c)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Bb \sec(dx + c)^3 + Aa \sec(dx + c) + (Ba + Ab) \sec(dx + c)^2) \sqrt{b \sec(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^3 + A*a*sec(d*x + c) + (B*a + A*b)*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^{\frac{3}{2}} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**(3/2)*sec(c + d*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c), x)

3.359 $\int (a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=381

$$\frac{2\sqrt{a+b}(-3a^2B - a(6Ab - 4bB) + b^2(3A - B)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3bd}$$

[Out] $(-2*(a - b)*\operatorname{Sqrt}[a + b]*(3*A*b + 4*a*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-(b*(1 + \operatorname{Sec}[c + d*x]))/(a - b)]/(3*b*d) - (2*\operatorname{Sqrt}[a + b]*(b^2*(3*A - B) - 3*a^2*B - a*(6*A*b - 4*b*B))*\operatorname{Cot}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-(b*(1 + \operatorname{Sec}[c + d*x]))/(a - b)]/(3*b*d) - (2*a*A*\operatorname{Sqrt}[a + b]*\operatorname{Cot}[c + d*x]*\operatorname{EllipticPi}[(a + b)/a, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-(b*(1 + \operatorname{Sec}[c + d*x]))/(a - b)]/d + (2*b*B*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])*\operatorname{Tan}[c + d*x])/(3*d)$

Rubi [A] time = 0.464855, antiderivative size = 381, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {3918, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(-3a^2B - a(6Ab - 4bB) + b^2(3A - B)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right) \frac{a+b}{a-b}}{3bd}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Sec}[c + d*x])^{3/2}*(A + B*\operatorname{Sec}[c + d*x]), x]$

[Out] $(-2*(a - b)*\operatorname{Sqrt}[a + b]*(3*A*b + 4*a*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-(b*(1 + \operatorname{Sec}[c + d*x]))/(a - b)]/(3*b*d) - (2*\operatorname{Sqrt}[a + b]*(b^2*(3*A - B) - 3*a^2*B - a*(6*A*b - 4*b*B))*\operatorname{Cot}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-(b*(1 + \operatorname{Sec}[c + d*x]))/(a - b)]/(3*b*d) - (2*a*A*\operatorname{Sqrt}[a + b]*\operatorname{Cot}[c + d*x]*\operatorname{EllipticPi}[(a + b)/a, \operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-(b*(1 + \operatorname{Sec}[c + d*x]))/(a - b)]/d + (2*b*B*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])*\operatorname{Tan}[c + d*x])/(3*d)$

Rule 3918

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := -Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1))/(f*m), x] + Dist[1/m, Int[(a + b*Csc[e + f*x])^(m - 2)*Simp[a^2*c*m + (b^2*d*(m - 1) + 2*a*b*c*m + a^2*d*m)*Csc[e + f*x] + b*(b*c*m + a*d*(2*m - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && GtQ[m, 1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
```

f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx &= \frac{2bB\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3a^2A}{2} + \frac{1}{2}(6aAb + 3a^2B + b^2A)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{2bB\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{3a^2A}{2} + \left(-\frac{1}{2}b(3Ab + 4aB) + \frac{b^2A}{2}\right)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= -\frac{2(a - b)\sqrt{a + b}(3Ab + 4aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{3bd} \\
 &= -\frac{2(a - b)\sqrt{a + b}(3Ab + 4aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{3bd}
 \end{aligned}$$

Mathematica [B] time = 24.1177, size = 6093, normalized size = 15.99

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] Result too large to show

Maple [B] time = 0.476, size = 2340, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)

[Out] $\frac{2}{3}d*(-1+\cos(d*x+c))^{2/2}*(B*b^2-4*B*\cos(d*x+c)^3*a^2+4*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2-3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}$

$$\begin{aligned}
& s(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/ \\
& / (a+b))^{(1/2)})*b^2+3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c) \\
&)/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^2-B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/ \\
& (\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Ellip \\
& ticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^2+4*B*\cos(d*x+c)*\sin \\
& (d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^ \\
& 2-3*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b \\
& +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (\\
& (a-b)/(a+b))^{(1/2)})*b^2+3*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c) \\
& +1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+co \\
& s(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^2-B*\cos(d*x+c)^2*\sin(d*x+c)* (co \\
& s(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1 \\
& /2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^2-6*A*\cos(d \\
& *x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+ \\
& c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b) \\
&)^{(1/2)})*a*b-3*A*\cos(d*x+c)^3*a*b-B*\cos(d*x+c)^3*a*b+3*A*\cos(d*x+c)^2*a*b-4 \\
& *B*\cos(d*x+c)^2*a*b+5*B*\cos(d*x+c)*a*b+3*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x \\
& +c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*E \\
& llipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b-4*B*\cos(d*x+c) \\
& ^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/ \\
& 2)})*a*b+4*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d* \\
& x+c), ((a-b)/(a+b))^{(1/2)})*a*b-6*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d* \\
& x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((- \\
& 1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b+3*A*\cos(d*x+c)*\sin(d*x+c) \\
& *(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b-4*B*c \\
& os(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d* \\
& x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+ \\
& b))^{(1/2)})*a*b+4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}* \\
& (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/s \\
& in(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b+3*A*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c) \\
& +1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+co \\
& s(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2-6*A*\cos(d*x+c)^2*(\\
& \cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(\\
& 1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*\sin(d*x \\
& +c)*a^2-3*B*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*co \\
& s(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b) \\
& / (a+b))^{(1/2)})*\sin(d*x+c)*a^2-3*B*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1 \\
& /2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c) \\
&)/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*a^2-3*A*\cos(d*x+c)^2*b^2+4*B* \\
& \cos(d*x+c)^2*a^2+3*A*\cos(d*x+c)*b^2-B*\cos(d*x+c)^2*b^2+3*A*\cos(d*x+c)*Ellip
\end{aligned}$$


```
ticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-
6*A*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2)
)*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+
c)+1))^(1/2)*sin(d*x+c)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)
^2/(b+a*cos(d*x+c))/cos(d*x+c)/sin(d*x+c)^5
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)\right)\sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d
*x + c) + a), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)
```

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2), x)

$$3.360 \quad \int \cos(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=361

$$\frac{\sqrt{a+b}(a(A+4B)+2b(A-B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + (a-b)\sqrt{a+b}}{d}$$

[Out] ((a - b)*Sqrt[a + b]*(a*A - 2*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(2*b*(A - B) + a*(A + 4*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (Sqrt[a + b]*(3*A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.451444, antiderivative size = 361, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4025, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(a(A+4B)+2b(A-B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + (a-b)\sqrt{a+b}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] ((a - b)*Sqrt[a + b]*(a*A - 2*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) + (Sqrt[a + b]*(2*b*(A - B) + a*(A + 4*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d - (Sqrt[a + b]*(3*A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4025

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_
.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3784

```

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +

```

$f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \int \frac{-\frac{1}{2}a(3Ab + 2aB) -}{d} \\ &= \frac{aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \frac{1}{2}(b(aA - 2bB)) \int \frac{\sec(c + dx)}{d} \\ &= \frac{(a - b)\sqrt{a + b}(aA - 2bB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{bd} \\ &= \frac{(a - b)\sqrt{a + b}(aA - 2bB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{bd} \end{aligned}$$

Mathematica [B] time = 18.375, size = 979, normalized size = 2.71

$$\frac{2bB \cos(c + dx) \sin(c + dx)(a + b \sec(c + dx))^{3/2}}{d(b + a \cos(c + dx))} + \frac{\sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}} \left(a^2 A \tan^5\left(\frac{1}{2}(c + dx)\right) - aAb \tan^5\left(\frac{1}{2}(c + dx)\right) + 2 \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*b*B*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(d*(b + a*Cos[c + d*x])) + ((a + b*Sec[c + d*x])^(3/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(a^2*A*Tan[(c + d*x)/2] + a*A*b*Tan[(c + d*x)/2] - 2*a*b*B*Tan[(c + d*x)/2] - 2*b^2*B*Tan[(c + d*x)/2] - 2*a^2*A*Tan[(c + d*x)/2]^3 + 4*a*b*B*Tan[(c + d*x)/2]^3 + a^2*A*Tan[(c + d*x)/2]^5 - a*A*b*Tan[(c + d*x)/2]^5 - 2*a*b*B*Tan[(c + d*x)/2]^5 + 2*b^2*B*Tan[(c + d*x)/2]^5 - 6*a*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a

$$\begin{aligned}
& + b)] - 6*a*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] \\
& *Tan[(c + d*x)/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b - a*Tan[(c + d \\
& *x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 4*a^2*B*EllipticPi[-1, -ArcSin[\\
& Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*sqrt[1 - Tan[(c + d* \\
& x)/2]^2]*sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b) \\
&] + (a + b)*(a*A - 2*b*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + \\
& b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b - a*T \\
& an[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*(2*a*b*(A - B) + a^2 \\
& *B - b^2*(A + B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*sqrt \\
& [1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b - a*Tan[(c + \\
& d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(d*(b + a*cos[c + d*x])^(3/2)* \\
& Sec[c + d*x]^(3/2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*sqrt[(a + b - a*Tan[(c + \\
& d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))]
\end{aligned}$$

Maple [B] time = 0.464, size = 2199, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)

[Out] $1/d*(-1+\cos(d*x+c))^2*(2*B*b^2-2*A*(\cos(d*x+c)/(\cos(d*x+c)+1)))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2*\sin(d*x+c)-A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*\sin(d*x+c)-A*\cos(d*x+c)^3*a^2-6*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a*b-2*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2-2*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b-2*A*\cos(d*x+c)^2*a*b-2*B*\cos(d*x+c)^2*a*b+2*B*\cos(d*x+c)*a*b+4*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b-A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b-4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b+2*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x$

```

+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*E
llipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+2*B*(cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ell
ipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)-6*A*(
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*sin(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/
2))*a*b-A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c)
,((a-b)/(a+b))^(1/2))*a^2+2*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-4*B*sin(d*x+c)*cos(d*x+c)*(co
s(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2-4*B*(
cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b*sin(d*x
+c)+A*cos(d*x+c)^2*a^2+2*B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(
d*x+c),((a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2+A*cos(d*x+c)*a*b-2*B*(cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)+2*B*b^
2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2
))-4*B*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)
)/(a+b))^(1/2))-A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*sin(d*x+c)*a*b+4*A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b
))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*sin(d*x+c)*a*b+2*B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((
a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c)
)/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="
maxima")

```

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Bb cos(dx + c) sec(dx + c))^2 + Aa cos(dx + c) + (Ba + Ab) cos(dx + c) sec(dx + c))sqrt(b sec(dx + c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)*sec(d*x + c)^2 + A*a*cos(d*x + c) + (B*a + A*b)*cos(d*x + c)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c), x)

$$3.361 \quad \int \cos^2(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=428

$$\frac{\sqrt{a+b}(2aA + 4aB + 5Ab + 8bB) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) \sqrt{a+b}}{4d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(5*A*b + 4*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(2*a*A + 5*A*b + 4*a*B + 8*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(4*a^2*A + 3*A*b^2 + 12*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + ((5*A*b + 4*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*A*cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.792164, antiderivative size = 428, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4025, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(4a^2A + 12abB + 3Ab^2) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{a+b}}{4ad} + \frac{(4aB + \dots)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(5*A*b + 4*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(2*a*A + 5*A*b + 4*a*B + 8*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(4*a^2*A + 3*A*b^2 + 12*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) + ((5*A*b + 4*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*A*cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*d)
```

$\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]/(4*d) + (a*A*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(2*d)$

Rule 4025

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-2}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*(a*B*n - A*b*(m-n-1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1+n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m+n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$

Rule 4104

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4058

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

$\text{Int}[1/\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[c + d*x]))/(a - b))]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\&$

NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} - \frac{1}{2} \int \frac{\cos}{\dots} \\
 &= \frac{(5Ab + 4aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{aA \cos(c + dx)}{\dots} \\
 &= \frac{(5Ab + 4aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{aA \cos(c + dx)}{\dots} \\
 &= \frac{(a - b)\sqrt{a + b}(5Ab + 4aB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{4bd} \\
 &= \frac{(a - b)\sqrt{a + b}(5Ab + 4aB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{4bd}
 \end{aligned}$$

Mathematica [C] time = 19.4379, size = 1598, normalized size = 3.73

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (a*A*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[2*(c + d*x)]/(4*d*(b + a*Cos[c + d*x])) - ((a + b*Sec[c + d*x])^(3/2)*(5*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 5*A*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 4*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 4*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - 10*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3 - 8*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^3 + 5*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 - 5*A*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 + 4*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - 4*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (6*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (24*I)*a*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (6*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (24*I)*a*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*(5*A*b + 4*a*B)*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*(a - b)*(2*a*A + b*(A + 4*B))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(4*Sqrt[(-a + b)/(a + b)]*d*(b + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x)/2]^2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))]

Maple [B] time = 0.379, size = 2439, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^2*(a+b*\sec(dx+c))^{3/2}*(A+B*\sec(dx+c)),x)$

[Out]
$$-1/4/d*(-1+\cos(dx+c))^{2*}(-4*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b))*((b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*\sin(dx+c)-8*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2*\sin(dx+c)+2*A*\cos(dx+c)^4*a^2+8*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^2*\sin(dx+c)+4*B*\cos(dx+c)^3*a^2-8*A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2+5*A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2+8*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2+4*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2+7*A*\cos(dx+c)^3*a*b-5*A*\cos(dx+c)^2*a*b+4*B*\cos(dx+c)^2*a*b-4*B*\cos(dx+c)*a*b+2*A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b+5*A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b-16*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b+4*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b+24*B*\cos(dx+c)*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*sin(dx+c)*a*b-16*B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b*\sin(dx+c)+24*B*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a*b*\sin(dx+c)-2*A*\cos(dx+c)^2*a^2-2*A*\cos(dx+c)*a*b+6*A*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*b^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*sin(dx+c)+4*B*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*sin(dx+c)+5*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2$$

```

2*sin(d*x+c)+5*A*cos(d*x+c)^2*b^2-4*B*cos(d*x+c)^2*a^2-5*A*cos(d*x+c)*b^2+8
*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+
1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2*sin
(d*x+c)-4*A*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*sin(d*x+c)+8*A*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d
*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+6*A*sin(d*x+c)*cos(d*x+
c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+
1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*b^2
+5*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d
*x+c)*a*b+2*A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(co
s(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*sin(d*x+c)*a*b+4*B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+
c)+1))^(1/2)*sin(d*x+c)*a*b*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))
^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x
)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral((Bb cos(dx + c)^2 sec(dx + c)^2 + Aa cos(dx + c)^2 + (Ba + Ab) cos(dx + c)^2 sec(dx + c))sqrt(b sec(dx + c) + a), x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

[Out] `integral((B*b*cos(d*x + c)^2*sec(d*x + c)^2 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x)`

$$3.362 \quad \int \cos^3(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=520

$$\frac{\sqrt{a+b}(16a^2A + 12a^2B + 14aAb + 30abB + 3Ab^2) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{24ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*A + 3*A*b^2 + 30*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*b*d) + (Sqrt[a + b]*(16*a^2*A + 14*a*A*b + 3*A*b^2 + 12*a^2*B + 30*a*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*d) - (Sqrt[a + b]*(12*a^2*A*b - A*b^3 + 8*a^3*B + 6*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^2*d) + ((16*a^2*A + 3*A*b^2 + 30*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + ((7*A*b + 6*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d) + (a*A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.27528, antiderivative size = 520, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4025, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(16a^2A + 30abB + 3Ab^2) \sin(c + dx) \sqrt{a + b \sec(c + dx)}}{24ad} + \frac{\sqrt{a+b}(16a^2A + 12a^2B + 14aAb + 30abB + 3Ab^2) \cot(c + dx)}{24ad}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*A + 3*A*b^2 + 30*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*b*d) + (Sqrt[a + b]*(16*a^2*A + 14*a*A*b + 3*A*b^2 + 12*a^2*B + 30*a*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a*d) - (Sqrt[a + b]*(12*a^2*A*b - A*b^3 + 8*a^3*B + 6*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^2*d) + ((16*a^2*A + 3*A*b^2 + 30*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + ((7*A*b + 6*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d) + (a*A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```


B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^2*d) + ((16*a^2*A + 3*A*b^2 + 30*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a*d) + ((7*A*b + 6*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d) + (a*A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} - \frac{1}{3} \int \frac{\cos^3(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{(7Ab + 6aB) \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12d} + \frac{(16a^2 A + 3Ab^2 + 30abB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} \\
&= \frac{(16a^2 A + 3Ab^2 + 30abB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24ad} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2 A + 3Ab^2 + 30abB) \cot(c + dx) E(\sin(c + dx) \sqrt{\frac{a + b \sec(c + dx)}{a + b}})}{24ab} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2 A + 3Ab^2 + 30abB) \cot(c + dx) E(\sin(c + dx) \sqrt{\frac{a + b \sec(c + dx)}{a + b}})}{24ab}
\end{aligned}$$

Mathematica [B] time = 19.0343, size = 1551, normalized size = 2.98

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*((a*A*Sin[c + d*x])/12 + ((7*A*b + 6*a*B)*Sin[2*(c + d*x)]/24 + (a*A*Sin[3*(c + d*x)]/12)))/(d*(b + a*Cos[c + d*x])) + ((a + b*Sec[c + d*x])^(3/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(16*a^3*A*Tan[(c + d*x)/2] + 16*a^2*A*b*Tan[(c + d*x)/2] + 3*a*A*b^2*Tan[(c + d*x)/2] + 3*A*b^3*Tan[(c + d*x)/2] + 30*a^2*b*B*Tan[(c + d*x)/2] + 30*a*b^2*B*Tan[(c + d*x)/2] - 32*a^3*A*Tan[(c + d*x)/2]^3 - 6*a*A*b^2*Tan[(c + d*x)/2]^3 - 60*a^2*b*B*Tan[(c + d*x)/2]^3 + 16*a^3*A*Tan[(c + d*x)/2]^5 - 16*a^2*A*b*Tan[(c + d*x)/2]^5 + 3*a*A*b^2*Tan[(c + d*x)/2]^5 - 3*A*b^3*Tan[(c + d*x)/2]^5 + 30*a^2*b*B*Tan[(c + d*x)/2]^5 - 30*a*b^2*B*Tan[(c + d*x)/2]^5 - 72*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 48*a^3*B*EllipticPi[-1, -ArcSin[Tan[

$$\begin{aligned} & (c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - \\ & a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 36*a*b^2*B*Elliptic \\ & Pi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2] \\ &]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - \\ & 72*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c \\ & + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2] \\ & ^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 6*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c \\ & + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^ \\ & 2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 48 \\ & *a^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + \\ & d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + \\ & b*Tan[(c + d*x)/2]^2)/(a + b)] - 36*a*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c \\ & + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2] \\ &]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a \\ & + b)*(16*a^2*A + 3*A*b^2 + 30*a*b*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a \\ & - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(\\ & a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a*(12*a^2 \\ & *B + b^2*(-7*A + 24*B) + a*(26*A*b - 6*b*B))*EllipticF[ArcSin[Tan[(c + d*x) \\ & /2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2) \\ &)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(24 \\ & *a*d*(b + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*(1 + Tan[(c + d*x)/2]^2) \\ & ^{(3/2)}*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[\\ & (c + d*x)/2]^2))] \end{aligned}$$

Maple [B] time = 0.448, size = 3142, normalized size = 6.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -1/24/d/a*(-1+\cos(d*x+c))^2*(16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\ &)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+ \\ & c),((a-b)/(a+b))^{(1/2)}*a^3*\sin(d*x+c)+30*B*EllipticE((-1+\cos(d*x+c))/\sin(d \\ & *x+c),((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)* \\ & (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b+30*B*EllipticE((-1+\cos(d \\ & *x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ &)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*a+12*B*Ellipti \\ & cF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*(\cos(d*x+c)/(\cos(d*x \\ & +c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*b+ \\ & 36*B*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*b^2*(\cos \end{aligned}$$

$$\begin{aligned}
& (d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *16*A*\cos(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+3*A*\cos(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *\sin(d*x+c)-6*A*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-24*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3+48*B*\cos(d*x+c) \\
& *\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *\sin(d*x+c)+16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)-52*A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b+14*A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*a+72*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)-12*B*a^3*\cos(d*x+c)^2+8*A*\cos(d*x+c)^5*a^3+8*A*\cos(d*x+c)^3*a^3-16*A*\cos(d*x+c)^2*a^3+3*A*\cos(d*x+c)^2*b^3-48*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2-6*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)-24*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)+48*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)-3*A*\cos(d*x+c)*b^3+12*B*\cos(d*x+c)^4*a^3-6*A*\cos(d*x+c)^2*a^2*b+30*B*\cos(d*x+c)^2*a*b^2-16*A*\cos(d*x+c)*a^2*b-14*A*\cos(d*x+c)*a*b^2-12*B*\cos(d*x+c)*a^2*b+12*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b+36*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a*b^2+16*A*\cos(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*b+3*A*\cos
\end{aligned}$$

```
(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2-52*A*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+14*A*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a+72*A*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+30*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b+30*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2-48*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+17*A*cos(d*x+c)^3*a*b^2+42*B*cos(d*x+c)^3*a^2*b-3*A*cos(d*x+c)^2*a*b^2-30*B*cos(d*x+c)^2*a^2*b-30*B*cos(d*x+c)*a*b^2+22*A*cos(d*x+c)^4*a^2*b*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^3, x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^3 \sec(dx + c)^2 + Aa \cos(dx + c)^3 + (Ba + Ab) \cos(dx + c)^3 \sec(dx + c)\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

[Out] `integral((B*b*cos(d*x + c)^3*sec(d*x + c)^2 + A*a*cos(d*x + c)^3 + (B*a + A*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^3, x)`

3.363 $\int \sec^3(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=566

$$\frac{2(a-b)\sqrt{a+b}\left(-15a^2b^2(121A-19B) - a^3(110Ab-30bB) + 40a^4B + 6ab^3(209A-505B) - 3b^4(539A-225B)\right) \cot(c + dx)}{3465b^3d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(110*a^4*A*b - 3069*a^2*A*b^3 - 1617*A*b^5 - 40*a^5*B - 255*a^3*b^2*B - 3705*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^4*d) - (2*(a - b)*Sqrt[a + b]*(6*a*b^3*(209*A - 505*B) - 3*b^4*(539*A - 225*B) - 15*a^2*b^2*(121*A - 19*B) + 40*a^4*B - a^3*(110*A*b - 30*b*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^3*d) - (2*(110*a^3*A*b - 1254*a*A*b^3 - 40*a^4*B - 285*a^2*b^2*B - 675*b^4*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3465*b^2*d) - (2*(110*a^2*A*b - 539*A*b^3 - 40*a^3*B - 335*a*b^2*B)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(3465*b^2*d) - (2*(22*a*A*b - 8*a^2*B - 81*b^2*B)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(693*b^2*d) + (2*(11*A*b - 4*a*B)*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(99*b^2*d) + (2*B*Sec[c + d*x]*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(11*b*d)
```

Rubi [A] time = 1.78437, antiderivative size = 566, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4033, 4082, 4002, 4005, 3832, 4004}

$$\frac{2(-8a^2B + 22aAb - 81b^2B) \tan(c + dx)(a + b \sec(c + dx))^{5/2}}{693b^2d} - \frac{2(110a^2Ab - 40a^3B - 335ab^2B - 539Ab^3) \tan(c + dx)}{3465b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(110*a^4*A*b - 3069*a^2*A*b^3 - 1617*A*b^5 - 40*a^5*B - 255*a^3*b^2*B - 3705*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3465*b^4*d) - (2*(a - b)*Sqrt[a + b]*(6*a*b^3*(209*A - 505*B) - 3*b^4*(539*A - 225*B) - 15*a^2*b^2*(1
```


$$21A - 19B) + 40a^4B - a^3(110Ab - 30b^2B) \cot[c + dx] \operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a + b \sec[c + dx]}] / \sqrt{a + b}], (a + b) / (a - b) \sqrt{[(b(1 - \sec[c + dx])) / (a + b)] \sqrt{-(b(1 + \sec[c + dx])) / (a - b)}}] / (3465b^3d) - (2(110a^3Ab - 1254a^2A^2b^3 - 40a^4B - 285a^2b^2B - 675b^4B) \sqrt{a + b \sec[c + dx]} \tan[c + dx]) / (3465b^2d) - (2(110a^2Ab - 539Ab^3 - 40a^3B - 335ab^2B) (a + b \sec[c + dx])^{3/2} \tan[c + dx]) / (3465b^2d) - (2(22a^2Ab - 8a^2B - 81b^2B) (a + b \sec[c + dx])^{5/2} \tan[c + dx]) / (693b^2d) + (2(11Ab - 4aB) (a + b \sec[c + dx])^{7/2} \tan[c + dx]) / (99b^2d) + (2B \sec[c + dx] (a + b \sec[c + dx])^{7/2} \tan[c + dx]) / (11bd)$$

Rule 4033

$$\operatorname{Int}[(\operatorname{csc}[e] + (f)(x))(d)^n (\operatorname{csc}[e] + (f)(x)(b) + (a))^{m-1} (\operatorname{csc}[e] + (f)(x)(B) + (A)), x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(Bd^2 \cot[e + fx] (a + b \operatorname{Csc}[e + fx])^{m+1} (d \operatorname{Csc}[e + fx])^{n-2}) / (b f (m+n)), x] + \operatorname{Dist}[d^2 / (b(m+n)), \operatorname{Int}[(a + b \operatorname{Csc}[e + fx])^m (d \operatorname{Csc}[e + fx])^{n-2} \operatorname{Simp}[aB(n-2) + Bb(m+n-1) \operatorname{Csc}[e + fx] + (Ab(m+n) - aB(n-1)) \operatorname{Csc}[e + fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, m\}, x \ \&\& \operatorname{NeQ}[Ab - aB, 0] \ \&\& \operatorname{NeQ}[a^2 - b^2, 0] \ \&\& \operatorname{GtQ}[n, 1] \ \&\& \operatorname{NeQ}[m+n, 0] \ \&\& \operatorname{!IGtQ}[m, 1]$$

Rule 4082

$$\operatorname{Int}[\operatorname{csc}[e] + (f)(x) (\operatorname{csc}[e] + (f)(x)(b) + (a))^{m-1} (\operatorname{csc}[e] + (f)(x)(B) + (A))^{m-1} (\operatorname{csc}[e] + (f)(x)(C) + (a))^{m-1} (\operatorname{csc}[e] + (f)(x)(b) + (a))^{m-1}, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(C \cot[e + fx] (a + b \operatorname{Csc}[e + fx])^{m+1}) / (b f (m+2)), x] + \operatorname{Dist}[1 / (b(m+2)), \operatorname{Int}[\operatorname{Csc}[e + fx] (a + b \operatorname{Csc}[e + fx])^m \operatorname{Simp}[bA(m+2) + bC(m+1) + (bB(m+2) - aC) \operatorname{Csc}[e + fx], x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C, m\}, x \ \&\& \operatorname{!LtQ}[m, -1]$$

Rule 4002

$$\operatorname{Int}[\operatorname{csc}[e] + (f)(x) (\operatorname{csc}[e] + (f)(x)(b) + (a))^{m-1} (\operatorname{csc}[e] + (f)(x)(B) + (A)), x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(B \cot[e + fx] (a + b \operatorname{Csc}[e + fx])^m) / (f(m+1)), x] + \operatorname{Dist}[1 / (m+1), \operatorname{Int}[\operatorname{Csc}[e + fx] (a + b \operatorname{Csc}[e + fx])^{m-1} \operatorname{Simp}[bBm + aA(m+1) + (aBm + Ab(m+1)) \operatorname{Csc}[e + fx], x], x], x] /; \operatorname{FreeQ}\{a, b, A, B, e, f\}, x \ \&\& \operatorname{NeQ}[Ab - aB, 0] \ \&\& \operatorname{NeQ}[a^2 - b^2, 0] \ \&\& \operatorname{GtQ}[m, 0]$$

Rule 4005

$$\operatorname{Int}[(\operatorname{csc}[e] + (f)(x) (\operatorname{csc}[e] + (f)(x)(b) + (a))) / \sqrt{\operatorname{csc}[e] + (f)(x)(b) + (a)}, x_{\text{Symbol}}] \rightarrow \operatorname{Dist}[A - B, \operatorname{Int}[\operatorname{Csc}[e + fx] / \sqrt{a + b \operatorname{Csc}[e + fx]}, x], x] + \operatorname{Dist}[B, \operatorname{Int}[(\operatorname{Csc}[e + fx] (1 + \operatorname{Csc}[e + fx])) / \sqrt{a + b \operatorname{Csc}[e + fx]}, x], x]$$

$e + f*x)))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x\}$
 $\&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \sec^3(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{2B \sec(c + dx)(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{11bd} + \frac{2 \int \sec(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx}{11bd} \\ &= \frac{2(11Ab - 4aB)(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{99b^2d} + \frac{2B \sec(c + dx)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{99b^2d} \\ &= -\frac{2(22aAb - 8a^2B - 81b^2B)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{693b^2d} \\ &= -\frac{2(110a^2Ab - 539Ab^3 - 40a^3B - 335ab^2B)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{3465b^2d} \\ &= -\frac{2(110a^3Ab - 1254aAb^3 - 40a^4B - 285a^2b^2B - 675b^4B)\sqrt{a + b \sec(c + dx)}}{3465b^2d} \\ &= -\frac{2(110a^3Ab - 1254aAb^3 - 40a^4B - 285a^2b^2B - 675b^4B)\sqrt{a + b \sec(c + dx)}}{3465b^2d} \\ &= \frac{2(a - b)\sqrt{a + b}(110a^4Ab - 3069a^2Ab^3 - 1617Ab^5 - 40a^5B)}{3465b^2d} \end{aligned}$$

Mathematica [B] time = 26.5934, size = 4227, normalized size = 7.47

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*((2*(-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B)*Sin[c + d*x])/(3465*b^3) + (2*Sec[c + d*x]^4*(11*A*b^2*SIN[c + d*x] + 23*a*b*B*SIN[c + d*x]))/99 + (2*Sec[c + d*x]^3*(209*a*A*b*SIN[c + d*x] + 113*a^2*B*SIN[c + d*x] + 81*b^2*B*SIN[c + d*x]))/693 + (2*Sec[c + d*x]^2*(825*a^2*A*b*SIN[c + d*x] + 539*A*b^3*SIN[c + d*x] + 15*a^3*B*SIN[c + d*x] + 1145*a*b^2*B*SIN[c + d*x]))/(3465*b) + (2*Sec[c + d*x]*(55*a^3*A*b*SIN[c + d*x] + 1793*a*A*b^3*SIN[c + d*x] - 20*a^4*B*SIN[c + d*x] + 1025*a^2*b^2*B*SIN[c + d*x] + 675*b^4*B*SIN[c + d*x]))/(3465*b^2) + (2*b^2*B*Sec[c + d*x]^4*Tan[c + d*x])/11)/(d*(b + a*Cos[c + d*x])^2) - (2*((2*a^4*A)/(63*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] - (31*a^2*A*b)/(35*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (7*A*b^3)/(15*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] - (17*a^3*B)/(231*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] - (8*a^5*B)/(693*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] - (247*a*b^2*B)/(231*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] - (124*a^3*A*Sqrt[Sec[c + d*x]])/(315*Sqrt[b + a*Cos[c + d*x]]) + (2*a^5*A*Sqrt[Sec[c + d*x]])/(63*b^2*Sqrt[b + a*Cos[c + d*x]]) + (38*a*A*b^2*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) - (8*a^6*B*Sqrt[Sec[c + d*x]])/(693*b^3*Sqrt[b + a*Cos[c + d*x]]) - (7*a^4*B*Sqrt[Sec[c + d*x]])/(99*b*Sqrt[b + a*Cos[c + d*x]]) - (26*a^2*b*B*Sqrt[Sec[c + d*x]])/(231*Sqrt[b + a*Cos[c + d*x]]) + (15*b^3*B*Sqrt[Sec[c + d*x]])/(77*Sqrt[b + a*Cos[c + d*x]]) - (31*a^3*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(35*Sqrt[b + a*Cos[c + d*x]]) + (2*a^5*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(63*b^2*Sqrt[b + a*Cos[c + d*x]]) - (7*a*A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) - (8*a^6*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(693*b^3*Sqrt[b + a*Cos[c + d*x]]) - (17*a^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(231*b*Sqrt[b + a*Cos[c + d*x]]) - (247*a^2*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(231*Sqrt[b + a*Cos[c + d*x]]))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(2*(a + b)*(-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(40*a^4*B - 10*a^3*b*(11*A + 3*B) + 15*a^2*b^2*(121*A + 19*B) + 3*b^4*(539*A + 225*B) + 6*a*b^3*(209*A + 505*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B)*C

$$\begin{aligned}
& \cos[c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((3465*b^3*d*(b + a*\cos[c + d*x])^3*\sqrt{Sec[(c + d*x)/2]^2}*Sec[c + d*x]^{5/2} \\
& (-a*\sqrt{\cos[(c + d*x)/2]^2}*Sec[c + d*x])*Sin[c + d*x]*(2*(a + b)*(-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B) \\
& *sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} \\
& *EllipticE[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(40*a^4*B - 10*a^3*b*(11*A + 3*B) + 15*a^2*b^2*(121*A + 19*B) \\
&) + 3*b^4*(539*A + 225*B) + 6*a*b^3*(209*A + 505*B))*sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} \\
& *sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} *EllipticF[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)] + (-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B) \\
& *cos[c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((3465*b^3*(b + a*\cos[c + d*x])^{3/2}*\sqrt{Sec[(c + d*x)/2]^2}) + (\sqrt{\cos[(c + d*x)/2]^2} \\
& *Sec[c + d*x])*tan[(c + d*x)/2]*(2*(a + b)*(-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B) \\
& *sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} *sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} *EllipticE[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(40*a^4*B - 10*a^3*b*(11*A + 3*B) + 15*a^2*b^2*(121*A + 19*B) + 3*b^4*(539*A + 225*B) \\
&) + 6*a*b^3*(209*A + 505*B))*sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} *sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} *EllipticF[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)] + (-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B) \\
& *cos[c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((3465*b^3*\sqrt{b + a*\cos[c + d*x]}*sqrt{Sec[(c + d*x)/2]^2}) - (2*\sqrt{\cos[(c + d*x)/2]^2}*Sec[c + d*x])*(((-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B) \\
& *cos[c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d*x)/2]^4)/2 + ((a + b)*(-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B) \\
& *sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} *EllipticE[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)]*((\cos[c + d*x]*\sin[c + d*x])/(1 + \cos[c + d*x]))^2 - \sin[c + d*x]/(1 + \cos[c + d*x]))/sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} \\
& - (b*(a + b)*(40*a^4*B - 10*a^3*b*(11*A + 3*B) + 15*a^2*b^2*(121*A + 19*B) + 3*b^4*(539*A + 225*B) + 6*a*b^3*(209*A + 505*B))*sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} *EllipticF[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)]*((\cos[c + d*x]*\sin[c + d*x])/(1 + \cos[c + d*x]))^2 - \sin[c + d*x]/(1 + \cos[c + d*x]))/sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} \\
& + ((a + b)*(-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B) *sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} *EllipticE[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)]*((-\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x])) + ((b + a*\cos[c + d*x])*sin[c + d*x])/((a + b)*(1 + \cos[c + d*x]))^2))/sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))} - (b*(a + b)*(40*a^4*B - 10*a^3*b*(11*A + 3*B) + 15*a^2*b^2*(121*A + 19*B) + 3*b^4*(539*A + 225*B) + 6*a*b^3*(209*A + 505*B))*sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} *EllipticF[ArcSin[\tan[(c + d*x)/2]], (a - b)/(a + b)]*((-\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x])) + ((b + a*\cos[c + d*x])*sin[c + d*x])/((a + b)*(1 + \cos[c + d*x]))^2))/sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}
\end{aligned}$$

$$\begin{aligned}
& + d*x])) - a*(-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255 \\
& *a^3*b^2*B + 3705*a*b^4*B)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan} \\
& [(c + d*x)/2] - (-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 25 \\
& 5*a^3*b^2*B + 3705*a*b^4*B)*(b + a*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + \\
& d*x]*\text{Tan}[(c + d*x)/2] + (-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a \\
& ^5*B + 255*a^3*b^2*B + 3705*a*b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Sec} \\
& [(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 - (b*(a + b)*(40*a^4*B - 10*a^3*b*(11*A + \\
& 3*B) + 15*a^2*b^2*(121*A + 19*B) + 3*b^4*(539*A + 225*B) + 6*a*b^3*(209*A \\
& + 505*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/ \\
& (a + b)*(1 + \text{Cos}[c + d*x]))*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2] \\
& ^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-110*a^4*A* \\
& b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B)* \\
& \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 \\
& + \text{Cos}[c + d*x]))*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2) \\
& / (a + b)]/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]))/(3465*b^3*\text{Sqrt}[b + a*\text{Cos}[c + d*x] \\
&]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - ((2*(a + b)*(-110*a^4*A*b + 3069*a^2*A*b^3 + \\
& 1617*A*b^5 + 40*a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 \\
& + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{El \\
& lipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(40*a^4*B \\
& - 10*a^3*b*(11*A + 3*B) + 15*a^2*b^2*(121*A + 19*B) + 3*b^4*(539*A + 225*B) \\
& + 6*a*b^3*(209*A + 505*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + \\
& a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d* \\
& x)/2]], (a - b)/(a + b)] + (-110*a^4*A*b + 3069*a^2*A*b^3 + 1617*A*b^5 + 40 \\
& *a^5*B + 255*a^3*b^2*B + 3705*a*b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])* \text{Se \\
& c}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2))*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c \\
& + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(3465*b^3*\text{Sqrt}[\\
& b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c \\
& + d*x]]))
\end{aligned}$$

Maple [B] time = 2.49, size = 5368, normalized size = 9.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3*(a+b*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c)), x)$

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \sec(dx+c)^6 + Aa^2 \sec(dx+c)^3 + (2Bab + Ab^2) \sec(dx+c)^5 + (Ba^2 + 2Aab) \sec(dx+c)^4\right) \sqrt{b \sec(dx+c)} dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*sec(d*x + c)^6 + A*a^2*sec(d*x + c)^3 + (2*B*a*b + A*b^2)*s
ec(d*x + c)^5 + (B*a^2 + 2*A*a*b)*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a),
x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}} \sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^3, x)
```

$$3.364 \quad \int \sec^2(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=469

$$\frac{2(a-b)\sqrt{a+b}(15a^2b(3A-11B)-10a^3B-6ab^2(60A-19B)+3b^3(25A-49B))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx))}{a-b}}}{315b^2d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(45*a^3*A*b + 435*a*A*b^3 - 10*a^4*B + 279*a^2*b^2*B + 147*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(315*b^3*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*A - 49*B) - 6*a*b^2*(60*A - 19*B) + 15*a^2*b*(3*A - 11*B) - 10*a^3*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(315*b^2*d) + (2*(45*a^2*A*b + 75*A*b^3 - 10*a^3*B + 114*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(315*b*d) + (2*(45*a*A*b - 10*a^2*B + 49*b^2*B)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*b*d) + (2*(9*A*b - 2*a*B)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*b*d) + (2*B*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*b*d)

Rubi [A] time = 1.18285, antiderivative size = 469, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4010, 4002, 4005, 3832, 4004}

$$\frac{2(-10a^2B + 45aAb + 49b^2B)\tan(c + dx)(a + b \sec(c + dx))^{3/2}}{315bd} + \frac{2(45a^2Ab - 10a^3B + 114ab^2B + 75Ab^3)\tan(c + dx)\sqrt{a + b \sec(c + dx)}}{315bd}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (-2*(a - b)*Sqrt[a + b]*(45*a^3*A*b + 435*a*A*b^3 - 10*a^4*B + 279*a^2*b^2*B + 147*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(315*b^3*d) - (2*(a - b)*Sqrt[a + b]*(3*b^3*(25*A - 49*B) - 6*a*b^2*(60*A - 19*B) + 15*a^2*b*(3*A - 11*B) - 10*a^3*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(315*b^2*d) + (2*(45*a^2*A*b + 75*A*b^3 - 10*a^3*B + 114*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(315*b*d) + (2*(45*a*A*b - 10*a^2*B + 49*b^2*B)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(315*b*d) + (2*(9*A*b - 2*a*B)*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(63*b*d) + (2*B*(a + b*Sec[c + d*x])^(7/2)*Tan[c + d*x])/(9*b*d)

) * Sqrt[a + b*Sec[c + d*x]] * Tan[c + d*x] / (315*b*d) + (2*(45*a*A*b - 10*a^2*B + 49*b^2*B) * (a + b*Sec[c + d*x])^(3/2) * Tan[c + d*x]) / (315*b*d) + (2*(9*A*b - 2*a*B) * (a + b*Sec[c + d*x])^(5/2) * Tan[c + d*x]) / (63*b*d) + (2*B*(a + b*Sec[c + d*x])^(7/2) * Tan[c + d*x]) / (9*b*d)

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4002

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*Simp[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,

2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \sec^2(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{2B(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{9bd} + \frac{2 \int \sec(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx}{63bd} \\
 &= \frac{2(9Ab - 2aB)(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{63bd} + \frac{2B(a + b \sec(c + dx))^{7/2} \tan(c + dx)}{63bd} \\
 &= \frac{2(45aAb - 10a^2B + 49b^2B)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{315bd} \\
 &= \frac{2(45a^2Ab + 75Ab^3 - 10a^3B + 114ab^2B) \sqrt{a + b \sec(c + dx)}}{315bd} \\
 &= \frac{2(45a^2Ab + 75Ab^3 - 10a^3B + 114ab^2B) \sqrt{a + b \sec(c + dx)}}{315bd} \\
 &= -\frac{2(a - b)\sqrt{a + b}(45a^3Ab + 435aAb^3 - 10a^4B + 279a^2b^2B)}{315bd}
 \end{aligned}$$

Mathematica [B] time = 26.2938, size = 3781, normalized size = 8.06

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*((2*(45*a^3*A*b + 435*a*A*b^3 - 10*a^4*B + 279*a^2*b^2*B + 147*b^4*B)*Sin[c + d*x])/(315*b^2) + (2*Sec[c + d*x]^3*(9*A*b^2*Sin[c + d*x] + 19*a*b*B*Sin[c + d*x]))/63 + (2*Sec[c + d*x]^2*(135*a*A*b*Sin[c + d*x] + 75*a^2*B*Sin[c + d*x] + 49*b^2*B*Sin[c + d*x]))/315 + (2*Sec[c + d*x]*(135*a^2*A*b*Sin[c + d*x] + 75*A*b^3*Sin[c + d*x] + 5*a^3*B*Sin[c + d*x] + 163*a*b^2*B*Sin[c + d*x]))/(315*b) + (2*b^2*B*Sec[c + d*x]^3*Tan[c + d*x])/9))/(d*(b + a*Cos[c + d*x])^2) + (2*(-(a^3*A)/(7*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (29*a*A*b^2)/(21*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (2*a^4*B)/(63*b*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (31*a^2*b*B)/(35*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c

$$\begin{aligned}
& + d*x]]) - (7*b^3*B)/(15*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (a^4*A*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]]) - (2*a^2*A*b*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) + (5*A*b^3*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (124*a^3*B*Sqrt[Sec[c + d*x]])/(315*Sqrt[b + a*Cos[c + d*x]]) + (2*a^5*B*Sqrt[Sec[c + d*x]])/(63*b^2*Sqrt[b + a*Cos[c + d*x]]) + (38*a*b^2*B*Sqrt[Sec[c + d*x]])/(105*Sqrt[b + a*Cos[c + d*x]]) - (a^4*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]]) - (29*a^2*A*b*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (31*a^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(35*Sqrt[b + a*Cos[c + d*x]]) + (2*a^5*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(63*b^2*Sqrt[b + a*Cos[c + d*x]]) - (7*a*b^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(2*(a + b)*(-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-10*a^3*B + 15*a^2*b*(3*A + 11*B) + 6*a*b^2*(60*A + 19*B) + 3*b^3*(25*A + 49*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(315*b^2*d*(b + a*Cos[c + d*x])^3*Sqrt[Sec[(c + d*x)/2]^2]*Sec[c + d*x]^(5/2)*((a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-10*a^3*B + 15*a^2*b*(3*A + 11*B) + 6*a*b^2*(60*A + 19*B) + 3*b^3*(25*A + 49*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(315*b^2*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2]) - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-10*a^3*B + 15*a^2*b*(3*A + 11*B) + 6*a*b^2*(60*A + 19*B) + 3*b^3*(25*A + 49*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(315*b^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]) + (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(((-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^4)/2 + ((a + b)*(-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan
\end{aligned}$$

$$\begin{aligned}
& [(c + d*x)/2]], (a - b)/(a + b)*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + \\
& d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + \\
& d*x])] + (b*(a + b)*(-10*a^3*B + 15*a^2*b*(3*A + 11*B) + 6*a*b^2*(60*A + 19 \\
& *B) + 3*b^3*(25*A + 49*B))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + \\
& d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)*((\text{Cos}[c + d*x] \\
& *\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqr} \\
& t[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-45*a^3*A*b - 435*a*A*b^3 + \\
& 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] \\
& *\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)*(-((a*\text{Sin}[c + d*x])/ \\
& (a + b)*(1 + \text{Cos}[c + d*x])) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b) \\
& *(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d* \\
& x]))] + (b*(a + b)*(-10*a^3*B + 15*a^2*b*(3*A + 11*B) + 6*a*b^2*(60*A + 19* \\
& B) + 3*b^3*(25*A + 49*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[A \\
& rcSin[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \\
& \text{Cos}[c + d*x])) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(- \\
& 45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*\text{Cos}[c + d* \\
& x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-45*a^3*A*b - 435*a* \\
& A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + \\
& d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-45*a^3*A*b - 435*a*A*b^3 + 10* \\
& a^4*B - 279*a^2*b^2*B - 147*b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c \\
& + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(-10*a^3*B + 15*a^2*b*(3*A + 1 \\
& 1*B) + 6*a*b^2*(60*A + 19*B) + 3*b^3*(25*A + 49*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \\
& \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec} \\
& [(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d* \\
& x)/2]^2)/(a + b)]) + ((a + b)*(-45*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a \\
& ^2*b^2*B - 147*b^4*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos} \\
& [c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - \\
& b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2)]/(315*b^2*\text{Sq} \\
& rt[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((2*(a + b)*(-45*a^3*A*b \\
& - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 \\
& + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{E} \\
& llipticE[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-10*a^3* \\
& B + 15*a^2*b*(3*A + 11*B) + 6*a*b^2*(60*A + 19*B) + 3*b^3*(25*A + 49*B))*\text{Sq} \\
& rt[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \\
& \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-4 \\
& 5*a^3*A*b - 435*a*A*b^3 + 10*a^4*B - 279*a^2*b^2*B - 147*b^4*B)*\text{Cos}[c + d*x] \\
& *(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x] \\
&)/2)*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c \\
& + d*x))/((315*b^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[C \\
& os[(c + d*x)/2]^2*\text{Sec}[c + d*x]]))
\end{aligned}$$

Maple [B] time = 1.639, size = 4395, normalized size = 9.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^2*(a+b*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)), x)$

[Out]
$$-2/315/d/b^2*(\cos(dx+c)+1)^2*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))^{1/2}*(-35*B*b^5+45*A*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*b^2-10*B*\cos(dx+c)^6*a^5-435*A*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b^3-435*A*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^4-10*B*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^4*b+155*B*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*b^2+279*B*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b^3+10*B*\cos(dx+c)^5*a^5+147*B*\cos(dx+c)^5*b^5-98*B*\cos(dx+c)^4*b^5-14*B*\cos(dx+c)^2*b^5+75*A*\cos(dx+c)^5*b^5-30*A*\cos(dx+c)^3*b^5-45*A*\cos(dx+c)*b^5+10*B*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^5-147*B*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^5+75*A*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^5+147*B*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^5+10*B*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^5-147*B*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^5+75*A*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^5+147*B*\cos(dx+c)^5*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^5$$

$$\begin{aligned}
&)/(a+b))^{(1/2)} * b^5 - 130 * B * \cos(d*x+c) * a * b^4 + 435 * A * \cos(d*x+c)^6 * a^2 * b^3 + 75 * A * \\
&\cos(d*x+c)^6 * a * b^4 + 5 * B * \cos(d*x+c)^6 * a^4 * b + 279 * B * \cos(d*x+c)^6 * a^3 * b^2 + 163 * B * \\
&\cos(d*x+c)^6 * a^2 * b^3 + 147 * B * \cos(d*x+c)^6 * a * b^4 - 45 * A * \cos(d*x+c)^5 * a^4 * b + 45 * A * \\
&\cos(d*x+c)^5 * a^3 * b^2 - 165 * A * \cos(d*x+c)^5 * a^2 * b^3 + 435 * A * \cos(d*x+c)^5 * a * b^4 - 10 \\
&* B * \cos(d*x+c)^5 * a^4 * b - 199 * B * \cos(d*x+c)^5 * a^3 * b^2 + 279 * B * \cos(d*x+c)^5 * a^2 * b^3 \\
&+ 65 * B * \cos(d*x+c)^5 * a * b^4 - 180 * A * \cos(d*x+c)^4 * a^3 * b^2 - 330 * A * \cos(d*x+c)^4 * a * b^4 \\
&+ 5 * B * \cos(d*x+c)^4 * a^4 * b - 272 * B * \cos(d*x+c)^4 * a^2 * b^3 - 270 * A * \cos(d*x+c)^3 * a^2 * \\
&b^3 - 80 * B * \cos(d*x+c)^3 * a^3 * b^2 - 82 * B * \cos(d*x+c)^3 * a * b^4 - 180 * A * \cos(d*x+c)^2 * a * \\
&b^4 - 170 * B * \cos(d*x+c)^2 * a^2 * b^3 + 45 * A * \cos(d*x+c)^6 * a^4 * b + 135 * A * \cos(d*x+c)^6 * a \\
&{}^3 * b^2 + 261 * B * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (\\
&a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d \\
&*x+c), ((a-b) / (a+b))^{(1/2)}) * a * b^4 + 10 * B * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\\
&\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{Elliptic} \\
&\text{E}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^4 * b - 279 * B * \cos(d*x+c)^ \\
&5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (c \\
&\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2) \\
&)) * a^3 * b^2 - 279 * B * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * \\
&(1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) / s \\
&\sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^2 * b^3 - 147 * B * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d \\
&*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} \\
&* \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a * b^4 + 45 * A * \cos(d \\
&*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+ \\
&c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b) \\
&))^{(1/2)}) * a^3 * b^2 + 405 * A * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(\\
&1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticF}((-1 + \cos(d*x \\
&+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^2 * b^3 + 435 * A * \cos(d*x+c)^4 * \sin(d*x+c) * \\
&(\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1)) \\
&^{(1/2)} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a * b^4 - 45 * A \\
&* \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * co \\
&s(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) \\
&/ (a+b))^{(1/2)}) * a^4 * b - 45 * A * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1 \\
&))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticE}((-1 + \cos(\\
&d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^3 * b^2 - 435 * A * \cos(d*x+c)^4 * \sin(d*x+ \\
&c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + \\
&1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^2 * b^3 \\
&- 435 * A * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (\\
&b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), \\
&((a-b) / (a+b))^{(1/2)}) * a * b^4 - 10 * B * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d* \\
&x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticF}((- \\
&1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^4 * b + 155 * B * \cos(d*x+c)^4 * \sin(\\
&d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x \\
&+c) + 1))^{(1/2)} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{(1/2)}) * a^3 \\
&* b^2 + 279 * B * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{(1/2)} * (1 / (a+ \\
&b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) + 1))^{(1/2)} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x \\
&+c), ((a-b) / (a+b))^{(1/2)}) * a^2 * b^3 + 261 * B * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) /
\end{aligned}$$

$$\begin{aligned}
& (\cos(dx+c)+1)^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a*b^4 + 10*B*\cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^4*b - 279*B*\cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3*b^2 - 279*B*\cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2*b^3 - 147*B*\cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a*b^4 + 405*A*\cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2*b^3 + 435*A*\cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a*b^4 - 45*A*\cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^4*b - 45*A*\cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3*b^2 / (b+a*\cos(dx+c)) / \cos(dx+c)^4 / \sin(dx+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb^2 sec(dx+c)^5 + Aa^2 sec(dx+c)^2 + (2Bab + Ab^2) sec(dx+c)^4 + (Ba^2 + 2Aab) sec(dx+c)^3) sqrt(b sec(dx+c)))

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*sec(d*x + c)^5 + A*a^2*sec(d*x + c)^2 + (2*B*a*b + A*b^2)*s
ec(d*x + c)^4 + (B*a^2 + 2*A*a*b)*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a),
x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^2, x
)
```


$$3.365 \quad \int \sec(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=384

$$\frac{2(a-b)\sqrt{a+b}(15a^2(7A-B) - 8ab(7A-15B) + b^2(63A-25B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\frac{\dots}{105bd}\right)}{105bd}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(105*b^2*d) + (2*(a - b)*Sqrt[a + b]*(b^2*(63*A - 25*B) - 8*a*b*(7*A - 15*B) + 15*a^2*(7*A - B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(105*b*d) + (2*(56*a*A*b + 15*a^2*B + 25*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*A*b + 5*a*B)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*B*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)
```

Rubi [A] time = 0.806795, antiderivative size = 384, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4002, 4005, 3832, 4004}

$$\frac{2(15a^2B + 56aAb + 25b^2B) \tan(c + dx) \sqrt{a + b \sec(c + dx)}}{105d} + \frac{2(a-b)\sqrt{a+b}(15a^2(7A-B) - 8ab(7A-15B) + b^2(63A-25B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\frac{\dots}{105bd}\right)}{105bd}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(105*b^2*d) + (2*(a - b)*Sqrt[a + b]*(b^2*(63*A - 25*B) - 8*a*b*(7*A - 15*B) + 15*a^2*(7*A - B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(105*b*d) + (2*(56*a*A*b + 15*a^2*B + 25*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(105*d) + (2*(7*A*b + 5*a*B)*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(35*d) + (2*B*(a + b*Sec[c + d*x])^(5/2)*Tan[c + d*x])/(7*d)
```

$b \sec[c + dx]^{5/2} \tan[c + dx] / (7d)$

Rule 4002

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] \rightarrow -\text{Simp}[(B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[\text{Csc}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*\text{Simp}[b*B*m + a*A*(m + 1) + (a*B*m + A*b*(m + 1))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, A, B, e, f\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0]$

Rule 4005

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$

Rule 3832

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b))]/(b*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned}
\int \sec(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{2B(a + b \sec(c + dx))^{5/2} \tan(c + dx)}{7d} + \frac{2}{7} \int \sec(c + dx)(a + b \sec(c + dx))^{5/2} dx \\
&= \frac{2(7Ab + 5aB)(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{35d} + \frac{2B(a + b \sec(c + dx))^{5/2}}{7d} \\
&= \frac{2(56aAb + 15a^2B + 25b^2B) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105d} \\
&= \frac{2(56aAb + 15a^2B + 25b^2B) \sqrt{a + b \sec(c + dx)} \tan(c + dx)}{105d} \\
&= \frac{2(a - b) \sqrt{a + b} (161a^2Ab + 63Ab^3 + 15a^3B + 145ab^2B)}{105d}
\end{aligned}$$

Mathematica [B] time = 23.2795, size = 2957, normalized size = 7.7

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x])*((2*(161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Sin[c + d*x])/(105*b) + (2*Sec[c + d*x]^2*(7*A*b^2*Sin[c + d*x] + 15*a*b*B*Sin[c + d*x]))/35 + (2*Sec[c + d*x]*(77*a*A*b*Sin[c + d*x] + 45*a^2*B*Sin[c + d*x] + 25*b^2*B*Sin[c + d*x]))/105 + (2*b^2*B*Sec[c + d*x]^2*Tan[c + d*x])/7))/(d*(b + a*Cos[c + d*x])^2*(B + A*Cos[c + d*x])) + (2*((-23*a^2*A*b)/(15*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (3*A*b^3)/(5*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (a^3*B)/(7*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (29*a*b^2*B)/(21*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^3*A*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) + (8*a*A*b^2*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) - (a^4*B*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]]) - (2*a^2*b*B*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) + (5*b^3*B*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]]) - (23*a^3*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*Sqrt[b + a*Cos[c + d*x]]) - (3*a*A*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*Sqrt[b + a*Cos[c + d*x]]) - (a^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(7*b*Sqrt[b + a*Cos[c + d*x]]) - (29*a^2*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(21*Sqrt[b + a*Cos[c + d*x]])))*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x])*((-2*(Cos[c + d*x]/(1 + Cos[c + d*x]))^(3/2))*((161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/

$$\begin{aligned}
& (a + b)] - b*(15*a^2*(7*A + B) + 8*a*b*(7*A + 15*B) + b^2*(63*A + 25*B))*El \\
& lipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[c + d*x])/Sqrt[(b + \\
& a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] + (161*a^2*A*b + 63*A*b^3 + \\
& 15*a^3*B + 145*a*b^2*B)*Tan[(c + d*x)/2]*(-1 + Tan[(c + d*x)/2]^2))/(105*b \\
& *d*(b + a*cos[c + d*x])^2*(B + A*cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Sec \\
& [c + d*x]^(7/2)*(-a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*((- \\
& 2*(Cos[c + d*x]/(1 + Cos[c + d*x]))^(3/2)*((161*a^2*A*b + 63*A*b^3 + 15*a^3 \\
& *B + 145*a*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - b* \\
& (15*a^2*(7*A + B) + 8*a*b*(7*A + 15*B) + b^2*(63*A + 25*B))*EllipticF[ArcSi \\
& n[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[c + d*x])/Sqrt[(b + a*cos[c + d* \\
& x])/((a + b)*(1 + Cos[c + d*x]))] + (161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 14 \\
& 5*a*b^2*B)*Tan[(c + d*x)/2]*(-1 + Tan[(c + d*x)/2]^2))/(105*b*Sqrt[b + a*C \\
& os[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2) - (Sqrt[b + a*cos[c + d*x]]*Sqrt[Cos \\
& [(c + d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*((-2*(Cos[c + d*x]/(1 + Cos[\\
& c + d*x]))^(3/2)*((161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Ellipti \\
& cE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - b*(15*a^2*(7*A + B) + 8*a*b \\
& *(7*A + 15*B) + b^2*(63*A + 25*B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - \\
& b)/(a + b)]*Sec[c + d*x])/Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + \\
& d*x]))] + (161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Tan[(c + d*x)/ \\
& 2]*(-1 + Tan[(c + d*x)/2]^2))/(105*b*Sqrt[Sec[(c + d*x)/2]^2] + (Sqrt[b + \\
& a*cos[c + d*x]]*(-2*(Cos[c + d*x]/(1 + Cos[c + d*x]))^(3/2)*((161*a^2*A*b \\
& + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (\\
& a - b)/(a + b)] - b*(15*a^2*(7*A + B) + 8*a*b*(7*A + 15*B) + b^2*(63*A + 25 \\
& *B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[c + d*x])/Sq \\
& rt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] + (161*a^2*A*b + 63*A \\
& *b^3 + 15*a^3*B + 145*a*b^2*B)*Tan[(c + d*x)/2]*(-1 + Tan[(c + d*x)/2]^2))* \\
& (-Cos[(c + d*x)/2]*Sec[c + d*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec \\
& [c + d*x]*Tan[c + d*x))/(105*b*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x) \\
& /2]^2*Sec[c + d*x]]) + (2*Sqrt[b + a*cos[c + d*x]]*Sqrt[Cos[(c + d*x)/2]^2* \\
& Sec[c + d*x]]*(-3*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*((161*a^2*A*b + 63 \\
& *A*b^3 + 15*a^3*B + 145*a*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b \\
&)/(a + b)] - b*(15*a^2*(7*A + B) + 8*a*b*(7*A + 15*B) + b^2*(63*A + 25*B))* \\
& EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[c + d*x]*((Cos[c \\
& + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x]) \\
&))/Sqrt[(b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] + ((Cos[c + d*x] \\
& /((1 + Cos[c + d*x]))^(3/2)*((161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2* \\
& B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - b*(15*a^2*(7*A + \\
& B) + 8*a*b*(7*A + 15*B) + b^2*(63*A + 25*B))*EllipticF[ArcSin[Tan[(c + d*x) \\
& /2]], (a - b)/(a + b)]*Sec[c + d*x]*(-((a*sin[c + d*x])/((a + b)*(1 + Cos[\\
& c + d*x]))) + ((b + a*cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x] \\
&])^2)))/((b + a*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))^(3/2) + (161*a^ \\
& 2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Sec[(c + d*x)/2]^2*Tan[(c + d*x) \\
& /2]^2 + ((161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Sec[(c + d*x)/2] \\
& ^2*(-1 + Tan[(c + d*x)/2]^2))/2 - (2*(Cos[c + d*x]/(1 + Cos[c + d*x]))^(3/2 \\
&)*Sec[c + d*x]*(-b*(15*a^2*(7*A + B) + 8*a*b*(7*A + 15*B) + b^2*(63*A + 25
\end{aligned}$$

```
*B))*Sec[(c + d*x)/2]^2)/(2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[1 - ((a - b)*
Tan[(c + d*x)/2]^2)/(a + b)]) + ((161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a
*b^2*B)*Sec[(c + d*x)/2]^2*Sqrt[1 - ((a - b)*Tan[(c + d*x)/2]^2)/(a + b)]/
(2*Sqrt[1 - Tan[(c + d*x)/2]^2]))/Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 +
Cos[c + d*x]))] - (2*(Cos[c + d*x]/(1 + Cos[c + d*x]))^(3/2)*((161*a^2*A*b
+ 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a
- b)/(a + b)] - b*(15*a^2*(7*A + B) + 8*a*b*(7*A + 15*B) + b^2*(63*A + 25*
B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[c + d*x]*Tan[
c + d*x])/Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]))/(105*b*
Sqrt[Sec[(c + d*x)/2]^2]))
```

Maple [B] time = 1.082, size = 3637, normalized size = 9.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)`

[Out] `2/105/d/b*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^2*(15*B*b^4-15*B*cos(d*x+c)^5*a^4-135*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2-105*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b-105*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b-145*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3+161*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b+161*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2+63*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3-161*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2-119*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^3+15*B*sin(d*x+c)*cos(d*x`

$$\begin{aligned} & +c)^4(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b \\ & +145*B*\sin(d*x+c)*\cos(d*x+c)^4(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c) \\ & ,((a-b)/(a+b))^{(1/2)})*a^2*b^2+145*B*\sin(d*x+c)*\cos(d*x+c)^4(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\ & E((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^3-15*B*\sin(d*x+c)*\cos \\ & (d*x+c)^4(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\ & (d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})* \\ & a^3*b-145*B*\sin(d*x+c)*\cos(d*x+c)^4(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a \\ & +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d* \\ & x+c),((a-b)/(a+b))^{(1/2)})*a*b^3+161*A*\sin(d*x+c)*\cos(d*x+c)^3(\cos(d*x+c)/(\cos \\ & (d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\ & E((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b+161*A*\sin(d*x+c)* \\ & \cos(d*x+c)^3(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\ & (d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2) \\ &))*a^2*b^2+63*A*\sin(d*x+c)*\cos(d*x+c)^3(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(\\ & 1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin \\ & (d*x+c),((a-b)/(a+b))^{(1/2)})*a*b^3-161*A*\sin(d*x+c)*\cos(d*x+c)^3(\cos(d*x+c) \\ & /(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF \\ & (-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2-119*A*\sin(d \\ & *x+c)*\cos(d*x+c)^3(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+ \\ & c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b) \\ &)^{(1/2)})*a*b^3+15*B*\sin(d*x+c)*\cos(d*x+c)^3(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2) \\ & }*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c) \\ &)/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b+145*B*\sin(d*x+c)*\cos(d*x+c)^3(\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2) \\ & }*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2+145*B*s \\ & \sin(d*x+c)*\cos(d*x+c)^3(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(\\ & d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(\\ & a+b))^{(1/2)})*a*b^3-35*A*\cos(d*x+c)^4*a*b^3-15*B*\cos(d*x+c)^4*a^3*b+55*B*\cos \\ & (d*x+c)^4*a^2*b^2-145*B*\cos(d*x+c)^4*a*b^3+238*A*\cos(d*x+c)^3*a^2*b^2+60*B* \\ & \cos(d*x+c)^3*a^3*b+110*B*\cos(d*x+c)^3*a*b^3+98*A*\cos(d*x+c)^2*a*b^3+90*B*\cos \\ & (d*x+c)^2*a^2*b^2+60*B*\cos(d*x+c)*a*b^3-161*A*\cos(d*x+c)^5*a^3*b-77*A*\cos(\\ & d*x+c)^5*a^2*b^2-63*A*\cos(d*x+c)^5*a*b^3-45*B*\cos(d*x+c)^5*a^3*b-145*B*\cos(\\ & d*x+c)^5*a^2*b^2-25*B*\cos(d*x+c)^5*a*b^3+161*A*\cos(d*x+c)^4*a^3*b-161*A*\cos \\ & (d*x+c)^4*a^2*b^2-15*B*\sin(d*x+c)*\cos(d*x+c)^3(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c) \\ &)/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^3*b-135*B*\sin(d*x+c)*\cos(d*x+c)^3(\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ & *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*b^2+63*A \\ & *\sin(d*x+c)*\cos(d*x+c)^4(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos \\ & (d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b) \\ & /(\cos(d*x+c)+1))^{(1/2)})*b^4-63*A*\sin(d*x+c)*\cos(d*x+c)^4(\cos(d*x+c)/(\cos(d*x+c)+1)) \\ & ^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d* \end{aligned}$$

$$\begin{aligned} & x+c)) / \sin(d*x+c), ((a-b)/(a+b))^{(1/2)} * b^4 + 15*B*\sin(d*x+c)*\cos(d*x+c)^4 * (\cos \\ & (d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ & * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4 - 25*B*\sin(d \\ & *x+c)*\cos(d*x+c)^4 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a*\cos(d*x+ \\ & c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b) \\ &)^{(1/2)}) * b^4 + 63*A*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} \\ & * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/ \\ & \sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 63*A*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c) \\ &)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{Ell} \\ & \text{ipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 + 15*B*\sin(d*x+c)* \\ & \cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b)) * (b+a*\cos(d*x+c))/(\cos \\ & (d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)} \\ &) * a^4 - 25*B*\sin(d*x+c)*\cos(d*x+c)^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a \\ & +b)) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d* \\ & x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 63*A*\cos(d*x+c)^4 * b^4 - 25*B*\cos(d*x+c)^4 * b^4 + 1 \\ & 0*B*\cos(d*x+c)^2 * b^4 + 15*B*\cos(d*x+c)^4 * a^4 + 42*A*\cos(d*x+c)^3 * b^4 + 21*A*\cos(d \\ & *x+c) * b^4 / (b+a*\cos(d*x+c)) / \cos(d*x+c)^3 / \sin(d*x+c)^5 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb^2 sec(dx + c)^4 + Aa^2 sec(dx + c) + (2 Bab + Ab^2) sec(dx + c)^3 + (Ba^2 + 2 Aab) sec(dx + c)^2) sqrt(b sec(dx + c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^2*sec(d*x + c)^4 + A*a^2*sec(d*x + c) + (2*B*a*b + A*b^2)*sec(d*x + c)^3 + (B*a^2 + 2*A*a*b)*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a), x)

)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c), x)

3.366 $\int (a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=442

$$\frac{2\sqrt{a+b}(a^2b(45A-23B)+15a^3B-ab^2(35A-17B)+b^3(5A-9B))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}[\text{ArcSin}[\sqrt{\frac{a+b\sec(c+dx)}{a+b}}],\frac{(a+b)}{(a-b)}\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}]}{15bd}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(35*a*A*b + 23*a^2*B + 9*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b*d) + (2*Sqrt[a + b]*(a^2*b*(45*A - 23*B) - a*b^2*(35*A - 17*B) + b^3*(5*A - 9*B) + 15*a^3*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b*d) - (2*a^2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (2*b*(5*A*b + 8*a*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/d + (2*b*B*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)
```

Rubi [A] time = 0.655875, antiderivative size = 442, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$, Rules used = {3918, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{2\sqrt{a+b}(a^2b(45A-23B)+15a^3B-ab^2(35A-17B)+b^3(5A-9B))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left[\frac{b(1-\sec(c+dx))}{a+b}\right],\frac{(a+b)}{(a-b)}\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\right)}{15bd}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(35*a*A*b + 23*a^2*B + 9*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b*d) + (2*Sqrt[a + b]*(a^2*b*(45*A - 23*B) - a*b^2*(35*A - 17*B) + b^3*(5*A - 9*B) + 15*a^3*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(15*b*d) - (2*a^2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/d + (2*b*(5*A*b + 8*a*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/d + (2*b*B*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)
```

$*x]/(15*d) + (2*b*B*(a + b*Sec[c + d*x])^(3/2)*Tan[c + d*x])/(5*d)$

Rule 3918

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_)), x_Symbol] \rightarrow -\text{Simp}[(b*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)})/(f*m), x] + \text{Dist}[1/m, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-2)}*\text{Simp}[a^2*c*m + (b^2*d*(m-1) + 2*a*b*c*m + a^2*d*m)*\text{Csc}[e + f*x] + b*(b*c*m + a*d*(2*m-1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m]$

Rule 4056

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^{(m_)}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[1/(m+1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*\text{Simp}[a*A*(m+1) + ((A*b + a*B)*(m+1) + b*C*m)*\text{Csc}[e + f*x] + (b*B*(m+1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[2*m, 0]$

Rule 4058

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x])]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

$\text{Int}[1/\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[c + d*x]))/(a - b))]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx &= \frac{2bB(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \sec(c + dx)} \left(\frac{5a^2A}{2} \right. \\
 &= \frac{2b(5Ab + 8aB)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2bB(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
 &= \frac{2b(5Ab + 8aB)\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{15d} + \frac{2bB(a + b \sec(c + dx))^{3/2} \tan(c + dx)}{5d} \\
 &= -\frac{2(a - b)\sqrt{a + b} (35aAb + 23a^2B + 9b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a}}\right)\right)}{15bd} \\
 &= -\frac{2(a - b)\sqrt{a + b} (35aAb + 23a^2B + 9b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a}}\right)\right)}{15bd}
 \end{aligned}$$

Mathematica [B] time = 25.207, size = 7168, normalized size = 16.22

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] Result too large to show
```

Maple [B] time = 0.749, size = 3285, normalized size = 7.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c)),x)$

[Out] $\frac{2}{15} \frac{1}{d} (\cos(dx+c)+1)^2 \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)} \right)^{1/2} (-1+\cos(dx+c))^{2/2} (-45A\sin(dx+c)\cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b - 5A\cos(dx+c)^3 b^3 - 35A\sin(dx+c)\cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2 - 45A\sin(dx+c)\cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b + 35A\sin(dx+c)\cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b + 35A\sin(dx+c)\cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2 - 23B\sin(dx+c)\cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b - 17B\sin(dx+c)\cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2 + 23B\sin(dx+c)\cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b + 9B\sin(dx+c)\cos(dx+c)^3 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b - 35A\sin(dx+c)\cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b + 35A\sin(dx+c)\cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b + 35A\sin(dx+c)\cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b - 17B\sin(dx+c)\cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2 + 23B\sin(dx+c)\cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2 - 23B\sin(dx+c)\cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2 + 23B\sin(dx+c)\cos(dx+c)^2 \left(\frac{\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \frac{1}{(a+b)} \left(\frac{b+a\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{1/2}\right) a^2 b^2$

$$\begin{aligned}
& a \cos(dx+c) / (\cos(dx+c)+1)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b + 9 B \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 b^2 + 3 B b^3 + 5 A \cos(dx+c) b^3 - 23 B \cos(dx+c)^4 a^3 + 23 B \cos(dx+c)^3 a^3 - 9 B \cos(dx+c)^3 b^3 + 6 B \cos(dx+c)^2 b^3 + 15 A \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 - 30 A \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^3 - 15 B \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 + 15 A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 - 30 A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^3 - 15 B \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 - 5 A \cos(dx+c)^4 a^2 b - 11 B \cos(dx+c)^4 a^2 b - 9 B \cos(dx+c)^4 a^2 b^2 + 35 A \cos(dx+c)^3 a^2 b - 35 A \cos(dx+c)^3 a^2 b^2 - 23 B \cos(dx+c)^3 a^2 b - 5 B \cos(dx+c)^3 a^2 b^2 + 40 A \cos(dx+c)^2 a^2 b^2 + 34 B \cos(dx+c)^2 a^2 b + 14 B \cos(dx+c) a^2 b - 35 A \cos(dx+c)^4 a^2 b - 5 A \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 - 9 B \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 23 B \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 + 9 B \sin(dx+c) \cos(dx+c)^3 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 - 5 A \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 - 9 B \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 23 B \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 + 9 B \sin(dx+c) \cos(dx+c)^2 (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 / (b+a \cos(dx+c)) / \cos(dx+c)^2 / \sin(dx+c)^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \sec(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \sec(dx + c)^2 + (Ba^2 + 2 Aab) \sec(dx + c)\right) \sqrt{b \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.367 \quad \int \cos(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=433

$$\frac{\sqrt{a+b}(3a^2(A+6B) + 2ab(9A-7B) - 2b^2(3A-B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(3*a^2*A - 6*A*b^2 - 14*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (Sqrt[a + b]*(2*a*b*(9*A - 7*B) - 2*b^2*(3*A - B) + 3*a^2*(A + 6*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*d) - (a*Sqrt[a + b]*(5*A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d + (a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/d - (b*(3*a*A - 2*b*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/d)/(3*d)
```

Rubi [A] time = 0.703233, antiderivative size = 433, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4025, 4056, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(3a^2(A+6B) + 2ab(9A-7B) - 2b^2(3A-B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(3*a^2*A - 6*A*b^2 - 14*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b*d) + (Sqrt[a + b]*(2*a*b*(9*A - 7*B) - 2*b^2*(3*A - B) + 3*a^2*(A + 6*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*d) - (a*Sqrt[a + b]*(5*A*b + 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/d
```


$$+ (a*A*(a + b*\text{Sec}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/d - (b*(3*a*A - 2*b*B)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(3*d)$$
Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4056

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*Simp[a*A*(m + 1) + ((A*b + a*B)*(m + 1) + b*C*m)*Csc[e + f*x] + (b*B*(m + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && IGtQ[2*m, 0]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
```

NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \int \sqrt{a + b \sec(c + dx)} dx \\
 &= \frac{aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{b(3aA - 2bB)\sqrt{a + b \sec(c + dx)}}{d} \\
 &= \frac{aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{d} - \frac{b(3aA - 2bB)\sqrt{a + b \sec(c + dx)}}{d} \\
 &= \frac{(a - b)\sqrt{a + b} (3a^2A - 6Ab^2 - 14abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3bd} \\
 &= \frac{(a - b)\sqrt{a + b} (3a^2A - 6Ab^2 - 14abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3bd}
 \end{aligned}$$

Mathematica [B] time = 19.2888, size = 1146, normalized size = 2.65

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] $((a + b\sec[c + dx])^{5/2} \sqrt{(1 - \tan[(c + dx)/2]^2)^{-1}} (3a^3A \tan[(c + dx)/2] + 3a^2Ab \tan[(c + dx)/2] - 6aAb^2 \tan[(c + dx)/2] - 6Ab^3 \tan[(c + dx)/2] - 14a^2bB \tan[(c + dx)/2] - 14ab^2B \tan[(c + dx)/2] - 6a^3A \tan[(c + dx)/2]^3 + 12aAb^2 \tan[(c + dx)/2]^3 + 28a^2bB \tan[(c + dx)/2]^3 + 3a^3A \tan[(c + dx)/2]^5 - 3a^2Ab \tan[(c + dx)/2]^5 - 6aAb^2 \tan[(c + dx)/2]^5 + 6Ab^3 \tan[(c + dx)/2]^5 - 14a^2bB \tan[(c + dx)/2]^5 + 14ab^2B \tan[(c + dx)/2]^5 - 30a^2Ab \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 12a^3B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 30a^2Ab \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 12a^3B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + (a + b)(3a^2A - 6Ab^2 - 14abB) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 2(9a^2b(A - B) + 3a^3B - b^3(3A + B) - ab^2(9A + 7B)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)})) / (3d(b + a \cos[c + dx])^{5/2} \sec[c + dx]^{5/2} (1 + \tan[(c + dx)/2]^2)^{3/2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(1 + \tan[(c + dx)/2]^2)} + (\cos[c + dx]^2(a + b \sec[c + dx])^{5/2} ((2b(3Ab + 7aB) \sin[c + dx])/3 + (2b^2B \tan[c + dx])/3)) / (d(b + a \cos[c + dx])^2)$

Maple [B] time = 0.639, size = 3215, normalized size = 7.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)

[Out] $-1/3/d(\cos(dx+c)+1)^2((b+a\cos(dx+c))/\cos(dx+c))^{1/2}(-1+\cos(dx+c))^{1/2}(30A\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}(1/(a+b)(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}\operatorname{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c),-1,((a-b)/(a+b))^{1/2})a^2b+12B\sin(dx+c)\cos(dx+c)^2(\cos(dx+c)/$

$$\begin{aligned}
& \cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\
& icPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{(1/2)})*a^3+6*A*\sin(d*x+c)* \\
& \cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\
& *b^3+2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{(1/2)})*b^3+3*A*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c \\
&), ((a-b)/(a+b))^{(1/2)})*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a* \\
& \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-6*A*\cos(d*x+c)*EllipticE((-1+c \\
& \cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(\\
& (1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-6*B*\cos(d* \\
& x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c)) \\
& /(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(\\
& 1/2)})*a^3+12*B*\cos(d*x+c)*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(\\
& a+b))^{(1/2)})*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+3*A*\cos(d*x+c)^4*a^3-18*A*\sin(d*x+c)*\cos \\
& (d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(\\
& d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})* \\
& a^2*b+18*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+ \\
& b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x \\
& +c), ((a-b)/(a+b))^{(1/2)})*a*b^2+3*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^2*b-6*A*\sin(d*x+c)*\cos(d \\
& *x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a \\
& b^2+18*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c \\
&), ((a-b)/(a+b))^{(1/2)})*a^2*b+14*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(\\
& d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF(\\
& (-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2-14*B*\sin(d*x+c)*\cos(d \\
& *x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^ \\
& 2*b-14*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c \\
&), ((a-b)/(a+b))^{(1/2)})*a*b^2+3*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d \\
& *x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((\\
& -1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a^3-6*A*\sin(d*x+c)*\cos(d*x+c \\
&)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^3-3* \\
& A*\cos(d*x+c)^3*a^3+6*A*\cos(d*x+c)^2*b^3-2*B*b^3+14*B*\sin(d*x+c)*\cos(d*x+c)* \\
& (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)) \\
& ^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b^2-6*A* \\
& \cos(d*x+c)*b^3+2*B*\cos(d*x+c)^2*b^3-3*A*\cos(d*x+c)^2*a^2*b+14*B*\cos(d*x+c)^ \\
& 2*a*b^2-6*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*
\end{aligned}$$

$x+c), ((a-b)/(a+b))^{1/2} * a^3 + 18 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b + 3 * A * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * b - 6 * A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 - 18 * A * \cos(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * b + 18 * A * \cos(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * a + 30 * A * \cos(dx+c) * \text{EllipticPi}((-1+\cos(dx+c)) / \sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * b - 14 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b - 14 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 + 3 * A * \cos(dx+c)^3 * a^2 * b + 6 * A * \cos(dx+c)^3 * a * b^2 + 14 * B * \cos(dx+c)^3 * a^2 * b + 2 * B * \cos(dx+c)^3 * a * b^2 - 6 * A * \cos(dx+c)^2 * a * b^2 - 14 * B * \cos(dx+c)^2 * a^2 * b - 16 * B * \cos(dx+c) * a * b^2 + 6 * A * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 + 2 * B * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 / \sin(dx+c)^5 / (b+a * \cos(dx+c)) / \cos(dx+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{5/2} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(5/2)*cos(dx+c), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb² cos(dx + c) sec(dx + c)³ + Aa² cos(dx + c) + (2 Bab + Ab²) cos(dx + c) sec(dx + c)² + (Ba² + 2 Aab) c

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b²*cos(d*x + c)*sec(d*x + c)³ + A*a²*cos(d*x + c) + (2*B*a*b + A*b²)*cos(d*x + c)*sec(d*x + c)² + (B*a² + 2*A*a*b)*cos(d*x + c)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c), x)

$$3.368 \quad \int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=450

$$\frac{\sqrt{a+b}(2a^2(A+2B)+3ab(3A+8B)+8b^2(A-B))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a}}\right)\right)}{4d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(9*a*A*b + 4*a^2*B - 8*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(8*b^2*(A - B) + 2*a^2*(A + 2*B) + 3*a*b*(3*A + 8*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(4*a^2*A + 15*A*b^2 + 20*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) + (a*(7*A*b + 4*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*A*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 0.834781, antiderivative size = 450, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4025, 4094, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(2a^2(A+2B)+3ab(3A+8B)+8b^2(A-B))\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a+b}}\right)\right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(9*a*A*b + 4*a^2*B - 8*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*b*d) + (Sqrt[a + b]*(8*b^2*(A - B) + 2*a^2*(A + 2*B) + 3*a*b*(3*A + 8*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(4*a^2*A + 15*A*b^2 + 20*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*d) + (a*(7*A*b + 4*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*A*Cos[c + d*x]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)
```

$$\frac{a - b)}}{(4*d) + (a*(7*A*b + 4*a*B)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]) / (4*d) + (a*A*\text{Cos}[c + d*x]*(a + b*\text{Sec}[c + d*x])^{3/2}*\text{Sin}[c + d*x]) / (2*d)$$

Rule 4025

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-2)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*(a*B*n - A*b*(m-n-1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1+n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m+n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$$

Rule 4094

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x])) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3921

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)) / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x] / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3784

$$\text{Int}[1/\text{Sqrt}[\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[c + d*x]))/(a - b))] * \text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)] / (a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\&$$

NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d} - \frac{1}{2} \int \cos^2(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx \\
 &= \frac{a(7Ab + 4aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{aA \cos(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d} \\
 &= \frac{a(7Ab + 4aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{aA \cos(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d} \\
 &= \frac{(a - b)\sqrt{a + b}(9aAb + 4a^2B - 8b^2B) \cot(c + dx)E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{\sqrt{a + b}}))}{4bd} \\
 &= \frac{(a - b)\sqrt{a + b}(9aAb + 4a^2B - 8b^2B) \cot(c + dx)E(\sin^{-1}(\frac{\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{\sqrt{a + b}}))}{4bd}
 \end{aligned}$$

Mathematica [B] time = 19.3444, size = 1338, normalized size = 2.97

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] $(\cos[c + d*x]^2*(a + b*\sec[c + d*x])^{5/2}*(2*b^2*B*\sin[c + d*x] + (a^2*A*\sin[2*(c + d*x)]/4))/(d*(b + a*\cos[c + d*x])^2) + ((a + b*\sec[c + d*x])^{5/2}*\sqrt{(1 - \tan[(c + d*x)/2]^2)^{-1}}*(9*a^2*A*b*\tan[(c + d*x)/2] + 9*a*A*b^2*\tan[(c + d*x)/2] + 4*a^3*B*\tan[(c + d*x)/2] + 4*a^2*b*B*\tan[(c + d*x)/2] - 8*a*b^2*B*\tan[(c + d*x)/2] - 8*b^3*B*\tan[(c + d*x)/2] - 18*a^2*A*b*\tan[(c + d*x)/2]^3 - 8*a^3*B*\tan[(c + d*x)/2]^3 + 16*a*b^2*B*\tan[(c + d*x)/2]^3 + 9*a^2*A*b*\tan[(c + d*x)/2]^5 - 9*a*A*b^2*\tan[(c + d*x)/2]^5 + 4*a^3*B*\tan[(c + d*x)/2]^5 - 4*a^2*b*B*\tan[(c + d*x)/2]^5 - 8*a*b^2*B*\tan[(c + d*x)/2]^5 + 8*b^3*B*\tan[(c + d*x)/2]^5 - 8*a^3*A*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]]], (a - b)/(a + b)*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 30*a*A*b^2*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]]], (a - b)/(a + b)*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 40*a^2*b*B*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]]], (a - b)/(a + b)*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 8*a^3*A*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]]], (a - b)/(a + b)*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 30*a*A*b^2*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]]], (a - b)/(a + b)*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 40*a^2*b*B*\text{EllipticPi}[-1, -\text{ArcSin}[\tan[(c + d*x)/2]]], (a - b)/(a + b)*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} + (a + b)*(9*a*A*b + 4*a^2*B - 8*b^2*B)*\text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]]], (a - b)/(a + b)*\sqrt{1 - \tan[(c + d*x)/2]^2}*(1 + \tan[(c + d*x)/2]^2)*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)} - 2*(2*a^3*A - a^2*b*(A - 12*B) + 12*a*b^2*(A - B) - 4*b^3*(A + B))*\text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]]], (a - b)/(a + b)*\sqrt{1 - \tan[(c + d*x)/2]^2}*(1 + \tan[(c + d*x)/2]^2)*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(a + b)))/(4*d*(b + a*\cos[c + d*x])^{5/2}*\sec[c + d*x]^{5/2}*(1 + \tan[(c + d*x)/2]^2)^{3/2}*\sqrt{(a + b - a*\tan[(c + d*x)/2]^2 + b*\tan[(c + d*x)/2]^2)/(1 + \tan[(c + d*x)/2]^2))$

Maple [B] time = 0.648, size = 3271, normalized size = 7.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^2*(a+b*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c)),x)$

```

[Out] -1/4/d*(-1+cos(d*x+c))^2*(8*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3+8*B*sin(d*x+c)*cos(d*x+c)*(co
s(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^3-4*A*(cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2
)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*sin(d*x+c)+
4*B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*si
n(d*x+c)*b-8*B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^
2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*sin(d*x+c)*a-24*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b
))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b+9*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c),((a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+9*A*(cos(d*x+c)/(cos(d*x+c)+1
))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+2*A*EllipticF((-1+c
os(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b-24*A*Ell
ipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2*(cos(d*x+c)/(cos
(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c
)*a+30*A*cos(d*x+c)*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x
+c),-1,((a-b)/(a+b))^(1/2))*a+8*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+
b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x
+c),((a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)+2*A*cos(d*x+c)^4*a^3-4*B*a^3*cos(d*
x+c)^2+8*B*cos(d*x+c)*b^3-4*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3+8*A*cos(d*x+c)*sin(d*x+c)*(co
s(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^3+4*B*c
os(d*x+c)*a^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)
/(a+b))^(1/2))-8*B*cos(d*x+c)*b^3*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b
))*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c
))/sin(d*x+c),((a-b)/(a+b))^(1/2))+30*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(
1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/s
in(d*x+c),-1,((a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+40*B*a^2*(cos(d*x+c)/(co
s(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+
c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*b+40*B*cos
(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(
a+b))^(1/2))*a^2*b-2*A*cos(d*x+c)^2*a^3-8*B*b^3+24*B*sin(d*x+c)*cos(d*x+c)*
(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))

```

$$\begin{aligned} & \left(\frac{1}{2}\right) * \text{EllipticF}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * a^2 b^2 + 4 * B * \\ & \cos(dx+c)^3 a^3 - 9 * A * \cos(dx+c)^2 a^2 b + 8 * B * \cos(dx+c)^2 a b^2 - 2 * A * \cos(dx+c) * \\ & a^2 b - 9 * A * \cos(dx+c) * a b^2 - 4 * B * \cos(dx+c) * a^2 b + 8 * A * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \\ & \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \text{EllipticPi}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, -1, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * a^3 \sin(dx+c) + 8 * B * \\ & \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \\ & \text{EllipticF}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * b^3 \sin(dx+c) + 4 * B * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \\ & \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * a^3 \sin(dx+c) - 8 * B * \\ & \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * \\ & b^3 \sin(dx+c) - 24 * B * \cos(dx+c) * \sin(dx+c) * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \\ & \text{EllipticF}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * a^2 b + 9 * A * \cos(dx+c) * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * \\ & a^2 * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \sin(dx+c) * b + 9 * A * \cos(dx+c) * \\ & \sin(dx+c) * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * \\ & a * b^2 + 2 * A * \cos(dx+c) * \text{EllipticF}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * a^2 * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \\ & \sin(dx+c) * b - 24 * A * \cos(dx+c) * \text{EllipticF}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * b^2 * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * \\ & (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \sin(dx+c) * a + 4 * B * \cos(dx+c) * \sin(dx+c) * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \\ & \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * a^2 b - 8 * B * \cos(dx+c) * \sin(dx+c) * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \\ & \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * a * b^2 + 24 * B * \left(\frac{\cos(dx+c)}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \left(\frac{1}{a+b}\right) * (b+a \cos(dx+c)) / \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^{\frac{1}{2}} * \\ & \text{EllipticF}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b}\right)^{\frac{1}{2}}\right) * a * b^2 * \sin(dx+c) + 11 * A * \cos(dx+c)^3 a^2 b + 9 * A * \cos(dx+c)^2 a * b^2 + 4 * B * \cos(dx+c)^2 a^2 b - 8 * B * \cos(dx+c) * a * b^2 * \left(\frac{\cos(dx+c)+1}{\cos(dx+c)+1}\right)^2 * \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)}\right) / \cos(dx+c) \right)^{\frac{1}{2}} / (b+a \cos(dx+c)) / \sin(dx+c) \right)^5 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x
)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb² cos(dx + c)² sec(dx + c)³ + Aa² cos(dx + c)² + (2Bab + Ab²) cos(dx + c)² sec(dx + c)² + (Ba² + 2Aa

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^2*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^2 + (2*B
*a*b + A*b^2)*cos(d*x + c)^2*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c
)^2*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x
)
```

$$3.369 \quad \int \cos^3(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=518

$$\frac{\sqrt{a+b}(16a^2A + 12a^2B + 26aAb + 54abB + 33Ab^2 + 48b^2B) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\right)}{24d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*A + 33*A*b^2 + 54*a*b*B)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*b*d
) + (Sqrt[a + b]*(16*a^2*A + 26*a*A*b + 33*A*b^2 + 12*a^2*B + 54*a*b*B + 48
*b^2*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]]
, (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[
c + d*x]))/(a - b))]/(24*d) - (Sqrt[a + b]*(20*a^2*A*b + 5*A*b^3 + 8*a^3*B
+ 30*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c +
d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*
Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a*d) + ((16*a^2*A + 33*A*b^2 +
54*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*(3*A*b + 2*a*B
)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (a*A*Cos[c +
d*x]^2*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.36519, antiderivative size = 518, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4025, 4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(16a^2A + 54abB + 33Ab^2) \sin(c + dx) \sqrt{a + b \sec(c + dx)}}{24d} + \frac{\sqrt{a+b}(16a^2A + 12a^2B + 26aAb + 54abB + 33Ab^2 + 48b^2B) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\right)}{24d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*A + 33*A*b^2 + 54*a*b*B)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*b*d
) + (Sqrt[a + b]*(16*a^2*A + 26*a*A*b + 33*A*b^2 + 12*a^2*B + 54*a*b*B + 48
*b^2*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]]
, (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[
c + d*x]))/(a - b))]/(24*d) - (Sqrt[a + b]*(20*a^2*A*b + 5*A*b^3 + 8*a^3*B
```

$$+ 30*a*b^2*B)*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(8*a*d) + ((16*a^2*A + 33*A*b^2 + 54*a*b*B)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(24*d) + (a*(3*A*b + 2*a*B)*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(4*d) + (a*A*\text{Cos}[c + d*x]^2*(a + b*\text{Sec}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(3*d)$$

Rule 4025

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m - 1)*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^(m - 2)*(d*\text{Csc}[e + f*x])^(n + 1)*\text{Simp}[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m + n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$$

Rule 4094

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^(m - 1)*(d*\text{Csc}[e + f*x])^(n + 1)*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m + n + 1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1)*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^(n + 1)*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A,$$

B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos^2(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} - \frac{1}{3} \int \dots \\
&= \frac{a(3Ab + 2aB) \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} \\
&= \frac{(16a^2 A + 33Ab^2 + 54abB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d} \\
&= \frac{(16a^2 A + 33Ab^2 + 54abB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2 A + 33Ab^2 + 54abB) \cot(c + dx) E(\sin)}{24b} \\
&= \frac{(a - b) \sqrt{a + b} (16a^2 A + 33Ab^2 + 54abB) \cot(c + dx) E(\sin)}{24b}
\end{aligned}$$

Mathematica [B] time = 19.4859, size = 1567, normalized size = 3.03

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^2*(a + b*Sec[c + d*x])^(5/2)*((a^2*A*Sin[c + d*x])/12 + (a*(1
3*A*b + 6*a*B)*Sin[2*(c + d*x)]/24 + (a^2*A*Sin[3*(c + d*x)]/12))/(d*(b +
a*Cos[c + d*x])^2) + ((a + b*Sec[c + d*x])^(5/2)*Sqrt[(1 - Tan[(c + d*x)/2
]^2)^(-1)]*(16*a^3*A*Tan[(c + d*x)/2] + 16*a^2*A*b*Tan[(c + d*x)/2] + 33*a*
A*b^2*Tan[(c + d*x)/2] + 33*A*b^3*Tan[(c + d*x)/2] + 54*a^2*b*B*Tan[(c + d*
x)/2] + 54*a*b^2*B*Tan[(c + d*x)/2] - 32*a^3*A*Tan[(c + d*x)/2]^3 - 66*a*A*
b^2*Tan[(c + d*x)/2]^3 - 108*a^2*b*B*Tan[(c + d*x)/2]^3 + 16*a^3*A*Tan[(c +
d*x)/2]^5 - 16*a^2*A*b*Tan[(c + d*x)/2]^5 + 33*a*A*b^2*Tan[(c + d*x)/2]^5
- 33*A*b^3*Tan[(c + d*x)/2]^5 + 54*a^2*b*B*Tan[(c + d*x)/2]^5 - 54*a*b^2*B*
Tan[(c + d*x)/2]^5 - 120*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]],
(a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)
/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*A*b^3*EllipticPi[-1, -ArcSin[Ta
n[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b
- a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 48*a^3*B*Elliptic
Pi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2

$$\begin{aligned} &]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] - \\ & 180 * a * b^2 * B * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Sqrt} \\ & [1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * \\ & x) / 2]^2) / (a + b)] - 120 * a^2 * A * b * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (\\ & a - b) / (a + b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b \\ & - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] - 30 * A * b^3 * \text{Ellipti} \\ & c\text{Pi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt} \\ & [1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * \\ & x) / 2]^2) / (a + b)] - 48 * a^3 * B * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - \\ & b) / (a + b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - \\ & a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)] - 180 * a * b^2 * B * \text{Ellipti} \\ & c\text{Pi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Tan}[(c + d * x) / 2]^2 * \text{Sqrt} \\ & [1 - \text{Tan}[(c + d * x) / 2]^2] * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * \\ & x) / 2]^2) / (a + b)] + (a + b) * (16 * a^2 * A + 33 * A * b^2 + 54 * a * b * B) * \text{EllipticE}[\text{ArcS} \\ & \text{in}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * (1 + \text{Tan} \\ & [(c + d * x) / 2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2 \\ &) / (a + b)] - 2 * (24 * b^3 * (A - B) + 12 * a^3 * B + a * b^2 * (-13 * A + 72 * B) + a^2 * (38 * \\ & A * b - 6 * b * B)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] * \text{Sqrt}[1 - \\ & \text{Tan}[(c + d * x) / 2]^2] * (1 + \text{Tan}[(c + d * x) / 2]^2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d * x) \\ & / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (a + b)]) / (24 * d * (b + a * \text{Cos}[c + d * x])^(5/2) * \text{S} \\ & \text{ec}[c + d * x]^(5/2) * (1 + \text{Tan}[(c + d * x) / 2]^2)^(3/2) * \text{Sqrt}[(a + b - a * \text{Tan}[(c + d \\ & * x) / 2]^2 + b * \text{Tan}[(c + d * x) / 2]^2) / (1 + \text{Tan}[(c + d * x) / 2]^2)]) \end{aligned}$$

Maple [B] time = 0.489, size = 3511, normalized size = 6.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^3 * (a+b*\sec(d*x+c))^(5/2) * (A+B*\sec(d*x+c)), x)$

[Out] $\frac{1}{24} / d * (-1 + \cos(d*x+c))^2 * (48 * A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c) + 1))^{1/2} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{1/2}) * b^3 - 48 * B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{1/2}) * b^3 - 16 * A * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{1/2}) * a^3 * \sin(d*x+c) - 54 * B * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{1/2}) * a^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) * b - 54 * B * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b))^{1/2}) * b^2 * (\cos(d*x+c) / (\cos(d*x+c)+1))^{1/2} * (1 / (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x$

$$\begin{aligned}
& +c)+1))^{\frac{1}{2}}*\sin(d*x+c)*a-12*B*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b) \\
& / (a+b))^{\frac{1}{2}})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+ \\
& c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*b-180*B*EllipticPi((-1+\cos(d*x+c))/\sin \\
& (d*x+c),-1,((a-b)/(a+b))^{\frac{1}{2}})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*a-16*A*\cos(d*x+c)*Ell \\
& ipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*a^3*(\cos(d*x+c)/(\cos \\
& (d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c \\
&)-33*A*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}}) \\
& *b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c \\
&)+1))^{\frac{1}{2}}*\sin(d*x+c)-30*A*\cos(d*x+c)*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c \\
&),-1,((a-b)/(a+b))^{\frac{1}{2}})*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b \\
& +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)+24*B*\cos(d*x+c)*\sin(d*x+c)* \\
& (\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)) \\
& ^{\frac{1}{2}}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*a^3-48*B*c \\
& os(d*x+c)*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{\frac{1}{2}})*a^3 \\
& *(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&)^{\frac{1}{2}}*\sin(d*x+c)-16*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/ \\
& (a+b))^{\frac{1}{2}})*a^2*b*\sin(d*x+c)-33*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))/\sin(d* \\
& x+c),((a-b)/(a+b))^{\frac{1}{2}})*a*b^2*\sin(d*x+c)+76*A*EllipticF((-1+\cos(d*x+c))/s \\
& in(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+ \\
& b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*b-26*A*EllipticF((-1+c \\
& os(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}} \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*a-120*A*(c \\
& os(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}} \\
& *EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{\frac{1}{2}})*a^2*b*si \\
& n(d*x+c)-33*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}}) \\
& *b^3*\sin(d*x+c)+48*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos \\
& (d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/ \\
& (a+b))^{\frac{1}{2}})*b^3*\sin(d*x+c)+12*B*a^3*\cos(d*x+c)^2-8*A*\cos(d*x+c)^5*a^3-8*A \\
& *cos(d*x+c)^3*a^3+16*A*cos(d*x+c)^2*a^3-33*A*cos(d*x+c)^2*b^3+144*B*\sin(d*x \\
& +c)*cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}}) \\
& *a*b^2-30*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c)) \\
& /(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b) \\
&))^{\frac{1}{2}})*b^3*\sin(d*x+c)+24*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b \\
& +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& (a-b)/(a+b))^{\frac{1}{2}})*a^3*\sin(d*x+c)-48*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(\\
& 1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticPi((-1+\cos(d*x+c))/s \\
& in(d*x+c),-1,((a-b)/(a+b))^{\frac{1}{2}})*a^3*\sin(d*x+c)+33*A*\cos(d*x+c)*b^3-12*B*c \\
& os(d*x+c)^4*a^3+18*A*cos(d*x+c)^2*a^2*b-54*B*cos(d*x+c)^2*a*b^2+16*A*cos(d* \\
& x+c)*a^2*b+26*A*cos(d*x+c)*a*b^2+12*B*cos(d*x+c)*a^2*b-48*B*(\cos(d*x+c)/(co \\
& s(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*Elliptic
\end{aligned}$$

```

F((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)-12*B*cos(d
*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(
1/2))*a^2*b-180*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/
sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a*b^2-16*A*cos(d*x+c)*EllipticE((-1+cos(
d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b-33*A*cos(d*
x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(
1/2))*a*b^2+76*A*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+
b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/
(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b-26*A*cos(d*x+c)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a-120*A*cos(d*x+c)*
EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*si
n(d*x+c)*b-54*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c), ((a-b)/(a+b))^(1/2))*a^2*b-54*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(c
os(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellipti
cE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a*b^2+144*B*(cos(d*x+c)/
(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellip
ticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)-59*A*
cos(d*x+c)^3*a*b^2-66*B*cos(d*x+c)^3*a^2*b+33*A*cos(d*x+c)^2*a*b^2+54*B*cos
(d*x+c)^2*a^2*b+54*B*cos(d*x+c)*a*b^2-34*A*cos(d*x+c)^4*a^2*b*(cos(d*x+c)+
1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm
="maxima")

```

```

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^3, x
)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb² cos(dx + c)³ sec(dx + c)³ + Aa² cos(dx + c)³ + (2Bab + Ab²) cos(dx + c)³ sec(dx + c)² + (Ba² + 2Aa

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b²*cos(d*x + c)³*sec(d*x + c)³ + A*a²*cos(d*x + c)³ + (2*B*a*b + A*b²)*cos(d*x + c)³*sec(d*x + c)² + (B*a² + 2*A*a*b)*cos(d*x + c)³*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^3, x)

$$3.370 \quad \int \cos^4(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=617

$$\frac{\sqrt{a+b}(4a^2b(71A+52B)+8a^3(9A+16B)+2ab^2(59A+132B)+15Ab^3)\cot(c+dx)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}\text{EllipticE}\left[\frac{\text{ArcSin}\left[\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right]}{\sqrt{a+b}}\right],\frac{a+b}{a-b}\right]}{192ad}$$

```
[Out] ((a - b)*Sqrt[a + b]*(284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*b*d) + (Sqrt[a + b]*(15*A*b^3 + 8*a^3*(9*A + 16*B) + 4*a^2*b*(71*A + 52*B) + 2*a*b^2*(59*A + 132*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) - (Sqrt[a + b]*(48*a^4*A + 120*a^2*A*b^2 - 5*A*b^4 + 160*a^3*b*B + 40*a*b^3*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^2*d) + ((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((192*a*d) + ((36*a^2*A + 59*A*b^2 + 104*a*b*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (a*(11*A*b + 8*a*B)*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d))
```

Rubi [A] time = 1.83221, antiderivative size = 617, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4025, 4094, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(284a^2Ab + 128a^3B + 264ab^2B + 15Ab^3)\sin(c+dx)\sqrt{a+b\sec(c+dx)}}{192ad} + \frac{(36a^2A + 104abB + 59Ab^2)\sin(c+dx)\cos(c+dx)}{96d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*b*d) + (Sqrt[a + b]*(15*A*b^3 + 8*a^3*(9*A + 16*B) + 4*a^2*b*(71*A + 52*B) + 2*a*b^2*(59*A + 132*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) - (Sqrt[a + b]*(48*a^4*A + 120*a^2*A*b^2 - 5*A*b^4 + 160*a^3*b*B + 40*a*b^3*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^2*d) + ((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((192*a*d) + ((36*a^2*A + 59*A*b^2 + 104*a*b*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (a*(11*A*b + 8*a*B)*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d))
```

$$2*b*(71*A + 52*B) + 2*a*b^2*(59*A + 132*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(192*a*d) - (Sqrt[a + b]*(48*a^4*A + 120*a^2*A*b^2 - 5*A*b^4 + 160*a^3*b*B + 40*a*b^3*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(64*a^2*d) + ((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((192*a*d) + ((36*a^2*A + 59*A*b^2 + 104*a*b*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x]))/(96*d) + (a*(11*A*b + 8*a*B)*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (a*A*Cos[c + d*x]^3*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)$$

Rule 4025

$$\text{Int}[(\text{csc}[e] + (f)(x))(d)^n(\text{csc}[e] + (f)(x)(b) + (a))^m(\text{csc}[e] + (f)(x)(B) + A), x_Symbol] \rightarrow \text{Simp}[(aA \text{Cot}[e + fx](a + b \text{Csc}[e + fx])^{m-1}(d \text{Csc}[e + fx])^n)/(f^n), x] + \text{Dist}[1/(d^n), \text{Int}[(a + b \text{Csc}[e + fx])^{m-2}(d \text{Csc}[e + fx])^{n+1} \text{Simp}[a(aB^n - A(b^{2n} + a^2(1+n))) \text{Csc}[e + fx] + b(bB^n + aA(m+n)) \text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$$

Rule 4094

$$\text{Int}[(A + \text{csc}[e] + (f)(x)(B) + \text{csc}[e] + (f)(x))^2(C + \text{csc}[e] + (f)(x)(d))^n(\text{csc}[e] + (f)(x)(b) + a)^m, x_Symbol] \rightarrow \text{Simp}[(A \text{Cot}[e + fx](a + b \text{Csc}[e + fx])^m(d \text{Csc}[e + fx])^n)/(f^n), x] - \text{Dist}[1/(d^n), \text{Int}[(a + b \text{Csc}[e + fx])^{m-1}(d \text{Csc}[e + fx])^{n+1} \text{Simp}[A*b*m - a*B*n - (b*B*n + a(C*n + A(n+1))) \text{Csc}[e + fx] - b(C*n + A(m+n+1)) \text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[(A + \text{csc}[e] + (f)(x)(B) + \text{csc}[e] + (f)(x))^2(C + \text{csc}[e] + (f)(x)(d))^n(\text{csc}[e] + (f)(x)(b) + a)^m, x_Symbol] \rightarrow \text{Simp}[(A \text{Cot}[e + fx](a + b \text{Csc}[e + fx])^{m+1}(d \text{Csc}[e + fx])^n)/(a*f^n), x] + \text{Dist}[1/(a*d^n), \text{Int}[(a + b \text{Csc}[e + fx])^m(d \text{Csc}[e + fx])^{n+1} \text{Simp}[aB*n - A*b*(m+n+1) + a(A + A*n + C*n) \text{Csc}[e + fx] + A*b*(m+n+2) \text{Csc}[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^4(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \frac{aA \cos^3(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d} - \frac{1}{4} \int \dots \\
&= \frac{a(11Ab + 8aB) \cos^2(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d} \\
&= \frac{(36a^2 A + 59Ab^2 + 104abB) \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{96d} \\
&= \frac{(284a^2 Ab + 15Ab^3 + 128a^3 B + 264ab^2 B) \sqrt{a + b \sec(c + dx)}}{192ad} \\
&= \frac{(284a^2 Ab + 15Ab^3 + 128a^3 B + 264ab^2 B) \sqrt{a + b \sec(c + dx)}}{192ad} \\
&= \frac{(a - b) \sqrt{a + b} (284a^2 Ab + 15Ab^3 + 128a^3 B + 264ab^2 B) \cos(c + dx)}{192ad} \\
&= \frac{(a - b) \sqrt{a + b} (284a^2 Ab + 15Ab^3 + 128a^3 B + 264ab^2 B) \sin(c + dx)}{192ad}
\end{aligned}$$

Mathematica [B] time = 24.5393, size = 5186, normalized size = 8.41

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^4*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

[Out] Result too large to show

Maple [B] time = 0.612, size = 4231, normalized size = 6.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)), x)

```

[Out] -1/192/d/a*(-1+cos(d*x+c))^2*(48*A*a^4*cos(d*x+c)^6+288*A*(cos(d*x+c)/(cos(
d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi
((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^4*sin(d*x+c)+24*A*a^4
*cos(d*x+c)^4-72*A*a^4*cos(d*x+c)^2+64*B*cos(d*x+c)^3*a^4+15*A*cos(d*x+c)^2
*b^4-128*B*cos(d*x+c)^2*a^4+64*B*cos(d*x+c)^5*a^4-30*A*(cos(d*x+c)/(cos(d*x
+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-
1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*b^4*sin(d*x+c)+284*A*(cos(
d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2
)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x
+c)+15*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d
*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a
*b^3*sin(d*x+c)+72*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*
x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+
b))^(1/2))*a^3*b*sin(d*x+c)-644*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b
))*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+
c), ((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+118*A*(cos(d*x+c)/(cos(d*x+c)+1
))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d
*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a*b^3*sin(d*x+c)+960*B*(cos(d*x+c)/(
cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Ellipt
icPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)+24
0*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)
+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, ((a-b)/(a+b))^(1/2))*a*
b^3*sin(d*x+c)+128*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*
x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+
b))^(1/2))*a^3*b*sin(d*x+c)+264*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b
))*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+
c), ((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+264*B*b^3*(cos(d*x+c)/(cos(d*x+c
+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*Elli
pticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a-608*B*a^3*(cos(d*x+
c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*si
n(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b+208*B*
a^2*b^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*
x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b)
))^(1/2))-384*B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/
(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1
/2))*a*b^3*sin(d*x+c)+172*A*cos(d*x+c)^3*a^3*b+133*A*cos(d*x+c)^3*a*b^3+472
*B*cos(d*x+c)^3*a^2*b^2-284*A*cos(d*x+c)^2*a^3*b+30*A*cos(d*x+c)^2*a^2*b^2-
144*B*cos(d*x+c)^2*a^3*b+264*B*cos(d*x+c)^2*a*b^3-72*A*cos(d*x+c)*a^3*b-284
*A*cos(d*x+c)*a^2*b^2-118*A*cos(d*x+c)*a*b^3-128*B*cos(d*x+c)*a^3*b-208*B*c
os(d*x+c)*a^2*b^2+272*B*cos(d*x+c)^4*a^3*b-15*A*cos(d*x+c)^2*a*b^3-264*B*co
s(d*x+c)^2*a^2*b^2-264*B*cos(d*x+c)*a*b^3+184*A*cos(d*x+c)^5*a^3*b+254*A*co
s(d*x+c)^4*a^2*b^2+15*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos
(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/
(a+b))^(1/2))*b^4*sin(d*x+c)-144*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+
b))*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x

```



```

*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^4+128*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^4+720*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+284*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)-15*A*cos(d*x+c)*b^4*(cos(d*x+c)+1)^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/(b+a*cos(d*x+c))/sin(d*x+c)^5

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

```

```

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^4, x)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

```

integral((Bb^2 cos(dx + c)^4 sec(dx + c)^3 + Aa^2 cos(dx + c)^4 + (2 Bab + Ab^2) cos(dx + c)^4 sec(dx + c)^2 + (Ba^2 + 2 Aab

```

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

```

```

[Out] integral((B*b^2*cos(d*x + c)^4*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^4 + (2*B*a*b + A*b^2)*cos(d*x + c)^4*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^4*sec(d*x + c))*sqrt(b*sec(d*x + c) + a), x)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**4*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^4*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^4, x)

$$3.371 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=329

$$\frac{2\sqrt{a+b}(-8a^2B + 2ab(5A+B) + b^2(5A-9B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{15b^3d}$$

[Out] (2*(a - b)*Sqrt[a + b]*(10*a*A*b - 8*a^2*B - 9*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^4*d) + (2*Sqrt[a + b]*(b^2*(5*A - 9*B) - 8*a^2*B + 2*a*b*(5*A + B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^3*d) + (2*(5*A*b - 4*a*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((15*b^2*d) + (2*B*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b*d))

Rubi [A] time = 0.617519, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4033, 4082, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(-8a^2B + 2ab(5A+B) + b^2(5A-9B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right) \frac{a+b}{a-b}}{15b^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (2*(a - b)*Sqrt[a + b]*(10*a*A*b - 8*a^2*B - 9*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^4*d) + (2*Sqrt[a + b]*(b^2*(5*A - 9*B) - 8*a^2*B + 2*a*b*(5*A + B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(15*b^3*d) + (2*(5*A*b - 4*a*B)*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/((15*b^2*d) + (2*B*Sec[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(5*b*d))

Rule 4033

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[(B*d^2
*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(
m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f
*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n)
- a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m
}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n,
0] && !IGtQ[m, 1]

```

Rule 4082

```

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

```

Rule 4005

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \frac{2B\sec(c+dx)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{5bd} + \frac{2\int \frac{\sec(c+dx)\left(aB+\frac{3}{2}bB\sec(c+dx)+\frac{1}{2}(5\right)}{\sqrt{a+b\sec(c+dx)}} dx}{5b} \\
&= \frac{2(5Ab-4aB)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15b^2d} + \frac{2B\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{5bd} \\
&= \frac{2(5Ab-4aB)\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{15b^2d} + \frac{2B\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{5bd} \\
&= \frac{2(a-b)\sqrt{a+b}\left(10aAb-8a^2B-9b^2B\right)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{15b^4d}
\end{aligned}$$

Mathematica [B] time = 23.224, size = 3000, normalized size = 9.12

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]*((2*(-10*a*A*b + 8*a^2*B + 9*b^2*B)*Sin[c + d*x]))/(15*b^3) + (2*Sec[c + d*x]*(5*A*b*Ssin[c + d*x] - 4*a*B*Ssin[c + d*x]))/(15*b^2) + (2*B*Sec[c + d*x]*Tan[c + d*x])/(5*b)))/(d*Sqrt[a + b*Sec[c + d*x]]) - (2*((2*a*A)/(3*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (3*B)/(5*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (8*a^2*B)/(15*b^2*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (A*Sqrt[Sec[c + d*x]])/(3*Sqrt[b + a*Cos[c + d*x]]) + (2*a^2*A*Sqrt[Sec[c + d*x]])/(3*b^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^3*B*Sqrt[Sec[c + d*x]])/(15*b^3*Sqrt[b + a*Cos[c + d*x]]) - (7*a*B*Sqrt[Sec[c + d*x]])/(15*b*Sqrt[b + a*Cos[c + d*x]]) + (2*a^2*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(15*b^3*Sqrt[b + a*Cos[c + d*x]]) - (3*a*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(5*b*Sqrt[b + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(-10*a*A*b + 8*a^2*B + 9*b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]]], (a - b)/(a + b) - 2*b*(8*a^2*B + 2*a*b*(-5*A + B) + b^2*(5*A + 9*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-10*a*A*b + 8*a^2*B + 9*b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(15*b^3*d*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[a

$$\begin{aligned}
& + b \operatorname{Sec}[c + d*x] * (- (a * \operatorname{Sqrt}[\operatorname{Cos}[(c + d*x)/2]^2 * \operatorname{Sec}[c + d*x]] * \operatorname{Sin}[c + d*x] * (\\
& 2 * (a + b) * (-10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{Cos}[c + d* \\
& x])] * \operatorname{Sqrt}[(b + a * \operatorname{Cos}[c + d*x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))] * \operatorname{EllipticE}[\operatorname{ArcS} \\
& \operatorname{in}[\operatorname{Tan}[(c + d*x)/2]], (a - b) / (a + b)] - 2 * b * (8 * a^2 * B + 2 * a * b * (-5 * A + B) + \\
& b^2 * (5 * A + 9 * B)) * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{Cos}[c + d*x])] * \operatorname{Sqrt}[(b + a * \operatorname{Cos}[c + \\
& d*x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))] * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d*x)/2]], (a \\
& - b) / (a + b)] + (-10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Cos}[c + d*x] * (b + a * \operatorname{Cos}[c + \\
& d*x]) * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Tan}[(c + d*x)/2]) / (15 * b^3 * (b + a * \operatorname{Cos}[c + d*x])^(\\
& 3/2) * \operatorname{Sqrt}[\operatorname{Sec}[(c + d*x)/2]^2]) + (\operatorname{Sqrt}[\operatorname{Cos}[(c + d*x)/2]^2 * \operatorname{Sec}[c + d*x]] * \operatorname{Tan} \\
& [(c + d*x)/2] * (2 * (a + b) * (-10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / \\
& (1 + \operatorname{Cos}[c + d*x])] * \operatorname{Sqrt}[(b + a * \operatorname{Cos}[c + d*x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))] \\
& * \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d*x)/2]], (a - b) / (a + b)] - 2 * b * (8 * a^2 * B + 2 * a * \\
& b * (-5 * A + B) + b^2 * (5 * A + 9 * B)) * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{Cos}[c + d*x])] * \operatorname{Sqrt} \\
& [(b + a * \operatorname{Cos}[c + d*x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))] * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Tan}[(c \\
& + d*x)/2]], (a - b) / (a + b)] + (-10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Cos}[c + d*x] \\
& * (b + a * \operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Tan}[(c + d*x)/2]) / (15 * b^3 * \operatorname{Sqrt}[b \\
& + a * \operatorname{Cos}[c + d*x]] * \operatorname{Sqrt}[\operatorname{Sec}[(c + d*x)/2]^2]) - (2 * \operatorname{Sqrt}[\operatorname{Cos}[(c + d*x)/2]^2 * \operatorname{Se} \\
& c[c + d*x]] * (((-10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Cos}[c + d*x] * (b + a * \operatorname{Cos}[c + d \\
& * x]) * \operatorname{Sec}[(c + d*x)/2]^4) / 2 + ((a + b) * (-10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Sqrt} \\
& [(b + a * \operatorname{Cos}[c + d*x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))] * \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Tan}[(c \\
& + d*x)/2]], (a - b) / (a + b)] * ((\operatorname{Cos}[c + d*x] * \operatorname{Sin}[c + d*x]) / (1 + \operatorname{Cos}[c + d*x] \\
&)^2 - \operatorname{Sin}[c + d*x] / (1 + \operatorname{Cos}[c + d*x]))) / \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{Cos}[c + d*x] \\
&)] - (b * (8 * a^2 * B + 2 * a * b * (-5 * A + B) + b^2 * (5 * A + 9 * B)) * \operatorname{Sqrt}[(b + a * \operatorname{Cos}[c + \\
& d*x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))] * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d*x)/2]], (a \\
& - b) / (a + b)] * ((\operatorname{Cos}[c + d*x] * \operatorname{Sin}[c + d*x]) / (1 + \operatorname{Cos}[c + d*x])^2 - \operatorname{Sin}[c + d \\
& * x] / (1 + \operatorname{Cos}[c + d*x]))) / \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{Cos}[c + d*x])] + ((a + b) * (\\
& -10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{Cos}[c + d*x])] * \operatorname{Ellipt} \\
& \operatorname{icE}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * (-((a * \operatorname{Sin}[c + d*x]) / ((a + b) \\
& * (1 + \operatorname{Cos}[c + d*x]))) + ((b + a * \operatorname{Cos}[c + d*x]) * \operatorname{Sin}[c + d*x]) / ((a + b) * (1 + \operatorname{C} \\
& os[c + d*x])^2))) / \operatorname{Sqrt}[(b + a * \operatorname{Cos}[c + d*x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))] - \\
& (b * (8 * a^2 * B + 2 * a * b * (-5 * A + B) + b^2 * (5 * A + 9 * B)) * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{C} \\
& os[c + d*x])] * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d*x)/2]], (a - b) / (a + b)] * (-((a * \operatorname{Si} \\
& n[c + d*x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))) + ((b + a * \operatorname{Cos}[c + d*x]) * \operatorname{Sin}[c + d \\
& * x]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x])^2))) / \operatorname{Sqrt}[(b + a * \operatorname{Cos}[c + d*x]) / ((a + b) * (1 \\
& + \operatorname{Cos}[c + d*x]))] - a * (-10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Cos}[c + d*x] * \operatorname{Sec}[(c \\
& + d*x)/2]^2 * \operatorname{Sin}[c + d*x] * \operatorname{Tan}[(c + d*x)/2] - (-10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) \\
& * (b + a * \operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Sin}[c + d*x] * \operatorname{Tan}[(c + d*x)/2] + (- \\
& 10 * a * A * b + 8 * a^2 * B + 9 * b^2 * B) * \operatorname{Cos}[c + d*x] * (b + a * \operatorname{Cos}[c + d*x]) * \operatorname{Sec}[(c + d* \\
& x)/2]^2 * \operatorname{Tan}[(c + d*x)/2]^2 - (b * (8 * a^2 * B + 2 * a * b * (-5 * A + B) + b^2 * (5 * A + 9 * \\
& B)) * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{Cos}[c + d*x])] * \operatorname{Sqrt}[(b + a * \operatorname{Cos}[c + d*x]) / ((a + b) \\
&) * (1 + \operatorname{Cos}[c + d*x]))] * \operatorname{Sec}[(c + d*x)/2]^2) / (\operatorname{Sqrt}[1 - \operatorname{Tan}[(c + d*x)/2]^2] * \operatorname{Sq} \\
& \operatorname{rt}[1 - ((a - b) * \operatorname{Tan}[(c + d*x)/2]^2) / (a + b)]) + ((a + b) * (-10 * a * A * b + 8 * a^2 \\
& * B + 9 * b^2 * B) * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x] / (1 + \operatorname{Cos}[c + d*x])] * \operatorname{Sqrt}[(b + a * \operatorname{Cos}[c + d*x] \\
&]) / ((a + b) * (1 + \operatorname{Cos}[c + d*x]))] * \operatorname{Sec}[(c + d*x)/2]^2 * \operatorname{Sqrt}[1 - ((a - b) * \operatorname{Tan}[(c \\
& + d*x)/2]^2) / (a + b)]) / \operatorname{Sqrt}[1 - \operatorname{Tan}[(c + d*x)/2]^2]) / (15 * b^3 * \operatorname{Sqrt}[b + a *
\end{aligned}$$

$$\begin{aligned} & \cos[c + d*x] * \sqrt{\sec[(c + d*x)/2]^2} - ((2*(a + b)*(-10*a*A*b + 8*a^2*B \\ & + 9*b^2*B)) * \sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} * \sqrt{(b + a*\cos[c + d*x])/ \\ & ((a + b)*(1 + \cos[c + d*x]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(\\ & a + b)] - 2*b*(8*a^2*B + 2*a*b*(-5*A + B) + b^2*(5*A + 9*B)) * \sqrt{\cos[c + d \\ & *x]/(1 + \cos[c + d*x])} * \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x \\ &]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-10*a*A*b + 8* \\ & a^2*B + 9*b^2*B) * \cos[c + d*x] * (b + a*\cos[c + d*x]) * \sec[(c + d*x)/2]^2 * \text{Tan}[(\\ & c + d*x)/2] * (-\cos[(c + d*x)/2] * \sec[c + d*x] * \sin[(c + d*x)/2] + \cos[(c + \\ & d*x)/2]^2 * \sec[c + d*x] * \text{Tan}[c + d*x]) / (15*b^3 * \sqrt{b + a*\cos[c + d*x]} * \sqrt{ \\ & [\sec[(c + d*x)/2]^2 * \sqrt{\cos[(c + d*x)/2]^2 * \sec[c + d*x]}}) \end{aligned}$$

Maple [B] time = 0.756, size = 2499, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^3*(A+B*\sec(d*x+c))/(a+b*\sec(d*x+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -2/15/d/b^3*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(-1+\cos(d* \\ & x+c))^2*(5*A*\cos(d*x+c)^3*b^3-10*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos \\ & (d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2+10*A*\sin(d*x+c)*\cos \\ & (d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d \\ & *x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a \\ & ^2*b+10*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b \\ &)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+ \\ & c), ((a-b)/(a+b))^{1/2})*a*b^2+8*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos \\ & (d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF} \\ & ((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b+2*B*\sin(d*x+c)*\cos(d* \\ & x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\ & +c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b \\ & ^2-8*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(\\ & b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & ((a-b)/(a+b))^{1/2})*a^2*b-9*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x \\ & +c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1 \\ & +\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2-10*A*\sin(d*x+c)*\cos(d*x+ \\ & c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c \\ &)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2 \\ & +10*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b \\ & +a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (\\ & (a-b)/(a+b))^{1/2})*a^2*b+10*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x \end{aligned}$$

$$\begin{aligned}
& +c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1 \\
& +\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^2+8*B*\sin(d*x+c)*\cos(d*x+c) \\
&)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b+ \\
& 2*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a \\
& *\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a \\
& -b)/(a+b))^{1/2})*a*b^2-8*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c) \\
& +1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+co \\
& s(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^2*b-9*B*\sin(d*x+c)*\cos(d*x+c)^2 \\
& *(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
&)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a*b^2-3*B \\
& *b^3-5*A*\cos(d*x+c)*b^3+8*B*\cos(d*x+c)^4*a^3-8*B*\cos(d*x+c)^3*a^3+9*B*\cos(d \\
& *x+c)^3*b^3-6*B*\cos(d*x+c)^2*b^3+5*A*\cos(d*x+c)^4*a*b^2-4*B*\cos(d*x+c)^4*a^ \\
& 2*b+9*B*\cos(d*x+c)^4*a*b^2+10*A*\cos(d*x+c)^3*a^2*b-10*A*\cos(d*x+c)^3*a*b^2+ \\
& 8*B*\cos(d*x+c)^3*a^2*b-10*B*\cos(d*x+c)^3*a*b^2+5*A*\cos(d*x+c)^2*a*b^2-4*B*c \\
& os(d*x+c)^2*a^2*b+B*\cos(d*x+c)*a*b^2-10*A*\cos(d*x+c)^4*a^2*b+5*A*\sin(d*x+c) \\
& *\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2} \\
&)*b^3+9*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d \\
& x+c),((a-b)/(a+b))^{1/2})*b^3-8*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(\cos(\\
& d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE(\\
& (-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^3-9*B*\sin(d*x+c)*\cos(d*x+ \\
& c)^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*b^3+5 \\
& *A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a* \\
& \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a- \\
& b)/(a+b))^{1/2})*b^3+9*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1) \\
&)^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d \\
& *x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*b^3-8*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos \\
& (d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
&)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})*a^3-9*B*\sin(d \\
& x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b)) \\
& ^{1/2})*b^3)/(b+a*\cos(d*x+c))/\cos(d*x+c)^2/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm

```
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \sec(dx + c)^4 + A \sec(dx + c)^3}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*sec(d*x + c)^4 + A*sec(d*x + c)^3)/sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/sqrt(a + b*sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^3}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^3/sqrt(b*sec(d*x + c) + a), x)
```

$$3.372 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=261

$$\frac{2\sqrt{a+b}(3Ab - B(2a+b)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^2d} - \frac{2(a-b)\sqrt{a+b}(3Ab - B(2a+b)) \cot(c+dx)}{3b^2d}$$

[Out] (-2*(a - b)*Sqrt[a + b]*(3*A*b - 2*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*d) - (2*Sqrt[a + b]*(3*A*b - (2*a + b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*B*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b*d)

Rubi [A] time = 0.39711, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4010, 4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(3Ab - B(2a+b)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{3b^2d} - \frac{2(a-b)\sqrt{a+b}(3Ab - B(2a+b)) \cot(c+dx)}{3b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (-2*(a - b)*Sqrt[a + b]*(3*A*b - 2*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*d) - (2*Sqrt[a + b]*(3*A*b - (2*a + b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*d) + (2*B*Sqrt[a + b*Sec[c + d*x]]*Tan[c + d*x])/(3*b*d)

Rule 4010

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*B*(m + 1) + (A*b*(m + 2) - a*B)*Csc

$c[e + f*x], x], x], x] /;$ FreeQ[{a, b, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && !LtQ[m, -1]

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \frac{2B\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3bd} + \frac{2 \int \frac{\sec(c + dx) \left(\frac{bB}{2} + \frac{1}{2}(3Ab - 2aB) \sec(c + dx) \right)}{\sqrt{a + b \sec(c + dx)}} dx}{3b} \\ &= \frac{2B\sqrt{a + b \sec(c + dx)} \tan(c + dx)}{3bd} + \frac{(3Ab - 2aB) \int \frac{\sec(c + dx)(1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx}{3b} + \dots \\ &= -\frac{2(a - b)\sqrt{a + b}(3Ab - 2aB) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right) \sqrt{\frac{b(1 - \sec(c + dx))}{a}}}{3b^3d} \end{aligned}$$

Mathematica [A] time = 16.407, size = 372, normalized size = 1.43

$$2\sqrt{\sec(c+dx)}\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)}\left(2b(B(b-2a)+3Ab)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{a\cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}}\text{EllipticF}\left(\sin^{-1}\left(\tan\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (2*Sqrt[Sec[c + d*x]]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a + b)*(-3*A*b + 2*a*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])))*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(3*A*b + (-2*a + b)*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])]/((a + b)*(1 + Cos[c + d*x])))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - (3*A*b - 2*a*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3*b^2*d*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[a + b*Sec[c + d*x]]) + ((b + a*Cos[c + d*x])*Sec[c + d*x]*((2*(3*A*b - 2*a*B)*Sin[c + d*x])/(3*b^2) + (2*B*Tan[c + d*x])/(3*b)))/(d*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.495, size = 1567, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x)

[Out] 2/3/d/b^2*(-1+cos(d*x+c))^2*(B*b^2+2*B*cos(d*x+c)^3*a^2-2*B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2-3*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2+3*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-2*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(co

$s(d*x+c+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})$
 $) * a^2 - 3*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)$
 $) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),$
 $((a-b)/(a+b))^{1/2}) * b^2 + 3*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b)$
 $) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2 - B*\cos(d*x+c)^2*\sin(d*x+c)$
 $* (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * b^2 - 3*A*\cos(d*x+c)^3 * a * b - B*\cos(d*x+c)^3 * a * b + 3*A*\cos(d*x+c)^2 * a * b + 2*B*\cos(d*x+c)^2 * a * b - B*\cos(d*x+c) * a * b + 3*A*\cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b + 2*B*\cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b - 2*B*\cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b + 3*A*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b + 2*B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b - 2*B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a * b - 3*A*\cos(d*x+c)^2 * b^2 - 2*B*\cos(d*x+c)^2 * a^2 + 3*A*\cos(d*x+c) * b^2 - B*\cos(d*x+c)^2 * b^2) * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2} * (\cos(d*x+c)+1)^2 / (b+a*\cos(d*x+c)) / \cos(d*x+c) / \sin(d*x+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \sec(dx + c)^3 + A \sec(dx + c)^2}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

$$3.373 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=210

$$\frac{2\sqrt{a+b}(A-B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + 2B(a-b)\sqrt{a+b} \cot(c+dx)}{bd}$$

[Out] (-2*(a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d) + (2*Sqrt[a + b]*(A - B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d)

Rubi [A] time = 0.205972, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {4005, 3832, 4004}

$$\frac{2\sqrt{a+b}(A-B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + 2B(a-b)\sqrt{a+b} \cot(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (-2*(a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d) + (2*Sqrt[a + b]*(A - B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d)

Rule 4005

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \frac{\sec(c + dx)(A + B \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx = (A - B) \int \frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx + B \int \frac{\sec(c + dx)(1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx$$

$$= -\frac{2(a - b)\sqrt{a + b}B \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\middle|\frac{a + b}{a - b}\right)\sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}\sqrt{-\frac{b(1 - \sec(c + dx))}{a + b}}}{b^2 d}$$

Mathematica [A] time = 14.5161, size = 356, normalized size = 1.7

$$\frac{2B \sin(c + dx)(a \cos(c + dx) + b)(A + B \sec(c + dx))}{bd\sqrt{a + b \sec(c + dx)}(A \cos(c + dx) + B)} - \frac{2\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)\sec(c + dx)(A + B \sec(c + dx))}\left(-2b(A + B)\right)}{bd\sqrt{a + b \sec(c + dx)}(A \cos(c + dx) + B)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (2*B*(b + a*Cos[c + d*x])*(A + B*Sec[c + d*x])*Sin[c + d*x])/(b*d*(B + A*Cos[c + d*x])*Sqrt[a + b*Sec[c + d*x]]) - (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x])*(A + B*Sec[c + d*x])*(2*(a + b)*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])])*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(A + B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*Ellip
```

```
ticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + B*cos[c + d*x]*(b + a*cos
[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(b*d*(B + A*cos[c + d*x])*
Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])
```

Maple [B] time = 0.403, size = 829, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x)
```

```
[Out] -2/d/b*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(cos(d*x+c)+1)^2*(-1+cos(d*x+c))
^2*(A*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a
-b)/(a+b))^(1/2))*b+B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)
*(b+a*cos(d*x+c))/cos(d*x+c)+1))^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c),((a-b)/(a+b))^(1/2))*b-B*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1)
)^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)+1))^(1/2)*sin(d*x+c)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a-B*cos(d*x+c)*(cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)+1))^(1/2)*sin
(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b+A*(cos(
d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)+1))^(1/2)
*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b+B*
(cos(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)+1))
^(1/2)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))
*b-B*(cos(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(d*x+c)
+1))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(
1/2))*a-B*(cos(d*x+c)/cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/cos(
d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*
b*sin(d*x+c)+B*cos(d*x+c)^2*a-B*cos(d*x+c)*a+B*cos(d*x+c)*b-B*b)/sin(d*x+c)
^5/(b+a*cos(d*x+c))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \sec(dx + c)^2 + A \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^2 + A*sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)/sqrt(b*sec(d*x + c) + a), x)
```

$$3.374 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=208

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) - 2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{bd}$$

[Out] (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d)

Rubi [A] time = 0.124049, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$, Rules used = {3921, 3784, 3832}

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) - 2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{bd}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d)

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784


```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{A + B \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx = A \int \frac{1}{\sqrt{a + b \sec(c + dx)}} dx + B \int \frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

$$= \frac{2\sqrt{a + b} B \cot(c + dx) F\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{b(1 + \sec(c + dx))}{a - b}} - 2A\sqrt{a}}{bd}$$

Mathematica [A] time = 2.23165, size = 147, normalized size = 0.71

$$\frac{4 \cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \sec(c + dx) \sqrt{\frac{a \cos(c + dx) + b}{(a + b)(\cos(c + dx) + 1)}} \left((A - B) \text{EllipticF}\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right), \frac{a - b}{a + b}\right) + 2A \right)}{d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x])/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (-4*Cos[(c + d*x)/2]^2*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*((A - B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*A*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sec[c + d*x])/(d*Sqrt[a + b*Sec[c + d*x]])
```

Maple [A] time = 0.347, size = 215, normalized size = 1.

$$-2 \frac{(\cos(dx + c) + 1)^2 (-1 + \cos(dx + c))}{d (b + a \cos(dx + c)) (\sin(dx + c))^2} \sqrt{\frac{b + a \cos(dx + c)}{\cos(dx + c)}} \sqrt{\frac{\cos(dx + c)}{\cos(dx + c) + 1}} \sqrt{\frac{b + a \cos(dx + c)}{(a + b)(\cos(dx + c) + 1)}} \left(A \text{EllipticF} \left(\sin^{-1} \left(\tan \left(\frac{1}{2}(c + dx) \right) \right), \frac{a - b}{a + b} \right) + 2A \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x)`

[Out]
$$-2/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1)^2*(-1+\cos(d*x+c))*(A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2})-2*A*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{1/2})-B*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{1/2}))/(\cos(d*x+c)+1)^2$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/sqrt(b*sec(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)/sqrt(b*sec(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/sqrt(b*sec(d*x + c) + a), x)

$$3.375 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=348

$$\frac{A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) + \sqrt{a+b}(Ab-2aB) \cot(c+dx)}{ad}$$

[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (A*Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (Sqrt[a + b]*(A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(a*d)

Rubi [A] time = 0.404588, antiderivative size = 348, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4034, 4059, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(Ab-2aB) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) + A \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (A*(a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d) + (A*Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*d) + (Sqrt[a + b]*(A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(a*d)

Rule 4034

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4059

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Int[(A - C*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
```

f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c+dx)(A+B\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \frac{A\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{ad} - \frac{\int \frac{\frac{1}{2}(Ab-2aB)+\frac{1}{2}Ab\sec^2(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{a} \\
 &= \frac{A\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{ad} - \frac{\int \frac{\frac{1}{2}(Ab-2aB)-\frac{1}{2}Ab\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{a} - \frac{(Ab)\int \frac{\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{2a} \\
 &= \frac{A(a-b)\sqrt{a+b}\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(1+\sec(c+dx))}{a+b}}}{abd} \\
 &= \frac{A(a-b)\sqrt{a+b}\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(1+\sec(c+dx))}{a+b}}}{abd}
 \end{aligned}$$

Mathematica [C] time = 17.0238, size = 1027, normalized size = 2.95

$$\sqrt{b+a\cos(c+dx)}\sqrt{\sec(c+dx)}\sqrt{\frac{1}{1-\tan^2\left(\frac{1}{2}(c+dx)\right)}}\sqrt{1-\tan^2\left(\frac{1}{2}(c+dx)\right)}\left(-aA\sqrt{\frac{b-a}{a+b}}\sqrt{1-\tan^2\left(\frac{1}{2}(c+dx)\right)}\tan^3\left(\frac{1}{2}(c+dx)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(a*A*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]*Sqrt[1 - Tan[(c + d*x)/2]^2] + A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]*Sqrt[1 - Tan[(c + d*x)/2]^2] - a*A*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3*Sqrt[1 - Tan[(c + d*x)/2]^2] + A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3*Sqrt[1 - Tan[(c + d*x)/2]^2] + (2*I)*A*b*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (4*I)*a*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*A*b*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]

$$\begin{aligned} &]^2 \sqrt{(a+b - a \tan[(c+dx)/2]^2 + b \tan[(c+dx)/2]^2)/(a+b)} - (\\ & 4I) a B \text{EllipticPi}[-((a+b)/(a-b)), I \text{ArcSinh}[\sqrt{(-a+b)/(a+b)}] \tan \\ & [(c+dx)/2]], (a+b)/(a-b) \tan[(c+dx)/2]^2 \sqrt{(a+b - a \tan[(c \\ & + dx)/2]^2 + b \tan[(c+dx)/2]^2)/(a+b)} - I A (a-b) \text{EllipticE}[I \text{Arc} \\ & \text{Sinh}[\sqrt{(-a+b)/(a+b)}] \tan[(c+dx)/2]], (a+b)/(a-b) (1 + \tan[(c \\ & + dx)/2]^2) \sqrt{(a+b - a \tan[(c+dx)/2]^2 + b \tan[(c+dx)/2]^2)/(a \\ & + b)} - (2I) (A b - a B) \text{EllipticF}[I \text{ArcSinh}[\sqrt{(-a+b)/(a+b)}] \tan[(\\ & c+dx)/2]], (a+b)/(a-b) (1 + \tan[(c+dx)/2]^2) \sqrt{(a+b - a \tan \\ & [(c+dx)/2]^2 + b \tan[(c+dx)/2]^2)/(a+b))] / (a \sqrt{(-a+b)/(a+b)} \\ &] d \sqrt{a+b \sec[c+dx]} (1 + \tan[(c+dx)/2]^2)^{3/2} \sqrt{(a+b - a \\ & \tan[(c+dx)/2]^2 + b \tan[(c+dx)/2]^2)/(1 + \tan[(c+dx)/2]^2)} \end{aligned}$$

Maple [B] time = 0.39, size = 1028, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int \cos(dx+c) (A+B \sec(dx+c)) / (a+b \sec(dx+c))^{1/2} dx$

[Out] $\frac{1}{d} \frac{1}{a} (-1 + \cos(dx+c))^{-2} (2A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) b - A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) a - A \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) b - 4B \sin(dx+c) \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) a + 2B \cos(dx+c) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \sin(dx+c) \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) a + 2A (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) b \sin(dx+c) - A (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) a \sin(dx+c) - A (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) b \sin(dx+c) - 4B \text{EllipticPi}((-1 + \cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \sin(dx+c) a + 2B (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \sin(dx+c) \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})$

$1/2)) * a - A * \cos(dx+c)^3 + a * A * \cos(dx+c)^2 - A * \cos(dx+c)^2 * b + A * b * \cos(dx+c) * (\cos(dx+c)+1)^2 * ((b+a * \cos(dx+c))/\cos(dx+c))^{1/2} / (b+a * \cos(dx+c)) / \sin(dx+c)^5$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \cos(dx+c)}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*cos(dx+c)/sqrt(b*sec(dx+c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx+c) \sec(dx+c) + A \cos(dx+c)}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(dx+c)*sec(dx+c) + A*cos(dx+c))/sqrt(b*sec(dx+c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c+dx)) \cos(c+dx)}{\sqrt{a + b \sec(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)*(A+B*sec(dx+c))/(a+b*sec(dx+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)/sqrt(b*sec(d*x + c) + a), x)

$$3.376 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=435

$$\frac{\sqrt{a+b}(3Ab-2a(A+2B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) \sqrt{a+b}}{4a^2d}$$

[Out] $-\left((a-b)\sqrt{a+b}(3A^2b-4A^2B)\cot[c+d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\sqrt{a+b \sec[c+d*x]}]/\sqrt{a+b}], (a+b)/(a-b)*\sqrt{(b(1-\sec[c+d*x]))/(a+b)}\right)/\sqrt{a+b} - \left(\sqrt{a+b}(3A^2b-2a(A+2B))\cot[c+d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a+b \sec[c+d*x]}]/\sqrt{a+b}], (a+b)/(a-b)*\sqrt{(b(1-\sec[c+d*x]))/(a+b)}\right)/\sqrt{a+b} - \left(\sqrt{a+b}(4A^2A+3A^2b^2-4A^2bB)\cot[c+d*x]*\operatorname{EllipticPi}[(a+b)/a, \operatorname{ArcSin}[\sqrt{a+b \sec[c+d*x]}]/\sqrt{a+b}], (a+b)/(a-b)*\sqrt{(b(1-\sec[c+d*x]))/(a+b)}\right)/\sqrt{a+b} - \left(\sqrt{a+b}(4A^3d - ((3A^2b-4A^2B)*\sqrt{a+b \sec[c+d*x]}*\sin[c+d*x])/(4A^2d) + (A*\cos[c+d*x]*\sqrt{a+b \sec[c+d*x]}*\sin[c+d*x])/(2A*d)\right)/\sqrt{a+b}$

Rubi [A] time = 0.723814, antiderivative size = 435, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4034, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{\sqrt{a+b}(4a^2A-4abB+3Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) \sqrt{a+b}}{4a^3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\cos[c+d*x]^2*(A+B*\sec[c+d*x]))/\sqrt{a+b*\sec[c+d*x]},x]$

[Out] $-\left((a-b)\sqrt{a+b}(3A^2b-4A^2B)\cot[c+d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\sqrt{a+b \sec[c+d*x]}]/\sqrt{a+b}], (a+b)/(a-b)*\sqrt{(b(1-\sec[c+d*x]))/(a+b)}\right)/\sqrt{a+b} - \left(\sqrt{a+b}(3A^2b-2a(A+2B))\cot[c+d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a+b \sec[c+d*x]}]/\sqrt{a+b}], (a+b)/(a-b)*\sqrt{(b(1-\sec[c+d*x]))/(a+b)}\right)/\sqrt{a+b} - \left(\sqrt{a+b}(4A^2A+3A^2b^2-4A^2bB)\cot[c+d*x]*\operatorname{EllipticPi}[(a+b)/a, \operatorname{ArcSin}[\sqrt{a+b \sec[c+d*x]}]/\sqrt{a+b}], (a+b)/(a-b)*\sqrt{(b(1-\sec[c+d*x]))/(a+b)}\right)/\sqrt{a+b} - \left(\sqrt{a+b}(4A^3d - ((3A^2b-4A^2B)*\sqrt{a+b \sec[c+d*x]}*\sin[c+d*x])/(4A^2d) + (A*\cos[c+d*x]*\sqrt{a+b \sec[c+d*x]}*\sin[c+d*x])/(2A*d)\right)/\sqrt{a+b}$

$$+ b \operatorname{Sec}[c + d*x] \operatorname{Sin}[c + d*x] / (2*a*d)$$

Rule 4034

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx &= \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2ad} - \frac{\int \frac{\cos(c + dx) \left(\frac{1}{2}(3Ab - 4aB) - aA \sec(c + dx) \right)}{\sqrt{a + b \sec(c + dx)}} dx}{2a} \\ &= -\frac{(3Ab - 4aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4a^2d} + \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{2ad} \\ &= -\frac{(3Ab - 4aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4a^2d} + \frac{A \cos(c + dx) \sqrt{a + b \sec(c + dx)}}{2ad} \\ &= -\frac{(a - b) \sqrt{a + b} (3Ab - 4aB) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{4a^2bd} \\ &= -\frac{(a - b) \sqrt{a + b} (3Ab - 4aB) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{4a^2bd} \end{aligned}$$

Mathematica [C] time = 15.9062, size = 1639, normalized size = 3.77

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]
```

```
[Out] (A*(b + a*cos[c + d*x])*Sec[c + d*x]*Sin[2*(c + d*x)]/(4*a*d*Sqrt[a + b*Sec[c + d*x]]) + (Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(-3*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] - 3*A*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 4*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 4*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 6*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^3 - 8*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^3 - 3*a*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 + 3*A*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]^5 + 4*a^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - 4*a*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (6*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (8*I)*a*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (8*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (6*I)*A*b^2*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (8*I)*a*b*B*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*(-3*A*b + 4*a*B)*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*(2*a^2*A + 3*A*b^2 - a*b*(A + 4*B))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(4*a^2*Sqrt[(-a + b)/(a + b)]*d*Sqrt[a + b*Sec[c + d*x]]*(-1 + Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))
```

Maple [B] time = 0.388, size = 1885, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^2*(A+B*\sec(d*x+c))/(a+b*\sec(d*x+c))^{1/2}, x)$

[Out] $\frac{1}{4}d/a^2(-1+\cos(d*x+c))^2(4*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c)), ((a-b)/(a+b))^{1/2})*a^2*\sin(d*x+c)-2*A*\cos(d*x+c)^4*a^2-8*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*\sin(d*x+c)-4*B*\cos(d*x+c)^3*a^2+3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2-4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2+A*\cos(d*x+c)^3*a*b-3*A*\cos(d*x+c)^2*a*b-4*B*\cos(d*x+c)^2*a*b+4*B*\cos(d*x+c)*a*b-2*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b+3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b-4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b+8*B*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*a*b+8*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a*b*\sin(d*x+c)+2*A*\cos(d*x+c)^2*a^2+2*A*\cos(d*x+c)*a*b-6*A*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-4*B*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+3*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2*\sin(d*x+c)+3*A*\cos(d*x+c)^2*b^2+4*B*\cos(d*x+c)^2*a^2-3*A*\cos(d*x+c)*b^2+4*A*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-8*A*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-6*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^2+3*A*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*a*b-2*A*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*a*b-4*B*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*(\cos(d*x+c)$

$$\frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{1}{(a+b) \cdot (b+a \cos(dx+c))} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \sin(dx+c) \cdot a \cdot b \cdot (\cos(dx+c)+1)^2 \cdot \frac{(b+a \cos(dx+c))}{\cos(dx+c)} \cdot \frac{1}{(b+a \cos(dx+c))} \cdot \frac{1}{\sin(dx+c)^5}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \cos(dx+c)^2}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx + c) + A)*cos(dx + c)^2/sqrt(b*sec(dx + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**2*(A+B*sec(dx+c))/(a+b*sec(dx+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)**2/sqrt(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^2}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^2/sqrt(b*sec(d*x + c) + a), x)

$$3.377 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=525

$$\frac{\sqrt{a+b} (16a^2A + 12a^2B - 10aAb - 18abB + 15Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{24a^3d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*A + 15*A*b^2 - 18*a*b*B)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a^3
*b*d) + (Sqrt[a + b]*(16*a^2*A - 10*a*A*b + 15*A*b^2 + 12*a^2*B - 18*a*b*B)
*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a +
b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x
]))/(a - b)))]/(24*a^3*d) + (Sqrt[a + b]*(4*a^2*A*b + 5*A*b^3 - 8*a^3*B - 6
*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]
]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
-((b*(1 + Sec[c + d*x]))/(a - b)))]/(8*a^4*d) + ((16*a^2*A + 15*A*b^2 - 18*
a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a^3*d) - ((5*A*b - 6*a*B)
*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*a^2*d) + (A*Cos[c
+ d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d)
```

Rubi [A] time = 1.16764, antiderivative size = 525, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4034, 4104, 4058, 3921, 3784, 3832, 4004}

$$\frac{(16a^2A - 18abB + 15Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{24a^3d} + \frac{\sqrt{a+b} (16a^2A + 12a^2B - 10aAb - 18abB + 15Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{24a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(16*a^2*A + 15*A*b^2 - 18*a*b*B)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1
- Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(24*a^3
*b*d) + (Sqrt[a + b]*(16*a^2*A - 10*a*A*b + 15*A*b^2 + 12*a^2*B - 18*a*b*B)
*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a +
b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x
]))/(a - b)))]/(24*a^3*d) + (Sqrt[a + b]*(4*a^2*A*b + 5*A*b^3 - 8*a^3*B - 6
*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]
]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
-((b*(1 + Sec[c + d*x]))/(a - b)))]/(8*a^4*d) + ((16*a^2*A + 15*A*b^2 - 18*
a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a^3*d) - ((5*A*b - 6*a*B)
*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*a^2*d) + (A*Cos[c
+ d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d)
```

]/Sqrt[a + b]], (a + b)/(a - b)*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^4*d) + ((16*a^2*A + 15*A*b^2 - 18*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*a^3*d) - ((5*A*b - 6*a*B)*Cos[c + d*x]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*a^2*d) + (A*Cos[c + d*x]^2*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d)

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))^m*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))

$$\frac{1}{(a-b)} \text{EllipticPi}\left[\frac{a+b}{a}, \text{ArcSin}\left[\frac{\sqrt{a+b\text{Csc}[c+dx]}}{\text{Rt}[a+b, 2]}\right], \frac{a+b}{a-b}\right] / (a*d\text{Cot}[c+dx]), x] /;$$

$$\text{FreeQ}\{a, b, c, d\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3832

$$\text{Int}[\text{csc}[e_.] + (f_.)*(x_)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Simp}[(-2*\text{Rt}[a+b, 2]*\text{Sqrt}[(b*(1-\text{Csc}[e+f*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Csc}[e+f*x]))/(a-b))]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b\text{Csc}[e+f*x]]]/\text{Rt}[a+b, 2]], (a+b)/(a-b))]/(b*f*\text{Cot}[e+f*x]), x] /;$$

$$\text{FreeQ}\{a, b, e, f\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 4004

$$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_)]*(\text{csc}[e_.] + (f_.)*(x_)]*(B_.) + (A_))]/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1-\text{Csc}[e+f*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Csc}[e+f*x]))/(a-b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b\text{Csc}[e+f*x]]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]]/(b^2*f*\text{Cot}[e+f*x]), x] /;$$

$$\text{FreeQ}\{a, b, e, f, A, B\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$$

Rubi steps

$$\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx = \frac{A\cos^2(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3ad} - \int \frac{\cos^2(c+dx)\left(\frac{1}{2}(5Ab-6aB)-2aA\sec(c+dx)\right)}{\sqrt{a+b\sec(c+dx)}} dx$$

$$= -\frac{(5Ab-6aB)\cos(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{12a^2d} + \frac{A\cos^2(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3a}$$

$$= \frac{(16a^2A+15Ab^2-18abB)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{24a^3d} - \frac{(5Ab-6aB)\cos(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{24a^3d}$$

$$= \frac{(16a^2A+15Ab^2-18abB)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{24a^3d} - \frac{(5Ab-6aB)\cos(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{24a^3d}$$

$$= \frac{(a-b)\sqrt{a+b}(16a^2A+15Ab^2-18abB)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{24a^3bd}$$

$$= \frac{(a-b)\sqrt{a+b}(16a^2A+15Ab^2-18abB)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{24a^3bd}$$

Mathematica [B] time = 19.8698, size = 1585, normalized size = 3.02

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] ((b + a*cos[c + d*x])*Sec[c + d*x]*((A*sin[c + d*x])/(12*a) + ((-5*A*b + 6*a*B)*sin[2*(c + d*x)]/(24*a^2) + (A*sin[3*(c + d*x)]/(12*a)))/(d*Sqrt[a + b*Sec[c + d*x]]) - (Sqrt[b + a*cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2])*(16*a^3*A*Tan[(c + d*x)/2] + 16*a^2*A*b*Tan[(c + d*x)/2] + 15*a*A*b^2*Tan[(c + d*x)/2] + 15*A*b^3*Tan[(c + d*x)/2] - 18*a^2*b*B*Tan[(c + d*x)/2] - 18*a*b^2*B*Tan[(c + d*x)/2] - 32*a^3*A*Tan[(c + d*x)/2]^3 - 30*a*A*b^2*Tan[(c + d*x)/2]^3 + 36*a^2*b*B*Tan[(c + d*x)/2]^3 + 16*a^3*A*Tan[(c + d*x)/2]^5 - 16*a^2*A*b*Tan[(c + d*x)/2]^5 + 15*a*A*b^2*Tan[(c + d*x)/2]^5 - 15*A*b^3*Tan[(c + d*x)/2]^5 - 18*a^2*b*B*Tan[(c + d*x)/2]^5 + 18*a*b^2*B*Tan[(c + d*x)/2]^5 + 24*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 48*a^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 36*a*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 24*a^2*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 30*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 48*a^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 36*a*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(16*a^2*A + 15*A*b^2 - 18*a*b*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*a*(5*A*b^2 + 2*a*b*(A - 3*B) + 12*a^2*B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(24*a^3*d*Sqrt[a + b*Sec[c + d*x]]*Sqrt[1 + Tan

$$\left(\left(\frac{c + dx}{2} \right)^2 * (a * (-1 + \tan\left[\frac{c + dx}{2}\right]^2) - b * (1 + \tan\left[\frac{c + dx}{2}\right]^2)) \right)$$

Maple [B] time = 0.471, size = 2954, normalized size = 5.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^3 * (A+B*\sec(dx+c)) / (a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & -1/24/d/a^3 * (-1 + \cos(dx+c))^2 * (16*A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * \sin(dx+c) - 18*B * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * b - 18*B * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * a + 12*B * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * b + 36*B * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * a + 16*A * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 15*A * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 24*B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 + 48*B * \cos(dx+c) * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^3 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 16*A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b * \sin(dx+c) + 15*A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^2 * \sin(dx+c) - 4*A * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * b - 10*A * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) \end{aligned}$$

$$\begin{aligned}
& x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*a-24*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+ \\
& c),-1,((a-b)/(a+b))^{\frac{1}{2}})*a^2*b*\sin(d*x+c)+15*A*(\cos(d*x+c)/(\cos(d*x+c)+1) \\
&)^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d \\
& *x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*b^3*\sin(d*x+c)-12*B*a^3*\cos(d*x+c)^2 \\
& +8*A*\cos(d*x+c)^5*a^3+8*A*\cos(d*x+c)^3*a^3-16*A*\cos(d*x+c)^2*a^3+15*A*\cos(d \\
& *x+c)^2*b^3-30*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c) \\
&)/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+ \\
& b))^{\frac{1}{2}})*b^3*\sin(d*x+c)-24*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ((a-b)/(a+b))^{\frac{1}{2}})*a^3*\sin(d*x+c)+48*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}* \\
& (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticPi((-1+\cos(d*x+c))/ \\
& \sin(d*x+c),-1,((a-b)/(a+b))^{\frac{1}{2}})*a^3*\sin(d*x+c)-15*A*\cos(d*x+c)*b^3+12*B* \\
& \cos(d*x+c)^4*a^3+18*A*\cos(d*x+c)^2*a^2*b-18*B*\cos(d*x+c)^2*a*b^2-16*A*\cos(d \\
& *x+c)*a^2*b+10*A*\cos(d*x+c)*a*b^2-12*B*\cos(d*x+c)*a^2*b+12*B*\cos(d*x+c)*\sin \\
& (d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{\frac{1}{2}}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*a^ \\
& 2*b+36*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c) \\
& ,-1,((a-b)/(a+b))^{\frac{1}{2}})*a*b^2+16*A*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\si \\
& n(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*b+15*A*\cos(d*x+c)*\sin(d \\
& *x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+ \\
& c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*a*b^ \\
& 2-4*A*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})* \\
& a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{\frac{1}{2}}*\sin(d*x+c)*b-10*A*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c) \\
&),((a-b)/(a+b))^{\frac{1}{2}})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a* \\
& \cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*a-24*A*\cos(d*x+c)*EllipticPi((\\
& -1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{\frac{1}{2}})*a^2*(\cos(d*x+c)/(\cos(d*x+ \\
& c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*\sin(d*x+c)*b-1 \\
& 8*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{\frac{1}{2}}*(1/(a+b)*(b+a*c \\
& os(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b) \\
&)/(a+b))^{\frac{1}{2}})*a^2*b-18*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1) \\
&)^{\frac{1}{2}}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{\frac{1}{2}}*EllipticE((-1+\cos(d \\
& *x+c))/\sin(d*x+c),((a-b)/(a+b))^{\frac{1}{2}})*a*b^2+5*A*\cos(d*x+c)^3*a*b^2-6*B*\cos \\
& (d*x+c)^3*a^2*b-15*A*\cos(d*x+c)^2*a*b^2+18*B*\cos(d*x+c)^2*a^2*b+18*B*\cos(d* \\
& x+c)*a*b^2-2*A*\cos(d*x+c)^4*a^2*b*(\cos(d*x+c)+1)^2*((b+a*\cos(d*x+c))/\cos(d \\
& *x+c))^{\frac{1}{2}}/(b+a*\cos(d*x+c))/\sin(d*x+c)^5
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^3}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^3/sqrt(b*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c)^3 \sec(dx + c) + A \cos(dx + c)^3}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)/sqrt(b*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^3}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^3/sqrt(b*sec(d*x + c) + a), x)
```


$$3.378 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=329

$$\frac{2(2a+b)(3Ab-B(4a+b)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^3 d \sqrt{a+b}} - \frac{2a^2}{b^2 d (a^2)}$$

[Out] $(-2*(6*a^2*A*b - 3*A*b^3 - 8*a^3*B + 5*a*b^2*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(3*b^4*\operatorname{Sqrt}[a + b]*d) - (2*(2*a + b)*(3*A*b - (4*a + b)*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(3*b^3*\operatorname{Sqrt}[a + b]*d) - (2*a^2*(A*b - a*B)*\operatorname{Tan}[c + d*x]/(b^2*(a^2 - b^2)*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*B*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Tan}[c + d*x])/(3*b^2*d)$

Rubi [A] time = 0.719653, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4028, 4082, 4005, 3832, 4004}

$$\frac{2a^2(Ab - aB) \tan(c + dx)}{b^2 d (a^2 - b^2) \sqrt{a + b \sec(c + dx)}} - \frac{2(6a^2Ab - 8a^3B + 5ab^2B - 3Ab^3) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3b^4 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]^3*(A + B*\operatorname{Sec}[c + d*x]))/(a + b*\operatorname{Sec}[c + d*x])^{(3/2)}, x]$

[Out] $(-2*(6*a^2*A*b - 3*A*b^3 - 8*a^3*B + 5*a*b^2*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(3*b^4*\operatorname{Sqrt}[a + b]*d) - (2*(2*a + b)*(3*A*b - (4*a + b)*B)*\operatorname{Cot}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/\operatorname{Sqrt}[a + b]], (a + b)/(a - b)]*\operatorname{Sqrt}[(b*(1 - \operatorname{Sec}[c + d*x]))/(a + b)]*\operatorname{Sqrt}[-((b*(1 + \operatorname{Sec}[c + d*x]))/(a - b))]/(3*b^3*\operatorname{Sqrt}[a + b]*d) - (2*a^2*(A*b - a*B)*\operatorname{Tan}[c + d*x]/(b^2*(a^2 - b^2)*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*B*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Tan}[c + d*x])/(3*b^2*d)$

Rule 4028

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)*(x_)]^3*(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)^{(m_)}*(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_))), x_Symbol] :> -\operatorname{Simp}[(a^2*(A*b - a*B)*$

```

Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)/(b^2*f*(m + 1)*(a^2 - b^2)), x]
+ Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(
m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e
+ f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 4082

```

Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]^(m_), x_S
ymbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 2))
, x] + Dist[1/(b*(m + 2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^m*Simp[b*A
*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Csc[e + f*x], x], x], x] /; Fr
eeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

```

Rule 4005

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= -\frac{2a^2(Ab-aB)\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2\int \frac{\sec(c+dx)\left(-\frac{1}{2}ab(Ab-aB)-\frac{1}{2}(2a^2-b^2)(Ab-aB)\sec(c+dx)\right)}{\sqrt{a+b\sec(c+dx)}} dx}{b^2(a^2-b^2)} \\
&= -\frac{2a^2(Ab-aB)\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2B\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{3b^2d} - \frac{4\int \frac{\sec^2(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{b^2(a^2-b^2)} \\
&= -\frac{2a^2(Ab-aB)\tan(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2B\sqrt{a+b\sec(c+dx)}\tan(c+dx)}{3b^2d} + \frac{(6a^2-4a^2)\tan(c+dx)}{b^2(a^2-b^2)} \\
&= -\frac{2(6a^2Ab-3Ab^3-8a^3B+5ab^2B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{3b^4\sqrt{a+bd}}
\end{aligned}$$

Mathematica [B] time = 24.7908, size = 3460, normalized size = 10.52

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((2*(-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B)*Sin[c + d*x])/(3*b^3*(-a^2 + b^2)) + (2*(a^2*A*b*Sin[c + d*x] - a^3*B*Sin[c + d*x]))/(b^2*(-a^2 + b^2)*(b + a*Cos[c + d*x])) + (2*B*Tan[c + d*x])/(3*b^2)))/(d*(a + b*Sec[c + d*x])^(3/2)) - (2*(b + a*Cos[c + d*x])*(2*a^2*A)/(b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (A*b)/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (5*a*B)/(3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^3*B)/(3*b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a*A*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (2*a^3*A*Sqrt[Sec[c + d*x]])/(b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (8*a^4*B*Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (7*a^2*B*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (b*B*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (a*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (2*a^3*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(b^2*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) - (8*a^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]]) + (5*a^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)*Sqrt[b + a*Cos[c + d*x]])*Sec[c + d*x]^(3/2)*Sqrt[Cos[(c + d*x)]]

$$\begin{aligned}
& *x)/2]^2 * \text{Sec}[c + d*x]] * (2*(a + b)*(-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] \\
& - 2*b*(-2*a^2 - a*b + b^2)*(3*A*b + (-4*a + b)*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b^3*(-a^2 + b^2)*d*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2*(a + b*\text{Sec}[c + d*x])^(3/2)*(-a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(2*(a + b)*(-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(-2*a^2 - a*b + b^2)*(3*A*b + (-4*a + b)*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b^3*(-a^2 + b^2)*(b + a*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*(a + b)*(-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(-2*a^2 - a*b + b^2)*(3*A*b + (-4*a + b)*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b^3*(-a^2 + b^2)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*((-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4)/2 + ((a + b)*(-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (b*(-2*a^2 - a*b + b^2)*(3*A*b + (-4*a + b)*B) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) + ((a + b)*(-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])) + ((b + a*\text{Cos}[c + d*x]) * \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - (b*(-2*a^2 - a*b + b^2)*(3*A*b + (-4*a + b)*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-(a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])) + ((b + a*\text{Cos}[c + d*x]) * \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - a*(-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d
\end{aligned}$$

$$\begin{aligned}
& x)/2] - (-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B)*(b + a*\cos[c + d*x])*S \\
& \sec[(c + d*x)/2]^2*\sin[c + d*x]*\tan[(c + d*x)/2] + (-6*a^2*A*b + 3*A*b^3 + 8 \\
& *a^3*B - 5*a*b^2*B)*\cos[c + d*x]*(b + a*\cos[c + d*x])*Sec[(c + d*x)/2]^2*Ta \\
& n[(c + d*x)/2]^2 - (b*(-2*a^2 - a*b + b^2)*(3*A*b + (-4*a + b)*B)*\sqrt{\cos[\\
& c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c \\
& + d*x]))})*Sec[(c + d*x)/2]^2)/(\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{1 - ((a - \\
& b)*\tan[(c + d*x)/2]^2)/(a + b)}) + ((a + b)*(-6*a^2*A*b + 3*A*b^3 + 8*a^3*B \\
& - 5*a*b^2*B)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x \\
&])/((a + b)*(1 + \cos[c + d*x]))})*Sec[(c + d*x)/2]^2*\sqrt{1 - ((a - b)*\tan[(\\
& c + d*x)/2]^2)/(a + b)})/\sqrt{1 - \tan[(c + d*x)/2]^2})/(3*b^3*(-a^2 + b^2) \\
& *\sqrt{b + a*\cos[c + d*x]}*\sqrt{\sec[(c + d*x)/2]^2}) - ((2*(a + b)*(-6*a^2*A \\
& *b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])})*S \\
& \sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))})*\text{EllipticE}[\text{ArcSin}[\text{Tan} \\
& [(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(-2*a^2 - a*b + b^2)*(3*A*b + (-4*a \\
& + b)*B)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a \\
& + b)*(1 + \cos[c + d*x]))})*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + \\
& b)] + (-6*a^2*A*b + 3*A*b^3 + 8*a^3*B - 5*a*b^2*B)*\cos[c + d*x]*(b + a*\cos \\
& [c + d*x])*Sec[(c + d*x)/2]^2*\tan[(c + d*x)/2]*(-(\cos[(c + d*x)/2]*\sec[c + \\
& d*x]*\sin[(c + d*x)/2]) + \cos[(c + d*x)/2]^2*\sec[c + d*x]*\tan[c + d*x]))/(3 \\
& *b^3*(-a^2 + b^2)*\sqrt{b + a*\cos[c + d*x]}*\sqrt{\sec[(c + d*x)/2]^2}*\sqrt{\cos \\
& [(c + d*x)/2]^2*\sec[c + d*x]})
\end{aligned}$$

Maple [B] time = 0.743, size = 3333, normalized size = 10.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^3*(A+B*\sec(dx+c))/(a+b*\sec(dx+c))^{3/2}, x)$

[Out]
$$\begin{aligned}
& -1/3/d/(a-b)/(a+b)/b^3*4^{1/2}*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(B*b^4-8 \\
& *B*\cos(dx+c)^3*a^4-3*A*\cos(dx+c)^2*b^4+8*B*\cos(dx+c)^2*a^4-B*a^2*b^2+5*B \\
& *sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos \\
& (dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b) \\
& / (a+b))^{1/2})*a*b^3+8*B*sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1) \\
&)^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d \\
& x+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*b-5*B*sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c) \\
& /(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c) \\
&)/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b^2-5*B* \\
& sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos \\
& (dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b) \\
& / (a+b))^{1/2})*a*b^3+6*A*sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(\cos(dx+c)+1))
\end{aligned}$$

$x+c), ((a-b)/(a+b))^{1/2}) * a + 8 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b - 5 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 - 5 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^3 - 8 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^3 * b - 2 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + 5 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b^3 + 3 * A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^4 + 8 * B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^4 - B * \cos(dx+c)^2 * b^4 + 3 * A * \cos(dx+c) * b^4 / (b+a * \cos(dx+c)) / \sin(dx+c) / \cos(dx+c)$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx+c)^4 + A \sec(dx+c)^3) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^
2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x))**(3/2),
x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^3/(b*sec(d*x + c) + a)^(3/2), x
)
```


$$3.379 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=275

$$\frac{2(Ab - B(2a + b)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{b^2 d \sqrt{a+b}} + \frac{2a(Ab - aB) \tan(c + dx)}{bd(a^2 - b^2) \sqrt{a+b}}$$

[Out] (2*(a*A*b - 2*a^2*B + b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^3*Sqrt[a + b]*d) + (2*(A*b - (2*a + b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) + (2*a*(A*b - a*B)*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.464035, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {4009, 4005, 3832, 4004}

$$\frac{2a(Ab - aB) \tan(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \sec(c + dx)}} + \frac{2(-2a^2B + aAb + b^2B) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{b^3 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(a*A*b - 2*a^2*B + b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^3*Sqrt[a + b]*d) + (2*(A*b - (2*a + b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) + (2*a*(A*b - a*B)*Tan[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4009

Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dis

```
t[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*
Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e
+ f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] &&
NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \frac{\sec^2(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx = \frac{2a(Ab - aB) \tan(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2 \int \frac{\sec(c + dx) \left(-\frac{1}{2} b(Ab - aB) - \frac{1}{2} (aAb - 2a^2B + b^2B) \sec(c + dx) \right)}{\sqrt{a + b \sec(c + dx)}} dx}{b(a^2 - b^2)}$$

$$= \frac{2a(Ab - aB) \tan(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{(aAb - 2a^2B + b^2B) \int \frac{\sec(c + dx)(1 + \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx}{b(a^2 - b^2)}$$

$$= \frac{2(aAb - 2a^2B + b^2B) \cot(c + dx) E \left(\sin^{-1} \left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}} \right) \middle| \frac{a + b}{a - b} \right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{b^3 \sqrt{a + b} d}$$

Mathematica [A] time = 18.7172, size = 467, normalized size = 1.7

$$2 \sec^3(c + dx) \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \sec(c + dx) (a \cos(c + dx) + b) \left(2b(a + b)(B(b - 2a) + Ab) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\frac{a \cos(c+dx)+b}{(a+b)(\cos(c+dx)+1)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((2*(a*A*b - 2*a^2*B + b^2*B)*Sin[c + d*x])/(b^2*(-a^2 + b^2)) - (2*(a*A*b*Sin[c + d*x] - a^2*B*Sin[c + d*x]))/(b*(-a^2 + b^2)*(b + a*Cos[c + d*x])))/(d*(a + b*Sec[c + d*x])^(3/2)) + (2*(b + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]])*(2*(a + b)*(-(a*A*b) + 2*a^2*B - b^2*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(A*b + (-2*a + b)*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-a*A*b) + 2*a^2*B - b^2*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((b^2*(-a^2 + b^2)*d*Sqrt[Sec[(c + d*x)/2]^2*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 0.469, size = 2276, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2), x)

[Out] 1/d/b^2/(a+b)/(a-b)*4^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^3+B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*b^3+2*B*EllipticE((-1+cos(d*x+c))/sin(d*x+c), ((a-b)/(a+b))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*b-B*EllipticE((-1+cos(d*x+c))/sin(d*x+c))

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^3 + A \sec(dx+c)^2) \sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.380 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=254

$$\frac{2(A+B) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{bd\sqrt{a+b}} - \frac{2(Ab-aB) \tan(c+dx)}{d(a^2-b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] (-2*(A*b - a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) + (2*(A + B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*Sqrt[a + b]*d) - (2*(A*b - a*B)*Tan[c + d*x])/((a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.348156, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4003, 4005, 3832, 4004}

$$-\frac{2(Ab-aB) \tan(c+dx)}{d(a^2-b^2)\sqrt{a+b \sec(c+dx)}} - \frac{2(Ab-aB) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{b^2 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (-2*(A*b - a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b^2*Sqrt[a + b]*d) + (2*(A + B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(b*Sqrt[a + b]*d) - (2*(A*b - a*B)*Tan[c + d*x])/((a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4003

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(

```
(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a
*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x] /; FreeQ[{
a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -
1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx = -\frac{2(Ab-aB)\tan(c+dx)}{(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2\int \frac{\sec(c+dx)\left(\frac{1}{2}(-aA+bB)-\frac{1}{2}(Ab-aB)\sec(c+dx)\right)}{\sqrt{a+b\sec(c+dx)}} dx}{a^2-b^2}$$

$$= -\frac{2(Ab-aB)\tan(c+dx)}{(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(A+B)\int \frac{\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{a+b} + \frac{(Ab-aB)\int \frac{\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{a^2}$$

$$= -\frac{2(Ab-aB)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}\sqrt{\frac{b(1+\sec(c+dx))}{a-b}}}{b^2\sqrt{a+bd}}$$

Mathematica [A] time = 15.5771, size = 468, normalized size = 1.84

$$\frac{\sec(c + dx)(a \cos(c + dx) + b)^2(A + B \sec(c + dx)) \left(\frac{2(Ab \sin(c + dx) - aB \sin(c + dx))}{(b^2 - a^2)(a \cos(c + dx) + b)} - \frac{2(Ab - aB) \sin(c + dx)}{b(b^2 - a^2)} \right)}{d(a + b \sec(c + dx))^{3/2}(A \cos(c + dx) + B)} - \frac{2\sqrt{\sec(c + dx)}\sqrt{\cos^2(c + dx)}}{d(a + b \sec(c + dx))^{3/2}(A \cos(c + dx) + B)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] $((b + a \cos[c + d*x])^2 \sec[c + d*x] * (A + B \sec[c + d*x]) * ((-2 * (A * b - a * B) * \sin[c + d*x]) / (b * (-a^2 + b^2)) + (2 * (A * b * \sin[c + d*x] - a * B * \sin[c + d*x])) / ((-a^2 + b^2) * (b + a * \cos[c + d*x]))) / (d * (B + A * \cos[c + d*x]) * (a + b * \sec[c + d*x])^{3/2}) - (2 * (b + a * \cos[c + d*x]) * \sqrt{\sec[c + d*x]} * \sqrt{\cos[(c + d * x) / 2]^2 * \sec[c + d*x]} * (A + B * \sec[c + d*x]) * (2 * (a + b) * (-A * b) + a * B) * \sqrt{\cos[c + d*x] / (1 + \cos[c + d*x])} * \sqrt{(b + a * \cos[c + d*x]) / ((a + b) * (1 + \cos[c + d*x]))} * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] + 2 * b * (a + b) * (A - B) * \sqrt{\cos[c + d*x] / (1 + \cos[c + d*x])} * \sqrt{(b + a * \cos[c + d*x]) / ((a + b) * (1 + \cos[c + d*x]))} * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (a - b) / (a + b)] - (A * b - a * B) * \cos[c + d*x] * (b + a * \cos[c + d*x]) * \sec[(c + d * x) / 2]^2 * \tan[(c + d * x) / 2]) / ((-a^2 * b) + b^3) * d * (B + A * \cos[c + d*x]) * \sqrt{\sec[(c + d * x) / 2]^2} * (a + b * \sec[c + d*x])^{3/2})$

Maple [B] time = 0.381, size = 1634, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2), x)

[Out] $-1/d/b/(a+b)/(a-b)*4^{(1/2)}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(A*\cos(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b+A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*b^2-A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)})*a*b-A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*E$

```

lIpticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2-B*cos(d*x+c)*s
in(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*
a*b-B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a
-b)/(a+b))^(1/2))*b^2+B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(
1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+
c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2+B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a*b+A*EllipticF((-1+c
os(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2
)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b+A*(cos(d*x
+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*E
llipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)-A*E
llipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d
*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*
a*b-A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+
c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^2*
sin(d*x+c)-B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2
))*a*b*sin(d*x+c)-B*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x
+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b
))^(1/2))*b^2*sin(d*x+c)+B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b
))^(1/2))*a^2*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(
cos(d*x+c)+1))^(1/2)*sin(d*x+c)+B*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-
b)/(a+b))^(1/2))*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)
))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b+A*cos(d*x+c)^2*a*b-A*cos(d*x+c)^2*b^
2-B*cos(d*x+c)^2*a^2+B*cos(d*x+c)^2*a*b-A*cos(d*x+c)*a*b+A*cos(d*x+c)*b^2+B
*cos(d*x+c)*a^2-B*cos(d*x+c)*a*b)/(b+a*cos(d*x+c))/sin(d*x+c)

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="
maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^2 + A \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)}{(b \sec(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.381 \quad \int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=376

$$\frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{abd\sqrt{a+b}} + \frac{2b(Ab - aB) \tan(c + dx)}{ad(a^2 - b^2) \sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(A*b - a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*(A*b - a*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*b*(A*b - a*B)*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])]

Rubi [A] time = 0.433259, antiderivative size = 376, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {3923, 4058, 3921, 3784, 3832, 4004}

$$\frac{2b(Ab - aB) \tan(c + dx)}{ad(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} - \frac{2A\sqrt{a+b} \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{a}; \sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(A*b - a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*(A*b - a*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a*b*Sqrt[a + b]*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*d) + (2*b*(A*b - a*B)*Tan[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])]

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.)), x_Symbol] := Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[

$a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx &= \frac{2b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}A(a^2 - b^2) + \frac{1}{2}a(Ab - aB) \sec(c + dx) + \frac{1}{2}b(Ab - aB) \sec^2(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}A(a^2 - b^2) + (\frac{1}{2}a(Ab - aB) - \frac{1}{2}b(Ab - aB)) \sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} - \frac{(b(Ab - aB) \tan(c + dx))}{a(a^2 - b^2)} \\ &= \frac{2(Ab - aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{b(1 + \sec(c + dx))}{a - b}}}{ab \sqrt{a + bd}} + \frac{2(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)} \\ &= \frac{2(Ab - aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{b(1 + \sec(c + dx))}{a - b}}}{ab \sqrt{a + bd}} - \frac{2(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)} \end{aligned}$$

Mathematica [C] time = 14.7124, size = 1491, normalized size = 3.97

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(3/2), x]

[Out] $((b + a*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x])*((2*(-(A*b) + a*B)*\text{Sin}[c + d*x])/(a*(a^2 - b^2)) - (2*(-(A*b^2*\text{Sin}[c + d*x]) + a*b*B*\text{Sin}[c + d*x]))/(a*(a^2 - b^2)*(b + a*\text{Cos}[c + d*x])))))/(d*(B + A*\text{Cos}[c + d*x])*(a + b*\text{Sec}[c + d*x])^{3/2}) + (2*(b + a*\text{Cos}[c + d*x])^{3/2}*\text{Sqrt}[\text{Sec}[c + d*x]]*(A + B*\text{Sec}[c + d*x])*\text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(1 + \text{Tan}[(c + d*x)/2]^2)*(a*A*b*\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2] + A*b^2*\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2] - a^2*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2] - a*b*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2] - 2*a*A*b*\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]^3 + 2*a^2*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^3 + a*A*b*\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]^5 - A*b^2*\text{Sqrt}[(-a + b)/(a + b)]*\text{Tan}[(c + d*x)/2]^5 - a^2*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^5 + a*b*\text{Sqrt}[(-a + b)/(a + b)]*B*\text{Tan}[(c + d*x)/2]^5)$

$$\begin{aligned}
& - (2*I)*a^2*A*EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*A*b^2 \\
& *EllipticPi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a \\
& *Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - (2*I)*a^2*A*EllipticPi[-(\\
& (a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a + \\
& b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a \\
& *Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*A*b^2*Elliptic \\
& Pi[-((a + b)/(a - b)), I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], \\
& (a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + \\
& b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(-A* \\
& b) + a*B)*EllipticE[I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/2]], (a \\
& + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a \\
& + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(2 \\
& *A*b + a*(A - B))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]]*Tan[(c + d*x)/ \\
& 2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2) \\
& *Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(a*S \\
& qrt[(-a + b)/(a + b)]*(a^2 - b^2)*d*(B + A*Cos[c + d*x])*(a + b*Sec[c + d*x \\
&])^{(3/2)}*(-1 + Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c \\
& + d*x)/2]^2)]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))
\end{aligned}$$

Maple [B] time = 0.385, size = 2009, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x)

[Out] $1/d/a/(a+b)/(a-b)*4^{(1/2)}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(A*(\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2*\sin(d*x+c)-2*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,((a-b)/(a+b))^{(1/2)})*a^2*\sin(d*x+c)-A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*b^2+B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),((a-b)/(a+b))^{(1/2)})*a^2+A*\cos(d*x+c)^2*a*b+B*\cos(d*x+c)^2*a*b-B*\cos(d*x+c)*a*b+A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*$

$x+c)/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b - A * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b - B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b + B * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b - B * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * \sin(dx+c) - B * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a * b * \sin(dx+c) + B * \cos(dx+c) * a^2 - B * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * \sin(dx+c) * a^2 - A * \cos(dx+c) * a * b + 2 * A * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + B * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) - A * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * b^2 * \sin(dx+c) - A * \cos(dx+c)^2 * b^2 - B * \cos(dx+c)^2 * a^2 + A * \cos(dx+c) * b^2 + A * \cos(dx+c) * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) - 2 * A * \cos(dx+c) * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * a^2 * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 2 * A * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2}) * b^2 - A * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * a * b + A * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * a * b + B * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (\cos(dx+c)+1))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * a * b) / (b+a * \cos(dx+c)) / \sin(dx+c)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx+c) + A}{(b \sec(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.382 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=427

$$\frac{(a(A-2B)+3Ab) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{a^2 d \sqrt{a+b}} + \frac{b(a^2 A + 2abB - 3Ab^2) \tan(c+dx)}{a^2 d (a^2 - b^2) \sqrt{a+b \sec(c+dx)}}$$

[Out] ((a^2*A - 3*A*b^2 + 2*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*b*Sqrt[a + b]*d) + ((3*A*b + a*(A - 2*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*Sqrt[a + b]*d) + (Sqrt[a + b]*(3*A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (A*Sin[c + d*x])/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(a^2*A - 3*A*b^2 + 2*a*b*B)*Tan[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.700514, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4034, 4061, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(a^2 A + 2abB - 3Ab^2) \tan(c+dx)}{a^2 d (a^2 - b^2) \sqrt{a+b \sec(c+dx)}} + \frac{(a^2 A + 2abB - 3Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{a^2 b d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2),x]

[Out] ((a^2*A - 3*A*b^2 + 2*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*b*Sqrt[a + b]*d) + ((3*A*b + a*(A - 2*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^2*Sqrt[a + b]*d) + (Sqrt[a + b]*(3*A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (A*Sin[c + d*x])/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(a^2*A - 3*A*b^2 + 2*a*b*B)*Tan[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

$\text{ec}[c + d*x]] + (b*(a^2*A - 3*A*b^2 + 2*a*b*B)*\text{Tan}[c + d*x])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$

Rule 4034

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.))^n*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.))^m*(\text{csc}[e_.] + (f_.)*(x_.))*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f^n), x] + \text{Dist}[1/(a*d^n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + A*a*(n+1)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4061

$\text{Int}[(A_.) + \text{csc}[e_.] + (f_.)*(x_.)]^2*(C_.)*(\text{csc}[e_.] + (f_.)*(x_.))*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*b^2 + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1})/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*\text{Simp}[A*(a^2 - b^2)*(m+1) - a*b*(A + C)*(m+1)*\text{Csc}[e + f*x] + (A*b^2 + a^2*C)*(m+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m] \&\& \text{LtQ}[m, -1]$

Rule 4058

$\text{Int}[(A_.) + \text{csc}[e_.] + (f_.)*(x_.)]*(B_.) + \text{csc}[e_.] + (f_.)*(x_.)]^2*(C_.))/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3921

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_.))*(d_.) + (c_.))/\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[1/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Dist}[d, \text{Int}[\text{Csc}[e + f*x]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3784

$\text{Int}[1/\text{Sqrt}[\text{csc}[c_.] + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(2*\text{Rt}[a + b, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[c + d*x]))/(a + b)]*\text{Sqrt}[-(b*(1 + \text{Csc}[c + d*x]))/(a - b)])*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[c + d*x]]/\text{Rt}[a + b, 2]], (a + b)/(a - b)]/(a*d*\text{Cot}[c + d*x]), x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\&$

NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} - \frac{\int \frac{\frac{1}{2}(3Ab - 2aB) - \frac{1}{2}Ab \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{a} \\
 &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} + \frac{b(a^2A - 3Ab^2 + 2abB) \tan(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} + \frac{2 \int \frac{-\frac{1}{4}(a^2 - b^2)(3Ab - 2aB) - \frac{1}{4}Ab \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{a} \\
 &= \frac{A \sin(c + dx)}{ad\sqrt{a + b \sec(c + dx)}} + \frac{b(a^2A - 3Ab^2 + 2abB) \tan(c + dx)}{a^2(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} + \frac{2 \int \frac{-\frac{1}{4}(a^2 - b^2)(3Ab - 2aB) - \frac{1}{4}Ab \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{a} \\
 &= \frac{(a^2A - 3Ab^2 + 2abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{a^2b\sqrt{a + b}d} \\
 &= \frac{(a^2A - 3Ab^2 + 2abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right) \middle| \frac{a + b}{a - b}\right) \sqrt{\frac{b(1 - \sec(c + dx))}{a + b}}}{a^2b\sqrt{a + b}d}
 \end{aligned}$$

Mathematica [B] time = 19.7011, size = 1613, normalized size = 3.78

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2),x]

[Out]
$$\frac{\left((b + a \cos[c + dx])^2 \sec[c + dx]^2 \left((-2b(Ab - aB) \sin[c + dx]) \right) \right) / (a^2(-a^2 + b^2)) + (2(-Ab^3 \sin[c + dx]) + ab^2 B \sin[c + dx]) / (a^2(a^2 - b^2)(b + a \cos[c + dx]))}{d(a + b \sec[c + dx])^{3/2}} - \left((b + a \cos[c + dx])^{3/2} \sec[c + dx]^{3/2} \sqrt{(1 - \tan[(c + dx)/2]^2)^{-1}} \right) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (1 + \tan[(c + dx)/2]^2)} \cdot (a^3 A \tan[(c + dx)/2] + a^2 A b \tan[(c + dx)/2] - 3 a A b^2 \tan[(c + dx)/2] - 3 A b^3 \tan[(c + dx)/2] + 2 a^2 b B \tan[(c + dx)/2] + 2 a b^2 B \tan[(c + dx)/2] - 2 a^3 A \tan[(c + dx)/2]^3 + 6 a A b^2 \tan[(c + dx)/2]^3 - 4 a^2 b B \tan[(c + dx)/2]^3 + a^3 A \tan[(c + dx)/2]^5 - a^2 A b \tan[(c + dx)/2]^5 - 3 a A b^2 \tan[(c + dx)/2]^5 + 3 A b^3 \tan[(c + dx)/2]^5 + 2 a^2 b B \tan[(c + dx)/2]^5 - 2 a b^2 B \tan[(c + dx)/2]^5 + 6 a^2 A b \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - 6 A b^3 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - 4 a^3 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} + 4 a b^2 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} + 6 a^2 A b \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - 6 A b^3 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - 4 a^3 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} + 4 a b^2 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} + (a - b)/(a + b) \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} + (a + b)(a^2 A - 3 A b^2 + 2 a b B) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} - 2 a (a + b) (-A b + a B) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2) / (a + b)} \right) / (a^2(a^2 - b^2)d(a + b \sec[c + dx])^{3/2} \sqrt{1 + \tan[(c + dx)/2]^2} (a(-1 + \tan[(c + dx)/2]^2) - b(1 + \tan[(c + dx)/2]^2)))$$

Maple [B] time = 0.372, size = 2871, normalized size = 6.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)*(A+B*\sec(dx+c))/(a+b*\sec(dx+c))^{3/2}, x)$

[Out]
$$-1/2/d/a^2/(a+b)/(a-b)*4^{1/2}*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*\sin(dx+c)+2*B*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b+2*B*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*a-2*B*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b-4*B*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*b^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*a+A*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-3*A*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-2*B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^3+4*B*\cos(dx+c)*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^3*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*b*\sin(dx+c)-3*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a*b^2*\sin(dx+c)+2*A*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*b+2*A*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^2*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)*a-6*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, ((a-b)/(a+b))^{1/2})*a^2*b*\sin(dx+c)-3*A*(\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ((a-b)/(a+b))^{1/2})*b^3*\sin(dx+c)+A*\cos$$

$$\begin{aligned}
& (d*x+c)^3*a^3-A*\cos(d*x+c)^2*a^3-3*A*\cos(d*x+c)^2*b^3+6*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2}*EllipticPi \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)-2*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} \\
& *EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)+4*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} \\
& *EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)+3*A*\cos(d*x+c)*b^3+A*\cos(d*x+c)^2*a^2*b+2*B*\cos(d*x+c)^2*a*b^2 \\
& -A*\cos(d*x+c)*a^2*b-2*A*\cos(d*x+c)*a*b^2+2*B*\cos(d*x+c)*a^2*b-2*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/ \\
& (\cos(d*x+c)+1)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b-4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/ \\
& (\cos(d*x+c)+1)^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a*b^2+A*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/ \\
& (\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*b-3*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} \\
& *EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2+2*A*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/ \\
& (\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*b+2*A*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*b^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/ \\
& (\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*a-6*A*\cos(d*x+c)*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^2*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/ \\
& (\cos(d*x+c)+1)^{1/2}*\sin(d*x+c)*b+2*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} \\
& *EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b+2*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c)))/ \\
& (\cos(d*x+c)+1)^{1/2}*\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^2-A*\cos(d*x+c)^3*a*b^2+3*A*\cos(d*x+c)^2*a*b^2-2*B*\cos(d*x+c)^2*a^2*b-2*B*\cos(d*x+c)*a*b^2)/(b+a*\cos(d*x+c))/\sin(d*x+c)
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) \sec(dx + c) + A \cos(dx + c))\sqrt{b \sec(dx + c) + a}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.383 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=531

$$\frac{(-2a^2(A+2B) + ab(5A-12B) + 15Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a}{a+b}\right)}{4a^3 d \sqrt{a+b}}$$

[Out] -((7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^3*b*Sqrt[a + b]*d) - ((15*A*b^2 + a*b*(5*A - 12*B) - 2*a^2*(A + 2*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^3*Sqrt[a + b]*d) - (Sqrt[a + b]*(4*a^2*A + 15*A*b^2 - 12*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^4*d) - ((5*A*b - 4*a*B)*Sin[c + d*x])/(4*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + b*Sec[c + d*x]]) - (b*(7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*Tan[c + d*x])/(4*a^3*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 1.13925, antiderivative size = 531, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4034, 4104, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(7a^2Ab - 4a^3B + 12ab^2B - 15Ab^3) \tan(c+dx)}{4a^3d(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} - \frac{(-2a^2(A+2B) + ab(5A-12B) + 15Ab^2) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{4a^3d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] -((7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^3*b*Sqrt[a + b]*d) - ((15*A*b^2 + a*b*(5*A - 12*B) - 2*a^2*(A + 2*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(4*a^3*Sqrt[a + b]*d) - (Sqrt[a + b]*(4*a^2*A + 15*A*b^2 - 12*a*b*B)*Cot[c

```

+ d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]],
(a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c
+ d*x]))/(a - b))]/(4*a^4*d) - ((5*A*b - 4*a*B)*Sin[c + d*x])/(4*a^2*d*Sq
rt[a + b*Sec[c + d*x]]) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*Sqrt[a + b*S
ec[c + d*x]]) - (b*(7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*Tan[c + d*
x])/(4*a^3*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

```

Rule 4034

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dis
t[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n
- A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x
]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0]
&& NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4060

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^m, x_Symbol] :> Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 4058

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} - \frac{\int \frac{\cos(c+dx)\left(\frac{1}{2}(5Ab-4aB)-aA\sec(c+dx)-\frac{3}{2}Ab\sec^2(c+dx)\right)}{(a+b\sec(c+dx))^{3/2}} dx}{2a} \\
&= -\frac{(5Ab-4aB)\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} + \frac{\int \frac{\frac{1}{4}(4a^2A+15Ab^2-12abB)}{(a+b\sec(c+dx))^{3/2}} dx}{2a} \\
&= -\frac{(5Ab-4aB)\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} - \frac{b(7a^2Ab-15Ab^3-4a^3B+12ab^2B)}{4a^3(a^2-b^2)\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{(5Ab-4aB)\sin(c+dx)}{4a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad\sqrt{a+b\sec(c+dx)}} - \frac{b(7a^2Ab-15Ab^3-4a^3B+12ab^2B)}{4a^3(a^2-b^2)\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{(7a^2Ab-15Ab^3-4a^3B+12ab^2B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{4a^3b\sqrt{a+bd}} \\
&= -\frac{(7a^2Ab-15Ab^3-4a^3B+12ab^2B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)}{4a^3b\sqrt{a+bd}}
\end{aligned}$$

Mathematica [C] time = 18.5604, size = 2667, normalized size = 5.02

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*((2*b^2*(A*b - a*B)*Sin[c + d*x]))/(a^3*(-a^2 + b^2)) + (2*(A*b^4*Sin[c + d*x] - a*b^3*B*Sin[c + d*x]))/(a^3*(a^2 - b^2)*(b + a*Cos[c + d*x])) + (A*Sin[2*(c + d*x)]/(4*a^2)))/(d*(a + b*Sec[c + d*x])^(3/2)) + ((b + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(-7*a^3*A*b*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] - 7*a^2*A*b^2*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 15*a*A*b^3*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 15*A*b^4*Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2] + 4*a^4*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 4*a^3*b*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - 12*a^2*b^2*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] - 12*a*b^3*Sqrt[(-a + b)/(a + b)]*B*Tan[(c + d*x)/2] + 14*a^3*A*b*Sqrt[(-a + b)

$$\begin{aligned}
& / (a + b)] * \text{Tan}[(c + d*x)/2]^3 - 30*a*A*b^3*\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]^3 - 8*a^4*\text{Sqrt}[(-a + b)/(a + b)] * B * \text{Tan}[(c + d*x)/2]^3 + 24*a^2*b^2*\text{Sqrt}[(-a + b)/(a + b)] * B * \text{Tan}[(c + d*x)/2]^3 - 7*a^3*A*b*\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]^5 + 7*a^2*A*b^2*\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]^5 + 15*a*A*b^3*\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]^5 - 15*A*b^4*\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]^5 + 4*a^4*\text{Sqrt}[(-a + b)/(a + b)] * B * \text{Tan}[(c + d*x)/2]^5 - 4*a^3*b*\text{Sqrt}[(-a + b)/(a + b)] * B * \text{Tan}[(c + d*x)/2]^5 - 12*a^2*b^2*\text{Sqrt}[(-a + b)/(a + b)] * B * \text{Tan}[(c + d*x)/2]^5 + 12*a*b^3*\text{Sqrt}[(-a + b)/(a + b)] * B * \text{Tan}[(c + d*x)/2]^5 - (8*I)*a^4*A*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - (22*I)*a^2*A*b^2*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + (30*I)*A*b^4*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + (24*I)*a^3*b*B*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - (24*I)*a*b^3*B*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - (8*I)*a^4*A*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - (22*I)*a^2*A*b^2*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + (30*I)*A*b^4*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + (24*I)*a^3*b*B*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - (24*I)*a*b^3*B*\text{EllipticPi}[(-(a + b)/(a - b)), I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Tan}[(c + d*x)/2]^2 * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - I*(a - b)*(-7*a^2*A*b + 15*A*b^3 + 4*a^3*B - 12*a*b^2*B)*\text{EllipticE}[I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + (2*I)*(a - b)*(2*a^3*A + 15*A*b^3 + a^2*b*(A - 8*B) + 2*a*b^2*(5*A - 6*B))*\text{EllipticF}[I * \text{ArcSinh}[\text{Sqrt}[(-a + b)/(a + b)] * \text{Tan}[(c + d*x)/2]], (a + b)/(a - b)] * \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * (1 + \text{Tan}[(c + d*x)/2]^2) * \text{Sqrt}[(a + b - a*\text{Tan}[(c + d*x)/2]^2 + b*\text{Tan}[(c + d*x)/2]^2)/(a + b)]
\end{aligned}$$

$$\frac{d*x)/2]^2)/(a + b)))/(4*a^3*\text{Sqrt}[(-a + b)/(a + b)]*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^{3/2}*(-1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[(1 + \text{Tan}[(c + d*x)/2]^2)/(1 - \text{Tan}[(c + d*x)/2]^2)]*(a*(-1 + \text{Tan}[(c + d*x)/2]^2) - b*(1 + \text{Tan}[(c + d*x)/2]^2)))$$

Maple [B] time = 0.525, size = 3980, normalized size = 7.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2), x)`

[Out]
$$\begin{aligned} & -1/8/d/a^3/(a+b)/(a-b)*4^{1/2}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(8*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^4*\sin(d*x+c)+2*A*a^4*\cos(d*x+c)^4-2*A*a^4*\cos(d*x+c)^2+4*B*\cos(d*x+c)^3*a^4+15*A*\cos(d*x+c)^2*b^4-4*B*\cos(d*x+c)^2*a^4-30*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*b^4*\sin(d*x+c)-7*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^2*\sin(d*x+c)+15*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^3*\sin(d*x+c)+2*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3*b*\sin(d*x+c)-4*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^2*\sin(d*x+c)-10*A*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a*b^3*\sin(d*x+c)-24*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a^3*b*\sin(d*x+c)+24*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, ((a-b)/(a+b))^{1/2})*a*b^3*\sin(d*x+c)+4*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^3*b*\sin(d*x+c)-12*B*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a^2*b^2*\sin(d*x+c)-12*B*b^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2})*a+8*B*a^3*(\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2}*(1 \end{aligned}$$

$$\begin{aligned}
& / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1) ^ (1/2) * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * b+8*B*a^2*b^2 * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) -5*A*\cos(d*x+c)^3*a^3 * b+5*A*\cos(d*x+c)^3*a*b^3-4*B*\cos(d*x+c)^3*a^2*b^2+7*A*\cos(d*x+c)^2*a^3*b-5 * A*\cos(d*x+c)^2*a^2*b^2+4*B*\cos(d*x+c)^2*a^3*b-12*B*\cos(d*x+c)^2*a*b^3-2*A * \cos(d*x+c)*a^3*b+7*A*\cos(d*x+c)*a^2*b^2+10*A*\cos(d*x+c)*a*b^3-4*B*\cos(d*x+c) * a^3*b-8*B*\cos(d*x+c)*a^2*b^2-15*A*\cos(d*x+c)^2*a*b^3+12*B*\cos(d*x+c)^2*a^ 2*b^2+12*B*\cos(d*x+c)*a*b^3-2*A*\cos(d*x+c)^4*a^2*b^2+15*A*(\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticE} ((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * b^4*\sin(d*x+c)-4*A*(\cos(d*x +c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{E} llipticF((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * a^4*\sin(d*x+c)+4*B * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * a^4*\sin(d *x+c)+22*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b) / (a+b)) ^ (1/2)) * a^2*b^2-7*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * a^3*b-7*A*\cos(d*x+c)*a^2 * b^2 * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c) +1)) ^ (1/2) * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) +15*A*\cos(d*x+c)*b^3 * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d *x+c), ((a-b) / (a+b)) ^ (1/2)) * a+2*A*\cos(d*x+c)*a^3 * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * b-4*A*\cos(d*x+c)*a^2*b^2 * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) -10*A*\cos(d*x+c)*b^3 * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x +c)) / (\cos(d*x+c)+1)) ^ (1/2) * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * a-24*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticPi}((-1+\cos (d*x+c)) / \sin(d*x+c), -1, ((a-b) / (a+b)) ^ (1/2)) * a^3*b+24*B*\cos(d*x+c)*\sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticPi}((-1+\cos(d*x+c)) / \sin(d*x+c), -1, ((a-b) / (a+b)) ^ (1/2)) * a*b^ 3+4*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a -b) / (a+b)) ^ (1/2)) * a^3*b-12*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticE}((-1+\cos (d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * a^2*b^2-12*B*\cos(d*x+c)*\sin(d*x+c) * (\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (a+b)) ^ (1/2)) * a*b^3+8*B * \cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c) / (\cos(d*x+c)+1)) ^ (1/2) * (1 / (a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1)) ^ (1/2) * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), ((a-b) / (
\end{aligned}$$

```

a+b))^(1/2))*a^3*b+8*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1
/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c
))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^2*b^2+8*A*cos(d*x+c)*sin(d*x+c)*(cos(d
*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2))*a^4-30*A*cos
(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(
a+b))^(1/2))*b^4+15*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/
2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),((a-b)/(a+b))^(1/2))*b^4-4*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)
/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticF((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a^4+4*B*cos(d*x+c)*si
n(d*x+c)*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d
*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)/(a+b))^(1/2))*a
^4+22*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d
*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,((a-b)/(a+b))^(1/2)
)*a^2*b^2*sin(d*x+c)-7*A*(cos(d*x+c)/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*co
s(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),((a-b)
/(a+b))^(1/2))*a^3*b*sin(d*x+c)-15*A*cos(d*x+c)*b^4/(b+a*cos(d*x+c))/sin(d
*x+c)

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm
="maxima")

```

```

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^2/(b*sec(d*x + c) + a)^(3/2), x
)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) \sqrt{b \sec(dx + c) + a}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \cos^2(c + dx)}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*cos(c + d*x)**2/(a + b*sec(c + d*x))**(3/2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^2/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.384 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=630

$$\frac{(-6a^2b(A+5B) + 4a^3(4A+3B) + 5ab^2(7A-18B) + 105Ab^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{b(1-\sec(c+dx))}{a+b}\right), \frac{a+b}{a-b}\right) + \frac{(-6a^2b(A+5B) + 4a^3(4A+3B) + 5ab^2(7A-18B) + 105Ab^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{b(\sec(c+dx)+1)}{a-b}\right), \frac{a+b}{a-b}\right)}{24a^4d\sqrt{a+b}}$$

```
[Out] ((16*a^4*A + 41*a^2*A*b^2 - 105*A*b^4 - 42*a^3*b*B + 90*a*b^3*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^4*b*Sqrt[a + b]*d) + ((105*A*b^3 + 5*a*b^2*(7*A - 18*B) + 4*a^3*(4*A + 3*B) - 6*a^2*b*(A + 5*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^4*Sqrt[a + b]*d) + (Sqrt[a + b]*(12*a^2*A*b + 35*A*b^3 - 8*a^3*B - 30*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^5*d) + ((16*a^2*A + 35*A*b^2 - 30*a*b*B)*Sin[c + d*x])/(24*a^3*d*Sqrt[a + b*Sec[c + d*x]]) - ((7*A*b - 6*a*B)*Cos[c + d*x]*Sin[c + d*x])/(12*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*a*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(16*a^4*A + 41*a^2*A*b^2 - 105*A*b^4 - 42*a^3*b*B + 90*a*b^3*B)*Tan[c + d*x])/(24*a^4*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.66949, antiderivative size = 630, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4034, 4104, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{(16a^2A - 30abB + 35Ab^2) \sin(c+dx)}{24a^3d\sqrt{a+b \sec(c+dx)}} + \frac{b(41a^2Ab^2 + 16a^4A - 42a^3bB + 90ab^3B - 105Ab^4) \tan(c+dx)}{24a^4d(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} + \frac{(-6a^2b(A + 5B) + 4a^3(4A + 3B) + 5ab^2(7A - 18B) + 105Ab^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{b(1-\sec(c+dx))}{a+b}\right), \frac{a+b}{a-b}\right)}{24a^4d\sqrt{a+b}}$$

Antiderivative was successfully verified.

```
[In] Int[((Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] ((16*a^4*A + 41*a^2*A*b^2 - 105*A*b^4 - 42*a^3*b*B + 90*a*b^3*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^4*b*Sqrt[a + b]*d) + ((105*A*b^3 + 5*a*b^2*(7*A - 18*B) + 4*a^3*(4*A + 3*B) - 6*a^2*b*(A + 5*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(24*a^4*Sqrt[a + b]*d) + (Sqrt[a + b]*(12*a^2*A*b + 35*A*b^3 - 8*a^3*B - 30*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(8*a^5*d) + ((16*a^2*A + 35*A*b^2 - 30*a*b*B)*Sin[c + d*x])/(24*a^3*d*Sqrt[a + b*Sec[c + d*x]]) - ((7*A*b - 6*a*B)*Cos[c + d*x]*Sin[c + d*x])/(12*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (A*Cos[c + d*x]^2*Sin[c + d*x])/(3*a*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(16*a^4*A + 41*a^2*A*b^2 - 105*A*b^4 - 42*a^3*b*B + 90*a*b^3*B)*Tan[c + d*x])/(24*a^4*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

$$4A + 3B) - 6a^2b(A + 5B)) \cdot \cot[c + dx] \cdot \text{EllipticF}[\text{ArcSin}[\sqrt{a + b \sec[c + dx]}] / \sqrt{a + b}], (a + b) / (a - b)] \cdot \sqrt{[b(1 - \sec[c + dx])] / (a + b)]} \cdot \sqrt{[-(b(1 + \sec[c + dx])) / (a - b)]} / ((24a^4 \sqrt{a + b} d) + (\sqrt{a + b} (12a^2 A b + 35A^2 b^3 - 8a^3 B - 30a^2 b^2 B) \cot[c + dx] \cdot \text{EllipticPi}[(a + b) / a, \text{ArcSin}[\sqrt{a + b \sec[c + dx]}] / \sqrt{a + b}], (a + b) / (a - b)] \cdot \sqrt{[b(1 - \sec[c + dx])] / (a + b)]} \cdot \sqrt{[-(b(1 + \sec[c + dx])) / (a - b)]} / (8a^5 d) + ((16a^2 A + 35A^2 b^2 - 30a^2 b B) \sin[c + dx]) / (24a^3 d \sqrt{a + b \sec[c + dx]}) - ((7A^2 b - 6a^2 B) \cos[c + dx] \sin[c + dx]) / (12a^2 d \sqrt{a + b \sec[c + dx]}) + (A \cos[c + dx]^2 \sin[c + dx]) / (3a^2 d \sqrt{a + b \sec[c + dx]}) + (b(16a^4 A + 41a^2 A^2 b^2 - 105A^2 b^4 - 42a^3 b^3 B + 90a^2 b^3 B) \tan[c + dx]) / (24a^4 (a^2 - b^2) d \sqrt{a + b \sec[c + dx]})$$

Rule 4034

$$\text{Int}[(\csc[e + f x] + (f x) \csc[e + f x])^m (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^n / (a f^n), x] + \text{Dist}[1 / (a d^n), \text{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \text{Simp}[a B^n - A b (m + n + 1) + A a (n + 1) \csc[e + f x] + A b (m + n + 2) \csc[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A b - a B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[(A + \csc[e + f x] + (f x) \csc[e + f x])^2 (C + \csc[e + f x] + (f x) \csc[e + f x])^m (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^n / (a f^n), x] + \text{Dist}[1 / (a d^n), \text{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \text{Simp}[a B^n - A b (m + n + 1) + a (A + A^n + C^n) \csc[e + f x] + A b (m + n + 2) \csc[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4060

$$\text{Int}[(A + \csc[e + f x] + (f x) \csc[e + f x])^2 (C + \csc[e + f x] + (f x) \csc[e + f x])^m (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^n / (a f^n), x] + \text{Dist}[1 / (a (m + 1) (a^2 - b^2)), \text{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \text{Simp}[A (a^2 - b^2) (m + 1) - a (A b - a B + b C) (m + 1) \csc[e + f x] + (A b^2 - a b B + a^2 C) (m + 2) \csc[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$$

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Int[(A + (B - C
)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1
+ Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_
.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + D
ist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a
+ b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))
/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b,
2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad\sqrt{a+b\sec(c+dx)}} - \frac{\int \frac{\cos^2(c+dx)\left(\frac{1}{2}(7Ab-6aB)-2aA\sec(c+dx)-\frac{5}{2}Ab\sec^2(c+dx)\right)}{(a+b\sec(c+dx))^{3/2}}}{3a} \\
&= -\frac{(7Ab-6aB)\cos(c+dx)\sin(c+dx)}{12a^2d\sqrt{a+b\sec(c+dx)}} + \frac{A\cos^2(c+dx)\sin(c+dx)}{3ad\sqrt{a+b\sec(c+dx)}} + \frac{\int \frac{\cos(c+dx)}{\sqrt{a+b\sec(c+dx)}}}{3a} \\
&= \frac{(16a^2A+35Ab^2-30abB)\sin(c+dx)}{24a^3d\sqrt{a+b\sec(c+dx)}} - \frac{(7Ab-6aB)\cos(c+dx)\sin(c+dx)}{12a^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(16a^2A+35Ab^2-30abB)\sin(c+dx)}{24a^3d\sqrt{a+b\sec(c+dx)}} - \frac{(7Ab-6aB)\cos(c+dx)\sin(c+dx)}{12a^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(16a^2A+35Ab^2-30abB)\sin(c+dx)}{24a^3d\sqrt{a+b\sec(c+dx)}} - \frac{(7Ab-6aB)\cos(c+dx)\sin(c+dx)}{12a^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(16a^2A+35Ab^2-30abB)\sin(c+dx)}{24a^3d\sqrt{a+b\sec(c+dx)}} - \frac{(7Ab-6aB)\cos(c+dx)\sin(c+dx)}{12a^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(16a^4A+41a^2Ab^2-105Ab^4-42a^3bB+90ab^3B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+bs}}{\sqrt{a+b\sec(c+dx)}}\right)\right)}{24a^4b\sqrt{a+bd}} \\
&= \frac{(16a^4A+41a^2Ab^2-105Ab^4-42a^3bB+90ab^3B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+bs}}{\sqrt{a+b\sec(c+dx)}}\right)\right)}{24a^4b\sqrt{a+bd}}
\end{aligned}$$

Mathematica [B] time = 22.3852, size = 2343, normalized size = 3.72

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]^2*(-((a^4*A - a^2*A*b^2 + 24*A*b^4 - 24*a*b^3*B)*Sin[c + d*x]))/(12*a^4*(-a^2 + b^2)) - (2*(A*b^5*Sin[c + d*x] - a*b^4*B*Sin[c + d*x]))/(a^4*(a^2 - b^2)*(b + a*Cos[c + d*x])) + ((-11*A*b + 6*a*B)*Sin[2*(c + d*x)]/(24*a^3) + (A*Sin[3*(c + d*x)]/(12*a^2)))/(d*(a + b*Sec[c + d*x])^(3/2)) - ((b + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(16*a^5*A*Tan[(c + d*x)/2] + 16*a^4*A*b*Tan[(c + d*x)/2] + 41*a^3*A*b^2*Tan[(c + d*x)/2] + 41*a^2*A*b^3*Ta

$$\begin{aligned}
& n[(c + d*x)/2] - 105*a*A*b^4*Tan[(c + d*x)/2] - 105*A*b^5*Tan[(c + d*x)/2] \\
& - 42*a^4*b*B*Tan[(c + d*x)/2] - 42*a^3*b^2*B*Tan[(c + d*x)/2] + 90*a^2*b^3* \\
& B*Tan[(c + d*x)/2] + 90*a*b^4*B*Tan[(c + d*x)/2] - 32*a^5*A*Tan[(c + d*x)/2] \\
&]^3 - 82*a^3*A*b^2*Tan[(c + d*x)/2]^3 + 210*a*A*b^4*Tan[(c + d*x)/2]^3 + 84 \\
& *a^4*b*B*Tan[(c + d*x)/2]^3 - 180*a^2*b^3*B*Tan[(c + d*x)/2]^3 + 16*a^5*A*T \\
& an[(c + d*x)/2]^5 - 16*a^4*A*b*Tan[(c + d*x)/2]^5 + 41*a^3*A*b^2*Tan[(c + d \\
& *x)/2]^5 - 41*a^2*A*b^3*Tan[(c + d*x)/2]^5 - 105*a*A*b^4*Tan[(c + d*x)/2]^5 \\
& + 105*A*b^5*Tan[(c + d*x)/2]^5 - 42*a^4*b*B*Tan[(c + d*x)/2]^5 + 42*a^3*b^ \\
& 2*B*Tan[(c + d*x)/2]^5 + 90*a^2*b^3*B*Tan[(c + d*x)/2]^5 - 90*a*b^4*B*Tan[(c \\
& + d*x)/2]^5 + 72*a^4*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b \\
&)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 \\
& + b*Tan[(c + d*x)/2]^2)/(a + b)] + 138*a^2*A*b^3*EllipticPi[-1, -ArcSin[Tan \\
& [(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - \\
& a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 210*A*b^5*Elliptic \\
& Pi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2] \\
&]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - \\
& 48*a^5*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 \\
& - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/ \\
& 2]^2)/(a + b)] - 132*a^3*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a \\
& - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2] \\
&]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 180*a*b^4*B*EllipticPi[-1, -ArcSin[T \\
& an[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b \\
& - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + 72*a^4*A*b*Ellip \\
& ticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sq \\
& rt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + \\
& d*x)/2]^2)/(a + b)] + 138*a^2*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2] \\
&], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a \\
& + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 210*A*b^5*El \\
& lipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2 \\
& *Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c \\
& + d*x)/2]^2)/(a + b)] - 48*a^5*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], \\
& (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + \\
& b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] - 132*a^3*b^2*B* \\
& EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Tan[(c + d*x)/2] \\
& ^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[\\
& (c + d*x)/2]^2)/(a + b)] + 180*a*b^4*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x) \\
& /2]], (a - b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt \\
& [(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(\\
& 16*a^4*A + 41*a^2*A*b^2 - 105*A*b^4 - 42*a^3*b*B + 90*a*b^3*B)*EllipticE[Arc \\
& Sin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + \\
& Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2] \\
& ^2)/(a + b)] - 2*a*(a + b)*(-35*A*b^3 + 12*a^3*B - 2*a^2*b*(5*A + 9*B) + 3* \\
& a*b^2*(7*A + 10*B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*Sq \\
& rt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c \\
& + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b)))/(24*a^4*(a^2 - b^2)*d*(a + b)
\end{aligned}$$

```
*Sec[c + d*x])^(3/2)*Sqrt[1 + Tan[(c + d*x)/2]^2]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + d*x)/2]^2)))
```

Maple [B] time = 0.717, size = 5086, normalized size = 8.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x)
```

```
[Out] result too large to display
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^3/(b*sec(d*x + c) + a)^(3/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \cos(dx + c)^3 \sec(dx + c) + A \cos(dx + c)^3) \sqrt{b \sec(dx + c) + a}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

[Out] integral((B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^3/(b*sec(d*x + c) + a)^(3/2), x)

$$3.385 \quad \int \frac{\sec^4(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=510

$$\frac{2(-2a^2b^2(3A+8B) - a^3(8Ab-12bB) + 16a^4B + 9ab^3(A-B) + b^4(3A-B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}}}{3b^4d\sqrt{a+b}(a^2-b^2)}$$

[Out] $(-2*(8*a^4*A*b - 15*a^2*A*b^3 + 3*A*b^5 - 16*a^5*B + 28*a^3*b^2*B - 8*a*b^4*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*(a - b)*b^5*(a + b)^{(3/2)*d} + (2*(9*a*b^3*(A - B) + b^4*(3*A - B) + 16*a^4*B - 2*a^2*b^2*(3*A + 8*B) - a^3*(8*A*b - 12*b*B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*b^4*\text{Sqrt}[a + b]*(a^2 - b^2)*d) + (2*a*(A*b - a*B)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(3*b*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^{(3/2)}) - (2*a^2*(3*a^2*A*b - 7*A*b^3 - 6*a^3*B + 10*a*b^2*B)*\text{Tan}[c + d*x]/(3*b^3*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*(a*A*b - 2*a^2*B + b^2*B)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(3*b^3*(a^2 - b^2)*d)$

Rubi [A] time = 1.58814, antiderivative size = 510, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4029, 4090, 4082, 4005, 3832, 4004}

$$\frac{2a(Ab - aB) \tan(c + dx) \sec^2(c + dx)}{3bd(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} - \frac{2a^2(3a^2Ab - 6a^3B + 10ab^2B - 7Ab^3) \tan(c + dx)}{3b^3d(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} - \frac{2(-2a^2B + aAb + b^2B) \tan(c + dx)}{3b^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] $(-2*(8*a^4*A*b - 15*a^2*A*b^3 + 3*A*b^5 - 16*a^5*B + 28*a^3*b^2*B - 8*a*b^4*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*(a - b)*b^5*(a + b)^{(3/2)*d} + (2*(9*a*b^3*(A - B) + b^4*(3*A - B) + 16*a^4*B - 2*a^2*b^2*(3*A + 8*B) - a^3*(8*A*b - 12*b*B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*b^4*\text{Sqrt}[a + b]*(a^2 - b^2)*d) + (2*a*(A*b - a*B)*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(3*b*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^{(3/2)}) - (2*a^2*(3*a^2*A*b - 7*A*b^3 - 6*a^3*B + 10*a*b^2*B)*\text{Tan}[c + d*x]/(3*b^3*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) - (2*(a*A*b - 2*a^2*B + b^2*B)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Tan}[c + d*x])/(3*b^3*(a^2 - b^2)*d)$

$$\int \frac{d^2 \tan[c + dx]}{(3b(a^2 - b^2)d(a + b \sec[c + dx])^{3/2}) - (2a^2(3a^2Ab - 7Ab^3 - 6a^3B + 10ab^2B) \tan[c + dx]) / (3b^3(a^2 - b^2)^2 d \sqrt{a + b \sec[c + dx]}) - (2(aAb - 2a^2B + b^2B) \sqrt{a + b \sec[c + dx]}) \tan[c + dx]}{(3b^3(a^2 - b^2)d)}$$

Rule 4029

$$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)](d_.))^{(n_.)}(\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.))^{(m_.)}(\text{csc}[(e_.) + (f_.)(x_.)](B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a d^2 (A b - a B) \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{(m + 1)} (d \text{Csc}[e + f x])^{(n - 2)}) / (b f (m + 1) (a^2 - b^2)), x] - \text{Dist}[d / (b (m + 1) (a^2 - b^2)), \text{Int}[(a + b \text{Csc}[e + f x])^{(m + 1)} (d \text{Csc}[e + f x])^{(n - 2)} \text{Simp}[a d (A b - a B) (n - 2) + b d (A b - a B) (m + 1) \text{Csc}[e + f x] - (a A b d (m + n) - d B (a^2 (n - 1) + b^2 (m + 1))) \text{Csc}[e + f x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A b - a B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$$

Rule 4090

$$\text{Int}[\text{csc}[(e_.) + (f_.)(x_.)]^2((A_.) + \text{csc}[(e_.) + (f_.)(x_.)](B_.) + \text{csc}[(e_.) + (f_.)(x_.)]^2(C_.))(\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(a (A b^2 - a b B + a^2 C) \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{(m + 1)}) / (b^2 f (m + 1) (a^2 - b^2)), x] - \text{Dist}[1 / (b^2 (m + 1) (a^2 - b^2)), \text{Int}[\text{Csc}[e + f x] (a + b \text{Csc}[e + f x])^{(m + 1)} \text{Simp}[b (m + 1) (- (a (b B - a C)) + A b^2) + (b B (a^2 + b^2 (m + 1)) - a (A b^2 (m + 2) + C (a^2 + b^2 (m + 1))) \text{Csc}[e + f x] - b C (m + 1) (a^2 - b^2) \text{Csc}[e + f x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$$

Rule 4082

$$\text{Int}[\text{csc}[(e_.) + (f_.)(x_.)]((A_.) + \text{csc}[(e_.) + (f_.)(x_.)](B_.) + \text{csc}[(e_.) + (f_.)(x_.)]^2(C_.))(\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(C \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{(m + 1)}) / (b f (m + 2)), x] + \text{Dist}[1 / (b (m + 2)), \text{Int}[\text{Csc}[e + f x] (a + b \text{Csc}[e + f x])^m \text{Simp}[b A (m + 2) + b C (m + 1) + (b B (m + 2) - a C) \text{Csc}[e + f x], x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$$

Rule 4005

$$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)](\text{csc}[(e_.) + (f_.)(x_.)](B_.) + (A_.))) / \sqrt{\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.)}, x_Symbol] \rightarrow \text{Dist}[A - B, \text{Int}[\text{Csc}[e + f x] / \sqrt{a + b \text{Csc}[e + f x]}, x], x] + \text{Dist}[B, \text{Int}[(\text{Csc}[e + f x] (1 + \text{Csc}[e + f x])) / \sqrt{a + b \text{Csc}[e + f x]}, x], x] /; \text{FreeQ}[\{a, b, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A^2 - B^2, 0]$$

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol]
:> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^4(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx &= \frac{2a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} + \frac{2 \int \frac{\sec^2(c + dx) \left(2a(Ab - aB) - \frac{3}{2}b(Ab - aB) \sec(c + dx) \right)}{(a + b \sec(c + dx))^{3/2}} dx}{3b(a^2 - b^2)} \\ &= \frac{2a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2a^2(3a^2Ab - 7Ab^3 - 6a^3B + 10ab^2B)}{3b^3(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\ &= \frac{2a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2a^2(3a^2Ab - 7Ab^3 - 6a^3B + 10ab^2B)}{3b^3(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\ &= \frac{2a(Ab - aB) \sec^2(c + dx) \tan(c + dx)}{3b(a^2 - b^2) d(a + b \sec(c + dx))^{3/2}} - \frac{2a^2(3a^2Ab - 7Ab^3 - 6a^3B + 10ab^2B)}{3b^3(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} \\ &= -\frac{2(8a^4Ab - 15a^2Ab^3 + 3Ab^5 - 16a^5B + 28a^3b^2B - 8ab^4B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{a + b}}\right)\right)}{3(a - b)b^5(a + b)^{3/2}d} \end{aligned}$$

Mathematica [B] time = 26.9215, size = 4342, normalized size = 8.51

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^4*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((2*(8*a^4*A*b - 15*a^2*A*b^3 + 3*A*b^5 - 16*a^5*B + 28*a^3*b^2*B - 8*a*b^4*B)*Sin[c + d*x])/(3*b^4*(-a^2 + b^2)^2) + (2*(a^2*A*b*Sine[c + d*x] - a^3*B*Sine[c + d*x]))/(3*b^2*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) + (2*(-4*a^4*A*b*Sine[c + d*x] + 8*a^2*A*b^3*Sine[c + d*x] + 7*a^5*B*Sine[c + d*x] - 11*a^3*b^2*B*Sine[c + d*x]))/(3*b^3*(-a^2 + b^2)^2*(b + a*Cos[c + d*x])) + (2*B*Tan[c + d*x])/(3*b^3)))/(d*(a + b*Sec[c + d*x])^(5/2)) + (2*(b + a*Cos[c + d*x])^2*((5*a^2*A)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^4*A)/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (A*b^2)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*a^5*B)/(3*b^3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (28*a^3*B)/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (8*a*b*B)/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^5*A*Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (17*a^3*A*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (3*a*A*b*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (5*a^2*B*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (16*a^6*B*Sqrt[Sec[c + d*x]])/(3*b^4*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (32*a^4*B*Sqrt[Sec[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (b^2*B*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (8*a^5*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (5*a^3*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (a*A*b*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (8*a^2*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (16*a^6*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^4*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (28*a^4*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]])) * Sec[c + d*x]^(5/2) * Sqrt[Cos[(c + d*x)/2]^2 * Sec[c + d*x]] * (2*(a + b)*(-8*a^4*A*b + 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B) * Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^4*B - 9*a*b^3*(A + B) + b^4*(3*A + B) + 4*a^3*b*(2*A + 3*B) + 2*a^2*b^2*(-3*A + 8*B)) * Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-8*a^4*A*b + 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B) * Cos[c + d*x] * (b + a*Cos[c + d*x]) * Sec[(c + d*x)/2]^2 * Tan[(c + d*x)/2]) / (3*b^4*(a^2 - b^2)^2*d*Sqrt[Sec[(c + d*x)/2]^2]*(a + b*Sec[c + d*x])^(5/2)*((a*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sin[c + d*x]*(2*(a + b)*(-8*a^4*A*b + 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B) * Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * EllipticE[ArcSin[Tan[(c + d*x)/2]]]

$$\begin{aligned}
& c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^4*B - 9*a*b^3*(A + B) + \\
& b^4*(3*A + B) + 4*a^3*b*(2*A + 3*B) + 2*a^2*b^2*(-3*A + 8*B))*Sqrt[Cos[c + \\
& d*x]/(1 + Cos[c + d*x]))*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d \\
& *x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + (-8*a^4*A*b + \\
& 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*Cos[c + d*x] \\
& *(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3*b^4*(a^2 - b \\
& ^2)^2*(b + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[(c + d*x)/2]^2] - (Sqrt[Cos[(c + \\
& d*x)/2]^2*Sec[c + d*x]]*Tan[(c + d*x)/2]*(2*(a + b)*(-8*a^4*A*b + 15*a^2*A \\
& *b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 \\
& + Cos[c + d*x]))*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*El \\
& lipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(-16*a^4*B \\
& - 9*a*b^3*(A + B) + b^4*(3*A + B) + 4*a^3*b*(2*A + 3*B) + 2*a^2*b^2*(-3*A \\
& + 8*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]))*Sqrt[(b + a*Cos[c + d*x])/((a \\
& + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + \\
& b)] + (-8*a^4*A*b + 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a \\
& *b^4*B)*Cos[c + d*x]*(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/ \\
& 2))/(3*b^4*(a^2 - b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2] \\
&) + (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(((-8*a^4*A*b + 15*a^2*A*b^3 - \\
& 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*Cos[c + d*x]*(b + a*Cos[c + \\
& d*x])*Sec[(c + d*x)/2]^4)/2 + ((a + b)*(-8*a^4*A*b + 15*a^2*A*b^3 - 3*A*b^ \\
& 5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/((a + b) \\
& *(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]* \\
& ((Cos[c + d*x]*Sin[c + d*x])/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c \\
& + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] + (b*(a + b)*(-16*a^4*B - \\
& 9*a*b^3*(A + B) + b^4*(3*A + B) + 4*a^3*b*(2*A + 3*B) + 2*a^2*b^2*(-3*A + 8 \\
& *B))*Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcS \\
& in[Tan[(c + d*x)/2]], (a - b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x])/(1 + Co \\
& s[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Co \\
& s[c + d*x])] + ((a + b)*(-8*a^4*A*b + 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 2 \\
& 8*a^3*b^2*B + 8*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]))*EllipticE[Ar \\
& cSin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*SIN[c + d*x])/((a + b)*(1 + \\
& Cos[c + d*x]))) + ((b + a*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + \\
& d*x])^2)))/Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] + (b*(a \\
& + b)*(-16*a^4*B - 9*a*b^3*(A + B) + b^4*(3*A + B) + 4*a^3*b*(2*A + 3*B) + \\
& 2*a^2*b^2*(-3*A + 8*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]))*EllipticF[Arc \\
& Sin[Tan[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*SIN[c + d*x])/((a + b)*(1 + C \\
& os[c + d*x]))) + ((b + a*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1 + Cos[c + \\
& d*x])^2)))/Sqrt[(b + a*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] - a*(-8* \\
& a^4*A*b + 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*Cos \\
& [c + d*x]*Sec[(c + d*x)/2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] - (-8*a^4*A*b + \\
& 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*(b + a*Cos[c \\
& + d*x])*Sec[(c + d*x)/2]^2*Sin[c + d*x]*Tan[(c + d*x)/2] + (-8*a^4*A*b + 15 \\
& *a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*Cos[c + d*x]*(b \\
& + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]^2 + (b*(a + b)*(-16* \\
& a^4*B - 9*a*b^3*(A + B) + b^4*(3*A + B) + 4*a^3*b*(2*A + 3*B) + 2*a^2*b^2*(
\end{aligned}$$

$$\begin{aligned}
& -3A + 8B) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \sec[(c + dx)/2]^2 / (\sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) + ((a + b)(-8a^4A * b + 15a^2A * b^3 - 3A * b^5 + 16a^5B - 28a^3b^2B + 8a * b^4B) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \sec[(c + dx)/2]^2 \sqrt{1 - ((a - b) \tan[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + dx)/2]^2}) / (3b^4(a^2 - b^2)^2 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[(c + dx)/2]^2} + ((2(a + b)(-8a^4A * b + 15a^2A * b^3 - 3A * b^5 + 16a^5B - 28a^3b^2B + 8a * b^4B) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] + 2b * (a + b) * (-16a^4B - 9a * b^3 * (A + B) + b^4 * (3A + B) + 4a^3b * (2A + 3B) + 2a^2b^2 * (-3A + 8B)) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} \sqrt{(b + a \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b) / (a + b)] + (-8a^4A * b + 15a^2A * b^3 - 3A * b^5 + 16a^5B - 28a^3b^2B + 8a * b^4B) \cos[c + dx] * (b + a \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) * (-\cos[(c + dx)/2] \sec[c + dx] \sin[(c + dx)/2]) + \cos[(c + dx)/2]^2 \sec[c + dx] * \tan[c + dx]) / (3b^4(a^2 - b^2)^2 \sqrt{b + a \cos[c + dx]}) \sqrt{\sec[(c + dx)/2]^2} \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]}))
\end{aligned}$$

Maple [B] time = 1.589, size = 8044, normalized size = 15.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c)^5 + A \sec(dx + c)^4) \sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^5 + A*sec(d*x + c)^4)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^4}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^4*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^4/(b*sec(d*x + c) + a)^(5/2), x)

$$3.386 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=417

$$\frac{2(2a^2b(A-3B) - 8a^3B + 3ab^2(A+3B) - 3b^3(A-B)) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a^2-b^2}}\right)\right)}{3b^3d\sqrt{a+b}(a^2-b^2)}$$

[Out] (2*(2*a^3*A*b - 6*a*A*b^3 - 8*a^4*B + 15*a^2*b^2*B - 3*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^4*(a + b)^(3/2)*d) + (2*(2*a^2*b*(A - 3*B) - 3*b^3*(A - B) - 8*a^3*B + 3*a*b^2*(A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*Sqrt[a + b]*(a^2 - b^2)*d) - (2*a^2*(A*b - a*B)*Tan[c + d*x]/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B)*Tan[c + d*x]/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))

Rubi [A] time = 1.01573, antiderivative size = 417, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4028, 4080, 4005, 3832, 4004}

$$-\frac{2a^2(Ab - aB) \tan(c + dx)}{3b^2d(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \tan(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} + \frac{2(2a^2b(A - 3B) - 8a^3B + 3ab^2(A + 3B) - 3b^3(A - B)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sec(c+dx)}{\sqrt{a^2-b^2}}\right)\right)}{3b^3d\sqrt{a+b}(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (2*(2*a^3*A*b - 6*a*A*b^3 - 8*a^4*B + 15*a^2*b^2*B - 3*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^4*(a + b)^(3/2)*d) + (2*(2*a^2*b*(A - 3*B) - 3*b^3*(A - B) - 8*a^3*B + 3*a*b^2*(A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^3*Sqrt[a + b]*(a^2 - b^2)*d) - (2*a^2*(A*b - a*B)*Tan[c + d*x]/(3*b^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B)*Tan[c + d*x]/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))

$$/(3*b^2*(a^2 - b^2)^2*d*sqrt[a + b*Sec[c + d*x]])$$

Rule 4028

```
Int[csc[(e_.) + (f_.)*(x_)]^3*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(a^2*(A*b - a*B)*
Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x]
+ Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(
m + 1)*Simp[a*b*(A*b - a*B)*(m + 1) - (A*b - a*B)*(a^2 + b^2*(m + 1))*Csc[e
+ f*x] + b*B*(m + 1)*(a^2 - b^2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4080

```
Int[csc[(e_.) + (f_.)*(x_)]*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e
_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_S
ymbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(
m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), In
t[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1
) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2,
0]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x]))/sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A,
```

2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= -\frac{2a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2 \int \frac{\sec(c+dx)\left(-\frac{3}{2}ab(Ab-aB)-\frac{1}{2}(2a^2-3b^2)(Ab-aB)\right)}{(a+b\sec(c+dx))^{3/2}} dx}{3b^2(a^2-b^2)} \\
 &= -\frac{2a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2a(2a^2Ab-6Ab^3-5a^3B+9ab^2B)\tan(c+dx)}{3b^2(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
 &= -\frac{2a^2(Ab-aB)\tan(c+dx)}{3b^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2a(2a^2Ab-6Ab^3-5a^3B+9ab^2B)\tan(c+dx)}{3b^2(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
 &= \frac{2(2a^3Ab-6aAb^3-8a^4B+15a^2b^2B-3b^4B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3(a-b)b^4(a+b)^{3/2}d}
 \end{aligned}$$

Mathematica [B] time = 26.4528, size = 3920, normalized size = 9.4

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^3*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((2*(-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B)*Sin[c + d*x]))/(3*b^3*(-a^2 + b^2)^2) - (2*(a*A*b*Sin[c + d*x] - a^2*B*Sin[c + d*x]))/(3*b*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) - (2*(-(a^3*A*b*Sin[c + d*x]) + 5*a*A*b^3*Sin[c + d*x] + 4*a^4*B*Sin[c + d*x] - 8*a^2*b^2*B*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)^2*(b + a*Cos[c + d*x])))/(d*(a + b*Sec[c + d*x])^(5/2)) - (2*(b + a*Cos[c + d*x])^2*((2*a^3*A)/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*a*A*b)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (5*a^2*B)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*a^4*B)/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (b^2*B)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (5*a^2*A*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (2*a^4*A

$$\begin{aligned}
& \text{Sqrt}[\text{Sec}[c + d*x]]/(3*b^2*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (A*b^2*\text{Sqrt}[\text{Sec}[c + d*x]])/((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^5*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (17*a^3*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (3*a*b*B*\text{Sqrt}[\text{Sec}[c + d*x]])/((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2*a^2*A*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a^4*A*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (8*a^5*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^3*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (5*a^3*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (a*b*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) * \text{Sec}[c + d*x]^{(5/2)} * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * (2*(a + b) * (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(3*a*b^2*(A - 3*B) + 8*a^3*B + 3*b^3*(A + B) - 2*a^2*b*(A + 3*B)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b^3*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2 * (a + b*\text{Sec}[c + d*x])^{(5/2)} * (-a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]) * \text{Sin}[c + d*x] * (2*(a + b) * (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(3*a*b^2*(A - 3*B) + 8*a^3*B + 3*b^3*(A + B) - 2*a^2*b*(A + 3*B)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b^3*(a^2 - b^2)^2*(b + a*\text{Cos}[c + d*x])^{(3/2)} * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Tan}[(c + d*x)/2] * (2*(a + b) * (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(3*a*b^2*(A - 3*B) + 8*a^3*B + 3*b^3*(A + B) - 2*a^2*b*(A + 3*B)) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b^3*(a^2 - b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * (((-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4) / 2 + ((a + b) * (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}
\end{aligned}$$

$$\begin{aligned}
& [c + d*x]))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (b*(a + b)*(3*a*b^2*(A \\
& - 3*B) + 8*a^3*B + 3*b^3*(A + B) - 2*a^2*b*(A + 3*B))*\text{Sqrt}[(b + a*\text{Cos}[c + \\
& d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a \\
& - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d \\
& *x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(\\
& -2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x] \\
&]/(1 + \text{Cos}[c + d*x]))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]* \\
& (-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*S \\
& in[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a \\
& + b)*(1 + \text{Cos}[c + d*x]))] - (b*(a + b)*(3*a*b^2*(A - 3*B) + 8*a^3*B + 3*b^ \\
& 3*(A + B) - 2*a^2*b*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Elliptic} \\
& icF[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b) \\
& *(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*Sin[c + d*x])/((a + b)*(1 + C \\
& os[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - \\
& a*(-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B)*\text{Cos}[c + d*x] \\
& *Sec[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-2*a^3*A*b + 6*a*A*b^3 \\
& + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B)*(b + a*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^ \\
& 2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^ \\
& 2*b^2*B + 3*b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^2*\text{Tan} \\
& [(c + d*x)/2]^2 - (b*(a + b)*(3*a*b^2*(A - 3*B) + 8*a^3*B + 3*b^3*(A + B) - \\
& 2*a^2*b*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c \\
& + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*Sec[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c \\
& + d*x)/2]^2]*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(- \\
& 2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x] \\
&]/(1 + \text{Cos}[c + d*x]))*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])) \\
&]*Sec[(c + d*x)/2]^2*\text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 \\
& - \text{Tan}[(c + d*x)/2]^2])/(3*b^3*(a^2 - b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt} \\
& [\text{Sec}[(c + d*x)/2]^2]) - ((2*(a + b)*(-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15* \\
& a^2*b^2*B + 3*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[\\
& c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], \\
& (a - b)/(a + b)] - 2*b*(a + b)*(3*a*b^2*(A - 3*B) + 8*a^3*B + 3*b^3*(A + B) \\
&) - 2*a^2*b*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*Co \\
& s[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2] \\
&], (a - b)/(a + b)] + (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3* \\
& b^4*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2 \\
&]*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2* \\
& \text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(3*b^3*(a^2 - b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*S \\
& qrt[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]))))
\end{aligned}$$

Maple [B] time = 0.794, size = 6455, normalized size = 15.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^4 + A \sec(dx+c)^3) \sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c)^4 + A*sec(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^3(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**3/(a + b*sec(c + d*x))**(5/2),
x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^3}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^3/(b*sec(d*x + c) + a)^(5/2), x
)
```

$$3.387 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=387

$$\frac{2(2a^2B + ab(A + 3B) - 3b^2(A + B)) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right) +}{3b^2 d \sqrt{a+b} (a^2 - b^2)}$$

[Out] (2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^3*(a + b)^(3/2)*d) + (2*(2*a^2*B - 3*b^2*(A + B) + a*b*(A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*Sqrt[a + b]*(a^2 - b^2)*d) + (2*a*(A*b - a*B)*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*Tan[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.693662, antiderivative size = 387, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4009, 4003, 4005, 3832, 4004}

$$\frac{2(a^2Ab + 2a^3B - 6ab^2B + 3Ab^3) \tan(c + dx)}{3bd(a^2 - b^2)^2 \sqrt{a + b \sec(c + dx)}} + \frac{2a(Ab - aB) \tan(c + dx)}{3bd(a^2 - b^2)(a + b \sec(c + dx))^{3/2}} + \frac{2(2a^2B + ab(A + 3B) - 3b^2(A + B)) \cot(c + dx)}{3b^2 d \sqrt{a + b} (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2),x]

[Out] (2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^3*(a + b)^(3/2)*d) + (2*(2*a^2*B - 3*b^2*(A + B) + a*b*(A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*b^2*Sqrt[a + b]*(a^2 - b^2)*d) + (2*a*(A*b - a*B)*Tan[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*Tan[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4009

```
Int[csc[(e_.) + (f_.)*(x_)]^2*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*
csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*(A*b - a*B)*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b*(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*
Simp[b*(A*b - a*B)*(m + 1) - (a*A*b*(m + 2) - B*(a^2 + b^2*(m + 1)))*Csc[e
+ f*x], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[A*b - a*B, 0] &&
NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rule 4003

```
Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(m_)*(cs
c[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e
+ f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(
(m + 1)*(a^2 - b^2)), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a
*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x] /; FreeQ[{
a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -
1]
```

Rule 4005

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A - B, Int[Csc[e +
f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[
e + f*x])]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x]
&& NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_S
ymbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-
((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]
/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[c
sc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[
a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e +
f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A,
2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e,
f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```


Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{2a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2\int \frac{\sec(c+dx)\left(-\frac{3}{2}b(Ab-aB)+\frac{1}{2}(aAb+2a^2B-3b^2B)\right)}{(a+b\sec(c+dx))^{3/2}}}{3b(a^2-b^2)} \\
&= \frac{2a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)\tan(c+dx)}{3b(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab-aB)\tan(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)\tan(c+dx)}{3b(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b}{a-b}}}{3(a-b)b^3(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [B] time = 24.887, size = 3514, normalized size = 9.08

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*cos[c + d*x])^3*Sec[c + d*x]^3*((-2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*Sin[c + d*x])/(3*b^2*(-a^2 + b^2)^2) + (2*(A*b*SIN[c + d*x] - a*B*SIN[c + d*x]))/(3*(-a^2 + b^2)*(b + a*cos[c + d*x])^2) + (2*(2*a^2*A*b*SIN[c + d*x] + 2*A*b^3*SIN[c + d*x] + a^3*B*SIN[c + d*x] - 5*a*b^2*B*SIN[c + d*x]))/(3*b*(-a^2 + b^2)^2*(b + a*cos[c + d*x])))/(d*(a + b*Sec[c + d*x])^(5/2)) + (2*(b + a*cos[c + d*x])^2*((a^2*A)/(3*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (A*b^2)/((-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (2*a^3*B)/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) - (2*a*b*B)/((-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]])*Sqrt[Sec[c + d*x]]) + (a^3*A*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]) - (a*A*b*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]) - (5*a^2*B*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]) + (2*a^4*B*Sqrt[Sec[c + d*x]])/(3*b^2*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]) + (b^2*B*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]) + (a^3*A*cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*cos[c + d*x]]) + (a*A*b*cos[2*(c + d*x)]*Sqrt[S

$$\begin{aligned}
& \text{ec}[c + d*x]]/((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) - (2*a^2*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]]/((-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]) + (2*a^4*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]]/(3*b^2*(-a^2 + b^2)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]))*\text{Sec}[c + d*x]^{(5/2)}*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(2*(a + b)*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(a*b*(A - 3*B) + 3*b^2*(A - B) + 2*a^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*(-(a^2*b) + b^3)^2*d*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*(a + b*\text{Sec}[c + d*x])^{(5/2)}*((a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]*(2*(a + b)*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(a*b*(A - 3*B) + 3*b^2*(A - B) + 2*a^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*(-(a^2*b) + b^3)^2*(b + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(2*(a + b)*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])])*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] - 2*b*(a + b)*(a*b*(A - 3*B) + 3*b^2*(A - B) + 2*a^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*(-(a^2*b) + b^3)^2*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(((a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4)/2 + ((a + b)*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) - (b*(a + b)*(a*b*(A - 3*B) + 3*b^2*(A - B) + 2*a^2*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) + ((a + b)*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])])*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]*(-((a*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - (b*(a + b)*(a*b*(A - 3*B) + 3*b^2*(A - B) + 2*a^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)]
\end{aligned}$$

$$\begin{aligned} &]*(-((a*\sin[c + d*x])/((a + b)*(1 + \cos[c + d*x]))) + ((b + a*\cos[c + d*x]) \\ &)*\sin[c + d*x])/((a + b)*(1 + \cos[c + d*x])^2))/\sqrt{(b + a*\cos[c + d*x])/} \\ & ((a + b)*(1 + \cos[c + d*x]))] - a*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B) \\ & * \cos[c + d*x]*\sec[(c + d*x)/2]^2*\sin[c + d*x]*\tan[(c + d*x)/2] - (a^2*A*b + \\ & 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*(b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2*\sin \\ & [c + d*x]*\tan[(c + d*x)/2] + (a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)* \cos[\\ & c + d*x]*(b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2*\tan[(c + d*x)/2]^2 - (b*(a \\ & + b)*(a*b*(A - 3*B) + 3*b^2*(A - B) + 2*a^2*B)*\sqrt{\cos[c + d*x]/(1 + \cos[\\ & c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c + d*x]))}*\sec[(c + \\ & d*x)/2]^2)/(\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{1 - ((a - b)*\tan[(c + d*x)/2] \\ & ^2)/(a + b)}) + ((a + b)*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\sqrt{\cos[\\ & c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[\\ & c + d*x]))}*\sec[(c + d*x)/2]^2*\sqrt{1 - ((a - b)*\tan[(c + d*x)/2]^2)/(a + b \\ &)})/\sqrt{1 - \tan[(c + d*x)/2]^2}))/ (3*(-(a^2*b) + b^3)^2*\sqrt{b + a*\cos[c + \\ & d*x]}*\sqrt{\sec[(c + d*x)/2]^2}) + ((2*(a + b)*(a^2*A*b + 3*A*b^3 + 2*a^3*B \\ & - 6*a*b^2*B)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x] \\ &)}/((a + b)*(1 + \cos[c + d*x])))*\text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b \\ &)/(a + b)] - 2*b*(a + b)*(a*b*(A - 3*B) + 3*b^2*(A - B) + 2*a^2*B)*\sqrt{\cos \\ & [c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(b + a*\cos[c + d*x])/((a + b)*(1 + \cos[c \\ & + d*x]))}*\text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (a - b)/(a + b)] + (a^2*A*b \\ & + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\cos[c + d*x]*(b + a*\cos[c + d*x])* \sec[(c + \\ & d*x)/2]^2*\tan[(c + d*x)/2])*(-(\cos[(c + d*x)/2]*\sec[c + d*x]*\sin[(c + d*x) \\ & /2]) + \cos[(c + d*x)/2]^2*\sec[c + d*x]*\tan[c + d*x]))/(3*(-(a^2*b) + b^3)^2 \\ & *\sqrt{b + a*\cos[c + d*x]}*\sqrt{\sec[(c + d*x)/2]^2}*\sqrt{\cos[(c + d*x)/2]^2* \\ & \sec[c + d*x]})) \end{aligned}$$

Maple [B] time = 0.42, size = 5170, normalized size = 13.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^2*(A+B*\sec(d*x+c))/(a+b*\sec(d*x+c))^{5/2}, x)$

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^3 + A \sec(dx+c)^2)\sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^3 + A*sec(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^2(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**2/(a + b*sec(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^2}{(b \sec(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm  
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^2/(b*sec(d*x + c) + a)^(5/2), x  
)
```

$$3.388 \quad \int \frac{\sec(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=353

$$\frac{2(3aA + aB - Ab - 3bB) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3bd(a-b)(a+b)^{3/2}} - \frac{2(a^2(-B) + 4aAb - 3b^2B) \tan(c + dx)}{3d(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} - \frac{2(Ab - aB) \tan(c + dx)}{3d(a^2 - b^2)(a+b \sec(c+dx))^{3/2}}$$

[Out] (-2*(4*a*A*b - a^2*B - 3*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^2*(a + b)^(3/2)*d) + (2*(3*a*A - A*b + a*B - 3*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b*(a + b)^(3/2)*d) - (2*(A*b - a*B)*Tan[c + d*x])/((3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(4*a*A*b - a^2*B - 3*b^2*B)*Tan[c + d*x])/(3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))

Rubi [A] time = 0.598099, antiderivative size = 353, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {4003, 4005, 3832, 4004}

$$\frac{2(a^2(-B) + 4aAb - 3b^2B) \tan(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a+b \sec(c+dx)}} - \frac{2(Ab - aB) \tan(c + dx)}{3d(a^2 - b^2)(a+b \sec(c+dx))^{3/2}} - \frac{2(a^2(-B) + 4aAb - 3b^2B) \cot(c + dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a+b}{a-b}\right)}{3bd(a-b)(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (-2*(4*a*A*b - a^2*B - 3*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^2*(a + b)^(3/2)*d) + (2*(3*a*A - A*b + a*B - 3*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*(a - b)*b*(a + b)^(3/2)*d) - (2*(A*b - a*B)*Tan[c + d*x])/((3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*(4*a*A*b - a^2*B - 3*b^2*B)*Tan[c + d*x])/(3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))

Rule 4003

```

Int[csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(a^2 - b^2), Int[Csc[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*Simp[(a*A - b*B)*(m + 1) - (A*b - a*B)*(m + 2)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, A, B, e, f}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 4005

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[A - B, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B, Int[(Csc[e + f*x]*(1 + Csc[e + f*x]))/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && NeQ[A^2 - B^2, 0]

```

Rule 3832

```

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 4004

```

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= -\frac{2(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2\int \frac{\sec(c+dx)\left(-\frac{3}{2}(aA-bB)+\frac{1}{2}(Ab-aB)\sec(c+dx)\right)}{(a+b\sec(c+dx))^{3/2}} dx}{3(a^2-b^2)} \\
&= -\frac{2(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2(4aAb-a^2B-3b^2B)\tan(c+dx)}{3(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} + \frac{4\int}{(a+b\sec(c+dx))^{3/2}} \\
&= -\frac{2(Ab-aB)\tan(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2(4aAb-a^2B-3b^2B)\tan(c+dx)}{3(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} + \frac{(4aAb-a^2B-3b^2B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3(a-b)b^2(a+b)^{3/2}d} \\
&= -\frac{2(4aAb-a^2B-3b^2B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(c+dx))}{a+b}}}{3(a-b)b^2(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [B] time = 22.6848, size = 3225, normalized size = 9.14

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((-2*(-4*a*A*b + a^2*B + 3*b^2*B)*Sin[c + d*x])/(3*b*(-a^2 + b^2)^2) + (2*(A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x]))/(3*a*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (2*(-5*a^2*A*b*Sin[c + d*x] + A*b^3*Sin[c + d*x] + 2*a^3*B*Sin[c + d*x] + 2*a*b^2*B*Sin[c + d*x]))/(3*a*(a^2 - b^2)^2*(b + a*Cos[c + d*x])))/(d*(B + A*Cos[c + d*x])*(a + b*Sec[c + d*x])^(5/2)) + (2*(b + a*Cos[c + d*x])^2*((-4*a*A*b)/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^2*B)/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (b^2*B)/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (a^2*A*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (A*b^2*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (a^3*B*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (a*b*B*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) - (4*a^2*A*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (a^3*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(3*b*(-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]]) + (a*b*B*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/((-a^2 + b^2)^2*Sqrt[b + a*Cos[c + d*x]])*Sec[c + d*x]^(3/2)*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x])*(A + B*Sec[c + d*x])*(2*(a + b)*(-4*a*A*b + a^2*B + 3*b^2*B)*Sqrt

$$\begin{aligned}
& [\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*a*A + A*b - a*B - 3*b*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-4*a*A*b + a^2*B + 3*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b*(a^2 - b^2)^2 * d * (B + A*\text{Cos}[c + d*x]) * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2 * (a + b*\text{Sec}[c + d*x])^(5/2) * ((a*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]) * \text{Sin}[c + d*x] * (2*(a + b)*(-4*a*A*b + a^2*B + 3*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*a*A + A*b - a*B - 3*b*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-4*a*A*b + a^2*B + 3*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b*(a^2 - b^2)^2 * (b + a*\text{Cos}[c + d*x])^(3/2) * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Tan}[(c + d*x)/2] * (2*(a + b)*(-4*a*A*b + a^2*B + 3*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*a*A + A*b - a*B - 3*b*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-4*a*A*b + a^2*B + 3*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) / (3*b*(a^2 - b^2)^2 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * (((-4*a*A*b + a^2*B + 3*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^4) / 2 + ((a + b)*(-4*a*A*b + a^2*B + 3*b^2*B) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (b*(a + b)*(3*a*A + A*b - a*B - 3*b*B) * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * ((\text{Cos}[c + d*x] * \text{Sin}[c + d*x]) / (1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x] / (1 + \text{Cos}[c + d*x]))) / \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + ((a + b)*(-4*a*A*b + a^2*B + 3*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-((a*\text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) + (b*(a + b)*(3*a*A + A*b - a*B - 3*b*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] * (-((a*\text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])))) + ((b + a*\text{Cos}[c + d*x]) * \text{Sin}[c + d*x]) / ((a + b)*(1 + \text{Cos}[c + d*x])^2))) / \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]) - a*(-4*a*A*b + a^2*B + 3*b^2*B) * \text{Cos}[c + d*x] * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] - (-4*a*A*b + a^2*B + 3*b^2*B) * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Sin}[c + d*x] * \text{Tan}[(c + d*x)/2] + (-4*a*A*b + a^2*B + 3*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]^2 + (b*(a + b)*(3*a*A + A*b - a*B - 3*b*B)
\end{aligned}$$

$$\begin{aligned} & * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^2 / (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2] * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) + ((a + b)*(-4*a*A*b + a^2*B + 3*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) / \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]) / (3*b*(a^2 - b^2)^2 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((2*(a + b)*(-4*a*A*b + a^2*B + 3*b^2*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*b*(a + b)*(3*a*A + A*b - a*B - 3*b*B) * \text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(b + a*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + (-4*a*A*b + a^2*B + 3*b^2*B) * \text{Cos}[c + d*x] * (b + a*\text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2]) * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (3*b*(a^2 - b^2)^2 * \text{Sqrt}[b + a*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]])) \end{aligned}$$

Maple [B] time = 0.387, size = 4213, normalized size = 11.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x)`

[Out]
$$\begin{aligned} & -1/3/d/(a-b)^2/(a+b)^2/b^4^{1/2} * (-3*B*\sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * b^4 + A*\sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * b^4 - B*\cos(d*x+c)^3 * a^4 + B*\cos(d*x+c)^2 * a^4 - 3*B*\sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a*b^3 + B*\sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^3 * b^3 + 3*B*\sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + 3*B*\sin(d*x+c) * \cos(d*x+c)^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{1/2}) * a^2 * b^2 + A*\sin(d*x+c) * \end{aligned}$$

$$\begin{aligned}
& 1)^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos \\
& (d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b^4 - 4*A*\cos(d*x+c)*\sin(d*x+c) * (\cos \\
& (d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} \\
& * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b - 8*A*\cos(d \\
& *x+c) * a^2*b^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / \\
& (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b) \\
&)/(a+b))^{(1/2)} - 4*A*\cos(d*x+c) * b^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+ \\
& b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+ \\
& c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a + 3*A*\cos(d*x+c) * a^3 * (\cos(d*x+c)/(\cos(d \\
& *x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \\
& \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * b + 7*A*\cos(d*x+c) * \\
& a^2*b^2 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d* \\
& x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b) \\
&)^{(1/2)}) + 5*A*\cos(d*x+c) * b^3 * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a \\
& * \cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))/\sin \\
& (d*x+c), ((a-b)/(a+b))^{(1/2)}) * a - 3*B*\cos(d*x+c) * b^4 + 2*B*\cos(d*x+c) * \sin(d*x+c) \\
& * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1) \\
&)^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b + 4*B \\
& * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(\\
& d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(\\
& a+b))^{(1/2)}) * a^2*b^2 + 6*B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(\\
& 1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x \\
& +c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b^3 - B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x \\
& +c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{E \\
& llipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^3*b - 5*B*\cos(d*x+ \\
& c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\\
& \cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) \\
& * a^2*b^2 - 7*B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(d*x+c)+1))^{(1/2)} * (1/ \\
& (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(\\
& d*x+c), ((a-b)/(a+b))^{(1/2)}) * a*b^3 + B*\cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(\cos(\\
& d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
& (-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * a^4 + 3*B*\sin(d*x+c) * \cos(d*x+ \\
& c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), ((a-b)/(a+b))^{(1/2)}) * (\cos(d*x+c)/(\c \\
& os(d*x+c)+1))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * b^4 + 3*B \\
& * \cos(d*x+c) * b^4 + A*\cos(d*x+c) * b^4 - A*\cos(d*x+c) * b^4 * ((b+a*\cos(d*x+c)) / \co \\
& s(d*x+c))^{(1/2)} / \sin(d*x+c) / (b+a*\cos(d*x+c))^{(1/2)}
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c)^2 + A \sec(dx+c))\sqrt{b \sec(dx+c) + a}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)}{(b \sec(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.389 \quad \int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=495

$$\frac{2(6a^2Ab + a^2bB - 3a^3B - aAb^2 - 3Ab^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \text{EllipticF}\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right), \frac{a}{a+b}\right)}{3a^2bd(a-b)(a+b)^{3/2}}$$

[Out] (2*(7*a^2*A*b - 3*A*b^3 - 4*a^3*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*b*(a + b)^(3/2)*d) - (2*(6*a^2*A*b - a*A*b^2 - 3*A*b^3 - 3*a^3*B + a^2*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*b*(a + b)^(3/2)*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(a^3*d) + (2*b*(A*b - a*B)*Tan[c + d*x]/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(7*a^2*A*b - 3*A*b^3 - 4*a^3*B)*Tan[c + d*x]/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]))

Rubi [A] time = 0.766911, antiderivative size = 495, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$, Rules used = {3923, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{2b(7a^2Ab - 4a^3B - 3Ab^3) \tan(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a + b \sec(c+dx)}} + \frac{2b(Ab - aB) \tan(c+dx)}{3ad(a^2 - b^2)(a + b \sec(c+dx))^{3/2}} - \frac{2(6a^2Ab + a^2bB - 3a^3B - aAb^2 - 3Ab^3) \cot(c+dx)}{3a^2bd(a-b)(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (2*(7*a^2*A*b - 3*A*b^3 - 4*a^3*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*b*(a + b)^(3/2)*d) - (2*(6*a^2*A*b - a*A*b^2 - 3*A*b^3 - 3*a^3*B + a^2*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*b*(a + b)^(3/2)*d) - (2*A*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a -

b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(a^3*d) + (2*b*(A*b - a*B)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(7*a^2*A*b - 3*A*b^3 - 4*a^3*B)*Tan[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rule 3923

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)), x_Symbol] :> Simp[(b*(b*c - a*d)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[c*(a^2 - b^2)*(m + 1) - (a*(b*c - a*d)*(m + 1))*Csc[e + f*x] + b*(b*c - a*d)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && NeQ[a^2 - b^2, 0] && IntegerQ[2*m]

Rule 4060

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 4058

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]]/Rt[a + b,

2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^{5/2}} dx &= \frac{2b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}A(a^2 - b^2) + \frac{3}{2}a(Ab - aB) \sec(c + dx) - \frac{1}{2}b(Ab - aB) \sec^2(c + dx)}{(a + b \sec(c + dx))^{3/2}} dx}{3a(a^2 - b^2)} \\ &= \frac{2b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(7a^2Ab - 3Ab^3 - 4a^3B) \tan(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} + \frac{4 \int \frac{\frac{3}{4}A(a^2 - b^2)}{(a + b \sec(c + dx))^{3/2}} dx}{3a(a^2 - b^2)} \\ &= \frac{2b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(7a^2Ab - 3Ab^3 - 4a^3B) \tan(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \sec(c + dx)}} + \frac{4 \int \frac{\frac{3}{4}A(a^2 - b^2)}{(a + b \sec(c + dx))^{3/2}} dx}{3a(a^2 - b^2)} \\ &= \frac{2(7a^2Ab - 3Ab^3 - 4a^3B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(1+\sec(c+dx))}{a+b}}}{3a^2(a-b)b(a+b)^{3/2}d} \\ &= \frac{2(7a^2Ab - 3Ab^3 - 4a^3B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(c+dx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(1+\sec(c+dx))}{a+b}}}{3a^2(a-b)b(a+b)^{3/2}d} \end{aligned}$$

Mathematica [C] time = 17.1595, size = 2083, normalized size = 4.21

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(5/2),x]

[Out]
$$\begin{aligned} & ((b + a\cos[c + dx])^3 \sec[c + dx]^2 (A + B \sec[c + dx]) * ((2(-7a^2Ab + 3A^3b^3 + 4a^3B) \sin[c + dx]) / (3a^2(a^2 - b^2)^2) - (2(A^3b^3 \sin[c + dx] - a^2b^2B \sin[c + dx])) / (3a^2(a^2 - b^2)(b + a\cos[c + dx])^2) - (2(-8a^2Ab^2 \sin[c + dx] + 4A^3b^4 \sin[c + dx] + 5a^3bB \sin[c + dx] - a^2b^3B \sin[c + dx])) / (3a^2(a^2 - b^2)^2(b + a\cos[c + dx]))) \\ & / (d(B + A\cos[c + dx]) * (a + b\sec[c + dx])^{5/2}) + (2(b + a\cos[c + dx])^{5/2} \sec[c + dx]^{3/2} (A + B \sec[c + dx]) \sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2) / (1 + \tan[(c + dx)/2]^2)} * (7a^3A^3b \sqrt{(-a + b)/(a + b)} \tan[(c + dx)/2] + 7a^2A^2b^2 \sqrt{(-a + b)/(a + b)} \tan^2[(c + dx)/2] - 3a^2A^2b^3 \sqrt{(-a + b)/(a + b)} \tan^3[(c + dx)/2] - 3A^3b^4 \sqrt{(-a + b)/(a + b)} \tan^4[(c + dx)/2] - 4a^4 \sqrt{(-a + b)/(a + b)} \tan^5[(c + dx)/2] - 4a^3b \sqrt{(-a + b)/(a + b)} \tan^6[(c + dx)/2] - 4a^2 \sqrt{(-a + b)/(a + b)} \tan^7[(c + dx)/2] - 4a \sqrt{(-a + b)/(a + b)} \tan^8[(c + dx)/2] - 4 \sqrt{(-a + b)/(a + b)} \tan^9[(c + dx)/2] - 4 \tan^{10}[(c + dx)/2]) \\ & - (6I)a^4A \operatorname{EllipticPi}[-(a + b)/(a - b)], I \operatorname{ArcSinh}[\sqrt{(-a + b)/(a + b)} \tan[(c + dx)/2]], (a + b)/(a - b) \sqrt{1 - \tan^2[(c + dx)/2]} \sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2) / (a + b)} + (12I)a^2A^2b^2 \operatorname{EllipticPi}[-(a + b)/(a - b)], I \operatorname{ArcSinh}[\sqrt{(-a + b)/(a + b)} \tan[(c + dx)/2]], (a + b)/(a - b) \sqrt{1 - \tan^2[(c + dx)/2]} \sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2) / (a + b)} - (6I)A^3b^4 \operatorname{EllipticPi}[-(a + b)/(a - b)], I \operatorname{ArcSinh}[\sqrt{(-a + b)/(a + b)} \tan[(c + dx)/2]], (a + b)/(a - b) \sqrt{1 - \tan^2[(c + dx)/2]} \sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2) / (a + b)} - (6I)a^4A \operatorname{EllipticPi}[-(a + b)/(a - b)], I \operatorname{ArcSinh}[\sqrt{(-a + b)/(a + b)} \tan[(c + dx)/2]], (a + b)/(a - b) \tan[(c + dx)/2]^2 \sqrt{1 - \tan^2[(c + dx)/2]} \sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2) / (a + b)} + (12I)a^2A^2b^2 \operatorname{EllipticPi}[-(a + b)/(a - b)], I \operatorname{ArcSinh}[\sqrt{(-a + b)/(a + b)} \tan[(c + dx)/2]], (a + b)/(a - b) \tan[(c + dx)/2]^2 \sqrt{1 - \tan^2[(c + dx)/2]} \sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2) / (a + b)} - (6I)A^3b^4 \operatorname{EllipticPi}[-(a + b)/(a - b)], I \operatorname{ArcSinh}[\sqrt{(-a + b)/(a + b)} \tan[(c + dx)/2]], (a + b)/(a - b) \tan[(c + dx)/2]^2 \sqrt{1 - \tan^2[(c + dx)/2]} \sqrt{(a + b - a\tan[(c + dx)/2]^2 + b\tan[(c + dx)/2]^2) / (a + b)} \end{aligned}$$

$$\begin{aligned} &/(a + b)] + I*(a - b)*(-7*a^2*A*b + 3*A*b^3 + 4*a^3*B)*EllipticE[I*ArcSinh[\\ &Sqrt[(-a + b)/(a + b)]*Tan[(c + d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c \\ &+ d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + \\ &b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*(-4*a*A*b^2 - 6*A*b^3 + 3*a^3*(A \\ &- B) + a^2*b*(9*A + B))*EllipticF[I*ArcSinh[Sqrt[(-a + b)/(a + b)]*Tan[(c \\ &+ d*x)/2]], (a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x \\ &)/2]^2)*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(a + b) \\ &)]/(3*a^2*Sqrt[(-a + b)/(a + b)]*(a^2 - b^2)^2*d*(B + A*Cos[c + d*x])*(a + \\ &b*Sec[c + d*x])^(5/2)*(-1 + Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^ \\ &2)/(1 - Tan[(c + d*x)/2]^2)]*(a*(-1 + Tan[(c + d*x)/2]^2) - b*(1 + Tan[(c + \\ &d*x)/2]^2))) \end{aligned}$$

Maple [B] time = 0.414, size = 5710, normalized size = 11.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)

[Out] Integral((A + B*sec(c + d*x))/(a + b*sec(c + d*x))**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.390 \quad \int \frac{\cos(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=582

$$\frac{(-a^2b(21A+2B) - 3a^3(A-4B) + ab^2(5A-6B) + 15Ab^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\right)}{3a^3d\sqrt{a+b}(a^2-b^2)}$$

[Out] ((3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*Cot[c + d*x]*
 EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])
 /((3*a^3*(a - b)*b*(a + b)^(3/2)*d - ((15*A*b^3 + a*b^2*(5*A - 6*B) - 3*a^3*(A - 4*B) - a^2*b*(21*A + 2*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(3*a^3*Sqrt[a + b]*(a^2 - b^2)*d) + (Sqrt[a + b]*(5*A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^4*d) + (A*Sin[c + d*x])/(a*d*(a + b*Sec[c + d*x])^(3/2)) + (b*(3*a^2*A - 5*A*b^2 + 2*a*b*B)*Tan[c + d*x])/(3*a^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (b*(3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*Tan[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 1.2142, antiderivative size = 582, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$, Rules used = {4034, 4061, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(-26a^2Ab^2 + 3a^4A + 14a^3bB - 6ab^3B + 15Ab^4) \tan(c+dx)}{3a^3d(a^2-b^2)^2 \sqrt{a+b \sec(c+dx)}} + \frac{b(3a^2A + 2abB - 5Ab^2) \tan(c+dx)}{3a^2d(a^2-b^2)(a+b \sec(c+dx))^{3/2}} - \frac{(-a^2b(21A + 2B) - 3a^3(A - 4B) + ab^2(5A - 6B) + 15Ab^3) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)+1)}{a-b}} \operatorname{EllipticF}\left(\sin^{-1}\right)}{3a^3d\sqrt{a+b}(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*Cot[c + d*x]*
 EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])
 /((3*a^3*(a - b)*b*(a + b)^(3/2)*d - ((15*A*b^3 + a*b^2*(5*A - 6*B) - 3*a^3*(A - 4*B) - a^2*b*(21*A + 2*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(3*a^3*Sqrt[a + b]*(a^2 - b^2)*d) + (Sqrt[a + b]*(5*A*b - 2*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))])/(a^4*d) + (A*Sin[c + d*x])/(a*d*(a + b*Sec[c + d*x])^(3/2)) + (b*(3*a^2*A - 5*A*b^2 + 2*a*b*B)*Tan[c + d*x])/(3*a^2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (b*(3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*Tan[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

$$+ b)] * \text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^3*\text{Sqrt}[a + b]*(a^2 - b^2)*d) + (\text{Sqrt}[a + b]*(5*A*b - 2*a*B)*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/a, \text{ArcSin}[\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/\text{Sqrt}[a + b]], (a + b)/(a - b)]*\text{Sqrt}[(b*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Sec}[c + d*x]))/(a - b))]/(a^4*d) + (A*\text{Sin}[c + d*x])/(a*d*(a + b*\text{Sec}[c + d*x])^(3/2)) + (b*(3*a^2*A - 5*A*b^2 + 2*a*b*B)*\text{Tan}[c + d*x])/(3*a^2*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^(3/2)) + (b*(3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*\text{Tan}[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$$

Rule 4034

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1)*(d*\text{Csc}[e + f*x])^n)/(a*f^n), x] + \text{Dist}[1/(a*d^n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^(n + 1)*\text{Simp}[a*B^n - A*b*(m + n + 1) + A*a*(n + 1)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4061

$$\text{Int}[(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \rightarrow \text{Simp}[(A*b^2 + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^(m + 1)*\text{Simp}[A*(a^2 - b^2)*(m + 1) - a*b*(A + C)*(m + 1)*\text{Csc}[e + f*x] + (A*b^2 + a^2*C)*(m + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[2*m] \&\& \text{LtQ}[m, -1]$$

Rule 4060

$$\text{Int}[(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^(m + 1)*\text{Simp}[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$$

Rule 4058

$$\text{Int}[(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Int}[(A + (B - C)*\text{Csc}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Dist}[C, \text{Int}[(\text{Csc}[e + f*x]*(1 + \text{Csc}[e + f*x]))/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, e, f, A,$$

B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3921

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

Rule 3784

Int[1/Sqrt[csc[(c_.) + (d_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3832

Int[csc[(e_.) + (f_.)*(x_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} - \frac{\int \frac{\frac{1}{2}(5Ab-2aB)-\frac{3}{2}Ab\sec^2(c+dx)}{(a+b\sec(c+dx))^{5/2}} dx}{a} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} + \frac{b(3a^2A-5Ab^2+2abB)\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2\int \frac{-\frac{3}{4}(a^2-b^2)}{(a+b\sec(c+dx))^{5/2}} dx}{a} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} + \frac{b(3a^2A-5Ab^2+2abB)\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{b(3a^4A-26a^2Ab^2+15Ab^4+14a^3bB-6ab^3B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3a^3(a-b)b(a+b)^{3/2}d} \\
&= \frac{A\sin(c+dx)}{ad(a+b\sec(c+dx))^{3/2}} + \frac{b(3a^2A-5Ab^2+2abB)\tan(c+dx)}{3a^2(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{b(3a^4A-26a^2Ab^2+15Ab^4+14a^3bB-6ab^3B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b}}\right)\right)}{3a^3(a-b)b(a+b)^{3/2}d}
\end{aligned}$$

Mathematica [B] time = 22.0462, size = 2390, normalized size = 4.11

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((-2*b*(-10*a^2*A*b + 6*A*b^3 + 7*a^3*B - 3*a*b^2*B)*Sin[c + d*x])/(3*a^3*(-a^2 + b^2)^2) + (2*(A*b^4*Sin[c + d*x] - a*b^3*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (2*(-11*a^2*A*b^3*Sin[c + d*x] + 7*A*b^5*Sin[c + d*x] + 8*a^3*b^2*B*Sin[c + d*x] - 4*a*b^4*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)^2*(b + a*Cos[c + d*x]))) / (d*(a + b*Sec[c + d*x])^(5/2)) - ((b + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b - a*Tan[(c + d*x)/2]^2 + b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(3*a^5*A*Tan[(c + d*x)/2] + 3*a^4*A*b*Tan[(c + d*x)/2] - 26*a^3*A*b^2*Tan[(c + d*x)/2] - 26*a^2*A*b^3*Tan[(c + d*x)/2] + 15*a*A*b^4*Tan[(c + d*x)/2] + 15*A*b^5*Tan[(c + d*x)/2] + 14*a^4*b*B*Tan[(c + d*x)/2] + 14*a^3*b^2*B*Tan[(c + d*x)/2] - 6*a^2*

$$\begin{aligned}
& b^3 B \tan[(c + dx)/2] - 6 a b^4 B \tan[(c + dx)/2] - 6 a^5 A \tan[(c + dx)/2]^3 + 52 a^3 A b^2 \tan[(c + dx)/2]^3 - 30 a^4 A b^4 \tan[(c + dx)/2]^3 - 28 a^4 b^4 B \tan[(c + dx)/2]^3 + 12 a^2 b^3 B \tan[(c + dx)/2]^3 + 3 a^5 A \tan[(c + dx)/2]^5 - 3 a^4 A b \tan[(c + dx)/2]^5 - 26 a^3 A b^2 \tan[(c + dx)/2]^5 + 26 a^2 A b^3 \tan[(c + dx)/2]^5 + 15 a^4 A b^4 \tan[(c + dx)/2]^5 - 15 A b^5 \tan[(c + dx)/2]^5 + 14 a^4 b B \tan[(c + dx)/2]^5 - 14 a^3 b^2 B \tan[(c + dx)/2]^5 - 6 a^2 b^3 B \tan[(c + dx)/2]^5 + 6 a b^4 B \tan[(c + dx)/2]^5 + 30 a^4 A b \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 60 a^2 A b^3 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 30 A b^5 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 12 a^5 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 24 a^3 b^2 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 12 a b^4 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 30 a^4 A b \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 60 a^2 A b^3 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 30 A b^5 \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 12 a^5 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + 24 a^3 b^2 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 12 a b^4 B \operatorname{EllipticPi}[-1, -\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \tan[(c + dx)/2]^2 \sqrt{1 - \tan[(c + dx)/2]^2} \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} + (a + b) (3 a^4 A - 26 a^2 A b^2 + 15 A b^4 + 14 a^3 b B - 6 a b^3 B) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)} - 2 a (a + b) (5 A b^3 + 3 a^3 B + 3 a^2 b (-2 A + B) - a b^2 (3 A + 2 B)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (a - b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b - a \tan[(c + dx)/2]^2 + b \tan[(c + dx)/2]^2)/(a + b)})) / (3 a (a^3 - a b^2)^2 d (a + b \operatorname{Sec}[c + dx])^{5/2} \sqrt{1 + \tan[(c + dx)/2]^2} (a (-1 + \tan[(c + dx)/2]^2) - b (1 + \tan[(c + dx)/2]^2)))
\end{aligned}$$

Maple [B] time = 0.677, size = 8545, normalized size = 14.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*cos(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) \sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.391 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=686

$$\frac{(-5a^2b^2(27A+4B) - a^3(27Ab - 84bB) + 6a^4(A+2B) + 5ab^3(7A-12B) + 105Ab^4) \cot(c+dx) \sqrt{\frac{b(1-\sec(c+dx))}{a+b}} \sqrt{-\frac{b(\sec(c+dx)-1)}{a-b}}}{12a^4d\sqrt{a+b}(a^2-b^2)}$$

```
[Out] -((33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(12*a^4*(a - b)*b*(a + b)^(3/2)*d) + ((105*A*b^4 + 5*a*b^3*(7*A - 12*B) + 6*a^4*(A + 2*B) - 5*a^2*b^2*(27*A + 4*B) - a^3*(27*A*b - 84*b*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(12*a^4*Sqrt[a + b]*(a^2 - b^2)*d) - (Sqrt[a + b]*(4*a^2*A + 35*A*b^2 - 20*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^5*d) - ((7*A*b - 4*a*B)*Sin[c + d*x])/(4*a^2*d*(a + b*Sec[c + d*x])^(3/2)) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*(a + b*Sec[c + d*x])^(3/2)) - (b*(27*a^2*A*b - 35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*Tan[c + d*x])/(12*a^3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (b*(33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Tan[c + d*x])/(12*a^4*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 2.05047, antiderivative size = 686, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4034, 4104, 4060, 4058, 3921, 3784, 3832, 4004}

$$\frac{b(-170a^2Ab^3 + 33a^4Ab + 104a^3b^2B - 12a^5B - 60ab^4B + 105Ab^5) \tan(c+dx)}{12a^4d(a^2-b^2)^2\sqrt{a+b\sec(c+dx)}} - \frac{b(27a^2Ab - 12a^3B + 20ab^2B - 35Ab^3)}{12a^3d(a^2-b^2)(a+b\sec(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] -((33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(12*a^4*(a - b)*b*(a + b)^(3/2)*d) + ((105*A*b^4 + 5*a*b^3*(7*A - 12*B) + 6*a^4*(A + 2*B) - 5*a^2*b^2*(27*A + 4*B) - a^3*(27*A*b - 84*b*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(12*a^4*Sqrt[a + b]*(a^2 - b^2)*d) - (Sqrt[a + b]*(4*a^2*A + 35*A*b^2 - 20*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b))]/(4*a^5*d) - ((7*A*b - 4*a*B)*Sin[c + d*x])/(4*a^2*d*(a + b*Sec[c + d*x])^(3/2)) + (A*Cos[c + d*x]*Sin[c + d*x])/(2*a*d*(a + b*Sec[c + d*x])^(3/2)) - (b*(27*a^2*A*b - 35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*Tan[c + d*x])/(12*a^3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (b*(33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Tan[c + d*x])/(12*a^4*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

```

c + d*x]))/(a - b))]/(12*a^4*(a - b)*b*(a + b)^(3/2)*d) + ((105*A*b^4 + 5*
a*b^3*(7*A - 12*B) + 6*a^4*(A + 2*B) - 5*a^2*b^2*(27*A + 4*B) - a^3*(27*A*b
- 84*b*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Sec[c + d*x]]/Sqrt[a +
b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[-((b*(1 +
Sec[c + d*x]))/(a - b)))]/(12*a^4*Sqrt[a + b]*(a^2 - b^2)*d) - (Sqrt[a + b]
*(4*a^2*A + 35*A*b^2 - 20*a*b*B)*Cot[c + d*x]*EllipticPi[(a + b)/a, ArcSin[
Sqrt[a + b*Sec[c + d*x]]/Sqrt[a + b]], (a + b)/(a - b)]*Sqrt[(b*(1 - Sec[c
+ d*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[c + d*x]))/(a - b)))]/(4*a^5*d) - ((7*
A*b - 4*a*B)*Sin[c + d*x])/(4*a^2*d*(a + b*Sec[c + d*x])^(3/2)) + (A*Cos[c
+ d*x]*Sin[c + d*x])/(2*a*d*(a + b*Sec[c + d*x])^(3/2)) - (b*(27*a^2*A*b -
35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*Tan[c + d*x])/(12*a^3*(a^2 - b^2)*d*(a +
b*Sec[c + d*x])^(3/2)) - (b*(33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^
5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Tan[c + d*x])/(12*a^4*(a^2 - b^2)^2*d*Sqr
t[a + b*Sec[c + d*x]])

```

Rule 4034

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^m_*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dis
t[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n
- A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x
]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0]
&& NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^m_, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4060

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m_, x_Symbol] :> Simp[((A*b^2 -
a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1))/(a*f*(m + 1)*(a^
2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m
+ 1)*Simp[A*(a^2 - b^2)*(m + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x]
+ (A*b^2 - a*b*B + a^2*C)*(m + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

```

Rule 4058

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Int[(A + (B - C)*Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x] + Dist[C, Int[(Csc[e + f*x]*(1 + Csc[e + f*x])/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3921

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[c, Int[1/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[d, Int[Csc[e + f*x]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3784

```
Int[1/Sqrt[csc[(c_.) + (d_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[c + d*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[c + d*x]))/(a - b))]*EllipticPi[(a + b)/a, ArcSin[Sqrt[a + b*Csc[c + d*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(a*d*Cot[c + d*x]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3832

```
Int[csc[(e_.) + (f_.)*(x_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*Rt[a + b, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticF[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + b, 2]], (a + b)/(a - b)]/(b*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 4004

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))]*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} - \int \frac{\cos(c+dx)\left(\frac{1}{2}(7Ab-4aB)-aA\sec(c+dx)-\frac{5}{2}Ab\sec^2(c+dx)\right)}{(a+b\sec(c+dx))^{5/2}} dx \\
&= -\frac{(7Ab-4aB)\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} + \int \frac{\frac{1}{4}(4a^2A+35Ab^2-20aAb)}{(a+b\sec(c+dx))^{5/2}} dx \\
&= -\frac{(7Ab-4aB)\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} - \frac{b(27a^2Ab-35Ab^3)}{12a^3(a^2-b^2)} \\
&= -\frac{(7Ab-4aB)\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} - \frac{b(27a^2Ab-35Ab^3)}{12a^3(a^2-b^2)} \\
&= -\frac{(7Ab-4aB)\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} - \frac{b(27a^2Ab-35Ab^3)}{12a^3(a^2-b^2)} \\
&= -\frac{(7Ab-4aB)\sin(c+dx)}{4a^2d(a+b\sec(c+dx))^{3/2}} + \frac{A\cos(c+dx)\sin(c+dx)}{2ad(a+b\sec(c+dx))^{3/2}} - \frac{b(27a^2Ab-35Ab^3)}{12a^3(a^2-b^2)} \\
&= -\frac{(33a^4Ab-170a^2Ab^3+105Ab^5-12a^5B+104a^3b^2B-60ab^4B)\cot(c+dx)}{12a^4(a-b)b(a+b)^3} \\
&= -\frac{(33a^4Ab-170a^2Ab^3+105Ab^5-12a^5B+104a^3b^2B-60ab^4B)\cot(c+dx)}{12a^4(a-b)b(a+b)^3}
\end{aligned}$$

Mathematica [A] time = 14.7169, size = 823, normalized size = 1.2

$$\frac{(b+a\cos(c+dx))^3\sec^3(c+dx)\left(\frac{2(10Ba^3-13Aba^2-6b^2Ba+9Ab^3)\sin(c+dx)b^2}{3a^4(b^2-a^2)^2} - \frac{2(Ab^5\sin(c+dx)-ab^4B\sin(c+dx))}{3a^4(a^2-b^2)(b+a\cos(c+dx))^2} - \frac{2(10A\sin(c+dx)b^6-7aB\sin(c+dx)b^5)}{12a^3(a^2-b^2)}\right)}{d(a+b\sec(c+dx))^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^2*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^3*((2*b^2*(-13*a^2*A*b + 9*A*b^3 + 10*a^3*B - 6*a*b^2*B)*Sin[c + d*x]))/(3*a^4*(-a^2 + b^2)^2) - (2*(A*b^5*Sin[c + d*x] - a*b^4*B*Sin[c + d*x]))/(3*a^4*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) -

$$\begin{aligned} & (2*(-14*a^2*A*b^4*\sin[c + d*x] + 10*A*b^6*\sin[c + d*x] + 11*a^3*b^3*B*\sin[\\ & c + d*x] - 7*a*b^5*B*\sin[c + d*x]))/(3*a^4*(a^2 - b^2)^2*(b + a*\cos[c + d*x] \\ &])) + (A*\sin[2*(c + d*x)]/(4*a^3)))/(d*(a + b*\sec[c + d*x])^(5/2)) - ((b + \\ & a*\cos[c + d*x])^2*\sec[c + d*x]*(-(a*(a + b)*(-33*a^4*A*b + 170*a^2*A*b^3 - \\ & 105*A*b^5 + 12*a^5*B - 104*a^3*b^2*B + 60*a*b^4*B))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c \\ & + d*x)/2]], (a - b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x]) \\ & *\sec[(c + d*x)/2]^2)/(a + b))} + b*(a + b)*(105*A*b^5 + 6*a^5*(A + 2*B) - 3 \\ & 0*a*b^4*(7*A + 2*B) + 4*a^3*b^2*(57*A + 10*B) - 3*a^4*b*(13*A + 48*B) + 2*a \\ & ^2*b^3*(-29*A + 60*B))*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] \\ & *\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(a + b)} \\ & + 3*(a - b)^2*(a + b)^2*(4*a^2*A + 35*A*b^2 - 20*a*b*B)*((a - b)*\text{EllipticF} \\ & [\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (a - b)/(a + b)] + 2*a*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan} \\ & [(c + d*x)/2]], (a - b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + \\ & d*x])*\sec[(c + d*x)/2]^2)/(a + b)} - a*(-33*a^4*A*b + 170*a^2*A*b^3 - 105*A \\ & *b^5 + 12*a^5*B - 104*a^3*b^2*B + 60*a*b^4*B)*(b + a*\cos[c + d*x])*(\cos[c + \\ & d*x]*\sec[(c + d*x)/2]^2)^(3/2)*\sec[c + d*x]*\text{Tan}[(c + d*x)/2]))/(12*a^5*(a^ \\ & 2 - b^2)^2*d*(\cos[c + d*x]*\sec[(c + d*x)/2]^2)^(3/2)*(a + b*\sec[c + d*x])^(\\ & 5/2)) \end{aligned}$$

Maple [B] time = 0.957, size = 10322, normalized size = 15.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^2/(b*sec(d*x + c) + a)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) \sqrt{b \sec(dx + c) + a}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^2}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^2/(b*sec(d*x + c) + a)^(5/2), x  
)
```

$$3.392 \quad \int \frac{\sec(e+fx)(A+A \sec(e+fx))}{\sqrt{a+b \sec(e+fx)}} dx$$

Optimal. Leaf size=105

$$\frac{2A(a-b)\sqrt{a+b} \cot(e+fx) \sqrt{\frac{b(1-\sec(e+fx))}{a+b}} \sqrt{-\frac{b(\sec(e+fx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(e+fx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{b^2 f}$$

[Out] $(-2*A*(a-b)*\text{Sqrt}[a+b]*\text{Cot}[e+f*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[e+f*x]]/\text{Sqrt}[a+b]], (a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[e+f*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[e+f*x]))/(a-b))])/(b^2*f)$

Rubi [A] time = 0.0812832, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.032$, Rules used = {4004}

$$\frac{2A(a-b)\sqrt{a+b} \cot(e+fx) \sqrt{\frac{b(1-\sec(e+fx))}{a+b}} \sqrt{-\frac{b(\sec(e+fx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(e+fx)}}{\sqrt{a+b}}\right) \middle| \frac{a+b}{a-b}\right)}{b^2 f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[e+f*x]*(A+A*\text{Sec}[e+f*x]))/\text{Sqrt}[a+b*\text{Sec}[e+f*x]],x]$

[Out] $(-2*A*(a-b)*\text{Sqrt}[a+b]*\text{Cot}[e+f*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Sec}[e+f*x]]/\text{Sqrt}[a+b]], (a+b)/(a-b)]*\text{Sqrt}[(b*(1-\text{Sec}[e+f*x]))/(a+b)]*\text{Sqrt}[-((b*(1+\text{Sec}[e+f*x]))/(a-b))])/(b^2*f)$

Rule 4004

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)))/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> \text{Simp}[(-2*(A*b - a*B)*\text{Rt}[a + (b*B)/A, 2]*\text{Sqrt}[(b*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[-((b*(1 + \text{Csc}[e + f*x]))/(a - b))]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Rt}[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B))]/(b^2*f*\text{Cot}[e + f*x]), x] /; \text{FreeQ}\{a, b, e, f, A, B\}, x \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{EqQ}[A^2 - B^2, 0]$

Rubi steps

$$\int \frac{\sec(e+fx)(A+A\sec(e+fx))}{\sqrt{a+b\sec(e+fx)}} dx = -\frac{2A(a-b)\sqrt{a+b}\cot(e+fx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\sec(e+fx)}}{\sqrt{a+b}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{b(1-\sec(e+fx))}{a+b}}\sqrt{-\frac{b}{a+b}}}{b^2f}$$

Mathematica [B] time = 10.5517, size = 248, normalized size = 2.36

$$A(\sec(e+fx)+1)\left(2\tan\left(\frac{1}{2}(e+fx)\right)(a\cos(e+fx)+b)+\frac{\left(\tan^2\left(\frac{1}{2}(e+fx)\right)-1\right)\sqrt{\sec^2\left(\frac{1}{2}(e+fx)\right)}\sqrt{\cos^2\left(\frac{1}{2}(e+fx)\right)}\sec(e+fx)\tan\left(\frac{1}{2}(e+fx)\right)}{\sqrt{\sec(e+fx)}}\right)$$

$$bf\sqrt{a+b\sec(e+fx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[e + f*x]*(A + A*Sec[e + f*x]))/Sqrt[a + b*Sec[e + f*x]],x]

[Out] (A*(1 + Sec[e + f*x])*(2*(b + a*Cos[e + f*x])*Tan[(e + f*x)/2] + (Sqrt[Sec[e + f*x]]*Sqrt[Cos[(e + f*x)/2]^2*Sec[e + f*x]]*((Sqrt[(a - b)/(a + b)]*(a + b)*Sqrt[(b + a*Cos[e + f*x])/((a + b)*(1 + Cos[e + f*x])])*EllipticE[ArcSin[Sqrt[(a - b)/(a + b)]*Tan[(e + f*x)/2]], (a + b)/(a - b)]/Sqrt[Cos[e + f*x]/(1 + Cos[e + f*x])] + (b + a*Cos[e + f*x])*Tan[(e + f*x)/2])*(-1 + Tan[(e + f*x)/2]^2))/Sqrt[Sec[e + f*x]]))/(b*f*Sqrt[a + b*Sec[e + f*x]])

Maple [B] time = 0.432, size = 642, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(f*x+e)*(A+A*sec(f*x+e))/(a+b*sec(f*x+e))^(1/2),x)

[Out] -2*A/f/b*(1/cos(f*x+e)*(a*cos(f*x+e)+b))^(1/2)*(1+cos(f*x+e))^2*(-1+cos(f*x+e))^2*(2*cos(f*x+e)*(cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e)))^(1/2)*sin(f*x+e)*EllipticF((-1+cos(f*x+e))/sin(f*x+e), ((a-b)/(a+b))^(1/2))*b-cos(f*x+e)*(cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e)))^(1/2)*sin(f*x+e)*EllipticE((-1+cos(f*x+e))/sin(f*x+e), ((a-b)/(a+b))^(1/2))*a-cos(f*x+e)*(cos(f*x+e)/(1+cos(f*x+e)))

)^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e)))^(1/2)*sin(f*x+e)*EllipticE((-1+cos(f*x+e))/sin(f*x+e),((a-b)/(a+b))^(1/2))*b+2*(cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e)))^(1/2)*EllipticF((-1+cos(f*x+e))/sin(f*x+e),((a-b)/(a+b))^(1/2))*b*sin(f*x+e)-(cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e)))^(1/2)*sin(f*x+e)*EllipticE((-1+cos(f*x+e))/sin(f*x+e),((a-b)/(a+b))^(1/2))*a-(cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e)))^(1/2)*EllipticE((-1+cos(f*x+e))/sin(f*x+e),((a-b)/(a+b))^(1/2))*b*sin(f*x+e)+cos(f*x+e)^2*a-a*cos(f*x+e)+b*cos(f*x+e)-b)/sin(f*x+e)^5/(a*cos(f*x+e)+b)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(fx + e) + A) \sec(fx + e)}{\sqrt{b \sec(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(f*x+e)*(A+A*sec(f*x+e))/(a+b*sec(f*x+e))^(1/2),x, algorithm="maxima")

[Out] integrate((A*sec(f*x + e) + A)*sec(f*x + e)/sqrt(b*sec(f*x + e) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{A \sec(fx + e)^2 + A \sec(fx + e)}{\sqrt{b \sec(fx + e) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(f*x+e)*(A+A*sec(f*x+e))/(a+b*sec(f*x+e))^(1/2),x, algorithm="fricas")

[Out] integral((A*sec(f*x + e)^2 + A*sec(f*x + e))/sqrt(b*sec(f*x + e) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$A \left(\int \frac{\sec(e + fx)}{\sqrt{a + b \sec(e + fx)}} dx + \int \frac{\sec^2(e + fx)}{\sqrt{a + b \sec(e + fx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(f*x+e)*(A+A*sec(f*x+e))/(a+b*sec(f*x+e))**(1/2),x)

[Out] A*(Integral(sec(e + f*x)/sqrt(a + b*sec(e + f*x)), x) + Integral(sec(e + f*x)**2/sqrt(a + b*sec(e + f*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A \sec(fx + e) + A) \sec(fx + e)}{\sqrt{b \sec(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(f*x+e)*(A+A*sec(f*x+e))/(a+b*sec(f*x+e))^(1/2),x, algorithm="giac")

[Out] integrate((A*sec(f*x + e) + A)*sec(f*x + e)/sqrt(b*sec(f*x + e) + a), x)

$$3.393 \quad \int \frac{\sec(e+fx)(A-A \sec(e+fx))}{\sqrt{a+b \sec(e+fx)}} dx$$

Optimal. Leaf size=107

$$\frac{2A\sqrt{a-b}(a+b) \cot(e+fx) \sqrt{\frac{b(1-\sec(e+fx))}{a+b}} \sqrt{-\frac{b(\sec(e+fx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(e+fx)}}{\sqrt{a-b}}\right) \middle| \frac{a-b}{a+b}\right)}{b^2 f}$$

[Out] (2*A*Sqrt[a - b]*(a + b)*Cot[e + f*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[e + f*x]]/Sqrt[a - b]], (a - b)/(a + b)]*Sqrt[(b*(1 - Sec[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[e + f*x]))/(a - b)))]/(b^2*f)

Rubi [A] time = 0.0849392, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.031$, Rules used = {4004}

$$\frac{2A\sqrt{a-b}(a+b) \cot(e+fx) \sqrt{\frac{b(1-\sec(e+fx))}{a+b}} \sqrt{-\frac{b(\sec(e+fx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(e+fx)}}{\sqrt{a-b}}\right) \middle| \frac{a-b}{a+b}\right)}{b^2 f}$$

Antiderivative was successfully verified.

[In] Int[(Sec[e + f*x]*(A - A*Sec[e + f*x]))/Sqrt[a + b*Sec[e + f*x]],x]

[Out] (2*A*Sqrt[a - b]*(a + b)*Cot[e + f*x]*EllipticE[ArcSin[Sqrt[a + b*Sec[e + f*x]]/Sqrt[a - b]], (a - b)/(a + b)]*Sqrt[(b*(1 - Sec[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Sec[e + f*x]))/(a - b)))]/(b^2*f)

Rule 4004

Int[(csc[(e_.) + (f_.)*(x_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*(A*b - a*B)*Rt[a + (b*B)/A, 2]*Sqrt[(b*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[-((b*(1 + Csc[e + f*x]))/(a - b))])*EllipticE[ArcSin[Sqrt[a + b*Csc[e + f*x]]/Rt[a + (b*B)/A, 2]], (a*A + b*B)/(a*A - b*B)]/(b^2*f*Cot[e + f*x]), x] /; FreeQ[{a, b, e, f, A, B}, x] && NeQ[a^2 - b^2, 0] && EqQ[A^2 - B^2, 0]

Rubi steps

$$\int \frac{\sec(e+fx)(A - A \sec(e+fx))}{\sqrt{a+b \sec(e+fx)}} dx = \frac{2A\sqrt{a-b}(a+b) \cot(e+fx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b \sec(e+fx)}}{\sqrt{a-b}}\right)\middle|\frac{a-b}{a+b}\right) \sqrt{\frac{b(1-\sec(e+fx))}{a+b}} \sqrt{\frac{b(1+\sec(e+fx))}{a+b}}}{b^2 f}$$

Mathematica [A] time = 8.09658, size = 211, normalized size = 1.97

$$\frac{A(a+b) \sec^2\left(\frac{1}{2}(e+fx)\right) \sqrt{\sec(e+fx)} \sqrt{\frac{a \cos(e+fx)+b}{(a+b)(\cos(e+fx)+1)}} \left(\sqrt{\frac{\cos(e+fx)}{\cos(e+fx)+1}} \sqrt{\sec(e+fx)+1} E\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(e+fx)\right)\right)\middle|\frac{a-b}{a+b}\right) \right)}{bf \left(\frac{1}{\cos(e+fx)+1}\right)^{3/2} \sqrt{a+b \sec(e+fx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[e + f*x]*(A - A*Sec[e + f*x]))/Sqrt[a + b*Sec[e + f*x]],x]

[Out] (A*(a + b)*Sqrt[(b + a*Cos[e + f*x])/((a + b)*(1 + Cos[e + f*x]))]*Sec[(e + f*x)/2]^2*Sqrt[Sec[e + f*x]]*(Sqrt[Cos[e + f*x]/(1 + Cos[e + f*x])] * EllipticE[ArcSin[Tan[(e + f*x)/2]], (a - b)/(a + b)]*Sqrt[1 + Sec[e + f*x]] - Sqrt[(1 + Cos[e + f*x])^(-1)]*Sqrt[(b + a*Cos[e + f*x])/((a + b)*(1 + Cos[e + f*x]))]*Sqrt[Sec[e + f*x]]*Sin[e + f*x])/(b*f*((1 + Cos[e + f*x])^(-1))^(3/2)*Sqrt[a + b*Sec[e + f*x]])

Maple [B] time = 0.427, size = 457, normalized size = 4.3

$$-2 \frac{A(1 + \cos(fx + e))^2 (-1 + \cos(fx + e))^2 \sqrt{\frac{a \cos(fx + e) + b}{\cos(fx + e)}} \left(\cos(fx + e) \sqrt{\frac{\cos(fx + e)}{1 + \cos(fx + e)}} \sqrt{\frac{a \cos(fx + e)}{(a + b)(1 + \cos(fx + e))}} \right)}{fb (\sin(fx + e))^5 (a \cos(fx + e) + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(f*x+e)*(A-A*sec(f*x+e))/(a+b*sec(f*x+e))^(1/2),x)

[Out] -2*A/f/b*(1/cos(f*x+e)*(a*cos(f*x+e)+b))^(1/2)*(1+cos(f*x+e))^2*(-1+cos(f*x+e))^2*(cos(f*x+e)*(cos(f*x+e)/(1+cos(f*x+e))))^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e)))^(1/2)*sin(f*x+e)*EllipticE((-1+cos(f*x+e))/sin(f*x+e), ((a-b)/(a+b))^(1/2))*a*cos(f*x+e)*(cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e)))^(1/2)*sin(f*x+e)*EllipticE((-1+cos(f*x+e))/sin(f*x+e), ((a-b)/(a+b))^(1/2))*b*(cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*(1/(a

+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e))^(1/2)*sin(f*x+e)*EllipticE((-1+cos(f*x+e))/sin(f*x+e),((a-b)/(a+b))^(1/2))*a+(cos(f*x+e)/(1+cos(f*x+e))^(1/2)*(1/(a+b)*(a*cos(f*x+e)+b)/(1+cos(f*x+e))^(1/2)*EllipticE((-1+cos(f*x+e))/sin(f*x+e),((a-b)/(a+b))^(1/2))*b*sin(f*x+e)-cos(f*x+e)^2*a+a*cos(f*x+e)-b*cos(f*x+e)+b)/sin(f*x+e)^5/(a*cos(f*x+e)+b)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\int \frac{(A \sec(fx + e) - A) \sec(fx + e)}{\sqrt{b \sec(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(f*x+e)*(A-A*sec(f*x+e))/(a+b*sec(f*x+e))^(1/2),x, algorithm="maxima")

[Out] -integrate((A*sec(f*x + e) - A)*sec(f*x + e)/sqrt(b*sec(f*x + e) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{A \sec(fx + e)^2 - A \sec(fx + e)}{\sqrt{b \sec(fx + e) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(f*x+e)*(A-A*sec(f*x+e))/(a+b*sec(f*x+e))^(1/2),x, algorithm="fricas")

[Out] integral(-(A*sec(f*x + e)^2 - A*sec(f*x + e))/sqrt(b*sec(f*x + e) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$-A \left(\int -\frac{\sec(e + fx)}{\sqrt{a + b \sec(e + fx)}} dx + \int \frac{\sec^2(e + fx)}{\sqrt{a + b \sec(e + fx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(f*x+e)*(A-A*sec(f*x+e))/(a+b*sec(f*x+e))**(1/2),x)
```

```
[Out] -A*(Integral(-sec(e + f*x)/sqrt(a + b*sec(e + f*x)), x) + Integral(sec(e + f*x)**2/sqrt(a + b*sec(e + f*x)), x))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{(A \sec(fx + e) - A) \sec(fx + e)}{\sqrt{b \sec(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(f*x+e)*(A-A*sec(f*x+e))/(a+b*sec(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(-(A*sec(f*x + e) - A)*sec(f*x + e)/sqrt(b*sec(f*x + e) + a), x)
```

$$3.394 \quad \int \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=180

$$\frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(aB + Ab)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2(5aA + 3bB)}{3d}$$

[Out] (-2*(5*a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(5*a*A + 3*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*(A*b + a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*b*B*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.182551, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2(aB + Ab)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2(5aA + 3bB)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d} + \frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (-2*(5*a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(5*a*A + 3*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*(A*b + a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*b*B*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx))dx &= \frac{2bB\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{2}{5} \int \sec^{\frac{3}{2}}(c+dx) \left(\frac{1}{2}(5aA + 3bB) \right) dx \\
&= \frac{2bB\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d} + (Ab+aB) \int \sec^{\frac{5}{2}}(c+dx) dx \\
&= \frac{2(5aA+3bB)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2(Ab+aB)\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{2(5aA+3bB)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2(Ab+aB)\sec^{\frac{3}{2}}(c+dx)}{3d} \\
&= -\frac{2(5aA+3bB)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 1.87147, size = 132, normalized size = 0.73

$$\frac{\sec^{\frac{5}{2}}(c+dx) \left(20(aB+Ab) \cos^{\frac{5}{2}}(c+dx) \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - 12(5aA+3bB) \cos^{\frac{5}{2}}(c+dx) E\left(\frac{1}{2}(c+dx)\middle|2\right) + 2 \sin(c+dx) \right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (Sec[c + d*x]^(5/2)*(-12*(5*a*A + 3*b*B)*Cos[c + d*x]^(5/2)*EllipticE[(c + d*x)/2, 2] + 20*(A*b + a*B)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + 2*(15*(a*A + b*B) + 10*(A*b + a*B)*Cos[c + d*x] + 3*(5*a*A + 3*b*B)*Cos[2*(c + d*x)])*Sin[c + d*x])/(30*d)

Maple [B] time = 5.766, size = 663, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)), x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/5*B*b/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2

```

*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*
c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*
d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2
*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2
*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*EllipticE(cos(1/2*d*x+1/
2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)
-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/
2*d*x+1/2*c)^2)^(1/2)+2*(A*b+B*a)*(-1/6*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+
2*A*a*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellip
ticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d
*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^
2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx+c)^3 + Aa \sec(dx+c) + (Ba + Ab) \sec(dx+c)^2\right) \sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^3 + A*a*sec(d*x + c) + (B*a + A*b)*sec(d*x + c)^
2)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)

$$3.395 \quad \int \sqrt{\sec(c + dx)}(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=143

$$\frac{2(3aA + bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(aB + Ab)\sin(c + dx)\sqrt{\sec(c + dx)}}{d} - \frac{2(aB + Ab)\sqrt{\cos(c + dx)}}{3d}$$

[Out] (-2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(3*a*A + b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(A*b + a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*b*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.14663, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2(aB + Ab)\sin(c + dx)\sqrt{\sec(c + dx)}}{d} + \frac{2(3aA + bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (-2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(3*a*A + b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(A*b + a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (2*b*B*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :=> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c + dx)}(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{2bB \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{\sec(c + dx)} \left(\frac{1}{2}(3aA + bB) \sec^{\frac{3}{2}}(c + dx) \right) dx \\
 &= \frac{2bB \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + (Ab + aB) \int \sec^{\frac{3}{2}}(c + dx) dx \\
 &= \frac{2(Ab + aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2bB \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
 &= \frac{2(3aA + bB) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2(Ab + aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \dots
 \end{aligned}$$

Mathematica [A] time = 0.913275, size = 104, normalized size = 0.73

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\left((3aA+bB)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)-3(aB+Ab)E\left(\frac{1}{2}(c+dx)\middle|2\right)+\frac{\sin(c+dx)(3(aB+Ab)\cos(c+dx))}{\cos^2(c+dx)}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(-3*(A*b + a*B)*EllipticE[(c + d*x)/2, 2] + (3*a*A + b*B)*EllipticF[(c + d*x)/2, 2] + ((b*B + 3*(A*b + a*B))*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2))/(3*d)

Maple [B] time = 4.188, size = 428, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)), x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+2*B*b*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2)))+2*(A*b+B*a)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)\right)\sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)\sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```

$$3.396 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=111

$$\frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{d} + \frac{2(aA - bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d}$$

[Out] (2*(a*A - b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*b*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.138849, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3997, 3787, 3771, 2639, 2641}

$$\frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2(aA - bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2bB \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (2*(a*A - b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*b*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2bB\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + 2 \int \frac{\frac{1}{2}(aA - bB) + \frac{1}{2}(Ab + aB) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2bB\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (Ab + aB) \int \sqrt{\sec(c + dx)} dx + (aA - bB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2bB\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + ((Ab + aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2(aA - bB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} + \frac{2(Ab + aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.295481, size = 84, normalized size = 0.76

$$\frac{2\sqrt{\sec(c + dx)} \left((aB + Ab)\sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + (aA - bB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) + bB \sin(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (2*Sqrt[Sec[c + d*x]]*((a*A - b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + (A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + b*B*Sin[c + d*x]))/d

Maple [A] time = 1.928, size = 244, normalized size = 2.2

$$-2 \frac{A \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \sqrt{(\sin(1/2 dx + c/2))^2} \text{EllipticF}(\cos(1/2 dx + c/2), \sqrt{2}) b - A \sqrt{2 (\sin(1/2 dx + c/2))^2}}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2), x)

[Out] $-2*(A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b - A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a + B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a + B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b - 2*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="
fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sqrt(sec(d*x
+ c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx))(a + b \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))/sqrt(sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)
```


$$3.397 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=115

$$\frac{2(aA + 3bB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2(aB + Ab)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{d}$$

[Out] (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.147281, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {3996, 3787, 3771, 2639, 2641}

$$\frac{2(aA + 3bB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{3d} + \frac{2(aB + Ab)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{d} + \frac{2aA \sin(c+dx)}{3d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^{n_*} \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}(Ab + aB) - \frac{1}{2}(aA + 3bB) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - (-Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx - \frac{1}{3}(-aA - 3bB) \int \sqrt{\sec(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - ((-Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\ &= \frac{2(Ab + aB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} + \frac{2(aA + 3bB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.25468, size = 90, normalized size = 0.78

$$\frac{\sqrt{\sec(c + dx)} \left(2(aA + 3bB)\sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 6(aB + Ab)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) + aA \sin(2(c + dx)) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(6*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 2*(a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + a*A*Sin[2*(c + d*x)]))/(3*d)

Maple [B] time = 1.785, size = 326, normalized size = 2.8

$$-\frac{2}{3d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(4Aa \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + Aa \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2), x)

[Out]
$$-\frac{2}{3} \left(\left(2 \cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 1\right) \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right)^{\frac{1}{2}} \left(4Aa \cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right) \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^4 + Aa \sqrt{\left(\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2} \right) + 2 \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \left(2 \cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 1 \right)^{\frac{1}{2}} \text{EllipticF}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) - 3A \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \left(2 \cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 1 \right)^{\frac{1}{2}} \text{EllipticE}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) + b - 2Aa \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 3Bb \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \left(2 \cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 1 \right)^{\frac{1}{2}} \text{EllipticF}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) - 3B \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \left(2 \cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 1 \right)^{\frac{1}{2}} \text{EllipticE}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) + a \right) / \left(-2 \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right)^{\frac{1}{2}} / \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right) / \left(2 \cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 1 \right)^{\frac{1}{2}} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)}{\sec(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sec(d*x + c)^(3/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx))(a + b \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))/sec(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

$$3.398 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=148

$$\frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(aB + Ab)\sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2(3aA + 5bB)\sqrt{\cos(c + dx)}}{5d}$$

```
[Out] (2*(3*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 0.163442, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2(aB + Ab)\sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(3aA + 5bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]
```

```
[Out] (2*(3*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*
b*Csc[c + d*x])^(n + 1)/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}(Ab + aB) - \frac{1}{2}(3aA + 5bB) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - (-Ab - aB) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx - \frac{1}{5}(-3aA - 5bB) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{1}{3}(-Ab - aB) \int \sqrt{\sec(c + dx)} dx \\
&= \frac{2(3aA + 5bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2aA \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(3aA + 5bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2(Ab + aB)}{5d}
\end{aligned}$$

Mathematica [A] time = 0.604255, size = 108, normalized size = 0.73

$$\frac{\sqrt{\sec(c + dx)} \left(10(aB + Ab) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(2(c + dx))(3aA \cos(c + dx) + 5aB + 5Ab) + 6(3aA + 5bB) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(6*(3*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 10*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (5*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[2*(c + d*x)]))/(15*d)

Maple [B] time = 1.806, size = 371, normalized size = 2.5

$$-\frac{2}{15d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24Aa \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (24Aa + 20Ab)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x)

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*A*a*cos(
1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(24*A*a+20*A*b+20*B*a)*sin(1/2*d*x+1/2*
c)^4*cos(1/2*d*x+1/2*c)+(-6*A*a-10*A*b-10*B*a)*sin(1/2*d*x+1/2*c)^2*cos(1/2
*d*x+1/2*c)+5*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)
*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b-9*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a+5
*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(
cos(1/2*d*x+1/2*c),2^(1/2))*a-15*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b)/(-2*sin(1/2*
d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+
1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="
maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)}{\sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="
fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sec(d*x + c)
^(5/2), x)
```


Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx))(a + b \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))/sec(c + d*x)**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

$$3.399 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx$$

Optimal. Leaf size=180

$$\frac{2(5aA + 7bB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2(aB + Ab)\sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2(5aA + 7bB)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}}$$

[Out] (6*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(5*a*A + 7*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(5*a*A + 7*b*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.181352, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{2(aB + Ab)\sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2(5aA + 7bB)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2(5aA + 7bB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{6(aB + Ab)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (6*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(5*a*A + 7*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(5*a*A + 7*b*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rule 3996

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] / ; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}(Ab + aB) - \frac{1}{2}(5aA + 7bB) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - (-Ab - aB) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx - \frac{1}{7}(-5aA - 7bB) \int \frac{\sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(5aA + 7bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2(5aA + 7bB) \sqrt{\sec(c + dx)}}{21d} \\
&= \frac{2aA \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(5aA + 7bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2(5aA + 7bB) \sqrt{\sec(c + dx)}}{21d} \\
&= \frac{6(Ab + aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2(5aA + 7bB) \sqrt{\sec(c + dx)}}{21d}
\end{aligned}$$

Mathematica [A] time = 1.05471, size = 125, normalized size = 0.69

$$\frac{\sqrt{\sec(c + dx)} \left(20(5aA + 7bB) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(2(c + dx))(42(aB + Ab) \cos(c + dx) + 15aA \cos(2(c + dx))) \right)}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(252*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(5*a*A + 7*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (65*a*A + 70*b*B + 42*(A*b + a*B)*Cos[c + d*x] + 15*a*A*Cos[2*(c + d*x)])*Sin[2*(c + d*x)])/(210*d)

Maple [A] time = 1.948, size = 413, normalized size = 2.3

$$-\frac{2}{105d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240 Aa \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-360 Aa - 168 Ab) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2), x)

```
[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*A*a*cos
(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-360*A*a-168*A*b-168*B*a)*sin(1/2*d*x
+1/2*c)^6*cos(1/2*d*x+1/2*c)+(280*A*a+168*A*b+168*B*a+140*B*b)*sin(1/2*d*x+
1/2*c)^4*cos(1/2*d*x+1/2*c)+(-80*A*a-42*A*b-42*B*a-70*B*b)*sin(1/2*d*x+1/2*
c)^2*cos(1/2*d*x+1/2*c)+25*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+
1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*A*(sin(1/2*d*x+1
/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c
),2^(1/2))*b+35*B*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1
)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*
a)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/
(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="
maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)}{\sec(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="
fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sec(d*x + c)
^(7/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

$$3.400 \quad \int \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=263

$$\frac{2(7a(ab + 2Ab) + 5b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2(5a^2A + 6abB + 3Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d}$$

[Out] $(-2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(5*b^2*B + 7*a*(2*A*b + a*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*(5*b^2*B + 7*a*(2*A*b + a*B))*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (2*b*(7*A*b + 9*a*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(35*d) + (2*b*B*\text{Sec}[c + d*x]^{(5/2)}*(a + b*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(7*d)$

Rubi [A] time = 0.37276, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4026, 4047, 3768, 3771, 2641, 4046, 2639}

$$\frac{2(5a^2A + 6abB + 3Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} - \frac{2(5a^2A + 6abB + 3Ab^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{5d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]^{(3/2)}*(a + b*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(-2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*(5*b^2*B + 7*a*(2*A*b + a*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*(5*b^2*B + 7*a*(2*A*b + a*B))*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (2*b*(7*A*b + 9*a*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(35*d) + (2*b*B*\text{Sec}[c + d*x]^{(5/2)}*(a + b*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(7*d)$

Rule 4026

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x]$

```
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x]
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx &= \frac{2bB\sec^{\frac{5}{2}}(c+dx)(a+b\sec(c+dx))\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{2bB\sec^{\frac{5}{2}}(c+dx)(a+b\sec(c+dx))\sin(c+dx)}{7d} + \frac{2}{7}\int \sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{2(5b^2B+7a(2Ab+aB))\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{21d} + \frac{2b(7a^2A+3Ab^2+6abB)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= \frac{2(5b^2B+7a(2Ab+aB))\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{21d} + \frac{2(5b^2B+7a(2Ab+aB))\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d} \\
&= -\frac{2(5a^2A+3Ab^2+6abB)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 4.60238, size = 221, normalized size = 0.84

$$\frac{\sec^{\frac{7}{2}}(c+dx)\left(40(7a^2B+14aAb+5b^2B)\cos^{\frac{7}{2}}(c+dx)\text{EllipticF}\left(\frac{1}{2}(c+dx),2\right)-168(5a^2A+6abB+3Ab^2)\cos^{\frac{7}{2}}(c+dx)\right)}{420d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (Sec[c + d*x]^(7/2)*(-168*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*Cos[c + d*x]^(7/2)*EllipticE[(c + d*x)/2, 2] + 40*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Cos[c + d*x]^(7/2)*EllipticF[(c + d*x)/2, 2] + 2*(140*a*A*b + 70*a^2*B + 110*b^2*B + 21*(15*a^2*A + 13*A*b^2 + 26*a*b*B)*Cos[c + d*x] + 10*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Cos[2*(c + d*x)] + 105*a^2*A*Cos[3*(c + d*x)] + 63*A*b^2*Cos[3*(c + d*x)] + 126*a*b*B*Cos[3*(c + d*x)])*Sin[c + d*x])/(420*d)

Maple [B] time = 7.429, size = 859, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -(-(-2\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B*b^2*(-1/56* \\ & \cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+ \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+ \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2/5*b*(A \\ & *b+2*B*a)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2* \\ & \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a*(2*A*b+B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*a^2*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left((Bb^2 \sec(dx+c)^4 + Aa^2 \sec(dx+c) + (2Bab + Ab^2) \sec(dx+c)^3 + (Ba^2 + 2Aab) \sec(dx+c)^2) \sqrt{\sec(dx+c)} \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*sec(d*x + c)^4 + A*a^2*sec(d*x + c) + (2*B*a*b + A*b^2)*sec
(d*x + c)^3 + (B*a^2 + 2*A*a*b)*sec(d*x + c)^2)*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*sec(d*x + c)^(3/2), x
)
```

$$3.401 \quad \int \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=221

$$\frac{2(3a^2A + 2abB + Ab^2)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(5a(aB + 2Ab) + 3b^2B)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d}$$

[Out] (-2*(3*b^2*B + 5*a*(2*A*b + a*B))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(3*a^2*A + A*b^2 + 2*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*(3*b^2*B + 5*a*(2*A*b + a*B))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b*(5*A*b + 7*a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*b*B*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.31499, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4026, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2(3a^2A + 2abB + Ab^2)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5a(aB + 2Ab) + 3b^2B)\sin(c + dx)\sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (-2*(3*b^2*B + 5*a*(2*A*b + a*B))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(3*a^2*A + A*b^2 + 2*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (2*(3*b^2*B + 5*a*(2*A*b + a*B))*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b*(5*A*b + 7*a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*b*B*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*Sin[c + d*x])/(5*d)

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Coth[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C

```
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x]
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx &= \frac{2bB\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))\sin(c+dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{2bB\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))\sin(c+dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{2(3b^2B+5a(2Ab+aB))\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2b(5A+5B)}{5d} \\
&= \frac{2(3b^2B+5a(2Ab+aB))\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} + \frac{2b(5A+5B)}{5d} \\
&= -\frac{2(3b^2B+5a(2Ab+aB))\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 2.69002, size = 171, normalized size = 0.77

$$\frac{\sec^{\frac{5}{2}}(c+dx)\left(20(3a^2A+2abB+Ab^2)\cos^{\frac{5}{2}}(c+dx)\text{EllipticF}\left(\frac{1}{2}(c+dx),2\right)-12(5a^2B+10aAb+3b^2B)\cos^{\frac{5}{2}}(c+dx)E\left(\frac{1}{2}(c+dx)\middle|2\right)\right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (Sec[c + d*x]^(5/2)*(-12*(10*a*A*b + 5*a^2*B + 3*b^2*B)*Cos[c + d*x]^(5/2)*EllipticE[(c + d*x)/2, 2] + 20*(3*a^2*A + A*b^2 + 2*a*b*B)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + 2*(15*(2*a*A*b + a^2*B + b^2*B) + 10*b*(A*b + 2*a*B)*Cos[c + d*x] + 3*(10*a*A*b + 5*a^2*B + 3*b^2*B)*Cos[2*(c + d*x)])*Sin[c + d*x])/(30*d)

Maple [B] time = 6.353, size = 750, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2/5*B*b^2/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*b*(A*b+2*B*a)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*a*(2*A*b+B*a)*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left((Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)) \sqrt{\sec(dx+c)}, x \right)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

[Out] `integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(sec(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(1/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)`

$$3.402 \quad \int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=177

$$\frac{2(3a^2B + 6aAb + b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2(a^2A - 2abB - Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d}$$

[Out] (2*(a^2*A - A*b^2 - 2*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(6*a*A*b + 3*a^2*B + b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b*(3*A*b + 5*a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*b*B*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.270419, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4026, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(3a^2B + 6aAb + b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(a^2A - 2abB - Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (2*(a^2*A - A*b^2 - 2*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(6*a*A*b + 3*a^2*B + b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b*(3*A*b + 5*a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*b*B*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])*Sin[c + d*x])/(3*d)

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2bB\sqrt{\sec(c + dx)}(a + b \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(3aA - bB)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2bB\sqrt{\sec(c + dx)}(a + b \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(3aA - bB)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2b(3Ab + 5aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2bB\sqrt{\sec(c + dx)}(a + b \sec(c + dx)) \sin(c + dx)}{3d} \\
&= \frac{2(6aAb + 3a^2B + b^2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2(a^2A - Ab^2 - 2abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.26277, size = 125, normalized size = 0.71

$$\frac{2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\left((3a^2B + 6aAb + b^2B) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 3(a^2A - 2abB - Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \dots\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(3*(a^2*A - A*b^2 - 2*a*b*B)*EllipticE[(c + d*x)/2, 2] + (6*a*A*b + 3*a^2*B + b^2*B)*EllipticF[(c + d*x)/2, 2] + (b*(b*B + 3*(A*b + 2*a*B))*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2)))/(3*d)

Maple [B] time = 4.855, size = 677, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2), x)

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+4*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*b*(A*b+2*B*a)*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Bb^2 \sec(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx + c)^2 + (Ba^2 + 2Aab) \sec(dx + c)}{\sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)
```

$$3.403 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=161

$$\frac{2(a^2A + 6abB + 3Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2a^2A \sin(c+dx)}{3d \sqrt{\sec(c+dx)}} - \frac{2(b^2B - a(aB + 2Ab))}{3d \sqrt{\sec(c+dx)}}$$

[Out] (-2*(b^2*B - a*(2*A*b + a*B))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(a^2*A + 3*A*b^2 + 6*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*b^2*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.247762, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4024, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(a^2A + 6abB + 3Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2a^2A \sin(c+dx)}{3d \sqrt{\sec(c+dx)}} - \frac{2(b^2B - a(aB + 2Ab)) \sqrt{\cos(c+dx)}}{3d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (-2*(b^2*B - a*(2*A*b + a*B))*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(a^2*A + 3*A*b^2 + 6*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*A*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]]) + (2*b^2*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4024

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a^2*A*Cos[e + f*x]*(d*Csc[e + f*x])^(n + 1))/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2a^2 A \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}a(2Ab + aB) + \left(A\left(-\frac{a^2}{2} - \frac{3b^2}{2}\right) - 3abB\right) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a^2 A \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}a(2Ab + aB) - \frac{3}{2}b^2 B \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx - \frac{1}{3} \int \frac{-a(2Ab + aB)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a^2 A \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2b^2 B \sqrt{\sec(c + dx)} \sin(c + dx)}{d} - (b^2 B - a(2Ab + aB)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2(a^2 A + 3Ab^2 + 6abB) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2(b^2 B - a(2Ab + aB)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \dots
\end{aligned}$$

Mathematica [A] time = 0.757449, size = 124, normalized size = 0.77

$$\frac{\sqrt{\sec(c + dx)} \left(2(a^2 A + 6abB + 3Ab^2) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 2 \sin(c + dx) (a^2 A \cos(c + dx) + 3b^2 B) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(6*(2*a*A*b + a^2*B - b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 2*(a^2*A + 3*A*b^2 + 6*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 2*(3*b^2*B + a^2*A*Cos[c + d*x])*Sin[c + d*x]))/(3*d)

Maple [B] time = 2.187, size = 404, normalized size = 2.5

$$-\frac{2}{3d} \left(4 A a^2 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 + a^2 A \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \text{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x)`

[Out]
$$-2/3*(4*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b-2*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+6*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-6*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^2}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(3/2), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sec(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")`

[Out] `integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sec(d*x + c)^(3/2), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx))(a + b \sec(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2), x)`

[Out] `Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))^2/sec(c + d*x)**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(3/2), x)`

$$3.404 \quad \int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{5 \sec^2(c+dx)} dx$$

Optimal. Leaf size=171

$$\frac{2(a^2B + 2aAb + 3b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2(3a^2A + 10abB + 5Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{5d}$$

[Out] (2*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(2*a*A*b + a^2*B + 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(2*A*b + a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.260082, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {4024, 4047, 3771, 2639, 4045, 2641}

$$\frac{2(a^2B + 2aAb + 3b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(3a^2A + 10abB + 5Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (2*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(2*a*A*b + a^2*B + 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*A*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*a*(2*A*b + a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4024

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(2*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a^2*A*Cos[e + f*x]*(d*Csc[e + f*x])^(n + 1))/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2a^2 A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(2Ab + aB) + \left(A \left(-\frac{3a^2}{2} - \frac{5b^2}{2}\right) - 5abB\right) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2 A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(2Ab + aB) - \frac{5}{2}b^2 B \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx - \frac{1}{5} \int \frac{2a(2Ab + aB) \sin(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2 A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{1}{3} (-2aAb - a^2 B - 3b^2 B) \sqrt{\sec(c + dx)} \\
&= \frac{2(3a^2 A + 5Ab^2 + 10abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2(3a^2 A + 5Ab^2 + 10abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 0.971852, size = 128, normalized size = 0.75

$$\frac{\sqrt{\sec(c + dx)} \left(10(a^2 B + 2aAb + 3b^2 B) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 6(3a^2 A + 10abB + 5Ab^2) \sqrt{\cos(c + dx)} \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(6*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 10*(2*a*A*b + a^2*B + 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + a*(10*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[2*(c + d*x)]))/(15*d)

Maple [B] time = 1.87, size = 487, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x)

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*a^2*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(24*A*a^2+40*A*a*b+20*B*a^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-6*A*a^2-20*A*a*b-10*B*a^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+10*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+5*B*a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+15*B*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-30*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sec(dx+c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sec(d*x + c)^(5/2), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx))(a + b \sec(c + dx))^2}{\sec^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2), x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**2/sec(c + d*x)**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(5/2), x)

$$3.405 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=213

$$\frac{2(5a^2A + 14abB + 7Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2(5a^2A + 14abB + 7Ab^2) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} +$$

[Out] (2*(6*a*A*b + 3*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(5*a^2*A + 7*A*b^2 + 14*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*(2*A*b + a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(5*a^2*A + 7*A*b^2 + 14*a*b*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]))

Rubi [A] time = 0.288722, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4024, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2(5a^2A + 14abB + 7Ab^2) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2(5a^2A + 14abB + 7Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{2(3a^2B)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (2*(6*a*A*b + 3*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(5*a^2*A + 7*A*b^2 + 14*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*A*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*a*(2*A*b + a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(5*a^2*A + 7*A*b^2 + 14*a*b*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]))

Rule 4024

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(2*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a^2*A*Cos[e + f*x]*(d*Csc[e + f*x])^(n + 1))/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1))

) * Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n * Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2a^2 A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}a(2Ab + aB) + \left(A\left(-\frac{5a^2}{2} - \frac{7b^2}{2}\right) - 7abB\right) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^2 A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}a(2Ab + aB) - \frac{7}{2}b^2 B \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx - \frac{1}{7} \int \frac{-5a^2 A \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^2 A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(5a^2 A + 7Ab^2 + 14abB)}{21d \sqrt{\sec(c + dx)}} \\
&= \frac{2a^2 A \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(5a^2 A + 7Ab^2 + 14abB)}{21d \sqrt{\sec(c + dx)}} \\
&= \frac{2(6aAb + 3a^2 B + 5b^2 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{5d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.44826, size = 161, normalized size = 0.76

$$\frac{\sqrt{\sec(c + dx)} \left(20(5a^2 A + 14abB + 7Ab^2) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(2(c + dx)) \left(5(3a^2 A \cos(2(c + dx))) \right) \right)}{210}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(84*(6*a*A*b + 3*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(5*a^2*A + 7*A*b^2 + 14*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (42*a*(2*A*b + a*B)*Cos[c + d*x] + 5*(13*a^2*A + 14*A*b^2 + 28*a*b*B + 3*a^2*A*Cos[2*(c + d*x)]))*Sin[2*(c + d*x)]))/(210*d)

Maple [B] time = 2.148, size = 548, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c))/\sec(dx+c)^{(7/2)},x)$

[Out]
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*a^2*A*c\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-360*A*a^2-336*A*a*b-168*B*a^2)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(280*A*a^2+336*A*a*b+140*A*b^2+168*B*a^2+280*B*a*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-80*A*a^2-84*A*a*b-70*A*b^2-42*B*a^2-140*B*a*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-126*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b+25*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+35*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-105*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+70*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c))/\sec(dx+c)^{(7/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sec(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c))/\sec(dx+c)^{(7/2)},x, \text{algorithm}="fricas")$

[Out] `integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sec(d*x + c)^(7/2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*2*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(7/2), x)`

$$3.406 \quad \int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=254

$$\frac{2(5a(ab+2Ab)+7b^2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx),2\right)}{21d} + \frac{2(7a^2A+18abB+9Ab^2)\sin(c+dx)}{45d \sec^{\frac{3}{2}}(c+dx)} +$$

[Out] (2*(7*a^2*A + 9*A*b^2 + 18*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(7*b^2*B + 5*a*(2*A*b + a*B))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^2*A*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*a*(2*A*b + a*B)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(7*a^2*A + 9*A*b^2 + 18*a*b*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(7*b^2*B + 5*a*(2*A*b + a*B))*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.337205, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4024, 4047, 3769, 3771, 2639, 4045, 2641}

$$\frac{2(7a^2A+18abB+9Ab^2)\sin(c+dx)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{2(7a^2A+18abB+9Ab^2)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a^2A}{9d \sec^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2),x]

[Out] (2*(7*a^2*A + 9*A*b^2 + 18*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(7*b^2*B + 5*a*(2*A*b + a*B))*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^2*A*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*a*(2*A*b + a*B)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(7*a^2*A + 9*A*b^2 + 18*a*b*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(7*b^2*B + 5*a*(2*A*b + a*B))*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])

Rule 4024

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a^2*A*Cos

$[e + f*x]*(d*\text{Csc}[e + f*x])^{(n + 1)}/(d*f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*\text{Csc}[e + f*x] + b^2*B*n*\text{Csc}[e + f*x]^2), x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] := \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n + 1)})/(b*d*n), x] + \text{Dist}[(n + 1)/(b^2*n), \text{Int}[(b*\text{Csc}[c + d*x])^{(n + 2)}, x], x] /;$ FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 4045

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m + 1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 2)}, x], x] /;$ FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2a^2 A \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{9}{2}a(2Ab + aB) + \left(A\left(-\frac{7a^2}{2} - \frac{9b^2}{2}\right) - 9abB\right) \sec^{\frac{7}{2}}(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a^2 A \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{9}{2}a(2Ab + aB) - \frac{9}{2}b^2 B \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx - \frac{1}{9} \int \frac{2(7a^2 A + 9Ab^2 + 18abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a^2 A \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(7a^2 A + 9Ab^2 + 18abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a^2 A \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(7a^2 A + 9Ab^2 + 18abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(7a^2 A + 9Ab^2 + 18abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} \\
&= \frac{2(7a^2 A + 9Ab^2 + 18abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
\end{aligned}$$

Mathematica [A] time = 1.94013, size = 189, normalized size = 0.74

$$\sqrt{\sec(c + dx)} \left(120 (5a^2 B + 10aAb + 7b^2 B) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(2(c + dx)) (7(43a^2 A + 72abB + 18b^2 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} + 2(7a^2 A + 9Ab^2 + 18abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}) \right) / (1260d)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(168*(7*a^2*A + 9*A*b^2 + 18*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 120*(10*a*A*b + 5*a^2*B + 7*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (7*(43*a^2*A + 36*A*b^2 + 72*a*b*B)*Cos[c + d*x] + 5*(156*a*A*b + 78*a^2*B + 84*b^2*B + 18*a*(2*A*b + a*B))*Cos[2*(c + d*x)] + 7*a^2*A*Cos[3*(c + d*x)]))*Sin[2*(c + d*x)])/(1260*d)

Maple [B] time = 1.985, size = 610, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x)`

[Out]
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*a^2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(2240*A*a^2+1440*A*a*b+720*B*a^2)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-2072*A*a^2-2160*A*a*b-504*A*b^2-1080*B*a^2-1008*B*a*b)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(952*A*a^2+1680*A*a*b+504*A*b^2+840*B*a^2+1008*B*a*b+420*B*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-168*A*a^2-480*A*a*b-126*A*b^2-240*B*a^2-252*B*a*b-210*B*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-147*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-189*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+150*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-378*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b+75*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+105*B*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sec(d*x + c)^(9/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^2}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sec(d*x + c)^(9/2), x)
```

$$3.407 \quad \int \sec^2(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=345

$$\frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2b(22a^2B + 27aAb + 7b^2B)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{45d}$$

[Out] (-2*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(21*d) + (2*b*(27*a*A*b + 22*a^2*B + 7*b^2*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x]/(45*d) + (2*b^2*(9*A*b + 13*a*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x]/(63*d) + (2*b*B*Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d)

Rubi [A] time = 0.572322, antiderivative size = 345, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4026, 4076, 4047, 3768, 3771, 2641, 4046, 2639}

$$\frac{2b(22a^2B + 27aAb + 7b^2B)\sin(c + dx)\sec^{\frac{5}{2}}(c + dx)}{45d} + \frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3)\sin(c + dx)\sec^{\frac{3}{2}}(c + dx)}{21d} +$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] (-2*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(21*d) + (2*b*(27*a*A*b + 22*a^2*B + 7*b^2*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x]/(45*d) + (2*b^2*(9*A*b + 13*a*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x]/(63*d) + (2*b*B*Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d)

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Sim
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{2bB \sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{9d} + \frac{2}{9} \int \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
 &= \frac{2b^2(9Ab + 13aB) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2bB \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{2b^2(9Ab + 13aB) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2bB \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{2(21a^2Ab + 5Ab^3 + 7a^3B + 15ab^2B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{21d} \\
 &= \frac{2(15a^3A + 27aAb^2 + 27a^2bB + 7b^3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d} \\
 &= \frac{2(21a^2Ab + 5Ab^3 + 7a^3B + 15ab^2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx)\right)}{21d} \\
 &= \frac{2(15a^3A + 27aAb^2 + 27a^2bB + 7b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{15d}
 \end{aligned}$$

Mathematica [A] time = 6.55319, size = 452, normalized size = 1.31

$$\frac{\cos^4(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) \left(2(105a^2Ab + 35a^3B + 75ab^2B + 25Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{105d(a \cos(c + dx) + b)^3(A \cos(c + dx) + B)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]

[Out] $(\cos[c + d*x]^4 * ((2 * (-105 * a^3 * A - 189 * a * A * b^2 - 189 * a^2 * b * B - 49 * b^3 * B) * \text{EllipticE}[(c + d*x)/2, 2]) / (\sqrt{\cos[c + d*x]} * \sqrt{\sec[c + d*x]}) + 2 * (105 * a^2 * A * b + 25 * A * b^3 + 35 * a^3 * B + 75 * a * b^2 * B) * \sqrt{\cos[c + d*x]} * \text{EllipticF}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]}) * (a + b * \sec[c + d*x])^3 * (A + B * \sec[c + d*x])) / (105 * d * (b + a * \cos[c + d*x])^3 * (B + A * \cos[c + d*x])) + ((a + b * \sec[c + d*x])^3 * (A + B * \sec[c + d*x]) * ((2 * (15 * a^3 * A + 27 * a * A * b^2 + 27 * a^2 * b * B + 7 * b^3 * B) * \sin[c + d*x]) / 15 + (2 * \sec[c + d*x]^3 * (A * b^3 * \sin[c + d*x] + 3 * a * b^2 * B * \sin[c + d*x])) / 7 + (2 * \sec[c + d*x] * (21 * a^2 * A * b * \sin[c + d*x] + 5 * A * b^3 * \sin[c + d*x] + 7 * a^3 * B * \sin[c + d*x] + 15 * a * b^2 * B * \sin[c + d*x])) / 21 + (2 * \sec[c + d*x]^2 * (27 * a * A * b^2 * \sin[c + d*x] + 27 * a^2 * b * B * \sin[c + d*x] + 7 * b^3 * B * \sin[c + d*x])) / 45 + (2 * b^3 * B * \sec[c + d*x]^3 * \tan[c + d*x]) / 9)) / (d * (b + a * \cos[c + d*x])^3 * (B + A * \cos[c + d*x]) * \sec[c + d*x]^{(7/2)})$

Maple [B] time = 9.93, size = 1193, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)

[Out] $-((-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-6/5 * a * b * (A * b + B * a) / (8 * \sin(1/2 * d * x + 1/2 * c)^6 - 12 * \sin(1/2 * d * x + 1/2 * c)^4 + 6 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) / \sin(1/2 * d * x + 1/2 * c)^2 * (12 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^4 - 24 * \sin(1/2 * d * x + 1/2 * c)^6 * \cos(1/2 * d * x + 1/2 * c) - 12 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 + 24 * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) + 3 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 - 8 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c)) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 2 * b^2 * (A * b + 3 * B * a) * (-1/56 * \cos(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d * x + 1/2 * c)^2 - 1/2)^4 - 5/42 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d * x + 1/2 * c)^2 - 1/2)^2 + 5/21 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * a^2 * (3 * A * b + B * a) * (-1/6 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d * x + 1/2 * c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * A * a^3 * (-\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)}$

$$\begin{aligned} & \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2* \\ & d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*B*b^3*(-1/144*\cos(1/2*d*x+1/2*c)* \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2- \\ & 1/2)^5-7/180*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^3-14/15*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d* \\ & *x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)} \\ &)-7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c) \\ &),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2* \\ & \cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^3 \sec(dx+c)^5 + Aa^3 \sec(dx+c) + (3Bab^2 + Ab^3) \sec(dx+c)^4 + 3(Ba^2b + Aab^2) \sec(dx+c)^3 + (Ba^3 +\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^3*sec(d*x + c)^5 + A*a^3*sec(d*x + c) + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^4 + 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^3 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c)^2)*sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)

$$3.408 \quad \int \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=295

$$\frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2b(18a^2B + 21aAb + 5b^2B)}{21d}$$

```
[Out] (-2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(21*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b*(21*a*A*b + 18*a^2*B + 5*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*b*B*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 0.504427, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4026, 4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2b(18a^2B + 21aAb + 5b^2B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2(15a^2Ab + 5a^3B + 9ab^2B + 3Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]
```

```
[Out] (-2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(21*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b*(21*a*A*b + 18*a^2*B + 5*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*b*B*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(7*d)
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
```



```
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Sim
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^3(A+B\sec(c+dx))dx &= \frac{2bB\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^2\sin(c+dx)}{7d} + \frac{2}{7}\int\sqrt{\sec(c+dx)}(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx \\
&= \frac{2b^2(7Ab+11aB)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{35d} + \frac{2bB\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{7d} \\
&= \frac{2b^2(7Ab+11aB)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{35d} + \frac{2bB\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{7d} \\
&= \frac{2(15a^2Ab+3Ab^3+5a^3B+9ab^2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= \frac{2(15a^2Ab+3Ab^3+5a^3B+9ab^2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{5d} \\
&= -\frac{2(15a^2Ab+3Ab^3+5a^3B+9ab^2B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{5d}
\end{aligned}$$

Mathematica [A] time = 3.88042, size = 225, normalized size = 0.76

$$\frac{2\sqrt{\sec(c+dx)}\left(5(21a^3A+21a^2bB+21aAb^2+5b^3B)\sqrt{\cos(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx),2\right)+21(15a^2Ab+5a^3B+9ab^2B)\sqrt{\sec(c+dx)}\sin(c+dx)\right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*Sqrt[Sec[c + d*x]]*(-21*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqr
t[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 5*(21*a^3*A + 21*a*A*b^2 + 21*a
^2*b*B + 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 21*(15*a^2
```

$$\frac{*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*\text{Sin}[c + d*x] + 5*b*(21*a*A*b + 21*a^2*B + 5*b^2*B)*\text{Tan}[c + d*x] + 21*b^2*(A*b + 3*a*B)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x] + 15*b^3*B*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])}{(105*d)}$$

Maple [B] time = 8.33, size = 944, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5 \\ & *b^2*(A*b+3*B*a)/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+6*a*b*(A*b+B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*a^2*(3*A*b+B*a)*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & *(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm
="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^3 \sec(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \sec(dx+c)^3 + 3(Ba^2b + Aab^2) \sec(dx+c)^2 + (Ba^3 + 3Aa^2b) \sec(dx+c)\right) \sqrt{\sec(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b^3*sec(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^3
+ 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))
*sqrt(sec(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^3 \sqrt{\sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)
```

$$3.409 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=244

$$\frac{2(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2b(14a^2B + 15aAb + 3b^2B) \sin(c+dx)}{5d}$$

[Out] (2*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b*(15*a*A*b + 14*a^2*B + 3*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b^2*(5*A*b + 9*a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*b*B*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d)

Rubi [A] time = 0.483027, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4026, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b(14a^2B + 15aAb + 3b^2B) \sin(c+dx) \sqrt{\sec(c+dx)}}{5d} + \frac{2(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx), 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]

[Out] (2*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b*(15*a*A*b + 14*a^2*B + 3*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b^2*(5*A*b + 9*a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*b*B*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d)

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m-1)*(d*Csc[e + f*x])^n)/(f*(m+n)), x] + Dist[1/(m+n), Int[(a + b*Csc[e + f*x])^(m-2)*(d*Csc[e + f*x])^n*Sim

```
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{2bB\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2b^2(5Ab + 9aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2bB\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= \frac{2b^2(5Ab + 9aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2bB\sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2 \sin(c + dx)}{5d} \\
&= \frac{2b(15aAb + 14a^2B + 3b^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2b^2(5Ab + 9aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
&= \frac{2(9a^2Ab + Ab^3 + 3a^3B + 3ab^2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
&= \frac{2(5a^3A - 15aAb^2 - 15a^2bB - 3b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 2.45572, size = 190, normalized size = 0.78

$$\frac{\sec^{\frac{5}{2}}(c + dx) \left(20(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) \cos^{\frac{5}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 12(5a^3A - 15a^2bB - 15aAb^2 - 3b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} \right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (Sec[c + d*x]^(5/2)*(12*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*Cos[c + d*x]^(5/2)*EllipticE[(c + d*x)/2, 2] + 20*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + 2*b*(15*(3*a*A*b + 3*a^2*B + b^2*B) + 10*b*(A*b + 3*a*B))*Cos[c + d*x] + 9*(5*a*A*b + 5*a^2*B + b^2*B)*Cos[2*(c + d*x)]*Sin[c + d*x]))/(30*d)

Maple [B] time = 6.648, size = 997, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(1/2)},x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-2*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+6*A*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*B*b^3/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*b^2*(A*b+3*B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+6*a*b*(A*b+B*a)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Bb^3 \sec(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \sec(dx+c)^3 + 3(Ba^2b + Aab^2) \sec(dx+c)^2 + (Ba^3 + 3Aa^2b) \sec(dx+c)}{\sqrt{\sec(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b^3*sec(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sqrt(sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^3}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)

$$3.410 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=239

$$\frac{2(a^3 A + 9a^2 b B + 9a A b^2 + b^3 B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2b(2a^2 A - 9abB - 3Ab^2) \sin(c+dx)}{3d}$$

[Out] (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*b*(2*a^2*A - 3*A*b^2 - 9*a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) - (2*b^2*(a*A - b*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*a*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.510185, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4025, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2b(2a^2 A - 9abB - 3Ab^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d} + \frac{2(a^3 A + 9a^2 b B + 9a A b^2 + b^3 B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx), 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d + (2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) - (2*b*(2*a^2*A - 3*A*b^2 - 9*a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d) - (2*b^2*(a*A - b*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*a*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a *(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +

$f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4076

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

Rule 4047

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{(a + b \sec(c + dx)) \left(-\frac{1}{2}a(7d\right)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2b^2(aA - bB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{2b^2(aA - bB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{2b(2a^2A - 3Ab^2 - 9abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} - \frac{2b^2(aA - bB) \sin(c + dx)}{3d} \\
&= \frac{2(a^3A + 9aAb^2 + 9a^2bB + b^3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
&= \frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 1.98562, size = 166, normalized size = 0.69

$$\frac{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left(2(a^3A + 9a^2bB + 9aAb^2 + b^3B) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 6(3a^2Ab + a^3B - 3ab^2B - Ab^3) \text{EllipticE}\left(\frac{1}{2}(c + dx), 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(6*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*EllipticE[(c + d*x)/2, 2] + 2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*EllipticF[(c + d*x)/2, 2] + ((a^3*A + 2*b^3*B + 6*b^2*(A*b + 3*a*B))*Cos[c + d*x] + a^3*A*Cos[2*(c + d*x)])*Sin[c + d*x])/Cos[c + d*x]^(3/2))/(3*d)

Maple [B] time = 5.698, size = 1212, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^3*(A+B*\sec(d*x+c))/\sec(d*x+c)^{(3/2)},x)$

[Out]
$$\frac{2}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (4 * \sin(1/2 * d * x + 1/2 * c)^4 - 4 * \sin(1/2 * d * x + 1/2 * c)^2 + 1) / \sin(1/2 * d * x + 1/2 * c)^3 * (8 * A * a^3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^6 + 2 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^3 * \sin(1/2 * d * x + 1/2 * c)^2 + 18 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * b^2 * \sin(1/2 * d * x + 1/2 * c)^2 - 18 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^2 * b * \sin(1/2 * d * x + 1/2 * c)^2 + 6 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * b^3 * \sin(1/2 * d * x + 1/2 * c)^2 - 8 * A * a^3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 - 12 * A * b^3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 + 18 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^2 * b * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * b^3 * \sin(1/2 * d * x + 1/2 * c)^2 - 6 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^3 * \sin(1/2 * d * x + 1/2 * c)^2 + 18 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * b^2 * \sin(1/2 * d * x + 1/2 * c)^2 - 36 * B * a * b^2 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 - A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^3 - 9 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * b^2 + 9 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^2 * b - 3 * A * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * b^3 + 2 * A * a^3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 + 6 * A * b^3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 - 9 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^2 * b - B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * b^3 + 3 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^3 - 9 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * b^2 + 18 * B * a * b^2 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * B * b^3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^3 \sec(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \sec(dx+c)^3 + 3(Ba^2b + Aab^2) \sec(dx+c)^2 + (Ba^3 + 3Aa^2b) \sec(dx+c)}{\sec(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*b^3*sec(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(3/2), x)
```


$$3.411 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=236

$$\frac{2(3a^2Ab + a^3B + 9ab^2B + 3Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} + \frac{2(3a^3A + 15a^2bB + 15aAb^2 - 5b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticE}\left(\frac{1}{2}(c+dx), 2\right)}{5d}$$

[Out] (2*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(9*A*b + 5*a*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) - (2*b^2*(a*A - 5*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rubi [A] time = 0.461241, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4025, 4074, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(3a^2Ab + a^3B + 9ab^2B + 3Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(3a^3A + 15a^2bB + 15aAb^2 - 5b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2),x]

[Out] (2*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(9*A*b + 5*a*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) - (2*b^2*(a*A - 5*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a

$(aBn - Ab(m - n - 1)) + (2abBn + A(b^{2n} + a^{2(1+n)})) \cdot \text{Csc}[e + fx] + b(bBn + aA(m + n)) \cdot \text{Csc}[e + fx]^2, x, x, x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4074

$\text{Int}[(A) + \text{csc}[(e) + (f)(x)](B) + \text{csc}[(e) + (f)(x)]^2(C) + (A) \cdot (\text{csc}[(e) + (f)(x)](d))^{(n)} \cdot (\text{csc}[(e) + (f)(x)](b) + (A)), x_Symbol] :> \text{Simp}[(A \cdot \text{Cot}[e + fx] \cdot (d \cdot \text{Csc}[e + fx])^n) / (f \cdot n), x] + \text{Dist}[1/(d \cdot n), \text{Int}[(d \cdot \text{Csc}[e + fx])^{(n+1)} \cdot \text{Simp}[n \cdot (B \cdot a + A \cdot b) + (n \cdot (a \cdot C + B \cdot b) + A \cdot a \cdot (n + 1)) \cdot \text{Csc}[e + fx] + b \cdot C \cdot n \cdot \text{Csc}[e + fx]^2, x, x, x] /];$ FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

$\text{Int}[(\text{csc}[(e) + (f)(x)](b))^{(m)} \cdot ((A) + \text{csc}[(e) + (f)(x)](B) + \text{csc}[(e) + (f)(x)]^2(C)), x_Symbol] :> \text{Dist}[B/b, \text{Int}[(b \cdot \text{Csc}[e + fx])^{(m+1)}, x, x] + \text{Int}[(b \cdot \text{Csc}[e + fx])^m \cdot (A + C \cdot \text{Csc}[e + fx]^2), x] /];$ FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3771

$\text{Int}[(\text{csc}[(c) + (d)(x)](b))^{(n)}, x_Symbol] :> \text{Dist}[(b \cdot \text{Csc}[c + dx])^n \cdot \text{Sin}[c + dx]^n, \text{Int}[1/\text{Sin}[c + dx]^n, x], x] /;$ FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c) + (d)(x)]], x_Symbol] :> \text{Simp}[(2 \cdot \text{EllipticF}[(1 \cdot (c - \text{Pi}/2 + dx))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rule 4046

$\text{Int}[(\text{csc}[(e) + (f)(x)](b))^{(m)} \cdot (\text{csc}[(e) + (f)(x)]^2(C) + (A)), x_Symbol] :> -\text{Simp}[(C \cdot \text{Cot}[e + fx] \cdot (b \cdot \text{Csc}[e + fx])^m) / (f \cdot (m + 1)), x] + \text{Dist}[(C \cdot m + A \cdot (m + 1)) / (m + 1), \text{Int}[(b \cdot \text{Csc}[e + fx])^m, x], x] /;$ FreeQ[{b, e, f, A, C, m}, x] && NeQ[C \cdot m + A \cdot (m + 1), 0] && !LeQ[m, -1]

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c) + (d)(x)]], x_Symbol] :> \text{Simp}[(2 \cdot \text{EllipticE}[(1 \cdot (c - \text{Pi}/2 + dx))/2, 2])/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{(a + b \sec(c + dx)) \left(-\frac{1}{2}a(9A + 15Ab + 5aB)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2(9Ab + 5aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4}{15} \int \frac{(a + b \sec(c + dx)) \left(-\frac{1}{2}a(9A + 15Ab + 5aB)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2(9Ab + 5aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4}{15} \int \frac{(a + b \sec(c + dx)) \left(-\frac{1}{2}a(9A + 15Ab + 5aB)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2(9Ab + 5aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} - \frac{2b^2(aA - 5bB) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2(3a^2Ab + 3Ab^3 + a^3B + 9ab^2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{3d} \\
&= \frac{2(3a^3A + 15aAb^2 + 15a^2bB - 5b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 1.58586, size = 172, normalized size = 0.73

$$\frac{\sqrt{\sec(c + dx)} \left(20(3a^2Ab + a^3B + 9ab^2B + 3Ab^3) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 2 \sin(c + dx) \left(3(a^3A \cos(2(c + dx))) \right) \right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(12*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 2*(10*a^2*(3*A*b + a*B)*Cos[c + d*x] + 3*(a^3*A + 10*b^3*B + a^3*A*Cos[2*(c + d*x)])))*Sin[c + d*x]))/(30*d)

Maple [B] time = 2.298, size = 867, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(5/2)},x)$

[Out]
$$\begin{aligned} & -2/15*(-24*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(6*A*a+15*A*b+5*B*a)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A*a^3+15*A*a^2*b+5*B*a^3+15*B*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+15*A*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-9*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3-45*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2+5*B*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+45*B*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-45*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b+15*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(5/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Bb^3 \sec(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \sec(dx+c)^3 + 3(Ba^2b + Aab^2) \sec(dx+c)^2 + (Ba^3 + 3Aa^2b) \sec(dx+c)}{\sec(dx+c)^{\frac{5}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*b^3*sec(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(5/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx))(a + b \sec(c + dx))^3}{\sec^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**3/sec(c + d*x)**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(5/2), x)

$$3.412 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=245

$$\frac{2(5a^3A + 21a^2bB + 21aAb^2 + 21b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a(5a^2A + 21abB + 18Ab^2)}{21d \sqrt{\sec(c+dx)}}$$

[Out] (2*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(5*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 21*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(11*A*b + 7*a*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*a*(5*a^2*A + 18*A*b^2 + 21*a*b*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rubi [A] time = 0.466728, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4025, 4074, 4047, 3771, 2639, 4045, 2641}

$$\frac{2a(5a^2A + 21abB + 18Ab^2) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2(5a^3A + 21a^2bB + 21aAb^2 + 21b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (2*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(5*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 21*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (2*a^2*(11*A*b + 7*a*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*a*(5*a^2*A + 18*A*b^2 + 21*a*b*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co

```
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{(a + b \sec(c + dx)) \left(-\frac{1}{2}a(11A\right.}{\sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(11Ab + 7aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{4}{3} \\
&= \frac{2a^2(11Ab + 7aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{4}{3} \\
&= \frac{2a^2(11Ab + 7aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(5a^2A + 18Ab^2 + 21abB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} \\
&= \frac{2(9a^2Ab + 5Ab^3 + 3a^3B + 15ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} \\
&= \frac{2(9a^2Ab + 5Ab^3 + 3a^3B + 15ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 1.35764, size = 180, normalized size = 0.73

$$\sqrt{\sec(c + dx)} \left(20(5a^3A + 21a^2bB + 21aAb^2 + 21b^3B) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + a \sin(2(c + dx)) (5(3a^2A + \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (Sqrt[Sec[c + d*x]]*(84*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(5*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 21*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + a*(42*a*(3*A*b + a*B)*Cos[c + d*x] + 5*(13*a^2*A + 42*A*b^2 + 42*a*b*B + 3*a^2*A*Cos[2*(c + d*x)])))*Sin[2*(c + d*x)])/(210*d)

Maple [B] time = 2.01, size = 664, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(7/2)}, x)$

[Out] $-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*A*a^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-360*A*a^3-504*A*a^2*b-168*B*a^3)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(280*A*a^3+504*A*a^2*b+420*A*a*b^2+168*B*a^3+420*B*a^2*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-80*A*a^3-126*A*a^2*b-210*A*a*b^2-42*B*a^3-210*B*a^2*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+25*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3+105*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*b^2-189*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*b-105*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3+105*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*b+105*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3-63*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3-315*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^3*(A+B*\sec(dx+c))/\sec(dx+c)^{(7/2)}, x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Bb^3 \sec(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \sec(dx+c)^3 + 3(Ba^2b + Aab^2) \sec(dx+c)^2 + (Ba^3 + 3Aa^2b) \sec(dx+c)}{\sec(dx+c)^{\frac{7}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*b^3*sec(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(7/2), x)

$$3.413 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=295

$$\frac{2(15a^2Ab + 5a^3B + 21ab^2B + 7Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} + \frac{2a(7a^2A + 27abB + 22Ab^2)}{45d \sec^2(c+dx)}$$

[Out] (2*(7*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 15*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(15*a^2*A*b + 7*A*b^3 + 5*a^3*B + 21*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^2*(13*A*b + 9*a*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (2*a*(7*a^2*A + 22*A*b^2 + 27*a*b*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(15*a^2*A*b + 7*A*b^3 + 5*a^3*B + 21*a*b^2*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rubi [A] time = 0.538318, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4025, 4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2a(7a^2A + 27abB + 22Ab^2) \sin(c+dx)}{45d \sec^2(c+dx)} + \frac{2(15a^2Ab + 5a^3B + 21ab^2B + 7Ab^3) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2(15a^2Ab + 5a^3B + 21ab^2B + 7Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] (2*(7*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 15*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(15*a^2*A*b + 7*A*b^3 + 5*a^3*B + 21*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^2*(13*A*b + 9*a*B)*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (2*a*(7*a^2*A + 22*A*b^2 + 27*a*b*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(15*a^2*A*b + 7*A*b^3 + 5*a^3*B + 21*a*b^2*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{(a + b \sec(c + dx)) \left(-\frac{1}{2}a(13\right.}{\sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a^2(13Ab + 9aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \\
&= \frac{2a^2(13Ab + 9aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \\
&= \frac{2a^2(13Ab + 9aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(7a^2A + 22Ab^2 + 27abB) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a^2(13Ab + 9aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(7a^2A + 22Ab^2 + 27abB) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(7a^3A + 27aAb^2 + 27a^2bB + 15b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
\end{aligned}$$

Mathematica [A] time = 2.09568, size = 219, normalized size = 0.74

$$\frac{\sqrt{\sec(c + dx)} \left(120(15a^2Ab + 5a^3B + 21ab^2B + 7Ab^3) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(2(c + dx)) (7a(43a^2\right.}{\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2),
x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(168*(7*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 15*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 120*(15*a^2*A*b + 7*A*b^3 + 5*a^3*B + 21*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (7*a*(43*a^2*A + 108*A*b^2 + 108*a*b*B)*Cos[c + d*x] + 5*(234*a^2*A*b + 84*A*b^3 + 78*a^3*B + 252*a*b^2*B + 18*a^2*(3*A*b + a*B)*Cos[2*(c + d*x)] + 7*a^3*A*Cos[3*(c + d*x)]))*Sin[2*(c + d*x)])/(1260*d)
```

Maple [B] time = 2.046, size = 745, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x)
```

```
[Out] -2/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(2240*A*a^3+2160*A*a^2*b+720*B*a^3)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-2072*A*a^3-3240*A*a^2*b-1512*A*a*b^2-1080*B*a^3-1512*B*a^2*b)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(952*A*a^3+2520*A*a^2*b+1512*A*a*b^2+420*A*b^3+840*B*a^3+1512*B*a^2*b+1260*B*a*b^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-168*A*a^3-720*A*a^2*b-378*A*a*b^2-210*A*b^3-240*B*a^3-378*B*a^2*b-630*B*a*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-147*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3-567*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^2+225*A*a^2*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+105*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-567*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-315*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^3+75*B*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+315*B*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^3 \sec(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \sec(dx+c)^3 + 3(Ba^2b + Aab^2) \sec(dx+c)^2 + (Ba^3 + 3Aa^2b) \sec(dx+c)}{\sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((B*b^3*sec(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c))/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^3}{\sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(9/2), x)
```


$$3.414 \quad \int \frac{(a+b \sec(c+dx))^3 (A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=345

$$\frac{2(45a^3A + 165a^2bB + 165aAb^2 + 77b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{231d} + \frac{2a(9a^2A + 33abB + 26Ab^2)}{77d \sec^2(c+dx)}$$

[Out] (2*(21*a^2*A*b + 9*A*b^3 + 7*a^3*B + 27*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(45*a^3*A + 165*a*A*b^2 + 165*a^2*b*B + 77*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(231*d) + (2*a^2*(15*A*b + 11*a*B)*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*a*(9*a^2*A + 26*A*b^2 + 33*a*b*B)*Sin[c + d*x])/(77*d*Sec[c + d*x]^(5/2)) + (2*(21*a^2*A*b + 9*A*b^3 + 7*a^3*B + 27*a*b^2*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(45*a^3*A + 165*a*A*b^2 + 165*a^2*b*B + 77*b^3*B)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))

Rubi [A] time = 0.57392, antiderivative size = 345, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4025, 4074, 4047, 3769, 3771, 2639, 4045, 2641}

$$\frac{2a(9a^2A + 33abB + 26Ab^2) \sin(c+dx)}{77d \sec^2(c+dx)} + \frac{2(21a^2Ab + 7a^3B + 27ab^2B + 9Ab^3) \sin(c+dx)}{45d \sec^2(c+dx)} + \frac{2(45a^3A + 165a^2bB + 165aAb^2 + 77b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{231d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(11/2), x]

[Out] (2*(21*a^2*A*b + 9*A*b^3 + 7*a^3*B + 27*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(15*d) + (2*(45*a^3*A + 165*a*A*b^2 + 165*a^2*b*B + 77*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(231*d) + (2*a^2*(15*A*b + 11*a*B)*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2)) + (2*a*(9*a^2*A + 26*A*b^2 + 33*a*b*B)*Sin[c + d*x])/(77*d*Sec[c + d*x]^(5/2)) + (2*(21*a^2*A*b + 9*A*b^3 + 7*a^3*B + 27*a*b^2*B)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*(45*a^3*A + 165*a*A*b^2 + 165*a^2*b*B + 77*b^3*B)*Sin[c + d*x])/(231*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^2*Ssin[c + d*x])/(11*d*Sec[c + d*x]^(9/2))

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4045

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^3 (A + B \sec(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} - \frac{2}{11} \int \frac{(a + b \sec(c + dx)) \left(-\frac{1}{2}a(1\right.}{\sec^{\frac{9}{2}}(c + dx)} \\
 &= \frac{2a^2(15Ab + 11aB) \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \\
 &= \frac{2a^2(15Ab + 11aB) \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2aA(a + b \sec(c + dx))^2 \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} + \\
 &= \frac{2a^2(15Ab + 11aB) \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2a(9a^2A + 26Ab^2 + 33abB) \sin(c + dx)}{77d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2a^2(15Ab + 11aB) \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2a(9a^2A + 26Ab^2 + 33abB) \sin(c + dx)}{77d \sec^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2(21a^2Ab + 9Ab^3 + 7a^3B + 27ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} \\
 &= \frac{2(21a^2Ab + 9Ab^3 + 7a^3B + 27ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
 \end{aligned}$$

Mathematica [A] time = 3.09557, size = 256, normalized size = 0.74

$$\sqrt{\sec(c + dx)} \left(240(45a^3A + 165a^2bB + 165aAb^2 + 77b^3B) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + \sin(2(c + dx)) \right) (180)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(11/2),x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(3696*(21*a^2*A*b + 9*A*b^3 + 7*a^3*B + 27*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 240*(45*a^3*A + 165*a*A*b^2 + 165*a^2*b*B + 77*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (154*(129*a^2*A*b + 36*A*b^3 + 43*a^3*B + 108*a*b^2*B)*Cos[c + d*x] + 180*a*(16*a^2*A + 33*A*b^2 + 33*a*b*B)*Cos[2*(c + d*x)] + 770*a^2*(3*A*b + a*B)*Cos[3*(c + d*x)] + 15*(531*a^3*A + 1716*a*A*b^2 + 1716*a^2*b*B + 616*b^3*B + 21*a^3*A*Cos[4*(c + d*x)]))*Sin[2*(c + d*x)])/(27720*d)
```

Maple [B] time = 1.988, size = 825, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x)
```

```
[Out] -2/3465*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(20160*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-50400*A*a^3-36960*A*a^2*b-12320*B*a^3)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(56880*A*a^3+73920*A*a^2*b+23760*A*a*b^2+24640*B*a^3+23760*B*a^2*b)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-34920*A*a^3-68376*A*a^2*b-35640*A*a*b^2-5544*A*b^3-22792*B*a^3-35640*B*a^2*b-16632*B*a*b^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(13860*A*a^3+31416*A*a^2*b+27720*A*a*b^2+5544*A*b^3+10472*B*a^3+27720*B*a^2*b+16632*B*a*b^2+4620*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-2790*A*a^3-5544*A*a^2*b-7920*A*a*b^2-1386*A*b^3-1848*B*a^3-7920*B*a^2*b-4158*B*a*b^2-2310*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+675*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3+2475*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*a*b^2-4851*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*b-2079*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*b^3+2475*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*b+1155*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*b^3-1617*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3-6237*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*a*b^2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)
```

/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^3 \sec(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3) \sec(dx+c)^3 + 3(Ba^2b + Aab^2) \sec(dx+c)^2 + (Ba^3 + 3Aa^2b) \sec(dx+c)}{\sec(dx+c)^{\frac{11}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^3*sec(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))/sec(d*x + c)^(11/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**3*(A+B*sec(d*x+c))/sec(d*x+c)**(11/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^3}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^3*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3/sec(d*x + c)^(11/2), x)
```

$$3.415 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=277

$$\frac{2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3b^2d} - \frac{2(-5a^2B + 5aAb - 3b^2B)\sin(c+dx)\sqrt{\sec(c+dx)}}{5b^3d} +$$

[Out] (2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*b^3*d) + (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*b^2*d) + (2*a^2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a + b)*d) - (2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*b^3*d) + (2*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b^2*d) + (2*B*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*b*d)

Rubi [A] time = 1.01417, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4033, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$-\frac{2(-5a^2B + 5aAb - 3b^2B)\sin(c+dx)\sqrt{\sec(c+dx)}}{5b^3d} + \frac{2(-5a^2B + 5aAb - 3b^2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx), 2\right)}{5b^3d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] (2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*b^3*d) + (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*b^2*d) + (2*a^2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a + b)*d) - (2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*b^3*d) + (2*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b^2*d) + (2*B*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*b*d)

Rule 4033

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d^2 *Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(

$m + n$), $x] + \text{Dist}[d^2/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 2)*\text{Simp}[a*B*(n - 2) + B*b*(m + n - 1)*\text{Csc}[e + f*x] + (A*b*(m + n) - a*B*(n - 1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[m + n, 0] \&\& \text{!IGtQ}[m, 1]$

Rule 4102

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])^{(n - 1)}*(d + \text{csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}]/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$

Rule 4106

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])^{(n - 1)}]/(\text{Sqrt}[\text{csc}[e + f*x]*(d + \text{csc}[e + f*x])*(b + \text{csc}[e + f*x]) + (a + \text{csc}[e + f*x])]), x] + \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/(a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3849

$\text{Int}[(\text{csc}[e + f*x]*(d + \text{csc}[e + f*x])^{(3/2)})/(b + \text{csc}[e + f*x]), x] + \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/((a + b*\text{sin}[e + f*x])*\text{Sqrt}[(c + d*\text{sin}[e + f*x])]), x] + \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 3787

$\text{Int}[(\text{csc}[e + f*x]*(d + \text{csc}[e + f*x])^{(n - 1)})*(b + \text{csc}[e + f*x]), x] + \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(\text{csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x] \&\& \text{GtQ}[n, 1]$

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \text{ :> Dist}[(b*\text{Csc}[c + d*x])^{n*} \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{ :> Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{ :> Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\sec^{\frac{7}{2}}(c + dx)(A + B \sec(c + dx))}{a + b \sec(c + dx)} dx &= \frac{2B \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5bd} + 2 \int \frac{\sec^{\frac{3}{2}}(c + dx) \left(\frac{3aB}{2} + \frac{3}{2}bB \sec(c + dx) + \frac{5}{2}(Ab - aB) \sec^2(c + dx) \right)}{a + b \sec(c + dx)} dx \\ &= \frac{2(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3b^2d} + \frac{2B \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5bd} + \frac{4 \int \frac{\sqrt{\sec(c + dx)}}{a + b \sec(c + dx)} dx}{3b^2d} \\ &= -\frac{2(5aAb - 5a^2B - 3b^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5b^3d} + \frac{2(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{3b^2d} \\ &= -\frac{2(5aAb - 5a^2B - 3b^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5b^3d} + \frac{2(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{3b^2d} \\ &= -\frac{2(5aAb - 5a^2B - 3b^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5b^3d} + \frac{2(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{3b^2d} \\ &= \frac{2a^2(Ab - aB) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^3(a + b)d} - \frac{2(5aAb - 5a^2B - 3b^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5b^3d} \\ &= \frac{2(5aAb - 5a^2B - 3b^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5b^3d} + \frac{2(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{3b^2d} \end{aligned}$$

Mathematica [B] time = 6.96241, size = 669, normalized size = 2.42

$$\frac{\sqrt{\sec(c+dx)} \left(\frac{2(5a^2B-5aAb+3b^2B)\sin(c+dx)}{5b^3} + \frac{2\sec(c+dx)(Ab\sin(c+dx)-aB\sin(c+dx))}{3b^2} + \frac{2B\tan(c+dx)\sec(c+dx)}{5b} \right)}{d} - \frac{2(-45a^2Ab+45a^3B+19ab^2B)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] -((-2*(-40*a*A*b^2 + 40*a^2*b*B + 18*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-45*a^2*A*b - 10*A*b^3 + 45*a^3*B + 19*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(-15*a^2*A*b + 15*a^3*B + 9*a*b^2*B)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a^2*b*(b + a*cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(30*b^3*d) + (Sqrt[Sec[c + d*x]]*((2*(-5*a*A*b + 5*a^2*B + 3*b^2*B)*Sin[c + d*x])/(5*b^3) + (2*Sec[c + d*x]*(A*b*sin[c + d*x] - a*B*sin[c + d*x]))/(3*b^2) + (2*B*Sec[c + d*x]*Tan[c + d*x])/(5*b)))/d

Maple [B] time = 6.75, size = 785, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/5*B/b/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*c)

$$d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2$$

$$*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2$$

$$*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2$$

$$*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}$$

$$-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2$$

$$*d*x+1/2*c)^2)^{(1/2)}+2*(A*b-B*a)/b^2*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*$$

$$d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*($$

$$\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d$$

$$*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}$$

$$))-2*(A*b-B*a)*a^3/b^3/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*$$

$$d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*$$

$$EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})-2*(A*b-B*a)/b^3*a*(-(\sin(1$$

$$/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d$$

$$*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*($$

$$-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin($$

$$1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*$$

$$d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(b*sec(d*x + c) + a), x)

$$3.416 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=210

$$\frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3bd} + \frac{2(Ab-aB)\sin(c+dx)\sqrt{\sec(c+dx)}}{b^2d} - \frac{2(Ab-aB)\sqrt{\cos(c+dx)}}{b^2d}$$

[Out] $(-2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*d) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b*d) - (2*a*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*(a + b)*d) + (2*(A*b - a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b^2*d) + (2*B*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(3*b*d)$

Rubi [A] time = 0.71332, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4033, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(Ab-aB)\sin(c+dx)\sqrt{\sec(c+dx)}}{b^2d} - \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} - \frac{2a(Ab-aB)\sqrt{\cos(c+dx)}}{b^2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^(5/2)*(A + B*\text{Sec}[c + d*x]))/(a + b*\text{Sec}[c + d*x]), x]$

[Out] $(-2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*d) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b*d) - (2*a*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*(a + b)*d) + (2*(A*b - a*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b^2*d) + (2*B*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(3*b*d)$

Rule 4033

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(B*d^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^(m + 1)*(d*\text{Csc}[e + f*x])^(n - 2))/(b*f*(m + n)), x] + \text{Dist}[d^2/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^(n - 2)*\text{Simp}[a*B*(n - 2) + B*b*(m + n - 1)*\text{Csc}[e + f*x] + (A*b*(m + n)$

- a*B*(n - 1)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n, 0] && !IGtQ[m, 1]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol] :> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx &= \frac{2B \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd} + \frac{2 \int \frac{\sqrt{\sec(c+dx)} \left(\frac{aB}{2} + \frac{1}{2} bB \sec(c+dx) + \frac{3}{2} (Ab-aB) \sec^2(c+dx) \right)}{a+b \sec(c+dx)}}{3b} \\
 &= \frac{2(Ab-aB) \sqrt{\sec(c+dx)} \sin(c+dx)}{b^2d} + \frac{2B \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd} + \frac{4 \int \frac{\frac{3}{4}a}{\sqrt{\sec(c+dx)}}}{3b} \\
 &= \frac{2(Ab-aB) \sqrt{\sec(c+dx)} \sin(c+dx)}{b^2d} + \frac{2B \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd} + \frac{4 \int \frac{\frac{3}{4}a}{\sqrt{\sec(c+dx)}}}{3b} \\
 &= \frac{2(Ab-aB) \sqrt{\sec(c+dx)} \sin(c+dx)}{b^2d} + \frac{2B \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3bd} + \frac{B \int \sqrt{\sec(c+dx)}}{3b} \\
 &= -\frac{2a(Ab-aB) \sqrt{\cos(c+dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{b^2(a+b)d} + \frac{2(Ab-aB) \sqrt{\sec(c+dx)}}{3b} \\
 &= -\frac{2(Ab-aB) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{b^2d} + \frac{2B \sqrt{\cos(c+dx)} F\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right), -1\right)}{3b}
 \end{aligned}$$

Mathematica [A] time = 3.65854, size = 229, normalized size = 1.09

$$\cot(c+dx) \left(-2(3a^2B + 3ab(B-A) + b^2(B-3A)) \sqrt{-\tan^2(c+dx)} \text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right), -1\right) - 6a^2B \sqrt{-\tan^2(c+dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] $-(\cot[c + d*x]*(-(b^2*B*\sec[c + d*x]^{5/2}) + b^2*B*\cos[2*(c + d*x)]*\sec[c + d*x]^{5/2} - 6*b*(A*b - a*B)*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\sec[c + d*x]]], -1]*\text{Sqrt}[-\tan[c + d*x]^2] - 2*(3*a^2*B + b^2*(-3*A + B) + 3*a*b*(-A + B))*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\sec[c + d*x]]], -1]*\text{Sqrt}[-\tan[c + d*x]^2] + 6*a*A*b*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\sec[c + d*x]]], -1]*\text{Sqrt}[-\tan[c + d*x]^2] - 6*a^2*B*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\sec[c + d*x]]], -1]*\text{Sqrt}[-\tan[c + d*x]^2])/(3*b^3*d)$

Maple [A] time = 5.356, size = 466, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] $-\left(-\left(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1\right)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{1/2}*(2*B/b*(-1/6*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)*(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{1/2}/(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2-1/2)^{1/2}+1/3*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{1/2}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)^{1/2}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{1/2}*\text{EllipticF}(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2^{1/2}))+2*(A*b-B*a)*a^2/b^2/(a^2-a*b)*(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{1/2}*(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2+1)^{1/2}/(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{1/2}*\text{EllipticPi}(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2*a/(a-b),2^{1/2}))+2*(A*b-B*a)/b^2*(-\left(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{1/2}*(2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2-1)^{1/2}*\text{EllipticE}(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2^{1/2})*(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{1/2}+2*(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4+\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2)^{1/2}* \cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2/\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2/(2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2-1))/\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)/(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2-1)^{1/2}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec(d*x + c) + a), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec(d*x + c) + a), x)
```

$$3.417 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=126

$$\frac{2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)} + \frac{2B \sin(c+dx)\sqrt{\sec(c+dx)}}{bd} - \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{bd}$$

[Out] $(-2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*d) + (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*(a + b)*d) + (2*B*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b*d)$

Rubi [A] time = 0.400632, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4033, 4106, 3849, 2805, 12, 3771, 2639}

$$\frac{2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)} + \frac{2B \sin(c+dx)\sqrt{\sec(c+dx)}}{bd} - \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Sec}[c + d*x]^{(3/2)}*(A + B*\text{Sec}[c + d*x]))/(a + b*\text{Sec}[c + d*x]), x]$

[Out] $(-2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*d) + (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*(a + b)*d) + (2*B*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b*d)$

Rule 4033

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-2)})/(b*f*(m+n)), x] + \text{Dist}[d^2/(b*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n-2)}*\text{Simp}[a*B*(n-2) + B*b*(m+n-1)*\text{Csc}[e + f*x] + (A*b*(m+n) - a*B*(n-1))*\text{Csc}[e + f*x]^2, x], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B, m\}, x \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{NeQ}[m+n, 0] \ \&\& \ \text{!IGtQ}[m, 1]$

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] :=> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :=> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :=> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{2B\sqrt{\sec(c+dx)}\sin(c+dx)}{bd} + \frac{2\int \frac{-\frac{aB}{2}-\frac{1}{2}bB\sec(c+dx)+\frac{1}{2}(Ab-aB)\sec^2(c+dx)}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))} dx}{b} \\
&= \frac{2B\sqrt{\sec(c+dx)}\sin(c+dx)}{bd} + \frac{2\int -\frac{a^2B}{2\sqrt{\sec(c+dx)}} dx}{a^2b} + \frac{(Ab-aB)\int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\sec(c+dx)} dx}{b} \\
&= \frac{2B\sqrt{\sec(c+dx)}\sin(c+dx)}{bd} - \frac{B\int \frac{1}{\sqrt{\sec(c+dx)}} dx}{b} + \frac{((Ab-aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{b(a+b)} \\
&= \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\middle| 2\right)\sqrt{\sec(c+dx)}}{b(a+b)d} + \frac{2B\sqrt{\sec(c+dx)}}{bd} \\
&= -\frac{2B\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle| 2\right)\sqrt{\sec(c+dx)}}{bd} + \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\middle| 2\right)\sqrt{\sec(c+dx)}}{b(a+b)d}
\end{aligned}$$

Mathematica [A] time = 1.33576, size = 125, normalized size = 0.99

$$\frac{2\cos(2(c+dx))\sqrt{-\tan^2(c+dx)}\csc(c+dx)\sec(c+dx)\left((Ab-B(a+b))\text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right), -1\right) + (Ab - B(a+b))\text{EllipticE}\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right), -1\right)\right)}{b^2d(\sec^2(c+dx) - 2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]), x]

[Out] (-2*Cos[2*(c + d*x)]*Csc[c + d*x]*(b*B*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1] + (A*b - (a + b)*B)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + (A*b - a*B)*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*Sec[c + d*x]*Sqrt[-Tan[c + d*x]^2])/(b^2*d*(-2 + Sec[c + d*x]^2))

Maple [A] time = 3.801, size = 325, normalized size = 2.6

$$-\frac{1}{d}\sqrt{-\left(-2(\cos(1/2 dx + c/2))^2 + 1\right)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-2 \frac{(Ab - Ba) a \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{b(a^2 - ab) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out]
$$-\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2(Ab-Ba)/b/(a^2-ab)a\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{1/2}/\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\text{EllipticPi}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2a/(a-b),2^{1/2}\right)+2B/b\left(-\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{1/2}\text{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}+2\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2/\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2/(2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1)\right)/\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)/(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1)^{1/2}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a), x)

$$3.418 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=101

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{ad(a+b)}$$

[Out] (2*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a + b)*d)

Rubi [A] time = 0.19823, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {4038, 3771, 2641, 3849, 2805}

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{ad(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] (2*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a + b)*d)

Rule 4038

Int[((csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[A/a, Int[(d*Csc[e + f*x])^n, x], x] - Dist[(A*b - a*B)/(a*d), Int[(d*Csc[e + f*x])^(n + 1)/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \frac{A \int \sqrt{\sec(c+dx)} dx}{a} - \frac{(Ab-aB) \int \frac{\sec^3(c+dx)}{a+b\sec(c+dx)} dx}{a} \\ &= \frac{(A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a} - \frac{((Ab-aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a} \\ &= \frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{ad} - \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\Pi\left(\frac{2}{a}\right)}{a(a-b)} \end{aligned}$$

Mathematica [A] time = 0.581318, size = 78, normalized size = 0.77

$$\frac{2\sqrt{-\tan^2(c+dx)}\cot(c+dx)\left(aB\text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right), -1\right) + (aB - Ab)\Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\middle| -1\right)\right)}{abd}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]
```


[Out] $(2 \cot[c + dx] * (a * B * \text{EllipticF}[\text{ArcSin}[\sqrt{\sec[c + dx]}]], -1] + (-A * b) + a * B) * \text{EllipticPi}[-(b/a), -\text{ArcSin}[\sqrt{\sec[c + dx]}], -1] * \sqrt{-\tan[c + dx]^2}] / (a * b * d)$

Maple [A] time = 2.02, size = 217, normalized size = 2.2

$$-2 \frac{\sqrt{(2 (\cos(1/2 dx + c/2))^2 - 1) (\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1}}{a(a-b) \sqrt{-2 (\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} d} \left(A \text{Elliptic} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(dx+c)^{(1/2)} * (A+B*\sec(dx+c)) / (a+b*\sec(dx+c)), x)$

[Out] $-2 * ((2 * \cos(1/2 * dx + 1/2 * c)^2 - 1) * \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} * (A * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * a - A * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * b + A * \text{EllipticPi}(\cos(1/2 * dx + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) * b - B * \text{EllipticPi}(\cos(1/2 * dx + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) * a) / a / (a - b) / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * dx + 1/2 * c) / (2 * \cos(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sec(dx+c)^{(1/2)} * (A+B*\sec(dx+c)) / (a+b*\sec(dx+c)), x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((B * \sec(dx + c) + A) * \sqrt{\sec(dx + c)} / (b * \sec(dx + c) + a), x)$

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{\sec(c + dx)}}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sqrt(sec(c + d*x))/(a + b*sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a), x)
```

$$3.419 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=149

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{a^2d} + \frac{2b(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx)\right)}{a^2d(a + b)}$$

[Out] (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a + b)*d)

Rubi [A] time = 0.257062, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {4038, 3771, 2639, 3848, 2803, 2641, 2805}

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{2b(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a + b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])),x]

[Out] (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a + b)*d)

Rule 4038

Int[((csc[(e_.) + (f_.)*(x_.)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/((csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[A/a, Int[(d*Csc[e + f*x])^n, x], x] - Dist[(A*b - a*B)/(a*d), Int[(d*Csc[e + f*x])^(n + 1)/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3848

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[(Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]])/d, Int[Sqrt[d*Sin[e + f*x]]/(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2803

Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx &= \frac{A \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{a} - \frac{(Ab - aB) \int \frac{\sqrt{\sec(c+dx)}}{a+b \sec(c+dx)} dx}{a} \\
&= \frac{(A\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{a} - \frac{((Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} dx}{a} \\
&= \frac{2A\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{((Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} dx}{a^2} \\
&= \frac{2A\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{2(Ab - aB)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d}
\end{aligned}$$

Mathematica [A] time = 6.94094, size = 224, normalized size = 1.5

$$\cot(c + dx) \left(2aA\sqrt{-\tan^2(c + dx)} \text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right), -1\right) + 2Ab\sqrt{-\tan^2(c + dx)} \Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])),x]

[Out] (Cot[c + d*x]*(-(a*A*Sec[c + d*x]^(3/2)) - a*A*Cos[2*(c + d*x)]*Sec[c + d*x]^(3/2) + a*A*Sec[c + d*x]^(7/2) + a*A*Cos[2*(c + d*x)]*Sec[c + d*x]^(7/2) - 2*a*A*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] + 2*a*A*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] + 2*A*b*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] - 2*a*B*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2]))/(a^2*d)

Maple [A] time = 2.069, size = 295, normalized size = 2.

$$2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{(a - b) a^2 \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d} \left(A \text{EllipticF} \left(\sin^{-1} \left(\sqrt{\sec(c + dx)} \right), -1 \right) + 2Ab \sqrt{-\tan^2(c + dx)} \Pi \left(-\frac{b}{a}; -\sin^{-1} \left(\sqrt{\sec(c + dx)} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x)

```
[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b-A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b+A*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))*b^2-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^2+B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b-B*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))*a*b)/a^2/(a-b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx)) \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))/((a + b*sec(c + d*x))*sqrt(sec(c + d*x))), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)

$$3.420 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=196

$$\frac{2(a^2A - 3abB + 3Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^3d} - \frac{2b^2(Ab - aB) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2a}{a+b}, \frac{1}{2}(c+dx)\right)}{a^3d(a+b)}$$

[Out] (-2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*(a^2*A + 3*A*b^2 - 3*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^3*d) - (2*b^2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a + b)*d) + (2*A*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.467163, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4034, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(a^2A - 3abB + 3Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^3d} - \frac{2b^2(Ab - aB) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2a}{a+b}, \frac{1}{2}(c+dx)\right)}{a^3d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])),x]

[Out] (-2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d) + (2*(a^2*A + 3*A*b^2 - 3*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^3*d) - (2*b^2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a + b)*d) + (2*A*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]])

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] :=> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :=> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]), x_Symbol] :=> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{2 \int \frac{\frac{3}{2}(Ab - aB) - \frac{1}{2}aA \sec(c + dx) - \frac{1}{2}Ab \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx}{3a} \\
&= \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{2 \int \frac{\frac{3}{2}a(Ab - aB) - \left(\frac{a^2A}{2} + \frac{3}{2}b(Ab - aB)\right) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{3a^3} - \frac{(b^2(Ab - aB)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a^3} \\
&= \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{(Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a^2} + \frac{(a^2A + 3Ab^2 - 3abB) \int \sqrt{\sec(c + dx)} dx}{3a^3} \\
&= -\frac{2b^2(Ab - aB)\sqrt{\cos(c + dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a^3(a + b)d} + \frac{2A \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} \\
&= -\frac{2(Ab - aB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a^2d} + \frac{2(a^2A + 3Ab^2 - 3abB) \int \sqrt{\sec(c + dx)} dx}{3a^3}
\end{aligned}$$

Mathematica [A] time = 6.52404, size = 282, normalized size = 1.44

$$2 \csc(c + dx) \left(a(aA + 3aB - 3Ab) \sqrt{-\tan^2(c + dx)} \sqrt{\sec(c + dx)} \operatorname{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right), -1\right) + a^2A \sin(c + dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])),x]

[Out] (2*Csc[c + d*x]*(3*a*A*b - 3*a^2*B - 3*a*A*b*Sec[c + d*x]^2 + 3*a^2*B*Sec[c + d*x]^2 + a^2*A*Sin[c + d*x]*Tan[c + d*x] - 3*a*(-(A*b) + a*B)*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2] + a*(a*A - 3*A*b + 3*a*B)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2] - 3*A*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2] + 3*a*b*B*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[-Tan[c + d*x]^2]))/(3*a^3*d*Sec[c + d*x]^(3/2))

Maple [B] time = 2.248, size = 786, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x)`

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((4*A*a^3-4*A*a^2*b)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+(-2*A*a^3+2*A*a^2*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3-A*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*b^2-3*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*b-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})*b^3-3*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*b+3*B*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})*a*b^2)/a^3/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

$$3.421 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=242

$$\frac{2(a^2 + 3b^2)(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^4d} + \frac{2(3a^2A - 5abB + 5Ab^2)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5a^3d}$$

[Out] (2*(3*a^2*A + 5*A*b^2 - 5*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^3*d) - (2*(a^2 + 3*b^2)*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^4*d) + (2*b^3*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^4*(a + b)*d) + (2*A*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - (2*(A*b - a*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.755326, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4034, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(a^2 + 3b^2)(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^4d} + \frac{2(3a^2A - 5abB + 5Ab^2)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5a^3d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])),x]

[Out] (2*(3*a^2*A + 5*A*b^2 - 5*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*a^3*d) - (2*(a^2 + 3*b^2)*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^4*d) + (2*b^3*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^4*(a + b)*d) + (2*A*Sin[c + d*x])/(5*a*d*Sec[c + d*x]^(3/2)) - (2*(A*b - a*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Sec[c + d*x]])

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n

$$- A*b*(m + n + 1) + A*a*(n + 1)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[\text{((A_.)} + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n + 1)}*\text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4106

$$\text{Int}[\text{((A_.)} + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)] * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/(a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/ \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3849

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(3/2)}/(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2805

$$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$$

Rule 3787

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x\}$$

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2 \int \frac{\frac{5}{2}(Ab - aB) - \frac{3}{2}aA \sec(c + dx) - \frac{3}{2}Ab \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} dx}{5a} \\
 &= \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} + \frac{4 \int \frac{\frac{3}{4}(3a^2 A + 5Ab^2 - 5abB) + \frac{1}{4}a(4Ab + 5aB)}{\sqrt{\sec(c + dx)(a + b \sec(c + dx))}} dx}{15a} \\
 &= \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} + \frac{4 \int \frac{\frac{3}{4}a(3a^2 A + 5Ab^2 - 5abB) - \left(-\frac{1}{4}a^2(4Ab + 5aB)\right)}{\sqrt{\sec(c + dx)(a + b \sec(c + dx))}} dx}{15a} \\
 &= \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{\left((a^2 + 3b^2)(Ab - aB)\right) \int \sqrt{\sec(c + dx)} dx}{3a^4} \\
 &= \frac{2b^3(Ab - aB) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^4(a + b)d} + \frac{2A \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2(3a^2 A + 5Ab^2 - 5abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5a^3 d} - \frac{2(a^2 + 3b^2)(Ab - aB) \int \sqrt{\sec(c + dx)} dx}{3a^4}
 \end{aligned}$$

Mathematica [B] time = 6.93873, size = 617, normalized size = 2.55

$$\frac{2(9a^2A - 5abB + 5Ab^2) \sin(c+dx) \cos^2(c+dx) \sqrt{1-\sec^2(c+dx)} (a+b \sec(c+dx)) \left(\text{EllipticF}(\sin^{-1}(\sqrt{\sec(c+dx)}), -1) + \Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\sec(c+dx)}) \mid -1 \right) \right)}{b(1-\cos^2(c+dx))(a \cos(c+dx)+b)} - \frac{2(9a^2A - 5abB + 5Ab^2)}{b(1-\cos^2(c+dx))(a \cos(c+dx)+b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])),x]

[Out] $((-2*(8*a*A*b + 10*a^2*B)*\text{Cos}[c + d*x]^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*(a + b*\text{Sec}[c + d*x])*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2]*\text{Sin}[c + d*x])/((a*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)) + (2*(9*a^2*A + 5*A*b^2 - 5*a*b*B)*\text{Cos}[c + d*x]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] + \text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1])*(a + b*\text{Sec}[c + d*x])*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2]*\text{Sin}[c + d*x]))/(b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)) - (2*(9*a^2*A + 15*A*b^2 - 15*a*b*B)*\text{Cos}[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x])*(2*a*b - 2*a*b*\text{Sec}[c + d*x]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2]) + a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2])*\text{Sin}[c + d*x])/((a^2*b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2)))/(30*a^2*d) + (\text{Sqrt}[\text{Sec}[c + d*x]]*((A*\text{Sin}[c + d*x])/(10*a) + ((-A*b) + a*B)*\text{Sin}[2*(c + d*x)]/(3*a^2) + (A*\text{Sin}[3*(c + d*x)]/(10*a)))/d$

Maple [B] time = 2.22, size = 1074, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x)

[Out] $-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((-24*A*a^4+24*A*a^3*b)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(24*A*a^4-44*A*a^3*b+20*A*a^2*b^2+20*B*a^4-20*B*a^3*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-6*A*a^4+16*A*a^3*b-10*A*a^2*b^2-10*B*a^4+10*B*a^3*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^3*b+5*A*(\sin(1/2*d*x+1/2*c)^$

$2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 * b^2 - 15 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a * b^3 + 15 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b^4 - 9 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^4 + 9 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^3 * b - 15 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 * b^2 + 15 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a * b^3 - 15 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) * b^4 + 5 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^4 - 5 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^3 * b + 15 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 * b^2 - 15 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a * b^3 + 15 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^3 * b - 15 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 * b^2 + 15 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2 * a / (a - b), 2^{(1/2)}) * a * b^3 / a^4 / (a - b) / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sec(d*x + c)^(5/2)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sec(d*x + c)^(5/2)), x
)
```

$$3.422 \quad \int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=406

$$\frac{(-5a^2B + 3aAb + 2b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3b^2d(a^2 - b^2)} + \frac{a(Ab - aB) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{bd(a^2 - b^2)(a + b \sec(c+dx))}$$

```
[Out] -(((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE
[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a^2 - b^2)*d) - ((3*a*A*b - 5*a
^2*B + 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d
*x]])/(3*b^2*(a^2 - b^2)*d) - (a*(3*a^2*A*b - 5*A*b^3 - 5*a^3*B + 7*a*b^2*B
)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c +
d*x]])/((a - b)*b^3*(a + b)^2*d) + ((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b
^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^3*(a^2 - b^2)*d) - ((3*a*A*b - 5*
a^2*B + 2*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d) + (
a*(A*b - a*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[
c + d*x]))
```

Rubi [A] time = 1.16166, antiderivative size = 406, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4029, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{bd(a^2 - b^2)(a + b \sec(c+dx))} - \frac{(-5a^2B + 3aAb + 2b^2B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3b^2d(a^2 - b^2)} + \frac{(3a^2Ab - 5a^3B + 4ab^2B - 2b^3d)}{b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]
```

```
[Out] -(((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE
[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^3*(a^2 - b^2)*d) - ((3*a*A*b - 5*a
^2*B + 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d
*x]])/(3*b^2*(a^2 - b^2)*d) - (a*(3*a^2*A*b - 5*A*b^3 - 5*a^3*B + 7*a*b^2*B
)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c +
d*x]])/((a - b)*b^3*(a + b)^2*d) + ((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b
^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^3*(a^2 - b^2)*d) - ((3*a*A*b - 5*
a^2*B + 2*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d) + (
a*(A*b - a*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[
c + d*x]))
```

c + d*x]))

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol] :> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
```

```
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{a(Ab-aB)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(Ab-aB)-b(Ab-aB)\sec(c+dx)-\frac{1}{2}\right)}{a+b\sec(c+dx)} \\
&= -\frac{(3aAb-5a^2B+2b^2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b^2(a^2-b^2)d} + \frac{a(Ab-aB)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(3a^2Ab-2Ab^3-5a^3B+4ab^2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^3(a^2-b^2)d} - \frac{(3aAb-5a^2B+2b^2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b^2(a^2-b^2)d} \\
&= \frac{(3a^2Ab-2Ab^3-5a^3B+4ab^2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^3(a^2-b^2)d} - \frac{(3aAb-5a^2B+2b^2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b^2(a^2-b^2)d} \\
&= \frac{(3a^2Ab-2Ab^3-5a^3B+4ab^2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^3(a^2-b^2)d} - \frac{(3aAb-5a^2B+2b^2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b^2(a^2-b^2)d} \\
&= -\frac{a(3a^2Ab-5Ab^3-5a^3B+7ab^2B)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{(a-b)b^3(a+b)^2d} \\
&= -\frac{(3a^2Ab-2Ab^3-5a^3B+4ab^2B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{b^3(a^2-b^2)d}
\end{aligned}$$

Mathematica [A] time = 7.14499, size = 738, normalized size = 1.82

$$\frac{2(-27a^3Ab-44a^2b^2B+45a^4B+30aAb^3-4b^4B)\sin(c+dx)\cos^2(c+dx)\sqrt{1-\sec^2(c+dx)}(a+b\sec(c+dx))\left(\text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right),-1\right)+\Pi\left(-\frac{b}{a};-\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\middle|2\right)\right)}{b(1-\cos^2(c+dx))(a\cos(c+dx)+b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] ((-2*(-24*a^2*A*b^2 + 12*A*b^4 + 40*a^3*b*B - 28*a*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-27*a^3*A*b + 30*a*A*b^3 + 45*a^4*B - 44*a^2*b^2*B - 4*b^4*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a)

```

), -ArcSin[Sqrt[Sec[c + d*x]]], -1]]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c +
d*x]^2]*Sin[c + d*x]/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(-
9*a^3*A*b + 6*a*A*b^3 + 15*a^4*B - 12*a^2*b^2*B)*Cos[2*(c + d*x)]*(a + b*Se
c[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec
[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*
EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c
+ d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[S
ec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sq
rt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2))*Sin[c +
d*x])/(a^2*b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*
(2 - Sec[c + d*x]^2))/(12*(a - b)*b^3*(a + b)*d) + (Sqrt[Sec[c + d*x]]*((
-3*a^2*A*b + 2*A*b^3 + 5*a^3*B - 4*a*b^2*B)*Sin[c + d*x])/(b^3*(-a^2 + b^2)
) + (a^2*A*b*Ssin[c + d*x] - a^3*B*Ssin[c + d*x])/(b^2*(-a^2 + b^2)*(b + a*Co
s[c + d*x])) + (2*B*Tan[c + d*x])/(3*b^2)))/d

```

Maple [B] time = 9.448, size = 1024, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*(A*b-B*a)*a/
b^2*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+s
in(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*a/b/(a
^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*
sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*
c),2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+
1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Elli
pticE(cos(1/2*d*x+1/2*c),2^(1/2))-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/
2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*
x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*El
lipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2)))+2*a^2*(A*b-2*B*a)/b^3/(a^2-
a*b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin
(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c)
,2*a/(a-b),2^(1/2))+2/b^2*B*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*

```

$$\begin{aligned} & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})) + 2*(A*b \\ & -2*B*a)/b^3*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)} + 2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos \\ & (1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1 \\ & /2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(b*sec(d*x + c) + a)^2, x
)

$$3.423 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=315

$$\frac{(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{bd(a^2 - b^2)} + \frac{a(Ab - aB)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{bd(a^2 - b^2)(a + b \sec(c+dx))} - \frac{(-3a^2B + aAb + 2b^2B)\sin(c+dx)\sqrt{\sec(c+dx)}}{bd(a^2 - b^2)}$$

[Out] ((a*A*b - 3*a^2*B + 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) + ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b*(a^2 - b^2)*d) + ((a^2*A*b - 3*A*b^3 - 3*a^3*B + 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/((a - b)*b^2*(a + b)^2*d) - ((a*A*b - 3*a^2*B + 2*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d) + (a*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.836707, antiderivative size = 315, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4029, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{bd(a^2 - b^2)(a + b \sec(c+dx))} - \frac{(-3a^2B + aAb + 2b^2B)\sin(c+dx)\sqrt{\sec(c+dx)}}{b^2d(a^2 - b^2)} + \frac{(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]^2,x]

[Out] ((a*A*b - 3*a^2*B + 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) + ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b*(a^2 - b^2)*d) + ((a^2*A*b - 3*A*b^3 - 3*a^3*B + 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/((a - b)*b^2*(a + b)^2*d) - ((a*A*b - 3*a^2*B + 2*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d) + (a*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4029

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]

```

Rule 4102

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)
)*Csc[e + f*x]/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(Ab-aB)-b(Ab-aB)\sec(c+dx)\right)}{a+b\sec(c+dx)} \\
&= -\frac{(aAb-3a^2B+2b^2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} + \frac{a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(aAb-3a^2B+2b^2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} + \frac{a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= -\frac{(aAb-3a^2B+2b^2B)\sqrt{\sec(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d} + \frac{a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} \\
&= \frac{(a^2Ab-3Ab^3-3a^3B+5ab^2B)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\middle| 2\right)\sqrt{\sec(c+dx)}}{(a-b)b^2(a+b)^2d} \\
&= \frac{(aAb-3a^2B+2b^2B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle| 2\right)\sqrt{\sec(c+dx)}}{b^2(a^2-b^2)d} + \frac{(Ab-aB)\sqrt{\sec(c+dx)}}{b(a^2-b^2)d}
\end{aligned}$$

Mathematica [B] time = 6.98402, size = 685, normalized size = 2.17

$$\frac{\sqrt{\sec(c+dx)}\left(\frac{(-3a^2B+aAb+2b^2B)\sin(c+dx)}{b^2(b^2-a^2)} + \frac{a^2B\sin(c+dx)-aAb\sin(c+dx)}{b(b^2-a^2)(a\cos(c+dx)+b)}\right)}{d} - \frac{2(-3a^2Ab+9a^3B-10ab^2B+4Ab^3)\sin(c+dx)\cos^2(c+dx)\sqrt{1-\sec^2(c+dx)}}{b(1-\sec^2(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] -((-2*(-4*a*A*b^2 + 8*a^2*b*B - 4*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-3*a^2*A*b + 4*A*b^3 + 9*a^3*B - 10*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(-(a^2*A*b) + 3*a^3*B - 2*a*b^2*B)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c

$$\begin{aligned}
& + d*x]^2] + a*(a - 2*b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec} \\
& [c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{S} \\
& \text{ec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{Elli} \\
& \text{pticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \\
& \text{Sec}[c + d*x]^2])* \text{Sin}[c + d*x]) / (a^2*b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d* \\
& x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2)) / (4*(a - b)*b^2*(a + b)*d) + \\
& (\text{Sqrt}[\text{Sec}[c + d*x]]*((a*A*b - 3*a^2*B + 2*b^2*B)*\text{Sin}[c + d*x]) / (b^2*(-a^2 \\
& + b^2)) + (-a*A*b*\text{Sin}[c + d*x]) + a^2*B*\text{Sin}[c + d*x]) / (b*(-a^2 + b^2)*(b \\
& + a*\text{Cos}[c + d*x]))) / d
\end{aligned}$$

Maple [B] time = 6.326, size = 877, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{(5/2)}*(A+B*\sec(d*x+c))/(a+b*\sec(d*x+c))^2, x)$

[Out] $\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(A*b-B*a)/b*(\\
& a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c) \\
& ^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/ \\
& 2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b/(a^2-b^ \\
& 2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1 \\
& /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^ \\
& (1/2))-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\
&)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE} \\
& (\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2 \\
& *c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3 \\
& /2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2 \\
& *c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ellipti} \\
& \text{cPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}))+2*B*a^2/b^2/(a^2-a*b)*(\sin(1/2*d \\
& *x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c) \\
& ^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1 \\
& /2)}))+2*B/b^2*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2) \\
&)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\
& x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*co \\
& s(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+ \\
& 1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^2, x)
```


$$3.424 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=257

$$\frac{(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{ad(a^2 - b^2)} + \frac{a(Ab - aB)\sin(c + dx)\sqrt{\sec(c + dx)}}{bd(a^2 - b^2)(a + b \sec(c + dx))} - \frac{(Ab - aB)\sqrt{\cos(c + dx)}}{bd(a^2 - b^2)}$$

[Out] -(((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b*(a^2 - b^2)*d) - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a^2 - b^2)*d) + ((a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a - b)*b*(a + b)^2*d) + (a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.527313, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4029, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB)\sin(c + dx)\sqrt{\sec(c + dx)}}{bd(a^2 - b^2)(a + b \sec(c + dx))} - \frac{(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} - \frac{(Ab - aB)\sqrt{\cos(c + dx)}}{bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] -(((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b*(a^2 - b^2)*d) - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a^2 - b^2)*d) + ((a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a - b)*b*(a + b)^2*d) + (a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4029

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a

+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d))]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= \frac{a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \frac{\int \frac{-\frac{1}{2}a(Ab-aB)-b(Ab-aB)\sec(c+dx)+\frac{1}{2}(aAb+a^2)}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))} dx}{b(a^2-b^2)} \\ &= \frac{a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} + \frac{\int \frac{-\frac{1}{2}a^2(Ab-aB)-\frac{1}{2}ab(Ab-aB)\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2b(a^2-b^2)} + \\ &= \frac{a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d(a+b\sec(c+dx))} - \frac{(Ab-aB)\int\sqrt{\sec(c+dx)}dx}{2a(a^2-b^2)} - \frac{(Ab-aB)}{a(a-b)b(a+b)^2d} \\ &= \frac{(a^2Ab+Ab^3+a^3B-3ab^2B)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b};\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a(a-b)b(a+b)^2d} \\ &= -\frac{(Ab-aB)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{b(a^2-b^2)d} - \frac{(Ab-aB)\sqrt{\cos(c+dx)}}{a(a-b)b(a+b)^2d} \end{aligned}$$

Mathematica [B] time = 6.88949, size = 643, normalized size = 2.5

$$\frac{2(-3a^2B-aAb+4b^2B)\sin(c+dx)\cos^2(c+dx)\sqrt{1-\sec^2(c+dx)}(a+b\sec(c+dx))\left(\text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right),-1\right)+\Pi\left(-\frac{b}{a};-\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\middle|-1\right)\right)}{b(1-\cos^2(c+dx))(a\cos(c+dx)+b)} - \frac{2(aAb-a^2B)}{a(a-b)b(a+b)^2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,
x]

[Out] ((-2*(4*A*b^2 - 4*a*b*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec
[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x]
)/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-(a*A*b) - 3*a^2*B +

$$4*b^2*B)*\cos[c + d*x]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] + \text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1])*(a + b*\text{Sec}[c + d*x])* \text{Sqrt}[1 - \text{Sec}[c + d*x]^2]*\sin[c + d*x])/(b*(b + a*\cos[c + d*x])*(1 - \cos[c + d*x]^2)) - (2*(a*A*b - a^2*B)*\cos[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x])*(2*a*b - 2*a*b*\text{Sec}[c + d*x]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2])* \sin[c + d*x])/(a^2*b*(b + a*\cos[c + d*x])*(1 - \cos[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2)))/(4*b*(-a + b)*(a + b)*d + (\text{Sqrt}[\text{Sec}[c + d*x]]*(-((A*b - a*B)*\sin[c + d*x])/(b*(-a^2 + b^2)))) + (A*b*\sin[c + d*x] - a*B*\sin[c + d*x])/((-a^2 + b^2)*(b + a*\cos[c + d*x])))/d$$

Maple [B] time = 5.18, size = 715, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{(3/2)}*(A+B*\sec(d*x+c))/(a+b*\sec(d*x+c))^2,x)$

[Out] $-\left(-\left(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}*(2*(-A*b+B*a)/a*(a^2/b/(a^2-b^2)*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)*(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)\right)^{(1/2)}/(2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2*a-a+b)-1/2/(a+b)/b*(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*\text{EllipticF}(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*\text{EllipticE}(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*\text{EllipticPi}(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*\text{EllipticPi}(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2*a/(a-b),2^{(1/2)})-2*A/(a^2-a*b)*(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1)\right)^{(1/2)}/(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}*\text{EllipticPi}(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2*a/(a-b),2^{(1/2)}))/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/(2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1)^{(1/2)}/d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Integral((A + B*sec(c + d*x))*sec(c + d*x)**(3/2)/(a + b*sec(c + d*x))**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^2, x)
```

$$3.425 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=263

$$\frac{(2a^2A - abB - Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{a^2d(a^2 - b^2)} - \frac{(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2 - b^2)(a + b \sec(c+dx))} + \frac{(Ab - aB) \sqrt{\sec(c+dx)}}{d(a^2 - b^2)}$$

[Out] ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a^2 - b^2)*d) + ((2*a^2*A - A*b^2 - a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) - ((3*a^2*A*b - A*b^3 - a^3*B - a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a - b)*(a + b)^2*d) - ((A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.506196, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4027, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$-\frac{(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2 - b^2)(a + b \sec(c+dx))} + \frac{(2a^2A - abB - Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d(a^2 - b^2)} + \frac{(Ab - aB) \sqrt{\sec(c+dx)}}{d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a^2 - b^2)*d) + ((2*a^2*A - A*b^2 - a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) - ((3*a^2*A*b - A*b^3 - a^3*B - a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a - b)*(a + b)^2*d) - ((A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*(a + b*Sec[c + d*x]))

Rule 4027

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[d*(n - 1)*(A*b - a*B) + d

$$\frac{(aA - bB)(m + 1)\text{Csc}[e + fx] - d(Ab - aB)(m + n + 1)\text{Csc}[e + fx]^2}{x^2} /; \text{FreeQ}\{a, b, d, e, f, A, B, x\} \&\& \text{NeQ}[Ab - aB, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LtQ}[0, n, 1]$$

Rule 4106

$$\text{Int}[\frac{(A_.) + \text{csc}[(e_.) + (f_.)x] \cdot (B_.) + \text{csc}[(e_.) + (f_.)x]^2 \cdot (C_.)}{(\text{Sqrt}[\text{csc}[(e_.) + (f_.)x] \cdot (d_.)] \cdot (\text{csc}[(e_.) + (f_.)x] \cdot (b_.) + (a_.)))}, x_Symbol] \rightarrow \text{Dist}[\frac{A \cdot b^2 - a \cdot b \cdot B + a^2 \cdot C}{a^2 \cdot d^2}, \text{Int}[(d \cdot \text{Csc}[e + fx])^{3/2} / (a + b \cdot \text{Csc}[e + fx]), x], x] + \text{Dist}[1/a^2, \text{Int}[(aA - (Ab - aB) \cdot \text{Csc}[e + fx]) / \text{Sqrt}[d \cdot \text{Csc}[e + fx]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3849

$$\text{Int}[(\text{csc}[(e_.) + (f_.)x] \cdot (d_.))^{3/2} / (\text{csc}[(e_.) + (f_.)x] \cdot (b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[d \cdot \text{Sqrt}[d \cdot \text{Sin}[e + fx]] \cdot \text{Sqrt}[d \cdot \text{Csc}[e + fx]], \text{Int}[1 / (\text{Sqrt}[d \cdot \text{Sin}[e + fx]] \cdot (b + a \cdot \text{Sin}[e + fx])), x], x] /; \text{FreeQ}\{a, b, d, e, f, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2805

$$\text{Int}[1 / ((a_.) + (b_.) \cdot \text{sin}[(e_.) + (f_.)x]) \cdot \text{Sqrt}[(c_.) + (d_.) \cdot \text{sin}[(e_.) + (f_.)x]], x_Symbol] \rightarrow \text{Simp}[(2 \cdot \text{EllipticPi}[(2 \cdot b) / (a + b), (1 \cdot (e - \text{Pi} / 2 + fx)) / 2, (2 \cdot d) / (c + d)]) / (f \cdot (a + b) \cdot \text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$$

Rule 3787

$$\text{Int}[(\text{csc}[(e_.) + (f_.)x] \cdot (d_.))^{n_.)} \cdot (\text{csc}[(e_.) + (f_.)x] \cdot (b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d \cdot \text{Csc}[e + fx])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d \cdot \text{Csc}[e + fx])^{n+1}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n, x\}$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)x] \cdot (b_.))^{n_.)}, x_Symbol] \rightarrow \text{Dist}[(b \cdot \text{Csc}[c + dx])^n \cdot \text{Sin}[c + dx]^n, \text{Int}[1 / \text{Sin}[c + dx]^n, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2639

$$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)x]], x_Symbol] \rightarrow \text{Simp}[(2 \cdot \text{EllipticE}[(1 \cdot (c - \text{Pi} / 2 + dx)) / 2, 2]) / d, x] /; \text{FreeQ}\{c, d, x\}$$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{(a+b\sec(c+dx))^2} dx &= -\frac{(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d(a+b\sec(c+dx))} + \frac{\int \frac{\frac{1}{2}(-Ab+aB)-(aA-bB)\sec(c+dx)+\frac{1}{2}(Ab-aB)\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))} dx}{-a^2+b^2} \\
 &= -\frac{(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d(a+b\sec(c+dx))} - \frac{\int \frac{\frac{1}{2}a(-Ab+aB)-\left(\frac{1}{2}b(-Ab+aB)-a(-aA+bB)\right)\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2(a^2-b^2)} \\
 &= -\frac{(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d(a+b\sec(c+dx))} + \frac{(Ab-aB)\int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a(a^2-b^2)} + \frac{(2a^2A - (3a^2Ab - Ab^3 - a^3B - ab^2B))\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2(a-b)(a+b)^2d} \\
 &= \frac{(Ab-aB)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a(a^2-b^2)d} + \frac{(2a^2A - Ab^2 - abB)}{a(a^2-b^2)d}
 \end{aligned}$$

Mathematica [B] time = 6.90542, size = 727, normalized size = 2.76

$$\frac{\sec(c+dx)(a\cos(c+dx)+b)^2(A+B\sec(c+dx))\left(-\frac{2(Ab-aB)\sin(c+dx)\cos(2(c+dx))(a+b\sec(c+dx))(a(a-2b)\sqrt{\sec(c+dx)}\sqrt{1-\sec^2(c+dx)})}{a^2(a-b)(a+b)^2d}\right)}{a^2(a-b)(a+b)^2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] ((b + a*Cos[c + d*x])^2*Sec[c + d*x]*(A + B*Sec[c + d*x])*((-2*(4*a*A - 4*b*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x]))*(1 - Cos[c + d*x]^2)) + (2*(-(A*b) + a*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])^2)

$$\begin{aligned}
& + a \cos[c + dx] (1 - \cos[c + dx]^2) - (2(Ab - aB) \cos[2(c + dx)] * \\
& (a + b \sec[c + dx]) (2ab - 2ab \sec[c + dx]^2 + 2ab \operatorname{EllipticE}[\operatorname{ArcSin} \\
& [\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} + a(a - 2b) \\
& \operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} \\
& + a^2 \operatorname{EllipticPi}[-(b/a), -\operatorname{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} \\
& - 2b^2 \operatorname{EllipticPi}[-(b/a), -\operatorname{ArcSin}[\sqrt{\sec[c + dx]}], -1] \sqrt{\sec[c + dx]} \sqrt{1 - \sec[c + dx]^2} \\
&) \sin[c + dx] / (a^2 b (b + a \cos[c + dx]) (1 - \cos[c + dx]^2) \sqrt{\sec[c + dx]} (2 - \sec[c + dx]^2)) \\
&) / (4(a - b)(a + b)d(B + A \cos[c + dx]) (a + b \sec[c + dx])^2 + ((b + a \cos[c + dx])^2 \sec[c + dx]^{3/2} (A + B \\
& \sec[c + dx]) * ((-Ab) + aB) \sin[c + dx] / (a(a^2 - b^2)) + (Ab^2 \sin[c + dx] - abB \sin[c + dx]) / (a(a^2 - b^2)(b + a \cos[c + dx])) \\
&) / (d(B + A \cos[c + dx]) (a + b \sec[c + dx])^2)
\end{aligned}$$

Maple [B] time = 5.786, size = 802, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{1/2} (A+B \sec(dx+c)) / (a+b \sec(dx+c))^2, x)$

[Out]
$$\begin{aligned}
& -(-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{1/2} (2A/a^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 2b \\
& (Ab - Ba) / a^2 (a^2/b / (a^2 - b^2) \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (2 \cos(1/2 dx + 1/2 c)^2 a - a + b) - 1/2 / (a + b) / b (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) \\
& + 1/2 a/b / (a^2 - b^2) (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 1/2 / b / (a^2 - b^2) / (a^2 - ab) a^3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticPi}(\cos(1/2 dx + 1/2 c), 2a / (a - b), 2^{1/2}) + 3/2 b / (a^2 - b^2) / (a^2 - ab) a (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticPi}(\cos(1/2 dx + 1/2 c), 2a / (a - b), 2^{1/2}) - 2(-2Ab + Ba) / (a^2 - ab) (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticPi}(\cos(1/2 dx + 1/2 c), 2a / (a - b), 2^{1/2})) / \sin(1/2 dx + 1/2 c) / (2 \cos(1/2 dx + 1/2 c)^2 - 1)^{1/2}
\end{aligned}$$

/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm
="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm
="fricas")
```

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{\sec(c + dx)}}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sqrt(sec(c + d*x))/(a + b*sec(c + d*x))**2, x
)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a)^2, x)
```

$$3.426 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)(a+b \sec(c+dx))^2}} dx$$

Optimal. Leaf size=283

$$\frac{(4a^2Ab - 2a^3B + ab^2B - 3Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{a^3d(a^2 - b^2)} + \frac{b(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad(a^2 - b^2)(a + b \sec(c+dx))}$$

```
[Out] ((2*a^2*A - 3*A*b^2 + a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) - ((4*a^2*A*b - 3*A*b^3 - 2*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) + (b*(5*a^2*A*b - 3*A*b^3 - 3*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a - b)*(a + b)^2*d) + (b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 0.569037, antiderivative size = 283, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {4030, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad(a^2 - b^2)(a + b \sec(c+dx))} - \frac{(4a^2Ab - 2a^3B + ab^2B - 3Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^3d(a^2 - b^2)} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2), x]
```

```
[Out] ((2*a^2*A - 3*A*b^2 + a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d) - ((4*a^2*A*b - 3*A*b^3 - 2*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) + (b*(5*a^2*A*b - 3*A*b^3 - 3*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a - b)*(a + b)^2*d) + (b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Sec[c + d*x]))
```

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f
```

```
(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e
+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/((Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] :> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^3/2/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] :> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)(a + b \sec(c + dx))^2}} dx &= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \int \frac{\frac{1}{2}(-2a^2A + 3Ab^2 - abB) + a(Ab - aB)\sec(c + dx) - \frac{1}{2}}{\sqrt{\sec(c + dx)}(a + b \sec(c + dx))} dx \\ &= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} - \int \frac{\frac{1}{2}a(-2a^2A + 3Ab^2 - abB) - (-a^2(Ab - aB) + \frac{1}{2}b(-2a^2A + 3Ab^2 - abB))}{\sqrt{\sec(c + dx)}a^3(a^2 - b^2)} dx \\ &= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \sec(c + dx))} + \frac{(2a^2A - 3Ab^2 + abB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a^2(a^2 - b^2)} \\ &= \frac{b(5a^2Ab - 3Ab^3 - 3a^3B + ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^3(a - b)(a + b)^2d} \\ &= \frac{(2a^2A - 3Ab^2 + abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2(a^2 - b^2)d} - \frac{(4a^2Ab - 4a^3B + ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^3(a - b)(a + b)^2d} \end{aligned}$$

Mathematica [B] time = 6.97451, size = 657, normalized size = 2.32

$$\frac{2(-2a^2A + abB + Ab^2) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \sec^2(c + dx)} (a + b \sec(c + dx)) \left(\text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right), -1\right) + \Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) \right)}{b(1 - \cos^2(c + dx))(a \cos(c + dx) + b)} - \frac{2(-2a^2A + abB + Ab^2) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \sec^2(c + dx)} (a + b \sec(c + dx)) \left(\text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right), -1\right) + \Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) \right)}{b(1 - \cos^2(c + dx))(a \cos(c + dx) + b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^2), x]

[Out] ((-2*(4*a*A*b - 4*a^2*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/((a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-2*a^2*A + A*b^2 + a*

$$\begin{aligned}
& b*B)*\cos[c + d*x]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] + \text{EllipticPi} \\
& [-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1])*(a + b*\text{Sec}[c + d*x])* \text{Sqrt}[1 - \text{Sec} \\
& [c + d*x]^2*\sin[c + d*x])/(b*(b + a*\cos[c + d*x])*(1 - \cos[c + d*x]^2)) - \\
& (2*(-2*a^2*A + 3*A*b^2 - a*b*B)*\cos[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x])*(2*a \\
& *b - 2*a*b*\text{Sec}[c + d*x]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] \\
& *\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{EllipticF}[\text{ArcSin} \\
& [\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a^2 \\
& *\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqr} \\
& \text{t}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]] \\
&], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2])*\sin[c + d*x])/(a^2*b*(b \\
& + a*\cos[c + d*x])*(1 - \cos[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x] \\
& ^2)))/(4*a*(-a + b)*(a + b)*d) + (\text{Sqrt}[\text{Sec}[c + d*x]]*(-((b*(A*b - a*B)*\sin \\
& [c + d*x])/(a^2*(-a^2 + b^2))) + (-(A*b^3*\sin[c + d*x]) + a*b^2*B*\sin[c + d \\
& *x]))/(a^2*(a^2 - b^2)*(b + a*\cos[c + d*x])))/d
\end{aligned}$$

Maple [B] time = 6.439, size = 843, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\sec(d*x+c)^{(1/2)}/(a+b*\sec(d*x+c))^2,x)$

[Out] $\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/a^3/(-2*\sin(\\
& 1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/ \\
& 2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})* \\
& b+A*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), \\
& 2^{(1/2)})*a)-2*b^2*(A*b-B*a)/a^3*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin \\
& (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b \\
&)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2 \\
&)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d* \\
& x+1/2*c), 2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/ \\
& 2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2 \\
&)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(\\
& 1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^ \\
& 2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(\\
& 1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/ \\
& 2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/ \\
& 2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+si \\
& n(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) \\
& -2/a^2*b*(3*A*b-2*B*a)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d
\end{aligned}$

$$\frac{(x + \frac{1}{2}c)^{2+1} \sqrt{-2\sin(\frac{1}{2}dx + \frac{1}{2}c)^4 + \sin(\frac{1}{2}dx + \frac{1}{2}c)^2} \operatorname{E}\left(\frac{\operatorname{arctan}\left(\frac{\cos(\frac{1}{2}dx + \frac{1}{2}c)}{2a/(a-b)}\right)}{\sin(\frac{1}{2}dx + \frac{1}{2}c)}\right)}{(2\cos(\frac{1}{2}dx + \frac{1}{2}c) - 1) \sqrt{d}}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)
```

$$3.427 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=365

$$\frac{(16a^2Ab^2 + 2a^4A - 12a^3bB + 9ab^3B - 15Ab^4) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^4d(a^2 - b^2)} + \frac{b(Ab - aB)}{ad(a^2 - b^2) \sqrt{\sec(c+dx)}}$$

```
[Out] -(((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE
[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) + ((2*a^4*A + 16*
a^2*A*b^2 - 15*A*b^4 - 12*a^3*b*B + 9*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF
[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^4*(a^2 - b^2)*d) - (b^2*(7*a^2*A*
b - 5*A*b^3 - 5*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a +
b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^4*(a - b)*(a + b)^2*d) + ((2*a^
2*A - 5*A*b^2 + 3*a*b*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*Sqrt[Sec[c + d*
x]]) + (b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*(a
+ b*Sec[c + d*x]))
```

Rubi [A] time = 0.859338, antiderivative size = 365, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4030, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2) \sqrt{\sec(c+dx)}(a + b \sec(c+dx))} + \frac{(2a^2A + 3abB - 5Ab^2) \sin(c+dx)}{3a^2d(a^2 - b^2) \sqrt{\sec(c+dx)}} + \frac{(16a^2Ab^2 + 2a^4A - 12a^3bB + 9ab^3B - 15Ab^4) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^4d(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2), x]
```

```
[Out] -(((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE
[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) + ((2*a^4*A + 16*
a^2*A*b^2 - 15*A*b^4 - 12*a^3*b*B + 9*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF
[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^4*(a^2 - b^2)*d) - (b^2*(7*a^2*A*
b - 5*A*b^3 - 5*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a +
b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^4*(a - b)*(a + b)^2*d) + ((2*a^
2*A - 5*A*b^2 + 3*a*b*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*Sqrt[Sec[c + d*
x]]) + (b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*(a
+ b*Sec[c + d*x]))
```

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] :> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2} dx &= \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))} - \int \frac{\frac{1}{2}(-2a^2A + 5Ab^2 - 3abB) + a(Ab - aB) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2} dx \\
&= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))} \\
&= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))} \\
&= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))} \\
&= -\frac{b^2(7a^2Ab - 5Ab^3 - 5a^3B + 3ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^4(a - b)(a + b)^2 d} \\
&= -\frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^3(a^2 - b^2) d}
\end{aligned}$$

Mathematica [A] time = 7.14556, size = 704, normalized size = 1.93

$$\frac{2(-8a^2Ab + 6a^3B - 3ab^2B + 5Ab^3) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \sec^2(c + dx)}(a + b \sec(c + dx)) \left(\text{EllipticF}\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right), -1\right) + \Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) \right)}{b(1 - \cos^2(c + dx))(a \cos(c + dx) + b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2), x]

[Out] ((-2*(4*a^3*A + 8*a*A*b^2 - 12*a^2*b*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-8*a^2*A*b + 5*A*b^3 + 6*a^3*B - 3*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(-12*a^2*A*b + 15*A*b^3 + 6*a^3*B - 9*a*b^2*B)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt

$$\begin{aligned}
& [1 - \operatorname{Sec}[c + d*x]^2] + a*(a - 2*b)*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]], -1] \\
& * \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] * \operatorname{Sqrt}[1 - \operatorname{Sec}[c + d*x]^2] + a^2 * \operatorname{EllipticPi}[-(b/a), -\operatorname{Arc} \\
& \operatorname{Sin}[\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]], -1] * \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] * \operatorname{Sqrt}[1 - \operatorname{Sec}[c + d*x]^2] - \\
& 2*b^2 * \operatorname{EllipticPi}[-(b/a), -\operatorname{ArcSin}[\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]], -1] * \operatorname{Sqrt}[\operatorname{Sec}[c + d*x] \\
&] * \operatorname{Sqrt}[1 - \operatorname{Sec}[c + d*x]^2] * \operatorname{Sin}[c + d*x]) / (a^2 * b * (b + a * \operatorname{Cos}[c + d*x]) * (1 - \\
& \operatorname{Cos}[c + d*x]^2) * \operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] * (2 - \operatorname{Sec}[c + d*x]^2)) / (12 * a^2 * (a - b) * (\\
& a + b) * d) + (\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] * ((b^2 * (A * b - a * B) * \operatorname{Sin}[c + d*x]) / (a^3 * (-a^2 \\
& + b^2)) - (- (A * b^4 * \operatorname{Sin}[c + d*x]) + a * b^3 * B * \operatorname{Sin}[c + d*x]) / (a^3 * (a^2 - b^2)) * (\\
& b + a * \operatorname{Cos}[c + d*x])) + (A * \operatorname{Sin}[2 * (c + d*x)]) / (3 * a^2)) / d
\end{aligned}$$

Maple [B] time = 7.161, size = 1059, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((A+B*\operatorname{sec}(d*x+c))/\operatorname{sec}(d*x+c)^{(3/2)}/(a+b*\operatorname{sec}(d*x+c))^2,x)$

[Out] $\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/3/a^4*(4*A*a^2 \\
& * \cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9* \\
& A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{Elliptic} \\
& \operatorname{F}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+6*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2* \\
& d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b-2*A*a^2*\cos \\
& (1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-6*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\
& 2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\\
& \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(\\
& 1/2*d*x+1/2*c),2^{(1/2)})*a^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\
& ^{(1/2)}+2*b^3*(A*b-B*a)/a^4*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2* \\
& d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2 \\
& /(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2 \\
& * \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2 \\
& *c),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x \\
& +1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{Ell} \\
& \operatorname{ipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2) \\
& ^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\
& *x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a \\
& ^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\
& (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x \\
& +1/2*c),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^ \\
& 2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\
& *d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+2/a^
\end{aligned}$

$$3*b^2*(4*A*b-3*B*a)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*sec(d*x + c)^(3/2)), x)
```

$$3.428 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=583

$$\frac{(15a^3Ab + 61a^2b^2B - 35a^4B - 33aAb^3 - 8b^4B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{12b^3d(a^2-b^2)^2} + \frac{a(Ab - aB) \sin(c+dx)}{2bd(a^2-b^2)(a+b \sec(c+dx))}$$

[Out] -((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(12*b^3*(a^2 - b^2)^2*d) - (a*(15*a^4*A*b - 38*a^2*A*b^3 + 35*A*b^5 - 35*a^5*B + 86*a^3*b^2*B - 63*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*(a - b)^2*b^4*(a + b)^3*d) + ((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(12*b^3*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (a*(3*a^2*A*b - 9*A*b^3 - 7*a^3*B + 13*a*b^2*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 1.77941, antiderivative size = 583, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {4029, 4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB) \sin(c+dx) \sec^2(c+dx)}{2bd(a^2-b^2)(a+b \sec(c+dx))^2} + \frac{a(3a^2Ab - 7a^3B + 13ab^2B - 9Ab^3) \sin(c+dx) \sec^5(c+dx)}{4b^2d(a^2-b^2)^2(a+b \sec(c+dx))} - \frac{(15a^3Ab + 61a^2b^2B - 35a^4B - 33aAb^3 - 8b^4B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{12b^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(9/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] -((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(12*b^3*(a^2 - b^2)^2*d) - (a*(15*a^4*A*b - 38*a^2*A*b^3 + 35*A*b^5 - 35*a^5*B + 86*a^3*b^2*B - 63*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*(a - b)^2*b^4*(a + b)^3*d) + ((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(12*b^3*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (a*(3*a^2*A*b - 9*A*b^3 - 7*a^3*B + 13*a*b^2*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

$$B + 86a^3b^2B - 63a^2b^4B) \sqrt{\cos[c + dx]} \operatorname{EllipticPi}\left[\frac{2a}{a+b}, \frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]} / (4(a-b)^2b^4(a+b)^3d) + ((15a^4Ab - 29a^2A^2b^3 + 8A^2b^5 - 35a^5B + 65a^3b^2B - 24a^2b^4B) \sqrt{\sec[c + dx]} \sin[c + dx]) / (4b^4(a^2 - b^2)^2d) - ((15a^3Ab - 33a^2A^2b^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sec[c + dx]^{3/2} \sin[c + dx]) / (12b^3(a^2 - b^2)^2d) + (a(Ab - aB) \sec[c + dx]^{7/2} \sin[c + dx]) / (2b(a^2 - b^2)d(a + b \sec[c + dx])^2) + (a(3a^2Ab - 9A^2b^3 - 7a^3B + 13a^2b^2B) \sec[c + dx]^{5/2} \sin[c + dx]) / (4b^2(a^2 - b^2)^2d(a + b \sec[c + dx]))$$

Rule 4029

$$\operatorname{Int}[(\csc[e] + (f)(x))(d)^n (\csc[e] + (f)(x))(b) + (a))^m (\csc[e] + (f)(x))(B) + (A), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(a^2d^2(Ab - aB) \cot[e + fx] (a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^{n-2}) / (b^2 f (m+1) (a^2 - b^2)), x] - \operatorname{Dist}[d / (b(m+1)(a^2 - b^2)), \operatorname{Int}[(a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^{n-2} \operatorname{Simp}[a^2d(Ab - aB)(n-2) + b^2d(Ab - aB)(m+1) \csc[e + fx] - (aAb^2d(m+n) - dB(a^2(n-1) + b^2(m+1))) \csc[e + fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[Ab - aB, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{GtQ}[n, 1]$$

Rule 4098

$$\operatorname{Int}[(A) + \csc[e] + (f)(x))(B) + \csc[e] + (f)(x))^2 (C) (\csc[e] + (f)(x))(d)^n (\csc[e] + (f)(x))(b) + (a))^m, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(d(A^2b^2 - a^2bB + a^2C) \cot[e + fx] (a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^{n-1}) / (b^2 f (a^2 - b^2) (m+1)), x] + \operatorname{Dist}[d / (b(a^2 - b^2) (m+1)), \operatorname{Int}[(a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^{n-1} \operatorname{Simp}[A^2b^2(n-1) - a(bB - aC)(n-1) + b(aA - bB + aC)(m+1) \csc[e + fx] - (b(Ab - aB)(m+n+1) + C(a^2n + b^2(m+1))) \csc[e + fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{GtQ}[n, 0]$$

Rule 4102

$$\operatorname{Int}[(A) + \csc[e] + (f)(x))(B) + \csc[e] + (f)(x))^2 (C) (\csc[e] + (f)(x))(d)^n (\csc[e] + (f)(x))(b) + (a))^m, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(C^2d \cot[e + fx] (a + b \csc[e + fx])^{m+1} (d \csc[e + fx])^{n-1}) / (b^2 f (m+n+1)), x] + \operatorname{Dist}[d / (b(m+n+1)), \operatorname{Int}[(a + b \csc[e + fx])^m (d \csc[e + fx])^{n-1} \operatorname{Simp}[a^2C(n-1) + (Ab)(m+n+1) + b^2C(m+n) \csc[e + fx] + (bB(m+n+1) - aCn) \csc[e + fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{GtQ}[n, 0]$$

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/ (Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{9}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{a(Ab-aB)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \int \frac{\sec^{\frac{5}{2}}(c+dx)\left(\frac{5}{2}a(Ab-aB)-2b(Ab-aB)\sec(c+dx)\right)}{(a+b\sec(c+dx))^2} dx \\
&= \frac{a(Ab-aB)\sec^{\frac{7}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{a(3a^2Ab-9Ab^3-7a^3B+13ab^2B)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(15a^3Ab-33aAb^3-35a^4B+61a^2b^2B-8b^4B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{12b^3(a^2-b^2)^2d} + \frac{a(15a^4Ab-29a^2Ab^3+8Ab^5-35a^5B+65a^3b^2B-24ab^4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4b^4(a^2-b^2)^2d} \\
&= \frac{(15a^4Ab-29a^2Ab^3+8Ab^5-35a^5B+65a^3b^2B-24ab^4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4b^4(a^2-b^2)^2d} \\
&= \frac{(15a^4Ab-29a^2Ab^3+8Ab^5-35a^5B+65a^3b^2B-24ab^4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4b^4(a^2-b^2)^2d} \\
&= \frac{(15a^4Ab-29a^2Ab^3+8Ab^5-35a^5B+65a^3b^2B-24ab^4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4b^4(a^2-b^2)^2d} \\
&= -\frac{a(15a^4Ab-38a^2Ab^3+35Ab^5-35a^5B+86a^3b^2B-63ab^4B)\sqrt{\cos(c+dx)}}{4(a-b)^2b^4(a+b)^3d} \\
&= -\frac{(15a^4Ab-29a^2Ab^3+8Ab^5-35a^5B+65a^3b^2B-24ab^4B)\sqrt{\cos(c+dx)}E\left(\frac{b}{a};-\sin^{-1}\left(\frac{\sqrt{\sec(c+dx)}}{a}\right)\right)}{4b^4(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 7.45455, size = 902, normalized size = 1.55

$$-\frac{2(-48Ab^6+160aBb^5+240a^2Ab^4-512a^3Bb^3-120a^4Ab^2+280a^5Bb)\Pi\left(-\frac{b}{a};-\sin^{-1}\left(\frac{\sqrt{\sec(c+dx)}}{a}\right)\right)-1}{a(b+a\cos(c+dx))(1-\cos^2(c+dx))}(a+b\sec(c+dx))\sqrt{1-\sec^2(c+dx)}\sin(c+dx)\cos^2(c+dx)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(9/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out]
$$\begin{aligned} &((-2*(-120*a^4*A*b^2 + 240*a^2*A*b^4 - 48*A*b^6 + 280*a^5*b*B - 512*a^3*b^3 \\ &*B + 160*a*b^5*B)*\text{Cos}[c + d*x]^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d* \\ &x]]], -1]*(a + b*\text{Sec}[c + d*x])* \text{Sqrt}[1 - \text{Sec}[c + d*x]^2]*\text{Sin}[c + d*x])/(a*(b \\ &+ a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)) + (2*(-135*a^5*A*b + 285*a^3*A*b^3 \\ &- 168*a*A*b^5 + 315*a^6*B - 641*a^4*b^2*B + 328*a^2*b^4*B + 16*b^6*B)*\text{Cos}[\\ &c + d*x]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] + \text{EllipticPi}[-(b/a), \\ &-\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1))*(a + b*\text{Sec}[c + d*x])* \text{Sqrt}[1 - \text{Sec}[c + d*x] \\ &]^2*\text{Sin}[c + d*x])/(b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)) - (2*(-45* \\ &a^5*A*b + 87*a^3*A*b^3 - 24*a*A*b^5 + 105*a^6*B - 195*a^4*b^2*B + 72*a^2*b^4 \\ &*B)*\text{Cos}[2*(c + d*x)]*(a + b*\text{Sec}[c + d*x])*(2*a*b - 2*a*b*\text{Sec}[c + d*x]^2 + \\ &2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]* \text{Sqrt}[\text{Sec}[c + d*x]]* \text{Sqrt}[1 - \\ &\text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]* \text{Sqrt} \\ &[\text{Sec}[c + d*x]]* \text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin} \\ &[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]* \text{Sqrt}[\text{Sec}[c + d*x]]* \text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2 \\ &*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]* \text{Sqrt}[\text{Sec}[c + d*x]]* \text{Sqrt} \\ &[1 - \text{Sec}[c + d*x]^2])* \text{Sin}[c + d*x])/(a^2*b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[\\ &c + d*x]^2)* \text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2))/(48*(a - b)^2*b^4*(a \\ &+ b)^2*d) + (\text{Sqrt}[\text{Sec}[c + d*x]]*((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35 \\ &*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*\text{Sin}[c + d*x])/(4*b^4*(-a^2 + b^2)^2) + \\ &(a^2*A*b*\text{Sin}[c + d*x] - a^3*B*\text{Sin}[c + d*x])/(2*b^2*(-a^2 + b^2)*(b + a*\text{Cos}[\\ &c + d*x])^2) + (-5*a^4*A*b*\text{Sin}[c + d*x] + 11*a^2*A*b^3*\text{Sin}[c + d*x] + 9*a^5 \\ &*B*\text{Sin}[c + d*x] - 15*a^3*b^2*B*\text{Sin}[c + d*x])/(4*b^3*(-a^2 + b^2)^2*(b + a*\text{Cos} \\ &[c + d*x])) + (2*B*\text{Tan}[c + d*x])/(3*b^3))/d \end{aligned}$$

Maple [B] time = 15.662, size = 2178, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(9/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x)

[Out]
$$\begin{aligned} &-((-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*a*(A*b-2*B*a \\ &)/b^3*(a^2/b/(a^2-b^2)*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2* \\ &d*x+1/2*c)^2)^{(1/2)}/(2*\text{cos}(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\text{sin}(1/2*d*x \\ &+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4 \\ &+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b/ \\ &(a^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(- \\ &2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/ \end{aligned}$$

$$\begin{aligned}
& 2*c), 2^{(1/2)}) - 1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d* \\
& x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*El \\
& lipticE(cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2* \\
& d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c) \\
&)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(\\
& 1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2* \\
& d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\
& EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) + 2*B/b^3*(-1/6*cos(1/2*d*x \\
& +1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(cos(1/2*d*x+1 \\
& /2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1) \\
&)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1 \\
& /2*d*x+1/2*c), 2^{(1/2)})) - 2*a*(A*b-B*a)/b^2*(1/2*a^2/b/(a^2-b^2)*cos(1/2*d*x+ \\
& 1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*cos(1/2*d*x+ \\
& 1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(- \\
& 2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*cos(1/2*d*x+1/2*c)^2* \\
& a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x \\
& +1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ell \\
& ipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^2)/b*(sin(1/2*d*x+1 \\
& /2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+s \\
& in(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)})*a+7/8/(a+b \\
&)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\
& (-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1/2*d*x+ \\
& 1/2*c), 2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*co \\
& s(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2) \\
&)^{(1/2)}*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)})-9/8*a/(a^2-b^2)^2*(sin(1/2*d*x+ \\
& 1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+ \\
& sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*a^3/b \\
& ^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/ \\
& 2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(cos(1/2*d \\
& *x+1/2*c), 2^{(1/2)})+9/8*a/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1 \\
& /2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/ \\
& 2)}*EllipticE(cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2 \\
& -a*b)*a^5*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(- \\
& 2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(cos(1/2*d*x+1 \\
& /2*c), 2*a/(a-b), 2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d \\
& *x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c) \\
&)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1 \\
& /2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^{(1/2) \\
&)*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/ \\
& 2*c)^2)^{(1/2)}*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) + 2*a^2*(A*b- \\
& 3*B*a)/b^4/(a^2-a*b)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+ \\
& 1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(co \\
& s(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+2*(A*b-3*B*a)/b^4*(-(sin(1/2*d*x+1/2*c) \\
&)^2)^{(1/2)}*(2*sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(cos(1/2*d*x+1/2*c), 2^{(\\
& 1/2)})*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*sin(1/2*d*
\end{aligned}$$

$$x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(9/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(9/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(9/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{9}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(9/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(9/2)/(b*sec(d*x + c) + a)^3, x)
```

$$3.429 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=480

$$\frac{(a^2Ab - 5a^3B + 11ab^2B - 7Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{a(Ab - aB) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{2bd(a^2 - b^2)(a + b \sec(c+dx))}$$

```
[Out] ((3*a^3*A*b - 9*a*A*b^3 - 15*a^4*B + 29*a^2*b^2*B - 8*b^4*B)*Sqrt[Cos[c + d
*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^3*(a^2 - b^2)^2*d)
+ ((a^2*A*b - 7*A*b^3 - 5*a^3*B + 11*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[
(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) + ((3*a^4*A*b -
6*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 38*a^3*b^2*B - 35*a*b^4*B)*Sqrt[Cos[c
+ d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*(a
- b)^2*b^3*(a + b)^3*d) - ((3*a^3*A*b - 9*a*A*b^3 - 15*a^4*B + 29*a^2*b^2*
B - 8*b^4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^3*(a^2 - b^2)^2*d) + (a*
(A*b - a*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[
c + d*x])^2) + (a*(a^2*A*b - 7*A*b^3 - 5*a^3*B + 11*a*b^2*B)*Sec[c + d*x]^(
3/2)*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))
```

Rubi [A] time = 1.37823, antiderivative size = 480, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {4029, 4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{2bd(a^2 - b^2)(a + b \sec(c+dx))^2} + \frac{a(a^2Ab - 5a^3B + 11ab^2B - 7Ab^3) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{4b^2d(a^2 - b^2)^2(a + b \sec(c+dx))} - \frac{(3a^3Ab + 29a^2b^2B)}{4b^2d(a^2 - b^2)^2(a + b \sec(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]
```

```
[Out] ((3*a^3*A*b - 9*a*A*b^3 - 15*a^4*B + 29*a^2*b^2*B - 8*b^4*B)*Sqrt[Cos[c + d
*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^3*(a^2 - b^2)^2*d)
+ ((a^2*A*b - 7*A*b^3 - 5*a^3*B + 11*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[
(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) + ((3*a^4*A*b -
6*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 38*a^3*b^2*B - 35*a*b^4*B)*Sqrt[Cos[c
+ d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*(a
- b)^2*b^3*(a + b)^3*d) - ((3*a^3*A*b - 9*a*A*b^3 - 15*a^4*B + 29*a^2*b^2*
B - 8*b^4*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^3*(a^2 - b^2)^2*d) + (a*
```

$$(A*b - a*B)*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x]/(2*b*(a^2 - b^2)*d*(a + b*\text{Sec}[c + d*x])^2) + (a*(a^2*A*b - 7*A*b^3 - 5*a^3*B + 11*a*b^2*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x]))$$

Rule 4029

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*d^2*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)})/(b*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[d/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)}*\text{Simp}[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*\text{Csc}[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$$

Rule 4098

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(d*(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)})/(b*f*(a^2 - b^2)*(m + 1)), x] + \text{Dist}[d/(b*(a^2 - b^2)*(m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*\text{Csc}[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$$

Rule 4102

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)})/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$$

Rule 4106

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/(a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B$$

) * Csc[e + f*x]) / Sqrt[d * Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]) * Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n * Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{a(Ab-aB)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \int \frac{\sec^{\frac{3}{2}}(c+dx)\left(\frac{3}{2}a(Ab-aB)-2b(Ab-aB)\sec(c+dx)\right)}{(a+b\sec(c+dx))} \frac{1}{2b(a^2-b^2)} dx \\
&= \frac{a(Ab-aB)\sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{a(a^2Ab-7Ab^3-5a^3B+11ab^2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(3a^3Ab-9aAb^3-15a^4B+29a^2b^2B-8b^4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4b^3(a^2-b^2)^2d} + \frac{a(a^2Ab-7Ab^3-5a^3B+11ab^2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(3a^3Ab-9aAb^3-15a^4B+29a^2b^2B-8b^4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4b^3(a^2-b^2)^2d} + \frac{a(a^2Ab-7Ab^3-5a^3B+11ab^2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(3a^3Ab-9aAb^3-15a^4B+29a^2b^2B-8b^4B)\sqrt{\sec(c+dx)}\sin(c+dx)}{4b^3(a^2-b^2)^2d} + \frac{a(a^2Ab-7Ab^3-5a^3B+11ab^2B)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{(3a^4Ab-6a^2Ab^3+15Ab^5-15a^5B+38a^3b^2B-35ab^4B)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}\right)}{4(a-b)^2b^3(a+b)^3d} \\
&= \frac{(3a^3Ab-9aAb^3-15a^4B+29a^2b^2B-8b^4B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^3(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 7.27139, size = 847, normalized size = 1.76

$$\frac{\sqrt{\sec(c+dx)}\left(\frac{(15Ba^4-3Aba^3-29b^2Ba^2+9Ab^3a+8b^4B)\sin(c+dx)}{4b^3(b^2-a^2)^2} + \frac{a^2B\sin(c+dx)-aAb\sin(c+dx)}{2b(b^2-a^2)(b+a\cos(c+dx))^2} + \frac{-5B\sin(c+dx)a^4+Ab\sin(c+dx)a^3+11b^2B\sin(c+dx)}{4b^2(b^2-a^2)^2(b+a\cos(c+dx))}\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] -((-2*(-8*a^3*A*b^2 + 32*a*A*b^4 + 40*a^4*b*B - 80*a^2*b^3*B + 16*b^5*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x]))*(1 - Cos[c + d*x]^2)) + (2*(-9*a^4*A*b + 19*a^2*A*b^3 - 16*A*b^5 + 45*a^5*B

```

- 95*a^3*b^2*B + 56*a*b^4*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c +
d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(-3*a^4*A*b + 9*a^2*A*b^3 + 15*a^5*B - 29*a^3*b^2*B + 8*a*b^4*B)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a^2*b*(b + a*Cos[c + d*x]))*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2))/((16*(a - b)^2*b^3*(a + b)^2*d + (Sqrt[Sec[c + d*x]]*((( -3*a^3*A*b + 9*a*A*b^3 + 15*a^4*B - 29*a^2*b^2*B + 8*b^4*B)*Sin[c + d*x])/(4*b^3*(-a^2 + b^2)^2) + (-a*A*b*Sin[c + d*x]) + a^2*B*Sin[c + d*x])/(2*b*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) + (a^3*A*b*Sin[c + d*x] - 7*a*A*b^3*Sin[c + d*x] - 5*a^4*B*Sin[c + d*x] + 11*a^2*b^2*B*Sin[c + d*x])/(4*b^2*(-a^2 + b^2)^2*(b + a*Cos[c + d*x]))))/d

```

Maple [B] time = 10.555, size = 2024, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x)
```

```

[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*B*a/b^2*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2)))+2*(A*b-B*a)/b*(1/2*a^2/b/(a^2-b^2)*

```

$$\begin{aligned} & \cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2* \\ & \cos(1/2*d*x+1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d \\ & *x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d \\ & *x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2 \\ & *\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^{-1/4}/(a+b)/(a^2-b^2)/b*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)} \\ &)*a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ & ^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\\ & \cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9/8*a/(a^2-b^2)^2*(\\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d \\ & *x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)} \\ &))-3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2 \\ & *c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellipti \\ & cE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b \\ & ^2)/b^2/(a^2-a*b)*a^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2 \\ & +1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(c \\ & \cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^ \\ & 3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2* \\ & a/(a-b),2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+si \\ & n(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})) \\ & +2*B*a^2/b^3/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^ \\ & 2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\\ & \cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+2*B/b^3*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(- \\ & 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c) \\ & ^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin \\ & (1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2 \\ & *d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm
="giac")
```



```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(7/2)/(b*sec(d*x + c) + a)^3, x  
)
```

$$3.430 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=402

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4abd(a^2 - b^2)^2} + \frac{a(Ab - aB) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{2bd(a^2 - b^2)(a + b \sec(c+dx))^2}$$

[Out] ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*b*(a^2 - b^2)^2*d) + ((a^4*A*b - 10*a^2*A*b^3 - 3*A*b^5 + 3*a^5*B - 6*a^3*b^2*B + 15*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*(a - b)^2*b^2*(a + b)^3*d) + (a*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.914029, antiderivative size = 402, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4029, 4098, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{2bd(a^2 - b^2)(a + b \sec(c+dx))^2} - \frac{a(a^2Ab + 3a^3B - 9ab^2B + 5Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4b^2d(a^2 - b^2)^2(a + b \sec(c+dx))} + \frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4abd(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*b*(a^2 - b^2)^2*d) + ((a^4*A*b - 10*a^2*A*b^3 - 3*A*b^5 + 3*a^5*B - 6*a^3*b^2*B + 15*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*(a - b)^2*b^2*(a + b)^3*d) + (a*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - (a*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]
```

Rule 4098

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := -Simp[(d*(A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b
*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(a^2 - b^2)*(m + 1)),
x] + Dist[d/(b*(a^2 - b^2)*(m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*C
sc[e + f*x])^(n - 1)*Simp[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A -
b*B + a*C)*(m + 1)*Csc[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b
^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C},
x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
```

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n_], x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(Ab-aB)-2b(Ab-aB)\sec(c+dx)\right)}{(a+b\sec(c+dx))} \frac{1}{2b(a^2-b^2)} dx \\
&= \frac{a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(a^2Ab+5Ab^3+3a^3B-9ab^2B)\sqrt{\sec(c+dx)}}{4b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(a^2Ab+5Ab^3+3a^3B-9ab^2B)\sqrt{\sec(c+dx)}}{4b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{a(a^2Ab+5Ab^3+3a^3B-9ab^2B)\sqrt{\sec(c+dx)}}{4b^2(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{(A^4Ab-10a^2Ab^3-3Ab^5+3a^5B-6a^3b^2B+15ab^4B)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}\right)}{4a(a-b)^2b^2(a+b)^3d} \\
&= \frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{4b^2(a^2-b^2)^2d} + \dots
\end{aligned}$$

Mathematica [A] time = 7.01683, size = 800, normalized size = 1.99

$$\frac{2(16Ab^4-32aBb^3+8a^2Ab^2+8a^3Bb)\Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\middle|-1\right)(a+b\sec(c+dx))\sqrt{1-\sec^2(c+dx)}\sin(c+dx)\cos^2(c+dx)}{a(b+a\cos(c+dx))(1-\cos^2(c+dx))} + \frac{2(9Ba^4+3Aba^3-19b^2Ba^2-9Ab^3)}{4b^2(a^2-b^2)^2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] ((-2*(8*a^2*A*b^2 + 16*A*b^4 + 8*a^3*b*B - 32*a*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(3*a^3*A*b - 9*a*A*b^3 + 9*a^4*B - 19*a^2*b^2*B + 16*b^4*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(a^3*A*b + 5*a*A*b^3 + 3*a^4*B - 9*a^2*b^2*B)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x]))

$$\begin{aligned} &*(2*a*b - 2*a*b*\text{Sec}[c + d*x]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]] \\ &, -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + a*(a - 2*b)*\text{EllipticF}[\text{A} \\ &\text{rcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] \\ &+ a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x] \\ &]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + \\ &d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2])* \text{Sin}[c + d*x])/(a^2 \\ &*b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*(2 - \text{Sec}[c \\ &+ d*x]^2)))/(16*(a - b)^2*b^2*(a + b)^2*d) + (\text{Sqrt}[\text{Sec}[c + d*x]]*(-((a^2*A* \\ &b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*\text{Sin}[c + d*x]))/(4*b^2*(-a^2 + b^2)^2) + (\\ &A*b*\text{Sin}[c + d*x] - a*B*\text{Sin}[c + d*x]))/(2*(-a^2 + b^2)*(b + a*\text{Cos}[c + d*x])^2 \\ &) + (3*a^2*A*b*\text{Sin}[c + d*x] + 3*A*b^3*\text{Sin}[c + d*x] + a^3*B*\text{Sin}[c + d*x] - 7 \\ &*a*b^2*B*\text{Sin}[c + d*x]))/(4*b*(-a^2 + b^2)^2*(b + a*\text{Cos}[c + d*x])))/d \end{aligned}$$

Maple [B] time = 8.45, size = 1768, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{sec}(d*x+c)^{(5/2)}*(A+B*\text{sec}(d*x+c))/(a+b*\text{sec}(d*x+c))^3, x)$

[Out]
$$\begin{aligned} &-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A/a*(a^2/b/(a \\ &^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &/ (2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ &2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(\\ &1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1 \\ &/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1 \\ &/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ &/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2 \\ &*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ &+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/2*b/(a^ \\ &2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1) \\ &^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(\\ &1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})))+2*(-A*b+B*a)/a*(1/2*a^2/b/(a^2-b^2)*\cos(\\ &1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(\\ &1/2*d*x+1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1 \\ &/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1 \\ &/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos \\ &(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1 \end{aligned}$$

$$\begin{aligned} & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a + \\ & 7/8/(a+b)/(a^2-b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(\\ & 1/2*d*x+1/2*c), 2^{(1/2)}) + 3/8*a^3/b^2/(a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9/8*a/(a^2-b^2)^2 * (\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3 \\ & /8*a^3/b^2/(a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8*a/(a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\\ & -2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8/(a-b)/(a+b)/(a^2-b^2)/ \\ & b^2/(a^2-a*b) * a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b) * a^3 * (s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 15/8/(a-b)/(a+b)/(a^2-b^2) * b^2/(a^2-a*b) * a * (\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^3, x)
```


$$3.431 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=402

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4a^2d(a^2 - b^2)^2} + \frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3)}{4bd(a^2 - b^2)^2(a + b)}$$

[Out] $-\left((5a^2Ab + Ab^3 - a^3B - 5ab^2B) \sqrt{\cos[c + dx]} \operatorname{EllipticE}\left[\frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]}\right) / (4ab(a^2 - b^2)^2d) - \left((7a^2Ab - Ab^3 - 3a^3B - 3ab^2B) \sqrt{\cos[c + dx]} \operatorname{EllipticF}\left[\frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]}\right) / (4a^2(a^2 - b^2)^2d) + \left((3a^4Ab + 10a^2Ab^3 - Ab^5 + a^5B - 10a^3b^2B - 3ab^4B) \sqrt{\cos[c + dx]} \operatorname{EllipticPi}\left[\frac{2a}{a + b}, \frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]}\right) / (4a^2(a - b)^2b(a + b)^3d) + (a(Ab - aB) \sqrt{\sec[c + dx]} \sin[c + dx]) / (2b(a^2 - b^2)d(a + b \sec[c + dx])^2) + \left((3a^2Ab + 3Ab^3 + a^3B - 7ab^2B) \sqrt{\sec[c + dx]} \sin[c + dx]\right) / (4b(a^2 - b^2)^2d(a + b \sec[c + dx]))$

Rubi [A] time = 0.914072, antiderivative size = 402, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4029, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4bd(a^2 - b^2)^2(a + b \sec(c+dx))} + \frac{a(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2bd(a^2 - b^2)(a + b \sec(c+dx))^2} - \frac{(7a^2Ab - 3a^3B - 3a^4Ab + a^5B - 10a^3b^2B - 3ab^4B) \sin(c+dx) \sqrt{\sec(c+dx)}}{4a^2(a - b)^2b(a + b)^3d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\sec[c + dx])^{3/2}(A + B \sec[c + dx]) / (a + b \sec[c + dx])^3, x]$

[Out] $-\left((5a^2Ab + Ab^3 - a^3B - 5ab^2B) \sqrt{\cos[c + dx]} \operatorname{EllipticE}\left[\frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]}\right) / (4ab(a^2 - b^2)^2d) - \left((7a^2Ab - Ab^3 - 3a^3B - 3ab^2B) \sqrt{\cos[c + dx]} \operatorname{EllipticF}\left[\frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]}\right) / (4a^2(a^2 - b^2)^2d) + \left((3a^4Ab + 10a^2Ab^3 - Ab^5 + a^5B - 10a^3b^2B - 3ab^4B) \sqrt{\cos[c + dx]} \operatorname{EllipticPi}\left[\frac{2a}{a + b}, \frac{c + dx}{2}, 2\right] \sqrt{\sec[c + dx]}\right) / (4a^2(a - b)^2b(a + b)^3d) + (a(Ab - aB) \sqrt{\sec[c + dx]} \sin[c + dx]) / (2b(a^2 - b^2)d(a + b \sec[c + dx])^2) + \left((3a^2Ab + 3Ab^3 + a^3B - 7ab^2B) \sqrt{\sec[c + dx]} \sin[c + dx]\right) / (4b(a^2 - b^2)^2d(a + b \sec[c + dx]))$

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
```

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \frac{a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \int \frac{-\frac{1}{2}a(Ab-aB)-2b(Ab-aB)\sec(c+dx)+\frac{1}{2}(3aAb+a^2)}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))^2} dx \\
&= \frac{a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(3a^2Ab+3Ab^3+a^3B-7ab^2B)\sqrt{\sec(c+dx)}}{4b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(3a^2Ab+3Ab^3+a^3B-7ab^2B)\sqrt{\sec(c+dx)}}{4b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\sec(c+dx))^2} + \frac{(3a^2Ab+3Ab^3+a^3B-7ab^2B)\sqrt{\sec(c+dx)}}{4b(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= \frac{(3a^4Ab+10a^2Ab^3-Ab^5+a^5B-10a^3b^2B-3ab^4B)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{4a^2(a-b)^2b(a+b)^3d} \\
&= -\frac{(5a^2Ab+Ab^3-a^3B-5ab^2B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{4ab(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [B] time = 7.01503, size = 887, normalized size = 2.21

$$\frac{\sec^2(c+dx)(A+B\sec(c+dx))\left(-\frac{2(16Bb^3-24aAb^2+8a^2Bb)\Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\middle|1\right)(a+b\sec(c+dx))\sqrt{1-\sec^2(c+dx)}\sin(c+dx)\cos^2(c+dx)}{a(b+a\cos(c+dx))(1-\cos^2(c+dx))}\right)}{1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((-2*(-24*a*A*b^2 + 8*a^2*b*B + 16*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*Cos[2*(c + d*x)]))

```
x)]*(a + b*Sec[c + d*x])*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2]))*Sin[c + d*x])/(a^2*b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(16*(a - b)^2*b*(a + b)^2*d*(B + A*Cos[c + d*x])*(a + b*Sec[c + d*x])^3 + ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x])*(((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*Sin[c + d*x])/(4*a*b*(-a^2 + b^2)^2) - ((A*b^2*Sin[c + d*x]) + a*b*B*Sin[c + d*x])/(2*a*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (-7*a^2*A*b*Sin[c + d*x] + A*b^3*Sin[c + d*x] + 3*a^3*B*Sin[c + d*x] + 3*a*b^2*B*Sin[c + d*x])/(4*a*(a^2 - b^2)^2*(b + a*Cos[c + d*x])))))/(d*(B + A*Cos[c + d*x])*(a + b*Sec[c + d*x])^3)
```

Maple [B] time = 8.338, size = 1872, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c))^{3/2} (A+B\sec(dx+c)) / (a+b\sec(dx+c))^3, x$

[Out]
$$-(-(-2\cos(1/2dx+1/2c)^2+1)\sin(1/2dx+1/2c)^2)^{1/2}*(2*(-2A*b+B*a)/a^2*(a^2/b/(a^2-b^2)\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}/(2\cos(1/2dx+1/2c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2dx+1/2c)^2)^{1/2}*(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*\text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2})+1/2*a/b/(a^2-b^2)*(\sin(1/2dx+1/2c)^2)^{1/2}*(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*\text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2})-1/2*a/b/(a^2-b^2)*(\sin(1/2dx+1/2c)^2)^{1/2}*(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*\text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2dx+1/2c)^2)^{1/2}*(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*\text{EllipticPi}(\cos(1/2dx+1/2c), 2*a/(a-b), 2^{1/2}))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2dx+1/2c)^2)^{1/2}*(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*\text{EllipticPi}(\cos(1/2dx+1/2c), 2*a/(a-b), 2^{1/2}))+2*b*(A*b-B*a)/a^2*(1/2*a^2/b/(a^2-b^2)\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}/(2\cos(1/2dx+1/2c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}/$$

$$\begin{aligned}
& (2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c) \\
& ^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\
& *d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^{-2-1/4}/(a+b)/(a \\
& ^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(- \\
& 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/ \\
& 2*c),2^{(1/2)})*a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/ \\
& 2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d* \\
& x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\
& 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9/8*a/(\\
& a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(\\
& -2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1 \\
& /2*c),2^{(1/2)})-3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos \\
& (1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(\\
& 1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1 \\
& /2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+s \\
& in(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8/(a-b)/ \\
& (a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2* \\
& d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\
& EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/ \\
& (a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2) \\
&)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d \\
& *x+1/2*c),2*a/(a-b),2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x \\
& +1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a- \\
& b),2^{(1/2)}))-2*A/a/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1 \\
& /2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellip \\
& ticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2* \\
& d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm
="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^3, x)
```

$$3.432 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=402

$$\frac{(-5a^2Ab^2 + 8a^4A - 7a^3bB + ab^3B + 3Ab^4) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4a^3d(a^2-b^2)^2} - \frac{(7a^2Ab - 3a^3B - 3ab^2B) \sin(c+dx) \sqrt{\sec(c+dx)}}{4ad(a^2-b^2)^2}$$

[Out] ((9*a^2*A*b - 3*A*b^3 - 5*a^3*B - a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^2*(a^2 - b^2)^2*d) + ((8*a^4*A - 5*a^2*A*b^2 + 3*A*b^4 - 7*a^3*b*B + a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a^2 - b^2)^2*d) - ((15*a^4*A*b - 6*a^2*A*b^3 + 3*A*b^5 - 3*a^5*B - 10*a^3*b^2*B + a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a - b)^2*(a + b)^3*d) - ((A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((7*a^2*A*b - A*b^3 - 3*a^3*B - 3*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.865092, antiderivative size = 402, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4027, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4ad(a^2-b^2)^2(a+b \sec(c+dx))} - \frac{(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2d(a^2-b^2)(a+b \sec(c+dx))^2} + \frac{(-5a^2Ab^2 + 8a^4A - 7a^3bB + ab^3B + 3Ab^4) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] ((9*a^2*A*b - 3*A*b^3 - 5*a^3*B - a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^2*(a^2 - b^2)^2*d) + ((8*a^4*A - 5*a^2*A*b^2 + 3*A*b^4 - 7*a^3*b*B + a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a^2 - b^2)^2*d) - ((15*a^4*A*b - 6*a^2*A*b^3 + 3*A*b^5 - 3*a^5*B - 10*a^3*b^2*B + a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a - b)^2*(a + b)^3*d) - ((A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) - ((7*a^2*A*b - A*b^3 - 3*a^3*B - 3*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4027


```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(d*(A*
b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)
)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[d*(n - 1)*(A*b - a*B) + d
*(a*A - b*B)*(m + 1)*Csc[e + f*x] - d*(A*b - a*B)*(m + n + 1)*Csc[e + f*x]^
2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && Ne
Q[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1]

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1)
- a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/((Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)
)*Csc[e + f*x]/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= -\frac{(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{\int \frac{\frac{1}{2}(-Ab+aB)-2(aA-bB)\sec(c+dx)+\frac{3}{2}(Ab-aB)}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))^2}}{2(a^2-b^2)} \\
&= -\frac{(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(7a^2Ab-Ab^3-3a^3B-3ab^2B)\sqrt{\sec(c+dx)}}{4a(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(7a^2Ab-Ab^3-3a^3B-3ab^2B)\sqrt{\sec(c+dx)}}{4a(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\sec(c+dx))^2} - \frac{(7a^2Ab-Ab^3-3a^3B-3ab^2B)\sqrt{\sec(c+dx)}}{4a(a^2-b^2)^2d(a+b\sec(c+dx))} \\
&= -\frac{(15a^4Ab-6a^2Ab^3+3Ab^5-3a^5B-10a^3b^2B+ab^4B)\sqrt{\cos(c+dx)}\Pi\left(\frac{2a}{a+b}\right)}{4a^3(a-b)^2(a+b)^3d} \\
&= \frac{(9a^2Ab-3Ab^3-5a^3B-ab^2B)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{4a^2(a^2-b^2)^2d} + \dots
\end{aligned}$$

Mathematica [B] time = 6.98584, size = 890, normalized size = 2.21

$$\sec^2(c+dx)(A+B\sec(c+dx)) \left(-\frac{2(16Aa^3-24bBa^2+8Ab^2a)\Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\sec(c+dx)})\right)-1}{a(b+a\cos(c+dx))(1-\cos^2(c+dx))} (a+b\sec(c+dx))\sqrt{1-\sec^2(c+dx)}\sin(c+dx)\cos^2(c+dx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^2*(A + B*Sec[c + d*x]))*((-2*(16*a^3*A + 8*a*A*b^2 - 24*a^2*b*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/((a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x]))*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(9*a^2*A*b - 3*A*b^3 - 5*a^3*B - a*b^2*B)*Cos[2*(c + d*x

$$\begin{aligned} &]*(a + b*\text{Sec}[c + d*x])*(2*a*b - 2*a*b*\text{Sec}[c + d*x]^2 + 2*a*b*\text{EllipticE}[\text{Arc} \\ & \text{Sin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] + \\ & a*(a - 2*b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{S} \\ & \text{qrt}[1 - \text{Sec}[c + d*x]^2] + a^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]] \\ & , -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2*\text{EllipticPi}[-(b/a) \\ & , -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x] \\ & ^2])* \text{Sin}[c + d*x]) / (a^2*b*(b + a*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)*\text{Sqrt}[\text{Se} \\ & \text{c}[c + d*x]]*(2 - \text{Sec}[c + d*x]^2))) / (16*a*(a - b)^2*(a + b)^2*d*(B + A*\text{Cos}[\\ & c + d*x])*(a + b*\text{Sec}[c + d*x])^3 + ((b + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^(5 \\ & /2)*(A + B*\text{Sec}[c + d*x])*(((-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*\text{Sin}[c \\ & + d*x]) / (4*a^2*(-a^2 + b^2)^2) - (A*b^3*\text{Sin}[c + d*x] - a*b^2*B*\text{Sin}[c + d*x] \\ &)) / (2*a^2*(a^2 - b^2)*(b + a*\text{Cos}[c + d*x])^2) + (11*a^2*A*b^2*\text{Sin}[c + d*x] \\ & - 5*A*b^4*\text{Sin}[c + d*x] - 7*a^3*b*B*\text{Sin}[c + d*x] + a*b^3*B*\text{Sin}[c + d*x]) / (4* \\ & a^2*(a^2 - b^2)^2*(b + a*\text{Cos}[c + d*x]))) / (d*(B + A*\text{Cos}[c + d*x])*(a + b*\text{Se} \\ & c[c + d*x])^3) \end{aligned}$$

Maple [B] time = 8.849, size = 1959, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\text{sec}(d*x+c)^{(1/2)}*(A+B*\text{sec}(d*x+c))/(a+b*\text{sec}(d*x+c))^3,x)$

[Out]
$$\begin{aligned} & -(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A/a^3*(\text{sin}(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2 \\ & *c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+2/a \\ & ^3*b*(3*A*b-2*B*a)*(a^2/b/(a^2-b^2)*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2* \\ & c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\text{cos}(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b \\ & *(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2 \\ & *d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1 \\ & /2)})+1/2*a/b/(a^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^ \\ & 2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(c \\ & \text{os}(1/2*d*x+1/2*c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\\ & -2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c \\ &)^2)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)* \\ & a^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(\\ & 1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\text{cos}(1/2*d*x+1/2*c), \\ & 2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*\text{EllipticPi}(\text{cos}(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})-2*b^2*(A*b-B \\ & *a)/a^3*(1/2*a^2/b/(a^2-b^2)*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{si} \end{aligned}$$

$$\begin{aligned} & n(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b \\ & ^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x \\ & +1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & * a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2 \\ & *c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{Elliptic} \\ & \text{cF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3/8*a^3/b^2/(a^2-b \\ & ^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c) \\ & , 2^{(1/2)})-9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/ \\ & 2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{Elliptic} \\ & \text{icF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*a/(a^2-b^2) \\ & ^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1 \\ & /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(\\ & 1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5*(\sin(1/2*d*x+1/2*c)^2)^{(\\ & 1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/4/(a-b) \\ & /(a+b)/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x \\ & +1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{Elliptic} \\ & \text{Pi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^ \\ & 2/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ &) / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d \\ & *x+1/2*c), 2*a/(a-b), 2^{(1/2)})-2*(-3*A*b+B*a)/a^2/(a^2-a*b)*(\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) / \\ & \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a)^3, x)

$$3.433 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=427

$$\frac{(-33a^2Ab^3 + 24a^4Ab + 5a^3b^2B - 8a^5B - 3ab^4B + 15Ab^5) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) + b(11a^2Ab - 7a^3B + ab^2B - 5Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4a^4d(a^2 - b^2)^2} + \frac{b(11a^2Ab - 7a^3B + ab^2B - 5Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad(a^2 - b^2)(a + b \sec(c+dx))^2}$$

[Out] ((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a^2 - b^2)^2*d) - ((24*a^4*A*b - 33*a^2*A*b^3 + 15*A*b^5 - 8*a^5*B + 5*a^3*b^2*B - 3*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^4*(a^2 - b^2)^2*d) + (b*(35*a^4*A*b - 38*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 6*a^3*b^2*B - 3*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^4*(a - b)^2*(a + b)^3*d) + (b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rubi [A] time = 0.998036, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {4030, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(11a^2Ab - 7a^3B + ab^2B - 5Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4a^2d(a^2 - b^2)^2(a + b \sec(c+dx))} + \frac{b(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad(a^2 - b^2)(a + b \sec(c+dx))^2} - \frac{(-33a^2Ab^3 + 24a^4Ab + 5a^3b^2B - 8a^5B - 3ab^4B + 15Ab^5) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) + b(11a^2Ab - 7a^3B + ab^2B - 5Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4a^4d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3), x]

[Out] ((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^3*(a^2 - b^2)^2*d) - ((24*a^4*A*b - 33*a^2*A*b^3 + 15*A*b^5 - 8*a^5*B + 5*a^3*b^2*B - 3*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^4*(a^2 - b^2)^2*d) + (b*(35*a^4*A*b - 38*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 6*a^3*b^2*B - 3*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a^4*(a - b)^2*(a + b)^3*d) + (b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^2) + (b*(11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

+ d*x]]/(4*a^2*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x]))

Rule 4030

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4106

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x_Symbol] :> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)


```

+ (f_.)*(x_)]], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)(a + b \sec(c + dx))^3}} dx &= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} - \int \frac{\frac{1}{2}(-4a^2A + 5Ab^2 - abB) + 2a(Ab - aB)\sec(c + dx) - \frac{3}{2}}{\sqrt{\sec(c + dx)(a + b \sec(c + dx))^2}} \frac{1}{2a(a^2 - b^2)} dx \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{b(11a^2Ab - 5Ab^3 - 7a^3B + ab^2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4a^2(a^2 - b^2)^2d(a + b \sec(c + dx))^2} \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{b(11a^2Ab - 5Ab^3 - 7a^3B + ab^2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4a^2(a^2 - b^2)^2d(a + b \sec(c + dx))^2} \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \sec(c + dx))^2} + \frac{b(11a^2Ab - 5Ab^3 - 7a^3B + ab^2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{4a^2(a^2 - b^2)^2d(a + b \sec(c + dx))^2} \\
&= \frac{b(35a^4Ab - 38a^2Ab^3 + 15Ab^5 - 15a^5B + 6a^3b^2B - 3ab^4B)\sqrt{\cos(c + dx)} \Pi\left(\frac{2a}{a+b}, -\frac{b}{a}, -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right)}{4a^4(a - b)^2(a + b)^3d} \\
&= \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^3(a^2 - b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 7.38786, size = 823, normalized size = 1.93

$$\frac{2(16Ba^4 - 32Aba^3 + 8b^2Ba^2 + 8Ab^3a)\Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right)(a + b \sec(c + dx))\sqrt{1 - \sec^2(c + dx)} \sin(c + dx) \cos^2(c + dx)}{a(b + a \cos(c + dx))(1 - \cos^2(c + dx))} + \frac{2(8Aa^4 - 5bBa^3 - 7Ab^2a^2 - b^3Ba + b^4a)}{4a^3(a^2 - b^2)^2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^3), x]

[Out] ((-2*(-32*a^3*A*b + 8*a*A*b^3 + 16*a^4*B + 8*a^2*b^2*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(8*a^4*A - 7*a^2*A*b^2 + 5*A*b^4 - 5*a^3*b*B - a*b^3*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) - (2*(8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*Cos[2*(c + d*x)]*(a + b*Sec[c + d*x]))/(4*a^3*(a^2 - b^2)^2*d)

```

c[c + d*x]]*(2*a*b - 2*a*b*Sec[c + d*x]^2 + 2*a*b*EllipticE[ArcSin[Sqrt[Sec
[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + a*(a - 2*b)*
EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c
+ d*x]^2] + a^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[S
ec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(b/a), -ArcSin[Sq
rt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c +
d*x])/(a^2*b*(b + a*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*
(2 - Sec[c + d*x]^2))/(16*a^2*(a - b)^2*(a + b)^2*d) + (Sqrt[Sec[c + d*x]]
*(-(b*(-13*a^2*A*b + 7*A*b^3 + 9*a^3*B - 3*a*b^2*B)*Sin[c + d*x]))/(4*a^3*(-
a^2 + b^2)^2) - ((A*b^4*Sin[c + d*x]) + a*b^3*B*Sin[c + d*x])/(2*a^3*(a^2
- b^2)*(b + a*Cos[c + d*x])^2) + (-15*a^2*A*b^3*Sin[c + d*x] + 9*A*b^5*Sin[
c + d*x] + 11*a^3*b^2*B*Sin[c + d*x] - 5*a*b^4*B*Sin[c + d*x])/(4*a^3*(a^2
- b^2)^2*(b + a*Cos[c + d*x]))) / d

```

Maple [B] time = 9.803, size = 2000, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int \frac{(A+B \sec(dx+c))}{\sec(dx+c)^{1/2} (a+b \sec(dx+c))^3} dx$

```

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/a^4/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(
2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(3*A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*
b+A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a-B*EllipticF(cos(1/2*d*x+1/2*c),
2^(1/2))*a)-2/a^4*b^2*(4*A*b-3*B*a)*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a
-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(
1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/
2*d*x+1/2*c), 2^(1/2))+1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*co
s(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(
1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+
sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-1/2/b/(a^
2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+
1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(co
s(1/2*d*x+1/2*c), 2*a/(a-b), 2^(1/2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^(1/
2)))+2*b^3*(A*b-B*a)/a^4*(1/2*a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/
2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)^2

```

$$\begin{aligned}
& +3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))-6/a^3*b*(2*A*b-B*a)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*sqrt(sec(d*x + c))), x)

$$3.434 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=521

$$\frac{(128a^4Ab^2 - 223a^2Ab^4 + 8a^6A + 99a^3b^3B - 72a^5bB - 45ab^5B + 105Ab^6) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \text{EllipticF}\left(\frac{1}{2}(c+dx)\right)}{12a^5d(a^2-b^2)^2}$$

[Out] $-\left((24a^4Ab - 65a^2Ab^3 + 35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B)\sqrt{\cos[c+dx]}\text{EllipticE}\left[\frac{c+dx}{2}, 2\right]\sqrt{\sec[c+dx]}\right)/(4a^4(a^2-b^2)^2d) + \left((8a^6A + 128a^4Ab^2 - 223a^2Ab^4 + 105Ab^6 - 72a^5bB + 99a^3b^3B - 45ab^5B)\sqrt{\cos[c+dx]}\text{EllipticF}\left[\frac{c+dx}{2}, 2\right]\sqrt{\sec[c+dx]}\right)/(12a^5(a^2-b^2)^2d) - (b^2(63a^4Ab - 86a^2Ab^3 + 35Ab^5 - 35a^5B + 38a^3b^2B - 15ab^4B)\sqrt{\cos[c+dx]}\text{EllipticPi}\left[\frac{2a}{a+b}, \frac{c+dx}{2}, 2\right]\sqrt{\sec[c+dx]})/(4a^5(a-b)^2(a+b)^3d) + \left((8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B)\sin[c+dx]\right)/(12a^3(a^2-b^2)^2d\sqrt{\sec[c+dx]}) + (b(Ab - aB)\sin[c+dx])/(2a(a^2-b^2)d\sqrt{\sec[c+dx]}(a+b\sec[c+dx])^2) + (b(13a^2Ab - 7Ab^3 - 9a^3B + 3ab^2B)\sin[c+dx])/(4a^2(a^2-b^2)^2d\sqrt{\sec[c+dx]}(a+b\sec[c+dx]))$

Rubi [A] time = 1.44398, antiderivative size = 521, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$, Rules used = {4030, 4100, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(13a^2Ab - 9a^3B + 3ab^2B - 7Ab^3) \sin(c+dx)}{4a^2d(a^2-b^2)^2 \sqrt{\sec(c+dx)}(a+b \sec(c+dx))} + \frac{b(Ab - aB) \sin(c+dx)}{2ad(a^2-b^2) \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^2} + \frac{(-61a^2Ab^2 + 8a^4A + \dots)}{12a^3d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + dx])/(Sec[c + dx]^(3/2)*(a + b*Sec[c + dx])^3), x]

[Out] $-\left((24a^4Ab - 65a^2Ab^3 + 35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B)\sqrt{\cos[c+dx]}\text{EllipticE}\left[\frac{c+dx}{2}, 2\right]\sqrt{\sec[c+dx]}\right)/(4a^4(a^2-b^2)^2d) + \left((8a^6A + 128a^4Ab^2 - 223a^2Ab^4 + 105Ab^6 - 72a^5bB + 99a^3b^3B - 45ab^5B)\sqrt{\cos[c+dx]}\text{EllipticF}\left[\frac{c+dx}{2}, 2\right]\sqrt{\sec[c+dx]}\right)/(12a^5(a^2-b^2)^2d) - (b^2(63a^4Ab - 86a^2Ab^3 + 35Ab^5 - 35a^5B + 38a^3b^2B - 15ab^4B)\sqrt{\cos[c+dx]}\text{EllipticPi}\left[\frac{2a}{a+b}, \frac{c+dx}{2}, 2\right]\sqrt{\sec[c+dx]})/(4a^5(a-b)^2(a+b)^3d) + \left((8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B)\sin[c+dx]\right)/(12a^3(a^2-b^2)^2d\sqrt{\sec[c+dx]}) + (b(Ab - aB)\sin[c+dx])/(2a(a^2-b^2)d\sqrt{\sec[c+dx]}(a+b\sec[c+dx])^2) + (b(13a^2Ab - 7Ab^3 - 9a^3B + 3ab^2B)\sin[c+dx])/(4a^2(a^2-b^2)^2d\sqrt{\sec[c+dx]}(a+b\sec[c+dx]))$

$$a^5*(a - b)^2*(a + b)^3*d + ((8*a^4*A - 61*a^2*A*b^2 + 35*A*b^4 + 33*a^3*b*B - 15*a*b^3*B)*\sin[c + d*x])/(12*a^3*(a^2 - b^2)^2*d*\sqrt{\sec[c + d*x]}) + (b*(A*b - a*B)*\sin[c + d*x])/(2*a*(a^2 - b^2)*d*\sqrt{\sec[c + d*x]}*(a + b*\sec[c + d*x])^2) + (b*(13*a^2*A*b - 7*A*b^3 - 9*a^3*B + 3*a*b^2*B)*\sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*\sqrt{\sec[c + d*x]}*(a + b*\sec[c + d*x]))$$

Rule 4030

$$\text{Int}[(\csc[e_.] + (f_.)*(x_.)*(d_.))^n*(\csc[e_.] + (f_.)*(x_.)*(b_.) + (a_.))^m*(\csc[e_.] + (f_.)*(x_.)*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\cot[e + f*x]*(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n)/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n*\text{Simp}[A*(a^2*(m+1) - b^2*(m+n+1)) + a*b*B*n - a*(A*b - a*B)*(m+1)*\csc[e + f*x] + b*(A*b - a*B)*(m+n+2)*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4100

$$\text{Int}[(A_. + \csc[e_.] + (f_.)*(x_.)*(B_.) + \csc[e_.] + (f_.)*(x_.)^2*(C_.))*(\csc[e_.] + (f_.)*(x_.)*(d_.))^n*(\csc[e_.] + (f_.)*(x_.)*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cot[e + f*x]*(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n)/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n*\text{Simp}[a*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C)*(m+n+1) - a*(A*b - a*B + b*C)*(m+1)*\csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m+n+2)*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4104

$$\text{Int}[(A_. + \csc[e_.] + (f_.)*(x_.)*(B_.) + \csc[e_.] + (f_.)*(x_.)^2*(C_.))*(\csc[e_.] + (f_.)*(x_.)*(d_.))^n*(\csc[e_.] + (f_.)*(x_.)*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\cot[e + f*x]*(a + b*\csc[e + f*x])^{m+1}*(d*\csc[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\csc[e + f*x])^m*(d*\csc[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\csc[e + f*x] + A*b*(m+n+2)*\csc[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4106

$$\text{Int}[(A_. + \csc[e_.] + (f_.)*(x_.)*(B_.) + \csc[e_.] + (f_.)*(x_.)^2*(C_.))/(\sqrt{\csc[e_.] + (f_.)*(x_.)*(d_.)}*(\csc[e_.] + (f_.)*(x_.)*(b_.) + (a_.))), x_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\csc[e + f*x])^n, x]]$$

$$\text{Int}[(\text{csc}[e + f*x])^{3/2}/(a + b*\text{Csc}[e + f*x]), x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/ \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3849

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{3/2}/(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2805

$$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$$

Rule 3787

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$$

Rule 3771

$$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x_Symbol] \text{:>} \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$$

Rule 2639

$$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$$

Rule 2641

$$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3} dx &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2} - \frac{\int \frac{\frac{1}{2}(-4a^2A + 7Ab^2 - 3abB) + 2a(Ab - a^2)}{\sec^{\frac{3}{2}}(c + dx)} dx}{2a(a^2 - b^2) d \sqrt{\sec(c + dx)}} \\
&= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^2} + \frac{b(13a^2Ab - 7Ab^3 - 9a^3B + 3a^2bB)}{4a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{b(13a^2Ab - 7Ab^3 - 9a^3B + 3a^2bB)}{2a(a^2 - b^2) d \sqrt{\sec(c + dx)}} \\
&= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{b(13a^2Ab - 7Ab^3 - 9a^3B + 3a^2bB)}{2a(a^2 - b^2) d \sqrt{\sec(c + dx)}} \\
&= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{b(13a^2Ab - 7Ab^3 - 9a^3B + 3a^2bB)}{2a(a^2 - b^2) d \sqrt{\sec(c + dx)}} \\
&= -\frac{b^2(63a^4Ab - 86a^2Ab^3 + 35Ab^5 - 35a^5B + 38a^3b^2B - 15ab^4B) \sqrt{\cos(c + dx)}}{4a^5(a - b)^2(a + b)^3d} \\
&= -\frac{(24a^4Ab - 65a^2Ab^3 + 35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B) \sqrt{\cos(c + dx)} E\left(\frac{b}{a}\right)}{4a^4(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 7.35287, size = 868, normalized size = 1.67

$$-\frac{2(16Aa^5 - 96bBa^4 + 112Ab^2a^3 + 24b^3Ba^2 - 56Ab^4a) \Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \middle| -1\right) (a+b \sec(c+dx)) \sqrt{1-\sec^2(c+dx)} \sin(c+dx) \cos^2(c+dx)}{a(b+a \cos(c+dx))(1-\cos^2(c+dx))} + \frac{2(24Ba^5 - 56Ab^4a)}{4a^4(a^2 - b^2)^2 d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3), x]

[Out] ((-2*(16*a^5*A + 112*a^3*A*b^2 - 56*a*A*b^4 - 96*a^4*b*B + 24*a^2*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(b/a), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(a + b*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(b + a*Cos[c + d*x]))*(

$$\begin{aligned}
& 1 - \cos[c + dx]^2) + (2*(-56*a^4*A*b + 73*a^2*A*b^3 - 35*A*b^5 + 24*a^5*B \\
& - 21*a^3*b^2*B + 15*a*b^4*B)*\cos[c + dx]^2*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + \\
& dx]]], -1] + \text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + dx]]], -1])*(a + b* \\
& \text{Sec}[c + dx])*\text{Sqrt}[1 - \text{Sec}[c + dx]^2]*\sin[c + dx]/(b*(b + a*\cos[c + dx] \\
&))*(1 - \cos[c + dx]^2)) - (2*(-72*a^4*A*b + 195*a^2*A*b^3 - 105*A*b^5 + 24* \\
& a^5*B - 87*a^3*b^2*B + 45*a*b^4*B)*\cos[2*(c + dx)]*(a + b*\text{Sec}[c + dx])*(2 \\
& *a*b - 2*a*b*\text{Sec}[c + dx]^2 + 2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + dx]]], - \\
& 1]*\text{Sqrt}[\text{Sec}[c + dx]]*\text{Sqrt}[1 - \text{Sec}[c + dx]^2] + a*(a - 2*b)*\text{EllipticF}[\text{ArcS} \\
& \text{in}[\text{Sqrt}[\text{Sec}[c + dx]]], -1]*\text{Sqrt}[\text{Sec}[c + dx]]*\text{Sqrt}[1 - \text{Sec}[c + dx]^2] + a \\
& ^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + dx]]], -1]*\text{Sqrt}[\text{Sec}[c + dx]]* \\
& \text{Sqrt}[1 - \text{Sec}[c + dx]^2] - 2*b^2*\text{EllipticPi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + dx] \\
&]], -1]*\text{Sqrt}[\text{Sec}[c + dx]]*\text{Sqrt}[1 - \text{Sec}[c + dx]^2]))*\sin[c + dx]/(a^2*b* \\
& (b + a*\cos[c + dx])*(1 - \cos[c + dx]^2)*\text{Sqrt}[\text{Sec}[c + dx]]*(2 - \text{Sec}[c + d \\
& x]^2)))/(48*a^3*(a - b)^2*(a + b)^2*d + (\text{Sqrt}[\text{Sec}[c + dx]]*((b^2*(-17*a^ \\
& 2*A*b + 11*A*b^3 + 13*a^3*B - 7*a*b^2*B)*\sin[c + dx]))/(4*a^4*(-a^2 + b^2)^ \\
& 2) - (A*b^5*\sin[c + dx] - a*b^4*B*\sin[c + dx]))/(2*a^4*(a^2 - b^2)*(b + a* \\
& \cos[c + dx])^2) + (19*a^2*A*b^4*\sin[c + dx] - 13*A*b^6*\sin[c + dx] - 15* \\
& a^3*b^3*B*\sin[c + dx] + 9*a*b^5*B*\sin[c + dx]))/(4*a^4*(a^2 - b^2)^2*(b + \\
& a*\cos[c + dx])) + (A*\sin[2*(c + dx)])/(3*a^3))/d
\end{aligned}$$

Maple [B] time = 11.085, size = 2216, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c))/\sec(dx+c)^{(3/2)}/(a+b*\sec(dx+c))^3,x)$

[Out] $\begin{aligned}
& -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/3/a^5*(4*A*a^ \\
& 2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+18 \\
& *A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{Ellipt} \\
& \text{icF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2 \\
& *d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b-2*A*a^2*\cos \\
& (1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-9*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\
& (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*B* \\
& (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos \\
& (1/2*d*x+1/2*c), 2^{(1/2)})*a^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\
&)^{(1/2)}+2/a^5*b^3*(5*A*b-4*B*a)*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin \\
& (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a*b \\
&)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\
&)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*
\end{aligned}$

$$\begin{aligned}
& x+1/2*c), 2^{(1/2)})+1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*EllipticE(cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) \\
& -2*b^4*(A*b-B*a)/a^5*(1/2*a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)^2+3/4 \\
& *a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2 \\
& *(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
&)*a^2-1/4/(a+b)/(a^2-b^2)/b*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
&)*a+7/8/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
&)+3/8*a^3/b^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
&)-9/8*a/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
&)-3/8*a^3/b^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
&)+9/8*a/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\
&)-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
&)*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) \\
& +4/a^4*b^2*(5*A*b-3*B*a)/(a^2-a*b)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) \\
&)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm
="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*sec(d*x + c)^(3/2)), x)
```

$$3.435 \quad \int \sec^2(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=336

$$\frac{(3aB + 4Ab) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) + (a^2(-B) + 4aAb + 4b^2B) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}}}{4d \sqrt{a + b \sec(c + dx)}} + \frac{(a^2(-B) + 4aAb + 4b^2B) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}}}{4bd \sqrt{a + b \sec(c + dx)}}$$

[Out] $((4A*b + 3a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(4*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((4a*A*b - a^2*B + 4*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(4*b*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - ((4A*b + a*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(4*b*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + ((4A*b + a*B)*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(4*b*d) + (B*\operatorname{Sec}[c + d*x]^(3/2))*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(2*d)$

Rubi [A] time = 1.10781, antiderivative size = 336, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4031, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(a^2(-B) + 4aAb + 4b^2B) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) + (aB + 4Ab) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{4bd \sqrt{a + b \sec(c + dx)}} + \frac{(aB + 4Ab) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{4bd}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sec}[c + d*x]^(3/2)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x]),x]$

[Out] $((4A*b + 3a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(4*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((4a*A*b - a^2*B + 4*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(4*b*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - ((4A*b + a*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(4*b*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + ((4A*b + a*B)*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(4*b*d) + (B*\operatorname{Sec}[c + d*x]^(3/2))*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(2*d)$

Rule 4031

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(m + n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n -
1)*Simp[a*B*(n - 1) + (b*B*(m + n - 1) + a*A*(m + n))*Csc[e + f*x] + (a*B*m
+ A*b*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B},
x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && GtQ[n, 0]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663


```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx &= \frac{B \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{(4Ab + aB) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4bd} + \frac{1}{2} \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{(4Ab + aB) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4bd} + \frac{1}{2} \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{(4Ab + aB) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4bd} + \frac{1}{2} \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{(4Ab + aB) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4bd} + \frac{1}{2} \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{(4aAb - a^2B + 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{4bd \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(4Ab + 3aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{4d \sqrt{a + b \sec(c + dx)}} + \frac{1}{2} \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx
\end{aligned}$$

Mathematica [C] time = 5.3401, size = 422, normalized size = 1.26

$$\sqrt{a + b \sec(c + dx)} \left(-\frac{2i(aB+4Ab) \csc(c+dx) \sqrt{\frac{a(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{a(\cos(c+dx)+1)}{a-b}} \left(a \left(2b \operatorname{EllipticF} \left(i \sinh^{-1} \left(\sqrt{\frac{1}{a-b}} \sqrt{a \cos(c+dx)+b} \right), \frac{b-a}{a+b} \right) + a \Pi \left(1 - \frac{a}{b}; i \sinh^{-1} \left(\sqrt{\frac{1}{a-b}} \sqrt{a \cos(c+dx)+b} \right) \right) \right)}{ab^2 \sqrt{\frac{1}{a-b}} \sqrt{a \cos(c+dx)+b}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((8*a*B*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/((a + b)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(4*a*A*b - 3*a^2*B + 8*b^2*B)*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b*(a + b)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - ((2*I)*(4*A*b + a*B)*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)])))/(a*Sqrt[(a - b)^(-1)]*b^2*Sqrt[b + a*Cos[c + d*x]]) + (4*(4*A*b + a*B)*Tan[c + d*x])/b + 8*B*Sec[c + d*x]*Tan[c + d*x]))/(16*d*Sqrt[Sec[c + d*x]])

Maple [C] time = 0.492, size = 2521, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2), x)

[Out] 1/4/d/((a-b)/(a+b))^(1/2)/b*(4*A*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b-8*A*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a*b-2*B*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b-B*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(co

$$\begin{aligned}
& s(d*x+c+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) \\
& , (-a+b)/(a-b))^{(1/2)} * a*b+4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d* \\
& x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+ \\
& c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (-a+b)/(a-b))^{(1/2)} * a*b-8*A*\sin(d*x+c) \\
& * \cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c) \\
&)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (a+b) \\
& /(a-b) , I/((a-b)/(a+b))^{(1/2)} * a*b-2*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a \\
& * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+c \\
& os(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (-a+b)/(a-b))^{(1/2)} * a*b-B*\sin(d \\
& *x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(\\
& d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (\\
& -a+b)/(a-b))^{(1/2)} * a*b+2*B*((a-b)/(a+b))^{(1/2)} * b^2-B*\cos(d*x+c)^3*((a-b)/ \\
& (a+b))^{(1/2)} * a^2-4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)} * b^2+B*\cos(d*x+c)^2*((\\
& a-b)/(a+b))^{(1/2)} * a^2+4*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)} * b^2-2*B*\cos(d*x+c) \\
& ^2*((a-b)/(a+b))^{(1/2)} * b^2-4*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)} * a*b-2*B*\cos \\
& (d*x+c)^3*((a-b)/(a+b))^{(1/2)} * a*b+4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)} * a*b- \\
& B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)} * a*b+3*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)} * a \\
& *b+4*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1 \\
& /2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/ \\
& \sin(d*x+c) , (-a+b)/(a-b))^{(1/2)} * b^2+B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+ \\
& a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+ \\
& \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (-a+b)/(a-b))^{(1/2)} * a^2+2*B*si \\
& n(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(c \\
& os(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+ \\
& c) , (a+b)/(a-b) , I/((a-b)/(a+b))^{(1/2)} * a^2-8*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{Ellipti \\
& cPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (a+b)/(a-b) , I/((a-b)/(a+ \\
& b))^{(1/2)} * b^2-4*A*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d \\
& *x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(\\
& a+b))^{(1/2)}/\sin(d*x+c) , (-a+b)/(a-b))^{(1/2)} * b^2-2*B*\sin(d*x+c)*\cos(d*x+c)^ \\
& 3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \\
& \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (-a+b)/(a-b))^{(1/ \\
& 2)} * a^2+4*B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1 \\
&))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(\\
& 1/2)}/\sin(d*x+c) , (-a+b)/(a-b))^{(1/2)} * b^2+B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b) \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
& ((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (-a+b)/(a-b))^{(1/2)} * a^2+2 \\
& *B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \\
& (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin \\
& (d*x+c) , (a+b)/(a-b) , I/((a-b)/(a+b))^{(1/2)} * a^2-8*B*\sin(d*x+c)*\cos(d*x+c)^3* \\
& (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{El \\
& lipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) , (a+b)/(a-b) , I/((a-b) \\
&)/(a+b))^{(1/2)} * b^2-4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a \\
& -b)/(a+b))^{(1/2)}/\sin(d*x+c) , (-a+b)/(a-b))^{(1/2)} * b^2-2*B*\sin(d*x+c)*\cos(d*
\end{aligned}$$

$$x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(\cos(d*x+c)+1))^(1/2)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c),(-a+b)/(a-b))^(1/2))*a^2*(1/\cos(d*x+c))^(3/2)*((b+a*\cos(d*x+c))/\cos(d*x+c))^(1/2)/(b+a*\cos(d*x+c))/\sin(d*x+c)$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^(3/2), x)

$$3.436 \quad \int \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=253

$$\frac{(2aA + bB)\sqrt{\sec(c + dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{d\sqrt{a + b \sec(c + dx)}} + \frac{(aB + 2Ab)\sqrt{\sec(c + dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx)\right)}{d\sqrt{a + b \sec(c + dx)}}$$

[Out] ((2*a*A + b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) - (B*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (B*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rubi [A] time = 0.782507, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {4031, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2aA + bB)\sqrt{\sec(c + dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a + b \sec(c + dx)}} + \frac{(aB + 2Ab)\sqrt{\sec(c + dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a + b \sec(c + dx)}} +$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] ((2*a*A + b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) - (B*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (B*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d

Rule 4031

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*C

```
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)/(f*(m + n)), x
] + Dist[d/(m + n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n -
1)*Simp[a*B*(n - 1) + (b*B*(m + n - 1) + a*A*(m + n))*Csc[e + f*x] + (a*B*m
+ A*b*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B},
x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x])],
x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
```

a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :=> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx))dx &= \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{d} + \int \frac{-\frac{aB}{2} + a}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{d} + \frac{1}{2}(2Ab + a) \int \frac{1}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{d} - \frac{1}{2}B \int \frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{d} + \frac{((2aA + b) \int \frac{1}{\sqrt{a+b\sec(c+dx)}} dx)}{d} \\
&= \frac{(2Ab + aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(2aA + bB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{d\sqrt{a+b\sec(c+dx)}} + \dots
\end{aligned}$$

Mathematica [C] time = 6.09633, size = 377, normalized size = 1.49

$$\sqrt{a+b\sec(c+dx)} \left(\frac{8aA\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{(a+b)\sqrt{\frac{a\cos(c+dx)+b}{a+b}}} - \frac{2iB\csc(c+dx)\sqrt{-\frac{a(\cos(c+dx)-1)}{a+b}}\sqrt{\frac{a(\cos(c+dx)+1)}{a-b}}}{ab\sqrt{\frac{1}{a-b}}}\left(a\left(2b\text{EllipticF}\left(i\sinh^{-1}\left(\sqrt{\frac{1}{a-b}}\sqrt{a\cos(c+dx)+b}\right), \frac{b}{a}\right)\right)\right) \right)$$

$$4d\sqrt{\sec(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((8*a*A*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/((a + b)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(4*A*b + a*B)*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/((a + b)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - ((2*I)*B*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)]))/((a + b)*Sqrt[(a - b)^(-1)]*b*Sqrt[b + a*Cos[c + d*x]]) + 4*B*

$\text{Tan}[c + d*x]) / (4*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Maple [C] time = 0.503, size = 1431, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))*\sec(d*x+c)^{(1/2)}*(a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out]
$$-1/d/((a-b)/(a+b))^{(1/2)}*(2*A*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a-2*A*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*b+4*A*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b-B*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a+B*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*b+2*B*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a+2*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a-2*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*b+4*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b-B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a+B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*b+2*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a+B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a-B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a+B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*b-B*((a-b)/(a+b))^{(1/2)}*b*(1/\cos(d*x+c))^{(1/2)}*($$

$$(b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/(b+a*\cos(d*x+c))/\sin(d*x+c)$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```

$$3.437 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=208

$$\frac{2aB\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{2A\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2bB\sqrt{\sec(c+dx)}}{d\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*a*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*b*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*A*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.54336, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {4037, 3854, 3858, 2663, 2661, 3859, 2807, 2805, 3856, 2655, 2653}

$$\frac{2A\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2aB\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{2bB\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (2*a*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*b*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*A*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]])

Rule 4037

Int[(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[B/d, Int[Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]], x], x] + Dist[A, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A

, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3854

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[a, Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= A \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx + B \int \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} dx \\
&= (aB) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx + (bB) \int \frac{\sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx + \frac{(A\sqrt{a + b \sec(c + dx)})}{\sqrt{\sec(c + dx)}} \\
&= \frac{(aB\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)})}{\sqrt{a + b \sec(c + dx)}} \int \frac{1}{\sqrt{b + a \cos(c + dx)}} dx + \frac{(bB\sqrt{b + a \cos(c + dx)})}{\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2AE \left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b} \right) \sqrt{a + b \sec(c + dx)}}{d \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \sqrt{\sec(c + dx)}} + \frac{(aB \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \sqrt{\sec(c + dx)})}{\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2aB \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F \left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b} \right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} + \frac{2bB \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi \left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b} \right)}{d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.54861, size = 122, normalized size = 0.59

$$\frac{2\sqrt{a + b \sec(c + dx)} \left(B \left(a \operatorname{EllipticF} \left(\frac{1}{2}(c + dx), \frac{2a}{a+b} \right) + b \Pi \left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b} \right) \right) + A(a + b) E \left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b} \right) \right)}{d(a + b) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (2*(A*(a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] + B*(a*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + b*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]))*Sqrt[a + b*Sec[c + d*x]]/((a + b)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]])
```

Maple [C] time = 0.491, size = 1549, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))*(a+b*\sec(d*x+c))^{1/2}/\sec(d*x+c)^{1/2}, x)$

[Out] $\frac{2/d/((a-b)/(a+b))^{1/2}*(A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(a-A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})}{b-A*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a+A*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*b-B*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a+B*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*b-2*B*\sin(d*x+c)*\cos(d*x+c)*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*b+A*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*sin(d*x+c)+A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*sin(d*x+c)-B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*sin(d*x+c)+B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*sin(d*x+c)-2*B*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*sin(d*x+c)-A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a+A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a-A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*b+A*b*((a-b)/(a+b))^{1/2}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}/(1/\cos(d*x+c))^{1/2}/(b+a*\cos(d*x+c))/\sin(d*x+c)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))/sqrt(sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sqrt(sec(d*x + c)), x)
```

$$3.438 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx))}{3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=201

$$\frac{2A(a^2 - b^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3ad\sqrt{a+b \sec(c+dx)}} + \frac{2(3aB + Ab)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3ad\sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} +$$

[Out] (2*A*(a^2 - b^2)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b + 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.479203, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4032, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2A(a^2 - b^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3ad\sqrt{a+b \sec(c+dx)}} + \frac{2(3aB + Ab)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3ad\sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2A \sin(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (2*A*(a^2 - b^2)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b + 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4032

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*A*(n + 1))*Csc[e + f*x] - A*b*(m + n + 1)*Csc[e + f*x]^2,

$x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[0, m, 1] \ \&\& \ \text{LeQ}[n, -1]$

Rule 4035

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.))(B_.) + (A_.)]/(\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](d_.)) * \text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](b_.) + (a_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](d_.)], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), \text{Int}[\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)(x_.)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ !\text{GtQ}[a + b, 0]$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

Rule 3858

$\text{Int}[\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](d_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)](b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)(x_.)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)]/\text{Sqrt}[a + b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ !\text{GtQ}[a + b, 0]$

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx))}{\sec^3(c + dx)} dx &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{\frac{1}{2}(Ab + 3aB) + \frac{1}{2}(aA + 3bB) \sec(c + dx)}{\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{(A(a^2 - b^2)) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx}{3a} + \frac{2(B(a + b)) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx}{3a} \\
 &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{(A(a^2 - b^2) \sqrt{b + a \cos(c + dx)} \sqrt{\sec(c + dx)})}{3a\sqrt{a + b \sec(c + dx)}} + \frac{2(B(a + b) \sqrt{b + a \cos(c + dx)} \sqrt{\sec(c + dx)})}{3a\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{(A(a^2 - b^2) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \sqrt{\sec(c + dx)})}{3a\sqrt{a + b \sec(c + dx)}} + \frac{2(B(a + b) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \sqrt{\sec(c + dx)})}{3a\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2A(a^2 - b^2) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{3ad\sqrt{a + b \sec(c + dx)}} + \frac{2(Ab + 3aB) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \sqrt{\sec(c + dx)}}{3a\sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.753537, size = 165, normalized size = 0.82

$$\frac{2\sqrt{a + b \sec(c + dx)} \left(A(a^2 - b^2) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) + (a + b)(3aB + Ab) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} E\left(\frac{1}{2}(c + dx)\right) \right)}{3ad\sqrt{\sec(c + dx)}(a \cos(c + dx) + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (2*Sqrt[a + b*Sec[c + d*x]]*((a + b)*(A*b + 3*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*a)/(a + b)] + A*(a^2 - b^2)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + a*A*(b + a*Cos[c + d*x])*Sin[c + d*x])/((3*a*d*(b + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]])]

Maple [B] time = 0.36, size = 1926, normalized size = 9.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\sec(dx+c))*(a+b*\sec(dx+c))^{1/2}/\sec(dx+c)^{3/2}, x)$

[Out]
$$-2/3/d/((a-b)/(a+b))^{1/2}/a*(-A*((a-b)/(a+b))^{1/2}*a*b-3*B*((a-b)/(a+b))^{1/2}*a*b-A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*b^2*\sin(dx+c)-3*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2-A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2+A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^2+A*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2})*\sin(dx+c)-3*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b+3*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2-3*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2+A*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b*\sin(dx+c)-A*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-3*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b*\sin(dx+c)+3*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b*\sin(dx+c)+3*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b+A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b-A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b-A*((a-b)/(a+b))^{1/2}*b^2+3*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^2+A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*b^2-3*B*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2*\sin(dx+c)-A*\cos(d$$

$x+c) \sin(dx+c) \left(\frac{1}{a+b} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\cos(dx+c)+1} \right) \left(\frac{a-b}{a+b} \right)^{1/2} \frac{1}{\sin(dx+c)}, \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) b^2 + A \cos(dx+c) \sin(dx+c) \left(\frac{1}{a+b} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\cos(dx+c)+1} \right) \left(\frac{a-b}{a+b} \right)^{1/2} \frac{1}{\sin(dx+c)}, \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) a^2 + 3B \left(\frac{1}{a+b} \frac{b+a \cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\cos(dx+c)+1} \right) \left(\frac{a-b}{a+b} \right)^{1/2} \frac{1}{\sin(dx+c)}, \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) a^2 \sin(dx+c) + 2A \cos(dx+c)^2 \left(\frac{a-b}{a+b} \right)^{1/2} a b + 3B \cos(dx+c) \left(\frac{a-b}{a+b} \right)^{1/2} a b \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)} \right)^{1/2} \cos(dx+c)^2 \left(\frac{1}{\cos(dx+c)} \right)^{3/2} \frac{1}{\sin(dx+c)} \frac{1}{b+a \cos(dx+c)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*(a+b*sec(dx+c))^(1/2)/sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/sec(dx+c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{3/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*(a+b*sec(dx+c))^(1/2)/sec(dx+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/sec(dx+c)^(3/2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))/sec(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(3/2), x)

$$3.439 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx))}{5 \sec^2(c+dx)} dx$$

Optimal. Leaf size=267

$$\frac{2(a^2 - b^2)(2Ab - 5aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15a^2d\sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A + 5abB - 2Ab^2)\sqrt{a+b \sec(c+dx)}}{15a^2d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (-2*(a^2 - b^2)*(2*A*b - 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Elliptic F[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(15*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(15*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A*b + 5*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.747935, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4032, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2 - b^2)(2Ab - 5aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15a^2d\sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A + 5abB - 2Ab^2)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15a^2d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (-2*(a^2 - b^2)*(2*A*b - 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Elliptic F[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(15*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(15*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A*b + 5*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a*d*Sqrt[Sec[c + d*x]])

Rule 4032

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[

```
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n/(f*n), x] - Dist[1/(d*n
), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a
*B*n - (b*B*n + a*A*(n + 1))*Csc[e + f*x] - A*b*(m + n + 1)*Csc[e + f*x]^2,
x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[
a^2 - b^2, 0] && LtQ[0, m, 1] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_)]/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] :> Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}(Ab + 5aB) + \frac{1}{2}(3aA + 5bB) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15ad \sqrt{\sec(c + dx)}} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15ad \sqrt{\sec(c + dx)}} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15ad \sqrt{\sec(c + dx)}} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15ad \sqrt{\sec(c + dx)}} \\
&= \frac{2(a^2 - b^2)(2Ab - 5aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{15a^2 d \sqrt{a + b \sec(c + dx)}} +
\end{aligned}$$

Mathematica [A] time = 1.18059, size = 200, normalized size = 0.75

$$\frac{2\sqrt{a+b\sec(c+dx)}\left((a^2-b^2)(5aB-2Ab)\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\operatorname{EllipticF}\left(\frac{1}{2}(c+dx),\frac{2a}{a+b}\right)+(a+b)(9a^2A+5abB-2Ab^2)\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\right)}{15a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+b)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (2*Sqrt[a + b*Sec[c + d*x]]*((a + b)*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*a)/(a + b)] + (a^2 - b^2)*(-2*A*b + 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + a*(b + a*Cos[c + d*x])*(A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x])/(15*a^2*d*(b + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]])

Maple [B] time = 0.494, size = 2739, normalized size = 10.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2), x)

[Out] -2/15/d/((a-b)/(a+b))^(1/2)/a^2*(9*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+2*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*b^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+5*B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+7*A*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b+2*A*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^2*b-2*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))

$$\begin{aligned}
& *a*b^2-5*B*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a^2*b+5*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b- \\
& 5*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d \\
& *x+c), (-a+b)/(a-b))^{1/2})*a*b^2-9*A*a^2*b*((a-b)/(a+b))^{1/2}-A*a*b^2*((a-b)/(a+b))^{1/2}-5*B*a^2*b*((a-b)/(a+b))^{1/2}-5*B*a*b^2*((a-b)/(a+b))^{1/2} \\
&)-9*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c) \\
& +1))^{1/2}*\sin(d*x+c)-A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2+10*B*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^2*b+5*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^2*b+5 \\
& *B*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{1/2}*a^3+7*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+2*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-9*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b) \\
&)^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-2*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/ \\
& \sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-5*B*\text{EllipticF}((-1+\cos(d*x+c) \\
&))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+5*B* \\
& \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1) \\
&)^{1/2}*\sin(d*x+c)-5*B*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+2*A*b^3*((a-b)/(a+b))^{1/2}+5*B*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^3-5*B*a^3*((a-b)/(a+b))^{1/2}*\cos(d*x+c)- \\
& 9*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^3-2*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*b^3+3*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^3+6*A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2} \\
& *a^3-9*A*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a^3+9*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE} \\
& ((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^3+2 \\
& *A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d \\
& *x+c), (-a+b)/(a-b))^{1/2})*b^3+2*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b^2-5*B \\
& *\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^2*b+5*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a \\
& *b^2+4*A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*((b+a*\cos(d*x+c))/\cos(d*x+c)
\end{aligned}$$

$)^{1/2} \cos(dx+c)^3 (1/\cos(dx+c))^{5/2} / \sin(dx+c) / (b+a\cos(dx+c))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

$$3.440 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=343

$$\frac{2(a^2 - b^2)(25a^2A - 14abB + 8Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{105a^3d\sqrt{a+b \sec(c+dx)}} + \frac{2(25a^2A + 7abB - 4Ab^2)}{105a^2d}$$

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 8*A*b^2 - 14*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(105*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(105*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*a*d*Sec[c + d*x]^(3/2)) + (2*(25*a^2*A - 4*A*b^2 + 7*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^2*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 1.03491, antiderivative size = 343, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4032, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{105a^2d\sqrt{\sec(c+dx)}} + \frac{2(a^2 - b^2)(25a^2A - 14abB + 8Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{105a^3d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 8*A*b^2 - 14*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(105*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(105*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*a*d*Sec[c + d*x]^(3/2)) + (2*(25*a^2*A - 4*A*b^2 + 7*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a^2*d*Sqrt[Sec[c + d*x]])
```

Rule 4032

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*A*(n + 1))*Csc[e + f*x] - A*b*(m + n + 1)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
```

```
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}(Ab + 7aB) + \frac{1}{2}(5aA + 7bB) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2A\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35ad \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(a^2 - b^2)(25a^2A + 8Ab^2 - 14abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{105a^3d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.3112, size = 208, normalized size = 0.61

$$\frac{\sqrt{a + b \sec(c + dx)} \left(\frac{4((a-b)(25a^2A - 14abB + 8Ab^2) \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + (19a^2Ab + 63a^3B - 14ab^2B + 8Ab^3) E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right))}{\sqrt{\frac{a \cos(c+dx) + b}{a+b}}} + a \left((115a^2A + 28a^2B) \sin(c + dx) \right) \right)}{210a^3d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (Sqrt[a + b*Sec[c + d*x]]*((4*((19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] + (a - b)*(25*a^2*A + 8*A*b^2 - 14*a*b*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)])))/Sqrt[(b + a*Cos[c + d*x])/(a + b)] + a*((115*a^2*A - 16*A*b^2 + 28*a*b*B)*Sin[c + d*x] + 3*a*(2*(A*b +

$$7*a*B)*\sin[2*(c + d*x)] + 5*a*A*\sin[3*(c + d*x)])))/(210*a^3*d*\sqrt{\sec[c + d*x]})$$

Maple [B] time = 0.582, size = 3778, normalized size = 11.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\sec(dx+c))*(a+b*\sec(dx+c))^{1/2})/\sec(dx+c)^{7/2}, x$

[Out]
$$\begin{aligned} & -2/105/d/((a-b)/(a+b))^{1/2}/a^3*(25*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2})*a^4*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)-8*A*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2})*b^4*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\ &)-19*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *a^3*b-25*A*a^3*b*((a-b)/(a+b))^{1/2}-19*A*a^2*b^2*((a-b)/(a+b))^{1/2}+4*A*a*b^3*((a-b)/(a+b))^{1/2}-63*B*a^3*b*((a-b)/(a+b))^{1/2} \\ &)-7*B*a^2*b^2*((a-b)/(a+b))^{1/2}+14*B*a*b^3*((a-b)/(a+b))^{1/2}+14*B*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *a^2*b^2-63*B*\sin(dx+c)*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^3*b-14*B*\sin(dx+c)*\cos(dx+c)* \\ & (1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2})*a^2*b^2+14*B*\sin(dx+c)*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b^3+25*A*\sin(dx+c)*\cos(dx+c)* \\ & \text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *a^4-8*A*\sin(dx+c)*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2})*b^4-63*B*\sin(dx+c)*\cos(dx+c)* \\ & \text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *a^4+63*B*\sin(dx+c)*\cos(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\ & *\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^4-19*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), \\ & (-a+b)/(a-b))^{1/2})*a^3*b*(1/(a+b)*\end{aligned}$$

$$\begin{aligned}
& b+a\cos(dx+c)/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+2 \\
& *A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\
& *a^2*b^2*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\
& *\sin(dx+c)-8*A*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\
& (-a+b)/(a-b))^{1/2})*a*b^3*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& *(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+19*A*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2} \\
& / \sin(dx+c), (-a+b)/(a-b))^{1/2})*a^3*b*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& *(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+21*B*\cos(dx+c)^4*((a-b)/(a+b))^{1/2} \\
& *a^4+42*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^4+8*A*\cos(dx+c)*((a-b)/(a+b))^{1/2} \\
& *b^4-63*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^4+15*A*\cos(dx+c)^5*((a-b)/(a+b))^{1/2} \\
& *a^4+10*A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^4-25*A*\cos(dx+c)*((a-b)/(a+b))^{1/2} \\
& *a^4-19*A*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\
& *a^2*b^2*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\
& +8*A*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\
& *a*b^3*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\
& *\sin(dx+c)+49*B*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\
& (-a+b)/(a-b))^{1/2})*a^3*b*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& *(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+14*B*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2} \\
& / \sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2*b^2*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& *(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+14*B*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2} \\
& / \sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2*b^2*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& *(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+14*B*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2} \\
& / \sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b^3*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& *(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+18*A*\cos(dx+c)^4*((a-b)/(a+b))^{1/2} \\
& *a^3*b-A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^2*b^2+28*B*\cos(dx+c)^3*((a-b)/(a+b))^{1/2} \\
& *a^3*b+26*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^3*b+4*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2} \\
& *a*b^3-7*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^2*b^2-19*A*\cos(dx+c)*((a-b)/(a+b))^{1/2} \\
& *a^3*b+20*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2*b^2-8*A*\cos(dx+c)*((a-b)/(a+b))^{1/2} \\
& *a*b^3+35*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^3*b+14*B*\cos(dx+c)*((a-b)/(a+b))^{1/2} \\
& *a^2*b^2-14*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a*b^3-8*A*b^4*((a-b)/(a+b))^{1/2} \\
& +2*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\
& (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\
& *a^2*b^2-8*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\
& (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\
& *a*b^3+19*A*\sin(dx+c)*\cos(dx+c)*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& *(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\
& (-a+b)/(a-b))^{1/2})*a^3*b-19*A*\sin(dx+c)*\cos(dx+c)*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
& *(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-
\end{aligned}$$

$$\begin{aligned}
 & b)^{(1/2)} * a^2 * b^2 + 8 * A * \sin(dx+c) * \cos(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos \\
 & (dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) \\
 & / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * a * b^3 + 49 * B * \sin(dx+c) * \cos(dx \\
 & +c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b) \\
 &)^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1)) \\
 & ^{(1/2)} * a^3 * b - 63 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b) / (a+b))^{(1/2)} / \sin(dx+c), \\
 & (- (a+b) / (a-b))^{(1/2)}) * a^4 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (\\
 & 1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 63 * B * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) / (a \\
 & +b))^{(1/2)} / \sin(dx+c), (- (a+b) / (a-b))^{(1/2)}) * a^4 * (1/(a+b) * (b+a * \cos(dx+c)) / (\\
 & \cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) * ((b+a * \cos(dx+c)) \\
 & / \cos(dx+c))^{(1/2)} * \cos(dx+c)^4 * (1/\cos(dx+c))^{(7/2)} / \sin(dx+c) / (b+a * \cos(dx \\
 & +c))
 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*(a+b*sec(dx+c))^(1/2)/sec(dx+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/sec(dx+c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*(a+b*sec(dx+c))^(1/2)/sec(dx+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)/sec(dx+c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2)/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(7/2),x)

$$3.441 \quad \int \sec^2(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=421

$$\frac{(17a^2B + 42aAb + 16b^2B) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right)}{24d \sqrt{a + b \sec(c + dx)}} + \frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx)}{24bd}$$

```
[Out] ((42*a*A*b + 17*a^2*B + 16*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(24*d*Sqrt[a + b*Sec[c + d*x]]) + ((6*a^2*A*b + 8*A*b^3 - a^3*B + 12*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(8*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((30*a*A*b + 3*a^2*B + 16*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(24*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d) + ((6*A*b + 7*a*B)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d) + (b*B*Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.59673, antiderivative size = 421, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4026, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{24bd} + \frac{(17a^2B + 42aAb + 16b^2B) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}}}{24d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((42*a*A*b + 17*a^2*B + 16*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(24*d*Sqrt[a + b*Sec[c + d*x]]) + ((6*a^2*A*b + 8*A*b^3 - a^3*B + 12*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(8*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((30*a*A*b + 3*a^2*B + 16*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(24*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d) + ((6*A*b + 7*a*B)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d) + (b*B*Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)
```

+ a*cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d) + ((6*A*b + 7*a*B)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d) + (b*B*Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= \frac{bB\sec^{\frac{5}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3d} + \frac{1}{3}\int \sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx \\
&= \frac{(6Ab+7aB)\sec^{\frac{3}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{12d} \\
&= \frac{(30aAb+3a^2B+16b^2B)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{24bd} \\
&= \frac{(30aAb+3a^2B+16b^2B)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{24bd} \\
&= \frac{(30aAb+3a^2B+16b^2B)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{24bd} \\
&= \frac{(30aAb+3a^2B+16b^2B)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{24bd} \\
&= \frac{(6a^2Ab+8Ab^3-a^3B+12ab^2B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\right)}{8bd\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(42aAb+17a^2B+16b^2B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{24d\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.7827, size = 673, normalized size = 1.6

$$\frac{(a+b\sec(c+dx))^{3/2}\left(\frac{\sec(c+dx)(3a^2B\sin(c+dx)+30aAb\sin(c+dx)+16b^2B\sin(c+dx))}{24b} + \frac{1}{12}\sec^2(c+dx)(7aB\sin(c+dx)+6Ab\sin(c+dx))\right)}{d\sec^{\frac{3}{2}}(c+dx)(a\cos(c+dx)+b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] -((a + b*Sec[c + d*x])^(3/2))*((2*(-24*a*A*b^2 - 28*a^2*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c

$$\begin{aligned}
&+ d*x]] + (2*(-6*a^2*A*b - 48*A*b^3 + 9*a^3*B - 56*a*b^2*B)*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]/(a + b))*\text{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/\text{Sqrt}[b + a*\text{Cos}[c + d*x]] + ((2*I)*(30*a^2*A*b + 3*a^3*B + 16*a*b^2*B)*\text{Sqrt}[(a - a*\text{Cos}[c + d*x])/(a + b)]*\text{Sqrt}[(a + a*\text{Cos}[c + d*x])/(a - b)]*\text{Cos}[2*(c + d*x)]*(-2*b*(a + b)*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}]]*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}]]*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]], (-a + b)/(a + b)] + a*\text{EllipticPi}[1 - a/b, I*\text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}]]*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]], (-a + b)/(a + b)))*\text{Sin}[c + d*x]) /(\text{Sqrt}[(a - b)^{-1}]*b*\text{Sqrt}[1 - \text{Cos}[c + d*x]^2]*\text{Sqrt}[(a^2 - a^2*\text{Cos}[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*\text{Cos}[c + d*x]) + 2*(b + a*\text{Cos}[c + d*x])^2))))/(96*b*d*(b + a*\text{Cos}[c + d*x])^{3/2}*\text{Sec}[c + d*x]^{3/2}) + ((a + b*\text{Sec}[c + d*x])^{3/2}*((\text{Sec}[c + d*x]^2*(6*A*b*\text{Sin}[c + d*x] + 7*a*B*\text{Sin}[c + d*x]))/12 + (\text{Sec}[c + d*x]*(30*a*A*b*\text{Sin}[c + d*x] + 3*a^2*B*\text{Sin}[c + d*x] + 16*b^2*B*\text{Sin}[c + d*x]))/(24*b) + (b*B*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/3))/(d*(b + a*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{3/2})
\end{aligned}$$

Maple [C] time = 0.575, size = 4051, normalized size = 9.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sec(d*x+c)^{3/2}*(a+b*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c)), x)$

[Out] $\frac{1}{24} \frac{d}{d} \left(\frac{(a-b)}{(a+b)} \right)^{1/2} \frac{1}{b} \left(30A \cos(d*x+c)^4 \sin(d*x+c) \frac{1}{(a+b)} (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1)^{1/2} \right) \frac{1}{(\cos(d*x+c)+1)^{1/2}} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{-(a+b)}{(a-b)} \right)^{1/2} \right) * a^2 b + 8B \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * b^3 - 3B \cos(d*x+c)^4 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * a^3 - 16B \cos(d*x+c)^3 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * b^3 + 8B \cos(d*x+c)^2 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * b^3 - 12A \cos(d*x+c)^3 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * b^3 + 42A \cos(d*x+c)^2 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * a * b^2 + 17B \cos(d*x+c)^2 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * a^2 b + 3B \cos(d*x+c)^3 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * a * b^2 + 12A \cos(d*x+c) \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * b^3 + 22B \cos(d*x+c) \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * a * b^2 + 30A \cos(d*x+c)^3 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * a^2 b - 3B \cos(d*x+c)^4 \sin(d*x+c) \frac{1}{(a+b)} (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1)^{1/2} \right) \frac{1}{(\cos(d*x+c)+1)^{1/2}} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{-(a+b)}{(a-b)} \right)^{1/2} \right) * a^2 b + 16B \cos(d*x+c)^4 \sin(d*x+c) \frac{1}{(a+b)} (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1)^{1/2} \right) \frac{1}{(\cos(d*x+c)+1)^{1/2}} \text{EllipticE} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{-(a+b)}{(a-b)} \right)^{1/2} \right) * a * b^2 - 14B \cos(d*x+c)^4 \sin(d*x+c) \frac{1}{(a+b)} (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1)^{1/2} \right) \frac{1}{(\cos(d*x+c)+1)^{1/2}} \text{EllipticF} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{-(a+b)}{(a-b)} \right)^{1/2} \right) * a^2 b + 20B \cos(d*x+c)^4 \sin(d*x+c) \frac{1}{(a+b)} (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1)^{1/2} \right) \frac{1}{(\cos(d*x+c)+1)^{1/2}} \text{EllipticF} \left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}, \left(\frac{-(a+b)}{(a-b)} \right)^{1/2} \right) * a * b^2 - 14B \cos(d*x+c)^4 \sin(d*x+c) \frac{1}{(a+b)} (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1)^{1/2} \right) \frac{1}{(\cos(d*x+c)+1)^{1/2}}$

$$\int \frac{1}{\sin(dx+c)} \left(-\frac{a+b}{a-b} \right)^{1/2} b^3 - 48A \cos(dx+c)^4 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \frac{a+b}{a-b}, I \left(\frac{a-b}{a+b} \right)^{1/2} \right) b^3 + 3B \cos(dx+c)^4 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \left(-\frac{a+b}{a-b} \right)^{1/2} \right) a^3 - 16B \cos(dx+c)^4 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \left(-\frac{a+b}{a-b} \right)^{1/2} \right) b^3 - 6B \cos(dx+c)^4 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \left(-\frac{a+b}{a-b} \right)^{1/2} \right) a^3 + 6B \cos(dx+c)^4 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \frac{a+b}{a-b}, I \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 + 24A \cos(dx+c)^3 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \left(-\frac{a+b}{a-b} \right)^{1/2} \right) b^3 - 48A \cos(dx+c)^3 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \frac{a+b}{a-b}, I \left(\frac{a-b}{a+b} \right)^{1/2} \right) b^3 + 3B \cos(dx+c)^3 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \left(-\frac{a+b}{a-b} \right)^{1/2} \right) a^3 - 16B \cos(dx+c)^3 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \left(-\frac{a+b}{a-b} \right)^{1/2} \right) b^3 - 6B \cos(dx+c)^3 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \left(-\frac{a+b}{a-b} \right)^{1/2} \right) a^3 + 6B \cos(dx+c)^3 \sin(dx+c) \frac{1}{(a+b)} \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \frac{1}{(\cos(dx+c)+1)^{1/2}} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \left(\frac{a-b}{a+b} \right)^{1/2}, \frac{a+b}{a-b}, I \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 \left(\frac{b+a \cos(dx+c)}{\cos(dx+c)} \right)^{1/2} \frac{1}{\cos(dx+c)} \right)^{3/2} \frac{1}{(b+a \cos(dx+c)) \cos(dx+c) \sin(dx+c)}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{3/2} \sec(dx+c)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)*(a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(3/2)*sec(dx+c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2), x)

$$3.442 \quad \int \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=339

$$\frac{(8a^2A + 7abB + 4Ab^2) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{4d\sqrt{a + b \sec(c + dx)}} + \frac{(3a^2B + 12aAb + 4b^2B) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{4d\sqrt{a + b \sec(c + dx)}}$$

```
[Out] ((8*a^2*A + 4*A*b^2 + 7*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF
[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a + b*Sec[c + d*
x]]) + ((12*a*A*b + 3*a^2*B + 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*E
llipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a +
b*Sec[c + d*x]]) - ((4*A*b + 5*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*S
qrt[a + b*Sec[c + d*x]])/(4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c
+ d*x]]) + ((4*A*b + 5*a*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Si
n[c + d*x])/(4*d) + (b*B*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c
+ d*x])/(2*d)
```

Rubi [A] time = 1.2072, antiderivative size = 339, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4026, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(8a^2A + 7abB + 4Ab^2) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4d\sqrt{a + b \sec(c + dx)}} + \frac{(3a^2B + 12aAb + 4b^2B) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{4d\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((8*a^2*A + 4*A*b^2 + 7*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF
[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a + b*Sec[c + d*
x]]) + ((12*a*A*b + 3*a^2*B + 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*E
llipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a +
b*Sec[c + d*x]]) - ((4*A*b + 5*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*S
qrt[a + b*Sec[c + d*x]])/(4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c
+ d*x]]) + ((4*A*b + 5*a*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Si
n[c + d*x])/(4*d) + (b*B*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c
```

+ d*x]]/(2*d)

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Sim
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/((Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/((Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
```

+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx &= \frac{bB \sec^2(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{2d} + \frac{1}{2} \int \sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx \\
 &= \frac{(4Ab+5aB) \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4d} \\
 &= \frac{(4Ab+5aB) \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4d} \\
 &= \frac{(4Ab+5aB) \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4d} \\
 &= \frac{(4Ab+5aB) \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4d} \\
 &= \frac{(12aAb+3a^2B+4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4d \sqrt{a+b \sec(c+dx)}} \\
 &= \frac{(8a^2A+4Ab^2+7abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4d \sqrt{a+b \sec(c+dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.72021, size = 595, normalized size = 1.76

$$\frac{(a + b \sec(c + dx))^{3/2} \left(\frac{1}{4} \sec(c + dx)(5aB \sin(c + dx) + 4Ab \sin(c + dx)) + \frac{1}{2} bB \tan(c + dx) \sec(c + dx) \right)}{d \sec^2(c + dx)(a \cos(c + dx) + b)} + \frac{(a + b \sec(c + dx))^{3/2}}{d \sec^2(c + dx)(a \cos(c + dx) + b)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] ((a + b*Sec[c + d*x])^(3/2)*((2*(16*a^2*A + 4*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(20*a*A*b + a^2*B + 8*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(-4*a*A*b - 5*a^2*B)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b))) * Sin[c + d*x]) / (Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2))) / (16*d*(b + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)) + ((a + b*Sec[c + d*x])^(3/2)*((Sec[c + d*x]*(4*A*b*Sin[c + d*x] + 5*a*B*Sin[c + d*x])/4 + (b*B*Sec[c + d*x]*Tan[c + d*x])/2)) / (d*(b + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)))

Maple [C] time = 0.402, size = 2947, normalized size = 8.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x)

[Out] -1/4/d/((a-b)/(a+b))^(1/2)*(-4*A*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b-8*A*cos(d*x+c)^3*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a

$$\begin{aligned}
& +b)/(a-b))^{(1/2)} * a*b-8*A*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)) \\
& /(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))* \\
& (a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a*b+24*A*\sin(d*x+c)*\cos \\
& (d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1) \\
&)^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a- \\
& b), I/((a-b)/(a+b))^{(1/2)} * a*b+2*B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos \\
& (d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d \\
& *x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a*b+5*B*\sin(d*x \\
& +c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d* \\
& x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (\\
& a+b)/(a-b))^{(1/2)} * a*b-4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))* \\
& ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a*b+24*A*\sin(d*x+c)*co \\
& s(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1) \\
&))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a- \\
& -b), I/((a-b)/(a+b))^{(1/2)} * a*b+2*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*co \\
& s(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(\\
& d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a*b+5*B*\sin(d* \\
& x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d \\
& *x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- \\
& (a+b)/(a-b))^{(1/2)} * a*b-2*B*((a-b)/(a+b))^{(1/2)}*b^2+5*B*\cos(d*x+c)^3*((a-b) \\
& / (a+b))^{(1/2)} * a^2+4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*b^2-5*B*\cos(d*x+c)^2 \\
& *((a-b)/(a+b))^{(1/2)} * a^2-4*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*b^2+2*B*\cos(d*x \\
& +c)^2*((a-b)/(a+b))^{(1/2)}*b^2+8*A*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos \\
& (d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d \\
& *x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a^2+8*A*\cos(d*x \\
& +c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d* \\
& x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (\\
& a+b)/(a-b))^{(1/2)} * a^2+4*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)} * a*b+2*B*\cos(d*x \\
& +c)^3*((a-b)/(a+b))^{(1/2)} * a*b-4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)} * a*b+5*B* \\
& \cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)} * a*b-7*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)} * a*b \\
& -4*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2) \\
& }*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/si \\
& n(d*x+c), (- (a+b)/(a-b))^{(1/2)} * b^2-5*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+ \\
& a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+ \\
& \cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * a^2+6*B*si \\
& n(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(c \\
& os(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+ \\
& c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)} * a^2+8*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a \\
& +b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*Ellipti \\
& cPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+ \\
& b))^{(1/2)} * b^2+4*A*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d \\
& *x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(\\
& a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} * b^2+2*B*\sin(d*x+c)*\cos(d*x+c)^ \\
& 3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*
\end{aligned}$$

```

EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)
)*a^2-4*B*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*b^2-5*B*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE
((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*a^2
+6*B*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/s
in(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a^2+8*B*sin(d*x+c)*cos(d*x+c)
^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*
EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a
-b)/(a+b))^(1/2))*b^2+4*A*sin(d*x+c)*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*
(a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*b^2+2*B*sin(d*x+c)*cos(
d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1)
)^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-
b))^(1/2))*a^2*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(1/2)/(b
+a*cos(d*x+c))/cos(d*x+c)/sin(d*x+c)

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algo
rithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c)
), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algo
rithm="fricas")
```


[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c)), x)

$$3.443 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=272

$$\frac{(2a^2B + 2aAb + b^2B) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d \sqrt{a+b \sec(c+dx)}} + \frac{(2aA - bB) \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{d \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

```
[Out] ((2*a*A*b + 2*a^2*B + b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (b*(2*A*b + 3*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*a*A - b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (b*B*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rubi [A] time = 0.867908, antiderivative size = 272, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {4026, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2a^2B + 2aAb + b^2B) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{a+b \sec(c+dx)}} + \frac{(2aA - bB) \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] ((2*a*A*b + 2*a^2*B + b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (b*(2*A*b + 3*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*a*A - b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (b*B*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/d
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
```

```
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Sim
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !IGtQ[n, 1] && !IntegerQ[m]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/ (Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
```

a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{bB \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \int \frac{\frac{1}{2} a (2aA - bB) +}{\sqrt{\sec(c + dx)}} \\
&= \frac{bB \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{2} (b(2Ab + 3aB)) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} \\
&= \frac{bB \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{2} (2aA - bB) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} \\
&= \frac{bB \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d} - \frac{((-2aAb - 2a^2B - b^2B))}{d} \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} \\
&= \frac{b(2Ab + 3aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} + \frac{bB \sqrt{\sec(c + dx)}}{d} \\
&= \frac{(2aAb + 2a^2B + b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} + \frac{bB \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

Mathematica [C] time = 6.68484, size = 554, normalized size = 2.04

$$\frac{bB \sin(c + dx) (a + b \sec(c + dx))^{3/2}}{d \sqrt{\sec(c + dx)} (a \cos(c + dx) + b)} + \frac{(a + b \sec(c + dx))^{3/2} \left(\frac{2i(2a^2A - abB) \sin(c + dx) \cos(2(c + dx)) \sqrt{\frac{a-a \cos(c+dx)}{a+b}} \sqrt{\frac{a \cos(c+dx)+a}{a-b}} \left(a \left(2bE\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) - \frac{1}{2} \right) \right)}{b \sqrt{\frac{1}{a-b}} \sqrt{1 - \frac{a \cos(c+dx)+a}{a-b}}} \right)}{d \sqrt{\sec(c + dx)} (a \cos(c + dx) + b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] (b*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(d*(b + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]]) + ((a + b*Sec[c + d*x])^(3/2)*((2*(8*a*A*b + 4*a^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(2*a^2*A + 4*A*b^2 + 5*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(2*a^2*A - a*b*B)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*


```

cos(d*x+c+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+
c),(-(a+b)/(a-b))^(1/2))*a*b+2*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*
x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+
c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2-2*B*cos(d*x+c)
*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+
1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/
(a-b))^(1/2))*a*b-2*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(
d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b+4*A*cos(d*x+c)*sin(d*x+c)
*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*E
llipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2)
))*a*b+4*A*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1)
)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1
/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b-2*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)
*a*b-2*A*sin(d*x+c)*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(
1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b-2*B*sin(d*x+c)*cos(d*x+c)^2*(1/(a+b)
*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF(
(-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b-B*
sin(d*x+c)*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/
(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x
+c),(-(a+b)/(a-b))^(1/2))*a*b-B*((a-b)/(a+b))^(1/2)*b^2-2*A*((a-b)/(a+b))^(
1/2)*cos(d*x+c)^2*a^2+B*((a-b)/(a+b))^(1/2)*cos(d*x+c)*b^2-2*A*cos(d*x+c)^2
*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+
1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/
(a-b))^(1/2))*a^2-2*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(
d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2+2*A*cos(d*x+c)^2*((a-b)/(
a+b))^(1/2)*a*b+B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b-B*cos(d*x+c)*((a-b)/
(a+b))^(1/2)*a*b+2*B*sin(d*x+c)*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c)))/(cos
(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)
/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2)*((b+a*cos(d*x+c))/cos(d
*x+c))^(1/2)*(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(b+a*cos(d*x+c))

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^3}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algor

```
ithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sqrt(sec(d*x + c)
), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algo
ithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algo
ithm="giac")
```



```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sqrt(sec(d*x + c)
), x)
```

$$3.444 \quad \int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=276

$$\frac{2(a^2A + 3abB - Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3d\sqrt{a+b \sec(c+dx)}} + \frac{2(3aB + 4Ab) \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{3d\sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*(a^2*A - A*b^2 + 3*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*b^2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*(4*A*b + 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.917958, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {4025, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2A + 3abB - Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3d\sqrt{a+b \sec(c+dx)}} + \frac{2(3aB + 4Ab) \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3d\sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] (2*(a^2*A - A*b^2 + 3*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*b^2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*(4*A*b + 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co

```
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
+ (a_.))], x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
+ (a_.))], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
```

a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :=> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{1}{2}a(4Ab + 3aB) - \frac{1}{2}(a^2A + b^2B)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{1}{2}a(4Ab + 3aB) + \frac{1}{2}(-a^2A - b^2B)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{1}{3}(-4Ab - 3aB) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{((-a^2A + Ab^2 - 3abB)\sqrt{b + a \cos(c + dx)})}{3\sqrt{a}} \\
&= \frac{2b^2B\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d\sqrt{a + b \sec(c + dx)}} + \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{2(a^2A - Ab^2 + 3abB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{3d\sqrt{a + b \sec(c + dx)}} + \dots
\end{aligned}$$

Mathematica [C] time = 4.43076, size = 437, normalized size = 1.58

$$(a + b \sec(c + dx))^{3/2} \left(\frac{4(a^2A + 6abB + 3Ab^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{(a \cos(c+dx)+b)^2} + \frac{2i(3aB+4Ab) \csc(c+dx)\sqrt{-\frac{a(\cos(c+dx)-1)}{a+b}}\sqrt{\frac{a(\cos(c+dx)+1)}{a-b}}}{a} \left(2bF\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) - \frac{1}{2}(c+dx)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] ((a + b*Sec[c + d*x])^(3/2))*((4*(a^2*A + 3*A*b^2 + 6*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(b + a*Cos[c + d*x])^2 + (2*(4*a*A*b + 3*a^2*B + 6*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b + a*Cos[c + d*x])^2 + ((2*I)*(4*A*b + 3*a*B)*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)]

$$+ a*\text{EllipticPi}[1 - a/b, I*\text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}]*\text{Sqrt}[b + a*\text{Cos}[c + d*x]]], (-a + b)/(a + b)]))/ (a*\text{Sqrt}[(a - b)^{-1}]*b*(b + a*\text{Cos}[c + d*x])^{3/2}) + (4*a*A*\text{Sin}[c + d*x])/(b + a*\text{Cos}[c + d*x])]/(6*d*\text{Sec}[c + d*x]^{3/2})$$

Maple [C] time = 0.391, size = 2552, normalized size = 9.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{sec}(d*x+c))^{3/2}*(A+B*\text{sec}(d*x+c))/\text{sec}(d*x+c)^{3/2}, x)$

[Out] $-2/3/d/((a-b)/(a+b))^{1/2}*(-A*((a-b)/(a+b))^{1/2}*a*b-3*B*((a-b)/(a+b))^{1/2}*a*b+3*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-4*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*b^2*\sin(d*x+c)-3*B*\cos(d*x+c))*((a-b)/(a+b))^{1/2}*a^2-A*\cos(d*x+c))*((a-b)/(a+b))^{1/2}*a^2+A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2+3*A*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*b^2+A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-3*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a*b+3*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a^2-3*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a^2+4*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a*b*\sin(d*x+c)-4*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a*b*\sin(d*x+c)+6*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-(a+b)/(a-b))^{1/2})*a*b*\sin(d*x+c)+6*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))*((a-$

$$\frac{b}{(a+b)^{1/2} \sin(dx+c)}, (-\frac{a+b}{a-b})^{1/2} * a*b + 4*A*\cos(dx+c)*\sin(dx+c) * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticE}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * a*b - 4*A*\cos(dx+c)*\sin(dx+c) * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticF}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * a*b - 3*B * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticF}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * b^2 * \sin(dx+c) + 6*B * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticPi}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), \frac{a+b}{a-b}, I / (\frac{a-b}{a+b})^{1/2}) * b^2 * \sin(dx+c) - 4*A * (\frac{a-b}{a+b})^{1/2} * b^2 + 3*B * \cos(dx+c)^2 * (\frac{a-b}{a+b})^{1/2} * a^2 + 4*A * \cos(dx+c) * (\frac{a-b}{a+b})^{1/2} * b^2 - 3*B * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticF}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * a^2 * \sin(dx+c) - 4*A * \cos(dx+c) * \sin(dx+c) * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticE}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * b^2 + A * \cos(dx+c) * \sin(dx+c) * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticF}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * a^2 + 3*B * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticE}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * a^2 * \sin(dx+c) + 5*A * \cos(dx+c)^2 * (\frac{a-b}{a+b})^{1/2} * a*b + 3*B * \cos(dx+c) * (\frac{a-b}{a+b})^{1/2} * a*b - 3*B * \cos(dx+c) * \sin(dx+c) * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticF}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), (-\frac{a+b}{a-b})^{1/2}) * b^2 + 6*B * \cos(dx+c) * \sin(dx+c) * \frac{1}{(a+b)*\frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)}^{1/2}} * \frac{1}{(\cos(dx+c)+1)^{1/2}} * \text{EllipticPi}(-\frac{1+\cos(dx+c)}{(\cos(dx+c)+1)} * \frac{(a-b)}{(a+b)}^{1/2} / \sin(dx+c), \frac{a+b}{a-b}, I / (\frac{a-b}{a+b})^{1/2}) * b^2 * (\frac{b+a*\cos(dx+c)}{\cos(dx+c)})^{1/2} * \cos(dx+c)^2 * \frac{1}{\cos(dx+c)^{3/2}} / \sin(dx+c) / \frac{b+a*\cos(dx+c)}{\cos(dx+c)}))$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c))/sec(dx+c)^(3/2),x,algor
ithm="maxima")

[Out] integrate((B*sec(dx+c)+A)*(b*sec(dx+c)+a)^(3/2)/sec(dx+c)^(3/2

), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(3/2), x)

$$3.445 \quad \int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=266

$$\frac{2(a^2 - b^2)(5aB + 3Ab)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15ad\sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A + 20abB + 3Ab^2)\sqrt{a+b \sec(c+dx)}}{15ad\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*(a^2 - b^2)*(3*A*b + 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(15*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(15*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(6*A*b + 5*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.791623, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4025, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2 - b^2)(5aB + 3Ab)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{15ad\sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A + 20abB + 3Ab^2)\sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{15ad\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (2*(a^2 - b^2)*(3*A*b + 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(15*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(15*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(6*A*b + 5*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]])

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co

```
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^2(c + dx)} - \frac{2}{5} \int \frac{-\frac{1}{2}a(6Ab + 5aB) - \frac{1}{2}(3a^2)}{\sec^2(c + dx)} dx \\
 &= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \sec(c + dx)}}{15d\sqrt{\sec(c + dx)}} \\
 &= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \sec(c + dx)}}{15d\sqrt{\sec(c + dx)}} \\
 &= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \sec(c + dx)}}{15d\sqrt{\sec(c + dx)}} \\
 &= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \sec(c + dx)}}{15d\sqrt{\sec(c + dx)}} \\
 &= \frac{2(a^2 - b^2)(3Ab + 5aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{15ad\sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 1.57805, size = 201, normalized size = 0.76

$$\frac{2(a + b \sec(c + dx))^{3/2} \left((a^2 - b^2) (5aB + 3Ab) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF} \left(\frac{1}{2}(c + dx), \frac{2a}{a+b} \right) + (a + b) (9a^2 A + 20abB + 3Ab^2) \right)}{15ad \sec^2(c + dx) (a \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] (2*(a + b*Sec[c + d*x])^(3/2)*((a + b)*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*a)/(a + b)] + (a^2 - b^2)*(3*A*b + 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + a*(b + a*Cos[c + d*x])*(6*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x))/(15*a*d*(b + a*Cos[c + d*x])^2*Sec[c + d*x]^(3/2))

Maple [B] time = 0.441, size = 2915, normalized size = 11.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x)

[Out] -2/15/d/a/((a-b)/(a+b))^(1/2)*(9*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-3*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*b^3*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+5*B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+12*A*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^2*b+15*B*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b^2-3*A*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a*b^2-9*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)

$$\begin{aligned}
& \text{ipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) \\
& *a^2*b+3*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\
&)/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b^2-20*B*\cos(d*x+c)*\sin(d*x+c)*\text{Elliptic} \\
& \text{cF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/ \\
& (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a^2*b \\
& +20*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\
& *(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin \\
& (d*x+c), (- (a+b)/(a-b))^{1/2})*a^2*b-20*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+ \\
& a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+ \\
& \cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b^2-9*A* \\
& a^2*b*((a-b)/(a+b))^{1/2}-6*A*a*b^2*((a-b)/(a+b))^{1/2}-5*B*a^2*b*((a-b)/(a \\
& +b))^{1/2}-20*B*a*b^2*((a-b)/(a+b))^{1/2}-9*A*\text{EllipticF}((-1+\cos(d*x+c))*((a \\
& -b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^3*(1/(a+b)*(b+a*\cos(d*x \\
& +c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+15*B*(1/(a+b \\
&)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF} \\
& ((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b^2 \\
& *\sin(d*x+c)+9*A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2+25*B*\cos(d*x+c)^2*((\\
& a-b)/(a+b))^{1/2}*a^2*b+5*B*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c)) \\
&)*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x \\
& +c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a^3+12*A*\text{EllipticF}((-1+ \\
& \cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^2*b*(1/(\\
& a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d* \\
& x+c)-3*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(\\
& a-b))^{1/2})*a*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(\\
& d*x+c)+1))^{1/2}*\sin(d*x+c)-9*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\
&)/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d* \\
& x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+3*A*\text{EllipticE}((-1+\cos(d* \\
& x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b)*(\\
& b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-2 \\
& 0*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b)) \\
& ^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c \\
&)+1))^{1/2}*\sin(d*x+c)+20*B*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/s \\
& \text{in}(d*x+c), (- (a+b)/(a-b))^{1/2})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\
& +1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-20*B*\text{EllipticE}((-1+\cos(d*x+c \\
&))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b^2*(1/(a+b)*(b+a \\
& *\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-3*A* \\
& b^3*((a-b)/(a+b))^{1/2}+5*B*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^3-5*B*a^3*((\\
& a-b)/(a+b))^{1/2}*\cos(d*x+c)-9*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^3+3*A*\cos \\
& (d*x+c)*((a-b)/(a+b))^{1/2}*b^3+3*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^3+6* \\
& A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^3-9*A*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF} \\
& ((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/(a+ \\
& b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a^3+9*A* \\
& \cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(c \\
& \text{os}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c
\end{aligned}$$

), $(- (a+b)/(a-b))^{1/2} * a^3 - 3 * A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * b^3 - 3 * A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a * b^2 - 20 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 * b + 20 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a * b^2 + 9 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 * b * ((b+a * \cos(dx+c)) / \cos(dx+c))^{1/2} * \cos(dx+c)^3 * (1/\cos(dx+c))^{5/2} / \sin(dx+c) / (b+a * \cos(dx+c))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Bb \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(5/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(5/2), x)

$$3.446 \quad \int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=342

$$\frac{2(a^2 - b^2)(25a^2A + 21abB - 6Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{105a^2d\sqrt{a+b \sec(c+dx)}} + \frac{2(25a^2A + 42abB + 3Ab^2)}{105ad\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(a^2 - b^2)*(25*a^2*A - 6*A*b^2 + 21*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(105*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(8*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*(25*a^2*A + 3*A*b^2 + 42*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 1.12856, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4025, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{105ad\sqrt{\sec(c+dx)}} + \frac{2(a^2 - b^2)(25a^2A + 21abB - 6Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{105a^2d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] (2*(a^2 - b^2)*(25*a^2*A - 6*A*b^2 + 21*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(105*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(8*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*(25*a^2*A + 3*A*b^2 + 42*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a*d*Sqrt[Sec[c + d*x]])

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^2(c + dx)} - \frac{2}{7} \int \frac{-\frac{1}{2}a(8Ab + 7aB) - \frac{1}{2}(5a^2)}{\sec^2(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35d \sec^2(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35d \sec^2(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35d \sec^2(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35d \sec^2(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \sec(c + dx)}}{35d \sec^2(c + dx)} \\
&= \frac{2(a^2 - b^2)(25a^2A - 6Ab^2 + 21abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{105a^2d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.9355, size = 255, normalized size = 0.75

$$\frac{(a + b \sec(c + dx))^{3/2} \left(4\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \left(a^2 (25a^2A + 84abB + 51Ab^2) \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + (82a^2Ab + 63a^3B + 2 \right) \right)}{105a^2d\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x])))/Sec[c + d*x]^(7/2), x]

[Out] ((a + b*Sec[c + d*x])^(3/2)*(4*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*(a^2*(25*a^2*A + 51*A*b^2 + 84*a*b*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - b*EllipticF[(c + d*x)/2, (2*a)/(a + b)])) + a*(b + a*Cos[c + d*x])*((115*a^2*A + 12*A*b^2 + 168*a*b*B)*Sin[c + d*x] + 3*a*(2*(8*A*b + 7

```
*a*B)*Sin[2*(c + d*x)] + 5*a*A*Ssin[3*(c + d*x)])))/(210*a^2*d*(b + a*Cos[c
+ d*x])^2*Sec[c + d*x]^(3/2))
```

Maple [B] time = 0.568, size = 3752, normalized size = 11.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2), x)
```

```
[Out] -2/105/d/a^2/((a-b)/(a+b))^(1/2)*(25*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+
b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^4*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+6*A*EllipticE((-1+c
os(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*b^4*(1/(a+b
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c
)-82*A*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/
sin(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^3*b-25*A*a^3*b*((a-b)/(a+b))^(1/2)-82*A*a^
2*b^2*((a-b)/(a+b))^(1/2)-3*A*a*b^3*((a-b)/(a+b))^(1/2)-63*B*a^3*b*((a-b)/(
a+b))^(1/2)-42*B*a^2*b^2*((a-b)/(a+b))^(1/2)-21*B*a*b^3*((a-b)/(a+b))^(1/2)
-21*B*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/s
in(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^2*b^2-63*B*sin(d*x+c)*cos(d*x+c)*(1/(a+b)*(
b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-
1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*b+21
*B*sin(d*x+c)*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1
/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*
x+c), (-a+b)/(a-b))^(1/2))*a^2*b^2-21*B*sin(d*x+c)*cos(d*x+c)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+c
os(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b^3+25*A*
sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x
+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(
1/(cos(d*x+c)+1))^(1/2)*a^4+6*A*sin(d*x+c)*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x
+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c
))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*b^4-63*B*sin(d*x+c)
*cos(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b
)/(a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x
+c)+1))^(1/2)*a^4+63*B*sin(d*x+c)*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)
/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^4-82*A*EllipticF((-1+cos(d
*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*b*(1/(a+b)*
```

$$\begin{aligned}
& (b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+ \\
& 51*A*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b)) \\
&)^{1/2})*a^2*b^2*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx \\
& x+c)+1))^{1/2}*\sin(dx+c)+6*A*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2} \\
& / \sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b^3*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c) \\
& +1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+82*A*EllipticE((-1+\cos(dx \\
& +c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^3*b*(1/(a+b)*(b \\
& +a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c)+21 \\
& *B*\cos(dx+c)^4*((a-b)/(a+b))^{1/2})*a^4+42*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2} \\
&)^{1/2})*a^4-6*A*\cos(dx+c)*((a-b)/(a+b))^{1/2})*b^4-63*B*\cos(dx+c)*((a-b)/(a+b)) \\
&)^{1/2})*a^4+15*A*\cos(dx+c)^5*((a-b)/(a+b))^{1/2})*a^4+10*A*\cos(dx+c)^3*((a-b) \\
&)^{1/2})*a^4-25*A*\cos(dx+c)*((a-b)/(a+b))^{1/2})*a^4-82*A*EllipticE(\\
& (-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2*b^2 \\
& *(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\
& -6*A*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b^3 \\
& *(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\
& +84*B*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^3*b \\
& *(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\
& -21*B*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2*b^2 \\
& *(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\
& -63*B*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^3*b \\
& *(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\
& +21*B*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2*b^2 \\
& *(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\
& -21*B*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b^3 \\
& *(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\sin(dx+c) \\
& +39*A*\cos(dx+c)^4*((a-b)/(a+b))^{1/2})*a^3*b+27*A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2} \\
&)^{1/2})*a^2*b^2+63*B*\cos(dx+c)^3*((a-b)/(a+b))^{1/2})*a^3*b+68*A*\cos(dx+c)^2 \\
& *((a-b)/(a+b))^{1/2})*a^3*b-3*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2})*a*b^3+63*B*\cos(dx+c)^2 \\
& *((a-b)/(a+b))^{1/2})*a^2*b^2-82*A*\cos(dx+c)*((a-b)/(a+b))^{1/2})*a^3*b+55*A*\cos(dx+c) \\
& *((a-b)/(a+b))^{1/2})*a^2*b^2+6*A*\cos(dx+c)*((a-b)/(a+b))^{1/2})*a*b^3-21*B*\cos(dx+c) \\
& *((a-b)/(a+b))^{1/2})*a^2*b^2+21*B*\cos(dx+c)*((a-b)/(a+b))^{1/2})*a*b^3+6*A*b^4*((a-b)/(a+b))^{1/2} \\
& +51*A*\sin(dx+c)*\cos(dx+c)*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\
&)^{1/2})*((a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\
&)^{1/2})*a^2*b^2+6*A*\sin(dx+c)*\cos(dx+c)*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\
&)^{1/2})*((a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\
&)^{1/2})*a*b^3+82*A*\sin(dx+c)*\cos(dx+c)*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\
&)^{1/2})*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^3*b \\
& -82*A*\sin(dx+c)*\cos(dx+c)*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2} \\
&)^{1/2})*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2*b^2 \\
& -6*A*\sin(dx+c)*\cos(dx+c)
\end{aligned}$$

```

os(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1)
)^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a
-b))^(1/2))*a^3+84*B*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-
b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/
(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^3+b-63*B*EllipticF((-1+cos
(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^4*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+
63*B*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b)
)^(1/2))*a^4*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)
+1))^(1/2)*sin(d*x+c))*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^4*(1/
cos(d*x+c))^(7/2)/sin(d*x+c)/(b+a*cos(d*x+c))

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(7/2), x)

$$3.447 \quad \int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=427

$$\frac{2(a^2 - b^2)(39a^2Ab + 75a^3B - 18ab^2B + 8Ab^3) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{315a^3d\sqrt{a+b \sec(c+dx)}} + \frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{315ad \sec^{\frac{3}{2}}(c+dx)}$$

```
[Out] (2*(a^2 - b^2)*(39*a^2*A*b + 8*A*b^3 + 75*a^3*B - 18*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(315*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(10*A*b + 9*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (2*(49*a^2*A + 3*A*b^2 + 72*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d*Sec[c + d*x]^(3/2)) + (2*(88*a^2*A*b - 4*A*b^3 + 75*a^3*B + 9*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 1.49522, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4025, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{315ad \sec^{\frac{3}{2}}(c+dx)} + \frac{2(88a^2Ab + 75a^3B + 9ab^2B - 4Ab^3) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{315a^2d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]
```

```
[Out] (2*(a^2 - b^2)*(39*a^2*A*b + 8*A*b^3 + 75*a^3*B - 18*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(315*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2)) + (2*(10*A*b + 9*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (2*(49*a^2*A + 3*A*b^2 + 72*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d*Sec[c + d*x]^(3/2)) + (2*(88*a^2*A*b - 4*A*b^3 + 75*a^3*B + 9*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d*Sqrt[Sec[c + d*x]])
```


$$\frac{e^{c+dx} \sin[c+dx]}{(315a^2d \sec[c+dx]^{3/2}) + (2(88a^2Ab - 4A^2b^3 + 75a^3B + 9ab^2B) \sqrt{a+b \sec[c+dx]} \sin[c+dx]) / (315a^2d \sqrt{\sec[c+dx]})}$$

Rule 4025

$$\text{Int}[(\csc[e + f x] + (f x) \csc[e + f x])^n (\csc[e + f x] + (f x) \csc[e + f x])^m (a + b \csc[e + f x])^{m-1} (d \csc[e + f x])^n / (f^n), x] + \text{Dist}[1/(d^n), \text{Int}[(a + b \csc[e + f x])^{m-2} (d \csc[e + f x])^{n+1} \text{Simp}[a(aB^n - A^2b(m-n-1)) + (2abB^n + A(b^{2n} + a^2(1+n))) \csc[e + f x] + b(bB^n + aA(m+n)) \csc[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A^2b - a^2B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[(A + \csc[e + f x] + (f x) \csc[e + f x])^m (\csc[e + f x] + (f x) \csc[e + f x])^n (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^n / (a f^n), x] + \text{Dist}[1/(a d^n), \text{Int}[(a + b \csc[e + f x])^m (d \csc[e + f x])^{n+1} \text{Simp}[aB^n - A^2b(m+n+1) + a(A + A^n + C^n) \csc[e + f x] + A^2b(m+n+2) \csc[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4035

$$\text{Int}[(\csc[e + f x] + (f x) \csc[e + f x])^m (a + b \csc[e + f x])^n / (\sqrt{\csc[e + f x] + (f x) \csc[e + f x]} \sqrt{a + b \csc[e + f x]}), x] + \text{Dist}[A/a, \text{Int}[\sqrt{a + b \csc[e + f x]} / \sqrt{d \csc[e + f x]}, x], x] - \text{Dist}[(A^2b - a^2B) / (a^2d), \text{Int}[\sqrt{d \csc[e + f x]} / \sqrt{a + b \csc[e + f x]}, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A^2b - a^2B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3856

$$\text{Int}[\sqrt{\csc[e + f x] + (f x) \csc[e + f x]} / \sqrt{\csc[e + f x] + (f x) \csc[e + f x]} (d \csc[e + f x]), x] + \text{Dist}[\sqrt{a + b \csc[e + f x]} / (\sqrt{d \csc[e + f x]} \sqrt{b + a \sin[e + f x]}), \text{Int}[\sqrt{b + a \sin[e + f x]}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2655

$$\text{Int}[\sqrt{(a + b \sin[c + dx]) / (a + b \sin[c + dx])}, x] + \text{Dist}[\sqrt{a + b \sin[c + dx]} / \sqrt{(a + b \sin[c + dx]) / (a + b)}, \text{Int}[\sqrt{a / (a + b) + (b \sin[c + dx]) / (a + b)}, x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2,$$

0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{-\frac{1}{2}a(10Ab + 9aB) - \frac{1}{2}(7a^2)}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \sec(c + dx)}}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \sec(c + dx)}}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \sec(c + dx)}}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \sec(c + dx)}}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \sec(c + dx)}}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2aA\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \sec(c + dx)}}{63d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2(a^2 - b^2)(39a^2Ab + 8Ab^3 + 75a^3B - 18ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + (33a^2Ab^2)}{315a^3d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.07189, size = 313, normalized size = 0.73

$$(a + b \sec(c + dx))^{3/2} \left(8 \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \left(a^2 (186a^2Ab + 75a^3B + 153ab^2B + 2Ab^3) \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + (33a^2Ab^2) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

```
[Out] ((a + b*Sec[c + d*x])^(3/2)*(8*sqrt[(b + a*cos[c + d*x])/(a + b)]*(a^2*(186
*a^2*A*b + 2*A*b^3 + 75*a^3*B + 153*a*b^2*B)*EllipticF[(c + d*x)/2, (2*a)/(
a + b)] + (147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*(
(a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - b*EllipticF[(c + d*x)/2, (2
*a)/(a + b)])) + a*(b + a*cos[c + d*x])*((804*a^2*A*b - 32*A*b^3 + 690*a^3*
B + 72*a*b^2*B)*Sin[c + d*x] + a*(2*(133*a^2*A + 6*A*b^2 + 144*a*b*B)*Sin[2
*(c + d*x)] + 5*a*(2*(10*A*b + 9*a*B)*Sin[3*(c + d*x)] + 7*a*A*Ssin[4*(c + d
*x)]))))/(1260*a^3*d*(b + a*cos[c + d*x])^2*Sec[c + d*x]^(3/2))
```

Maple [B] time = 0.763, size = 4846, normalized size = 11.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x)
```

```
[Out] 2/315/d/a^3/((a-b)/(a+b))^(1/2)*(147*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+
b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^5*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-186*A*sin(d*x+c)*co
s(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(
a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)
+1))^(1/2)*a^4*b-147*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*
x+c), (-a+b)/(a-b))^(1/2))*a^5*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-34*A*cos(d*x+c))*((a-b)/(a+b))^(1/2)
*a^2*b^3+8*A*cos(d*x+c))*((a-b)/(a+b))^(1/2)*a*b^4+246*B*cos(d*x+c))*((a-b)/(
a+b))^(1/2)*a^4*b-165*B*cos(d*x+c))*((a-b)/(a+b))^(1/2)*a^3*b^2-18*B*cos(d*x
+c))*((a-b)/(a+b))^(1/2)*a^2*b^3+18*B*cos(d*x+c))*((a-b)/(a+b))^(1/2)*a*b^4-5
3*A*cos(d*x+c)^4*((a-b)/(a+b))^(1/2)*a^3*b^2-117*B*cos(d*x+c)^4*((a-b)/(a+b
))^(1/2)*a^4*b-52*A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^4*b+A*cos(d*x+c)^3*(
(a-b)/(a+b))^(1/2)*a^2*b^3-81*B*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^3*b^2-85
*A*cos(d*x+c)^5*((a-b)/(a+b))^(1/2)*a^4*b-68*A*cos(d*x+c)^2*((a-b)/(a+b))^(
1/2)*a^3*b^2-4*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b^4-204*B*cos(d*x+c)^2*
((a-b)/(a+b))^(1/2)*a^4*b+9*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^2*b^3-10*A
*cos(d*x+c))*((a-b)/(a+b))^(1/2)*a^4*b+33*A*cos(d*x+c))*((a-b)/(a+b))^(1/2)*a
^3*b^2+33*A*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(
1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)
+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^3*b^2-2*A*sin(d*x+c)*cos(d*x+c)*Ellip
ticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*
1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^2
*b^3+8*A*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
```

$$\begin{aligned}
&)^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a*b^4 + 147*A*\sin(d*x+c)*\cos(d*x+c) * (1/(a+b) \\
&*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE} \\
&((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^4*b- \\
&33*A*\sin(d*x+c)*\cos(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \\
&(1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(\\
&d*x+c), (-a+b)/(a-b))^{(1/2)} * a^3*b^2 + 33*A*\sin(d*x+c)*\cos(d*x+c) * (1/(a+b)*(b \\
&+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1 \\
&+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^2*b^3 - 8 \\
&*A*\sin(d*x+c)*\cos(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1 \\
&/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x \\
&x+c), (-a+b)/(a-b))^{(1/2)} * a*b^4 + 246*B*\sin(d*x+c)*\cos(d*x+c) * \text{EllipticF}((-1+ \\
&\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)*(\\
&b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^4*b - 153*B* \\
&\sin(d*x+c)*\cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x \\
&+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (\\
&1/(\cos(d*x+c)+1))^{(1/2)} * a^3*b^2 - 18*B*\sin(d*x+c)*\cos(d*x+c) * \text{EllipticF}((-1+co \\
&s(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b)*(b+ \\
&a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^2*b^3 - 246*B* \\
&\sin(d*x+c)*\cos(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(c \\
&>os(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c \\
&), (-a+b)/(a-b))^{(1/2)} * a^4*b + 246*B*\sin(d*x+c)*\cos(d*x+c) * (1/(a+b)*(b+a*\cos \\
&(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d \\
&>*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^3*b^2 + 8*A*b^5 \\
&*((a-b)/(a+b))^{(1/2)} + 8*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(\\
&d*x+c), (-a+b)/(a-b))^{(1/2)} * b^5 * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(\\
&1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 75*B*\text{EllipticF}((-1+\cos(d*x+c))*((\\
&a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^5 * (1/(a+b)*(b+a*\cos(d* \\
&>x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 35*A*\cos(d* \\
&>x+c)^6 * ((a-b)/(a+b))^{(1/2)} * a^5 - 14*A*\cos(d*x+c)^4 * ((a-b)/(a+b))^{(1/2)} * a^5 - 45 \\
&*B*\cos(d*x+c)^5 * ((a-b)/(a+b))^{(1/2)} * a^5 - 30*B*\cos(d*x+c)^3 * ((a-b)/(a+b))^{(1/ \\
&2)} * a^5 + 75*B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^5 - 98*A*\cos(d*x+c)^2 * ((a-b)/(a+ \\
&b))^{(1/2)} * a^5 + 147*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^5 - 8*A*\cos(d*x+c) * ((a-b \\
&)/(a+b))^{(1/2)} * b^5 + 147*A*a^4*b * ((a-b)/(a+b))^{(1/2)} + 88*A*a^3*b^2 * ((a-b)/(a+b \\
&))^{(1/2)} + 33*A*a^2*b^3 * ((a-b)/(a+b))^{(1/2)} - 4*A*a*b^4 * ((a-b)/(a+b))^{(1/2)} + 75* \\
&B*a^4*b * ((a-b)/(a+b))^{(1/2)} + 246*B*a^3*b^2 * ((a-b)/(a+b))^{(1/2)} + 9*B*a^2*b^3 * (\\
&(a-b)/(a+b))^{(1/2)} - 18*B*a*b^4 * ((a-b)/(a+b))^{(1/2)} + 18*B*\sin(d*x+c)*\cos(d*x+c \\
&)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \\
&\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/ \\
&2)} * a^2*b^3 - 18*B*\sin(d*x+c)*\cos(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c \\
&)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a*b^4 + 33*A*\text{EllipticF}((-1+\cos(d*x+c \\
&))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^3*b^2 * (1/(a+b)*(b \\
&+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 2* \\
&A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(\\
&1/2)} * a^2*b^3 * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c
\end{aligned}$$

$$\begin{aligned}
& +1)^{1/2} \sin(dx+c) + 8A \operatorname{EllipticF}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^2 b^3 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) + 147A \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^4 b (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) - 33A \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^3 b^2 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) + 33A \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^2 b^3 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) - 8A \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^2 b^4 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) + 246B \operatorname{EllipticF}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^4 b (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) - 153B \operatorname{EllipticF}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^3 b^2 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) - 18B \operatorname{EllipticF}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^2 b^3 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) - 246B \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^4 b (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) + 246B \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^3 b^2 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) + 18B \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^2 b^3 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) - 18B \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * a^2 b^4 (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) + 147A \sin(dx+c) \cos(dx+c) \operatorname{EllipticF}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^5 - 147A \sin(dx+c) \\
& \cos(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \\
& \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^5 + 8A \sin(dx+c) \cos(dx+c) * \\
& (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \operatorname{EllipticE}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * b^5 - 75B \sin(dx+c) \cos(dx+c) \operatorname{EllipticF}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\
& (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \\
& a^5 - 186A \operatorname{EllipticF}(-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^4 b (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\
& (1/(\cos(dx+c)+1))^{1/2} \sin(dx+c) * ((b+a \cos(dx+c)) / \cos(dx+c))^{1/2} \cos(dx+c)^5 * (1/\cos(dx+c))^{9/2} / \sin(dx+c) / (b+a \cos(dx+c))
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(9/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{9}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sec(d*x + c)^(9/2), x)
```


$$3.448 \quad \int \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=513

$$\frac{(472a^2Ab + 133a^3B + 356ab^2B + 128Ab^3) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) + (59a^2B + 104aAb + 36b^2B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}}{192d \sqrt{a + b \sec(c + dx)}} + \frac{(264a^2Ab + 15a^3B + 284ab^2B + 128Ab^3) \sin(c + dx)}{192bd}$$

[Out] ((472*a^2*A*b + 128*A*b^3 + 133*a^3*B + 356*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(192*d*Sqrt[a + b*Sec[c + d*x]]) + ((40*a^3*A*b + 160*a*A*b^3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(64*b*d*Sqrt[a + b*Sec[c + d*x]]) - ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(192*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b*d) + ((104*a*A*b + 59*a^2*B + 36*b^2*B)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*d) + (b*(8*A*b + 11*a*B)*Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (b*B*Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d)

Rubi [A] time = 1.99846, antiderivative size = 513, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {4026, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(59a^2B + 104aAb + 36b^2B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}}{96d} + \frac{(264a^2Ab + 15a^3B + 284ab^2B + 128Ab^3) \sin(c + dx)}{192bd}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] ((472*a^2*A*b + 128*A*b^3 + 133*a^3*B + 356*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(192*d*Sqrt[a + b*Sec[c + d*x]]) + ((40*a^3*A*b + 160*a*A*b^3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c +

$$\begin{aligned} & d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(64*b*d*Sqrt[a + b*Sec[c + d*x]]) \\ & - ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*EllipticE[(c + d*x) \\ & /2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(192*b*d*Sqrt[(b + a*Cos[c + d \\ & *x)]/(a + b)]*Sqrt[Sec[c + d*x]]) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + \\ & 284*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192 \\ & *b*d) + ((104*a*A*b + 59*a^2*B + 36*b^2*B)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Se \\ & c[c + d*x]]*Sin[c + d*x])/(96*d) + (b*(8*A*b + 11*a*B)*Sec[c + d*x]^(5/2)*S \\ & qrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d) + (b*B*Sec[c + d*x]^(5/2)*(a + \\ & b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d) \end{aligned}$$

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp
[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m, x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[
e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f
*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 -
b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^m, x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)], x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)
]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx &= \frac{bB \sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{4d} + \frac{1}{4} \int \sec^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} dx \\
&= \frac{b(8Ab+11aB) \sec^{\frac{5}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{24d} \\
&= \frac{(104aAb+59a^2B+36b^2B) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{96d} \\
&= \frac{(264a^2Ab+128Ab^3+15a^3B+284ab^2B) \sqrt{\sec(c+dx)} \sin(c+dx)}{192bd} \\
&= \frac{(264a^2Ab+128Ab^3+15a^3B+284ab^2B) \sqrt{\sec(c+dx)} \sin(c+dx)}{192bd} \\
&= \frac{(264a^2Ab+128Ab^3+15a^3B+284ab^2B) \sqrt{\sec(c+dx)} \sin(c+dx)}{192bd} \\
&= \frac{(264a^2Ab+128Ab^3+15a^3B+284ab^2B) \sqrt{\sec(c+dx)} \sin(c+dx)}{192bd} \\
&= \frac{(40a^3Ab+160aAb^3-5a^4B+120a^2b^2B+48b^4B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{64bd \sqrt{a+b \sec(c+dx)}} \\
&= \frac{(472a^2Ab+128Ab^3+133a^3B+356ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{192d \sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.90957, size = 768, normalized size = 1.5

$$(a+b \sec(c+dx))^{5/2} \left(\frac{1}{96} \sec^2(c+dx) (59a^2B \sin(c+dx) + 104aAb \sin(c+dx) + 36b^2B \sin(c+dx)) + \frac{\sec(c+dx)(264a^2Ab + 128Ab^3 + 15a^3B + 284ab^2B) \sin(c+dx)}{192d \sqrt{a+b \sec(c+dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

```
[Out] -((a + b*Sec[c + d*x])^(5/2)*((2*(-416*a^2*A*b^2 - 236*a^3*b*B - 144*a*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/Sqrt[b + a*Cos[c + d*x]] + (2*(24*a^3*A*b - 832*a*A*b^3 + 45*a^4*B - 436*a^2*b^2*B - 288*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(264*a^3*A*b + 128*a*A*b^3 + 15*a^4*B + 284*a^2*b^2*B)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)]))*Sin[c + d*x]/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2)))/(768*b*d*(b + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)) + ((a + b*Sec[c + d*x])^(5/2)*((Sec[c + d*x]^3*(8*A*b^2*Sin[c + d*x] + 17*a*b*B*Sin[c + d*x]))/24 + (Sec[c + d*x]^2*(104*a*A*b*Sin[c + d*x] + 59*a^2*B*Sin[c + d*x] + 36*b^2*B*Sin[c + d*x]))/96 + (Sec[c + d*x]*(264*a^2*A*b*Sin[c + d*x] + 128*A*b^3*Sin[c + d*x] + 15*a^3*B*Sin[c + d*x] + 284*a*b^2*B*Sin[c + d*x]))/(192*b) + (b^2*B*Sec[c + d*x]^3*Tan[c + d*x])/4))/(d*(b + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2)))
```

Maple [C] time = 0.791, size = 5392, normalized size = 10.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2), x)

$$3.449 \quad \int \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=422

$$\frac{(48a^3A + 59a^2bB + 66aAb^2 + 16b^3B) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) + (33a^2B + 54aAb + 16b^2B)}{24d\sqrt{a + b \sec(c + dx)}}$$

```
[Out] ((48*a^3*A + 66*a*A*b^2 + 59*a^2*b*B + 16*b^3*B)*Sqrt[(b + a*Cos[c + d*x])]/
(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(24*d*Sq
rt[a + b*Sec[c + d*x]]) + ((30*a^2*A*b + 8*A*b^3 + 5*a^3*B + 20*a*b^2*B)*Sq
rt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*
Sqrt[Sec[c + d*x]]/(8*d*Sqrt[a + b*Sec[c + d*x]]) - ((54*a*A*b + 33*a^2*B
+ 16*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])
/(24*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + ((54*a*A*b
+ 33*a^2*B + 16*b^2*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c +
d*x])/(24*d) + (b*(2*A*b + 3*a*B)*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x
]]*Sin[c + d*x])/(4*d) + (b*B*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)
*Sin[c + d*x])/(3*d)
```

Rubi [A] time = 1.59404, antiderivative size = 422, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {4026, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}}{24d} + \frac{(48a^3A + 59a^2bB + 66aAb^2 + 16b^3B) \sqrt{\sec(c + dx)}}{24d\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((48*a^3*A + 66*a*A*b^2 + 59*a^2*b*B + 16*b^3*B)*Sqrt[(b + a*Cos[c + d*x])]/
(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(24*d*Sq
rt[a + b*Sec[c + d*x]]) + ((30*a^2*A*b + 8*A*b^3 + 5*a^3*B + 20*a*b^2*B)*Sq
rt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*
Sqrt[Sec[c + d*x]]/(8*d*Sqrt[a + b*Sec[c + d*x]]) - ((54*a*A*b + 33*a^2*B
+ 16*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])
```


$$\frac{1}{(24*d*\sqrt{(b + a*\cos[c + d*x])/(a + b)}*\sqrt{\sec[c + d*x]}) + ((54*a*A*b + 33*a^2*B + 16*b^2*B)*\sqrt{\sec[c + d*x]}*\sqrt{a + b*\sec[c + d*x]}*\sin[c + d*x])/(24*d) + (b*(2*A*b + 3*a*B)*\sec[c + d*x]^{(3/2)}*\sqrt{a + b*\sec[c + d*x]}*\sin[c + d*x])/(4*d) + (b*B*\sec[c + d*x]^{(3/2)}*(a + b*\sec[c + d*x])^{(3/2)}*\sin[c + d*x])/(3*d)}$$

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
```

+ b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b

```
*Sin[c + d*x]]/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= \frac{bB\sec^2(c+dx)(a+b\sec(c+dx))^{3/2}\sin(c+dx)}{3d} + \frac{1}{3}\int \sqrt{\sec(c+dx)}(a+b\sec(c+dx))^{5/2}dx \\
&= \frac{b(2Ab+3aB)\sec^2(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{4d} \\
&= \frac{(54aAb+33a^2B+16b^2B)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{24d} \\
&= \frac{(54aAb+33a^2B+16b^2B)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{24d} \\
&= \frac{(54aAb+33a^2B+16b^2B)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{24d} \\
&= \frac{(54aAb+33a^2B+16b^2B)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{24d} \\
&= \frac{(30a^2Ab+8Ab^3+5a^3B+20ab^2B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\right)}{8d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(48a^3A+66aAb^2+59a^2bB+16b^3B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\right)}{24d\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.92307, size = 678, normalized size = 1.61

$$\frac{(a+b\sec(c+dx))^{5/2}\left(\frac{1}{24}\sec(c+dx)(33a^2B\sin(c+dx)+54aAb\sin(c+dx)+16b^2B\sin(c+dx))+\frac{1}{12}\sec^2(c+dx)(13a^2B+16b^2B)\right)}{d\sec^2(c+dx)(a\cos(c+dx)+b)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*((2*(96*a^3*A + 24*a*A*b^2 + 52*a^2*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b

$$\begin{aligned}
& + a \cos[c + dx] + (2(126a^2Ab + 48A^2b^3 - 3a^3B + 104ab^2B) \sqrt{b + a \cos[c + dx]} / (a + b) \operatorname{EllipticPi}[2, (c + dx)/2, (2a)/(a + b)] / \\
& \sqrt{b + a \cos[c + dx]} + ((2I)(-54a^2Ab - 33a^3B - 16ab^2B) \sqrt{a - a \cos[c + dx]} / (a + b) \sqrt{(a + a \cos[c + dx]) / (a - b)} \cos[2(c \\
& + dx)] * (-2b(a + b) \operatorname{EllipticE}[I \operatorname{ArcSinh}[\sqrt{(a - b)^{-1}}] \sqrt{b + a \cos[c + dx]}], (-a + b)/(a + b) + a(2b \operatorname{EllipticF}[I \operatorname{ArcSinh}[\sqrt{(a - b)^{-1}}] \sqrt{b + a \cos[c + dx]}], (-a + b)/(a + b) + a \operatorname{EllipticPi}[1 - a/b, I \\
& \operatorname{ArcSinh}[\sqrt{(a - b)^{-1}}] \sqrt{b + a \cos[c + dx]}], (-a + b)/(a + b))) \sin[c + dx] / (\sqrt{(a - b)^{-1}} b \sqrt{1 - \cos[c + dx]^2} \sqrt{(a^2 - a^2 \cos[c + dx]^2) / a^2} * (-a^2 + 2b^2 - 4b(b + a \cos[c + dx]) + 2(b + a \cos[c + dx])^2)) / (96d(b + a \cos[c + dx])^{5/2} \sec[c + dx]^{5/2}) + \\
& ((a + b \sec[c + dx])^{5/2} * (\sec[c + dx]^2 * (6A^2b^2 \sin[c + dx] + 13abB \sin[c + dx])) / 12 + (\sec[c + dx] * (54a^2Ab \sin[c + dx] + 33a^2B \sin[c + dx] + 16b^2B \sin[c + dx])) / 24 + (b^2B \sec[c + dx]^2 \tan[c + dx]) / 3) / (d(b + a \cos[c + dx])^2 \sec[c + dx]^{5/2})
\end{aligned}$$

Maple [C] time = 0.515, size = 4258, normalized size = 10.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (a+b \sec(dx+c))^{5/2} (A+B \sec(dx+c)) \sec(dx+c)^{1/2} dx$

[Out] $\frac{1}{24} \frac{d}{dx} \left(\frac{(a-b)}{(a+b)} \right)^{1/2} * (54A^2 \cos(dx+c)^4 \sin(dx+c) * \frac{1}{(a+b)} * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \frac{1}{(\cos(dx+c)+1)} \operatorname{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 b + 8B * ((a-b)/(a+b))^{1/2} * b^3 - 33B \cos(dx+c)^4 * ((a-b)/(a+b))^{1/2} * a^3 - 16B \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * b^3 + 8B \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * b^3 - 12A \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * b^3 + 66A^2 \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^2 b^2 + 59B \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^2 b - 48A^2 \cos(dx+c)^4 \sin(dx+c) * \frac{1}{(a+b)} * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \frac{1}{(\cos(dx+c)+1)} \operatorname{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^3 - 48A^2 \cos(dx+c)^3 \sin(dx+c) * \frac{1}{(a+b)} * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \frac{1}{(\cos(dx+c)+1)} \operatorname{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^3 + 33B \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^3 + 12A^2 \cos(dx+c) * ((a-b)/(a+b))^{1/2} * b^3 + 34B \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 b + 54A^2 \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 b - 33B \cos(dx+c)^4 \sin(dx+c) * \frac{1}{(a+b)} * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \frac{1}{(\cos(dx+c)+1)} \operatorname{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 b + 16B \cos(dx+c)^4 \sin(dx+c) * \frac{1}{(a+b)} * (b+a \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \frac{1}{(\cos(dx+c)+1)} \operatorname{EllipticE}((-1+\cos(dx+c))$

$$\begin{aligned}
& *((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a*b^2 - 26*B*\cos(d*x+c) \\
& ^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c) \\
& +1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b) \\
&)/(a-b))^{(1/2)}) * a^2*b + 44*B*\cos(d*x+c)^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))* \\
& ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a*b^2 - 120*B*\cos(d*x+c) \\
& ^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c) \\
& +1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b) \\
&)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * a*b^2 + 54*A*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(\\
& b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((- \\
& 1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2*b - 54 \\
& *A*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}* \\
& (1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(\\
& d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a*b^2 + 36*A*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b \\
& +a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1 \\
& +\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2*b - 12* \\
& A*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(\\
& 1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d \\
& *x+c), (- (a+b)/(a-b))^{(1/2)}) * a*b^2 - 180*A*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b \\
& +a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((- \\
& 1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1 \\
& /2)}) * a^2*b - 33*B*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+ \\
& c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2*b + 16*B*\cos(d*x+c)^3*\sin(d*x+c) \\
& *(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\
& EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/ \\
& 2)}) * a*b^2 - 26*B*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c \\
& +1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2*b + 44*B*\cos(d*x+c)^3*\sin(d*x+c) \\
& *(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*E \\
& llipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2) \\
&)} * a*b^2 - 120*B*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c \\
& +1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * a*b^2 - 54*A*\cos(d*x+c) \\
& ^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+ \\
& c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+ \\
& b)/(a-b))^{(1/2)}) * a*b^2 + 36*A*\cos(d*x+c)^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c)) \\
& *((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2*b - 12*A*\cos(d*x+c) \\
& ^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c \\
& +1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b) \\
&)/(a-b))^{(1/2)}) * a*b^2 - 180*A*\cos(d*x+c)^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c) \\
&))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c) \\
&))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * a^2*b - 5 \\
& 4*A*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)} * a^2*b - 12*A*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& (1/2)*a*b^2-26*B*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}*a^2*b-16*B*\cos(d*x+c)^4* \\
& (a-b)/(a+b)^{(1/2)}*a*b^2-54*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a*b^2-33*B*c \\
& \cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^2*b-18*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)} \\
& *a*b^2+24*A*\cos(d*x+c)^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1) \\
&)^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)} \\
& / \sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*b^3-48*A*\cos(d*x+c)^4*\sin(d*x+c)*(1/(a+b) \\
& *(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*Elliptic \\
& Pi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a \\
& +b))^{(1/2)})*b^3+33*B*\cos(d*x+c)^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b) \\
& / (a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*a^3-16*B*\cos(d*x+c)^4*\sin(d* \\
& x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)} \\
& *EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} \\
&)^{(1/2)}*b^3-18*B*\cos(d*x+c)^4*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+ \\
& c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*a^3-30*B*\cos(d*x+c)^4*\sin(d*x+c)* \\
& (1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*El \\
& lipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b) \\
&)/(a+b))^{(1/2)})*a^3+24*A*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/ \\
& (\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((\\
& a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*b^3-48*A*\cos(d*x+c)^3*si \\
& n(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1)) \\
& ^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b) \\
&), I/((a-b)/(a+b))^{(1/2)})*b^3+33*B*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos \\
& (d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d \\
& *x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*a^3-16*B*\cos(d* \\
& x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d \\
& *x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- \\
& (a+b)/(a-b))^{(1/2)}*b^3-18*B*\cos(d*x+c)^3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+ \\
& c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c) \\
&)*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*a^3-30*B*\cos(d*x+c)^ \\
& 3*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c) \\
& +1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/ \\
& (a-b), I/((a-b)/(a+b))^{(1/2)})*a^3*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(1/\co \\
& s(d*x+c))^{(1/2)}/(b+a*\cos(d*x+c))/\cos(d*x+c)^2/\sin(d*x+c)
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algor

```
ithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algo
ithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*sec(d*x+c)^(1/2),x, algo
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c)
), x)
```


$$3.450 \quad \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=359

$$\frac{(16a^2Ab + 8a^3B + 11ab^2B + 4Ab^3) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4d\sqrt{a+b \sec(c+dx)}} + \frac{(8a^2A - 9abB - 4Ab^2) \sqrt{a}}{4d\sqrt{\sec(c+dx)}}$$

```
[Out] ((16*a^2*A*b + 4*A*b^3 + 8*a^3*B + 11*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a + b*Sec[c + d*x]]) + ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(4*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*Sqrt[Sec[c + d*x]]) + (b*(4*A*b + 7*a*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (b*B*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)
```

Rubi [A] time = 1.24905, antiderivative size = 359, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4026, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(16a^2Ab + 8a^3B + 11ab^2B + 4Ab^3) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4d\sqrt{a+b \sec(c+dx)}} + \frac{(8a^2A - 9abB - 4Ab^2) \sqrt{a+b \sec(c+dx)}}{4d\sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] ((16*a^2*A*b + 4*A*b^3 + 8*a^3*B + 11*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a + b*Sec[c + d*x]]) + (b*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(4*d*Sqrt[a + b*Sec[c + d*x]]) + ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(4*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*Sqrt[Sec[c + d*x]]) + (b*(4*A*b + 7*a*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (b*B*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d)
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \frac{bB \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{3/2} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{b(4Ab + 7aB) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{bB \sqrt{\sec(c + dx)}}{4d} \\
&= \frac{b(4Ab + 7aB) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{bB \sqrt{\sec(c + dx)}}{4d} \\
&= \frac{b(4Ab + 7aB) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{bB \sqrt{\sec(c + dx)}}{4d} \\
&= \frac{b(4Ab + 7aB) \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d} + \frac{bB \sqrt{\sec(c + dx)}}{4d} \\
&= \frac{b(20aAb + 15a^2B + 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{4d \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(16a^2Ab + 4Ab^3 + 8a^3B + 11ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{4d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 7.00194, size = 628, normalized size = 1.75

$$\frac{(a + b \sec(c + dx))^{5/2} \left(\frac{1}{4} \sec(c + dx) (9abB \sin(c + dx) + 4Ab^2 \sin(c + dx)) + \frac{1}{2} b^2 B \tan(c + dx) \sec(c + dx) \right)}{d \sec^2(c + dx) (a \cos(c + dx) + b)^2} + \frac{(a + b \sec(c + dx))^{5/2}}{d \sec^2(c + dx) (a \cos(c + dx) + b)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[Sec[c + d*x]], x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*((2*(48*a^2*A*b + 16*a^3*B + 4*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(8*a^3*A + 36*a*A*b^2 + 21*a^2*b*B + 8*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(8*a^3*A - 4*a*A*b^2 - 9*a^2*b*B)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)]))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2)))/(16*d*(b + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)) + ((a + b*Sec[c + d*x])^(5/2)*((Sec[c + d*x]*(4*A*b^2*Sin[c + d*x] + 9*a*b*B*Sin[c + d*x]))/4 + (b^2*B*Sec[c + d*x]*Tan[c + d*x])/2))/(d*(b + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2))

Maple [C] time = 0.523, size = 3939, normalized size = 11.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2), x)

[Out] -1/4/d/((a-b)/(a+b))^(1/2)*(40*A*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a*b^2-8*A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^3+4*A*cos(d*x+c)^2*((a-b)/(a+b))

$$\begin{aligned}
& x+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * a^2 b^2 - 9 B \cos(dx+c) \\
& ^3 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- \\
& (a+b)/(a-b))^{1/2} * a^2 b + 9 B \cos(dx+c)^3 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c) \\
&)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * a^2 b^2 - 6 B \cos(dx+c) \\
&)^3 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+ \\
& b)/(a-b))^{1/2} * a^2 b + 2 B \cos(dx+c)^3 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c) \\
&)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * \\
& ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * a^2 b^2 + 8 A \cos(dx+c)^3 \\
& * \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+ \\
& 1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/ \\
& (a-b))^{1/2} * a^3 + 4 A \cos(dx+c)^3 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) \\
&)) / (a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * b^3 + 8 B \cos(dx+c)^3 \sin(dx \\
& x+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/ \\
& ((a-b)/(a+b))^{1/2} * b^3 - 4 B \cos(dx+c)^3 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c) \\
&)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c) \\
&)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * b^3 - 8 A \cos(dx+c)^2 \\
& * \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+ \\
& 1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/ \\
& (a-b))^{1/2} * a^3 + 8 A \cos(dx+c)^2 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) \\
&)) / (a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * a^3 + 4 A \cos(dx+c)^2 \sin(dx \\
& x+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * b^3 + 8 B \cos(dx+c)^2 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c) \\
& +1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b) \\
&))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2} * b^3 + 4 A \cos(dx+c)^3 \\
& * ((a-b)/(a+b))^{1/2} * a^2 b^2 + 9 B \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 b + 2 B \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 b^2 + 8 B \cos(dx+c)^3 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * a^3 + 8 B \cos(dx+c)^2 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * a^3 - 4 B \cos(dx+c)^2 \sin(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2} * b^3 * ((b+a \cos(dx+c)) / \cos(dx+c))^{1/2} * (1/\cos(dx+c))^{1/2} / \sin(dx+c) / (b+a \cos(dx+c)) / \cos(dx+c)
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)
```

$$3.451 \quad \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{3 \sec^2(c+dx)} dx$$

Optimal. Leaf size=349

$$\frac{(2a^3 A + 12a^2 b B + 4a A b^2 + 3b^3 B) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3d \sqrt{a+b \sec(c+dx)}} + \frac{(6a^2 B + 14a A b - 3b^2 B) \sqrt{a+b \sec(c+dx)}}{3d \sqrt{\sec(c+dx) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}}$$

```
[Out] ((2*a^3*A + 4*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*d*Sqrt[a + b*Sec[c + d*x]]) + (b^2*(2*A*b + 5*a*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((14*a*A*b + 6*a^2*B - 3*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*Sqrt[Sec[c + d*x]] - (b*(2*a*A - 3*b*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

Rubi [A] time = 1.2503, antiderivative size = 349, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4025, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2a^3 A + 12a^2 b B + 4a A b^2 + 3b^3 B) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3d \sqrt{a+b \sec(c+dx)}} + \frac{(6a^2 B + 14a A b - 3b^2 B) \sqrt{a+b \sec(c+dx)}}{3d \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] ((2*a^3*A + 4*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*d*Sqrt[a + b*Sec[c + d*x]]) + (b^2*(2*A*b + 5*a*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + ((14*a*A*b + 6*a^2*B - 3*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*Sqrt[Sec[c + d*x]] - (b*(2*a*A - 3*b*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

$n[c + d*x]/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 4025

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m-1}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-2}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*(a*B*n - A*b*(m-n-1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1+n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m+n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$

Rule 4096

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))^{m-1}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{m-1}, x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*(m+n+1)), x] + \text{Dist}[1/(m+n+1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*(m+n+1) + a*C*n + ((A*b + a*B)*(m+n+1) + b*C*(m+n))*\text{Csc}[e + f*x] + (b*B*(m+n+1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LeQ}[n, -1]$

Rule 4108

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^{3/2}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{3/2}/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e$

+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^3(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{\sqrt{a + b \sec(c + dx)} \left(-\frac{3}{2}a\right)}{\sec^3(c + dx)} dx \\
 &= -\frac{b(2aA - 3bB)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\
 &= -\frac{b(2aA - 3bB)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\
 &= -\frac{b(2aA - 3bB)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\
 &= -\frac{b(2aA - 3bB)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d} \\
 &= \frac{b^2(2Ab + 5aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d\sqrt{a + b \sec(c + dx)}} - \frac{b(2aA - 3bB)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} \\
 &= \frac{(2a^3A + 4aAb^2 + 12a^2bB + 3b^3B)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{3d\sqrt{a + b \sec(c + dx)}} - \frac{b(2aA - 3bB)\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d}
 \end{aligned}$$

Mathematica [C] time = 6.94982, size = 599, normalized size = 1.72

$$\frac{(a + b \sec(c + dx))^{5/2} \left(\frac{2}{3} a^2 A \sin(c + dx) + b^2 B \tan(c + dx) \right)}{d \sec^2(c + dx) (a \cos(c + dx) + b)^2} + \frac{(a + b \sec(c + dx))^{5/2} \left(\frac{2(4a^3 A + 36a^2 b B + 36a A b^2) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \operatorname{EllipticF}\left(\frac{c + dx}{2}, \frac{2a}{a + b}\right) \right)}{\sqrt{a \cos(c + dx) + b}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(3/2), x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*((2*(4*a^3*A + 36*a*A*b^2 + 36*a^2*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(14*a^2*A*b + 12*A*b^3 + 6*a^3*B + 27*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(14*a^2*A*b + 6*a^3*B - 3*a*b^2*B)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)])*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)])))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2)))/(12*d*(b + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)) + ((a + b*Sec[c + d*x])^(5/2)*((2*a^2*A*Sin[c + d*x])/3 + b^2*B*Tan[c + d*x]))/(d*(b + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2))

Maple [C] time = 0.412, size = 3663, normalized size = 10.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2), x)

[Out] -1/3/d/((a-b)/(a+b))^(1/2)*(-14*A*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^2*b-12*B*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))

$$\begin{aligned}
 & (1/2)) * \sin(d*x+c) * a*b^2 + 14*A*\cos(d*x+c)^2*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+ \\
 & c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c) \\
 &)*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * a^2*b - 14*A*\cos(d*x+c) \\
 &)^2*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+ \\
 & c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+ \\
 & b)/(a-b))^{(1/2)} * a*b^2 + 18*B*\cos(d*x+c)^2*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c) \\
 &))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) \\
 &)*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * a^2*b - 12*B*\cos(d*x+c) \\
 &)^2*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c) \\
 &)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b) \\
 &)/(a-b))^{(1/2)} * a*b^2 - 6*B*\cos(d*x+c)^2*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c)) \\
 &)/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * (\\
 & (a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * a^2*b - 3*B*\cos(d*x+c)^2* \\
 & \sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1) \\
 &))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(\\
 & a-b))^{(1/2)} * a*b^2 + 18*A*\cos(d*x+c)*\sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a \\
 & -b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c)) \\
 &)/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a*b^2 + 14*A*\cos(d*x+c)*\sin(d \\
 & *x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1 \\
 & /2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b)) \\
 &)^{(1/2)} * a^2*b - 14*A*\cos(d*x+c)*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\
 & +c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+ \\
 & b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * a*b^2 + 18*B*\cos(d*x+c)*\sin(d*x+c) \\
 &) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1 \\
 & /2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1 \\
 & /2)} * a^2*b - 6*B*\cos(d*x+c)*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1) \\
 &))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1 \\
 & /2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * a^2*b - 3*B*\cos(d*x+c)*\sin(d*x+c) * (1/(a+ \\
 & b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{Elliptic} \\
 & \text{E}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * a*b^ \\
 & 2 - 3*B*((a-b)/(a+b))^{(1/2)} * b^3 - 14*A*\cos(d*x+c)^2*\sin(d*x+c) * (1/(a+b)*(b+a*co \\
 & s(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(\\
 & d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * a^2*b + 18*A*\cos \\
 & (d*x+c)^2*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(co \\
 & s(d*x+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c) \\
 & , -(a+b)/(a-b))^{(1/2)} * a*b^2 + 14*A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a*b^2 + 6* \\
 & B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2*b - 2*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} \\
 &) * a^2*b - 6*B*\cos(d*x+c)*\sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1 \\
 & /2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)} * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\
 & 1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^3 - 14*A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} \\
 &) * a^2*b + 3*B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a*b^2 + 30*B*\cos(d*x+c)*\sin(d*x+ \\
 & c) * (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} \\
 &) * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((\\
 & a-b)/(a+b))^{(1/2)} * a*b^2 + 30*B*\cos(d*x+c)^2*\sin(d*x+c) * (1/(a+b)*(b+a*\cos(d*x \\
 & +c))/(\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(d*x+
 \end{aligned}$$

$c) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2} * a^2 b^2 + 6 * B * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^3 + 2 * A * \cos(dx+c)^4 * ((a-b)/(a+b))^{1/2} * a^3 - 2 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^3 + 2 * A * \cos(dx+c) * \sin(dx+c) * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * a^3 - 14 * A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 b^2 - 6 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 b^2 + 3 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 b^2 + 16 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 b^2 + 2 * A * \cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * a^3 - 6 * B * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^3 + 3 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * b^3 - 6 * B * \cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * a^3 - 6 * A * \cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * b^3 + 12 * A * \cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2} * b^3 + 6 * B * \cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * a^3 + 3 * B * \cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * b^3 - 6 * A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * b^3 + 12 * A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2} * b^3 + 6 * B * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * a^3 + 3 * B * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2} * b^3 * ((b+a * \cos(dx+c)) / \cos(dx+c))^{1/2} * \cos(dx+c) * (1/\cos(dx+c))^{3/2} / \sin(dx+c) / (b+a * \cos(dx+c))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}}}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(3/2), x)
```

$$3.452 \quad \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=342

$$\frac{2(8a^2Ab + 5a^3B + 10ab^2B - 8Ab^3) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15d\sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A + 35abB + 23Ab^2) \sqrt{a+b \sec(c+dx)}}{15d\sqrt{\sec(c+dx)}}$$

```
[Out] (2*(8*a^2*A*b - 8*A*b^3 + 5*a^3*B + 10*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(15*d*Sqrt[a + b*Sec[c + d*x]]) + (2*b^3*B*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(15*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))
```

Rubi [A] time = 1.22294, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4025, 4094, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(8a^2Ab + 5a^3B + 10ab^2B - 8Ab^3) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{15d\sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A + 35abB + 23Ab^2) \sqrt{a+b \sec(c+dx)}}{15d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]
```

```
[Out] (2*(8*a^2*A*b - 8*A*b^3 + 5*a^3*B + 10*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(15*d*Sqrt[a + b*Sec[c + d*x]]) + (2*b^3*B*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(15*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))
```

$c + d*x] / (5*d*Sec[c + d*x]^{(3/2)})$

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d

, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} - \frac{2}{5} \int \frac{\sqrt{a + b \sec(c + dx)} \left(-\frac{1}{2}a\right)}{\sec^2(c + dx)} dx \\
&= \frac{2a(8Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2aA(a + b \sec(c + dx))^{3/2}}{5d \sec^2(c + dx)} \\
&= \frac{2a(8Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2aA(a + b \sec(c + dx))^{3/2}}{5d \sec^2(c + dx)} \\
&= \frac{2a(8Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2aA(a + b \sec(c + dx))^{3/2}}{5d \sec^2(c + dx)} \\
&= \frac{2a(8Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2aA(a + b \sec(c + dx))^{3/2}}{5d \sec^2(c + dx)} \\
&= \frac{2b^3 B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{d \sqrt{a + b \sec(c + dx)}} + \frac{2a(8Ab + 5aB)}{15d \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(8a^2 Ab - 8Ab^3 + 5a^3 B + 10ab^2 B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{15d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.96606, size = 616, normalized size = 1.8

$$\frac{(a + b \sec(c + dx))^{5/2} \left(\frac{1}{5} a^2 A \sin(2(c + dx)) + \frac{2}{15} a(5aB + 11Ab) \sin(c + dx) \right)}{d \sec^2(c + dx) (a \cos(c + dx) + b)^2} + \frac{(a + b \sec(c + dx))^{5/2} \left(\frac{2(34a^2 Ab + 10a^3 B + 90ab)}{\dots} \right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(5/2), x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*((2*(34*a^2*A*b + 30*A*b^3 + 10*a^3*B + 90*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/Sqrt[b + a*Cos[c + d*x]] + (2*(9*a^3*A + 23*a*A*b^2 + 35*a^2*b*B + 30*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(9*a^3*A + 23*a*A*b^2 + 35*a^2*b*B)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)]))*Sin[c + d*x])/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2)))/(30*d*(b + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)) + ((a + b*Sec[c + d*x])^(5/2)*((2*a*(11*A*b + 5*a*B)*Sin[c + d*x])/15 + (a^2*A*Sin[2*(c + d*x)]/5))/(d*(b + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2))

Maple [C] time = 0.466, size = 3564, normalized size = 10.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x)

[Out] -2/15/d/((a-b)/(a+b))^(1/2)*(9*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+30*B*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*b^

$$\begin{aligned}
& 3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\
& \sin(d*x+c)-23*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- \\
& (a+b)/(a-b))^{(1/2)})*b^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/ \\
& (\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+5*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&)^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+17*A*\cos(d*x+c)*\sin(d \\
& *x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b) \\
&))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1) \\
&)^{(1/2)}*a^2*b+15*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d \\
& *x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (\\
& - (a+b)/(a-b))^{(1/2)})*b^3*\sin(d*x+c)-15*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(\\
& a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*b^3*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
& (\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-15*B*\sin(d*x+c)*c \\
& os(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1) \\
&)^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a \\
& -b))^{(1/2)})*b^3+30*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d \\
& *x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/ \\
& (a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b^3+45*B*\cos(d*x \\
& +c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2) \\
&)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(\\
& 1/2)})*\sin(d*x+c)*a*b^2-23*A*\cos(d*x+c)*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c)) \\
& *((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x \\
& +c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a*b^2-9*A*\cos(d*x+c)*\si \\
& n(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1)) \\
& ^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a- \\
& b))^{(1/2)})*a^2*b+23*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
& (d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/ \\
& (a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a*b^2-35*B*\cos(d*x+c)*\sin(d*x \\
& +c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b) \\
&)^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(\\
& 1/2)}*a^2*b+35*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c \\
& +1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&)^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b-35*B*\cos(d*x+c)*\sin(d*x+c)*(\\
& 1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*Ell \\
& ipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) \\
& *a*b^2-9*A*a^2*b*((a-b)/(a+b))^{(1/2)}-11*A*a*b^2*((a-b)/(a+b))^{(1/2)}-5*B*a^2 \\
& *b*((a-b)/(a+b))^{(1/2)}-35*B*a*b^2*((a-b)/(a+b))^{(1/2)}-9*A*EllipticF((-1+\cos \\
& (d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*(1/(a+b)* \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+ \\
& 45*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/ \\
& 2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(\\
& 1/2)})*a*b^2*\sin(d*x+c)+34*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b^2+40*B*co \\
& s(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b-5*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2 \\
& *b+5*B*\cos(d*x+c)*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/ \\
& \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& (1/2) * (1 / (\cos(dx+c)+1))^{(1/2)} * a^3 + 17 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * a^2 * b * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 23 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * a * b^2 * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 9 * A * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * a^2 * b * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 23 * A * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * a * b^2 * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 35 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * a^2 * b * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 35 * B * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * a^2 * b * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 35 * B * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * a * b^2 * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 23 * A * b^3 * ((a-b)/(a+b))^{(1/2)} + 5 * B * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^3 - 5 * B * a^3 * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c) - 9 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a^3 + 23 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * b^3 + 3 * A * \cos(dx+c)^4 * ((a-b)/(a+b))^{(1/2)} * a^3 + 6 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^3 - 9 * A * \cos(dx+c) * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * a^3 + 9 * A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * a^3 - 23 * A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * b^3 - 23 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a * b^2 - 35 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a^2 * b + 35 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a * b^2 + 14 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^2 * b + 15 * A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * (1 / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)}) * b^3 * ((b+a*\cos(dx+c)) / \cos(dx+c))^{(1/2)} * \cos(dx+c)^3 * (1 / \cos(dx+c))^{(5/2)} / \sin(dx+c) / (b+a*\cos(dx+c))
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^2}{\sec(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c))/sec(dx+c)^(5/2),x, algor

```
ithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(5/2), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(5/2), x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(5/2), x)
```

$$3.453 \quad \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{7 \sec^2(c+dx)} dx$$

Optimal. Leaf size=340

$$\frac{2(a^2 - b^2)(25a^2A + 56abB + 15Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{105ad\sqrt{a+b \sec(c+dx)}} + \frac{2(25a^2A + 77abB + 45Ab^2)}{105d}$$

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 15*A*b^2 + 56*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(105*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(105*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(10*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*(25*a^2*A + 45*A*b^2 + 77*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```

Rubi [A] time = 1.15505, antiderivative size = 340, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4025, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{105d\sqrt{\sec(c+dx)}} + \frac{2(a^2 - b^2)(25a^2A + 56abB + 15Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{105ad\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 15*A*b^2 + 56*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(105*a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(105*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(10*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (2*(25*a^2*A + 45*A*b^2 + 77*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4094

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^2(c + dx)} - \frac{2}{7} \int \frac{\sqrt{a + b \sec(c + dx)}}{\sec^2(c + dx)} \left(-\frac{1}{2}a\right) \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^2(c + dx)} + \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{7d \sec^2(c + dx)} \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^2(c + dx)} + \frac{2(25a^2A + 45Ab^2)}{35d \sec^2(c + dx)} \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^2(c + dx)} + \frac{2(25a^2A + 45Ab^2)}{35d \sec^2(c + dx)} \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^2(c + dx)} + \frac{2(25a^2A + 45Ab^2)}{35d \sec^2(c + dx)} \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^2(c + dx)} + \frac{2(25a^2A + 45Ab^2)}{35d \sec^2(c + dx)} \\
&= \frac{2a(10Ab + 7aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{35d \sec^2(c + dx)} + \frac{2(25a^2A + 45Ab^2)}{35d \sec^2(c + dx)} \\
&= \frac{2(a^2 - b^2)(25a^2A + 15Ab^2 + 56abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{105ad \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.79112, size = 257, normalized size = 0.76

$$(a + b \sec(c + dx))^{5/2} \left(2\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \left(a(25a^3A + 119a^2bB + 135aAb^2 + 105b^3B) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + (145a^2A + 15Ab^2 + 63a^3B + 161a^2bB) \operatorname{EllipticE}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) - b \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) \right) + a(b + a \cos(c + dx))(65a^2A + 90Ab^2 + 154a^2bB + 6a(15Ab^2 + 105b^3B)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(7/2), x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*(2*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*(a*(25*a^3*A + 135*a*A*b^2 + 119*a^2*b*B + 105*b^3*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + (145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - b*EllipticF[(c + d*x)/2, (2*a)/(a + b)])) + a*(b + a*Cos[c + d*x])*(65*a^2*A + 90*A*b^2 + 154*a*b*B + 6*a*(15*A*b + 105*b^3*B)))

$$7*a*B)*\cos[c + d*x] + 15*a^2*A*\cos[2*(c + d*x)]*\sin[c + d*x]))/(105*a*d*(b + a*\cos[c + d*x])^3*\sec[c + d*x]^(5/2))$$

Maple [B] time = 0.557, size = 3980, normalized size = 11.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^(5/2)*(A+B*\sec(d*x+c))/\sec(d*x+c)^(7/2), x)$

[Out]
$$\begin{aligned} & -2/105/d/a/((a-b)/(a+b))^(1/2)*(25*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b)) \\ &)^(1/2)/\sin(d*x+c), (-a+b)/(a-b))^(1/2)*a^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\ & (d*x+c)+1))^(1/2)*(1/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)+105*B*\sin(d*x+c)*\cos \\ & (d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c), (-a+b)/(a- \\ & b))^(1/2))*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(\cos(d*x+c)+1 \\ &))^(1/2)*a*b^3-15*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c \\ &), (-a+b)/(a-b))^(1/2)*b^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2) \\ & *(1/(\cos(d*x+c)+1))^(1/2)*\sin(d*x+c)-145*A*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF} \\ & (-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c), (-a+b)/(a-b))^(1/2)*(1/(a+ \\ & b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(\cos(d*x+c)+1))^(1/2)*a^3*b-25 \\ & *A*a^3*b*((a-b)/(a+b))^(1/2)-145*A*a^2*b^2*((a-b)/(a+b))^(1/2)-45*A*a*b^3*(\\ & (a-b)/(a+b))^(1/2)-63*B*a^3*b*((a-b)/(a+b))^(1/2)-77*B*a^2*b^2*((a-b)/(a+b) \\ &)^(1/2)-161*B*a*b^3*((a-b)/(a+b))^(1/2)-161*B*\sin(d*x+c)*\cos(d*x+c)*\text{Ellipti} \\ & cF((-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c), (-a+b)/(a-b))^(1/2)*(1/ \\ & (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(\cos(d*x+c)+1))^(1/2)*a^2*b \\ & ^2-63*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/ \\ & 2)*(1/(\cos(d*x+c)+1))^(1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/s \\ & in(d*x+c), (-a+b)/(a-b))^(1/2)*a^3*b+161*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)* \\ & (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(\cos(d*x+c)+1))^(1/2)*\text{EllipticE}((\\ & -1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c), (-a+b)/(a-b))^(1/2)*a^2*b^2 \\ & -161*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2) \\ & *(1/(\cos(d*x+c)+1))^(1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/si \\ & n(d*x+c), (-a+b)/(a-b))^(1/2)*a*b^3+25*A*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((\\ & -1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c), (-a+b)/(a-b))^(1/2)*(1/(a+b) \\ &)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(\cos(d*x+c)+1))^(1/2)*a^4-15*A* \\ & \sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(c \\ & os(d*x+c)+1))^(1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c \\ &), (-a+b)/(a-b))^(1/2)*b^4-63*B*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d* \\ & x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c), (-a+b)/(a-b))^(1/2)*(1/(a+b)*(b+a*co \\ & s(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(\cos(d*x+c)+1))^(1/2)*a^4+63*B*\sin(d*x+c \\ &)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^(1/2)*(1/(\cos(d*x+c) \end{aligned}$$

$$\begin{aligned}
&+1)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b) \\
&/ (a-b))^{(1/2)} * a^4 - 145 * A * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(\\
&dx+c), (-a+b)/(a-b))^{(1/2)} * a^3 * b * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1) \\
&)^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 135 * A * \text{EllipticF}((-1+\cos(dx+c)) \\
&* ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 * (1/(a+b) * (b+a \\
&* \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 15 * A \\
&* \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} \\
& * a * b^3 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1) \\
&)^{(1/2)} * \sin(dx+c) + 145 * A * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(\\
&dx+c), (-a+b)/(a-b))^{(1/2)} * a^3 * b * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1) \\
&)^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 21 * B * \cos(dx+c)^4 * ((a-b)/(a+b) \\
&)^{(1/2)} * a^4 + 42 * B * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^4 + 15 * A * \cos(dx+c) * ((a-b) \\
&/ (a+b))^{(1/2)} * b^4 - 63 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a^4 + 15 * A * \cos(dx+c)^5 * \\
&((a-b)/(a+b))^{(1/2)} * a^4 + 10 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^4 - 25 * A * \cos \\
&dx+c * ((a-b)/(a+b))^{(1/2)} * a^4 - 145 * A * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b) \\
&)^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 * (1/(a+b) * (b+a * \cos(dx+c)) \\
&/ (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 15 * A * \text{EllipticE} \\
&((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a * b^3 * \\
&(1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin \\
&dx+c + 119 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- \\
&a+b)/(a-b))^{(1/2)} * a^3 * b * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1 \\
&/ (\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 161 * B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a \\
&+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 * (1/(a+b) * (b+a * \cos(dx+c) \\
&)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 63 * B * \text{EllipticE} \\
&((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^3 * b \\
&* (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin \\
&dx+c + 161 * B * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (- \\
&a+b)/(a-b))^{(1/2)} * a^2 * b^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} \\
&* (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) - 161 * B * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b) \\
&/ (a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a * b^3 * (1/(a+b) * (b+a * \cos(dx+c) \\
&)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \sin(dx+c) + 60 * A * \cos(dx+c) \\
&^4 * ((a-b)/(a+b))^{(1/2)} * a^3 * b + 90 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 \\
&+ 98 * B * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^3 * b + 110 * A * \cos(dx+c)^2 * ((a-b)/(a+b) \\
&)^{(1/2)} * a^3 * b + 60 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a * b^3 + 238 * B * \cos(dx+c) \\
&^2 * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 - 145 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b + \\
&55 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 - 15 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} \\
& * a * b^3 - 35 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b - 161 * B * \cos(dx+c) * ((a-b) \\
&/ (a+b))^{(1/2)} * a^2 * b^2 + 161 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a * b^3 - 15 * A * b^4 * \\
&((a-b)/(a+b))^{(1/2)} + 135 * A * \sin(dx+c) * \cos(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((\\
&a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c) \\
&)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * a^2 * b^2 - 15 * A * \sin(dx+c) * \cos \\
&dx+c * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(\\
&a-b))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c) \\
&+1))^{(1/2)} * a * b^3 + 145 * A * \sin(dx+c) * \cos(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos \\
&dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)
\end{aligned}$$

$$\begin{aligned} &)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^3 b - 145 A \sin(dx+c) \cos(dx+c) \\ & * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} \\ & * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\ & * a^2 b^2 + 15 A \sin(dx+c) \cos(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\ & * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\ & * a b^3 + 119 B \sin(dx+c) \cos(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\ & * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} \\ & * a^3 b - 63 B * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\ & * a^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} \\ & * \sin(dx+c) + 63 B * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\ & * a^4 * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} \\ & * \sin(dx+c) + 105 B * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} \\ & * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) \\ & * a b^3 \sin(dx+c) * ((b+a \cos(dx+c)) / \cos(dx+c))^{1/2} * \cos(dx+c)^4 * (1/\cos(dx+c))^{7/2} \\ & / \sin(dx+c) / (b+a \cos(dx+c)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^{5/2}}{\sec(dx+c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c))/sec(dx+c)^(7/2),x, algorith="maxima")

[Out] integrate((B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(5/2)/sec(dx+c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{7/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(7/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(7/2), x)
```

$$3.454 \quad \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{9 \sec^2(c+dx)} dx$$

Optimal. Leaf size=425

$$\frac{2(a^2 - b^2)(114a^2Ab + 75a^3B + 45ab^2B - 10Ab^3) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{315a^2d\sqrt{a+b \sec(c+dx)}} + \frac{2(49a^2A + 135abB + 75Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{315ad\sqrt{\sec(c+dx)}}$$

```
[Out] (2*(a^2 - b^2)*(114*a^2*A*b - 10*A*b^3 + 75*a^3*B + 45*a*b^2*B)*Sqrt[(b + a
*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c +
d*x]]/(315*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(147*a^4*A + 279*a^2*A*b^2
- 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b
)]*Sqrt[a + b*Sec[c + d*x]]/(315*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*
Sqrt[Sec[c + d*x]]) + (2*a*(4*A*b + 3*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c +
d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*Sqr
t[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)) + (2*(163*a^
2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c +
d*x])/(315*a*d*Sqrt[Sec[c + d*x]]) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[
c + d*x])/(9*d*Sec[c + d*x]^(7/2))
```

Rubi [A] time = 1.51814, antiderivative size = 425, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4025, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(49a^2A + 135abB + 75Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{315d \sec^3(c+dx)} + \frac{2(163a^2Ab + 75a^3B + 135ab^2B + 5Ab^3) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{315ad \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]
```

```
[Out] (2*(a^2 - b^2)*(114*a^2*A*b - 10*A*b^3 + 75*a^3*B + 45*a*b^2*B)*Sqrt[(b + a
*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c +
d*x]]/(315*a^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(147*a^4*A + 279*a^2*A*b^2
- 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b
)]*Sqrt[a + b*Sec[c + d*x]]/(315*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*
Sqrt[Sec[c + d*x]]) + (2*a*(4*A*b + 3*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c +
d*x])/(21*d*Sec[c + d*x]^(5/2)) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*Sqr
t[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*d*Sec[c + d*x]^(3/2)) + (2*(163*a^
```

$$2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x]/(315*a*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a*A*(a + b*\text{Sec}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(9*d*\text{Sec}[c + d*x]^{7/2})$$
Rule 4025

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-2)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*(a*B*n - A*b*(m-n-1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1+n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m+n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$$
Rule 4094

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4104

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_)}*(\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$
Rule 4035

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$
Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^2(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^2(c + dx)} - \frac{2}{9} \int \frac{\sqrt{a + b \sec(c + dx)}}{\sec^2(c + dx)} \left(-\frac{3}{2}a\right) \\
&= \frac{2a(4Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{9d \sec^2(c + dx)} \\
&= \frac{2a(4Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \sec^2(c + dx)} \\
&= \frac{2a(4Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \sec^2(c + dx)} \\
&= \frac{2a(4Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \sec^2(c + dx)} \\
&= \frac{2a(4Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \sec^2(c + dx)} \\
&= \frac{2a(4Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \sec^2(c + dx)} \\
&= \frac{2a(4Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \sec^2(c + dx)} \\
&= \frac{2a(4Ab + 3aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d \sec^2(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \sec^2(c + dx)} \\
&= \frac{2(a^2 - b^2)(114a^2Ab - 10Ab^3 + 75a^3B + 45ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + (279a^2 + 155ab + 75a^2B) \sqrt{a + b \sec(c + dx)}}{315a^2d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.49694, size = 313, normalized size = 0.74

$$(a + b \sec(c + dx))^{5/2} \left(8 \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \left(a^2 (261a^2Ab + 75a^3B + 405ab^2B + 155Ab^3) \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + (279a^2 + 155ab + 75a^2B) \sqrt{a + b \sec(c + dx)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(9/2), x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*(8*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*(a^2*(261*a^2*A*b + 155*A*b^3 + 75*a^3*B + 405*a*b^2*B)*EllipticF[(c + d*x)/2, (2*a)

$$\begin{aligned} & / (a + b)] + (147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B) * ((a + b) * \text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)] - b * \text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]) + a * (b + a * \text{Cos}[c + d*x]) * (2 * (747*a^2*A*b + 20*A*b^3 + 345*a^3*B + 540*a*b^2*B) * \text{Sin}[c + d*x] + a * ((266*a^2*A + 300*A*b^2 + 540*a*b*B) * \text{Sin}[2*(c + d*x)] + 5*a * (2 * (19*A*b + 9*a*B) * \text{Sin}[3*(c + d*x)] + 7*a*A * \text{Sin}[4*(c + d*x)]))) / (1260*a^2*d * (b + a * \text{Cos}[c + d*x])^3 * \text{Sec}[c + d*x]^(5/2)) \end{aligned}$$

Maple [B] time = 0.744, size = 4847, normalized size = 11.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\text{sec}(d*x+c))^(5/2)*(A+B*\text{sec}(d*x+c))/\text{sec}(d*x+c)^(9/2),x)$

[Out] $\begin{aligned} & 2/315/d/a^2/((a-b)/(a+b))^(1/2)*(147*A*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a^5*(1/(a+b)*(b+a*\text{cos}(d*x+c)))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*\text{sin}(d*x+c)-261*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*a^4*b-147*A*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a^5*(1/(a+b)*(b+a*\text{cos}(d*x+c)))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*\text{sin}(d*x+c)-199*A*\text{cos}(d*x+c)*((a-b)/(a+b))^(1/2))*a^2*b^3-10*A*\text{cos}(d*x+c)*((a-b)/(a+b))^(1/2))*a*b^4+435*B*\text{cos}(d*x+c)*((a-b)/(a+b))^(1/2))*a^4*b-165*B*\text{cos}(d*x+c)*((a-b)/(a+b))^(1/2))*a^3*b^2+45*B*\text{cos}(d*x+c)*((a-b)/(a+b))^(1/2))*a^2*b^3-45*B*\text{cos}(d*x+c)*((a-b)/(a+b))^(1/2))*a*b^4-170*A*\text{cos}(d*x+c)^4*((a-b)/(a+b))^(1/2))*a^3*b^2-180*B*\text{cos}(d*x+c)^4*((a-b)/(a+b))^(1/2))*a^4*b-82*A*\text{cos}(d*x+c)^3*((a-b)/(a+b))^(1/2))*a^4*b-80*A*\text{cos}(d*x+c)^3*((a-b)/(a+b))^(1/2))*a^2*b^3-270*B*\text{cos}(d*x+c)^3*((a-b)/(a+b))^(1/2))*a^3*b^2-130*A*\text{cos}(d*x+c)^5*((a-b)/(a+b))^(1/2))*a^4*b-272*A*\text{cos}(d*x+c)^2*((a-b)/(a+b))^(1/2))*a^3*b^2+5*A*\text{cos}(d*x+c)^2*((a-b)/(a+b))^(1/2))*a*b^4-330*B*\text{cos}(d*x+c)^2*((a-b)/(a+b))^(1/2))*a^4*b-180*B*\text{cos}(d*x+c)^2*((a-b)/(a+b))^(1/2))*a^2*b^3+65*A*\text{cos}(d*x+c)*((a-b)/(a+b))^(1/2))*a^4*b+279*A*\text{cos}(d*x+c)*((a-b)/(a+b))^(1/2))*a^3*b^2+279*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2))*a^3*b^2-155*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2))*a^2*b^3-10*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2))*a*b^4+147*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2) \end{aligned}$

$$\begin{aligned}
& (1/2)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^4*b - 279*A*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^3*b^2 + 279*A*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^2*b^3 + 10*A*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a*b^4 + 435*B*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * a^4*b - 405*B*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * a^3*b^2 + 45*B*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * a^2*b^3 - 435*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^4*b + 435*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^3*b^2 - 10*A*b^5*((a-b)/(a+b))^{1/2} - 10*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * b^5*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - 75*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^5*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - 35*A*\cos(d*x+c)^6*((a-b)/(a+b))^{1/2} * a^5 - 14*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2} * a^5 - 45*B*\cos(d*x+c)^5*((a-b)/(a+b))^{1/2} * a^5 - 30*B*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2} * a^5 + 75*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2} * a^5 - 98*A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2} * a^5 + 147*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2} * a^5 + 10*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2} * b^5 + 147*A*a^4*b*((a-b)/(a+b))^{1/2} + 163*A*a^3*b^2*((a-b)/(a+b))^{1/2} + 279*A*a^2*b^3*((a-b)/(a+b))^{1/2} + 5*A*a*b^4*((a-b)/(a+b))^{1/2} + 75*B*a^4*b*((a-b)/(a+b))^{1/2} + 435*B*a^3*b^2*((a-b)/(a+b))^{1/2} + 135*B*a^2*b^3*((a-b)/(a+b))^{1/2} + 45*B*a*b^4*((a-b)/(a+b))^{1/2} - 45*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^2*b^3 + 45*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a*b^4 + 279*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^3*b^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - 155*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a^2*b^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1)^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - 10*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) * a*b^4*(1/(a+b)
\end{aligned}$$

$$\begin{aligned}
&*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c) \\
&+147*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a- \\
&b))^{(1/2)})*a^4*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d* \\
&x+c)+1))^{(1/2)}*\sin(d*x+c)-279*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/ \\
&/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(\\
&d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+279*A*EllipticE((-1+co \\
&s(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b^3*(1/(\\
&a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d* \\
&x+c)+10*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/ \\
&(a-b))^{(1/2)})*a*b^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos \\
&(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+435*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/ \\
&/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^4*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\
&(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-405*B*EllipticF((-1+c \\
&>os(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*b^2*(1/ \\
&(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d \\
&>*x+c)+45*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b) \\
&/ (a-b))^{(1/2)})*a^2*b^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/ \\
&/\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-435*B*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^4*b*(1/(a+b)*(b+a*\cos(d*x+c))/ \\
&/\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+435*B*EllipticE((- \\
&1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^3*b^2* \\
&(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*si \\
&n(d*x+c)-45*B*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a \\
&+b)/(a-b))^{(1/2)})*a^2*b^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(\\
&1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+45*B*EllipticE((-1+\cos(d*x+c))*((a-b)/(a \\
&+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a*b^4*(1/(a+b)*(b+a*\cos(d*x+c)) \\
&/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+147*A*\sin(d*x+c) \\
&*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b) \\
&)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x \\
&+c)+1))^{(1/2)}*a^5-147*A*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\co \\
&s(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b) \\
&)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^5-10*A*\sin(d*x+c)*\cos(d*x \\
&+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2) \\
&)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2) \\
&)}*b^5-75*B*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x \\
&+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^5-261*A*EllipticF((-1+\cos(d*x+c))* \\
&((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^4*b*(1/(a+b)*(b+a*co \\
&>s(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))*((b+a* \\
&\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^5*(1/\cos(d*x+c))^{(9/2)}/\sin(d*x+c)/ \\
&(b+a*\cos(d*x+c))
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(9/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Bb^2 \sec(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx + c)^2 + (Ba^2 + 2Aab) \sec(dx + c)) \sqrt{b \sec(dx + c) + a}}{\sec(dx + c)^{\frac{9}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(9/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(9/2), x)
```

$$3.455 \quad \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sec^2(c+dx)} dx$$

Optimal. Leaf size=519

$$\frac{2(a^2 - b^2)(285a^2Ab^2 + 675a^4A + 1254a^3bB - 110ab^3B + 40Ab^4)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3465a^3d\sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(a^2 - b^2)*(675*a^4*A + 285*a^2*A*b^2 + 40*A*b^4 + 1254*a^3*b*B - 110*a
*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a
+ b)]*Sqrt[Sec[c + d*x]]/(3465*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(3705*
a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^
4*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3465*
a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(14*A*b
+ 11*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2))
+ (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d
*x])/(693*d*Sec[c + d*x]^(5/2)) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B +
825*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a*d*Sec[c + d*x]
^(3/2)) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b
^3*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a^2*d*Sqrt[Sec[c + d*x]]
) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2
))
```

Rubi [A] time = 1.95957, antiderivative size = 519, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4025, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(1145a^2Ab + 539a^3B + 825ab^2B + 15Ab^3)\sin(c+dx)\sqrt{a+b \sec(c+dx)}}{3465ad \sec^{\frac{3}{2}}(c+dx)} + \frac{2(81a^2A + 209abB + 113Ab^2)\sin(c+dx)}{693d \sec^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(11/2), x
]
```

```
[Out] (2*(a^2 - b^2)*(675*a^4*A + 285*a^2*A*b^2 + 40*A*b^4 + 1254*a^3*b*B - 110*a
*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a
+ b)]*Sqrt[Sec[c + d*x]]/(3465*a^3*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(3705*
a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^
```

```

4*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3465*
a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(14*A*b
+ 11*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(99*d*Sec[c + d*x]^(7/2))
+ (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d
*x])/(693*d*Sec[c + d*x]^(5/2)) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B +
825*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a*d*Sec[c + d*x]
^(3/2)) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b
^3*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a^2*d*Sqrt[Sec[c + d*x]]
) + (2*a*A*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Sec[c + d*x]^(9/2
))

```

Rule 4025

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]

```

Rule 4094

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*C
sc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc
[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a,
b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d

```

$_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (b_.) + (a_)]], x_Symbol] \text{:>} \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b * \text{Csc}[e + f * x]] / \text{Sqrt}[d * \text{Csc}[e + f * x]], x], x] - \text{Dist}[(A * b - a * B) / (a * d), \text{Int}[\text{Sqrt}[d * \text{Csc}[e + f * x]] / \text{Sqrt}[a + b * \text{Csc}[e + f * x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A * b - a * B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (b_.) + (a_)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (d_.)], x_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[a + b * \text{Csc}[e + f * x]] / (\text{Sqrt}[d * \text{Csc}[e + f * x]] * \text{Sqrt}[b + a * \text{Sin}[e + f * x]]), \text{Int}[\text{Sqrt}[b + a * \text{Sin}[e + f * x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_.) + (b_.) * \text{sin}[(c_.) + (d_.) * (x_)]], x_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[a + b * \text{Sin}[c + d * x]] / \text{Sqrt}[(a + b * \text{Sin}[c + d * x]) / (a + b)], \text{Int}[\text{Sqrt}[a / (a + b) + (b * \text{Sin}[c + d * x]) / (a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_.) + (b_.) * \text{sin}[(c_.) + (d_.) * (x_)]], x_Symbol] \text{:>} \text{Simp}[(2 * \text{Sqrt}[a + b] * \text{EllipticE}[(1 * (c - \text{Pi}/2 + d * x)) / 2, (2 * b) / (a + b)]) / d, x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 3858

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (d_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.) * (x_)] * (b_.) + (a_)], x_Symbol] \text{:>} \text{Dist}[(\text{Sqrt}[d * \text{Csc}[e + f * x]] * \text{Sqrt}[b + a * \text{Sin}[e + f * x]]) / \text{Sqrt}[a + b * \text{Csc}[e + f * x]], \text{Int}[1 / \text{Sqrt}[b + a * \text{Sin}[e + f * x]], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2663

$\text{Int}[1 / \text{Sqrt}[(a_.) + (b_.) * \text{sin}[(c_.) + (d_.) * (x_)]], x_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[(a + b * \text{Sin}[c + d * x]) / (a + b)] / \text{Sqrt}[a + b * \text{Sin}[c + d * x]], \text{Int}[1 / \text{Sqrt}[a / (a + b) + (b * \text{Sin}[c + d * x]) / (a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2661

$\text{Int}[1 / \text{Sqrt}[(a_.) + (b_.) * \text{sin}[(c_.) + (d_.) * (x_)]], x_Symbol] \text{:>} \text{Simp}[(2 * \text{EllipticF}[(1 * (c - \text{Pi}/2 + d * x)) / 2, (2 * b) / (a + b)]) / (d * \text{Sqrt}[a + b]), x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sec^{\frac{11}{2}}(c + dx)} dx &= \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} - \frac{2}{11} \int \frac{\sqrt{a + b \sec(c + dx)} \left(-\frac{1}{2}a\right)}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2a(14Ab + 11aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2aA(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{11d \sec^{\frac{9}{2}}(c + dx)} \\
&= \frac{2a(14Ab + 11aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(81a^2A + 113Ab^2)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(14Ab + 11aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(81a^2A + 113Ab^2)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(14Ab + 11aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(81a^2A + 113Ab^2)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(14Ab + 11aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(81a^2A + 113Ab^2)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(14Ab + 11aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(81a^2A + 113Ab^2)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(14Ab + 11aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(81a^2A + 113Ab^2)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2a(14Ab + 11aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{99d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(81a^2A + 113Ab^2)}{99d \sec^{\frac{7}{2}}(c + dx)} \\
&= \frac{2(a^2 - b^2)(675a^4A + 285a^2Ab^2 + 40Ab^4 + 1254a^3bB - 110ab^3B) \sqrt{\frac{a + b \sec(c + dx)}{a + b}}}{3465a^3d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 3.5526, size = 380, normalized size = 0.73

$$\frac{(a + b \sec(c + dx))^{5/2} \left(16 \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \left(a^2 (3315a^2 Ab^2 + 675a^4 A + 2871a^3 bB + 1705ab^3 B + 10Ab^4) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3465a^3d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sec[c + d*x]^(11/2),x]

[Out] ((a + b*Sec[c + d*x])^(5/2)*(16*sqrt[(b + a*cos[c + d*x])/(a + b)]*(a^2*(675*a^4*A + 3315*a^2*A*b^2 + 10*A*b^4 + 2871*a^3*b*B + 1705*a*b^3*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - b*EllipticF[(c + d*x)/2, (2*a)/(a + b)])) + a*(b + a*cos[c + d*x])*(2*(6525*a^4*A + 9330*a^2*A*b^2 - 160*A*b^4 + 16434*a^3*b*B + 440*a*b^3*B)*Sin[c + d*x] + a*(4*(3095*a^2*A*b + 30*A*b^3 + 1463*a^3*B + 1650*a*b^2*B)*Sin[2*(c + d*x)] + 5*a*((513*a^2*A + 452*A*b^2 + 836*a*b*B)*Sin[3*(c + d*x)] + 7*a*((46*A*b + 22*a*B)*Sin[4*(c + d*x)] + 9*a*A*Ssin[5*(c + d*x)])))))))/(27720*a^3*d*(b + a*cos[c + d*x])^3*Sec[c + d*x]^(5/2))

Maple [B] time = 1.022, size = 5946, normalized size = 11.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(11/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)) \sqrt{b \sec(dx+c) + a}}{\sec(dx+c)^{\frac{11}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)/sec(d*x + c)^(11/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)**(11/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}}}{\sec(dx+c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/sec(d*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sec(d*x + c)^(11/2), x)

$$3.456 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=344

$$\frac{(4Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4bd\sqrt{a+b \sec(c+dx)}} - \frac{(-3a^2B + 4aAb - 4b^2B)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{4b^2d\sqrt{a+b \sec(c+dx)}}$$

[Out] $((4A*b - a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(4*b*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - ((4*A*A*b - 3*a^2*B - 4*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(4*b^2*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - ((4*A*b - 3*a*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(4*b^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + ((4*A*b - 3*a*B)*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(4*b^2*d) + (B*\operatorname{Sec}[c + d*x]^(3/2)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(2*b*d)$

Rubi [A] time = 1.11121, antiderivative size = 344, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4033, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(-3a^2B + 4aAb - 4b^2B)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4b^2d\sqrt{a+b \sec(c+dx)}} + \frac{(4Ab - 3aB) \sin(c+dx)\sqrt{\sec(c+dx)}\sqrt{a+b}}{4b^2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sec}[c + d*x]^{(5/2)}*(A + B*\operatorname{Sec}[c + d*x]))/\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]], x]$

[Out] $((4A*b - a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(4*b*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - ((4*A*A*b - 3*a^2*B - 4*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(4*b^2*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - ((4*A*b - 3*a*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(4*b^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + ((4*A*b - 3*a*B)*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(4*b^2*d) + (B*\operatorname{Sec}[c + d*x]^(3/2)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(2*b*d)$

)]/(2*b*d)

Rule 4033

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d^2 *Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n) - a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n, 0] && !IGtQ[m, 1]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e

+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx &= \frac{B \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{2bd} + \frac{\int \frac{\sqrt{\sec(c+dx)} \left(\frac{aB}{2} + bB \sec(c+dx) + \frac{1}{2}(4A) \right)}{\sqrt{a+b \sec(c+dx)}} dx}{2b} \\
 &= \frac{(4Ab - 3aB) \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4b^2d} + \frac{B \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{2b} \\
 &= \frac{(4Ab - 3aB) \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4b^2d} + \frac{B \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{2b} \\
 &= \frac{(4Ab - 3aB) \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4b^2d} + \frac{B \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{2b} \\
 &= \frac{(4Ab - 3aB) \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4b^2d} + \frac{B \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{2b} \\
 &= -\frac{(4aAb - 3a^2B - 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c+dx)}}{4b^2d \sqrt{a+b \sec(c+dx)}} + \frac{(4Ab - aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c+dx)}}{4bd \sqrt{a+b \sec(c+dx)}} - \frac{(4aAb - 3a^2B - 4b^2B) \sqrt{\sec(c+dx)}}{4b^2d \sqrt{a+b \sec(c+dx)}}
 \end{aligned}$$

Mathematica [C] time = 3.99187, size = 451, normalized size = 1.31

$$\sqrt{\sec(c+dx)} \left(\frac{2i(3aB-4Ab) \csc(c+dx) \sqrt{-\frac{a(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{a(\cos(c+dx)+1)}{a-b}} \sqrt{a \cos(c+dx)+b} \left(a \left(2b \operatorname{EllipticF} \left(i \sinh^{-1} \left(\sqrt{\frac{1}{a-b}} \sqrt{a \cos(c+dx)+b} \right), \frac{b-a}{a+b} \right) + a \Pi \left(1 - \frac{a}{b} \right) \right) \right)}{ab^3 \sqrt{\frac{1}{a-b}}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (Sqrt[Sec[c + d*x]]*((8*a*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/b + (2*(-12*a*A*b + 9*a^2*B + 8*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/b^2 + ((2*I)*(-4*A*b + 3*a*B)*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Sqrt[b + a*Cos[c + d*x]]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)])))/(a*Sqrt[(a - b)^(-1)]*b^3) - (4*a*(-4*A*b + 3*a*B)*Sin[c + d*x])/b^2 + (8*a*B*Tan[c + d*x])/b + (4*(4*A*b - 3*a*B)*Tan[c + d*x])/b + 8*B*Sec[c + d*x]*Tan[c + d*x))/(16*d*Sqrt[a + b*Sec[c + d*x]])

Maple [C] time = 0.46, size = 2737, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2), x)

[Out] -1/4/d/((a-b)/(a+b))^(1/2)/b^2*(-4*A*sin(d*x+c)*cos(d*x+c)^3*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b+8*A*cos(d*x+c)^3*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b+8*A*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b-8*A*sin(d*x+c)*

$$\begin{aligned} & (1/2)/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}*a^2+8*B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b)), I/((a-b)/(a+b))^{(1/2)}*b^2+4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*b^2-6*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*a^2*\cos(d*x+c)*(1/\cos(d*x+c))^{(5/2)}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)/(b+a*\cos(d*x+c)) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(b*sec(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(b*sec(d*x + c) + a), x)`

$$3.457 \quad \int \frac{\sec^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=256

$$\frac{B\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{(2Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{bd\sqrt{a+b \sec(c+dx)}} +$$

[Out] (B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) - (B*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (B*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b*d)

Rubi [A] time = 0.731077, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {4033, 4109, 3859, 2807, 2805, 3862, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{bd\sqrt{a+b \sec(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}}{bd} + \frac{B\sqrt{\sec(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) - (B*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (B*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b*d)

Rule 4033

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d^2

```
*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(
m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f
*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n)
- a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m
}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n,
0] && !IGtQ[m, 1]
```

Rule 4109

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)
]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^
2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[A, In
t[1/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x], x] /; FreeQ[{a, b,
d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]),
x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3862

```
Int[1/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)]), x_Symbol] :> Dist[1/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc
[e + f*x]], x], x] - Dist[b/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[
e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{bd} + \frac{\int \frac{-\frac{aB}{2} + \frac{1}{2}(2Ab-aB)\sec^2(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} dx}{b} \\
&= \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{bd} - \frac{(aB) \int \frac{1}{\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} dx}{2b} \\
&= \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{bd} + \frac{1}{2}B \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx - \\
&= \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{bd} + \frac{(B\sqrt{b+a\cos(c+dx)}\sqrt{\sec(c+dx)})}{2\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(2Ab-aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}} + \frac{B\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}} \\
&= \frac{B\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{d\sqrt{a+b\sec(c+dx)}} + \frac{(2Ab-aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.7537, size = 339, normalized size = 1.32

$$\sqrt{\sec(c+dx)} \left(-\frac{2iB \csc(c+dx) \sqrt{-\frac{a(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{a(\cos(c+dx)+1)}{a-b}} \sqrt{a \cos(c+dx)+b} \left(a \left(2b \operatorname{EllipticF}\left(i \sinh^{-1}\left(\sqrt{\frac{1}{a-b}} \sqrt{a \cos(c+dx)+b} \right), \frac{b-a}{a+b} \right) + a \Pi\left(1 - \frac{a}{b}; i \sinh^{-1}\left(\sqrt{\frac{1}{a-b}} \sqrt{a \cos(c+dx)+b} \right) \right) \right)}{ab \sqrt{\frac{1}{a-b}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (Sqrt[Sec[c + d*x]]*(2*(4*A*b - 3*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)] - ((2*I)*B*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Sqrt[b + a*Cos[c + d*x]])*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)]))/ (a*Sqrt[(a - b)^(-1)]*b) + 4*B*(b + a*Cos[c + d*x])*Tan[c + d*x])

)/(4*b*d*Sqrt[a + b*Sec[c + d*x]])

Maple [C] time = 0.43, size = 1440, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{3/2} * (A+B*\sec(dx+c)) / (a+b*\sec(dx+c))^{1/2}, x)$

[Out]
$$-1/d/((a-b)/(a+b))^{1/2}/b*(4*A*\cos(dx+c)^2*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b-2*A*\cos(dx+c)^2*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*b-2*B*\cos(dx+c)^2*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a-B*\cos(dx+c)^2*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*a+B*\cos(dx+c)^2*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*b+2*B*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*a+4*A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b-2*A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*b-2*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticPi((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a-B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*a+B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2})*b+2*B*\sin(dx+c)*\cos(dx+c)*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), -(a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*a+B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a-B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a+B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*b-B*((a-b)/(a+b))^{1/2}*b)*\cos(dx+c)*(1/\cos(dx+c))$$

$x+c)^{(3/2)*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)/(b+a*\cos(d*x+c))$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(b*sec(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(b*sec(d*x + c) + a), x)
```

$$3.458 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=138

$$\frac{2A\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{2B\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]))

Rubi [A] time = 0.391646, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4036, 3858, 2663, 2661, 3859, 2807, 2805}

$$\frac{2A\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}} + \frac{2B\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]) + (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]]))

Rule 4036

Int[(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[A, Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B/d, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/

$\text{Sqrt}[a + b\text{Csc}[e + f*x]], \text{Int}[1/\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /;$ FreeQ[{a, b, d, e, f}, x] && NeQ[a² - b², 0]

Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\text{sin}[(c_) + (d_)*(x_)]], x_Symbol] := \text{Dist}[\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)]/\text{Sqrt}[a + b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a² - b², 0] && !GtQ[a + b, 0]

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\text{sin}[(c_) + (d_)*(x_)]], x_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b]), x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a² - b², 0] && GtQ[a + b, 0]

Rule 3859

$\text{Int}[(\text{csc}[(e_) + (f_)*(x_)]*(d_))^{3/2}/\text{Sqrt}[\text{csc}[(e_) + (f_)*(x_)]*(b_ + (a_))], x_Symbol] := \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])], x], x] /;$ FreeQ[{a, b, d, e, f}, x] && NeQ[a² - b², 0]

Rule 2807

$\text{Int}[1/(((a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)])*\text{Sqrt}[(c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)]]), x_Symbol] := \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a² - b², 0] && NeQ[c² - d², 0] && !GtQ[c + d, 0]

Rule 2805

$\text{Int}[1/(((a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)])*\text{Sqrt}[(c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)]]), x_Symbol] := \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a² - b², 0] && NeQ[c² - d², 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= A \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx + B \int \frac{\sec^{\frac{3}{2}}(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{(A\sqrt{b+a\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{\sqrt{a+b\sec(c+dx)}} + \frac{(B\sqrt{b+a\cos(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{\sqrt{a+b\sec(c+dx)}} \\
&= \frac{(A\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\frac{b}{a+b} + \frac{a\cos(c+dx)}{a+b}}} dx}{\sqrt{a+b\sec(c+dx)}} + \frac{(B\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\frac{b}{a+b} + \frac{a\cos(c+dx)}{a+b}}} dx}{\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2A\sqrt{\frac{b+a\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c+dx)}}{d\sqrt{a+b\sec(c+dx)}} + \frac{2B\sqrt{\frac{b+a\cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c+dx)}}{d\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.258445, size = 91, normalized size = 0.66

$$\frac{2\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}} \left(A\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + B\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \right)}{d\sqrt{a+b\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*(A*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + B*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])*Sqrt[Sec[c + d*x]]/(d*Sqrt[a + b*Sec[c + d*x]])

Maple [C] time = 0.395, size = 283, normalized size = 2.1

$$2 \frac{\cos(dx+c)(\sin(dx+c))^2 \sqrt{(\cos(dx+c))^{-1}} \sqrt{(\cos(dx+c)+1)^{-1}}}{d(-1+\cos(dx+c))(b+a\cos(dx+c))} \left(A\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)} \sqrt{\frac{a-b}{a+b}}, \sqrt{\frac{a+b}{a-b}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2), x)

```
[Out] 2/d/((a-b)/(a+b))^(1/2)*(A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))-B*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-a+b)/(a-b))^(1/2))+2*B*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)^2*(1/cos(d*x+c))^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)/(-1+cos(d*x+c))/(b+a*cos(d*x+c))
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*sec(d*x + c) + a), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(sec(c + d*x))/sqrt(a + b*sec(c + d*x)),
x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*sec(d*x + c) + a),
x)

$$3.459 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=150

$$\frac{2A\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(A*b - a*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (2*A*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(a*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rubi [A] time = 0.310366, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2A\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x])]/(\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]), x]$

[Out] $(-2*(A*b - a*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]) + (2*A*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])/(a*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 4035

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx &= \frac{A \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx}{a} - \frac{(Ab - aB) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx}{a} \\
&= -\frac{((Ab - aB) \sqrt{b + a \cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{b + a \cos(c + dx)}} dx}{a \sqrt{a + b \sec(c + dx)}} + \frac{(A \sqrt{a + b \sec(c + dx)}) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a \sqrt{a + b \sec(c + dx)}} \\
&= -\frac{((Ab - aB) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\frac{b}{a + b} + \frac{a \cos(c + dx)}{a + b}}} dx}{a \sqrt{a + b \sec(c + dx)}} + \frac{(A \sqrt{a + b \sec(c + dx)}) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a \sqrt{a + b \sec(c + dx)}} \\
&= -\frac{2(Ab - aB) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{ad \sqrt{a + b \sec(c + dx)}} + \frac{2AE\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right)}{ad \sqrt{\frac{b + a \cos(c + dx)}{a + b}}}
\end{aligned}$$

Mathematica [A] time = 3.65105, size = 103, normalized size = 0.69

$$\frac{2\sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \left((aB - Ab) \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) + A(a + b) E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \right)}{ad \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] (2*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*(A*(a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] + (-A*b) + a*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(a*d*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.382, size = 940, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2), x)

[Out] 2/d/((a-b)/(a+b))^(1/2)/a*(A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*

```

((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a-A*sin(d*x+c)*cos(d*x
+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))
^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(
1/2)*a+A*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/
2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*b-B*sin(d*x+c)*cos(d*x+c)*EllipticF((-1+c
os(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a+A*(1/(a+b)*
(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((
-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*sin(d
*x+c)-A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a
-b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c
)+1))^(1/2)*sin(d*x+c)+A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(
d*x+c), (-a+b)/(a-b))^(1/2))*b*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-B*EllipticF((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*(1/(a+b)*(b+a*cos(d*x+c))/
(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-A*cos(d*x+c)^2*((a
-b)/(a+b))^(1/2)*a+A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a-A*cos(d*x+c)*((a-b)/(
a+b))^(1/2)*b+A*b*((a-b)/(a+b))^(1/2))*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/
(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(b+a*cos(d*x+c))

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algo
rithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c)
)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b \sec(dx + c)^2 + a \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b*sec(d*x + c)^2 + a*sec(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt{a + b \sec(c + dx)} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))/(sqrt(a + b*sec(c + d*x))*sqrt(sec(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

$$3.460 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=212

$$\frac{2(a^2A - 3abB + 2Ab^2)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d\sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab - 3aB)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*(a^2*A + 2*A*b^2 - 3*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b - 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.479502, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4034, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2A - 3abB + 2Ab^2)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3a^2d\sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab - 3aB)\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3a^2d\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] (2*(a^2*A + 2*A*b^2 - 3*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b - 3*a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*A*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]])

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n

- A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]
 2 , x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0]
 && NeQ[a² - b², 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a² - b², 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a² - b², 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a² - b², 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a² - b², 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a² - b², 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a² -

$b^2, 0] \ \&\& \ !GtQ[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)\sin[(c_) + (d_.)*(x_)]]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b]), x] \ /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(2Ab - 3aB) - \frac{1}{2}aA \sec(c + dx)}{\sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} dx}{3a} \\ &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{(2Ab - 3aB) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\sec(c + dx)}} dx}{3a^2} + \frac{1}{3} \left(A + \frac{b}{a} \right) \\ &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{\left(\left(A + \frac{b(2Ab - 3aB)}{a^2} \right) \sqrt{b + a \cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{3 \sqrt{a + b \sec(c + dx)}} \\ &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{\left(\left(A + \frac{b(2Ab - 3aB)}{a^2} \right) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \sqrt{\sec(c + dx)} \right)}{3 \sqrt{a + b \sec(c + dx)}} \\ &= \frac{2 \left(A + \frac{b(2Ab - 3aB)}{a^2} \right) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{3d \sqrt{a + b \sec(c + dx)}} - \frac{2(2Ab - 3aB)}{3a^2} \end{aligned}$$

Mathematica [A] time = 0.877595, size = 161, normalized size = 0.76

$$\frac{2 \sqrt{\sec(c + dx)} \left((a^2 A - 3abB + 2Ab^2) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) + (a + b)(3aB - 2Ab) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} E\left(\frac{1}{2}(c + dx)\right) \right)}{3a^2 d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] (2*Sqrt[Sec[c + d*x]]*((a + b)*(-2*A*b + 3*a*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticE[(c + d*x)/2, (2*a)/(a + b)] + (a^2*A + 2*A*b^2 - 3*a*b*B)

```
*Sqrt[(b + a*cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)] +
a*A*(b + a*cos[c + d*x])*Sin[c + d*x]))/(3*a^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Maple [B] time = 0.401, size = 1731, normalized size = 8.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2), x)
```

```
[Out] 2/3/d/a^2/((a-b)/(a+b))^(1/2)*(A*((a-b)/(a+b))^(1/2)*a*b+3*B*((a-b)/(a+b))^(1/2)*a*b-2*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*b^2*sin(d*x+c)+3*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^2+A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^2-A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^2-A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+3*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b-3*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^2+3*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^2+2*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b*sin(d*x+c)-2*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+3*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b*sin(d*x+c)+2*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b-2*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b-2*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a*b-2*A*((a-b)/(a+b))^(1/2)*b^2-3*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^2+2*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*b^2+3*B*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^2*sin(d*x+c)-2*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)
```

$$\frac{d*x+c)}{(\cos(d*x+c)+1))^{1/2}} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b^2 - A * \cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^2 - 3 * B * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^2 * \sin(d*x+c) + A * \cos(d*x+c)^2 * ((a-b)/(a+b))^{1/2} * a * b - 3 * B * \cos(d*x+c) * ((a-b)/(a+b))^{1/2} * a * b * ((b+a * \cos(d*x+c)) / \cos(d*x+c))^{1/2} * \cos(d*x+c)^2 * (1/\cos(d*x+c))^{3/2} / \sin(d*x+c) / (b+a * \cos(d*x+c))$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a \sec(dx + c)^2}^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\sec(dx + c)}}{b \sec(dx + c)^3 + a \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b*sec(d*x + c)^3 + a*sec(d*x + c)^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt{a + b \sec(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))/(sqrt(a + b*sec(c + d*x))*sec(c + d*x)**(3/2)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \sec^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^(3/2)), x)

$$3.461 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=280

$$\frac{2(7a^2Ab - 5a^3B - 10ab^2B + 8Ab^3)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{2(9a^2A - 10abB + 8Ab^2)\sqrt{a+b \sec(c+dx)}}{15a^3d\sqrt{a+b \sec(c+dx)}}}{15a^3d\sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A - 10abB + 8Ab^2)\sqrt{a+b \sec(c+dx)}}{15a^3d\sqrt{\sec(c+dx)}}$$

[Out] $(-2*(7*a^2*A*b + 8*A*b^3 - 5*a^3*B - 10*a*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*A*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*a*d*\operatorname{Sec}[c + d*x]^(3/2)) - (2*(4*A*b - 5*a*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

Rubi [A] time = 0.750023, antiderivative size = 280, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4034, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(7a^2Ab - 5a^3B - 10ab^2B + 8Ab^3)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) + \frac{2(9a^2A - 10abB + 8Ab^2)\sqrt{a+b \sec(c+dx)}}{15a^3d\sqrt{a+b \sec(c+dx)}}}{15a^3d\sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A - 10abB + 8Ab^2)\sqrt{a+b \sec(c+dx)}}{15a^3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x])]/(\operatorname{Sec}[c + d*x]^(5/2)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]), x]$

[Out] $(-2*(7*a^2*A*b + 8*A*b^3 - 5*a^3*B - 10*a*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*A*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*a*d*\operatorname{Sec}[c + d*x]^(3/2)) - (2*(4*A*b - 5*a*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

Rule 4034

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(\operatorname{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \operatorname{Simp}[A*\operatorname{Cot}[$

```
e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx &= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2 \int \frac{\frac{1}{2}(4Ab - 5aB) - \frac{3}{2}aA \sec(c + dx) - Ab \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx}{5a} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(4Ab - 5aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15a^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(4Ab - 5aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15a^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(4Ab - 5aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15a^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{2A \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{2(4Ab - 5aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{15a^2 d \sqrt{\sec(c + dx)}} \\
&= -\frac{2(7a^2 Ab + 8Ab^3 - 5a^3 B - 10ab^2 B) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{15a^3 d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.25912, size = 198, normalized size = 0.71

$$\frac{2\sqrt{\sec(c + dx)} \left((-7a^2 Ab + 5a^3 B + 10ab^2 B - 8Ab^3) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) + (a + b)(9a^2 A - 10abB + 3a^2 A \cos[c + dx]) \right)}{15a^3 d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] (2*Sqrt[Sec[c + d*x]]*((a + b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*a)/(a + b)] + (-7*a^2*A*b - 8*A*b^3 + 5*a^3*B + 10*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + a*(b + a*Cos[c + d*x])*(-4*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x]))/(15*a^3*d*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.46, size = 2739, normalized size = 9.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\sec(d*x+c)^{(5/2)}/(a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out]
$$\begin{aligned} & -2/15/d/a^3/((a-b)/(a+b))^{(1/2)}*(9*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-8*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*b^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+ \\ & 5*B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+2*A*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^2*b-8*A*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a*b^2-9*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^2*b+8*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a*b^2+10*B*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^2*b-10*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^2*b+10*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a*b^2-9*A*a^2*b*((a-b)/(a+b))^{(1/2)}+4*A*a*b^2*((a-b)/(a+b))^{(1/2)}-5*B*a^2*b*((a-b)/(a+b))^{(1/2)}+10*B*a*b^2*((a-b)/(a+b))^{(1/2)}-9*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b^2-5*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b+10*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b+5*B*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^3+2*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-8*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*a*b^2 \end{aligned}$$

```

*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*s
in(d*x+c)-9*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a
+b)/(a-b))^(1/2))*a^2*b*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/
(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+8*A*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b)
)^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b^2*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+10*B*EllipticF((-1+
cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2*b*(1/(
a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*
x+c)-10*B*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/
(a-b))^(1/2))*a^2*b*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos
(d*x+c)+1))^(1/2)*sin(d*x+c)+10*B*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(
1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(
d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-8*A*b^3*((a-b)/(a+b))^(
1/2)+5*B*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^3-5*B*a^3*((a-b)/(a+b))^(1/2)*
cos(d*x+c)-9*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^3+8*A*cos(d*x+c)*((a-b)/(a+
b))^(1/2)*b^3+3*A*cos(d*x+c)^4*((a-b)/(a+b))^(1/2)*a^3+6*A*cos(d*x+c)^2*((a
-b)/(a+b))^(1/2)*a^3-9*A*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((
a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^3+9*A*cos(d*x+c)*sin(d*x
+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2
)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(
1/2))*a^3-8*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1
))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(
1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*b^3-8*A*cos(d*x+c)*((a-b)/(a+b))^(1/2
)*a*b^2+10*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b-10*B*cos(d*x+c)*((a-b)/(a
+b))^(1/2)*a*b^2-A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^2*b)*((b+a*cos(d*x+c)
)/cos(d*x+c))^(1/2)*cos(d*x+c)^3*(1/cos(d*x+c))^(5/2)/sin(d*x+c)/(b+a*cos(d
*x+c))

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a \sec(dx + c)}^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^(5/2)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b \sec(dx + c)^4 + a \sec(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b*sec(d*x + c)^4 + a*sec(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sec(d*x + c)^(5/2)), x)

$$3.462 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=371

$$\frac{B\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{bd\sqrt{a+b\sec(c+dx)}} + \frac{2a(Ab-aB)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{bd(a^2-b^2)\sqrt{a+b\sec(c+dx)}} - \frac{(-3a^2B+2aAb+b^2)}{bd(a^2-b^2)}$$

```
[Out] (B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]
*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b - 3*a*B)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sq
rt[Sec[c + d*x]])/(b^2*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*a*A*b - 3*a^2*B +
b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b^2
*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*
a*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*
Sec[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b
*Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d)
```

Rubi [A] time = 1.26909, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4029, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2a(Ab-aB)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{bd(a^2-b^2)\sqrt{a+b\sec(c+dx)}} - \frac{(-3a^2B+2aAb+b^2B)\sin(c+dx)\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}}{b^2d(a^2-b^2)} + \frac{(-3a^2B-b^2)}{bd(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

```
[Out] (B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]
*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b - 3*a*B)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sq
rt[Sec[c + d*x]])/(b^2*d*Sqrt[a + b*Sec[c + d*x]]) + ((2*a*A*b - 3*a^2*B +
b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b^2
*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*
a*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*
Sec[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[Sec[c + d*x]]*Sqrt[a + b
```

*Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d)

Rule 4029

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt

$[c + d \sin[e + f x]]$, $\text{Int}[1/((a + b \sin[e + f x]) \sqrt{c/(c + d) + (d \sin[e + f x])/(c + d)})], x]$, x /; $\text{FreeQ}\{a, b, c, d, e, f, x\}$ && $\text{NeQ}[b c - a d, 0]$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{NeQ}[c^2 - d^2, 0]$ && $! \text{GtQ}[c + d, 0]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.) \sin[(e_.) + (f_.)(x_.)]) \sqrt{(c_.) + (d_.) \sin[(e_.) + (f_.)(x_.)]})], x_Symbol]$ \rightarrow $\text{Simp}[(2 \text{EllipticPi}[(2b)/(a + b), (1(e - \text{Pi}/2 + f x))/2, (2d)/(c + d)])/(f(a + b) \sqrt{c + d}), x]$ /; $\text{FreeQ}\{a, b, c, d, e, f, x\}$ && $\text{NeQ}[b c - a d, 0]$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{NeQ}[c^2 - d^2, 0]$ && $\text{GtQ}[c + d, 0]$

Rule 4035

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)](B_.) + (A_.))/(\sqrt{\text{csc}[(e_.) + (f_.)(x_.)](d_.) \sqrt{\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.)}})], x_Symbol]$ \rightarrow $\text{Dist}[A/a, \text{Int}[\sqrt{a + b \text{Csc}[e + f x]}/\sqrt{d \text{Csc}[e + f x]}, x], x] - \text{Dist}[(A b - a B)/(a d), \text{Int}[\sqrt{d \text{Csc}[e + f x]}/\sqrt{a + b \text{Csc}[e + f x]}, x], x]$ /; $\text{FreeQ}\{a, b, d, e, f, A, B, x\}$ && $\text{NeQ}[A b - a B, 0]$ && $\text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\sqrt{\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.)}/\sqrt{\text{csc}[(e_.) + (f_.)(x_.)](d_.)}], x_Symbol]$ \rightarrow $\text{Dist}[\sqrt{a + b \text{Csc}[e + f x]}/(\sqrt{d \text{Csc}[e + f x]} \sqrt{b + a \sin[e + f x]}), \text{Int}[\sqrt{b + a \sin[e + f x]}, x], x]$ /; $\text{FreeQ}\{a, b, d, e, f, x\}$ && $\text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\sqrt{(a_.) + (b_.) \sin[(c_.) + (d_.)(x_.)]}], x_Symbol]$ \rightarrow $\text{Dist}[\sqrt{a + b \sin[c + d x]}/\sqrt{(a + b \sin[c + d x])/(a + b)}, \text{Int}[\sqrt{a/(a + b) + (b \sin[c + d x])/(a + b)}, x], x]$ /; $\text{FreeQ}\{a, b, c, d, x\}$ && $\text{NeQ}[a^2 - b^2, 0]$ && $! \text{GtQ}[a + b, 0]$

Rule 2653

$\text{Int}[\sqrt{(a_.) + (b_.) \sin[(c_.) + (d_.)(x_.)]}], x_Symbol]$ \rightarrow $\text{Simp}[(2 \sqrt{a + b} \text{EllipticE}[(1(c - \text{Pi}/2 + d x))/2, (2b)/(a + b)])/d, x]$ /; $\text{FreeQ}\{a, b, c, d, x\}$ && $\text{NeQ}[a^2 - b^2, 0]$ && $\text{GtQ}[a + b, 0]$

Rule 3858

$\text{Int}[\sqrt{\text{csc}[(e_.) + (f_.)(x_.)](d_.)}/\sqrt{\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.)}], x_Symbol]$ \rightarrow $\text{Dist}[(\sqrt{d \text{Csc}[e + f x]} \sqrt{b + a \sin[e + f x]})/\sqrt{a + b \text{Csc}[e + f x]}, \text{Int}[1/\sqrt{b + a \sin[e + f x]}, x], x]$ /; $\text{FreeQ}\{$

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx &= \frac{2a(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} + \frac{2 \int \frac{\sqrt{\sec(c + dx)} \left(\frac{1}{2} a(Ab - aB) - \frac{1}{2} b(Ab - aB) \sec(c + dx) \right)}{\sqrt{a + b \sec(c + dx)}} dx}{b(a^2 - b^2)} \\
 &= \frac{2a(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{\sec(c + dx)} \sqrt{a}}{b^2(a^2 - b^2) d} \\
 &= \frac{2a(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{\sec(c + dx)} \sqrt{a}}{b^2(a^2 - b^2) d} \\
 &= \frac{2a(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{\sec(c + dx)} \sqrt{a}}{b^2(a^2 - b^2) d} \\
 &= \frac{2a(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{\sec(c + dx)} \sqrt{a}}{b^2(a^2 - b^2) d} \\
 &= \frac{(2Ab - 3aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{b^2 d \sqrt{a + b \sec(c + dx)}} + \frac{2a(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{b(a^2 - b^2) d} \\
 &= \frac{B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{b d \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab - 3aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{b^2 d \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 5.7458, size = 518, normalized size = 1.4

$$\sec^{\frac{3}{2}}(c + dx) \left(\frac{4 \tan(c+dx)(a \cos(c+dx)+b)(a(-3a^2B+2aAb+b^2B) \cos(c+dx)+bB(b^2-a^2))}{b^4-a^2b^2} - \frac{(a \cos(c+dx)+b)^{3/2} \left(\frac{2i(3a^2B-2aAb-b^2B) \csc(c+dx) \sqrt{-\frac{a(\cos(c+dx))}{a+b}}}{\dots} \right)}{\dots} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (Sec[c + d*x]^(3/2)*(-((b + a*Cos[c + d*x])^(3/2)*((8*a*b*(-(A*b) + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/Sqrt[b + a*Cos[c + d*x]] + (2*(-6*a^2*A*b + 4*A*b^3 + 9*a^3*B - 7*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(-2*a*A*b + 3*a^2*B - b^2*B)*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*(1 + Cos[c + d*x]))/(a - b)]*Csc[c + d*x]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)])))/(a*Sqrt[(a - b)^(-1)]*b)))/((a - b)*b^2*(a + b)) + (4*(b + a*Cos[c + d*x])*(b*(-a^2 + b^2)*B + a*(2*a*A*b - 3*a^2*B + b^2*B)*Cos[c + d*x])*Tan[c + d*x])/(-a^2*b^2 + b^4))/(4*d*(a + b*Sec[c + d*x])^(3/2))

Maple [C] time = 0.359, size = 2655, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2), x)

[Out] -1/d/((a-b)/(a+b))^(1/2)/(a+b)/b^2*(-B*((a-b)/(a+b))^(1/2)*a*b-3*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^2-6*B*sin(d*x+c)*cos(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^(1/2))*a*b-6*B*sin(d*x+c)*cos(d*x+c)^2*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*(

$$\begin{aligned}
& 1/(\cos(dx+c)+1)^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * a * b + B * \sin(dx+c) * \cos(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * b^2 \\
& - 2 * A * \sin(dx+c) * \cos(dx+c)^2 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * b^2 + 4 * A * \sin(dx+c) * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * b^2 + B * \sin(dx+c) * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * b^2 - 2 * A * \sin(dx+c) * \cos(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * b^2 + 4 * A * \sin(dx+c) * \cos(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * b^2 + 4 * A * \cos(dx+c) * \sin(dx+c) * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * a * b - 3 * B * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * a^2 + 6 * B * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * a^2 + 4 * B * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * a * b + 2 * A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * a * b - 4 * A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * a * b + 2 * A * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * a * b + 2 * A * \sin(dx+c) * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * a * b + 4 * A * \sin(dx+c) * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)}) * a * b + 4 * B * \sin(dx+c) * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)}) * a * b - B * ((a-b)/(a+b))^{(1/2)} * b^2 + 3 * B * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2 + B * ((a-b)/(a+b))^{(1/2)} * \cos(dx+c) * b^2 - 2 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a * b + B * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a * b - 6 * B * \cos(dx+c) * \sin(dx+c) * \text{EllipticPi}((-1+\cos(dx+c)) *
\end{aligned}$$

$$\begin{aligned} & \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \frac{a+b}{a-b}, I / \left(\frac{a-b}{a+b} \right)^{1/2} * \left(\frac{1}{a+b} * \right. \\ & \left. \frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)} \right)^{1/2} * \left(\frac{1}{(\cos(dx+c)+1)} \right)^{1/2} * a^2 - 3*B*\sin \\ & (dx+c)*\cos(dx+c)^2 * \left(\frac{1}{a+b} * \frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)} \right)^{1/2} * \left(\frac{1}{(\cos(dx+c)+1)} \right)^{1/2} * \\ & \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{(\cos(dx+c)+1)} * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \right. \\ & \left. \frac{-(a+b)}{a-b} \right)^{1/2} * a^2 - 6*B*\sin(dx+c)*\cos(dx+c)^2 * \left(\frac{1}{a+b} * \frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)} \right)^{1/2} * \\ & \left(\frac{1}{(\cos(dx+c)+1)} \right)^{1/2} * \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{(\cos(dx+c)+1)} * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \right. \\ & \left. \frac{a+b}{a-b}, I / \left(\frac{a-b}{a+b} \right)^{1/2} \right) * a^2 + 6*B*\sin(dx+c)*\cos(dx+c)^2 * \left(\frac{1}{a+b} * \frac{b+a*\cos(dx+c)}{(\cos(dx+c)+1)} \right)^{1/2} * \\ & \left(\frac{1}{(\cos(dx+c)+1)} \right)^{1/2} * \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{(\cos(dx+c)+1)} * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \right. \\ & \left. \frac{-(a+b)}{a-b} \right)^{1/2} * a^2 * \left(\frac{b+a*\cos(dx+c)}{\cos(dx+c)} \right)^{1/2} * \cos(dx+c)^2 * \left(\frac{1}{\cos(dx+c)} \right)^{5/2} / \left(\frac{b+a*\cos(dx+c)}{\sin(dx+c)} \right) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.463 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=220

$$\frac{2a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2) \sqrt{a + b \sec(c + dx)}} - \frac{2(Ab - aB) \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd(a^2 - b^2) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2B \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{bd \sqrt{a + b \sec(c + dx)}}$$

```
[Out] (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(A*b - a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.625313, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4029, 4108, 3859, 2807, 2805, 21, 3856, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2) \sqrt{a + b \sec(c + dx)}} - \frac{2(Ab - aB) \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd(a^2 - b^2) \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2B \sqrt{\sec(c + dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{bd \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(b*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(A*b - a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])
```

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
```

```

+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]

```

Rule 4108

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
+ (a_.))], x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]

```

Rule 3859

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
+ (a_.))], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 21

```

Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])

```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{\frac{3}{2}}} dx &= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2\int \frac{-\frac{1}{2}a(Ab-aB)-\frac{1}{2}b(Ab-aB)\sec(c+dx)+\frac{1}{2}(a^2-b^2)}{\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} dx}{b(a^2-b^2)} \\
&= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2\int \frac{-\frac{1}{2}a(Ab-aB)-\frac{1}{2}b(Ab-aB)\sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} dx}{b(a^2-b^2)} + \dots \\
&= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{(Ab-aB)\int \frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{\sec(c+dx)}} dx}{b(a^2-b^2)} + \frac{(B\sqrt{b+a})}{b(a^2-b^2)} \int \frac{\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(B\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\sqrt{\sec(c+dx)})\int \frac{\sec(c+dx)}{\sqrt{a+b\sec(c+dx)}} dx}{b\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2B\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}} + \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}}{b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2B\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{bd\sqrt{a+b\sec(c+dx)}} - \frac{2(Ab-aB)E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{b(a^2-b^2)d\sqrt{\frac{b+a\cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [C] time = 4.58367, size = 464, normalized size = 2.11

$$\sec^{\frac{3}{2}}(c+dx) \left[\frac{4a(Ab-aB)\sin(c+dx)(a\cos(c+dx)+b)}{a^2-b^2} + \frac{(a\cos(c+dx)+b)^{\frac{3}{2}} \left(\frac{4b(Ab-aB)\sqrt{\frac{a\cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{\sqrt{a\cos(c+dx)+b}} - \frac{2i(Ab-aB)\csc(c+dx)\sqrt{-\frac{a\cos(c+dx)+b}{a+b}}}{\sqrt{a\cos(c+dx)+b}} \right)}{bd\sqrt{a+b\sec(c+dx)}} \right]$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (Sec[c + d*x]^(3/2)*((b + a*Cos[c + d*x])^(3/2)*((4*b*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(a*A*b - 3*a^2*B + 2*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] - ((2*I)*(-(A*b) + a*B)*Sqrt[-((a*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(a*

$$\frac{(1 + \cos[c + d*x])}{(a - b)} * \text{Csc}[c + d*x] * (-2*b*(a + b) * \text{EllipticE}[I * \text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}] * \text{Sqrt}[b + a * \cos[c + d*x]]], (-a + b)/(a + b)] + a * (2*b * \text{EllipticF}[I * \text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}] * \text{Sqrt}[b + a * \cos[c + d*x]]], (-a + b)/(a + b)] + a * \text{EllipticPi}[1 - a/b, I * \text{ArcSinh}[\text{Sqrt}[(a - b)^{-1}] * \text{Sqrt}[b + a * \cos[c + d*x]]], (-a + b)/(a + b)])) / (a * \text{Sqrt}[(a - b)^{-1}] * b)) / ((-a + b) * (a + b)) + (4*a*(A*b - a*B)*(b + a * \cos[c + d*x]) * \sin[c + d*x]) / (a^2 - b^2)) / (2 * b*d*(a + b * \text{Sec}[c + d*x])^{3/2})$$

Maple [C] time = 0.405, size = 1585, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(d*x+c)^{3/2} * (A+B*\sec(d*x+c)) / (a+b*\sec(d*x+c))^{3/2}, x)$

[Out]
$$\begin{aligned} & -2/d/b/(a+b)/((a-b)/(a+b))^{1/2} * (A*\cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b - A*\sin(d*x+c) * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * b - 2*B*\sin(d*x+c) * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * a - B*\sin(d*x+c) * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * b + B*\cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * b + B*\cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a + 2*B*\cos(d*x+c) * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * a + 2*B*\sin(d*x+c) * \cos(d*x+c) * \text{EllipticPi}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * b + A * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b * \sin(d*x+c) - A * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - 2*B * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \sin(d*x+c) - B * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} * \end{aligned}$$

$$\begin{aligned} & /(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+2*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+2*B*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)+A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*b-B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a-A*b*((a-b)/(a+b))^{1/2}+B*a*((a-b)/(a+b))^{1/2})*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*\cos(d*x+c)^2*(1/\cos(d*x+c))^{3/2}/(b+a*\cos(d*x+c))/\sin(d*x+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.464 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=215

$$\frac{2A\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{a+b\sec(c+dx)}} - \frac{2(Ab-aB)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a^2-b^2)\sqrt{a+b\sec(c+dx)}} + \frac{2(Ab-aB)\sqrt{a+b\sec(c+dx)}}{ad(a^2-b^2)\sqrt{\sec(c+dx)}}$$

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b - a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.571867, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4027, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2(Ab-aB)\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a^2-b^2)\sqrt{a+b\sec(c+dx)}} + \frac{2(Ab-aB)\sqrt{a+b\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\left|\frac{2a}{a+b}\right.\right)}{ad(a^2-b^2)\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}} + \frac{2A\sqrt{\sec(c+dx)}\sqrt{\frac{a\cos(c+dx)+b}{a+b}}}{ad\sqrt{a+b\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(a*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b - a*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4027

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[d*(n - 1)*(A*b - a*B) + d*(a*A - b*B)*(m + 1)*Csc[e + f*x] - d*(A*b - a*B)*(m + n + 1)*Csc[e + f*x]]

2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{3/2}} dx &= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2\int \frac{\frac{1}{2}(-Ab+aB)-\frac{1}{2}(aA-bB)\sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} dx}{a^2-b^2} \\
 &= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{A\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx}{a} + \frac{(Ab-aB)\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx}{a(a^2-b^2)} \\
 &= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(A\sqrt{b+a\cos(c+dx)}\sqrt{\sec(c+dx)})\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx}{a\sqrt{a+b\sec(c+dx)}} \\
 &= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{(A\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\sqrt{\sec(c+dx)})\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{\frac{b}{a+b}}} dx}{a\sqrt{a+b\sec(c+dx)}} \\
 &= \frac{2A\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{ad\sqrt{a+b\sec(c+dx)}} + \frac{2(Ab-aB)E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{a(a^2-b^2)d\sqrt{\frac{b+a\cos(c+dx)}{a+b}}}
 \end{aligned}$$

Mathematica [A] time = 0.69517, size = 161, normalized size = 0.75

$$\frac{2\sqrt{\sec(c+dx)}\left(A(a^2-b^2)\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + a(aB-Ab)\sin(c+dx) - (a+b)(aB-Ab)\sqrt{\frac{a\cos(c+dx)+b}{a+b}}\right)}{ad(a-b)(a+b)\sqrt{a+b\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*Sqrt[Sec[c + d*x]]*(-((a + b)*(-(A*b) + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]) + A*(a^2 - b^2)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + a*(-(A*b) + a*B)*Sin[c + d*x]))/(a*(a - b)*(a + b)*d*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.392, size = 941, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2),x)`

[Out]
$$\begin{aligned} & -2/d/a/(a+b)/((a-b)/(a+b))^{1/2}*(A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos \\ & (d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d \\ & *x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a+A*\sin(d*x+c)* \\ & \cos(d*x+c)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b) \\ & /(\a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+ \\ & c)+1))^{1/2}*b+B*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+ \\ & b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d \\ & *x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a-B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b) \\ & *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE(\\ & (-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a+A*(1 \\ & /(\a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*Elli \\ & pticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})* \\ & a*\sin(d*x+c)+A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- \\ & a+b)/(a-b))^{1/2})*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*(1/(co \\ & s(d*x+c)+1))^{1/2}*\sin(d*x+c)+B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\ & /(\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\ & +1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)-B*(1/(a+b)*(b+a*\cos(d*x+c))/ \\ & (\cos(d*x+c)+1))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((\\ & a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a*\sin(d*x+c)-A*\cos(d*x+c) \\ &)*((a-b)/(a+b))^{1/2}*b+B*\cos(d*x+c))*((a-b)/(a+b))^{1/2}*a+A*b*((a-b)/(a+b) \\ &)^{1/2}-B*a*((a-b)/(a+b))^{1/2})*\cos(d*x+c)*(1/\cos(d*x+c))^{1/2}*((b+a*\cos(\\ & d*x+c))/\cos(d*x+c))^{1/2}/(b+a*\cos(d*x+c))/\sin(d*x+c) \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{\sec(c + dx)}}{(a + b \sec(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(sec(c + d*x))/(a + b*sec(c + d*x))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.465 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=235

$$\frac{2(2Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{a^2 d \sqrt{a+b \sec(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx)\sqrt{\sec(c+dx)}}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} + \frac{2(a^2 A + abB - 2Ab^2)\sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{a^2 d(a^2 - b^2)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2(2Ab - aB)\sqrt{\sec(c+dx)}}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(2*A*b - a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(a^2*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(a^2*A - 2*A*b^2 + a*b*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(a^2*(a^2 - b^2)*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*b*(A*b - a*B)*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])$

Rubi [A] time = 0.579098, antiderivative size = 235, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {4030, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2b(Ab - aB) \sin(c+dx)\sqrt{\sec(c+dx)}}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} + \frac{2(a^2 A + abB - 2Ab^2)\sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{a^2 d(a^2 - b^2)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2(2Ab - aB)\sqrt{\sec(c+dx)}}{ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x])]/(\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*(a + b*\operatorname{Sec}[c + d*x])^{(3/2)}), x]$

[Out] $(-2*(2*A*b - a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])/(a^2*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(a^2*A - 2*A*b^2 + a*b*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(a^2*(a^2 - b^2)*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*b*(A*b - a*B)*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])$

Rule 4030

$\operatorname{Int}[(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(d_.))^{(n_)}*(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(m_)}*(\operatorname{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] \rightarrow \operatorname{Simp}[(b*(A*b - a*B)*\operatorname{Cot}[e + f*x]*(a + b*\operatorname{Csc}[e + f*x])^{(m+1)}*(d*\operatorname{Csc}[e + f*x])^{(n)})/(a*f*(m+1)*(a^2 - b^2)), x] + \operatorname{Dist}[1/(a*(m+1)*(a^2 - b^2)), \operatorname{Int}[(a + b*\operatorname{Csc}[e + f*x])^{(m+1)}*(d*\operatorname{Csc}[e + f*x])^{(n)}], x]$

```

+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)

```

+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)(a + b \sec(c + dx))}^{3/2}} dx &= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(-a^2A + 2Ab^2 - abB) + \frac{1}{2}a(Ab - aB)\sec(c + dx)}{\sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} - \frac{(2Ab - aB) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx}{a^2} + \frac{(a^2A - 2Ab^2)\sqrt{\sec(c + dx)}}{a^2} \\ &= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} - \frac{((2Ab - aB)\sqrt{b + a \cos(c + dx)}\sqrt{\sec(c + dx)})}{a^2\sqrt{a + b \sec(c + dx)}} \\ &= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}} - \frac{((2Ab - aB)\sqrt{\frac{b + a \cos(c + dx)}{a + b}}\sqrt{\sec(c + dx)})}{a^2\sqrt{a + b \sec(c + dx)}} \\ &= -\frac{2(2Ab - aB)\sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right) \sqrt{\sec(c + dx)}}{a^2d\sqrt{a + b \sec(c + dx)}} + \frac{2(a^2A - 2Ab^2)\sqrt{\sec(c + dx)}}{a^2} \end{aligned}$$

Mathematica [A] time = 1.00067, size = 178, normalized size = 0.76

$$\frac{2\sqrt{\sec(c + dx)} \left(- (a^2 - b^2) (aB - 2Ab) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a + b}\right) - (a + b) (a^2A + abB - 2Ab^2) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \right)}{a^2d(a - b)(a + b)\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)), x]

[Out] (-2*Sqrt[Sec[c + d*x]]*(-((a + b)*(a^2*A - 2*A*b^2 + a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]) - (a^2 - b^2)*(-

$$2*A*b + a*B)*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)] + a*b*(-(A*b) + a*B)*\text{Sin}[c + d*x])/(a^2*(a - b)*(a + b)*d*\text{Sqrt}[a + b*\text{Sec}[c + d*x]])$$

Maple [B] time = 0.421, size = 1452, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c))/(a+b*\text{sec}(d*x+c))^{3/2}/\text{sec}(d*x+c)^{1/2}, x)$

[Out] $2/d/((a-b)/(a+b))^{1/2}/(a+b)/a^2*(A*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a^2+2*A*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a*b-A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a^2+2*A*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*b^2-B*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a^2-B*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a*b+A*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2})*\text{sin}(d*x+c)+2*A*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a*b*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{sin}(d*x+c)-A*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{sin}(d*x+c)+2*A*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*b^2*\text{sin}(d*x+c)-B*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{1/2}*(1/(\text{cos}(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{1/2}/\text{sin}(d*x+c), (-a+b)/(a-b))^{1/2})*a*b*\text{sin}(d*x+c)-A*((a-b)/(a+b))^{1/2}*\text{cos}(d*x+c)^2*a^2-A*\text{cos}(d*x+c)^2*((a-b)/(a+b))^{1/2})*a*b+A*\text{cos}(d*x+c)*((a-b)/(a+b))^{1/2})*a^2$

$$2-2*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*b^2+B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b+A*((a-b)/(a+b))^{1/2}*a*b+2*A*((a-b)/(a+b))^{1/2}*b^2-B*((a-b)/(a+b))^{1/2}*a*b)*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}/(1/\cos(d*x+c))^{1/2}/(b+a*\cos(d*x+c))/\sin(d*x+c)$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b^2 \sec(dx + c)^3 + 2ab \sec(dx + c)^2 + a^2 \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^2*sec(d*x + c)^3 + 2*a*b*sec(d*x + c)^2 + a^2*sec(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)

$$3.466 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=326

$$\frac{2(a^2A - 6abB + 8Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d\sqrt{a+b \sec(c+dx)}} + \frac{2(a^2A + 3abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{3a^2d(a^2-b^2)\sqrt{\sec(c+dx)}}$$

[Out] (2*(a^2*A + 8*A*b^2 - 6*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^3*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 0.835639, antiderivative size = 326, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4030, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2A + 3abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{3a^2d(a^2-b^2)\sqrt{\sec(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx)}{ad(a^2-b^2)\sqrt{\sec(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2(a^2A - 6abB + 8Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)),x]

[Out] (2*(a^2*A + 8*A*b^2 - 6*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^3*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]])

Rule 4030

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*
(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e
+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a

```

+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} dx &= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(-a^2 A + 4Ab^2 - 3abB) + \frac{1}{2}a(Ab - aB)}{\sec^{\frac{3}{2}}(c + dx)} dx}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2 A - 4Ab^2 + 3abB) \sqrt{a + b \sec(c + dx)}}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2 A - 4Ab^2 + 3abB) \sqrt{a + b \sec(c + dx)}}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2 A - 4Ab^2 + 3abB) \sqrt{a + b \sec(c + dx)}}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2 A - 4Ab^2 + 3abB) \sqrt{a + b \sec(c + dx)}}{3a^2(a^2 - b^2) d \sqrt{\sec(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(a^2 A + 8Ab^2 - 6abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{3a^3 d \sqrt{a + b \sec(c + dx)}} - \frac{2(5a^2 A - 4abB)}{3a^3 d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.57627, size = 252, normalized size = 0.77

$$\frac{2 \sec^{\frac{3}{2}}(c + dx)(a \cos(c + dx) + b) \left((a^2 - b^2) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \left(a^2 (a^2 A - 3abB + 2Ab^2) \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + (-5a^2 A + 8abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \right) \right)}{3a^3 d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)), x]

[Out] (2*(b + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)*((a^2 - b^2)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*(a^2*(a^2*A + 2*A*b^2 - 3*a*b*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)] + (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - b*EllipticF[(c + d*x)/2, (2*a)/(a + b)])) + a*(a - b)*(a + b)*(b*(a^2*A - 4*A*b^2 + 3*a*b*B) + a*A*(a^2 - b^2)*Cos[c + d*x])*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 0.37, size = 2285, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\sec(d*x+c)^{(3/2)}/(a+b*\sec(d*x+c))^{(3/2)}, x)$

[Out]
$$\begin{aligned} & -2/3/d/a^3/(a+b)/((a-b)/(a+b))^{(1/2)}*(8*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*b^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-3*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+3*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^3*\sin(d*x+c)+6*A*\cos(d*x+c)*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^2*b+A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^3+8*A*\cos(d*x+c)*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a*b^2-5*A*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^2*b-6*B*\cos(d*x+c)*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^2*b-6*B*\cos(d*x+c)*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a*b^2-A*a^2*b*((a-b)/(a+b))^{(1/2)}+4*A*a*b^2*((a-b)/(a+b))^{(1/2)}-3*B*a^2*b*((a-b)/(a+b))^{(1/2)}-6*B*a*b^2*((a-b)/(a+b))^{(1/2)}+A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^3*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b^2+3*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b+4*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b-3*B*\cos(d*x+c)*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^3+6*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+8*A*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a*b^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-5*A*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^2*b*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)-6*B*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \end{aligned}$$

$$\begin{aligned} & \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} * a^2 * b * \left(\frac{1}{(a+b)} * (b+a*\cos(dx+c)) / (\cos(dx+c)+1) \right)^{1/2} * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} * \sin(dx+c) - 6 * B * \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right)^{1/2} / \sin(dx+c), \\ & \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right)^{1/2} * a * b^2 * \left(\frac{1}{(a+b)} * (b+a*\cos(dx+c)) / (\cos(dx+c)+1) \right)^{1/2} * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} * \sin(dx+c) + 8 * A * b^3 * \left(\frac{a-b}{a+b} \right)^{1/2} - 4 * A * \cos(dx+c)^2 * \left(\frac{a-b}{a+b} \right)^{1/2} * a^2 * b - 3 * B * a^3 * \left(\frac{a-b}{a+b} \right)^{1/2} * \cos(dx+c) - A * \cos(dx+c) * \left(\frac{a-b}{a+b} \right)^{1/2} * a^3 - 8 * A * \cos(dx+c) * \left(\frac{a-b}{a+b} \right)^{1/2} * b^3 + A * \cos(dx+c) * \sin(dx+c) * \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right)^{1/2} / \sin(dx+c), \\ & \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right)^{1/2} * \left(\frac{1}{(a+b)} * (b+a*\cos(dx+c)) / (\cos(dx+c)+1) \right)^{1/2} * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} * a^3 + 8 * A * \cos(dx+c) * \sin(dx+c) * \left(\frac{1}{(a+b)} * (b+a*\cos(dx+c)) / (\cos(dx+c)+1) \right)^{1/2} * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} * \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right)^{1/2} / \sin(dx+c), \\ & \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right)^{1/2} * b^3 + 6 * B * \cos(dx+c) * \left(\frac{a-b}{a+b} \right)^{1/2} * a * b^2 + A * \cos(dx+c)^3 * \left(\frac{a-b}{a+b} \right)^{1/2} * a^2 * b + 3 * B * \cos(dx+c)^2 * \left(\frac{a-b}{a+b} \right)^{1/2} * a^3 + 3 * B * \cos(dx+c) * \sin(dx+c) * \left(\frac{1}{(a+b)} * (b+a*\cos(dx+c)) / (\cos(dx+c)+1) \right)^{1/2} * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} * \text{EllipticE} \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right)^{1/2} / \sin(dx+c), \\ & \left(\frac{-1+\cos(dx+c)}{(a-b)/(a+b)} \right)^{1/2} * a^3 * \left(\frac{b+a*\cos(dx+c)}{\cos(dx+c)} \right)^{1/2} * \cos(dx+c)^2 * \left(\frac{1}{\cos(dx+c)} \right)^{3/2} / \sin(dx+c) / (b+a*\cos(dx+c)) \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))/sec(dx+c)^(3/2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sqrt{\sec(dx+c)}}{b^2 \sec(dx+c)^4 + 2ab \sec(dx+c)^3 + a^2 \sec(dx+c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))/sec(dx+c)^(3/2)/(a+b*sec(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^2*sec(d*x + c)^4 + 2*a*b*sec(d*x + c)^3 + a^2*sec(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**(3/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)

$$3.467 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=423

$$\frac{2(12a^2Ab - 5a^3B - 40ab^2B + 48Ab^3) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + \frac{2(a^2A + 5abB - 6Ab^2)}{5a^2d(a^2 - b^2)}}{15a^4d\sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(12*a^2*A*b + 48*A*b^3 - 5*a^3*B - 40*a*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]/(15*a^4*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(9*a^4*A + 24*a^2*A*b^2 - 48*A*b^4 - 25*a^3*b*B + 40*a*b^3*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^4*(a^2 - b^2)*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] + (2*b*(A*b - a*B)*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\operatorname{Sec}[c + d*x])^{3/2}* \operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(a^2*A - 6*A*b^2 + 5*a*b*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*a^2*(a^2 - b^2)*d*\operatorname{Sec}[c + d*x])^{3/2}) - (2*(9*a^2*A*b - 24*A*b^3 - 5*a^3*B + 20*a*b^2*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a^3*(a^2 - b^2)*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

Rubi [A] time = 1.22216, antiderivative size = 423, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4030, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2A + 5abB - 6Ab^2) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{5a^2d(a^2 - b^2) \sec^2(c+dx)} + \frac{2b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2) \sec^2(c+dx) \sqrt{a+b \sec(c+dx)}} - \frac{2(9a^2Ab - 5a^3B)}{5a^2d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*\operatorname{Sec}[c + d*x])]/(\operatorname{Sec}[c + d*x]^{5/2}*(a + b*\operatorname{Sec}[c + d*x])^{3/2}), x]$

[Out] $(-2*(12*a^2*A*b + 48*A*b^3 - 5*a^3*B - 40*a*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]/(15*a^4*d*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(9*a^4*A + 24*a^2*A*b^2 - 48*A*b^4 - 25*a^3*b*B + 40*a*b^3*B)*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^4*(a^2 - b^2)*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b)]*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]] + (2*b*(A*b - a*B)*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\operatorname{Sec}[c + d*x])^{3/2}* \operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(a^2*A - 6*A*b^2 + 5*a*b*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*a^2*(a^2 - b^2)*d*\operatorname{Sec}[c + d*x])^{3/2}) - (2*(9*a^2*A*b - 24*A*b^3 - 5*a^3*B + 20*a*b^2*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a^3*(a^2 - b^2)*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]])$

$$[c + d*x]/(15*a^3*(a^2 - b^2)*d*\text{Sqrt}[\text{Sec}[c + d*x]])$$

Rule 4030

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m * (\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n * \text{Simp}[A*(a^2*(m+1) - b^2*(m+n+1)) + a*b*B*n - a*(A*b - a*B)*(m+1)*\text{Csc}[e + f*x] + b*(A*b - a*B)*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4104

$$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)] * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n+1} * \text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4035

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 3856

$$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/(\text{Sqrt}[d*\text{Csc}[e + f*x]] * \text{Sqrt}[b + a*\text{Sin}[e + f*x]]), \text{Int}[\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$$

Rule 2655

$$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2,$$

0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{\frac{3}{2}}} dx &= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(-a^2A + 6Ab^2 - 5abB) + \frac{1}{2}a(Ab - aB)}{\sec^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx}{a(a^2 - b^2)} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2A - 6Ab^2 + 5abB) \sqrt{a + b \sec(c + dx)}}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2A - 6Ab^2 + 5abB) \sqrt{a + b \sec(c + dx)}}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2A - 6Ab^2 + 5abB) \sqrt{a + b \sec(c + dx)}}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2A - 6Ab^2 + 5abB) \sqrt{a + b \sec(c + dx)}}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2A - 6Ab^2 + 5abB) \sqrt{a + b \sec(c + dx)}}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{2(a^2A - 6Ab^2 + 5abB) \sqrt{a + b \sec(c + dx)}}{5a^2(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2(12a^2Ab + 48Ab^3 - 5a^3B - 40ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c + dx)}}{15a^4 d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.17327, size = 316, normalized size = 0.75

$$\frac{\sec^{\frac{3}{2}}(c + dx)(a \cos(c + dx) + b) \left(2(a^2 - b^2) \sqrt{\frac{a \cos(c + dx) + b}{a + b}} \left(a^2(3a^2Ab - 5a^3B - 10ab^2B + 12Ab^3) \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)\right) \sqrt{\sec(c + dx)}\right)}{15a^4 d \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)),x]

[Out] -((b + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)*(2*(a^2 - b^2)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*(a^2*(3*a^2*A*b + 12*A*b^3 - 5*a^3*B - 10*a*b^2*B)*Ellipti

$$\text{cF}[(c + d*x)/2, (2*a)/(a + b)] - (9*a^4*A + 24*a^2*A*b^2 - 48*A*b^4 - 25*a^3*b*B + 40*a*b^3*B)*((a + b)*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)] - b*\text{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]) + a*(a - b)*(a + b)*(30*b^3*(-(A*b) + a*B)*\text{Sin}[c + d*x] + 2*(a^2 - b^2)*(9*A*b - 5*a*B)*(b + a*\text{Cos}[c + d*x])*\text{Sin}[c + d*x] - 3*a*A*(a^2 - b^2)*(b + a*\text{Cos}[c + d*x])*\text{Sin}[2*(c + d*x)])))/(15*a^4*(a^2 - b^2)^2*d*(a + b*\text{Sec}[c + d*x])^(3/2))$$

Maple [B] time = 0.458, size = 3156, normalized size = 7.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c))/\text{sec}(d*x+c)^(5/2)/(a+b*\text{sec}(d*x+c))^(3/2), x)$

[Out] $-2/15/d/a^4/(a+b)/((a-b)/(a+b))^(1/2)*(-9*A*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a^4*(1/(a+b)*(b+a*\text{cos}(d*x+c)))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*\text{sin}(d*x+c)+9*A*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a^4*(1/(a+b)*(b+a*\text{cos}(d*x+c)))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*\text{sin}(d*x+c)-48*A*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*b^4*(1/(a+b)*(b+a*\text{cos}(d*x+c)))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*\text{sin}(d*x+c)-12*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*b-9*A*a^3*b*((a-b)/(a+b))^(1/2)-24*A*a*b^3*((a-b)/(a+b))^(1/2)-5*B*a^3*b*((a-b)/(a+b))^(1/2)+20*B*a^2*b^2*((a-b)/(a+b))^(1/2)+40*B*a*b^3*((a-b)/(a+b))^(1/2)+3*A*\text{cos}(d*x+c)^4*((a-b)/(a+b))^(1/2))*a^4+6*A*\text{cos}(d*x+c)^2*((a-b)/(a+b))^(1/2))*a^4+5*B*\text{cos}(d*x+c)^3*((a-b)/(a+b))^(1/2))*a^4+40*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a^2*b^2-25*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c)))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*b+40*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c)))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a*b^3-9*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*a^4-48*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c)))/(\text{cos}(d*x+c)+1))^(1/2)*(1/(\text{cos}(d*x+c)+1))^(1/2)*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-a+b)/(a-b))^(1/2))*b^4+5*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^(1/2)/\text{sin}(d*x+c), (-$

$$\begin{aligned}
& a+b)/(a-b)^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^4 - 12*A*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^3 * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 36*A*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 48*A*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a * b^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + 24*A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 - 6*A*\cos(d*x+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^3 * b - 20*B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^3 * b + 48*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * b^4 - 5*B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^4 - 9*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^4 + 9*A*\sin(d*x+c) * \cos(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^4 + 24*A*EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + 30*B*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^3 * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + 40*B*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 25*B*EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^3 * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + 40*B*EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a * b^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + 3*A*\cos(d*x+c)^4 * ((a-b)/(a+b))^{(1/2)} * a^3 * b - 6*A*\cos(d*x+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 + 5*B*\cos(d*x+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^3 * b + 6*A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^3 * b + 24*A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a * b^3 - 20*B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 + 6*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b - 18*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 + 20*B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b - 40*B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a * b^3 - 48*A * b^4 * ((a-b)/(a+b))^{(1/2)} - 36*A*\sin(d*x+c) * \cos(d*x+c) * EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^2 * b^2 - 48*A*\sin(d*x+c) * \cos(d*x+c) * EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a * b^3 + 24*A*\sin(d*x+c) * \cos(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b^2 + 30*B*\sin(d*x+c) * \cos(d*x+c) * EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^3 * b + 5*B*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^4 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c)) * ((b+a*\cos(d*x+c)) / \cos(d*x+c))^{(1/2)} * \cos(d*x+c)^3 * (1/\cos(d*x+c))^{(5/2)} /
\end{aligned}$$

$\sin(d*x+c)/(b+a*\cos(d*x+c))$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b^2 \sec(dx + c)^5 + 2ab \sec(dx + c)^4 + a^2 \sec(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^2*sec(d*x + c)^5 + 2*a*b*sec(d*x + c)^4 + a^2*sec(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sec(d*x + c)^(5/2)), x)
```

$$3.468 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=399

$$\frac{2(Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3bd(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx) \sec^3(c+dx)}{3bd(a^2 - b^2)(a+b \sec(c+dx))^{3/2}} - \frac{2a(3a^3B - 3b^3A)}{3bd(a^2 - b^2)}$$

[Out] (2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(b^2*d*Sqrt[a + b*Sec[c + d*x]])) + (2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*b^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*a*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 1.37446, antiderivative size = 399, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {4029, 4098, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2a(Ab - aB) \sin(c+dx) \sec^3(c+dx)}{3bd(a^2 - b^2)(a+b \sec(c+dx))^{3/2}} - \frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{3b^2d(a^2 - b^2)^2 \sqrt{a+b \sec(c+dx)}} + \frac{2(Ab - aB) \sqrt{\sec(c+dx)}}{3bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*b*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(b^2*d*Sqrt[a + b*Sec[c + d*x]])) + (2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*b^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) - (2*a*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

$b^2 B) \sqrt{\sec[c + dx]} \sin[c + dx] / (3b^2(a^2 - b^2)^2 d \sqrt{a + b \sec[c + dx]})$

Rule 4029

$\text{Int}[(\csc[e] + (f)(x))(d)]^{(n)} (\csc[e] + (f)(x))(b) + (a)]^{(m)} (\csc[e] + (f)(x))(B) + (A), x_{\text{Symbol}}] \rightarrow \text{Simp}[(a d^2 (A b - a B) \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{(m+1)} (d \text{Csc}[e + f x])^{(n-2)}) / (b f (m+1) (a^2 - b^2)), x] - \text{Dist}[d / (b (m+1) (a^2 - b^2)), \text{Int}[(a + b \text{Csc}[e + f x])^{(m+1)} (d \text{Csc}[e + f x])^{(n-2)} \text{Simp}[a d (A b - a B) (n-2) + b d (A b - a B) (m+1) \text{Csc}[e + f x] - (a A b d (m+n) - d B (a^2 (n-1) + b^2 (m+1))) \text{Csc}[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A b - a B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$

Rule 4098

$\text{Int}[(A) + \csc[e] + (f)(x)](B) + \csc[e] + (f)(x)]^2 (C) (\csc[e] + (f)(x))(d)]^{(n)} (\csc[e] + (f)(x))(b) + (a)]^{(m)}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[(d (A b^2 - a b B + a^2 C) \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{(m+1)} (d \text{Csc}[e + f x])^{(n-1)}) / (b f (a^2 - b^2) (m+1)), x] + \text{Dist}[d / (b (a^2 - b^2) (m+1)), \text{Int}[(a + b \text{Csc}[e + f x])^{(m+1)} (d \text{Csc}[e + f x])^{(n-1)} \text{Simp}[A b^2 (n-1) - a (b B - a C) (n-1) + b (a A - b B + a C) (m+1) \text{Csc}[e + f x] - (b (A b - a B) (m+n+1) + C (a^2 n + b^2 (m+1))) \text{Csc}[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$

Rule 4108

$\text{Int}[(A) + \csc[e] + (f)(x)](B) + \csc[e] + (f)(x)]^2 (C) / (\sqrt{\csc[e] + (f)(x)}(d)] \sqrt{\csc[e] + (f)(x)}(b) + (a)], x_{\text{Symbol}}] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d \text{Csc}[e + f x])^{(3/2)} / \sqrt{a + b \text{Csc}[e + f x]}, x], x] + \text{Int}[(A + B \text{Csc}[e + f x]) / (\sqrt{d \text{Csc}[e + f x]} \sqrt{a + b \text{Csc}[e + f x]}), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\csc[e] + (f)(x))(d)]^{(3/2)} / \sqrt{\csc[e] + (f)(x)}(b) + (a)], x_{\text{Symbol}}] \rightarrow \text{Dist}[(d \sqrt{d \text{Csc}[e + f x]} \sqrt{b + a \sin[e + f x]}) / \sqrt{a + b \text{Csc}[e + f x]}, \text{Int}[1 / (\sin[e + f x] \sqrt{b + a \sin[e + f x]}), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{\frac{5}{2}}} dx &= \frac{2a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} + \frac{2\int \frac{\sqrt{\sec(c+dx)}\left(\frac{1}{2}a(Ab-aB)-\frac{3}{2}b(Ab-aB)\sec(c+dx)\right)}{(a+b\sec(c+dx))^{\frac{5}{2}}} dx}{3b(a^2-b^2)} \\
&= \frac{2a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} - \frac{2a(4Ab^3+3a^3B-7ab^2B)\sqrt{\sec(c+dx)}}{3b^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} - \frac{2a(4Ab^3+3a^3B-7ab^2B)\sqrt{\sec(c+dx)}}{3b^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} - \frac{2a(4Ab^3+3a^3B-7ab^2B)\sqrt{\sec(c+dx)}}{3b^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} - \frac{2a(4Ab^3+3a^3B-7ab^2B)\sqrt{\sec(c+dx)}}{3b^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} - \frac{2a(4Ab^3+3a^3B-7ab^2B)\sqrt{\sec(c+dx)}}{3b^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2B\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{b^2d\sqrt{a+b\sec(c+dx)}} + \frac{2a(Ab-aB)\sec^{\frac{3}{2}}(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} \\
&= \frac{2(Ab-aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{3b(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2B\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{b^2d\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 6.82696, size = 726, normalized size = 1.82

$$\frac{\sec^{\frac{5}{2}}(c+dx)(a\cos(c+dx)+b)^3\left(-\frac{2(aAb\sin(c+dx)-a^2B\sin(c+dx))}{3b(b^2-a^2)(a\cos(c+dx)+b)^2}-\frac{2(-7a^2b^2B\sin(c+dx)+3a^4B\sin(c+dx)+4aAb^3\sin(c+dx))}{3b^2(b^2-a^2)^2(a\cos(c+dx)+b)}\right)}{d(a+b\sec(c+dx))^{\frac{5}{2}}} + \frac{\sec^{\frac{5}{2}}(c+dx)(a\cos(c+dx)+b)^3}{d(a+b\sec(c+dx))^{\frac{5}{2}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sec[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)*((2*(2*a^2*A*b^2 + 6*A*b^4 + 4*a^3*b*B - 12*a*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c +

$$d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + (2*(4*a*A*b^3 + 9*a^4*B - 19*a^2*b^2*B + 6*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/Sqrt[b + a*Cos[c + d*x]] + ((2*I)*(4*a*A*b^3 + 3*a^4*B - 7*a^2*b^2*B)*Sqrt[(a - a*Cos[c + d*x])/(a + b)]*Sqrt[(a + a*Cos[c + d*x])/(a - b)]*Cos[2*(c + d*x)]*(-2*b*(a + b)*EllipticE[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*(2*b*EllipticF[I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)] + a*EllipticPi[1 - a/b, I*ArcSinh[Sqrt[(a - b)^(-1)]*Sqrt[b + a*Cos[c + d*x]]], (-a + b)/(a + b)])))*Sin[c + d*x]/(Sqrt[(a - b)^(-1)]*b*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[(a^2 - a^2*Cos[c + d*x]^2)/a^2]*(-a^2 + 2*b^2 - 4*b*(b + a*Cos[c + d*x]) + 2*(b + a*Cos[c + d*x])^2)))/(6*(a - b)^2*b^2*(a + b)^2*d*(a + b*Sec[c + d*x])^(5/2)) + ((b + a*Cos[c + d*x])^3*Sec[c + d*x]^(5/2)*(-2*(a*A*b*Sin[c + d*x] - a^2*B*Sin[c + d*x]))/(3*b*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) - (2*(4*a*A*b^3*Sin[c + d*x] + 3*a^4*B*Sin[c + d*x] - 7*a^2*b^2*B*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)^2*(b + a*Cos[c + d*x])))/(d*(a + b*Sec[c + d*x])^(5/2))$$

Maple [C] time = 0.408, size = 5195, normalized size = 13.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2), x)

[Out] result too large to display

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2), x, algorith="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^(5/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.469 \quad \int \frac{\sec^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=329

$$\frac{2(Ab - aB)\sqrt{\sec(c+dx)}\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3ad(a^2 - b^2)\sqrt{a+b \sec(c+dx)}} + \frac{2(2a^2Ab + a^3B - 5ab^2B + 2Ab^3)\sin(c+dx)\sqrt{\sec(c+dx)}}{3bd(a^2 - b^2)^2\sqrt{a+b \sec(c+dx)}}$$

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(3*a^2*A + A*b^2 - 4*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(2*a^2*A*b + 2*A*b^3 + a^3*B - 5*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.842217, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4029, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(2a^2Ab + a^3B - 5ab^2B + 2Ab^3)\sin(c+dx)\sqrt{\sec(c+dx)}}{3bd(a^2 - b^2)^2\sqrt{a+b \sec(c+dx)}} + \frac{2a(Ab - aB)\sin(c+dx)\sqrt{\sec(c+dx)}}{3bd(a^2 - b^2)(a+b \sec(c+dx))^{3/2}} - \frac{2(Ab - aB)\sqrt{\sec(c+dx)}}{3ad(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2),x]

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(3*a^2*A + A*b^2 - 4*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]]/(3*a*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*(2*a^2*A*b + 2*A*b^3 + a^3*B - 5*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])

Rule 4029

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2\int \frac{-\frac{1}{2}a(Ab-aB)-\frac{3}{2}b(Ab-aB)\sec(c+dx)+\frac{1}{2}(2a}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))}}{3b(a^2-b^2)} dx}{3b(a^2-b^2)} \\
&= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(2a^2Ab+2Ab^3+a^3B-5ab^2B)\sqrt{\sec(c+dx)}}{3b(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(2a^2Ab+2Ab^3+a^3B-5ab^2B)\sqrt{\sec(c+dx)}}{3b(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(2a^2Ab+2Ab^3+a^3B-5ab^2B)\sqrt{\sec(c+dx)}}{3b(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2a(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} + \frac{2(2a^2Ab+2Ab^3+a^3B-5ab^2B)\sqrt{\sec(c+dx)}}{3b(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{2(Ab-aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{3a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(3a^2A+Ab^2-5abB)}{3a(a^2-b^2)}
\end{aligned}$$

Mathematica [A] time = 2.2445, size = 217, normalized size = 0.66

$$\frac{\sec^5(c+dx) \left(\frac{2\sin(c+dx)(a\cos(c+dx)+b)(a(3a^2A-4abB+Ab^2)\cos(c+dx)+2a^2Ab+a^3B-5ab^2B+2Ab^3)}{(a^2-b^2)^2} - \frac{2(a+b)\left(\frac{a\cos(c+dx)+b}{a+b}\right)^{5/2}((3a^2A-4abB+Ab^2)E(c+dx)-2(a+b)\sqrt{a+b\sec(c+dx)})}{3d(a+b\sec(c+dx))^{5/2}} \right)}{3d(a+b\sec(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sec[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (Sec[c + d*x]^(5/2)*((-2*(a + b)*((b + a*Cos[c + d*x]))/(a + b))^(5/2)*((3*a^2*A + A*b^2 - 4*a*b*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - (a - b)*(-(A*b) + a*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)]))/(a*(a - b)^2 + (2*(b + a*Cos[c + d*x])*(2*a^2*A*b + 2*A*b^3 + a^3*B - 5*a*b^2*B + a*(3*a^2*A + A*b^2 - 4*a*b*B)*Cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2))/(3*d*(a + b*Sec[c + d*x])^(5/2))

Maple [B] time = 0.401, size = 3138, normalized size = 9.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\sec(dx+c)^{3/2} * (A+B*\sec(dx+c)) / (a+b*\sec(dx+c))^{5/2}, x)$

[Out]
$$-2/3/d/(a-b)/(a+b)^2/a/((a-b)/(a+b))^{1/2} * (-A*\text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * b^3 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c) + 2*A*\cos(dx+c) * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * a^2 * b - 3*B*\cos(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * \sin(dx+c) * a * b^2 - B * a^3 * ((a-b)/(a+b))^{1/2} - A*\cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b^2 - 3*B*\cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * b + 4*B*\cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * b - A*\cos(dx+c) * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * a * b^2 - 3*A*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * b - A*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b^2 - 2*B*\cos(dx+c) * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * a^2 * b + 4*B*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * b + 4*B*\cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a * b^2 - 2*A * a^2 * b * ((a-b)/(a+b))^{1/2} + A * a * b^2 * ((a-b)/(a+b))^{1/2} - B * a^2 * b * ((a-b)/(a+b))^{1/2} + 4*B * a * b^2 * ((a-b)/(a+b))^{1/2} - A*\cos(dx+c)^2 * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * b - 3*B * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * \sin(dx+c)$$

```

*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-
(a+b)/(a-b))^(1/2))*a^2*b^2*sin(d*x+c)-3*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a
^2*b+3*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b+B*cos(d*x+c)*sin(d*x+c)*Ellip
ticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*
(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^3
+3*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b)
)^(1/2))*a^2*b*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+
c)+1))^(1/2)*sin(d*x+c)-A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin
(d*x+c), (-a+b)/(a-b))^(1/2))*a*b^2*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1
))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-3*A*EllipticE((-1+cos(d*x+c))*
((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^2*b*(1/(a+b)*(b+a*co
s(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+B*Ellip
ticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a
^2*b*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/
2)*sin(d*x+c)+4*B*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),
(-a+b)/(a-b))^(1/2))*a*b^2*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)
*(1/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)-A*b^3*((a-b)/(a+b))^(1/2)-A*cos(d*x+c)
^2*((a-b)/(a+b))^(1/2)*a^2*b-3*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^3+A*cos(d
*x+c)*((a-b)/(a+b))^(1/2)*b^3+3*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^3+3*A*
cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x
+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(
1/(cos(d*x+c)+1))^(1/2)*a^3-3*A*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x
+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c)
))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3-A*cos(d*x+c)*si
n(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))
^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-
b))^(1/2))*b^3-A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2+4*B*cos(d*x+c)*((a-b)
/(a+b))^(1/2)*a^2*b-4*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^2+3*A*cos(d*x+c)
^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c
)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)
)/(a-b))^(1/2))*a^3-3*A*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(
cos(d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a
-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3+B*cos(d*x+c)^2*((a-b)
/(a+b))^(1/2)*a^3+B*cos(d*x+c)^2*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(
d*x+c)+1))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^3*((b+a*cos(d*x+c))/cos(d*
x+c))^(1/2)*cos(d*x+c)^2*(1/cos(d*x+c))^(3/2)/sin(d*x+c)/(b+a*cos(d*x+c))^2

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sec(dx+c)^2}{(b \sec(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(5/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c)^2 + A \sec(dx + c))\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((B*sec(d*x + c)^2 + A*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sec(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.470 \quad \int \frac{\sqrt{\sec(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=346

$$\frac{2(3a^2A - abB - 2Ab^2) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} - \frac{2(5a^2Ab - 2a^3B - 2ab^2B - Ab^3) \sin(c+dx)}{3ad(a^2 - b^2)^2 \sqrt{a+b \sec(c+dx)}}$$

```
[Out] (2*(3*a^2*A - 2*A*b^2 - a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF
[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)*d*Sqrt[
a + b*Sec[c + d*x]]) + (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*Ellipti
cE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*(a^2 - b^2)
^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b - a*B
)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3
/2)) - (2*(5*a^2*A*b - A*b^3 - 2*a^3*B - 2*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[
c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.821523, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4027, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(5a^2Ab - 2a^3B - 2ab^2B - Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{3ad(a^2 - b^2)^2 \sqrt{a+b \sec(c+dx)}} - \frac{2(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d(a^2 - b^2)(a+b \sec(c+dx))^{3/2}} + \frac{2(3a^2A - abB - 2Ab^2)}{3ad(a^2 - b^2)^2 \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (2*(3*a^2*A - 2*A*b^2 - a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF
[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)*d*Sqrt[
a + b*Sec[c + d*x]]) + (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*Ellipti
cE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*(a^2 - b^2)
^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) - (2*(A*b - a*B
)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3
/2)) - (2*(5*a^2*A*b - A*b^3 - 2*a^3*B - 2*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[
c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rule 4027

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := -Simp[(d*(A*
b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)
)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[d*(n - 1)*(A*b - a*B) + d
*(a*A - b*B)*(m + 1)*Csc[e + f*x] - d*(A*b - a*B)*(m + n + 1)*Csc[e + f*x]^
2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && Ne
Q[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1]

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1)
- a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2\int \frac{\frac{1}{2}(-Ab+aB)-\frac{3}{2}(aA-bB)\sec(c+dx)+(Ab-aB)}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))^{3/2}} dx}{3(a^2-b^2)} \\
&= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2(5a^2Ab-Ab^3-2a^3B-2ab^2B)\sqrt{\sec(c+dx)}}{3a(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2(5a^2Ab-Ab^3-2a^3B-2ab^2B)\sqrt{\sec(c+dx)}}{3a(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2(5a^2Ab-Ab^3-2a^3B-2ab^2B)\sqrt{\sec(c+dx)}}{3a(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(Ab-aB)\sqrt{\sec(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\sec(c+dx))^{3/2}} - \frac{2(5a^2Ab-Ab^3-2a^3B-2ab^2B)\sqrt{\sec(c+dx)}}{3a(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2(3a^2A-2Ab^2-abB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{\sec(c+dx)}}{3a^2(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(6a^2A-5a^2B-2ab^2)}{3a^2(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 2.04244, size = 245, normalized size = 0.71

$$\frac{2\sec^{\frac{5}{2}}(c+dx)(a\cos(c+dx)+b)\left(\frac{a\sin(c+dx)(a(-6a^2Ab+3a^3B+ab^2B+2Ab^3)\cos(c+dx)+b(-5a^2Ab+2a^3B+2ab^2B+Ab^3))}{(a^2-b^2)^2} - \frac{\left(\frac{a\cos(c+dx)+b}{a+b}\right)^{3/2}\left(-\frac{2(6a^2A-5a^2B-2ab^2)}{3a^2(a^2-b^2)^2d\sqrt{a+b\sec(c+dx)}}\right)}{3a^2d(a+b\sec(c+dx))^{5/2}}\right)}{3a^2d(a+b\sec(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (2*(b + a*Cos[c + d*x])*Sec[c + d*x]^(5/2)*(-((((b + a*Cos[c + d*x])/(a + b))^(3/2)*((-6*a^2*A*b + 2*A*b^3 + 3*a^3*B + a*b^2*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - (a - b)*(3*a^2*A - 2*A*b^2 - a*b*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)])))/(a - b)^2) + (a*(b*(-5*a^2*A*b + A*b^3 + 2*a^3*B + 2*a*b^2*B) + a*(-6*a^2*A*b + 2*A*b^3 + 3*a^3*B + a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2)/(3*a^2*d*(a + b*Sec[c + d*x])^(5/2))

Maple [B] time = 0.411, size = 3865, normalized size = 11.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (A+B*\sec(d*x+c))*\sec(d*x+c)^{(1/2)}/(a+b*\sec(d*x+c))^{(5/2)}, x)$

[Out]
$$\begin{aligned} & -2/3/d/((a-b)/(a+b))^{(1/2)}/(a+b)^2/(a-b)/a^2*(-B*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & a^3*b-2*A*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a*b^3-2*A*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^2 \\ & *b^2-B*\cos(d*x+c)^2*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} \\ & *(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^2*b^2-2*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *b^4*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+5*A*a^2*b^2*(\\ & (a-b)/(a+b))^{(1/2)}-A*a*b^3*((a-b)/(a+b))^{(1/2)}-2*B*a^3*b*((a-b)/(a+b))^{(1/2)}+B*a^2*b^2*((a-b)/(a+b))^{(1/2)} \\ & -B*a*b^3*((a-b)/(a+b))^{(1/2)}-B*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^2*b^2-3*B*\sin(d*x+c)*\cos(d*x+c) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^3*b-B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^2*b^2-B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a*b^3+3*A*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^4 \\ & -2*A*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *b^4+3*B*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*a^4-3*B*\sin(d*x+c)*\cos(d*x+c) \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) \\ & *a^4+3*A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin \end{aligned}$$

$$\begin{aligned}
& (d*x+c), (- (a+b)/(a-b))^{(1/2)} * a^3 * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 3*A*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2 * b^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 2*A*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a * b^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 - B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^3 * b + 6*A*\sin(d*x+c) * \cos(d*x+c)^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^3 * b - 3*A*\sin(d*x+c) * \cos(d*x+c)^2 * EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^3 * b + 3*B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^4 + 2*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * b^4 - 3*B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^4 + 6*A*EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2 * b^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) + 3*B*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^3 * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - B*EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2 * b^2 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 3*B*EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^3 * b * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - B*EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a * b^3 * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) - 6*A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^3 * b + 3*A*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a * b^3 + 6*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b - 6*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 - 2*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a * b^3 + 3*B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b - B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 + B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a * b^3 - 2*A * b^4 * ((a-b)/(a+b))^{(1/2)} - 5*A*\sin(d*x+c) * \cos(d*x+c) * EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^2 * b^2 - 2*A*\sin(d*x+c) * \cos(d*x+c) * EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a * b^3 + 6*A*\sin(d*x+c) * \cos(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^3 * b + 6*A*\sin(d*x+c) * \cos(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2 * b^2 - 2*A*\sin(d*x+c) * \cos(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * EllipticE((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a * b^3 + 2*B*\sin(d*x+c) * \cos(d*x+c) * EllipticF((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} * a^3 * b
\end{aligned}$$

$$+3A\sin(dx+c)\cos(dx+c)^2\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*a^4-3B\cos(dx+c)^2\sin(dx+c)*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2})*a^4+3B\cos(dx+c)^2\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*(1/(\cos(dx+c)+1))^{1/2}*a^4*\cos(dx+c)*(1/\cos(dx+c))^{1/2}*((b+a\cos(dx+c))/\cos(dx+c))^{1/2}/\sin(dx+c)/(b+a\cos(dx+c))^2$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)\sqrt{\sec(dx+c)}}{(b \sec(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*sec(dx+c)^(1/2)/(a+b*sec(dx+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*sqrt(sec(dx+c))/(b*sec(dx+c) + a)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\sec(dx+c)}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*sec(dx+c)^(1/2)/(a+b*sec(dx+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)*sqrt(sec(dx+c))/(b^3*sec(dx+c)^3 + 3*a*b^2*sec(dx+c)^2 + 3*a^2*b*sec(dx+c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*sec(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(sec(d*x + c))/(b*sec(d*x + c) + a)^(5/2), x)

$$3.471 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)(a+b \sec(c+dx))}^{5/2}} dx$$

Optimal. Leaf size=368

$$\frac{2(9a^2Ab - 3a^3B + 2ab^2B - 8Ab^3) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d(a^2-b^2) \sqrt{a+b \sec(c+dx)}} + \frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3)}{3a^2d(a^2-b^2)^2}$$

```
[Out] (-2*(9*a^2*A*b - 8*A*b^3 - 3*a^3*B + 2*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^3*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 0.936826, antiderivative size = 368, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {4030, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2d(a^2-b^2)^2 \sqrt{a+b \sec(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{3ad(a^2-b^2)(a+b \sec(c+dx))^{3/2}} - \frac{2(9a^2Ab - 3a^3B - 4Ab^3)}{3a^2d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)), x]
```

```
[Out] (-2*(9*a^2*A*b - 8*A*b^3 - 3*a^3*B + 2*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]]/(3*a^3*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]])
```

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\sec(c + dx)(a + b \sec(c + dx))^{5/2}}} dx &= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{\frac{1}{2}(-3a^2A + 4Ab^2 - abB) + \frac{3}{2}a(Ab - aB)\sec(c + dx)}{\sqrt{\sec(c + dx)(a + b \sec(c + dx))}} dx}{3a(a^2 - b^2)} \\
&= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= -\frac{2(9a^2Ab - 8Ab^3 - 3a^3B + 2ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) \sqrt{\sec(c+dx)}}{3a^3(a^2 - b^2)d\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.35227, size = 297, normalized size = 0.81

$$\frac{2 \sec^{\frac{5}{2}}(c + dx)(a \cos(c + dx) + b) \left(-\frac{\left(\frac{a \cos(c+dx)+b}{a+b}\right)^{3/2} \left(a^2(-6a^2Ab+3a^3B+ab^2B+2Ab^3)\right) \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) - (-15a^2Ab^2+3a^4A+6a^3bB-2ab^3)}{(a-b)^2(a+b)} \right)}{3a^3d(a + b \sec(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)), x]

[Out] (2*(b + a*Cos[c + d*x])*Sec[c + d*x]^(5/2)*(-(((b + a*Cos[c + d*x])/(a + b))^^(3/2)*(-a^2*(-6*a^2*A*b + 2*A*b^3 + 3*a^3*B + a*b^2*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)]) - (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*((a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - b*EllipticF[(c + d*x)/2, (2*a)/(a + b)])))/((a - b)^2*(a + b))) - (a*b*(b*(-8*a^2*A*b + 4*A*b^3 + 5*a^3*B - a*b^2*B) + a*(-9*a^2*A*b + 5*A*b^3 + 6*a^3*B - 2*a*b^2*B))*Cos[c + d*x]*Sin[c + d*x])/(a^2 - b^2)^2)/(3*a^3*d*(a + b*Sec[c + d*x])^(5/2))

/2))

Maple [B] time = 0.464, size = 5169, normalized size = 14.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b^3 \sec(dx + c)^4 + 3ab^2 \sec(dx + c)^3 + 3a^2b \sec(dx + c)^2 + a^3 \sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*sec(d*x + c)^4 + 3*a*b^2*sec(d*x + c)^3 + 3*a^2*b*sec(d*x + c)^2 + a^3*sec(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2)/sec(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)

$$3.472 \quad \int \frac{A+B \sec(c+dx)}{\sec^2(c+dx)(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=472

$$\frac{2(16a^2Ab^2 + a^4A - 9a^3bB + 8ab^3B - 16Ab^4) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + 2(-13a^2Ab^2 + a^4A)}{3a^4d(a^2 - b^2) \sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(a^4*A + 16*a^2*A*b^2 - 16*A*b^4 - 9*a^3*b*B + 8*a*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(3*a^4*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^4*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 1.40857, antiderivative size = 472, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4030, 4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{3a^3d(a^2 - b^2)^2 \sqrt{\sec(c+dx)}} + \frac{2b(10a^2Ab - 7a^3B + 3ab^2B - 6Ab^3) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\sec(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] (2*(a^4*A + 16*a^2*A*b^2 - 16*A*b^4 - 9*a^3*b*B + 8*a*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(3*a^4*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^4*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

$$- b^2)^2 d \sqrt{\sec[c + dx]} \sqrt{a + b \sec[c + dx]} + (2(a^4 A - 13a^2 A b^2 + 8A b^4 + 8a^3 b B - 4a b^3 B) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (3a^3 (a^2 - b^2)^2 d \sqrt{\sec[c + dx]})$$

Rule 4030

```
Int[(csc[(e_.) + (f_.)(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)(x_)]*(B_.) + csc[(e_.) + (f_.)(x_)]^2*(C_.))*(csc[(e_.) + (f_.)(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)(x_)]*(B_.) + csc[(e_.) + (f_.)(x_)]^2*(C_.))*(csc[(e_.) + (f_.)(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^(m_), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
```

a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :=> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :=> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}(a^2 A - 2Ab^2 + abB) + \frac{3}{2}a(A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3 - 7a^3 B)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3 - 7a^3 B)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3 - 7a^3 B)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3 - 7a^3 B)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3 - 7a^3 B)}{3a^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(a^4 A + 16a^2 Ab^2 - 16Ab^4 - 9a^3 bB + 8ab^3 B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3a^4(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 2.90866, size = 353, normalized size = 0.75

$$\frac{2 \sec^{\frac{5}{2}}(c + dx)(a \cos(c + dx) + b) \left(\frac{a \cos(c+dx)+b}{a+b} \right)^{3/2} (a^2(7a^2 Ab^2 + a^4 A - 6a^3 bB + 2ab^3 B - 4Ab^4) \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + (28a^2 Ab^3 - 8a^4 Ab - 15a^3 b^2 B + 8ab^3 B))}{(a-b)^2(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/((Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)), x]

[Out] (2*(b + a*Cos[c + d*x])*Sec[c + d*x]^(5/2)*(((b + a*Cos[c + d*x])/(a + b))^(3/2)*(a^2*(a^4*A + 7*a^2*A*b^2 - 4*A*b^4 - 6*a^3*b*B + 2*a*b^3*B)*Ellipti

$$cF\left[\frac{c + dx}{2}, \frac{2a}{a + b}\right] + \frac{(-8a^4Ab + 28a^2A^2b^3 - 16A^2b^5 + 3a^5B - 15a^3b^2B + 8ab^4B) \cdot ((a + b) \cdot \text{EllipticE}\left[\frac{c + dx}{2}, \frac{2a}{a + b}\right]) - b \cdot \text{EllipticF}\left[\frac{c + dx}{2}, \frac{2a}{a + b}\right]}{(a - b)^2(a + b)} + \frac{(a^6A - 25a^2A^2b^4 + 16A^2b^6 + 16a^3b^3B - 8ab^5B + 2ab(2a^4A - 16a^2A^2b^2 + 10A^2b^4 + 9a^3bB - 5ab^3B) \cdot \cos[c + dx] + A(a^3 - ab^2)^2 \cdot \cos[2(c + dx)]) \cdot \sin[c + dx]}{(2(a^2 - b^2)^2)} \cdot \frac{1}{(3a^4d(a + b \sec[c + dx])^{5/2})}$$

Maple [B] time = 0.541, size = 6745, normalized size = 14.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b^3 \sec(dx + c)^5 + 3ab^2 \sec(dx + c)^4 + 3a^2b \sec(dx + c)^3 + a^3 \sec(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")`

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(
b^3*sec(d*x + c)^5 + 3*a*b^2*sec(d*x + c)^4 + 3*a^2*b*sec(d*x + c)^3 + a^3*
sec(d*x + c)^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(3/2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/
2)), x)
```

$$3.473 \quad \int \frac{A+B \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=588

$$\frac{2 \left(116a^2Ab^3 + 17a^4Ab - 80a^3b^2B - 5a^5B + 80ab^4B - 128Ab^5 \right) \sqrt{\sec(c+dx)} \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF} \left(\frac{1}{2}(c+dx), \frac{2a}{a+b} \right) +}{15a^5d(a^2-b^2)\sqrt{a+b \sec(c+dx)}}$$

[Out] (-2*(17*a^4*A*b + 116*a^2*A*b^3 - 128*A*b^5 - 5*a^5*B - 80*a^3*b^2*B + 80*a*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(15*a^5*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^6*A + 55*a^4*A*b^2 - 212*a^2*A*b^4 + 128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^5*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(12*a^2*A*b - 8*A*b^3 - 9*a^3*B + 5*a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) + (2*(3*a^4*A - 71*a^2*A*b^2 + 48*A*b^4 + 50*a^3*b*B - 30*a*b^3*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)^2*d*Sec[c + d*x]^(3/2)) - (2*(14*a^4*A*b - 98*a^2*A*b^3 + 64*A*b^5 - 5*a^5*B + 65*a^3*b^2*B - 40*a*b^4*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d*Sqrt[Sec[c + d*x]])

Rubi [A] time = 1.87864, antiderivative size = 588, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4030, 4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2 \left(-71a^2Ab^2 + 3a^4A + 50a^3bB - 30ab^3B + 48Ab^4 \right) \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{15a^3d(a^2-b^2)^2 \sec^{\frac{3}{2}}(c+dx)} + \frac{2b \left(12a^2Ab - 9a^3B + 5ab^2B - 8Ab^3 \right)}{3a^2d(a^2-b^2)^2 \sec^{\frac{3}{2}}(c+dx)\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] (-2*(17*a^4*A*b + 116*a^2*A*b^3 - 128*A*b^5 - 5*a^5*B - 80*a^3*b^2*B + 80*a*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[Sec[c + d*x]])/(15*a^5*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^6*A + 55*a^4*A*b^2 - 212*a^2*A*b^4 + 128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B)*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^5*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(12*a^2*A*b - 8*A*b^3 - 9*a^3*B + 5*a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sec[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]) + (2*(3*a^4*A - 71*a^2*A*b^2 + 48*A*b^4 + 50*a^3*b*B - 30*a*b^3*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)^2*d*Sec[c + d*x]^(3/2)) - (2*(14*a^4*A*b - 98*a^2*A*b^3 + 64*A*b^5 - 5*a^5*B + 65*a^3*b^2*B - 40*a*b^4*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d*Sqrt[Sec[c + d*x]])

$$\frac{\sin[c + dx]}{(15a^5(a^2 - b^2)^2 d \sqrt{(b + a \cos[c + dx])/(a + b)} \sqrt{\sec[c + dx]}) + (2b(Ab - aB) \sin[c + dx]) / (3a(a^2 - b^2) d \sec[c + dx]^{3/2} (a + b \sec[c + dx])^{3/2}) + (2b(12a^2 Ab - 8Ab^3 - 9a^3 B + 5ab^2 B) \sin[c + dx]) / (3a^2(a^2 - b^2)^2 d \sec[c + dx]^{3/2} \sqrt{a + b \sec[c + dx]}) + (2(3a^4 A - 71a^2 Ab^2 + 48Ab^4 + 50a^3 b B - 30ab^3 B) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (15a^3(a^2 - b^2)^2 d \sec[c + dx]^{3/2}) - (2(14a^4 Ab - 98a^2 Ab^3 + 64Ab^5 - 5a^5 B + 65a^3 b^2 B - 40ab^4 B) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (15a^4(a^2 - b^2)^2 d \sqrt{\sec[c + dx]})}$$

Rule 4030

$$\text{Int}[(\text{csc}[e + f x] + (f x) \text{csc}[e + f x])^m (A + B \text{csc}[e + f x])^n, x] \text{ :> } \text{Simp}[(b(Ab - aB) \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{m+1} (d \text{Csc}[e + f x])^n) / (a f (m+1) (a^2 - b^2)), x] + \text{Dist}[1 / (a (m+1) (a^2 - b^2)), \text{Int}[(a + b \text{Csc}[e + f x])^{m+1} (d \text{Csc}[e + f x])^n \text{Simp}[A (a^{2(m+1)} - b^{2(m+n+1)}) + a b B n - a(Ab - aB) (m+1) \text{Csc}[e + f x] + b(Ab - aB) (m+n+2) \text{Csc}[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[Ab - aB, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4100

$$\text{Int}[(A + \text{csc}[e + f x] + (f x) \text{csc}[e + f x])^m (B + \text{csc}[e + f x] + (f x) \text{csc}[e + f x])^2 (C + \text{csc}[e + f x] + (f x) \text{csc}[e + f x])^n (d \text{Csc}[e + f x])^n, x] \text{ :> } \text{Simp}[(A b^2 - a b B + a^2 C) \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{m+1} (d \text{Csc}[e + f x])^n] / (a f (m+1) (a^2 - b^2)), x] + \text{Dist}[1 / (a (m+1) (a^2 - b^2)), \text{Int}[(a + b \text{Csc}[e + f x])^{m+1} (d \text{Csc}[e + f x])^n \text{Simp}[a(aA - bB + aC) (m+1) - (A b^2 - a b B + a^2 C) (m+n+1) - a(Ab - aB + bC) (m+1) \text{Csc}[e + f x] + (A b^2 - a b B + a^2 C) (m+n+2) \text{Csc}[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$$

Rule 4104

$$\text{Int}[(A + \text{csc}[e + f x] + (f x) \text{csc}[e + f x])^m (B + \text{csc}[e + f x] + (f x) \text{csc}[e + f x])^2 (C + \text{csc}[e + f x] + (f x) \text{csc}[e + f x])^n (d \text{Csc}[e + f x])^n, x] \text{ :> } \text{Simp}[(A \text{Cot}[e + f x] (a + b \text{Csc}[e + f x])^{m+1} (d \text{Csc}[e + f x])^n) / (a f n), x] + \text{Dist}[1 / (a d n), \text{Int}[(a + b \text{Csc}[e + f x])^m (d \text{Csc}[e + f x])^{n+1} \text{Simp}[a B n - A b (m+n+1) + a(A + A n + C n) \text{Csc}[e + f x] + A b (m+n+2) \text{Csc}[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
```


pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - 2 \int \frac{\frac{1}{2}(-3a^2A + 8Ab^2 - 5abB) + \frac{3}{2}a^3}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2b(12a^2Ab - 8Ab^3 - 9a^3)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2b(12a^2Ab - 8Ab^3 - 9a^3)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2b(12a^2Ab - 8Ab^3 - 9a^3)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2b(12a^2Ab - 8Ab^3 - 9a^3)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2b(12a^2Ab - 8Ab^3 - 9a^3)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2b(12a^2Ab - 8Ab^3 - 9a^3)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2b(12a^2Ab - 8Ab^3 - 9a^3)}{3a^2(a^2 - b^2)^2 d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2(17a^4Ab + 116a^2Ab^3 - 128Ab^5 - 5a^5B - 80a^3b^2B + 80ab^4B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{15a^5(a^2 - b^2) d \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 3.74211, size = 392, normalized size = 0.67

$$\sec^{\frac{5}{2}}(c + dx)(a \cos(c + dx) + b) \left(a \left(\frac{10b^4(Ab - aB) \sin(c + dx)}{b^2 - a^2} - \frac{10b^3(-15a^2Ab + 12a^3B - 8ab^2B + 11Ab^3) \sin(c + dx)(a \cos(c + dx) + b)}{(a^2 - b^2)^2} - 2(14Ab - \dots \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Sec[c + d*x])/(Sec[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)),x]
```

```
[Out] ((b + a*Cos[c + d*x])*Sec[c + d*x]^(5/2)*((-2*((b + a*Cos[c + d*x])/(a + b))^(3/2)*(a^2*(8*a^4*A*b + 44*a^2*A*b^3 - 32*A*b^5 - 5*a^5*B - 35*a^3*b^2*B + 20*a*b^4*B)*EllipticF[(c + d*x)/2, (2*a)/(a + b)] - (9*a^6*A + 55*a^4*A*b^2 - 212*a^2*A*b^4 + 128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B)*(a + b)*EllipticE[(c + d*x)/2, (2*a)/(a + b)] - b*EllipticF[(c + d*x)/2, (2*a)/(a + b)])))/((a - b)^2*(a + b)) + a*((10*b^4*(A*b - a*B)*Sin[c + d*x])/(-a^2 + b^2) - (10*b^3*(-15*a^2*A*b + 11*A*b^3 + 12*a^3*B - 8*a*b^2*B)*(b + a*Cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2 - 2*(14*A*b - 5*a*B)*(b + a*Cos[c + d*x])^2*Sin[c + d*x] + 3*a*A*(b + a*Cos[c + d*x])^2*Sin[2*(c + d*x)])/(15*a^5*d*(a + b*Sec[c + d*x])^(5/2))
```

Maple [B] time = 0.81, size = 8251, normalized size = 14.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\sec(dx + c)}}{b^3 \sec(dx + c)^6 + 3ab^2 \sec(dx + c)^5 + 3a^2b \sec(dx + c)^4 + a^3 \sec(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*sec(d*x + c)^6 + 3*a*b^2*sec(d*x + c)^5 + 3*a^2*b*sec(d*x + c)^4 + a^3*sec(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)**(5/2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/sec(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2)), x)

3.474 $\int (a + b \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx$

Optimal. Leaf size=125

$$A \text{Unintegrable}((a + b \sec(c + dx))^{2/3}, x) + \frac{\sqrt{2} B \tan(c + dx) (a + b \sec(c + dx))^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b}\right)}{d \sqrt{\sec(c + dx) + 1} \left(\frac{a + b \sec(c + dx)}{a + b}\right)^{2/3}}$$

[Out] (Sqrt[2]*B*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(2/3), x]

Rubi [A] time = 0.157717, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (a + b \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]), x]

[Out] (Sqrt[2]*B*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(2/3)*Tan[c + d*x]/(d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(2/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(2/3), x]

Rubi steps

$$\begin{aligned}
\int (a + b \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx &= A \int (a + b \sec(c + dx))^{2/3} dx + B \int \sec(c + dx) (a + b \sec(c + dx))^{2/3} dx \\
&= A \int (a + b \sec(c + dx))^{2/3} dx - \frac{(B \tan(c + dx)) \operatorname{Subst} \left(\int \frac{(a+bx)^{2/3}}{\sqrt{1-x}\sqrt{1+x}} dx, \right.}{d\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&\quad \left. (B(a + b \sec(c + dx))^{2/3} \tan(c + dx)) \right) dx \\
&= A \int (a + b \sec(c + dx))^{2/3} dx - \frac{(B(a + b \sec(c + dx))^{2/3} \tan(c + dx)) \operatorname{Subst} \left(\int \frac{(a+bx)^{2/3}}{\sqrt{1-x}\sqrt{1+x}} dx, \right.}{d\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&\quad \left. (B(a + b \sec(c + dx))^{2/3} \tan(c + dx)) \right) dx \\
&= \frac{\sqrt{2} B F_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) (a + b \sec(c + dx))^{2/3}}{d\sqrt{1 + \sec(c + dx)} \left(\frac{a + b \sec(c + dx)}{a + b} \right)^{2/3}}
\end{aligned}$$

Mathematica [A] time = 21.1818, size = 0, normalized size = 0.

$$\int (a + b \sec(c + dx))^{2/3} (A + B \sec(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]), x]

[Out] Integrate[(a + b*Sec[c + d*x])^(2/3)*(A + B*Sec[c + d*x]), x]

Maple [A] time = 0.145, size = 0, normalized size = 0.

$$\int (a + b \sec(dx + c))^{2/3} (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)), x)

[Out] int((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(2/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(2/3)*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**(2/3), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(2/3)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(2/3), x)
```

3.475 $\int \sqrt[3]{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx$

Optimal. Leaf size=125

$$A \text{Unintegrable}(\sqrt[3]{a + b \sec(c + dx)}, x) + \frac{\sqrt{2} B \tan(c + dx) \sqrt[3]{a + b \sec(c + dx)} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx))\right), \frac{b(1 - \sec(c + dx))}{a + b}}{d \sqrt{\sec(c + dx) + 1} \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}}$$

[Out] (Sqrt[2]*B*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(1/3), x]

Rubi [A] time = 0.145576, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \sqrt[3]{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x]), x]

[Out] (Sqrt[2]*B*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*(a + b*Sec[c + d*x])^(1/3)*Tan[c + d*x]/(d*Sqrt[1 + Sec[c + d*x]]*((a + b*Sec[c + d*x])/(a + b))^(1/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(1/3), x]

Rubi steps

$$\begin{aligned}
\int \sqrt[3]{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx &= A \int \sqrt[3]{a + b \sec(c + dx)} dx + B \int \sec(c + dx) \sqrt[3]{a + b \sec(c + dx)} dx \\
&= A \int \sqrt[3]{a + b \sec(c + dx)} dx - \frac{(B \tan(c + dx)) \operatorname{Subst} \left(\int \frac{\sqrt[3]{a+bx}}{\sqrt{1-x}\sqrt{1+x}} dx, x, s \right)}{d\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= A \int \sqrt[3]{a + b \sec(c + dx)} dx - \frac{(B \sqrt[3]{a + b \sec(c + dx)} \tan(c + dx)) \operatorname{Subst} \left(\int \frac{\sqrt[3]{a+bx}}{\sqrt{1-x}\sqrt{1+x}} dx, x, s \right)}{d\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= \frac{\sqrt{2} B F_1 \left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) \sqrt[3]{a + b \sec(c + dx)}}{d\sqrt{1 + \sec(c + dx)} \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}}}
\end{aligned}$$

Mathematica [A] time = 17.8291, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x]), x]

[Out] Integrate[(a + b*Sec[c + d*x])^(1/3)*(A + B*Sec[c + d*x]), x]

Maple [A] time = 0.139, size = 0, normalized size = 0.

$$\int \sqrt[3]{a + b \sec(dx + c)}(A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)), x)

[Out] int((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(1/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt[3]{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(1/3)*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**(1/3), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(1/3)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(1/3), x)

$$3.476 \quad \int \frac{A+B \sec(c+dx)}{\sqrt[3]{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=125

$$A\text{Unintegrable}\left(\frac{1}{\sqrt[3]{a+b \sec(c+dx)}}, x\right) + \frac{\sqrt{2}B \tan(c+dx) \sqrt[3]{\frac{a+b \sec(c+dx)}{a+b}} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1-\sec(c+dx))\right), \frac{b(1-\sec(c+dx))}{a+b}}{d \sqrt{\sec(c+dx)+1} \sqrt[3]{a+b \sec(c+dx)}}$$

[Out] (Sqrt[2]*B*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(1/3)*Tan[c + d*x])/(d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(1/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(-1/3), x]

Rubi [A] time = 0.176441, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{A + B \sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(1/3), x]

[Out] (Sqrt[2]*B*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(1/3)*Tan[c + d*x])/(d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(1/3)) + A*Defer[Int][(a + b*Sec[c + d*x])^(-1/3), x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx &= A \int \frac{1}{\sqrt[3]{a + b \sec(c + dx)}} dx + B \int \frac{\sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx \\
&= A \int \frac{1}{\sqrt[3]{a + b \sec(c + dx)}} dx - \frac{(B \tan(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x}\sqrt{1+x}\sqrt[3]{a+bx}} dx, x, \sec(c + dx)\right)}{d\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}} \\
&= A \int \frac{1}{\sqrt[3]{a + b \sec(c + dx)}} dx - \frac{\left(B \sqrt[3]{\frac{a+b \sec(c+dx)}{-a-b}} \tan(c + dx)\right) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x}\sqrt{1+x}\sqrt[3]{-\frac{a}{-a-b}-\frac{bx}{-a-b}}}\right)}{d\sqrt{1 - \sec(c + dx)}\sqrt{1 + \sec(c + dx)}\sqrt[3]{a + b \sec(c + dx)}} \\
&= \frac{\sqrt{2}BF_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b}\right) \sqrt[3]{\frac{a + b \sec(c + dx)}{a + b}} \tan(c + dx)}{d\sqrt{1 + \sec(c + dx)}\sqrt[3]{a + b \sec(c + dx)}} + A \int \frac{1}{\sqrt[3]{a + b \sec(c + dx)}} dx
\end{aligned}$$

Mathematica [A] time = 3.33825, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(1/3), x]

[Out] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(1/3), x]

Maple [A] time = 0.165, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c)) \frac{1}{\sqrt[3]{a + b \sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/3), x)

[Out] int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/3), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/3),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(1/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/3),x, algorithm="fricas")

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt[3]{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/3),x)

[Out] Integral((A + B*sec(c + d*x))/(a + b*sec(c + d*x))**(1/3), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/3),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(1/3), x)
```

$$3.477 \quad \int \frac{A+B \sec(c+dx)}{(a+b \sec(c+dx))^{2/3}} dx$$

Optimal. Leaf size=125

$$A\text{Unintegrable}\left(\frac{1}{(a+b \sec(c+dx))^{2/3}}, x\right) + \frac{\sqrt{2}B \tan(c+dx) \left(\frac{a+b \sec(c+dx)}{a+b}\right)^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1-\sec(c+dx))\right), \frac{b(1-\sec(c+dx))}{a+b}}{d\sqrt{\sec(c+dx)+1}(a+b \sec(c+dx))^{2/3}}$$

[Out] (Sqrt[2]*B*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(2/3)*Tan[c + d*x])/(d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(2/3)) + A*Unintegrable[(a + b*Sec[c + d*x])^(-2/3), x]

Rubi [A] time = 0.16203, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx$$

Verification is Not applicable to the result.

[In] Int[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(2/3), x]

[Out] (Sqrt[2]*B*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Sec[c + d*x])/2, (b*(1 - Sec[c + d*x]))/(a + b)]*((a + b*Sec[c + d*x])/(a + b))^(2/3)*Tan[c + d*x])/(d*Sqrt[1 + Sec[c + d*x]]*(a + b*Sec[c + d*x])^(2/3)) + A*Defer[Int] [(a + b*Sec[c + d*x])^(-2/3), x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx &= A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx + B \int \frac{\sec(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx \\
&= A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx - \frac{(B \tan(c + dx)) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1-x} \sqrt{1+x} (a+bx)^{2/3}} dx, x, \sec(c + dx) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}} \\
&= A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx - \frac{\left(B \left(-\frac{a+b \sec(c+dx)}{-a-b} \right)^{2/3} \tan(c + dx) \right) \operatorname{Subst} \left(\int \frac{1}{\sqrt{1-x} \sqrt{1+x} \left(-\frac{a}{-a-b} \right)} dx, x, \sec(c + dx) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)} (a + b \sec(c + dx))^{2/3}} \\
&= \frac{\sqrt{2} B F_1 \left(\frac{1}{2}; \frac{1}{2}, \frac{2}{3}; \frac{3}{2}; \frac{1}{2} (1 - \sec(c + dx)), \frac{b(1 - \sec(c + dx))}{a + b} \right) \left(\frac{a + b \sec(c + dx)}{a + b} \right)^{2/3} \tan(c + dx)}{d \sqrt{1 + \sec(c + dx)} (a + b \sec(c + dx))^{2/3}} + A \int \frac{1}{(a + b \sec(c + dx))^{2/3}} dx
\end{aligned}$$

Mathematica [A] time = 3.33016, size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^{2/3}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(2/3), x]

[Out] Integrate[(A + B*Sec[c + d*x])/(a + b*Sec[c + d*x])^(2/3), x]

Maple [A] time = 0.181, size = 0, normalized size = 0.

$$\int (A + B \sec(dx + c)) (a + b \sec(dx + c))^{-2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(2/3), x)

[Out] int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(2/3), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(2/3),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(2/3), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(2/3),x, algorithm="fricas")

[Out] Timed out

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(2/3),x)

[Out] Integral((A + B*sec(c + d*x))/(a + b*sec(c + d*x))**(2/3), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(2/3),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(b*sec(d*x + c) + a)^(2/3), x)
```

$$3.478 \quad \int (c \sec(e + fx))^n (a + b \sec(e + fx))^m (A + B \sec(e + fx)) dx$$

Optimal. Leaf size=35

$$\text{Unintegrable}((A + B \sec(e + fx))(c \sec(e + fx))^n (a + b \sec(e + fx))^m, x)$$

[Out] Unintegrable[(c*Sec[e + f*x])^n*(a + b*Sec[e + f*x])^m*(A + B*Sec[e + f*x]), x]

Rubi [A] time = 0.0929956, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (c \sec(e + fx))^n (a + b \sec(e + fx))^m (A + B \sec(e + fx)) dx$$

Verification is Not applicable to the result.

[In] Int[(c*Sec[e + f*x])^n*(a + b*Sec[e + f*x])^m*(A + B*Sec[e + f*x]), x]

[Out] Defer[Int] [(c*Sec[e + f*x])^n*(a + b*Sec[e + f*x])^m*(A + B*Sec[e + f*x]), x]

Rubi steps

$$\int (c \sec(e + fx))^n (a + b \sec(e + fx))^m (A + B \sec(e + fx)) dx = \int (c \sec(e + fx))^n (a + b \sec(e + fx))^m (A + B \sec(e + fx)) dx$$

Mathematica [A] time = 4.26979, size = 0, normalized size = 0.

$$\int (c \sec(e + fx))^n (a + b \sec(e + fx))^m (A + B \sec(e + fx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c*Sec[e + f*x])^n*(a + b*Sec[e + f*x])^m*(A + B*Sec[e + f*x]), x]

[Out] Integrate[(c*Sec[e + f*x])^n*(a + b*Sec[e + f*x])^m*(A + B*Sec[e + f*x]), x
]

Maple [A] time = 1.197, size = 0, normalized size = 0.

$$\int (c \sec (fx + e))^n (a + b \sec (fx + e))^m (A + B \sec (fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sec(f*x+e))^n*(a+b*sec(f*x+e))^m*(A+B*sec(f*x+e)),x)

[Out] int((c*sec(f*x+e))^n*(a+b*sec(f*x+e))^m*(A+B*sec(f*x+e)),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (B \sec (fx + e) + A)(b \sec (fx + e) + a)^m (c \sec (fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sec(f*x+e))^n*(a+b*sec(f*x+e))^m*(A+B*sec(f*x+e)),x, algorithm="maxima")

[Out] integrate((B*sec(f*x + e) + A)*(b*sec(f*x + e) + a)^m*(c*sec(f*x + e))^n, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \sec (fx + e) + A\right)\left(b \sec (fx + e) + a\right)^m\left(c \sec (fx + e)\right)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sec(f*x+e))^n*(a+b*sec(f*x+e))^m*(A+B*sec(f*x+e)),x, algorithm="fricas")

[Out] integral((B*sec(f*x + e) + A)*(b*sec(f*x + e) + a)^m*(c*sec(f*x + e))^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sec(f*x+e))**n*(a+b*sec(f*x+e))**m*(A+B*sec(f*x+e)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(fx + e) + A)(b \sec(fx + e) + a)^m (c \sec(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sec(f*x+e))^n*(a+b*sec(f*x+e))^m*(A+B*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((B*sec(f*x + e) + A)*(b*sec(f*x + e) + a)^m*(c*sec(f*x + e))^n, x)

$$3.479 \quad \int \sec^m(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=544

$$\frac{\sin(c + dx) \left(6a^2 Ab^2 m(m + 3) + a^4 A(m^2 + 4m + 3) + 4a^3 b B m(m + 3) + 4ab^3 B m(m + 2) + Ab^4 m(m + 2) \right) \sec^{m-1}(c + dx)}{d(1 - m)(m + 1)(m + 3)\sqrt{\sin^2(c + dx)}}$$

```
[Out] (b*(A*b^3*(8 + 6*m + m^2) + 4*a*b^2*B*(8 + 6*m + m^2) + 2*a^3*B*(19 + 8*m + m^2) + a^2*A*b*(68 + 37*m + 5*m^2))*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + m)*(3 + m)*(4 + m)) + (b^2*(b^2*B*(3 + m)^2 + 2*a*A*b*(4 + m)^2 + a^2*B*(26 + 9*m + m^2))*Sec[c + d*x]^(2 + m)*Sin[c + d*x])/(d*(2 + m)*(3 + m)*(4 + m)) + (b*(A*b*(4 + m) + a*B*(7 + m))*Sec[c + d*x]^(1 + m)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(d*(3 + m)*(4 + m)) + (b*B*Sec[c + d*x]^(1 + m)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(d*(4 + m)) - ((A*b^4*m*(2 + m) + 4*a*b^3*B*m*(2 + m) + 6*a^2*A*b^2*m*(3 + m) + 4*a^3*b*B*m*(3 + m) + a^4*A*(3 + 4*m + m^2))*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(1 - m)*(1 + m)*(3 + m)*Sqrt[Sin[c + d*x]^2]) + ((b^4*B*(3 + 4*m + m^2) + 4*a*A*b^3*(4 + 5*m + m^2) + 6*a^2*b^2*B*(4 + 5*m + m^2) + 4*a^3*A*b*(8 + 6*m + m^2) + a^4*B*(8 + 6*m + m^2))*Hypergeometric2F1[1/2, -m/2, (2 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*m*(2 + m)*(4 + m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 1.63038, antiderivative size = 544, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {4026, 4096, 4076, 4047, 3772, 2643, 4046}

$$\frac{\sin(c + dx) \left(6a^2 Ab^2 m(m + 3) + a^4 A(m^2 + 4m + 3) + 4a^3 b B m(m + 3) + 4ab^3 B m(m + 2) + Ab^4 m(m + 2) \right) \sec^{m-1}(c + dx)}{d(1 - m)(m + 1)(m + 3)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]
```

```
[Out] (b*(A*b^3*(8 + 6*m + m^2) + 4*a*b^2*B*(8 + 6*m + m^2) + 2*a^3*B*(19 + 8*m + m^2) + a^2*A*b*(68 + 37*m + 5*m^2))*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + m)*(3 + m)*(4 + m)) + (b^2*(b^2*B*(3 + m)^2 + 2*a*A*b*(4 + m)^2 + a^2*B*(26 + 9*m + m^2))*Sec[c + d*x]^(2 + m)*Sin[c + d*x])/(d*(2 + m)*(3 + m)*(4 + m)) + (b*(A*b*(4 + m) + a*B*(7 + m))*Sec[c + d*x]^(1 + m)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(d*(3 + m)*(4 + m)) + (b*B*Sec[c + d*x]^(1 + m)*(a + b*Sec[c + d*x])^3*Sin[c + d*x])/(d*(4 + m)) - ((A*b^4*m*(2 + m) + 4*a*b^3*B*m*(2 + m) + 6*a^2*A*b^2*m*(3 + m) + 4*a^3*b*B*m*(3 + m) + a^4*A*(3 + 4*m + m^2))*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(1 - m)*(1 + m)*(3 + m)*Sqrt[Sin[c + d*x]^2]) + ((b^4*B*(3 + 4*m + m^2) + 4*a*A*b^3*(4 + 5*m + m^2) + 6*a^2*b^2*B*(4 + 5*m + m^2) + 4*a^3*A*b*(8 + 6*m + m^2) + a^4*B*(8 + 6*m + m^2))*Hypergeometric2F1[1/2, -m/2, (2 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*m*(2 + m)*(4 + m)*Sqrt[Sin[c + d*x]^2])
```

$$\begin{aligned}
& (4 + m)) + (b*(A*b*(4 + m) + a*B*(7 + m))*\text{Sec}[c + d*x]^{(1 + m)*(a + b*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]}/(d*(3 + m)*(4 + m)) + (b*B*\text{Sec}[c + d*x]^{(1 + m)*(a + b*\text{Sec}[c + d*x])^3*\text{Sin}[c + d*x]}/(d*(4 + m)) - ((A*b^4*m*(2 + m) + 4*a*b^3*B*m*(2 + m) + 6*a^2*A*b^2*m*(3 + m) + 4*a^3*b*B*m*(3 + m) + a^4*A*(3 + 4*m + m^2))*\text{Hypergeometric2F1}[1/2, (1 - m)/2, (3 - m)/2, \text{Cos}[c + d*x]^2]*\text{Sec}[c + d*x]^{(-1 + m)*\text{Sin}[c + d*x]}/(d*(1 - m)*(1 + m)*(3 + m)*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + ((b^4*B*(3 + 4*m + m^2) + 4*a*A*b^3*(4 + 5*m + m^2) + 6*a^2*b^2*B*(4 + 5*m + m^2) + 4*a^3*A*b*(8 + 6*m + m^2) + a^4*B*(8 + 6*m + m^2))*\text{Hypergeometric2F1}[1/2, -m/2, (2 - m)/2, \text{Cos}[c + d*x]^2]*\text{Sec}[c + d*x]^m*\text{Sin}[c + d*x]}/(d*m*(2 + m)*(4 + m)*\text{Sqrt}[\text{Sin}[c + d*x]^2])
\end{aligned}$$

Rule 4026

$$\begin{aligned}
& \text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(m + n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 2)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*\text{Csc}[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& !\text{IntegerQ}[m])
\end{aligned}$$

Rule 4096

$$\begin{aligned}
& \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LeQ}[n, -1]
\end{aligned}$$

Rule 4076

$$\begin{aligned}
& \text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] :> -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 2)), x] + \text{Dist}[1/(n + 2), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*\text{Csc}[e + f*x] + (a*C + B*b)*(n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C, n\}, x] \&\& !\text{LtQ}[n, -1]
\end{aligned}$$

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \sec^m(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx &= \frac{bB \sec^{1+m}(c + dx)(a + b \sec(c + dx))^3 \sin(c + dx)}{d(4 + m)} + \int \sec^m(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) dx \\
&= \frac{b(Ab(4 + m) + aB(7 + m)) \sec^{1+m}(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx))}{d(3 + m)(4 + m)} \\
&= \frac{b^2 (b^2 B(3 + m)^2 + 2aAb(4 + m)^2 + a^2 B(26 + 9m + m^2)) \sec^{1+m}(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx))}{d(2 + m)(12 + 7m + m^2)} \\
&= \frac{b^2 (b^2 B(3 + m)^2 + 2aAb(4 + m)^2 + a^2 B(26 + 9m + m^2)) \sec^{1+m}(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx))}{d(2 + m)(12 + 7m + m^2)} \\
&= \frac{b (Ab^3 (8 + 6m + m^2) + 4ab^2 B (8 + 6m + m^2) + 2a^3 B (19 + 6m + m^2)) \sec^{1+m}(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx))}{d(1 + m)(12 + 7m + m^2)} \\
&= \frac{b (Ab^3 (8 + 6m + m^2) + 4ab^2 B (8 + 6m + m^2) + 2a^3 B (19 + 6m + m^2)) \sec^{1+m}(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx))}{d(1 + m)(12 + 7m + m^2)} \\
&= \frac{b (Ab^3 (8 + 6m + m^2) + 4ab^2 B (8 + 6m + m^2) + 2a^3 B (19 + 6m + m^2)) \sec^{1+m}(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx))}{d(1 + m)(12 + 7m + m^2)}
\end{aligned}$$

Mathematica [A] time = 4.42286, size = 365, normalized size = 0.67

$$\frac{\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^{m-1}(c + dx)(a + b \sec(c + dx))^4(A + B \sec(c + dx)) \left(\frac{a^3(aB+4Ab) \cos^4(c+dx) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{m}{2}, \frac{(2+m)}{2}, \frac{1}{2}\right]}{m+1} \right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^m*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x]),x]

[Out] (Csc[c + d*x]*((a^4*A*Cos[c + d*x]^5*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[c + d*x]^2])/m + (a^3*(4*A*b + a*B)*Cos[c + d*x]^4*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Sec[c + d*x]^2]))/(1 + m) + b*((2*a^2*(3*A*b + 2*a*B)*Cos[c + d*x]^3*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Sec[c + d*x]^2]))/(2 + m) + b*((2*a*(2*A*b + 3*a*B)*Cos[c + d*x]^2*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Sec[c + d*x]^2]))/(3 + m) + b*((A*b + 4*a*B)*Cos[c + d*x]*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Sec[c + d*x]^2]))/(4 + m) + (b*B*Hypergeometric2F1[1/2, (5 + m)/2, (7 + m)/2, Sec[c + d*x]^2]))/(5 + m))))*Sec[c + d*x]^(-1 + m)*(a + b*Sec[c + d*x])^4*(A + B*Sec[c + d*x])*

$\text{Sqrt}[-\text{Tan}[c + d*x]^2]/(d*(b + a*\text{Cos}[c + d*x])^4*(B + A*\text{Cos}[c + d*x]))$

Maple [F] time = 0.804, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (a + b \sec(dx + c))^4 (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^m*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

`integral((B*b^4*sec(dx + c)^5 + A*a^4 + (4*B*a*b^3 + A*b^4)*sec(dx + c)^4 + 2*(3*B*a^2*b^2 + 2*A*a*b^3)*sec(dx + c)^3 + 2*(2*B*a^3*b + 3*A*a^2*b^2)*sec(dx + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(dx + c))*sec(dx + c)^m, x)`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b^4*sec(d*x + c)^5 + A*a^4 + (4*B*a*b^3 + A*b^4)*sec(d*x + c)^4 + 2*(3*B*a^2*b^2 + 2*A*a*b^3)*sec(d*x + c)^3 + 2*(2*B*a^3*b + 3*A*a^2*b^2)*sec(d*x + c)^2 + (B*a^4 + 4*A*a^3*b)*sec(d*x + c))*sec(d*x + c)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) (a + b \sec(c + dx))^4 \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**m*(a+b*sec(d*x+c))**4*(A+B*sec(d*x+c)), x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**4*sec(c + d*x)**m, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^4 \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^4*(A+B*sec(d*x+c)), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^4*sec(d*x + c)^m, x)

$$3.480 \quad \int \sec^m(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=366

$$\sin(c + dx) \left(a^3 A (m^2 + 4m + 3) + 3a^2 b B m (m + 3) + 3a A b^2 m (m + 3) + b^3 B m (m + 2) \right) \sec^{m-1}(c + dx) \text{Hypergeometric}$$

$$d(m + 3) (1 - m^2) \sqrt{\sin^2(c + dx)}$$

```
[Out] (b*(b^2*B*(2 + m) + 3*a*A*b*(3 + m) + 2*a^2*B*(4 + m))*Sec[c + d*x]^(1 + m)
*Sin[c + d*x])/(d*(1 + m)*(3 + m)) + (b^2*(A*b*(3 + m) + a*B*(5 + m))*Sec[c
+ d*x]^(2 + m)*Sin[c + d*x])/(d*(2 + m)*(3 + m)) + (b*B*Sec[c + d*x]^(1 +
m)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(d*(3 + m)) - ((b^3*B*m*(2 + m) + 3
*a*A*b^2*m*(3 + m) + 3*a^2*b*B*m*(3 + m) + a^3*A*(3 + 4*m + m^2))*Hypergeom
etric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*S
in[c + d*x])/(d*(3 + m)*(1 - m^2)*Sqrt[Sin[c + d*x]^2]) + ((A*b^3*(1 + m) +
3*a*b^2*B*(1 + m) + 3*a^2*A*b*(2 + m) + a^3*B*(2 + m))*Hypergeometric2F1[1
/2, -m/2, (2 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*m*(2 +
m)*Sqrt[Sin[c + d*x]^2])
```

Rubi [A] time = 0.786254, antiderivative size = 366, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {4026, 4076, 4047, 3772, 2643, 4046}

$$\sin(c + dx) \left(a^3 A (m^2 + 4m + 3) + 3a^2 b B m (m + 3) + 3a A b^2 m (m + 3) + b^3 B m (m + 2) \right) \sec^{m-1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}; \frac{3-m}{2}; \right)$$

$$d(m + 3) (1 - m^2) \sqrt{\sin^2(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^m*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]),x]
```

```
[Out] (b*(b^2*B*(2 + m) + 3*a*A*b*(3 + m) + 2*a^2*B*(4 + m))*Sec[c + d*x]^(1 + m)
*Sin[c + d*x])/(d*(1 + m)*(3 + m)) + (b^2*(A*b*(3 + m) + a*B*(5 + m))*Sec[c
+ d*x]^(2 + m)*Sin[c + d*x])/(d*(2 + m)*(3 + m)) + (b*B*Sec[c + d*x]^(1 +
m)*(a + b*Sec[c + d*x])^2*Sin[c + d*x])/(d*(3 + m)) - ((b^3*B*m*(2 + m) + 3
*a*A*b^2*m*(3 + m) + 3*a^2*b*B*m*(3 + m) + a^3*A*(3 + 4*m + m^2))*Hypergeom
etric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*S
in[c + d*x])/(d*(3 + m)*(1 - m^2)*Sqrt[Sin[c + d*x]^2]) + ((A*b^3*(1 + m) +
3*a*b^2*B*(1 + m) + 3*a^2*A*b*(2 + m) + a^3*B*(2 + m))*Hypergeometric2F1[1
```

$/2, -m/2, (2 - m)/2, \text{Cos}[c + d*x]^2 * \text{Sec}[c + d*x]^m * \text{Sin}[c + d*x] / (d*m*(2 + m)*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

Rule 4026

$\text{Int}[(\text{csc}[e_] + (f_)*(x_)]*(d_))^{(n_)}*(\text{csc}[e_] + (f_)*(x_)]*(b_) + (a_))^{(m_)}*(\text{csc}[e_] + (f_)*(x_)]*(B_) + (A_)), x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(m + n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 2)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1))*\text{Csc}[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& !\text{IntegerQ}[m])$

Rule 4076

$\text{Int}[(A_) + \text{csc}[e_] + (f_)*(x_)]*(B_) + \text{csc}[e_] + (f_)*(x_)]^2*(C_))*(\text{csc}[e_] + (f_)*(x_)]*(d_))^{(n_)}*(\text{csc}[e_] + (f_)*(x_)]*(b_) + (a_)), x_Symbol] \rightarrow -\text{Simp}[(b*C*\text{Csc}[e + f*x]*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(n + 2)), x] + \text{Dist}[1/(n + 2), \text{Int}[(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*\text{Csc}[e + f*x] + (a*C + B*b)*(n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& !\text{LtQ}[n, -1]$

Rule 4047

$\text{Int}[(\text{csc}[e_] + (f_)*(x_)]*(b_))^{(m_)}*((A_) + \text{csc}[e_] + (f_)*(x_)]*(B_) + \text{csc}[e_] + (f_)*(x_)]^2*(C_)), x_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$

Rule 3772

$\text{Int}[(\text{csc}[c_] + (d_)*(x_)]*(b_))^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(b*\text{Csc}[c + d*x])^{(n - 1)}*((\text{Sin}[c + d*x]/b)^{(n - 1)}*\text{Int}[1/((\text{Sin}[c + d*x]/b)^n, x)], x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[n]$

Rule 2643

$\text{Int}[(b_)*\text{sin}[(c_) + (d_)*(x_)]^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& !\text{IntegerQ}[2*n]$

Rule 4046

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\begin{aligned}
 \int \sec^m(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx &= \frac{bB \sec^{1+m}(c + dx)(a + b \sec(c + dx))^2 \sin(c + dx)}{d(3 + m)} + \int \sec^m(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
 &= \frac{b^2(Ab(3 + m) + aB(5 + m)) \sec^{2+m}(c + dx) \sin(c + dx)}{d(2 + m)(3 + m)} + \int \sec^m(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
 &= \frac{b^2(Ab(3 + m) + aB(5 + m)) \sec^{2+m}(c + dx) \sin(c + dx)}{d(2 + m)(3 + m)} + \int \sec^m(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
 &= \frac{b(b^2B(2 + m) + 3aAb(3 + m) + 2a^2B(4 + m)) \sec^{1+m}(c + dx)}{d(1 + m)(3 + m)} + \int \sec^m(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
 &= \frac{b(b^2B(2 + m) + 3aAb(3 + m) + 2a^2B(4 + m)) \sec^{1+m}(c + dx)}{d(1 + m)(3 + m)} + \int \sec^m(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx \\
 &= \frac{b(b^2B(2 + m) + 3aAb(3 + m) + 2a^2B(4 + m)) \sec^{1+m}(c + dx)}{d(1 + m)(3 + m)} + \int \sec^m(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx)) dx
 \end{aligned}$$

Mathematica [A] time = 2.20831, size = 307, normalized size = 0.84

$$\sqrt{-\tan^2(c + dx) \csc(c + dx) \sec^{m-1}(c + dx)(a + b \sec(c + dx))^3(A + B \sec(c + dx))} \left(\frac{a^2(aB + 3Ab) \cos^3(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, m/2, (2 + m)/2, \sec^2(c + dx)\right)}{m + 1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^m*(a + b*Sec[c + d*x])^3*(A + B*Sec[c + d*x]), x]

[Out] (Csc[c + d*x]*((a^3*A*Cos[c + d*x]^4*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[c + d*x]^2])/m + (a^2*(3*A*b + a*B)*Cos[c + d*x]^3*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Sec[c + d*x]^2]))/(1 + m) + b*((3*a*(A*b + a*B)*Cos[c + d*x]^2*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Sec[c + d*x]^2]))/(2 + m) + b*((A*b + 3*a*B)*Cos[c + d*x]*Hypergeometric2F1[1/2, (3 + m)/2,

$(5 + m)/2, \text{Sec}[c + d*x]^2)/(3 + m) + (b*B*\text{Hypergeometric2F1}[1/2, (4 + m)/2, (6 + m)/2, \text{Sec}[c + d*x]^2)/(4 + m)))*\text{Sec}[c + d*x]^{-1 + m}*(a + b*\text{Sec}[c + d*x])^3*(A + B*\text{Sec}[c + d*x])*\text{Sqrt}[-\text{Tan}[c + d*x]^2]/(d*(b + a*\text{Cos}[c + d*x])^3*(B + A*\text{Cos}[c + d*x]))$

Maple [F] time = 0.623, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (a + b \sec(dx + c))^3 (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^m*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x)`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

`integral((Bb^3 sec(dx + c)^4 + Aa^3 + (3 Bab^2 + Ab^3) sec(dx + c)^3 + 3 (Ba^2 b + Aab^2) sec(dx + c)^2 + (Ba^3 + 3 Aa^2 b) se`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b^3*sec(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*sec(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*sec(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*sec(d*x + c))`

`*sec(d*x + c)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^3 \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(a+b*sec(d*x+c))**3*(A+B*sec(d*x+c)),x)`

[Out] `Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**3*sec(c + d*x)**m, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^3 \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^3*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^3*sec(d*x + c)^m, x)`

$$3.481 \quad \int \sec^m(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=261

$$\frac{\sin(c + dx)(a^2 A(m + 1) + 2abBm + Ab^2 m) \sec^{m-1}(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-m}{2}, \frac{3-m}{2}, \cos^2(c + dx)\right) \sin(c + dx)}{d(1 - m^2) \sqrt{\sin^2(c + dx)}} + \frac{\sin(c + dx)(a(m + 2)(a + b \sec(c + dx)) + (A + B \sec(c + dx))^2)}{d(1 - m^2) \sqrt{\sin^2(c + dx)}}$$

[Out] (b*(A*b*(2 + m) + a*B*(3 + m))*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + m)*(2 + m)) + (b*B*Sec[c + d*x]^(1 + m)*(a + b*Sec[c + d*x])*Sin[c + d*x])/(d*(2 + m)) - ((A*b^2*m + 2*a*b*B*m + a^2*A*(1 + m))*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(1 - m^2)*Sqrt[Sin[c + d*x]^2]) + ((b^2*B*(1 + m) + a*(2*A*b + a*B)*(2 + m))*Hypergeometric2F1[1/2, -m/2, (2 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*m*(2 + m)*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.406208, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {4026, 4047, 3772, 2643, 4046}

$$\frac{\sin(c + dx)(a^2 A(m + 1) + 2abBm + Ab^2 m) \sec^{m-1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}; \frac{3-m}{2}; \cos^2(c + dx)\right) \sin(c + dx)(a(m + 2)(a + b \sec(c + dx)) + (A + B \sec(c + dx))^2)}{d(1 - m^2) \sqrt{\sin^2(c + dx)}} + \frac{\sin(c + dx)(a(m + 2)(a + b \sec(c + dx)) + (A + B \sec(c + dx))^2)}{d(1 - m^2) \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^m*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (b*(A*b*(2 + m) + a*B*(3 + m))*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + m)*(2 + m)) + (b*B*Sec[c + d*x]^(1 + m)*(a + b*Sec[c + d*x])*Sin[c + d*x])/(d*(2 + m)) - ((A*b^2*m + 2*a*b*B*m + a^2*A*(1 + m))*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(1 - m^2)*Sqrt[Sin[c + d*x]^2]) + ((b^2*B*(1 + m) + a*(2*A*b + a*B)*(2 + m))*Hypergeometric2F1[1/2, -m/2, (2 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*Sin[c + d*x])/(d*m*(2 + m)*Sqrt[Sin[c + d*x]^2])

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C

```

ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Sim
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x]
]; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

```

Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(
B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

Rule 3772

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]

```

Rule 2643

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2)]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]

```

Rule 4046

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

```

Rubi steps

$$\begin{aligned}
\int \sec^m(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \frac{bB \sec^{1+m}(c + dx)(a + b \sec(c + dx)) \sin(c + dx)}{d(2 + m)} + \int \sec^m \\
&= \frac{bB \sec^{1+m}(c + dx)(a + b \sec(c + dx)) \sin(c + dx)}{d(2 + m)} + \int \sec^m \\
&= \frac{b(Ab(2 + m) + aB(3 + m)) \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + m)(2 + m)} + \frac{b}{d} \\
&= \frac{b(Ab(2 + m) + aB(3 + m)) \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + m)(2 + m)} + \frac{b}{d} \\
&= \frac{b(Ab(2 + m) + aB(3 + m)) \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + m)(2 + m)} + \frac{b}{d}
\end{aligned}$$

Mathematica [A] time = 0.963626, size = 239, normalized size = 0.92

$$\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^{m+2}(c + dx) \left(a^2 A (m^3 + 6m^2 + 11m + 6) \cos^3(c + dx) \text{Hypergeometric2F1} \left(\frac{1}{2}, \frac{m}{2}, \frac{m+2}{2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^m*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (Csc[c + d*x]*(a^2*A*(6 + 11*m + 6*m^2 + m^3)*Cos[c + d*x]^3*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[c + d*x]^2] + a*(2*A*b + a*B)*m*(6 + 5*m + m^2)*Cos[c + d*x]^2*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Sec[c + d*x]^2] + b*m*(1 + m)*((A*b + 2*a*B)*(3 + m)*Cos[c + d*x]*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Sec[c + d*x]^2] + b*B*(2 + m)*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Sec[c + d*x]^2]))*Sec[c + d*x]^(2 + m)*Sqrt[-Tan[c + d*x]^2])/(d*m*(1 + m)*(2 + m)*(3 + m))

Maple [F] time = 1.058, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (a + b \sec(dx + c))^2 (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^m*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out] `int(sec(d*x+c)^m*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*sec(d*x + c)^m, x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \sec(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \sec(dx + c)^2 + (Ba^2 + 2 Aab) \sec(dx + c)\right) \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sec(d*x + c)^m, x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))^2 \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**m*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)`

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))**2*sec(c + d*x)**m, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*sec(d*x + c)^m, x)

$$3.482 \quad \int \sec^m(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=177

$$\frac{\sin(c + dx)(aA(m + 1) + bBm) \sec^{m-1}(c + dx) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{1-m}{2}, \frac{3-m}{2}, \cos^2(c + dx)\right)}{d(1 - m^2) \sqrt{\sin^2(c + dx)}} + \frac{(aB + Ab) \sin(c + dx)}{dm \sqrt{\sin^2(c + dx)}}$$

[Out] (b*B*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + m)) - ((b*B*m + a*A*(1 + m))*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(1 - m^2)*Sqrt[Sin[c + d*x]^2]) + ((A*b + a*B)*Hypergeometric2F1[1/2, -m/2, (2 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*Ssin[c + d*x])/(d*m*Sqrt[Sin[c + d*x]^2])

Rubi [A] time = 0.201102, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {3997, 3787, 3772, 2643}

$$\frac{\sin(c + dx)(aA(m + 1) + bBm) \sec^{m-1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}; \frac{3-m}{2}; \cos^2(c + dx)\right)}{d(1 - m^2) \sqrt{\sin^2(c + dx)}} + \frac{(aB + Ab) \sin(c + dx) \sec^m(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}; \frac{3-m}{2}; \cos^2(c + dx)\right)}{dm \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^m*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (b*B*Sec[c + d*x]^(1 + m)*Sin[c + d*x])/(d*(1 + m)) - ((b*B*m + a*A*(1 + m))*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^(-1 + m)*Sin[c + d*x])/(d*(1 - m^2)*Sqrt[Sin[c + d*x]^2]) + ((A*b + a*B)*Hypergeometric2F1[1/2, -m/2, (2 - m)/2, Cos[c + d*x]^2]*Sec[c + d*x]^m*Ssin[c + d*x])/(d*m*Sqrt[Sin[c + d*x]^2])

Rule 3997

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,

-1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]
```

Rubi steps

$$\begin{aligned}
\int \sec^m(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \frac{bB \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + m)} + \frac{\int \sec^m(c + dx)(bBm + aA)}{d(1 + m)} \\
&= \frac{bB \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + m)} + (Ab + aB) \int \sec^{1+m}(c + dx) \\
&= \frac{bB \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + m)} + ((Ab + aB) \cos^m(c + dx) \sec^m(c + dx)) \\
&= \frac{bB \sec^{1+m}(c + dx) \sin(c + dx)}{d(1 + m)} - \frac{\left(aA + \frac{bBm}{1+m}\right) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}, \frac{3-m}{2}, \sec^2(c + dx)\right)}{d(1 + m)}
\end{aligned}$$

Mathematica [A] time = 0.387213, size = 168, normalized size = 0.95

$$\sqrt{-\tan^2(c + dx) \csc(c + dx) \sec^{m+1}(c + dx)} \left(m(m + 2)(aB + Ab) \cos(c + dx) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+1}{2}, \frac{m+3}{2}, \sec^2(c + dx)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^m*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (Csc[c + d*x]*(a*A*(2 + 3*m + m^2)*Cos[c + d*x]^2*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[c + d*x]^2] + (A*b + a*B)*m*(2 + m)*Cos[c + d*x]*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Sec[c + d*x]^2] + b*B*m*(1 + m)*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Sec[c + d*x]^2])*Sec[c + d*x]^(1 + m)*Sqrt[-Tan[c + d*x]^2])/(d*m*(1 + m)*(2 + m))

Maple [F] time = 0.559, size = 0, normalized size = 0.

$$\int (\sec(dx + c))^m (a + b \sec(dx + c)) (A + B \sec(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^m*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] int(sec(d*x+c)^m*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sec(d*x + c)^m, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)\right) \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sec(d*x + c)^m, x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx)) \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**m*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))*sec(c + d*x)**m, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^m*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sec(d*x + c)^m, x)
```

$$3.483 \quad \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=132

$$\frac{2a(5A + 7B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{6a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2a(5A + 7B)}{21d}$$

[Out] (6*a*(A + B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(5*A + 7*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(A + B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.229494, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2954, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{2a(5A + 7B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{6a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2a(5A + 7B)\sin(c + dx)}{21d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (6*a*(A + B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(5*A + 7*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a*(5*A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(A + B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*SIN[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))(A+B\sec(c+dx))dx &= \int \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))(B+A\cos(c+dx))dx \\
&= \int \cos^{\frac{3}{2}}(c+dx)(aB+(aA+aB)\cos(c+dx)+aA\cos^2(c+dx))dx \\
&= \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7} \int \cos^{\frac{3}{2}}(c+dx)\left(\frac{1}{2}a(5A+B)\right. \\
&= \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + (a(A+B)) \int \cos^{\frac{5}{2}}(c+dx)dx \\
&= \frac{2a(5A+7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{21d} + \frac{2a(A+B)\cos^{\frac{3}{2}}(c+dx)}{5d} \\
&= \frac{6a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5A+7B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \dots
\end{aligned}$$

Mathematica [C] time = 6.28382, size = 872, normalized size = 6.61

$$a \left(\sqrt{\cos(c+dx)}(\cos(c+dx)+1) \left(-\frac{3(A+B)\cot(c)}{5d} + \frac{(23A+28B)\cos(dx)\sin(c)}{84d} + \frac{(A+B)\cos(2dx)\sin(2c)}{10d} + \frac{A\cos(3dx)\sin(3c)}{28d} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*((-3*(A + B)*Cot[c])/(5*d) + ((23*A + 28*B)*Cos[d*x]*Sin[c])/(84*d) + ((A + B)*Cos[2*d*x]*Sin[2*c])/(10*d) + (A*Cos[3*d*x]*Sin[3*c])/(28*d) + ((23*A + 28*B)*Cos[c]*Sin[d*x])/(84*d) + ((A + B)*Cos[2*c]*Sin[2*d*x])/(10*d) + (A*Cos[3*c]*Sin[3*d*x])/(28*d)) - (5*A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]))/(21*d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x -

```

ArcTan[Cot[c]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^
2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])] *Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]]/
(3*d*Sqrt[1 + Cot[c]^2]) - (3*A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2
]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*S
in[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[
1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1
+ Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqr
t[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])
/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[
c]^2]))/(10*d) - (3*B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(Hyp
ergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x +
ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d
*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]
^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan
[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^
2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/
(10*d)

```

Maple [B] time = 1.923, size = 383, normalized size = 2.9

$$-\frac{2a}{105d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240 A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-528 A - 168 B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (448 A + 308 B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + (-122 A - 112 B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + 25 A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2\right)^{\frac{1}{2}} \left(2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{\frac{1}{2}} \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{\frac{1}{2}}\right) - 63 A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{\frac{1}{2}} \left(2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{\frac{1}{2}} \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{\frac{1}{2}}\right) + 35 B \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{\frac{1}{2}} \left(2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{\frac{1}{2}} \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{\frac{1}{2}}\right) - 63 B \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{\frac{1}{2}} \left(2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{\frac{1}{2}} \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{\frac{1}{2}}\right) \right) / \left(-2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)^2\right)^{\frac{1}{2}} / \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) / \left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{\frac{1}{2}} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] `-2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(240*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-528*A-168*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(448*A+308*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-122*A-112*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+25*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+35*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \cos(dx + c)^3 \sec(dx + c)^2 + (A + B)a \cos(dx + c)^3 \sec(dx + c) + Aa \cos(dx + c)^3\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^3*sec(d*x + c)^2 + (A + B)*a*cos(d*x + c)^3*sec(d*x + c) + A*a*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)
```

$$3.484 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=101

$$\frac{2a(A + B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(3A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)\sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2aA\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{5d}$$

[Out] (2*a*(3*A + 5*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.209603, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2954, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a(3A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)\sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2aA\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (2*a*(3*A + 5*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x]

$x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 3023

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \ \&\& \ !\text{LtQ}[m, -1]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\sin[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\sin[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))(B + A \cos(c + dx)) dx \\
&= \int \sqrt{\cos(c + dx)}(aB + (aA + aB) \cos(c + dx) + aA \cos^2(c + dx)) dx \\
&= \frac{2aA \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c + dx)} \left(\frac{1}{2} a(3A + 5B) \right. \\
&= \frac{2aA \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + (a(A + B)) \int \cos^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2a(3A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{2a(3A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \dots
\end{aligned}$$

Mathematica [C] time = 6.20442, size = 830, normalized size = 8.22

$$a \left(\sqrt{\cos(c + dx)}(\cos(c + dx) + 1) \left(-\frac{(3A + 5B) \cot(c)}{5d} + \frac{(A + B) \cos(dx) \sin(c)}{3d} + \frac{A \cos(2dx) \sin(2c)}{10d} + \frac{(A + B) \cos(c) \sin(dx)}{3d} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((3*A + 5*B)*Cot[c])/(5*d) + ((A + B)*Cos[d*x]*Sin[c])/(3*d) + (A*Cos[2*d*x]*Sin[2*c])/(10*d) + ((A + B)*Cos[c]*Sin[d*x])/(3*d) + (A*Cos[2*c]*Sin[2*d*x])/(10*d) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2])

- ArcTan[Cot[c]]]) * Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]]) / (3*d*Sqrt[1 + Cot[c]^2]) - (3*A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c]) / (Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c]) / Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]) / (Cos[c]^2 + Sin[c]^2)) / Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])) / (10*d) - (B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c]) / (Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c]) / Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]) / (Cos[c]^2 + Sin[c]^2)) / Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])) / (2*d))

Maple [B] time = 2.14, size = 355, normalized size = 3.5

$$-\frac{2a}{15d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (44A + 20B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(-24*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(44*A+20*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-16*A-10*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Ba cos(dx + c)² sec(dx + c)² + (A + B)a cos(dx + c)² sec(dx + c) + Aa cos(dx + c)²)sqrt(cos(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)^2*sec(d*x + c)^2 + (A + B)*a*cos(d*x + c)^2*sec(d*x + c) + A*a*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)
```

$$3.485 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=70

$$\frac{2a(A + 3B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

[Out] (2*a*(A + B)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(A + 3*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.185505, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2954, 2968, 3023, 2748, 2641, 2639}

$$\frac{2a(A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (2*a*(A + B)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(A + 3*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))(B + A \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
&= \int \frac{aB + (aA + aB) \cos(c + dx) + aA \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aA\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(A + 3B) + \frac{3}{2}a(A + B) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aA\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + (a(A + B)) \int \sqrt{\cos(c + dx)} dx \\
&= \frac{2a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \dots
\end{aligned}$$

Mathematica [C] time = 5.91764, size = 309, normalized size = 4.41

$$a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left(\sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} \left(-4(A + 3B) \sin(c) \sqrt{\csc^2(c)} \sqrt{\sec^2(c)} \cos(c + dx) \sqrt{\cos^2}\right.\right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (a*(1 + Cos[c + d*x])*Sec[(c + d*x)/2]^2*(-6*(A + B)*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sec[c]*Sin[d*x + ArcTan[Tan[c]]] + (9*(A + B)*Cos[c - d*x - ArcTan[Tan[c]]]*Csc[c]*Sec[c] + 3*A*Cos[c + d*x + ArcTan[Tan[c]]]*Csc[c]*Sec[c] + 3*B*Cos[c + d*x + ArcTan[Tan[c]]]*Csc[c]*Sec[c] - 12*A*Cos[c + d*x]*Cot[c]*Sqrt[Sec[c]^2] - 12*B*Cos[c + d*x]*Cot[c]*Sqrt[Sec[c]^2] - 4*(A + 3*B)*Cos[c + d*x]*Sqrt[Cos[d*x - ArcTan[Cot[c]]]^2]*Sqrt[Csc[c]^2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sqrt[Sec[c]^2]*Sec[d*x - ArcTan[Cot[c]]]*Sin[c] + 4*A*Cos[c + d*x]*Sqrt[Sec[c]^2]*Sin[c + d*x]*Sqrt[Sin[d*x + ArcTan[Tan[c]]]^2]))/(12*d*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c]^2]*Sqrt[Sin[d*x + ArcTan[Tan[c]]]^2])

Maple [B] time = 2.037, size = 321, normalized size = 4.6

$$-\frac{2a}{3d} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(4A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 + A \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] -2/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(4*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-2*A*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \cos(dx + c) \sec(dx + c)^2 + (A + B)a \cos(dx + c) \sec(dx + c) + Aa \cos(dx + c)\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*a*cos(d*x + c)*sec(d*x + c)^2 + (A + B)*a*cos(d*x + c)*sec(d*x + c) + A*a*cos(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)
```

$$3.486 \quad \int \sqrt{\cos(c + dx)}(a + a \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=66

$$\frac{2a(A+B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{d} + \frac{2a(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aB \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out] (2*a*(A - B)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(A + B)*EllipticF[(c + d*x)/2, 2])/d + (2*a*B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.194115, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2954, 2968, 3021, 2748, 2641, 2639}

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aB \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (2*a*(A - B)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(A + B)*EllipticF[(c + d*x)/2, 2])/d + (2*a*B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c + dx)}(a + a \sec(c + dx))(A + B \sec(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))(B + A \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \int \frac{aB + (aA + aB) \cos(c + dx) + aA \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aB \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}a(A + B) + \frac{1}{2}a(A - B) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aB \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + (a(A - B)) \int \sqrt{\cos(c + dx)} dx + (a(A + B)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2a(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(A + B)}{d} \int \frac{1}{\sqrt{\cos(c + dx)}} dx
\end{aligned}$$

Mathematica [C] time = 6.074, size = 252, normalized size = 3.82

$$a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left(-\frac{{}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(\tan^{-1}(\tan(c)) + dx)\right)}{\sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)}} \right) - 4$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (a*(1 + Cos[c + d*x])*Sec[(c + d*x)/2]^2*((Csc[c]*(3*(A - B)*Cos[c - d*x - ArcTan[Tan[c]]])*Sec[c] + (A - B)*Cos[c + d*x + ArcTan[Tan[c]]])*Sec[c] - 2*(A - 2*B)*Cos[d*x] + A*Cos[2*c + d*x])*Sqrt[Sec[c]^2])/Sqrt[Sec[c]^2] - 4*(A + B)*Cos[c + d*x]*Sqrt[Cos[d*x - ArcTan[Cot[c]]]^2]*Sqrt[Csc[c]^2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[d*x - ArcTan[Cot[c]]]*Sin[c] - (2*(A - B)*HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sec[c]*Sin[d*x + ArcTan[Tan[c]]])/(Sqrt[Sec[c]^2]*Sqrt[Sin[d*x + ArcTan[Tan[c]]]^2]))/(4*d*Sqrt[Cos[c + d*x]])

Maple [B] time = 2.013, size = 240, normalized size = 3.6

$$a \left(A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF}(\cos(1/2 dx + c/2), \sqrt{2}) - A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2} \right) - 2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2), x)

[Out] -2*a*(A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-2*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)*sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a\left(\int A\sqrt{\cos(c + dx)} dx + \int A\sqrt{\cos(c + dx)} \sec(c + dx) dx + \int B\sqrt{\cos(c + dx)} \sec(c + dx) dx + \int B\sqrt{\cos(c + dx)} \sec^2(c + dx) dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*cos(d*x+c)**(1/2),x)

[Out] a*(Integral(A*sqrt(cos(c + d*x)), x) + Integral(A*sqrt(cos(c + d*x))*sec(c + d*x), x) + Integral(B*sqrt(cos(c + d*x))*sec(c + d*x), x) + Integral(B*sqrt(cos(c + d*x))*sec^2(c + d*x), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

$$3.487 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=95

$$\frac{2a(3A+B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A+B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aB\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

[Out] (-2*a*(A + B)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(3*A + B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*B*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*a*(A + B)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.217369, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2954, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{2a(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A+B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aB\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (-2*a*(A + B)*EllipticE[(c + d*x)/2, 2])/d + (2*a*(3*A + B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*B*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*a*(A + B)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),

$x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 3021

$\text{Int}[\{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)} * \{(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2\}, x_Symbol] \ :> \ -\text{Simp}[\{(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)} / (b*f*(m + 1)*(a^2 - b^2))\}, x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)} * \text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2748

$\text{Int}[\{(b_.)*\sin[(e_.) + (f_.)*(x_.)]\}^{(m_.)} * \{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\}, x_Symbol] \ :> \ \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x\}$

Rule 2636

$\text{Int}[\{(b_.)*\sin[(c_.) + (d_.)*(x_.)]\}^{(n_.)}, x_Symbol] \ :> \ \text{Simp}[(\cos[c + d*x]*(b*\sin[c + d*x])^{(n + 1)}) / (b*d*(n + 1)), x] + \text{Dist}[(n + 2) / (b^2*(n + 1)), \text{Int}[(b*\sin[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\sqrt{\sin[(c_.) + (d_.)*(x_.)]}, x_Symbol] \ :> \ \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x\}$

Rule 2641

$\text{Int}[1/\sqrt{\sin[(c_.) + (d_.)*(x_.)]}, x_Symbol] \ :> \ \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x\}$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))(B + A \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \int \frac{aB + (aA + aB) \cos(c + dx) + aA \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{3}{2}a(A + B) + \frac{1}{2}a(3A + B) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \frac{1}{3}(a(3A + B)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2a(3A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\
&= -\frac{2a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(3A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.33821, size = 813, normalized size = 8.56

$$a \left(\sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left(\frac{B \sec(c) \sin(dx) \sec^2(c + dx)}{3d} + \frac{\sec(c)(B \sin(c) + 3A \sin(dx) + 3B \sin(dx)) \sec(c + dx)}{3d} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(((A + B)*Csc[c]*Sec[c])/d + (B*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(3*d) + (Sec[c]*Sec[c + d*x]*(B*Sin[c] + 3*A*Sin[d*x] + 3*B*Sin[d*x]))/(3*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*Sqrt[1 + Cot[c]^2]) - (B*(1 + Cos[c + d*x])

$x]) * \text{Csc}[c] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]$
 $]\text{Sec}[c/2 + (d*x)/2]^2 * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]$
 $* \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}$
 $[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) + (A*(1 + \text{Cos}[c +$
 $d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\},$
 $\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{C}$
 $\text{os}[d*x + \text{ArcTan}[\text{Tan}[c]]]) * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]) * \text{Sqrt}[\text{Cos}[c] * \text{C}$
 $\text{os}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*$
 $x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcT}$
 $\text{an}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x$
 $+ \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (2*d) + (B*(1 + \text{Cos}[c + d*x]) * \text{Csc}[c$
 $] * \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{A}$
 $\text{rcTan}[\text{Tan}[c]]]^2 * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{Arc}$
 $\text{Tan}[\text{Tan}[c]]]) * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]) * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{Arc}$
 $\text{Tan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{T}$
 $\text{an}[c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{S}$
 $\text{qrt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}$
 $[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2])) / (2*d)$

Maple [B] time = 4.806, size = 426, normalized size = 4.5

$$-4 \frac{\sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1)(\sin(1/2 dx + c/2))^2} a}{\sin(1/2 dx + c/2) \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d} \left(\frac{1}{2} \frac{A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1} E}{\sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\text{sec}(d*x+c))*(A+B*\text{sec}(d*x+c))/\text{cos}(d*x+c)^{(1/2)}, x)$

[Out] $-4*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(1/2*A*(\text{sin}($
 $1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1$
 $/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+1$
 $/2*B*(-1/6*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2$
 $)^{(1/2)}/(\text{cos}(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c$
 $\text{os}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2$
 $)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}))+(1/2*A+1/2*B)*(-(\text{sin}(1/2*d*x+$
 $1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*$
 $c), 2^{(1/2)})*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\text{sin}($
 $1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{cos}(1/2*d*x+1/2*c)*\text{sin}(1/2*d*x$
 $+1/2*c)^2)/\text{sin}(1/2*d*x+1/2*c)^2/(2*\text{sin}(1/2*d*x+1/2*c)^2-1))/\text{sin}(1/2*d*x+1/2$
 $*c)/(2*\text{cos}(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{A}{\sqrt{\cos(c + dx)}} dx + \int \frac{A \sec(c + dx)}{\sqrt{\cos(c + dx)}} dx + \int \frac{B \sec(c + dx)}{\sqrt{\cos(c + dx)}} dx + \int \frac{B \sec^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] a*(Integral(A/sqrt(cos(c + d*x)), x) + Integral(A*sec(c + d*x)/sqrt(cos(c + d*x)), x) + Integral(B*sec(c + d*x)/sqrt(cos(c + d*x)), x) + Integral(B*sec(c + d*x)**2/sqrt(cos(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)
```

$$3.488 \quad \int \frac{(a+a \sec(c+dx))(A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=132

$$\frac{2a(A+B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2a(5A+3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2a(5A+3B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

[Out] (-2*a*(5*A + 3*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*B*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*a*(A + B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*a*(5*A + 3*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.232189, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2954, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(5A+3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2a(5A+3B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2aB\sin(c+dx)}{5d\cos(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (-2*a*(5*A + 3*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*B*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*a*(A + B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*a*(5*A + 3*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*SIN[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*SIN[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*SIN[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))(A + B \sec(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(a + a \cos(c + dx))(B + A \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \int \frac{aB + (aA + aB) \cos(c + dx) + aA \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aB \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{5}{2}a(A + B) + \frac{1}{2}a(5A + 3B) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aB \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + \frac{1}{5}(a(5A + 3B)) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aB \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(5A + 3B) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} + \frac{1}{3} \int \frac{1}{\cos^{\frac{1}{2}}(c + dx)} dx \\
&= -\frac{2a(5A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aB \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.38727, size = 865, normalized size = 6.55

$$a \sqrt{\cos(c + dx)(\cos(c + dx) + 1)} \left(\frac{B \sec(c) \sin(dx) \sec^3(c + dx)}{5d} + \frac{\sec(c)(3B \sin(c) + 5A \sin(dx) + 5B \sin(dx)) \sec^2(c + dx)}{15d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(((5*A + 3*B)*Csc[c]*Sec[c])/(5*d) + (B*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(5*d) + (Sec[c]*Sec[c + d*x]^2*(3*B*Sin[c] + 5*A*Sin[d*x] + 5*B*Sin[d*x]))/(15*d) + (Sec[c]*Sec[c + d*x]*(5*A*Sin[c] + 5*B*Sin[c] + 15*A*Sin[d*x] + 9*B*Sin[d*x]))/(15*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot

$$\begin{aligned}
& [c]^2) - (B*(1 + \cos[c + d*x])*Csc[c]*HypergeometricPFQ[\{1/4, 1/2\}, \{5/4\}, \\
& \sin[d*x - \text{ArcTan}[\cot[c]]]^2*\sec[c/2 + (d*x)/2]^2*\sec[d*x - \text{ArcTan}[\cot[c]] \\
&]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]}]*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[\\
& d*x - \text{ArcTan}[\cot[c]])}]*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]}]/(3*d*\sqrt{1 + \\
& \cot[c]^2}) + (A*(1 + \cos[c + d*x])*Csc[c]*\sec[c/2 + (d*x)/2]^2*((Hypergeome \\
& tricPFQ[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2*\sin[d*x + \text{ArcTan}[\\
& \tan[c]]]*\tan[c])/(\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]}]*\sqrt{1 + \cos[d*x + \text{Ar} \\
& cTan[\tan[c]]}]*\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]}*\sqrt{1 + \tan[c]^2})*\sqrt{ \\
& \sqrt{1 + \tan[c]^2}}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c])/(\sqrt{1 + \tan[c]^2} \\
& + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2}))/(\cos[c]^2 + \sin \\
& [c]^2))/\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]}*\sqrt{1 + \tan[c]^2}})/(2*d) + \\
& (3*B*(1 + \cos[c + d*x])*Csc[c]*\sec[c/2 + (d*x)/2]^2*((HypergeometricPFQ[\{- \\
& 1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2*\sin[d*x + \text{ArcTan}[\tan[c]]]* \\
& \tan[c])/(\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]}]*\sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c] \\
&]}]*\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]}*\sqrt{1 + \tan[c]^2})*\sqrt{1 + \tan \\
& [c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c])/(\sqrt{1 + \tan[c]^2} + (2*\cos[c] \\
&]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2}))/(\cos[c]^2 + \sin[c]^2))/\sqrt{ \\
& \sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]}*\sqrt{1 + \tan[c]^2}})/(10*d)
\end{aligned}$$

Maple [B] time = 5.993, size = 661, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+a*\sec(d*x+c))*(A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}, x)$

[Out]
$$\begin{aligned}
& -4*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*((1/2*A+1/2* \\
& B)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
& /(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos \\
& (1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\
& *EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-1/10*B/(8*\sin(1/2*d*x+1/2*c)^6- \\
& 12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12* \\
& EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin \\
& (1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1 \\
& /2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c) \\
&)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d \\
& *x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*s \\
& in(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2 \\
& *c)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\
& /2)}+1/2*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E \\
& llipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1
\end{aligned}$$

$$\frac{1}{2}c^2)^{1/2} + 2(-2\sin(1/2dx + 1/2c)^4 + \sin(1/2dx + 1/2c)^2)^{1/2} \cos(1/2dx + 1/2c) \sin(1/2dx + 1/2c)^2 / \sin(1/2dx + 1/2c)^2 / (2\sin(1/2dx + 1/2c)^2 - 1) / \sin(1/2dx + 1/2c) / (2\cos(1/2dx + 1/2c)^2 - 1)^{1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ba \sec(dx + c)^2 + (A + B)a \sec(dx + c) + Aa}{\cos(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*a*sec(d*x + c)^2 + (A + B)*a*sec(d*x + c) + A*a)/cos(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)

$$3.489 \quad \int \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=194

$$\frac{4a^2(5A + 6B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^2(8A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(11A + 9B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{63d} + \frac{4a^2(8A + 9B)\cos^{\frac{5}{2}}(c + dx)}{63d}$$

[Out] (4*a^2*(8*A + 9*B)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(5*A + 6*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(5*A + 6*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (4*a^2*(8*A + 9*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*a^2*(11*A + 9*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d) + (2*A*Cos[c + d*x]^(5/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.403935, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2976, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{4a^2(5A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(8A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2(11A + 9B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{63d} + \frac{4a^2(8A + 9B)\cos^{\frac{5}{2}}(c + dx)}{63d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]), x]

[Out] (4*a^2*(8*A + 9*B)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^2*(5*A + 6*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(5*A + 6*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (4*a^2*(8*A + 9*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*a^2*(11*A + 9*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d) + (2*A*Cos[c + d*x]^(5/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(9*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2(B + A \cos(c + dx)) dx \\
 &= \frac{2A \cos^{\frac{5}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx))^2(B + A \cos(c + dx)) dx \\
 &= \frac{2A \cos^{\frac{5}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx))^2(B + A \cos(c + dx)) dx \\
 &= \frac{2a^2(11A + 9B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2A \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{2a^2(11A + 9B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2A \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{4a^2(5A + 6B) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{4a^2(8A + 9B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{21d} \\
 &= \frac{4a^2(8A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^2(5A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
 \end{aligned}$$

Mathematica [C] time = 6.34127, size = 1086, normalized size = 5.6

result too large to display

Warning: Unable to verify antiderivative.

[In] `Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]`

[Out] `(Cos[c + d*x]^(7/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*(-((8*A + 9*B)*Cot[c])/(15*d) + ((46*A + 51*B)*Cos[d*x]*Sin[c])/(168*d) + ((37*A + 36*B)*Cos[2*d*x]*Sin[2*c])/(360*d) + ((2*A + B)*Cos[3*d*x]*Sin[3*c])/(56*d) + (A*Cos[4*d*x]*Sin[4*c])/(144*d) + ((46*A + 51*B)*Cos[c]*Sin[d*x])/(168*d) + ((37*A + 36*B)*Cos[2*c]*Sin[2*d*x])/(360*d) + ((2*A + B)*Cos[3*c]*Sin[3*d*x])/(56*d) + (A*Cos[4*c]*Sin[4*d*x])/(144*d)))/(B + A*`

$$\begin{aligned} & \cos[c + d*x]) - (5*A*\cos[c + d*x]^3*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x])* \sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]}]*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]}]) \\ & - (2*B*\cos[c + d*x]^3*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x])* \sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]}]) \\ & - (4*A*\cos[c + d*x]^3*\csc[c]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x])* \text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2]*\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c]) \\ & - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c])/\sqrt{1 + \tan[c]^2} + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2})/(\cos[c]^2 + \sin[c]^2))/\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]})*\sqrt{1 + \tan[c]^2}) \\ & - (3*B*\cos[c + d*x]^3*\csc[c]*\sec[c/2 + (d*x)/2]^4*(a + a*\sec[c + d*x])^2*(A + B*\sec[c + d*x])* \text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2]*\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c]) \\ & - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c])/\sqrt{1 + \tan[c]^2} + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2})/(\cos[c]^2 + \sin[c]^2))/\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]})*\sqrt{1 + \tan[c]^2}) \\ & - (10*d*(B + A*\cos[c + d*x])) \end{aligned}$$

Maple [A] time = 1.789, size = 413, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c))^{9/2} * (a+a*\sec(dx+c))^{2*(A+B*\sec(dx+c))}, x)$

[Out] $-4/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{2*(-560*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(1840*A+360*B)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-2368*A-1044*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(1568*A+1134*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-387*A-351*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+75*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})-168*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*\text{EllipticE}(\cos$

$$\begin{aligned} & (1/2*d*x+1/2*c), 2^{(1/2)})+90*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-189*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ba^2 cos(dx + c)^4 sec(dx + c)^3 + (A + 2B)a^2 cos(dx + c)^4 sec(dx + c)^2 + (2A + B)a^2 cos(dx + c)^4 sec(dx + c)^3 + Aa^2 cos(dx + c)^4 sec(dx + c)^2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^4*sec(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^4*sec(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c)^4*sec(d*x + c) + A*a^2*cos(d*x + c)^4)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(9/2), x
)

$$3.490 \quad \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=161

$$\frac{4a^2(6A + 7B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{4a^2(3A + 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(9A + 7B)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{35d} + \frac{4a^2(6A + 7B)\sqrt{\cos(c + dx)}}{7d}$$

[Out] (4*a^2*(3*A + 4*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(6*A + 7*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(6*A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a^2*(9*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.362177, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^2(6A + 7B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(3A + 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(9A + 7B)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{35d} + \frac{4a^2(6A + 7B)\sqrt{\cos(c + dx)}}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (4*a^2*(3*A + 4*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(6*A + 7*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^2*(6*A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a^2*(9*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(3/2)*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(7*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^n_.*((g_.)*sin[(e_.) + (f_.)*(x_.)])^p_.), x_Symbol] :> Dist[g^m*(n + 1), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2976

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2968

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

```

Rule 3023

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2635

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2(B + A \cos(c + dx)) dx \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c + dx)} dx \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c + dx)} dx \\
 &= \frac{2a^2(9A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\
 &= \frac{2a^2(9A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\
 &= \frac{4a^2(3A + 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(6A + 7B)\sqrt{\cos(c + dx)}}{21d} \\
 &= \frac{4a^2(3A + 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(6A + 7B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
 \end{aligned}$$

Mathematica [C] time = 6.2486, size = 1040, normalized size = 6.46

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^(7/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))*(-((3*A + 4*B)*Cot[c])/(5*d) + ((51*A + 56*B)*Cos[d*x]*Sin[c])/(168*d) + ((2*A + B)*Cos[2*d*x]*Sin[2*c])/(20*d) + (A*Cos[3*d*x]*Sin[3*c])/(56*d) + ((51*A + 56*B)*Cos[c]*Sin[d*x])/(168*d) + ((2*A + B)*Cos[2*c]*Sin[2*d*x])/(20*d) + (A*Cos[3*c]*Sin[3*d*x])/(56*d)))/(B + A*Cos[c + d*x]) - (2*A*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))

```

x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(7*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (B*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (3*A*Cos[c + d*x]^3*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(10*d*(B + A*Cos[c + d*x])) - (2*B*Cos[c + d*x]^3*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(5*d*(B + A*Cos[c + d*x]))
)

```

Maple [A] time = 1.744, size = 385, normalized size = 2.4

$$-\frac{4a^2}{105d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(120 A \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 + (-348 A - 84 B)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)), x)

[Out] -4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(120*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-348*A-84*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(378*A+224*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-17*A-91*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+30*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+35*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*si

$$\frac{\sin(1/2*d*x+1/2*c)^{2-1} \cdot \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 84*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})}{(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^{2-1})^{(1/2)}} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^2 \cos(dx+c)^3 \sec(dx+c)^3 + (A+2B)a^2 \cos(dx+c)^3 \sec(dx+c)^2 + (2A+B)a^2 \cos(dx+c)^3 \sec(dx+c)\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*a^2*cos(d*x + c)^3*sec(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^3*sec(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c)^3*sec(d*x + c) + A*a^2*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(7/2), x
)

$$3.491 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=126

$$\frac{4a^2(A + 2B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{4a^2(4A + 5B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a^2(7A + 5B)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d} + \frac{2A \sin(c + dx)}{5d}$$

[Out] (4*a^2*(4*A + 5*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Sqrt[Cos[c + d*x]]*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.347456, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(A + 2B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{4a^2(4A + 5B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a^2(7A + 5B)\sin(c + dx)\sqrt{\cos(c + dx)}}{15d} + \frac{2A \sin(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (4*a^2*(4*A + 5*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Sqrt[Cos[c + d*x]]*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(5*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^n_.*((g_.)*sin[(e_.) + (f_.)*(x_)])^p_.), x_Symbol] :> Dist[g^m + n, Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2976


```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2968

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

```

Rule 3023

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx &= \int \frac{(a + a \cos(c + dx))^2(B + A \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2A\sqrt{\cos(c + dx)}(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{(a + a \cos(c + dx))^2(B + A \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2A\sqrt{\cos(c + dx)}(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2a^2(7A + 5B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2A\sqrt{\cos(c + dx)}}{15d} \\
&= \frac{2a^2(7A + 5B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2A\sqrt{\cos(c + dx)}}{15d} \\
&= \frac{4a^2(4A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(A + 2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}
\end{aligned}$$

Mathematica [C] time = 6.30096, size = 994, normalized size = 7.89

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^(7/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*(-(4*A + 5*B)*Cot[c])/(5*d) + ((2*A + B)*Cos[d*x]*Sin[c])/(6*d) + (A*Cos[2*d*x]*Sin[2*c])/(20*d) + ((2*A + B)*Cos[c]*Sin[d*x])/(6*d) + (A*Cos[2*c]*Sin[2*d*x])/(20*d))/(B + A*Cos[c + d*x]) - (A*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (2*B*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (2*A*Cos[c + d*x]^3*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*((HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]])*Tan[c

$$\frac{1}{\sqrt{1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]} \sqrt{1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]} \sqrt{\cos[c] \cos[d*x + \text{ArcTan}[\text{Tan}[c]]} \sqrt{1 + \tan[c]^2}} \sqrt{1 + \tan[c]^2}} - \left(\frac{\sin[d*x + \text{ArcTan}[\text{Tan}[c]] \tan[c]}{\sqrt{1 + \tan[c]^2}} + \frac{2 \cos[c]^2 \cos[d*x + \text{ArcTan}[\text{Tan}[c]] \sqrt{1 + \tan[c]^2}}{(\cos[c]^2 + \sin[c]^2) \sqrt{\cos[c] \cos[d*x + \text{ArcTan}[\text{Tan}[c]] \sqrt{1 + \tan[c]^2}}} \right) / (5*d*(B + A*\cos[c + d*x])) - (B*\cos[c + d*x]^3 * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^4 * (a + a*\text{Sec}[c + d*x])^2 * (A + B*\text{Sec}[c + d*x]) * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \sin[d*x + \text{ArcTan}[\text{Tan}[c]] \tan[c]] / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]} \sqrt{1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]} \sqrt{\cos[c] \cos[d*x + \text{ArcTan}[\text{Tan}[c]]} \sqrt{1 + \tan[c]^2}} \sqrt{1 + \tan[c]^2}} - \left(\frac{\sin[d*x + \text{ArcTan}[\text{Tan}[c]] \tan[c]}{\sqrt{1 + \tan[c]^2}} + \frac{2 \cos[c]^2 \cos[d*x + \text{ArcTan}[\text{Tan}[c]] \sqrt{1 + \tan[c]^2}}{(\cos[c]^2 + \sin[c]^2) \sqrt{\cos[c] \cos[d*x + \text{ArcTan}[\text{Tan}[c]] \sqrt{1 + \tan[c]^2}}} \right) / (2*d*(B + A*\cos[c + d*x]))$$

Maple [B] time = 1.776, size = 357, normalized size = 2.8

$$-\frac{4a^2}{15d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-12A \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (32A + 10B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out]
$$-\frac{4}{15} * \left((2 * \cos(1/2*d*x + 1/2*c)^2 - 1) * \sin(1/2*d*x + 1/2*c)^2 \right)^{1/2} * a^2 * \left(-12 * A * \cos(1/2*d*x + 1/2*c) * \sin(1/2*d*x + 1/2*c)^6 + (32 * A + 10 * B) * \sin(1/2*d*x + 1/2*c)^4 \right) / \left(-2 * \sin(1/2*d*x + 1/2*c)^4 + \sin(1/2*d*x + 1/2*c)^2 \right)^{1/2} / \sin(1/2*d*x + 1/2*c) / (2 * \cos(1/2*d*x + 1/2*c)^2 - 1)^{1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^2 \cos(dx+c)^2 \sec(dx+c)^3 + (A+2B)a^2 \cos(dx+c)^2 \sec(dx+c)^2 + (2A+B)a^2 \cos(dx+c)^2 \sec(dx+c)\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*a^2*cos(d*x + c)^2*sec(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^
2*sec(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c)^2*sec(d*x + c) + A*a^2*cos(d*
x + c)^2)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(a \sec(dx+c) + a)^2 \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2), x  
)
```

$$3.492 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=116

$$\frac{4a^2(2A + 3B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a^2(A - 3B)\sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{4a^2AE\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2B\sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] (4*a^2*A*EllipticE[(c + d*x)/2, 2])/d + (4*a^2*(2*A + 3*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*B*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.336789, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(2A + 3B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{2a^2(A - 3B)\sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{4a^2AE\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2B\sin(c + dx)(a^2\cos(c + dx))}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (4*a^2*A*EllipticE[(c + d*x)/2, 2])/d + (4*a^2*(2*A + 3*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*B*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^n_.*((g_.)*sin[(e_.) + (f_.)*(x_.)])^p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2975

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m_.*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^n_.), x_Symbol] :> -Si

```
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^2(A+B\sec(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^2(B+A\cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2B(a^2+a^2\cos(c+dx))\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + 2 \int \frac{(a+a\cos(c+dx))^2}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2B(a^2+a^2\cos(c+dx))\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + 2 \int \frac{\frac{1}{2}a^2(A+3B) + \dots}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2a^2(A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2B(a^2+a^2\cos(c+dx))\sin(c+dx)}{d\sqrt{\cos(c+dx)}} \\
&= \frac{2a^2(A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2B(a^2+a^2\cos(c+dx))\sin(c+dx)}{d\sqrt{\cos(c+dx)}} \\
&= \frac{4a^2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{4a^2(2A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a^2}{d}
\end{aligned}$$

Mathematica [C] time = 6.37429, size = 735, normalized size = 6.34

$$A \csc(c) \cos^3(c+dx) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \sec(c+dx) + a)^2 (A + B \sec(c+dx)) \left(\frac{\tan(c) \sin(\tan^{-1}(\tan(c))+dx) \text{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2\right] \sec\left[\frac{c}{2} + \frac{(d*x)}{2}\right]^4 (a + a \sec[c + d*x])^2 (A + B \sec[c + d*x]) \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} \sqrt{1 + \cot[c]^2} \sin[c] \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}{\sqrt{\tan^2(c)+1} \sqrt{1 - \cos(\tan^{-1}(\tan(c))+dx)} \sqrt{\cos(\tan^{-1}(\tan(c))+dx)}}}{2d(A \cos(c+dx) + B \sec(c+dx))} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^(7/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*(-(2*A - B + 2*A*Cos[2*c] + B*Cos[2*c])*Csc[c]*Sec[c])/(4*d) + (A*Cos[d*x]*Sin[c])/(6*d) + (A*Cos[c]*Sin[d*x])/(6*d) + (B*Sec[c]*Sec[c + d*x]*Sin[d*x])/(2*d))/(B + A*Cos[c + d*x]) - (2*A*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (B*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 -

$$\frac{\sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}{\sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])}} / (d * (B + A * \cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2}) - (A * \cos[c + d*x]^3 * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^4 * (a + a * \text{Sec}[c + d*x])^2 * (A + B * \text{Sec}[c + d*x]) * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\text{Tan}[c]]]^2 * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\text{Tan}[c]]}] * \sqrt{1 + \cos[d*x + \text{ArcTan}[\text{Tan}[c]]}] * \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]} * \sqrt{1 + \tan[c]^2}] * \sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \sqrt{1 + \tan[c]^2} + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]] * \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\text{Tan}[c]]} * \sqrt{1 + \tan[c]^2}})) / (2 * d * (B + A * \cos[c + d*x]))$$

Maple [B] time = 1.988, size = 388, normalized size = 3.3

$$-\frac{4a^2}{3d} \left(2A \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4} - \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)`

[Out] `-4/3*a^2*(2*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(A+3*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+2*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Ba² cos(dx + c) sec(dx + c)³ + (A + 2B)a² cos(dx + c) sec(dx + c)² + (2A + B)a² cos(dx + c) sec(dx + c) +

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*a²*cos(d*x + c)*sec(d*x + c)³ + (A + 2*B)*a²*cos(d*x + c)*sec(d*x + c)² + (2*A + B)*a²*cos(d*x + c)*sec(d*x + c) + A*a²*cos(d*x + c)) *sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2), x  
)
```

$$3.493 \quad \int \sqrt{\cos(c + dx)}(a + a \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=120

$$\frac{4a^2(3A + 2B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2a^2(3A + 5B)\sin(c + dx)}{3d\sqrt{\cos(c + dx)}} - \frac{4a^2BE\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2B\sin(c + dx)(a^2\cos(c + dx) + a^2)}{3d\cos^{\frac{3}{2}}(c + dx)}$$

[Out] $(-4*a^2*B*EllipticE[(c + d*x)/2, 2])/d + (4*a^2*(3*A + 2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(3*A + 5*B)*Sin[c + d*x])/(3*d*sqrt[Cos[c + d*x]]) + (2*B*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))$

Rubi [A] time = 0.350451, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^2(3A + 2B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{2a^2(3A + 5B)\sin(c + dx)}{3d\sqrt{\cos(c + dx)}} - \frac{4a^2BE\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2B\sin(c + dx)(a^2\cos(c + dx) + a^2)}{3d\cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x]), x]$

[Out] $(-4*a^2*B*EllipticE[(c + d*x)/2, 2])/d + (4*a^2*(3*A + 2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(3*A + 5*B)*Sin[c + d*x])/(3*d*sqrt[Cos[c + d*x]]) + (2*B*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))$

Rule 2954

$\text{Int}[(a_. + \text{csc}[e_. + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[e_. + (f_.)*(x_.)]*(d_. + (c_.))^{(n_.)}*((g_.)*\sin[e_. + (f_.)*(x_.)])^{(p_.)}, x_Symbol] :> \text{Dist}[g^{(m + n)}, \text{Int}[(g*\sin[e + f*x])^{(p - m - n)}*(b + a*\sin[e + f*x])^m*(d + c*\sin[e + f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2975

$\text{Int}[(a_. + (b_.)*\sin[e_. + (f_.)*(x_.)])^{(m_.)}*((A_. + (B_.)*\sin[e_. + (f_.)*(x_.)]*(c_. + (d_.)*\sin[e_. + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :> -\text{Si}$

```
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))^2(A+B\sec(c+dx))dx &= \int \frac{(a+a\cos(c+dx))^2(B+A\cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)}dx \\
&= \frac{2B(a^2+a^2\cos(c+dx))\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2}{3}\int \frac{(a+a\cos(c+dx))^2(A+B\cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2B(a^2+a^2\cos(c+dx))\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2}{3}\int \frac{\frac{1}{2}a^2(3A+5B)\cos^{\frac{3}{2}}(c+dx)}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2a^2(3A+5B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{2B(a^2+a^2\cos(c+dx))\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{2a^2(3A+5B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{2B(a^2+a^2\cos(c+dx))\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} \\
&= -\frac{4a^2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{4a^2(3A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \dots
\end{aligned}$$

Mathematica [C] time = 6.42647, size = 736, normalized size = 6.13

$$B \csc(c) \cos^3(c+dx) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \sec(c+dx) + a)^2 (A + B \sec(c+dx)) \left(\frac{\tan(c) \sin(\tan^{-1}(\tan(c))+dx) \text{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]\right]^2 * \sec[c/2 + (d*x)/2]^4 * (a + a*\sec[c + d*x])^2 * (A + B*\sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-\left(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]\right)} * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}}{\sqrt{\tan^2(c)+1} \sqrt{1-\cos(\tan^{-1}(\tan(c))+dx)} \sqrt{\cos(\tan^{-1}(\tan(c))+dx)}}}{2d(A \cos(c+dx) + B)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^(7/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*(-((-A - 4*B + A*Cos[2*c])*Csc[c]*Sec[c])/(4*d) + (B*Sec[c]*Sec[c + d*x]^2*Sin[d*x])/(6*d) + (Sec[c]*Sec[c + d*x]*(B*Sin[c] + 3*A*Sin[d*x] + 6*B*Sin[d*x]))/(6*d)))/(B + A*Cos[c + d*x]) - (A*Cos[c + d*x]^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]) - (2*B*Cos[c + d*x]^3*Csc[c]*Hypergeometric

```

PFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*(a
+ a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1
- Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - Arc
Tan[Cot[c]]])]*/(3*d*(B + A*Cos[c + d*x
])*Sqrt[1 + Cot[c]^2]) + (B*Cos[c + d*x]^3*Csc[c]*Sec[c/2 + (d*x)/2]^4*(a
+ a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*((HypergeometricPFQ[-1/2, -1/4], {
3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[
1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos
[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((S
in[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x +
ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos
[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d*(B + A*Cos[c + d*x]))

```

Maple [B] time = 2.253, size = 513, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x)

```

[Out] -4/3*(6*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(A+2*B)*cos(1/
2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*
c)^2)^(1/2)*(3*A+7*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*s
in(1/2*d*x+1/2*c)^2-1)^(1/2)*(3*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B
*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*B*EllipticE(cos(1/2*d*x+1/2*c),2^(
1/2)))*sin(1/2*d*x+1/2*c)^2+3*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ell
ipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(
1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+3*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(
1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)
^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*a^2/(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1/2*d*
x+1/2*c)/d

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*sqrt(cos(d*x + c)), x
)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^2 \sec(dx + c)^3 + (A + 2B)a^2 \sec(dx + c)^2 + (2A + B)a^2 \sec(dx + c) + Aa^2\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^2*sec(d*x + c)^3 + (A + 2*B)*a^2*sec(d*x + c)^2 + (2*A + B)*a
^2*sec(d*x + c) + A*a^2)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)
```

$$3.494 \quad \int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=159

$$\frac{4a^2(2A+B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{4a^2(5A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(5A+7B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2(5A+4B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

[Out] $(-4*a^2*(5*A + 4*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*(2*A + B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*(5*A + 7*B)*\text{Sin}[c + d*x])/(15*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*(5*A + 4*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)})$

Rubi [A] time = 0.380816, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{4a^2(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^2(5A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(5A+7B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2(5A+4B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x])]/\text{Sqrt}[\text{Cos}[c + d*x]], x]$

[Out] $(-4*a^2*(5*A + 4*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*(2*A + B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*(5*A + 7*B)*\text{Sin}[c + d*x])/(15*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*(5*A + 4*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)})$

Rule 2954

$\text{Int}[(a_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^{(n_.)}*((g_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Sin}[e + f*x])^{(p-m-n)}*(b + a*\text{Sin}[e + f*x])^m*(d + c*\text{Sin}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2975

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\text{Si}$

```
mp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(a + a \cos(c + dx))^2 (B + A \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
 &= \frac{2B (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \cos(c + dx)) \left(\frac{1}{2} a (5A + 4B) \right)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2B (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2} a^2 (5A + 7B) + \left(\frac{1}{2} a^2 (5A + 4B) \right) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2a^2 (5A + 7B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2B (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4}{15} \int \frac{a^2 \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2a^2 (5A + 7B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2B (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{1}{3} \int \frac{2a^2 \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{4a^2 (2A + B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 (5A + 7B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2 (5A + 4B) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} \\
 &= -\frac{4a^2 (5A + 4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2 (2A + B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 (5A + 4B) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 6.51973, size = 1025, normalized size = 6.45

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (Cos[c + d*x]^(7/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*(((5*A + 4*B)*Csc[c]*Sec[c])/(5*d) + (B*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(10*d) + (Sec[c]*Sec[c + d*x]^2*(3*B*Sin[c] + 5*A*Sin[d*x] + 10*B*Sin[d*x]))/(30*d) + (Sec[c]*Sec[c + d*x]*(5*A*Sin[c] + 10*B*Sin[c] + 30*A*Sin[d*x] + 24*B*Sin[d*x]))/(30*d)))/(B + A*Cos[c + d*x]) - (2*A*Cos[c + d*x])^3

$$\begin{aligned}
& * \text{Csc}[c] * \text{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2\right] * \text{Sec}[c/2 + (d*x)/2]^4 * (a + a * \text{Sec}[c + d*x])^2 * (A + B * \text{Sec}[c + d*x]) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])} * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} / (3 * d * (B + A * \text{Cos}[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2}) - (B * \text{Cos}[c + d*x]^3 * \text{Csc}[c] * \text{HypergeometricPFQ}\left[\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2\right] * \text{Sec}[c/2 + (d*x)/2]^4 * (a + a * \text{Sec}[c + d*x])^2 * (A + B * \text{Sec}[c + d*x]) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])} * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} / (3 * d * (B + A * \text{Cos}[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2}) + (A * \text{Cos}[c + d*x]^3 * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^4 * (a + a * \text{Sec}[c + d*x])^2 * (A + B * \text{Sec}[c + d*x]) * (\text{HypergeometricPFQ}\left[\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{4}\right\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2\right] * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\sqrt{1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Tan}[c]^2}) * \sqrt{1 + \text{Tan}[c]^2}) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \sqrt{1 + \text{Tan}[c]^2} + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \sqrt{1 + \text{Tan}[c]^2}) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \sqrt{\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Tan}[c]^2})) / (2 * d * (B + A * \text{Cos}[c + d*x])) + (2 * B * \text{Cos}[c + d*x]^3 * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^4 * (a + a * \text{Sec}[c + d*x])^2 * (A + B * \text{Sec}[c + d*x]) * (\text{HypergeometricPFQ}\left[\left\{-\frac{1}{2}, -\frac{1}{4}\right\}, \left\{\frac{3}{4}\right\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2\right] * \sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\sqrt{1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Tan}[c]^2}) * \sqrt{1 + \text{Tan}[c]^2}) - ((\sin[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / \sqrt{1 + \text{Tan}[c]^2} + (2 * \text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \sqrt{1 + \text{Tan}[c]^2}) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \sqrt{\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]} * \sqrt{1 + \text{Tan}[c]^2})) / (5 * d * (B + A * \text{Cos}[c + d*x]))
\end{aligned}$$

Maple [B] time = 6.256, size = 741, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + a * \text{sec}(d*x + c))^2 * (A + B * \text{sec}(d*x + c)) / \cos(d*x + c)^{(1/2)}, x)$

[Out] $-8 * (-(-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1) * \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * a^2 * (1/4 * A * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) + (1/4 * A + 1/2 * B) * (-1/6 * \cos(1/2 * d*x + 1/2 * c) * (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d*x + 1/2 * c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d*x + 1/2 * c)^4 + \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) - 1/20 * B / (8 * \sin(1/2 * d*x + 1/2 * c)^6 - 12 * \sin(1/2 * d*x + 1/2 * c)^4 + 6 * \sin(1/2 * d*x + 1/2 * c)^2 - 1) / \sin(1/2 * d*x + 1/2 * c)$

$$\begin{aligned} & /2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^{2-1}) \\ &)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/ \\ & 2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1 \\ & /2*d*x+1/2*c)^{2-1})^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+ \\ & 24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c),2 \\ & ^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin \\ & (1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}+(1/2*A+1/4*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x \\ & +1/2*c)^{2-1})^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*(-2*\sin(1/2*d*x+1/ \\ & 2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^ \\ & 2/(2*\sin(1/2*d*x+1/2*c)^{2-1})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^{2-1}) \\ & ^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \sec(dx+c)^3 + (A+2B)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*a^2*sec(d*x + c)^3 + (A + 2*B)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{A}{\sqrt{\cos(c+dx)}} dx + \int \frac{2A \sec(c+dx)}{\sqrt{\cos(c+dx)}} dx + \int \frac{A \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx + \int \frac{B \sec(c+dx)}{\sqrt{\cos(c+dx)}} dx + \int \frac{2B \sec^2(c+dx)}{\sqrt{\cos(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**2*(A+B*sec(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] a**2*(Integral(A/sqrt(cos(c + d*x)), x) + Integral(2*A*sec(c + d*x)/sqrt(cos(c + d*x)), x) + Integral(A*sec(c + d*x)**2/sqrt(cos(c + d*x)), x) + Integral(B*sec(c + d*x)/sqrt(cos(c + d*x)), x) + Integral(2*B*sec(c + d*x)**2/sqrt(cos(c + d*x)), x) + Integral(B*sec(c + d*x)**3/sqrt(cos(c + d*x)), x))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(a \sec(dx+c) + a)^2}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)

$$3.495 \quad \int \frac{(a+a \sec(c+dx))^2(A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=194

$$\frac{4a^2(7A+6B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{21d} - \frac{4a^2(4A+3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^2(7A+6B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(7A+9B)\sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx)}$$

[Out] (-4*a^2*(4*A + 3*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(7*A + 6*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(7*A + 9*B)*Sin[c + d*x])/(35*d*Cos[c + d*x]^(5/2)) + (4*a^2*(7*A + 6*B)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2)) + (4*a^2*(4*A + 3*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) + (2*B*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.415113, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2975, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{4a^2(7A+6B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^2(4A+3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^2(7A+6B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(7A+9B)\sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (-4*a^2*(4*A + 3*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(7*A + 6*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*a^2*(7*A + 9*B)*Sin[c + d*x])/(35*d*Cos[c + d*x]^(5/2)) + (4*a^2*(7*A + 6*B)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2)) + (4*a^2*(4*A + 3*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]) + (2*B*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e
+ f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a
*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*
A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b
*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A
, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] &&
GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
```

$\text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \text{ :> } \text{Simp}[(2*\text{EllipticE}[(1*(c - P$
 $i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx = \int \frac{(a + a \cos(c + dx))^2 (B + A \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx$$

$$= \frac{2B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \cos(c + dx)) \left(\frac{1}{2}a(7A - 9B) \cos(c + dx) + \frac{1}{2}a^2(7A + 9B)\right)}{\cos^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}a^2(7A + 9B) + \left(\frac{1}{2}a^2(7A + 9B) \cos(c + dx) + \frac{1}{2}a^2(7A + 9B)\right)}{\cos^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{4}{35} \int \frac{a^2 \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{1}{5} \int \frac{a^2 \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^2(7A + 6B) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2(4A + 3B) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

$$= -\frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(7A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a^2(4A + 3B)\sqrt{\cos(c + dx)}}{5d}$$

Mathematica [C] time = 6.55533, size = 1067, normalized size = 5.5

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (Cos[c + d*x]^(7/2)*Sec[c/2 + (d*x)/2]^4*(a + a*Sec[c + d*x])^2*(A + B*Sec[c + d*x])*(((4*A + 3*B)*Csc[c]*Sec[c])/(5*d) + (B*Sec[c]*Sec[c + d*x]^4*Sin

$$\begin{aligned}
& [d*x))/(14*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]^3*(5*B*\text{Sin}[c] + 7*A*\text{Sin}[d*x] + 14*B*\text{Sin}[d*x]))/(70*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]^2*(21*A*\text{Sin}[c] + 42*B*\text{Sin}[c] + 70*A*\text{Sin}[d*x] + 60*B*\text{Sin}[d*x]))/(210*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]*(35*A*\text{Sin}[c] + 30*B*\text{Sin}[c] + 84*A*\text{Sin}[d*x] + 63*B*\text{Sin}[d*x]))/(105*d)))/(B + A*\text{Cos}[c + d*x]) \\
& - (A*\text{Cos}[c + d*x]^3*\text{Csc}[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x])* \\
& \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] \\
& * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(B + A*\text{Cos}[c + d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) - (2*B*\text{Cos}[c + d*x]^3*\text{Csc}[c]* \\
& \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x])* \\
& \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] \\
& * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(7*d*(B + A*\text{Cos}[c + d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]) + (2*A*\text{Cos}[c + d*x]^3*\text{Csc}[c]* \\
& \text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x])* (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]* \\
& \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]* \\
& \text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]) + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]* \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]))/(5*d*(B + A*\text{Cos}[c + d*x])) + (3*B*\text{Cos}[c + d*x]^3*\text{Csc}[c]*\text{Sec}[c/2 + (d*x)/2]^4*(a + a*\text{Sec}[c + d*x])^2*(A + B*\text{Sec}[c + d*x])* \\
& (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]^2]*\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/(\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]* \\
& \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])*\text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Tan}[c])/ \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]) + (2*\text{Cos}[c]^2*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]*\text{Sqrt}[1 + \text{Tan}[c]^2])/(\text{Cos}[c]^2 + \text{Sin}[c]^2))/\text{Sqrt}[\text{Cos}[c]*\text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]]* \\
& \text{Sqrt}[1 + \text{Tan}[c]^2]))/(10*d*(B + A*\text{Cos}[c + d*x]))
\end{aligned}$$

Maple [B] time = 7.114, size = 851, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\text{sec}(d*x+c))^2*(A+B*\text{sec}(d*x+c))/\text{cos}(d*x+c)^{(3/2)}, x)$

[Out] $-8*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(1/4*B*(-1/56*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(\text{cos}(1/2*d*x+1/2*c)^2-1/2)^4-5/42*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)$

$$\begin{aligned} &)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 5/21 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + (1/2 * A + 1/4 * B) * (-1/6 * \cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 1/3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/5 * (1/4 * A + 1/2 * B) / (8 * \sin(1/2*d*x+1/2*c)^6 - 12 * \sin(1/2*d*x+1/2*c)^4 + 6 * \sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c)^2 * (12 * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^4 - 24 * \sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) - 12 * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 + 24 * \sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3 * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 8 * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c)) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 1/4 * A * (-\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 2 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2 * \sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Ba^2 \sec(dx+c)^3 + (A+2B)a^2 \sec(dx+c)^2 + (2A+B)a^2 \sec(dx+c) + Aa^2}{\cos(dx+c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^2*sec(d*x + c)^3 + (A + 2*B)*a^2*sec(d*x + c)^2 + (2*A + B)*a^2*sec(d*x + c) + A*a^2)/cos(d*x + c)^(3/2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)
```

$$3.496 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=157

$$-\frac{5(A-B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} + \frac{3(7A-5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A-B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(7A-5B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{5ad}$$

[Out] (3*(7*A - 5*B)*EllipticE[(c + d*x)/2, 2])/(5*a*d) - (5*(A - B)*EllipticF[(c + d*x)/2, 2])/(3*a*d) - (5*(A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) + ((7*A - 5*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d) - ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rubi [A] time = 0.26462, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2977, 2748, 2635, 2641, 2639}

$$-\frac{5(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(7A-5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{(A-B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(7A-5B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{5ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]), x]

[Out] (3*(7*A - 5*B)*EllipticE[(c + d*x)/2, 2])/(5*a*d) - (5*(A - B)*EllipticF[(c + d*x)/2, 2])/(3*a*d) - (5*(A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) + ((7*A - 5*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d) - ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Sim

```
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{a+a\sec(c+dx)} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(B+A\cos(c+dx))}{a+a\cos(c+dx)} dx \\
&= -\frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \cos^{\frac{3}{2}}(c+dx) \left(-\frac{5}{2}a(A-B) + \frac{1}{2}a(7A-5B)\right) dx}{a^2} \\
&= -\frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{(7A-5B)\int \cos^{\frac{5}{2}}(c+dx) dx}{2a} - \frac{(5(A-B))}{3ad} \\
&= -\frac{5(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} + \frac{(7A-5B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5ad} - \frac{(A-B)}{3ad} \\
&= \frac{3(7A-5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{5(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{5(A-B)\sqrt{\cos(c+dx)}}{3ad}
\end{aligned}$$

Mathematica [C] time = 6.60087, size = 1292, normalized size = 8.23

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (((21*I)/20)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])) - (((3*I)/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x]))

$c + d*x])) + (\cos[c/2 + (d*x)/2]^2 * \sqrt{\cos[c + d*x]} * (A + B * \sec[c + d*x]) * ((2 * (-5 * A + 5 * B - 16 * A * \cos[c] + 10 * B * \cos[c]) * \csc[c]) / (5 * d) + (4 * (-A + B) * \cos[d*x] * \sin[c]) / (3 * d) + (2 * A * \cos[2 * d*x] * \sin[2 * c]) / (5 * d) + (2 * \sec[c/2] * \sec[c/2 + (d*x)/2] * (-A * \sin[(d*x)/2]) + B * \sin[(d*x)/2])) / d + (4 * (-A + B) * \cos[c] * \sin[d*x]) / (3 * d) + (2 * A * \cos[2 * c] * \sin[2 * d*x]) / (5 * d)) / ((B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x])) + (5 * A * \cos[c/2 + (d*x)/2]^2 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])})} / (3 * d * (B + A * \cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])) - (5 * B * \cos[c/2 + (d*x)/2]^2 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])})} / (3 * d * (B + A * \cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x]))$

Maple [A] time = 1.886, size = 282, normalized size = 1.8

$$-\frac{1}{15ad} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(5/2)} * (A+B*\sec(dx+c)) / (a+a*\sec(dx+c)), x)$

[Out] $-1/15 * ((2 * \cos(1/2 * dx + 1/2 * c) - 1) * \sin(1/2 * dx + 1/2 * c) - 2)^{(1/2)} * (-\cos(1/2 * dx + 1/2 * c) * (\sin(1/2 * dx + 1/2 * c) - 2)^{(1/2)} * (2 * \sin(1/2 * dx + 1/2 * c) - 1)^{(1/2)} * (25 * A * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) + 63 * A * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - 25 * B * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - 45 * B * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)})) + 48 * A * \sin(1/2 * dx + 1/2 * c) - 8 + (-56 * A - 40 * B) * \sin(1/2 * dx + 1/2 * c) - 6 + (-30 * A + 90 * B) * \sin(1/2 * dx + 1/2 * c) + (23 * A - 35 * B) * \sin(1/2 * dx + 1/2 * c) - 2) / a / \cos(1/2 * dx + 1/2 * c) / (-2 * \sin(1/2 * dx + 1/2 * c) - 4 + \sin(1/2 * dx + 1/2 * c) - 2)^{(1/2)} / \sin(1/2 * dx + 1/2 * c) / (2 * \cos(1/2 * dx + 1/2 * c) - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a), x)
```

$$3.497 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=124

$$\frac{(5A-3B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(5A-3B)\sin(c+dx)}{3ad}$$

[Out] (-3*(A - B)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((5*A - 3*B)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rubi [A] time = 0.244492, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2977, 2748, 2639, 2635, 2641}

$$\frac{(5A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{d(a\cos(c+dx)+a)} + \frac{(5A-3B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (-3*(A - B)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((5*A - 3*B)*EllipticF[(c + d*x)/2, 2])/(3*a*d) + ((5*A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*d) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(d*(a + a*cos[c + d*x]))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/

```
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :=> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :=> -Simp[(b*Cos[c + d*x] * (b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{a+a\sec(c+dx)} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx)(B+A\cos(c+dx))}{a+a\cos(c+dx)} dx \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \sqrt{\cos(c+dx)} \left(-\frac{3}{2}a(A-B) + \frac{1}{2}a(5A-3B)\right) dx}{a^2} \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{(5A-3B)\int \cos^{\frac{3}{2}}(c+dx) dx}{2a} - \frac{(3(A-B))}{d(a+a\cos(c+dx))} \\
&= -\frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(5A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} - \frac{(A-B)\cos(c+dx)}{d(a+a\cos(c+dx))} \\
&= -\frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(5A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{(5A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad}
\end{aligned}$$

Mathematica [C] time = 6.53272, size = 1239, normalized size = 9.99

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (((-3*I)/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])) + (((3*I)/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x]))

+ d*x])) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x])*(-2*(-A + B)*(1 + 2*Cos[c])*Csc[c])/d + (4*A*Cos[d*x]*Sin[c])/(3*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(-(A*Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/d + (4*A*Cos[c]*Sin[d*x])/(3*d)))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])) - (5*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])) + (B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))

Maple [A] time = 2.127, size = 262, normalized size = 2.1

$$-\frac{1}{3ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right)^2 \left(5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] -1/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-8*A*sin(1/2*d*x+1/2*c)^6+(18*A-6*B)*sin(1/2*d*x+1/2*c)^4+(-7*A+3*B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) \sec(dx + c) + A \cos(dx + c))\sqrt{\cos(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c)),x, algorithm="giac")


```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a), x)
```

$$3.498 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx$$

Optimal. Leaf size=88

$$-\frac{(A-B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} + \frac{(3A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

[Out] ((3*A - B)*EllipticE[(c + d*x)/2, 2])/(a*d) - ((A - B)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.220289, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2954, 2977, 2748, 2641, 2639}

$$-\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(3A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] ((3*A - B)*EllipticE[(c + d*x)/2, 2])/(a*d) - ((A - B)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +

```

1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{a+a \sec(c+dx)} dx &= \int \frac{\sqrt{\cos(c+dx)}(B+A \cos(c+dx))}{a+a \cos(c+dx)} dx \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{\int \frac{-\frac{1}{2}a(A-B)+\frac{1}{2}a(3A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2} \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a \cos(c+dx))} - \frac{(A-B) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{(3A-B) \int \sqrt{\cos(c+dx)} dx}{2} \\
&= \frac{(3A-B)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{(A-B)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{(A-B)\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a \cos(c+dx))}
\end{aligned}$$

Mathematica [C] time = 6.4759, size = 1208, normalized size = 13.73

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x]),x]

[Out] (((3*I)/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c]])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c]])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x]) - ((I/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c]])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c]])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x])*((-2*(A - B + 2*A*Cos[c])*Csc[c])/d + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]*(-A*Sin[(d*x)/2]) + B*Sin[(d*x)/2])/d))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])) + (A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])) - (B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])]/(d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x]))

Maple [A] time = 1.775, size = 244, normalized size = 2.8

$$\frac{1}{ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right) \left(A \text{Ellip} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x)`

[Out] $((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c))^2*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+(2*A-2*B)*\sin(1/2*d*x+1/2*c)^4+(-A+B)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{a \sec(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sqrt{\cos(c+dx)}}{\sec(c+dx)+1} dx + \int \frac{B \sqrt{\cos(c+dx)} \sec(c+dx)}{\sec(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c)),x)

[Out] (Integral(A*sqrt(cos(c + d*x))/(sec(c + d*x) + 1), x) + Integral(B*sqrt(cos(c + d*x))*sec(c + d*x)/(sec(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a), x)

$$3.499 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)(a+a \sec(c+dx))}} dx$$

Optimal. Leaf size=83

$$\frac{(A+B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{(A-B)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} + \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

[Out] -(((A - B)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((A + B)*EllipticF[(c + d*x)/2, 2])/(a*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.222453, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2954, 2978, 2748, 2641, 2639}

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{(A-B)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} + \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])),x]

[Out] -(((A - B)*EllipticE[(c + d*x)/2, 2])/(a*d)) + ((A + B)*EllipticF[(c + d*x)/2, 2])/(a*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*(a + a*Cos[c + d*x]))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2978

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),

```

Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)(a + a \sec(c + dx))}} dx &= \int \frac{B + A \cos(c + dx)}{\sqrt{\cos(c + dx)(a + a \cos(c + dx))}} dx \\
&= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(A+B) - \frac{1}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2} \\
&= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d(a + a \cos(c + dx))} - \frac{(A - B) \int \sqrt{\cos(c + dx)} dx}{2a} + \frac{(A + B) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{2a} \\
&= -\frac{(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d(a + a \cos(c + dx))}
\end{aligned}$$

Mathematica [C] time = 6.45122, size = 1204, normalized size = 14.51

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])),x]

[Out]
$$\begin{aligned} & \left((-I/4) * A * \cos[c/2 + (d*x)/2]^2 * \csc[c/2] * \sec[c/2] * (A + B * \sec[c + d*x]) * \left((2 * E^{((2*I)*d*x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} * (\cos[c] + I * \sin[c])^2)] * \sqrt{(2 * (1 + E^{((2*I)*d*x)}) * \cos[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \sin[c]}) / E^{(I*d*x)}] * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]} \right) / \left((3*I) * d * (1 + E^{((2*I)*d*x)}) * \cos[c] - 3 * d * (-1 + E^{((2*I)*d*x)}) * \sin[c] \right) \right. \\ & - \left(2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)} * (\cos[c] + I * \sin[c])^2)] * \sqrt{(2 * (1 + E^{((2*I)*d*x)}) * \cos[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \sin[c]}) / E^{(I*d*x)}] * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]} \right) / \left((-I) * d * (1 + E^{((2*I)*d*x)}) * \cos[c] + d * (-1 + E^{((2*I)*d*x)}) * \sin[c] \right) \Big) / \left((B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x]) \right) + \left((I/4) * B * \cos[c/2 + (d*x)/2]^2 * \csc[c/2] * \sec[c/2] * (A + B * \sec[c + d*x]) * \left((2 * E^{((2*I)*d*x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} * (\cos[c] + I * \sin[c])^2)] * \sqrt{(2 * (1 + E^{((2*I)*d*x)}) * \cos[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \sin[c]}) / E^{(I*d*x)}] * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]} \right) / \left((3*I) * d * (1 + E^{((2*I)*d*x)}) * \cos[c] - 3 * d * (-1 + E^{((2*I)*d*x)}) * \sin[c] \right) \right. \\ & - \left(2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)} * (\cos[c] + I * \sin[c])^2)] * \sqrt{(2 * (1 + E^{((2*I)*d*x)}) * \cos[c] + (2*I) * (-1 + E^{((2*I)*d*x)}) * \sin[c]}) / E^{(I*d*x)}] * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]} \right) / \left((-I) * d * (1 + E^{((2*I)*d*x)}) * \cos[c] + d * (-1 + E^{((2*I)*d*x)}) * \sin[c] \right) \Big) / \left((B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x]) \right) + \left(\cos[c/2 + (d*x)/2]^2 * \sqrt{\cos[c + d*x]} * (A + B * \sec[c + d*x]) * \left((-2 * (-A + B) * \csc[c]) / d - (2 * \sec[c/2] * \sec[c/2 + (d*x)/2] * (-A * \sin[(d*x)/2] + B * \sin[(d*x)/2])) / d \right) / \left((B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x]) \right) - (A * \cos[c/2 + (d*x)/2]^2 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]])} * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (d * (B + A * \cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])) - (B * \cos[c/2 + (d*x)/2]^2 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * (A + B * \sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]])} * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]}) / (d * (B + A * \cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])) \right) \end{aligned}$$

Maple [A] time = 1.912, size = 243, normalized size = 2.9

$$-\frac{1}{ad} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(AE\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/cos(d*x+c)^(1/2),x)

[Out] -((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(cos(1/2*d*x+1/2*c)
)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*Elliptic
 F(cos(1/2*d*x+1/2*c),2^(1/2))+A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+B*Ell
 ipticF(cos(1/2*d*x+1/2*c),2^(1/2))-B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))
 +(2*A-2*B)*sin(1/2*d*x+1/2*c)^4+(-A+B)*sin(1/2*d*x+1/2*c)^2)/a/cos(1/2*d*x+
 1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2
 *c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{a \cos(dx + c) \sec(dx + c) + a \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)*sec(d*x + c) + a*cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\sqrt{\cos(c+dx)} \sec(c+dx) + \sqrt{\cos(c+dx)}} dx + \int \frac{B \sec(c+dx)}{\sqrt{\cos(c+dx)} \sec(c+dx) + \sqrt{\cos(c+dx)}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/cos(d*x+c)**(1/2), x)

[Out] (Integral(A/(sqrt(cos(c + d*x))*sec(c + d*x) + sqrt(cos(c + d*x))), x) + Integral(B*sec(c + d*x)/(sqrt(cos(c + d*x))*sec(c + d*x) + sqrt(cos(c + d*x))), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))/cos(d*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)

$$3.500 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=113

$$\frac{(A-B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} + \frac{(A-3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-3B)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} + \frac{(A-B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a\cos(c+dx)+a)}$$

[Out] ((A - 3*B)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((A - B)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A - 3*B)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) + ((A - B)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x]))

Rubi [A] time = 0.239635, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2978, 2748, 2636, 2639, 2641}

$$\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-3B)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} + \frac{(A-B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])), x]

[Out] ((A - 3*B)*EllipticE[(c + d*x)/2, 2])/(a*d) + ((A - B)*EllipticF[(c + d*x)/2, 2])/(a*d) - ((A - 3*B)*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]]) + ((A - B)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x]))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Ssin[e + f*x])^(p - m - n)*(b + a*Ssin[e + f*x])^m*(d + c*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2978

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(

```

n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
  Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] :=> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :=> Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} dx \\
&= \frac{(A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(A-3B) + \frac{1}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx}{a^2} \\
&= \frac{(A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} - \frac{(A - 3B) \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)} dx}{2a} + \frac{(A - B) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} \\
&= \frac{(A - B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(A - 3B) \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} + \frac{(A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\
&= \frac{(A - 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A - B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(A - 3B) \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} + \frac{(A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))}
\end{aligned}$$

Mathematica [C] time = 6.6631, size = 1240, normalized size = 10.97

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])),x]

[Out] ((I/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])) - (((3*I)/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*

$x) \cos[2c] + I E^{((2I)dx) \sin[2c]} / ((-I) d (1 + E^{((2I)dx) \cos[c] + d(-1 + E^{((2I)dx) \sin[c]})}) / ((B + A \cos[c + dx]) (a + a \sec[c + dx])) + (\cos[c/2 + (dx)/2]^2 \sqrt{\cos[c + dx]} (A + B \sec[c + dx]) ((2B - A \cos[c] + B \cos[c]) \csc[c/2] \sec[c/2] \sec[c]) / d + (2 \sec[c/2] \sec[c/2 + (dx)/2] (-A \sin[(dx)/2] + B \sin[(dx)/2])) / d + (4B \sec[c] \sec[c + dx] \sin[dx]) / d) / ((B + A \cos[c + dx]) (a + a \sec[c + dx])) - (A \cos[c/2 + (dx)/2]^2 \csc[c/2] \text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTan}[\text{Cot}[c]]]^2) \sec[c/2] (A + B \sec[c + dx]) \sec[dx - \text{ArcTan}[\text{Cot}[c]]] \sqrt{1 - \sin[dx - \text{ArcTan}[\text{Cot}[c]]]} \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} \sin[c] \sin[dx - \text{ArcTan}[\text{Cot}[c]]])} \sqrt{1 + \sin[dx - \text{ArcTan}[\text{Cot}[c]]])} / (d (B + A \cos[c + dx]) \sqrt{1 + \text{Cot}[c]^2} (a + a \sec[c + dx])) + (B \cos[c/2 + (dx)/2]^2 \csc[c/2] \text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \sin[dx - \text{ArcTan}[\text{Cot}[c]]]^2) \sec[c/2] (A + B \sec[c + dx]) \sec[dx - \text{ArcTan}[\text{Cot}[c]]] \sqrt{1 - \sin[dx - \text{ArcTan}[\text{Cot}[c]]]} \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} \sin[c] \sin[dx - \text{ArcTan}[\text{Cot}[c]]])} \sqrt{1 + \sin[dx - \text{ArcTan}[\text{Cot}[c]]])} / (d (B + A \cos[c + dx]) \sqrt{1 + \text{Cot}[c]^2} (a + a \sec[c + dx]))$

Maple [A] time = 4.232, size = 318, normalized size = 2.8

$$-\frac{1}{ad} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{-2(\sin(1/2 dx + c/2))^4} + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(dx+c))/\cos(dx+c)^{(3/2)/(a+a*\sec(dx+c)), x)$

[Out] $-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*(-\cos(1/2*d*x+1/2*c)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-A*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-3*B)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A-5*B)*\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/\sin(1/2*d*x+1/2*c)^3/(2*\sin(1/2*d*x+1/2*c)^2-1)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c))^2 \sec(dx + c) + a \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^2*sec(d*x + c) + a*cos(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)
```

$$3.501 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))} dx$$

Optimal. Leaf size=152

$$\frac{(3A-5B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3ad} - \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} - \frac{(3A-5B)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

[Out] $(-3*(A - B)*\text{EllipticE}[(c + d*x)/2, 2])/(a*d) - ((3*A - 5*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a*d) - ((3*A - 5*B)*\text{Sin}[c + d*x])/(3*a*d*\text{Cos}[c + d*x]^{(3/2)}) + (3*(A - B)*\text{Sin}[c + d*x])/(a*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + ((A - B)*\text{Sin}[c + d*x])/(d*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x]))$

Rubi [A] time = 0.25962, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2978, 2748, 2636, 2641, 2639}

$$\frac{(3A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} - \frac{(3A-5B)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x])/(\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Sec}[c + d*x])) , x]$

[Out] $(-3*(A - B)*\text{EllipticE}[(c + d*x)/2, 2])/(a*d) - ((3*A - 5*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a*d) - ((3*A - 5*B)*\text{Sin}[c + d*x])/(3*a*d*\text{Cos}[c + d*x]^{(3/2)}) + (3*(A - B)*\text{Sin}[c + d*x])/(a*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + ((A - B)*\text{Sin}[c + d*x])/(d*\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x]))$

Rule 2954

$\text{Int}[(a_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(b_.)]^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^{(n_.)}*((g_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Sin}[e + f*x])^{(p-m-n)}*(b + a*\text{Sin}[e + f*x])^m*(d + c*\text{Sin}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Ssin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Ssin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} dx \\
&= \frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} + \int \frac{-\frac{1}{2}a(3A-5B) + \frac{3}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} - \frac{(3A - 5B) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)} dx}{2a} + \frac{(3(A - B)) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)} dx}{2a} \\
&= -\frac{(3A - 5B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{3(A - B) \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} + \frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} \\
&= -\frac{3(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(3A - 5B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} - \frac{(3A - 5B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [C] time = 6.98705, size = 1277, normalized size = 8.4

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])),x]

[Out] (((-3*I)/4)*A*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*(2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])) + (((3*I)/4)*B*Cos[c/2 + (d*x)/2]^2*Csc[c/2]*Sec[c/2]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x]))

```

*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*
I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*C
os[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c + d*x])*(a + a*Sec[c
+ d*x])) + (Cos[c/2 + (d*x)/2]^2*Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))*(
-(((A + B)*(2 + Cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/d) - (2*Sec[c/2]*Sec[c/2
+ (d*x)/2]*(-A*Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/d + (4*B*Sec[c]*Sec[c + d
*x]^2*Sin[d*x])/(3*d) + (4*Sec[c]*Sec[c + d*x]*(B*Sin[c] + 3*A*Sin[d*x] - 3
*B*Sin[d*x]))/(3*d))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])) + (A*Cos[
c/2 + (d*x)/2]^2*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - Ar
cTan[Cot[c]]]^2)*Sec[c/2]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sq
rt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x
- ArcTan[Cot[c]]])] *Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(B + A*Cos[c +
d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])) - (5*B*Cos[c/2 + (d*x)/2]^2*
Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2)*
Sec[c/2]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x -
ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]]
)] *Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 +
Cot[c]^2]*(a + a*Sec[c + d*x]))

```

Maple [B] time = 5.406, size = 493, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x)
```

```

[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/a*(2*B*(-1/6*cos
(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1
/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2
*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipti
cF(cos(1/2*d*x+1/2*c),2^(1/2)))+(-A+B)*(cos(1/2*d*x+1/2*c)*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c)
,2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*sin(1/2*d*x+1/2*c)^4+sin
(1/2*d*x+1/2*c)^2)/cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)+(2*A-2*B)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2
*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2
*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/
2)/d

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c)^3 \sec(dx + c) + a \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^3*sec(d*x + c) + a*cos(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

$$3.502 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=204

$$-\frac{5(3A-2B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{7(8A-5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{(3A-2B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{7(8A-5B)}{15a^2}$$

[Out] (7*(8*A - 5*B)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) - (5*(3*A - 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(3*A - 2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + (7*(8*A - 5*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a^2*d) - ((3*A - 2*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.418915, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2977, 2748, 2635, 2641, 2639}

$$-\frac{5(3A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{7(8A-5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{(3A-2B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{7(8A-5B)\sin(c+dx)}{15a^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]

[Out] (7*(8*A - 5*B)*EllipticE[(c + d*x)/2, 2])/(5*a^2*d) - (5*(3*A - 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(3*A - 2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + (7*(8*A - 5*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a^2*d) - ((3*A - 2*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^n_.*((g_.)*sin[(e_.) + (f_.)*(x_.)])^p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2977


```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2635

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{7}{2}}(c+dx)(B+A\cos(c+dx))}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{5}{2}}(c+dx)\left(-\frac{7}{2}a(A-B)+\frac{1}{2}a(11A-5B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\
&= -\frac{(3A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{c}{a} dx \\
&= -\frac{(3A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{(7(8A-5B))}{3a} dx \\
&= -\frac{5(3A-2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} + \frac{7(8A-5B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15a^2d} \\
&= \frac{7(8A-5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{5(3A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{5(3A-2B)\sqrt{\cos(c+dx)}}{3a}
\end{aligned}$$

Mathematica [C] time = 6.83331, size = 1396, normalized size = 6.84

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2, x]
```

```
[Out] (((28*I)/5)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x]*(a + a*Sec[c + d*x])^2) - (((7*I)/2)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]))
```

$$\begin{aligned} & c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) \\ & - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c]) \\ & ^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c] \\ &)/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/(\\ & (-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + \\ & A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) + (10*A*Cos[c/2 + (d*x)/2]^4*Csc[c/ \\ & 2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/ \\ & 2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin \\ & [d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[C \\ & ot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(B + A*Cos[c + d*x])*Sqrt \\ & [1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2) - (20*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2 \\ &]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 \\ &]*Sec[c + d*x]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[\\ & d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Co \\ & t[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(B + A*Cos[c + d*x])*Sqr \\ & t[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d*x)/2]^4*(A + B*Sec[\\ & c + d*x])*((4*(-20*A + 15*B - 36*A*Cos[c] + 20*B*Cos[c])*Csc[c])/(5*d) + (8 \\ & *(-2*A + B)*Cos[d*x]*Sin[c])/(3*d) + (4*A*Cos[2*d*x]*Sin[2*c])/(5*d) - (2*S \\ & ec[c/2]*Sec[c/2 + (d*x)/2]^3*(-(A*Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/(3*d) + \\ & (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(-4*A*Sin[(d*x)/2] + 3*B*Sin[(d*x)/2]))/d + \\ & (8*(-2*A + B)*Cos[c]*Sin[d*x])/(3*d) + (4*A*Cos[2*c]*Sin[2*d*x])/(5*d) - (2 \\ & *(-A + B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d)))/(Sqrt[Cos[c + d*x]]*(B + A \\ & *Cos[c + d*x])*(a + a*Sec[c + d*x])^2) \end{aligned}$$

Maple [A] time = 2.219, size = 465, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(5/2)}*(A+B*\sec(d*x+c))/(a+a*\sec(d*x+c))^2, x)$

[Out] $-1/30*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(96*A*\cos(1/2$
 $*d*x+1/2*c)^{10}-352*A*\cos(1/2*d*x+1/2*c)^8+80*B*\cos(1/2*d*x+1/2*c)^8+120*A*c$
 $os(1/2*d*x+1/2*c)^6-150*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*$
 $c)^2+1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-33$
 $6*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c$
 $)^2+1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+60*B*\cos(1/2*d*x+1/2*c)^$
 $6+100*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*Ellip$
 $pticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+210*B*\cos(1/2*d*x+1/$
 $2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*Ellip$
 $ticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+266*A*\cos(1/2*d*x+1/2*c)^4-240*B*\cos(1/2*d$

$$*x+1/2*c)^4-135*A*\cos(1/2*d*x+1/2*c)^2+105*B*\cos(1/2*d*x+1/2*c)^2+5*A-5*B)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) \sqrt{\cos(dx + c)}}{a^2 \sec(dx + c)^2 + 2 a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^2, x
)
```

$$3.503 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=171

$$\frac{5(2A - B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3a^2d} - \frac{(7A - 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} - \frac{(7A - 4B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{3a^2d(\cos(c + dx) + 1)} + \frac{5(2A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{3a^2d}$$

```
[Out] -(((7*A - 4*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + (5*(2*A - B)*EllipticF
[(c + d*x)/2, 2])/(3*a^2*d) + (5*(2*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])
/(3*a^2*d) - ((7*A - 4*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Co
s[c + d*x])) - ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c
+ d*x]))^2)
```

Rubi [A] time = 0.400595, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2977, 2748, 2639, 2635, 2641}

$$\frac{5(2A - B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} - \frac{(7A - 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} - \frac{(7A - 4B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{3a^2d(\cos(c + dx) + 1)} + \frac{5(2A - B) \sin(c + dx) \sqrt{\cos(c + dx)}}{3a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,x]
```

```
[Out] -(((7*A - 4*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + (5*(2*A - B)*EllipticF
[(c + d*x)/2, 2])/(3*a^2*d) + (5*(2*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])
/(3*a^2*d) - ((7*A - 4*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*d*(1 + Co
s[c + d*x])) - ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*d*(a + a*Cos[c
+ d*x]))^2)
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dis
t[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c
*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2635

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(B+A\cos(c+dx))}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{3}{2}}(c+dx)\left(-\frac{5}{2}a(A-B)+\frac{3}{2}a(3A-B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\
&= -\frac{(7A-4B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \sqrt{\cos(c+dx)} dx \\
&= -\frac{(7A-4B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{(7A-4B)\sqrt{\cos(c+dx)}}{3a^2} \\
&= -\frac{(7A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{5(2A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} - \frac{(7A-4B)\sqrt{\cos(c+dx)}}{3a^2} \\
&= -\frac{(7A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{5(2A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{5(2A-B)\sqrt{\cos(c+dx)}}{3a^2}
\end{aligned}$$

Mathematica [C] time = 6.71788, size = 1352, normalized size = 7.91

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2,
x]
```

```
[Out] (((-7*I)/2)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) + ((2*I)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])
```


$$\begin{aligned} & /((3I)*d*(1 + E^{((2I)*d*x)})*\text{Cos}[c] - 3*d*(-1 + E^{((2I)*d*x)})*\text{Sin}[c]) - (\\ & 2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)] \\ & * \text{Sqrt}[(2*(1 + E^{((2I)*d*x)})*\text{Cos}[c] + (2I)*(-1 + E^{((2I)*d*x)})*\text{Sin}[c])/E^{ \\ & (I*d*x)}]* \text{Sqrt}[1 + E^{((2I)*d*x)}*\text{Cos}[2*c] + I*E^{((2I)*d*x)}*\text{Sin}[2*c]])/((-I) \\ & *d*(1 + E^{((2I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2I)*d*x)})*\text{Sin}[c]))/(B + A*\text{Co} \\ & s[c + d*x])*(a + a*\text{Sec}[c + d*x])^2) - (20*A*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{H} \\ & ypergeometricPFQ[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{S} \\ & ec[c + d*x]*(A + B*\text{Sec}[c + d*x])* \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]* \text{Sqrt}[1 - \text{Sin}[d*x \\ & - \text{ArcTan}[\text{Cot}[c]]]]* \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c] \\ &]]])* \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(B + A*\text{Cos}[c + d*x])* \text{Sqrt}[1 \\ & + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) + (10*B*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]* \\ & \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]* \\ & \text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x])* \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]* \text{Sqrt}[1 - \text{Sin}[d*x \\ & - \text{ArcTan}[\text{Cot}[c]]]]* \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c] \\ &]]])* \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(B + A*\text{Cos}[c + d*x])* \text{Sqrt}[\\ & 1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) + (\text{Cos}[c/2 + (d*x)/2]^4*(A + B*\text{Sec}[c \\ & + d*x])*((-4*(-3*A + 2*B - 4*A*\text{Cos}[c] + 2*B*\text{Cos}[c])* \text{Csc}[c])/d + (8*A*\text{Cos}[d* \\ & x]*\text{Sin}[c])/(3*d) + (2*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(-(A*\text{Sin}[(d*x)/2]) + B* \\ & \text{Sin}[(d*x)/2]))/(3*d) - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(-3*A*\text{Sin}[(d*x)/2] + \\ & 2*B*\text{Sin}[(d*x)/2]))/d + (8*A*\text{Cos}[c]*\text{Sin}[d*x])/(3*d) + (2*(-A + B)*\text{Sec}[c/2 + \\ & (d*x)/2]^2*\text{Tan}[c/2])/(3*d)))/(\text{Sqrt}[\text{Cos}[c + d*x]]*(B + A*\text{Cos}[c + d*x])*(a + \\ & a*\text{Sec}[c + d*x])^2) \end{aligned}$$

Maple [B] time = 2.084, size = 435, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(3/2)}*(A+B*\text{sec}(d*x+c))/(a+a*\text{sec}(d*x+c))^2, x)$

[Out]
$$\begin{aligned} & -1/6*((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(16*A*\text{cos}(1/2* \\ & d*x+1/2*c)^8+12*A*\text{cos}(1/2*d*x+1/2*c)^6+20*A*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(- \\ & 2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1 \\ & /2*d*x+1/2*c)^3+42*A*\text{cos}(1/2*d*x+1/2*c)^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2* \\ & \text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-24*B*\text{co} \\ & s(1/2*d*x+1/2*c)^6-10*B*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c) \\ & ^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1/2*d*x+1/2*c)^3-24*B \\ & *\text{cos}(1/2*d*x+1/2*c)^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2 \\ & +1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-48*A*\text{cos}(1/2*d*x+1/2*c)^4+3 \\ & 8*B*\text{cos}(1/2*d*x+1/2*c)^4+21*A*\text{cos}(1/2*d*x+1/2*c)^2-15*B*\text{cos}(1/2*d*x+1/2*c)^ \\ & 2-A+B)/a^2/\text{cos}(1/2*d*x+1/2*c)^3/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c) \end{aligned}$$

$$\sqrt{2}^{\frac{1}{2}} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{\frac{1}{2}} / d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a^2 \sec(dx + c)^2 + 2 a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^2, x
)

$$3.504 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=137

$$-\frac{(5A-2B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(5A-2B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} - \frac{(A-B)\sin(c+dx)}{3d(a\cos(c+dx)+1)}$$

[Out] ((4*A - B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) - ((5*A - 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - ((5*A - 2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*cos[c + d*x])^2)

Rubi [A] time = 0.374605, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2954, 2977, 2748, 2641, 2639}

$$-\frac{(5A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(5A-2B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} - \frac{(A-B)\sin(c+dx)\cos(c+dx)}{3d(a\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2, x]

[Out] ((4*A - B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) - ((5*A - 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - ((5*A - 2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*cos[c + d*x])^2)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^n_.*((g_.)*sin[(e_.) + (f_.)*(x_.)])^p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2977

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m_.*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^n_.), x_Symbol] :> Sim

```
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx)(B+A \cos(c+dx))}{(a+a \cos(c+dx))^2} dx \\ &= -\frac{(A-B) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \int \frac{\sqrt{\cos(c+dx)} \left(-\frac{3}{2}a(A-B) + \frac{1}{2}a(7A-B) \cos(c+dx) \right)}{a+a \cos(c+dx)} dx \\ &= -\frac{(5A-2B) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \int \frac{\sqrt{\cos(c+dx)} \left(\frac{1}{2}a(7A-B) \cos(c+dx) - \frac{3}{2}a(A-B) \right)}{a+a \cos(c+dx)} dx \\ &= -\frac{(5A-2B) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{(A-B) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} - \frac{(5A-2B) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2d(1+\cos(c+dx))} \\ &= \frac{(4A-B)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} - \frac{(5A-2B)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d} - \frac{(5A-2B) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2d(1+\cos(c+dx))} \end{aligned}$$

Mathematica [C] time = 6.6319, size = 1318, normalized size = 9.62

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^2, x]

[Out]
$$\begin{aligned} & ((2*I)*A*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\sec[c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x]) * \\ & ((2*E^{(2*I)*d*x}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2*I)*d*x}*(\cos[c] + I*\sin[c])^2)] * \\ & \sqrt{(2*(1 + E^{(2*I)*d*x})*\cos[c] + (2*I)*(-1 + E^{(2*I)*d*x})*\sin[c])}/E^{I*d*x}] * \\ & \sqrt{1 + E^{(2*I)*d*x}*\cos[2*c] + I*E^{(2*I)*d*x}*\sin[2*c]})/((3*I)*d*(1 + E^{(2*I)*d*x})*\cos[c] - 3*d*(-1 + E^{(2*I)*d*x})*\sin[c]) - \\ & (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2*I)*d*x}*(\cos[c] + I*\sin[c])^2)] * \\ & \sqrt{(2*(1 + E^{(2*I)*d*x})*\cos[c] + (2*I)*(-1 + E^{(2*I)*d*x})*\sin[c])}/E^{I*d*x}] * \\ & \sqrt{1 + E^{(2*I)*d*x}*\cos[2*c] + I*E^{(2*I)*d*x}*\sin[2*c]})/((-I)*d*(1 + E^{(2*I)*d*x})*\cos[c] + d*(-1 + E^{(2*I)*d*x})*\sin[c]))/ \\ & ((B + A*\cos[c + d*x])*(a + a*\sec[c + d*x])^2) - ((I/2)*B*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\sec[c/2]*\sec[c + d*x] * \\ & ((2*E^{(2*I)*d*x}*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{(2*I)*d*x}*(\cos[c] + I*\sin[c])^2)] * \\ & \sqrt{(2*(1 + E^{(2*I)*d*x})*\cos[c] + (2*I)*(-1 + E^{(2*I)*d*x})*\sin[c])}/E^{I*d*x}] * \\ & \sqrt{1 + E^{(2*I)*d*x}*\cos[2*c] + I*E^{(2*I)*d*x}*\sin[2*c]})/((3*I)*d*(1 + E^{(2*I)*d*x})*\cos[c] - 3*d*(-1 + E^{(2*I)*d*x})*\sin[c]) - \\ & (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{(2*I)*d*x}*(\cos[c] + I*\sin[c])^2)] * \\ & \sqrt{(2*(1 + E^{(2*I)*d*x})*\cos[c] + (2*I)*(-1 + E^{(2*I)*d*x})*\sin[c])}/E^{I*d*x}] * \\ & \sqrt{1 + E^{(2*I)*d*x}*\cos[2*c] + I*E^{(2*I)*d*x}*\sin[2*c]})/((-I)*d*(1 + E^{(2*I)*d*x})*\cos[c] + d*(-1 + E^{(2*I)*d*x})*\sin[c]))/ \\ & ((B + A*\cos[c + d*x])*(a + a*\sec[c + d*x])^2) + (10*A*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \\ & \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x])* \\ & \sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]) * \\ & \sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])}]) * \\ & \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])/(3*d*(B + A*\cos[c + d*x])* \\ & \sqrt{1 + \text{Cot}[c]^2}*(a + a*\sec[c + d*x])^2) - (4*B*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \\ & \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*\sec[c + d*x]*(A + B*\sec[c + d*x])* \\ & \sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]) * \\ & \sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])}]) * \\ & \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])/(3*d*(B + A*\cos[c + d*x])* \\ & \sqrt{1 + \text{Cot}[c]^2}*(a + a*\sec[c + d*x])^2) + (\cos[c/2 + (d*x)/2]^4*(A + B*\sec[c + d*x]) * \\ & ((-4*(2*A - B + 2*A*\cos[c])*\csc[c])/d + (4*\sec[c/2]*\sec[c/2 + (d*x)/2] * \\ & (-2*A*\sin[(d*x)/2] + B*\sin[(d*x)/2]))/d - (2*\sec[c/2]*\sec[c/2 + (d*x)/2]^3 * \\ & (-A*\sin[(d*x)/2] + B*\sin[(d*x)/2]))/(3*d) - (2*(-A + B)*\sec[c/2 + (d*x)/2]^2 * \\ & \tan[c/2])/(3*d))/(\sqrt{\cos[c + d*x]}*(B + A*\cos[c + d*x])*(a + a*\sec[c + d*x])^2) \end{aligned}$$

Maple [B] time = 1.839, size = 421, normalized size = 3.1

$$\frac{1}{6da^2} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(24A(\cos(1/2 dx + c/2))^6 + 10A\sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x)

[Out] 1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(24*A*cos(1/2*d*x+1/2*c)^6+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3+24*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-12*B*cos(1/2*d*x+1/2*c)^6-4*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-6*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-38*A*cos(1/2*d*x+1/2*c)^4+20*B*cos(1/2*d*x+1/2*c)^4+15*A*cos(1/2*d*x+1/2*c)^2-9*B*cos(1/2*d*x+1/2*c)^2-A+B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^2, x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \sec(dx + c)^2 + 2a^2 \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*sec(d*x + c)^2 + 2*a^2*sec(d*x + c) + a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A\sqrt{\cos(c+dx)}}{\sec^2(c+dx)+2\sec(c+dx)+1} dx + \int \frac{B\sqrt{\cos(c+dx)}\sec(c+dx)}{\sec^2(c+dx)+2\sec(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**2,x)

[Out] (Integral(A*sqrt(cos(c + d*x))/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x) + Integral(B*sqrt(cos(c + d*x))*sec(c + d*x)/(sec(c + d*x)**2 + 2*sec(c + d*x) + 1), x))/a**2

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^2, x)

$$3.505 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)(a+a \sec(c+dx))^2}} dx$$

Optimal. Leaf size=121

$$\frac{(2A+B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

```
[Out] -((A*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + ((2*A + B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)
```

Rubi [A] time = 0.345724, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2977, 2978, 2748, 2641, 2639}

$$\frac{(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2), x]
```

```
[Out] -((A*EllipticE[(c + d*x)/2, 2])/(a^2*d)) + ((2*A + B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) + (A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^ (m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^ (n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^ (p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Ssin[e + f*x])^(p - m - n)*(b + a*Ssin[e + f*x])^m*(d + c*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2977

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^ (n_.), x_Symbol] := Sim
```

```
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^2} dx &= \int \frac{\sqrt{\cos(c + dx)}(B + A \cos(c + dx))}{(a + a \cos(c + dx))^2} dx \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{-\frac{1}{2}a(A-B) + \frac{1}{2}a(5A+B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx}{3a^2} \\
&= \frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a^2(2A+B)}{\sqrt{\cos(c+dx)}} dx}{3a^2} \\
&= \frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{A \int \sqrt{\cos(c+dx)} dx}{2a} \\
&= -\frac{AE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{a^2d} + \frac{(2A + B)F \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3a^2d} + \frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))}
\end{aligned}$$

Mathematica [C] time = 6.51782, size = 921, normalized size = 7.61

$$iA \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sec(c + dx)(A + B \sec(c + dx)) \left(\frac{2e^{2idx} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2idx}(\cos(c) + i \sin(c))^2\right) \sqrt{e^{-idx}(2(1 + e^{2idx}) \cos(c) + 2)}}{3id(1 + e^{2idx}) \cos(c) - 3d(-1 + e^{2idx}) \sin(c)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^2), x]

[Out] ((-I/2)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2 - (4*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(B + A*Cos[

$$c + d*x)) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a * \text{Sec}[c + d*x])^2) - (2 * B * \text{Cos}[c/2 + (d*x)/2]^4 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]^2 * \text{Sec}[c/2] * \text{Sec}[c + d*x] * (A + B * \text{Sec}[c + d*x]) * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])]) * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (3 * d * (B + A * \text{Cos}[c + d*x]) * \text{Sqrt}[1 + \text{Cot}[c]^2] * (a + a * \text{Sec}[c + d*x])^2) + (\text{Cos}[c/2 + (d*x)/2]^4 * (A + B * \text{Sec}[c + d*x]) * ((4 * A * \text{Csc}[c]) / d + (4 * A * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * \text{Sin}[(d*x)/2]) / d + (2 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (-A * \text{Sin}[(d*x)/2]) + B * \text{Sin}[(d*x)/2])) / (3 * d) + (2 * (-A + B) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (3 * d))) / (\text{Sqrt}[\text{Cos}[c + d*x]] * (B + A * \text{Cos}[c + d*x]) * (a + a * \text{Sec}[c + d*x])^2)$$

Maple [B] time = 2.116, size = 350, normalized size = 2.9

$$-\frac{1}{6da^2} \sqrt{(2(\cos(1/2dx + c/2))^2 - 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(12A(\cos(1/2dx + c/2))^6 + 4A\sqrt{(\sin(1/2dx + c/2))^2} \sqrt{-2(\cos(1/2dx + c/2))^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/cos(d*x+c)^(1/2),x)

[Out] $-1/6 * ((2 * \cos(1/2 * d * x + 1/2 * c))^2 - 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (12 * A * \cos(1/2 * d * x + 1/2 * c)^6 + 4 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c)^3 + 6 * A * \cos(1/2 * d * x + 1/2 * c)^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c)^3 - 20 * A * \cos(1/2 * d * x + 1/2 * c)^4 + 2 * B * \cos(1/2 * d * x + 1/2 * c)^4 + 9 * A * \cos(1/2 * d * x + 1/2 * c)^2 - 3 * B * \cos(1/2 * d * x + 1/2 * c)^2 - A + B) / a^2 / \cos(1/2 * d * x + 1/2 * c)^3 / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c) \sec(dx + c)^2 + 2a^2 \cos(dx + c) \sec(dx + c) + a^2 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)*sec(d*x + c) + a^2*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)

$$3.506 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=121

$$\frac{(A+2B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} + \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

[Out] (B*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((A + 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.355074, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2954, 2978, 2748, 2641, 2639}

$$\frac{(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} + \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] (B*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((A + 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Cos[c + d*x])) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*(a + a*Cos[c + d*x])^2)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2978

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(

$n + 1)) / (a * f * (2 * m + 1) * (b * c - a * d)), x] + \text{Dist}[1 / (a * (2 * m + 1) * (b * c - a * d)),$
 $\text{Int}[(a + b * \text{Sin}[e + f * x])^{(m + 1)} * (c + d * \text{Sin}[e + f * x])^n * \text{Simp}[B * (a * c * m + b * d * (n + 1)) + A * (b * c * (m + 1) - a * d * (2 * m + n + 2)) + d * (A * b - a * B) * (m + n + 2) * \text{Sin}[e + f * x], x], x] /;$
 $\text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[b * c - a * d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ !\text{GtQ}[n, 0] \ \&\& \ \text{IntegerQ}[2 * m] \ \&\& \ (\text{IntegerQ}[2 * n] \ || \ \text{EqQ}[c, 0])$

Rule 2748

$\text{Int}[(b * \text{sin}[(e * x) + (f * x)])^{(m)} * ((c) + (d * \text{sin}[(e * x) + (f * x)])), x_Symbol] := \text{Dist}[c, \text{Int}[(b * \text{Sin}[e + f * x])^m, x], x] + \text{Dist}[d / b, \text{Int}[(b * \text{Sin}[e + f * x])^{(m + 1)}, x], x] /;$
 $\text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 2641

$\text{Int}[1 / \text{Sqrt}[\text{sin}[(c * x) + (d * x)]], x_Symbol] := \text{Simp}[(2 * \text{EllipticF}[(1 * (c - \text{Pi} / 2 + d * x)) / 2, 2]) / d, x] /;$
 $\text{FreeQ}[\{c, d\}, x]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c * x) + (d * x)]], x_Symbol] := \text{Simp}[(2 * \text{EllipticE}[(1 * (c - \text{Pi} / 2 + d * x)) / 2, 2]) / d, x] /;$
 $\text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= \int \frac{B + A \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} dx \\
 &= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(A + 5B) + \frac{1}{2}a(A - B) \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} dx}{3a^2} \\
 &= -\frac{B\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} + \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a^2(A + 2B)}{\sqrt{\cos(c + dx)}} dx}{2a^2} \\
 &= -\frac{B\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} + \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{B \int \sqrt{\cos(c + dx)} dx}{2a^2} \\
 &= \frac{BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{a^2d} + \frac{(A + 2B)F \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{3a^2d} - \frac{B\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} + \dots
 \end{aligned}$$

Mathematica [C] time = 6.51282, size = 921, normalized size = 7.61

$$iB \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sec(c + dx)(A + B \sec(c + dx)) \left(\frac{2e^{2idx} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -e^{2idx}(\cos(c) + i \sin(c))^2\right) \sqrt{e^{-idx}(2(1+e^{2idx}) \cos(c) + 2i(-1+e^{2idx}) \sin(c))}}{3id(1+e^{2idx}) \cos(c) - 3d(-1+e^{2idx}) \sin(c)} \right)$$

2(B

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^2), x]

[Out] ((I/2)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2 - (2*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2 - (4*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d*x)/2]^4*(A + B*Sec[c + d*x])*((-4*B*Csc[c])/d - (4*B*Sec[c/2]*Sec[c/2 + (d*x)/2]*Sin[(d*x)/2])/d - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(-(A*Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/(3*d) - (2*(-A + B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(3*d)))/(Sqrt[Cos[c + d*x]]*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2)

Maple [B] time = 1.891, size = 350, normalized size = 2.9

$$-\frac{1}{6da^2} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left(2A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1} \text{EllipticF} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x)`

[Out]
$$-1/6*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-12*B*\cos(1/2*d*x+1/2*c)^6+4*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-6*B*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*A*\cos(1/2*d*x+1/2*c)^4+16*B*\cos(1/2*d*x+1/2*c)^4-3*A*\cos(1/2*d*x+1/2*c)^2-3*B*\cos(1/2*d*x+1/2*c)^2+A-B)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 \sec(dx + c)^2 + 2a^2 \cos(dx + c)^2 \sec(dx + c) + a^2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")`

[Out] `integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^2*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)^2*sec(d*x + c) + a^2*cos(d*x + c)^2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)

$$3.507 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=164

$$\frac{(2A-5B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} + \frac{(A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A-4B)\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} + \frac{(2A-5B)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)}$$

```
[Out] ((A - 4*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((2*A - 5*B)*EllipticF[(c +
d*x)/2, 2])/(3*a^2*d) - ((A - 4*B)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]
) + ((2*A - 5*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x
])) + ((A - B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^2
)
```

Rubi [A] time = 0.39664, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2978, 2748, 2636, 2639, 2641}

$$\frac{(2A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(A-4B)\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} + \frac{(2A-5B)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)} +$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2), x]
```

```
[Out] ((A - 4*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d) + ((2*A - 5*B)*EllipticF[(c +
d*x)/2, 2])/(3*a^2*d) - ((A - 4*B)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]
) + ((2*A - 5*B)*Sin[c + d*x])/(3*a^2*d*Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x
])) + ((A - B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^2
)
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*Ssin[e + f*x])^(p - m - n)*(b + a*Ssin[e + f*x])^m*(d + c
*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} dx \\
&= \frac{(A - B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} + \frac{\int \frac{-\frac{1}{2}a(A-7B) + \frac{3}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))} dx}{3a^2} \\
&= \frac{(2A - 5B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}(1 + \cos(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} + \\
&= \frac{(2A - 5B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}(1 + \cos(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} + \\
&= \frac{(2A - 5B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} - \frac{(A - 4B) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{(2A - 5B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}(1 + \cos(c + dx))} \\
&= \frac{(A - 4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{(2A - 5B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} - \frac{(A - 4B) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.72682, size = 1351, normalized size = 8.24

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x])/((Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^2),
x]
```

```
[Out] ((I/2)*A*Csc[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c +
d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(
Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((
2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)
*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d
*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c]
+ I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*
d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*
Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[
c])))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2) - ((2*I)*B*Csc[c/2 + (d
*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d
*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)
```

```

]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E
^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*
I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hyp
ergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt
[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*
x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1
+ E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c +
d*x])*(a + a*Sec[c + d*x])^2) - (4*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Hyperge
ometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c +
d*x]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - Arc
Tan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*
Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Co
t[c]^2]*(a + a*Sec[c + d*x])^2) + (10*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Hyperg
eometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c
+ d*x]*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - Ar
cTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*
Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Co
t[c]^2]*(a + a*Sec[c + d*x])^2) + (Cos[c/2 + (d*x)/2]^4*(A + B*Sec[c + d*x]
)*((2*(2*B - A*Cos[c] + 2*B*Cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/d + (2*Sec[c/
2]*Sec[c/2 + (d*x)/2]^3*(-(A*Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/(3*d) + (4*Se
c[c/2]*Sec[c/2 + (d*x)/2]*(-(A*Sin[(d*x)/2]) + 2*B*Sin[(d*x)/2]))/d + (8*B*
Sec[c]*Sec[c + d*x]*Sin[d*x])/d + (2*(-A + B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2]
)/(3*d)))/(Sqrt[Cos[c + d*x]]*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2)

```

Maple [B] time = 2.314, size = 492, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x)
```

```
[Out] 1/6*(2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*
x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*EllipticF(cos(1/2*d*x+1
/2*c),2^(1/2))-3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-5*B*EllipticF(cos(
1/2*d*x+1/2*c),2^(1/2))+12*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*cos(1/2
*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin
(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
(2*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*A*EllipticE(cos(1/2*d*x+1/2*c)
,2^(1/2))-5*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+12*B*EllipticE(cos(1/2*
d*x+1/2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)-12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2
*d*x+1/2*c)^2)^(1/2)*(A-4*B)*sin(1/2*d*x+1/2*c)^6+2*(-2*sin(1/2*d*x+1/2*c)^

```

$$4 + \sin(1/2*d*x + 1/2*c)^2)^{1/2} * (10*A - 43*B) * \sin(1/2*d*x + 1/2*c)^4 - (-2 * \sin(1/2*d*x + 1/2*c)^4 + \sin(1/2*d*x + 1/2*c)^2)^{1/2} * (7*A - 37*B) * \sin(1/2*d*x + 1/2*c)^2) / a^2 / \cos(1/2*d*x + 1/2*c)^3 / (-2 * \sin(1/2*d*x + 1/2*c)^4 + \sin(1/2*d*x + 1/2*c)^2)^{1/2} / \sin(1/2*d*x + 1/2*c) / (2 * \cos(1/2*d*x + 1/2*c)^2 - 1)^{1/2} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^3 \sec(dx + c)^2 + 2 a^2 \cos(dx + c)^3 \sec(dx + c) + a^2 \cos(dx + c)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^3*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)^3*sec(d*x + c) + a^2*cos(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2)), x)

$$3.508 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^2} dx$$

Optimal. Leaf size=197

$$\frac{5(A-2B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^2d} - \frac{(4A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-7B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} - \frac{5(A-2B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] -(((4*A - 7*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) - (5*(A - 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(A - 2*B)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) + ((4*A - 7*B)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) + ((4*A - 7*B)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])) + ((A - B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2)

Rubi [A] time = 0.427585, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2978, 2748, 2636, 2641, 2639}

$$\frac{5(A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(4A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-7B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} - \frac{5(A-2B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2),x]

[Out] -(((4*A - 7*B)*EllipticE[(c + d*x)/2, 2])/(a^2*d)) - (5*(A - 2*B)*EllipticF[(c + d*x)/2, 2])/(3*a^2*d) - (5*(A - 2*B)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)) + ((4*A - 7*B)*Sin[c + d*x])/(a^2*d*Sqrt[Cos[c + d*x]]) + ((4*A - 7*B)*Sin[c + d*x])/(3*a^2*d*Cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])) + ((A - B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^2)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*SIN[e + f*x])^(p - m - n)*(b + a*SIN[e + f*x])^m*(d + c*SIN[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^2} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2} dx \\
&= \frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \int \frac{-\frac{3}{2}a(A-3B) + \frac{5}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx \\
&= \frac{(4A - 7B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \dots \\
&= \frac{(4A - 7B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \dots \\
&= -\frac{5(A - 2B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4A - 7B) \sin(c + dx)}{a^2d \sqrt{\cos(c + dx)}} + \frac{(4A - 7B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} + \dots \\
&= -\frac{(4A - 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} - \frac{5(A - 2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} - \frac{5(A - 2B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)} + \dots
\end{aligned}$$

Mathematica [C] time = 7.23243, size = 1392, normalized size = 7.07

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^2), x]

[Out] ((-2*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^2 + (((7*I)/2)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*Sec[c + d*x]*(A + B*Sec[c + d*x])*((2*E^((2

$$\begin{aligned}
& *I)*d*x)*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^((2*I)*d*x))*\text{Sin}[c])/E^(I*d*x)]*\text{Sqrt}[1 + E^((2*I)*d*x)*\text{Cos}[2*c] + I*E^((2*I)*d*x)*\text{Sin}[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^((2*I)*d*x))*\text{Sin}[c]))/((B + A*\text{Cos}[c + d*x])*(a + a*\text{Sec}[c + d*x])^2) + (10*A*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x])* \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(B + A*\text{Cos}[c + d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) - (20*B*\text{Cos}[c/2 + (d*x)/2]^4*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[c + d*x]*(A + B*\text{Sec}[c + d*x])* \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(B + A*\text{Cos}[c + d*x])* \text{Sqrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^2) + (\text{Cos}[c/2 + (d*x)/2]^4*(A + B*\text{Sec}[c + d*x])*((-2*(-2*A + 4*B - 2*A*\text{Cos}[c] + 3*B*\text{Cos}[c]))*\text{Csc}[c/2]*\text{Sec}[c/2]*\text{Sec}[c])/d - (2*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(-(A*\text{Sin}[(d*x)/2]) + B*\text{Sin}[(d*x)/2]))/(3*d) - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(-2*A*\text{Sin}[(d*x)/2] + 3*B*\text{Sin}[(d*x)/2]))/d + (8*B*\text{Sec}[c]*\text{Sec}[c + d*x]^2*\text{Sin}[d*x])/ (3*d) + (8*\text{Sec}[c]*\text{Sec}[c + d*x]*(B*\text{Sin}[c] + 3*A*\text{Sin}[d*x] - 6*B*\text{Sin}[d*x]))/(3*d) - (2*(-A + B)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/ (3*d)))/(\text{Sqrt}[\text{Cos}[c + d*x]]*(B + A*\text{Cos}[c + d*x])*(a + a*\text{Sec}[c + d*x])^2)
\end{aligned}$$

Maple [B] time = 6.874, size = 750, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c))/\text{cos}(d*x+c)^{(7/2)}/(a+a*\text{sec}(d*x+c))^2,x)$

[Out] $-1/2*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/a^2*(1/3*(-A+B)*(2*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-3*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}))*\text{cos}(1/2*d*x+1/2*c)*\text{sin}(1/2*d*x+1/2*c)^2-2*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-3*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}))*\text{cos}(1/2*d*x+1/2*c)-12*\text{sin}(1/2*d*x+1/2*c)^6+20*\text{sin}(1/2*d*x+1/2*c)^4-7*\text{sin}(1/2*d*x+1/2*c)^2)/(-2*\text{sin}(1/2*d*x+1/2*c)$

$$\begin{aligned} &^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) / (\sin(1/2*d*x+1/2*c)^2 - 1) + \\ &4*B*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2) \\ &^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2 - 1)^{2+1/3} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos \\ &\sin(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ &\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + (-2*A+4*B) * (\cos(1/2*d*x+1/2*c) \\ &* (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (\text{EllipticF}(\cos \\ &\sin(1/2*d*x+1/2*c), 2^{(1/2)}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) - 2*\sin(1/2 \\ &*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2) / \cos(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2* \\ &c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + (4*A-8*B) * (-\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\\ &2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (-2*\sin \\ &\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 2 * (-2*\sin(1/2*d*x+1/2*c)^4 + \\ &\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2) / \sin(1/ \\ &2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d* \\ &x+1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^4 \sec(dx + c)^2 + 2a^2 \cos(dx + c)^4 \sec(dx + c) + a^2 \cos(dx + c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^2,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^4*sec(d*x + c)^2 + 2*a^2*cos(d*x + c)^4*sec(d*x + c) + a^2*cos(d*x + c)^4), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+a*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^2*cos(d*x + c)^(7/2)), x)

$$3.509 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=221

$$\frac{(33A - 13B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} - \frac{7(17A - 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{7(17A - 7B)\sin(c + dx)\cos^3(c + dx)}{30d(a^3 \cos(c + dx) + a^3)} + \frac{(33A - 13B)\sin(c + dx)}{30d(a^3 \cos(c + dx) + a^3)}$$

[Out] (-7*(17*A - 7*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((33*A - 13*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((33*A - 13*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a^3*d) - ((A - B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((2*A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*a*d*(a + a*Cos[c + d*x])^2) - (7*(17*A - 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Cos[c + d*x]))

Rubi [A] time = 0.582192, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2977, 2748, 2639, 2635, 2641}

$$\frac{(33A - 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{7(17A - 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{7(17A - 7B)\sin(c + dx)\cos^3(c + dx)}{30d(a^3 \cos(c + dx) + a^3)} + \frac{(33A - 13B)\sin(c + dx)}{30d(a^3 \cos(c + dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]

[Out] (-7*(17*A - 7*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((33*A - 13*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((33*A - 13*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a^3*d) - ((A - B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((2*A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(3*a*d*(a + a*Cos[c + d*x])^2) - (7*(17*A - 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(30*d*(a^3 + a^3*Cos[c + d*x]))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -

$a*d, 0$ && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx &= \int \frac{\cos^7(c+dx)(B+A \cos(c+dx))}{(a+a \cos(c+dx))^3} dx \\
&= -\frac{(A-B) \cos^7(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{\int \frac{\cos^5(c+dx) \left(-\frac{7}{2}a(A-B) + \frac{1}{2}a(13A-3B) \cos(c+dx)\right)}{(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A-B) \cos^7(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{(2A-B) \cos^5(c+dx) \sin(c+dx)}{3ad(a+a \cos(c+dx))^2} + \frac{\int \frac{\cos^3(c+dx) \left(-\frac{7}{2}a(A-B) + \frac{1}{2}a(13A-3B) \cos(c+dx)\right)}{(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A-B) \cos^7(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{(2A-B) \cos^5(c+dx) \sin(c+dx)}{3ad(a+a \cos(c+dx))^2} - \frac{7(13A-3B) \cos^3(c+dx) \sin(c+dx)}{10a^2d} \\
&= -\frac{(A-B) \cos^7(c+dx) \sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{(2A-B) \cos^5(c+dx) \sin(c+dx)}{3ad(a+a \cos(c+dx))^2} - \frac{7(13A-3B) \cos^3(c+dx) \sin(c+dx)}{10a^2d} \\
&= -\frac{7(17A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(33A-13B)\sqrt{\cos(c+dx)} \sin(c+dx)}{6a^3d} - \frac{(A-B) \cos^3(c+dx) \sin(c+dx)}{10a^2d} \\
&= -\frac{7(17A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(33A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(33A-13B) \cos^3(c+dx) \sin(c+dx)}{10a^2d}
\end{aligned}$$

Mathematica [C] time = 6.90569, size = 1448, normalized size = 6.55

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3, x]

[Out] (((-119*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c])

$$\begin{aligned}
& d*x)) * \sin[c])) / ((B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x])^3) + (((49 * I) / 10) \\
&) * B * \cos[c/2 + (d*x)/2]^6 * \csc[c/2] * \sec[c/2] * \sec[c + d*x]^2 * (A + B * \sec[c + d* \\
& x]) * ((2 * E^{((2 * I) * d*x)} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2 * I) * d*x)} * (\cos \\
& [c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{((2 * I) * d*x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * \\
& I) * d*x)}) * \sin[c])} / E^{(I * d*x)}] * \sqrt{1 + E^{((2 * I) * d*x)} * \cos[2 * c] + I * E^{((2 * I) * d * \\
& x)} * \sin[2 * c]}) / ((3 * I) * d * (1 + E^{((2 * I) * d*x)}) * \cos[c] - 3 * d * (-1 + E^{((2 * I) * d * x) \\
& }) * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2 * I) * d*x)} * (\cos[c] + \\
& I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{((2 * I) * d*x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x) \\
& }) * \sin[c])} / E^{(I * d*x)}] * \sqrt{1 + E^{((2 * I) * d*x)} * \cos[2 * c] + I * E^{((2 * I) * d * x) * \sin \\
& [2 * c]}) / ((-I) * d * (1 + E^{((2 * I) * d*x)}) * \cos[c] + d * (-1 + E^{((2 * I) * d * x) * \sin[c]}) \\
&)) / ((B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x])^3) - (22 * A * \cos[c/2 + (d*x)/2] \\
& ^6 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x]^2 * (A + B * \sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * S \\
& \text{qrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x \\
& - \text{ArcTan}[\text{Cot}[c]])}] * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]})} / (d * (B + A * \cos[c + \\
& d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^3) + (26 * B * \cos[c/2 + (d*x)/2] \\
& ^6 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x]^2 * (A + B * \sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \\
& \text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d * \\
& x - \text{ArcTan}[\text{Cot}[c]])}] * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]})} / (3 * d * (B + A * \cos[\\
& c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^3) + (\cos[c/2 + (d*x)/2]^6 * (A + B * \sec[c + d*x]) * ((-4 * (-59 * A + 29 * B - 60 * A * \cos[c] + 20 * B * \cos[c]) * \csc[\\
& c]) / (5 * d) + (16 * A * \cos[d*x] * \sin[c]) / (3 * d) - (2 * \sec[c/2] * \sec[c/2 + (d*x)/2]^5 \\
& * (- (A * \sin[(d*x)/2]) + B * \sin[(d*x)/2])) / (5 * d) + (4 * \sec[c/2] * \sec[c/2 + (d*x) / \\
& 2]^3 * (-19 * A * \sin[(d*x)/2] + 14 * B * \sin[(d*x)/2])) / (15 * d) - (4 * \sec[c/2] * \sec[c/2 \\
& + (d*x)/2] * (-59 * A * \sin[(d*x)/2] + 29 * B * \sin[(d*x)/2])) / (5 * d) + (16 * A * \cos[c] * \\
& \sin[d*x]) / (3 * d) + (4 * (-19 * A + 14 * B) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (15 * d) - \\
& (2 * (-A + B) * \sec[c/2 + (d*x)/2]^4 * \tan[c/2]) / (5 * d)) / (\cos[c + d*x]^{(3/2)} * (B \\
& + A * \cos[c + d*x]) * (a + a * \sec[c + d*x])^3)
\end{aligned}$$

Maple [A] time = 2.1, size = 465, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{(3/2)} * (A+B*\sec(d*x+c)) / (a+a*\sec(d*x+c))^3, x)$

[Out] $-1/60 * ((2 * \cos(1/2 * d*x + 1/2 * c)^2 - 1) * \sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (160 * A * \cos(1/2 * d*x + 1/2 * c)^{10} + 468 * A * \cos(1/2 * d*x + 1/2 * c)^8 + 330 * A * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d*x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d*x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d*x + 1/2 * c)^5 + 714 * A * \cos(1/2 * d*x + 1/2 * c)^5 * (\sin(1/2 * d*x + 1/2 * c)^2)^{(1/2)}$

)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3
 48*B*cos(1/2*d*x+1/2*c)^8-130*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*
 x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c
)^5-294*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x
 +1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1058*A*cos(1/2*d*x
 +1/2*c)^6+578*B*cos(1/2*d*x+1/2*c)^6+474*A*cos(1/2*d*x+1/2*c)^4-264*B*cos(1
 /2*d*x+1/2*c)^4-47*A*cos(1/2*d*x+1/2*c)^2+37*B*cos(1/2*d*x+1/2*c)^2+3*A-3*B
)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(
 1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm
 ="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a^3 \sec(dx + c)^3 + 3 a^3 \sec(dx + c)^2 + 3 a^3 \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm
 ="fricas")

[Out] integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/
 (a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^3, x)

$$3.510 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=188

$$\frac{(13A - 3B)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{6a^3d} + \frac{(49A - 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(13A - 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{6d(a^3 \cos(c + dx) + a^3)} - \frac{(A - B) \sin(c + dx)}{5d(a \cos(c + dx) + a)}$$

```
[Out] ((49*A - 9*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((13*A - 3*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((8*A - 3*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((13*A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Cos[c + d*x]))
```

Rubi [A] time = 0.547795, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2954, 2977, 2748, 2641, 2639}

$$\frac{(13A - 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(49A - 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(13A - 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{6d(a^3 \cos(c + dx) + a^3)} - \frac{(A - B) \sin(c + dx)}{5d(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3,x]
```

```
[Out] ((49*A - 9*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) - ((13*A - 3*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((8*A - 3*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((13*A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a^3 + a^3*Cos[c + d*x]))
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Ssin[e + f*x])^(p - m - n)*(b + a*Ssin[e + f*x])^m*(d + c*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx))}{(a+a\sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(B+A\cos(c+dx))}{(a+a\cos(c+dx))^3} dx \\
&= -\frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \int \frac{\cos^{\frac{3}{2}}(c+dx)\left(-\frac{5}{2}a(A-B)+\frac{1}{2}a(11A-B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(8A-3B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{1}{2}}(c+dx)\left(\frac{1}{2}a(11A-B)\cos(c+dx)-\frac{5}{2}a(A-B)\right)}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(8A-3B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{(13A-3B)\cos^{\frac{1}{2}}(c+dx)\sin(c+dx)}{6a^2d} + \int \frac{\cos^{\frac{1}{2}}(c+dx)\left(\frac{1}{2}a(11A-B)\cos(c+dx)-\frac{5}{2}a(A-B)\right)}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(8A-3B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{(13A-3B)\cos^{\frac{1}{2}}(c+dx)\sin(c+dx)}{6a^2d} - \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} \\
&= \frac{(49A-9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3}
\end{aligned}$$

Mathematica [C] time = 6.82387, size = 1415, normalized size = 7.53

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^3, x]

[Out] (((49*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3 - (((9*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3

$$\begin{aligned}
& + I*\sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c])))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) + (26*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^3) - (2*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(B + A*Cos[c + d*x])*Sqrt[1 + Cot[c]^2]*(a + a*Sec[c + d*x])^3) + (Cos[c/2 + (d*x)/2]^6*(A + B*Sec[c + d*x])*((-4*(29*A - 9*B + 20*A*Cos[c])*Csc[c])/(5*d) + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(-(A*Sin[(d*x)/2]) + B*Sin[(d*x)/2]))/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(-29*A*Sin[(d*x)/2] + 9*B*Sin[(d*x)/2]))/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(-14*A*Sin[(d*x)/2] + 9*B*Sin[(d*x)/2]))/(15*d) - (4*(-14*A + 9*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) + (2*(-A + B)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(Cos[c + d*x]^(3/2)*(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3)
\end{aligned}$$

Maple [B] time = 2.265, size = 451, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x)

[Out] 1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(348*A*cos(1/2*d*x+1/2*c)^8+130*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+294*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-108*B*cos(1/2*d*x+1/2*c)^8-30*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5-54*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(co

$$\sin(1/2*d*x+1/2*c), 2^{(1/2)} - 578*A*\cos(1/2*d*x+1/2*c)^6 + 198*B*\cos(1/2*d*x+1/2*c)^6 + 264*A*\cos(1/2*d*x+1/2*c)^4 - 114*B*\cos(1/2*d*x+1/2*c)^4 - 37*A*\cos(1/2*d*x+1/2*c)^2 + 27*B*\cos(1/2*d*x+1/2*c)^2 + 3*A - 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \sec(dx + c)^3 + 3a^3 \sec(dx + c)^2 + 3a^3 \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*sec(d*x + c)^3 + 3*a^3*sec(d*x + c)^2 + 3*a^3*sec(d*x + c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^3, x)

$$3.511 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)(a+a \sec(c+dx))^3}} dx$$

Optimal. Leaf size=182

$$\frac{(3A+B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(9A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(9A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(A-B)\sin(c+dx)}{5d(a\cos(c+dx)+a)}$$

```
[Out] -((9*A + B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A + B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((6*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) + ((9*A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))
```

Rubi [A] time = 0.539013, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2977, 2978, 2748, 2641, 2639}

$$\frac{(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(9A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(A-B)\sin(c+dx)\cos^2\left(\frac{1}{2}(c+dx)\right)}{5d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3), x]
```

```
[Out] -((9*A + B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A + B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) - ((6*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) + ((9*A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^3} dx &= \int \frac{\cos^{\frac{3}{2}}(c + dx)(B + A \cos(c + dx))}{(a + a \cos(c + dx))^3} dx \\
&= -\frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\sqrt{\cos(c + dx)} \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(9A + B) \cos(c + dx) \right)}{(a + a \cos(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B) \sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \dots}{\dots} \\
&= -\frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B) \sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(9A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} \\
&= -\frac{(A - B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B) \sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(3A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A - B) \cos^{\frac{3}{2}}(c + dx)}{5d(a + a \cos(c + dx))}
\end{aligned}$$

Mathematica [C] time = 6.74588, size = 1407, normalized size = 7.73

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^3), x]

[Out] (((-9*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3 - ((I/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))

$$\begin{aligned} &) * \sin[c] / E^{(I*d*x)} * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]} \\ &) / ((3*I)*d*(1 + E^{((2*I)*d*x)} * \cos[c] - 3*d*(-1 + E^{((2*I)*d*x)} * \sin[c]) \\ &) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)} * (\cos[c] + I * \sin[c])^2)] * \sqrt{(2*(1 + E^{((2*I)*d*x)} * \cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)} * \sin[c])) / E^{(I*d*x)}} \\ &) * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]})) / ((-I)*d*(1 + E^{((2*I)*d*x)} * \cos[c] + d*(-1 + E^{((2*I)*d*x)} * \sin[c])) / ((B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x])^3 - (2 * A * \cos[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x]^2 * (A + B * \sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]])}) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])) / (d * (B + A * \cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^3 - (2 * B * \cos[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x]^2 * (A + B * \sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]])}) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}])) / (3 * d * (B + A * \cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d*x])^3 + (\cos[c/2 + (d*x)/2]^6 * (A + B * \sec[c + d*x]) * ((4 * (9 * A + B) * \text{Csc}[c]) / (5 * d) - (2 * \sec[c/2] * \sec[c/2 + (d*x)/2]^5 * (- (A * \sin[(d*x)/2]) + B * \sin[(d*x)/2])) / (5 * d) + (4 * \sec[c/2] * \sec[c/2 + (d*x)/2] * (9 * A * \sin[(d*x)/2] + B * \sin[(d*x)/2])) / (5 * d) + (4 * \sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (-9 * A * \sin[(d*x)/2] + 4 * B * \sin[(d*x)/2])) / (15 * d) + (4 * (-9 * A + 4 * B) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (15 * d) - (2 * (-A + B) * \sec[c/2 + (d*x)/2]^4 * \tan[c/2]) / (5 * d))) / (\cos[c + d*x]^{(3/2)} * (B + A * \cos[c + d*x]) * (a + a * \sec[c + d*x])^3) \end{aligned}$$

Maple [B] time = 2.089, size = 451, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/(a+a*\sec(d*x+c))^3/\cos(d*x+c)^{(1/2)},x)$

[Out] $-1/60 * ((2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (108 * A * \cos(1/2 * d * x + 1/2 * c)^8 + 30 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c)^5 + 54 * A * \cos(1/2 * d * x + 1/2 * c)^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 12 * B * \cos(1/2 * d * x + 1/2 * c)^8 + 10 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c)^5 + 6 * B * \cos(1/2 * d * x + 1/2 * c)^5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 198 * A * \cos(1/2 * d * x + 1/2 * c)^6 - 2 * B * \cos(1/2 * d * x + 1/2 * c)^6 +$

$$114*A*\cos(1/2*d*x+1/2*c)^4-24*B*\cos(1/2*d*x+1/2*c)^4-27*A*\cos(1/2*d*x+1/2*c)^2+17*B*\cos(1/2*d*x+1/2*c)^2+3*A-3*B)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c) \sec(dx + c)^3 + 3 a^3 \cos(dx + c) \sec(dx + c)^2 + 3 a^3 \cos(dx + c) \sec(dx + c) + a^3 \cos(dx + c)}\right), x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)*sec(d*x + c) + a^3*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**3/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*sqrt(cos(d*x + c))), x)

$$3.512 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=178

$$\frac{(A+B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} - \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(4A+B)\sin(c+dx)}{15ad(a\cos(c+dx)+a)}$$

```
[Out] -((A - B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + B)*EllipticF[(c + d
*x)/2, 2])/(6*a^3*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a +
a*cos[c + d*x])^3) + ((4*A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a
+ a*cos[c + d*x])^2) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^
3 + a^3*cos[c + d*x]))
```

Rubi [A] time = 0.522084, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2977, 2978, 2748, 2641, 2639}

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(4A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]
```

```
[Out] -((A - B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + B)*EllipticF[(c + d
*x)/2, 2])/(6*a^3*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a +
a*cos[c + d*x])^3) + ((4*A + B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a
+ a*cos[c + d*x])^2) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^
3 + a^3*cos[c + d*x]))
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*SIN[e + f*x])^(p - m - n)*(b + a*SIN[e + f*x])^m*(d + c
*SIN[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2977

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])

```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= \int \frac{\sqrt{\cos(c + dx)}(B + A \cos(c + dx))}{(a + a \cos(c + dx))^3} dx \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{-\frac{1}{2}a(A-B) + \frac{1}{2}a(7A+3B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \dots}{\dots} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} \\
&= -\frac{(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3}
\end{aligned}$$

Mathematica [C] time = 6.65469, size = 1406, normalized size = 7.9

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^3), x]

[Out] ((-I/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/((B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3) + ((I/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Si

$$\begin{aligned} & n[c])/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2*I)*d*x)*\text{Cos}[2*c] + I * E^{((2*I)*d*x)*\text{Sin}[2*c]}} \\ &])/((3*I)*d*(1 + E^{((2*I)*d*x)*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)*\text{Sin}[c]}) - \\ & (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)*(\text{Cos}[c] + I*\text{Sin}[c])^2)} \\ &])*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)*\text{Sin}[c]})/ \\ & E^{(I*d*x)})]*\text{Sqrt}[1 + E^{((2*I)*d*x)*\text{Cos}[2*c] + I * E^{((2*I)*d*x)*\text{Sin}[2*c]}}])/((- \\ & I)*d*(1 + E^{((2*I)*d*x)*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)*\text{Sin}[c]})))/(B + A* \\ & \text{Cos}[c + d*x])*(a + a*\text{Sec}[c + d*x])^3 - (2*A*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]* \\ & \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]* \\ & \text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x])* \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[\\ & d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Co} \\ & t[c]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(B + A*\text{Cos}[c + d*x])* \text{Sqr} \\ & t[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3 - (2*B*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2 \\ &]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2 \\ &]*\text{Sec}[c + d*x]^2*(A + B*\text{Sec}[c + d*x])* \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Si} \\ & n[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Co} \\ & t[c]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(B + A*\text{Cos}[c + d*x])* \text{S} \\ & \text{qrt}[1 + \text{Cot}[c]^2]*(a + a*\text{Sec}[c + d*x])^3 + (\text{Cos}[c/2 + (d*x)/2]^6*(A + B*\text{Se} \\ & c[c + d*x])*((-4*(-A + B)*\text{Csc}[c])/(5*d) - (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(- \\ & (A*\text{Sin}[(d*x)/2]) + B*\text{Sin}[(d*x)/2]))/(5*d) + (2*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^ \\ & 5*(-(A*\text{Sin}[(d*x)/2]) + B*\text{Sin}[(d*x)/2]))/(5*d) + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x) \\ & /2]^3*(4*A*\text{Sin}[(d*x)/2] + B*\text{Sin}[(d*x)/2]))/(15*d) + (4*(4*A + B)*\text{Sec}[c/2 + \\ & (d*x)/2]^2*\text{Tan}[c/2])/(15*d) + (2*(-A + B)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5 \\ & *d)))/(\text{Cos}[c + d*x]^{(3/2)}*(B + A*\text{Cos}[c + d*x])*(a + a*\text{Sec}[c + d*x])^3) \end{aligned}$$

Maple [B] time = 2.285, size = 451, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c))/\text{cos}(d*x+c)^{(3/2)}/(a+a*\text{sec}(d*x+c))^3,x)$

[Out] $-1/60*((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\text{cos}(1/2*d*x+1/2*c)^8+10*A*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1/2*d*x+1/2*c)^5+6*A*\text{cos}(1/2*d*x+1/2*c)^5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-12*B*\text{cos}(1/2*d*x+1/2*c)^8+10*B*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1/2*d*x+1/2*c)^5-6*B*\text{cos}(1/2*d*x+1/2*c)^5*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-2*A*\text{cos}(1/2*d*x+1/2*c)^6+22*B*\text{cos}(1/2*d*x+1/2*c)^6-24*A*\text{cos}(1/2*d*x+1/2*c)^4-6*B*\text{cos}(1/2*d*x+1/2*c)^4+17*A*\text{cos}(1/2*d*x+1/2*c)^2-7$

$$\frac{B \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 3A + 3B}{a^3 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5} \frac{(-2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^{1/2}}{\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)} \frac{1}{(2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1)^{1/2}} \frac{1}{d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^2 \sec(dx + c)^3 + 3a^3 \cos(dx + c)^2 \sec(dx + c)^2 + 3a^3 \cos(dx + c)^2 \sec(dx + c) + a^3 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^2*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)^2*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)^2*sec(d*x + c) + a^3*cos(d*x + c)^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*cos(d*x + c)^(3/2)), x)

$$3.513 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=180

$$\frac{(A+3B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A+9B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A-6B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)}$$

```
[Out] ((A + 9*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 3*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((A - 6*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((A + 9*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))
```

Rubi [A] time = 0.532698, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$, Rules used = {2954, 2978, 2748, 2641, 2639}

$$\frac{(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A+9B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A-6B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]
```

```
[Out] ((A + 9*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + 3*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((A - 6*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((A + 9*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2748

```

Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= \int \frac{B + A \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} dx \\
&= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(A+9B) + \frac{3}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(A - 6B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{1}{2}a(A+9B) + \frac{3}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(A - 6B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{(A + 9B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{1}{2}a(A+9B) + \frac{3}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(A - 6B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{(A + 9B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{1}{2}a(A+9B) + \frac{3}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2} dx}{5a^2} \\
&= \frac{(A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3}
\end{aligned}$$

Mathematica [C] time = 6.70472, size = 1407, normalized size = 7.82

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^3), x]

[Out] ((I/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(B + A*Cos[c + d*x])*(a + a*Sec[c + d*x])^3 + (((9*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x)*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))

$$\begin{aligned} & * \sin[c] / E^{(I*d*x)} * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]} \\ & / ((3*I)*d*(1 + E^{((2*I)*d*x)} * \cos[c] - 3*d*(-1 + E^{((2*I)*d*x)} * \sin[c]) \\ & - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^{((2*I)*d*x)} * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{((2*I)*d*x)} * \cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)} * \sin[c])) / E^{(I*d*x)} * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]}}) / \\ & ((-I)*d*(1 + E^{((2*I)*d*x)} * \cos[c] + d*(-1 + E^{((2*I)*d*x)} * \sin[c]))) / ((B + A*\cos[c + d*x]) * (a + a*\sec[c + d*x])^3) - (2*A*\cos[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x]^2 * (A + B*\sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]])})} * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]) / (3*d*(B + A*\cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a*\sec[c + d*x])^3) - (2*B*\cos[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[c + d*x]^2 * (A + B*\sec[c + d*x]) * \sec[d*x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]])})} * \sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]) / (d*(B + A*\cos[c + d*x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a*\sec[c + d*x])^3) + (\cos[c/2 + (d*x)/2]^6 * (A + B*\sec[c + d*x]) * ((-4*(A + 9*B)*\text{Csc}[c]) / (5*d) - (2*\sec[c/2] * \sec[c/2 + (d*x)/2]^5 * (-A*\sin[(d*x)/2] + B*\sin[(d*x)/2])) / (5*d) - (4*\sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (-A*\sin[(d*x)/2] + 6*B*\sin[(d*x)/2])) / (15*d) - (4*\sec[c/2] * \sec[c/2 + (d*x)/2] * (A*\sin[(d*x)/2] + 9*B*\sin[(d*x)/2])) / (5*d) - (4*(-A + 6*B) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (15*d) - (2*(-A + B) * \sec[c/2 + (d*x)/2]^4 * \tan[c/2]) / (5*d)) / (\cos[c + d*x]^{(3/2)} * (B + A*\cos[c + d*x]) * (a + a*\sec[c + d*x])^3) \end{aligned}$$

Maple [B] time = 2.002, size = 451, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(5/2)}/(a+a*\sec(d*x+c))^3,x)$

[Out] $\frac{1}{60} * ((2*\cos(1/2*d*x+1/2*c))^2 - 1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (12*A*\cos(1/2*d*x+1/2*c)^8 - 10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 6*A*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 108*B*\cos(1/2*d*x+1/2*c)^8 - 30*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 54*B*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 22*A*\cos(1/2*d*x+1/2*c)^6 - 138*B*\cos(1/2*d*x+1/2*c)^6 + 6*A*\cos(1/2*d*x+1/2*c)^4 + 24*B*\cos(1/2*d*x+1/2*c)^4 + 7*A*\cos(1/2*d*x+1/2*c)^2$

$$+3*B*\cos(1/2*d*x+1/2*c)^2-3*A+3*B)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 \sec(dx + c)^3 + 3 a^3 \cos(dx + c)^3 \sec(dx + c)^2 + 3 a^3 \cos(dx + c)^3 \sec(dx + c) + a^3 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^3*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)^3*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)^3*sec(d*x + c) + a^3*cos(d*x + c)^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*cos(d*x + c)^(5/2)), x)

$$3.514 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^3} dx$$

Optimal. Leaf size=221

$$\frac{(3A-13B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{6a^3d} + \frac{(9A-49B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(9A-49B)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} + \frac{(3A-13B)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3\cos(c+dx))}$$

```
[Out] ((9*A - 49*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A - 13*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((9*A - 49*B)*Sin[c + d*x])/(10*a^3*d*Sqrt[Cos[c + d*x]]) + ((A - B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3) + ((3*A - 8*B)*Sin[c + d*x])/(15*a*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2) + ((3*A - 13*B)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]*(a^3 + a^3*Cos[c + d*x]))
```

Rubi [A] time = 0.577353, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2978, 2748, 2636, 2639, 2641}

$$\frac{(3A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(9A-49B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(9A-49B)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} + \frac{(3A-13B)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3\cos(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3), x]
```

```
[Out] ((9*A - 49*B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((3*A - 13*B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) - ((9*A - 49*B)*Sin[c + d*x])/(10*a^3*d*Sqrt[Cos[c + d*x]]) + ((A - B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3) + ((3*A - 8*B)*Sin[c + d*x])/(15*a*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2) + ((3*A - 13*B)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]*(a^3 + a^3*Cos[c + d*x]))
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*SIN[e + f*x])^(p - m - n)*(b + a*SIN[e + f*x])^m*(d + c*SIN[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
```

$a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 2978

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_)]))^{(m_)}*((A_ + (B_)*\sin[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m*(c + d*\text{Sin}[e + f*x])^{n + 1}})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m + 1}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \parallel \text{EqQ}[c, 0])$

Rule 2748

$\text{Int}[(b_)*\sin[(e_ + (f_)*(x_)]))^{(m_)}*((c_ + (d_)*\sin[(e_ + (f_)*(x_)]))^{(n_)}), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{m + 1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2636

$\text{Int}[(b_)*\sin[(c_ + (d_)*(x_)]))^{(n_)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{n + 1})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{n + 2}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_ + (d_)*(x_)])], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_ + (d_)*(x_)])], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^3} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} dx \\
&= \frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{\int \frac{-\frac{1}{2}a(A-11B) + \frac{5}{2}a(A-B)\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= \frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{(3A - 8B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} \\
&= \frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{(3A - 8B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} \\
&= \frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{(3A - 8B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} \\
&= \frac{(3A - 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(9A - 49B) \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}} + \frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} \\
&= \frac{(9A - 49B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(3A - 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(9A - 49B) \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 6.97275, size = 1447, normalized size = 6.55

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^3), x]

[Out] (((9*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*Sec[c + d*x]^2*(A + B*Sec[c + d*x])*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/E^(I*d*x)]

$$\begin{aligned} &) * d * x * \sin[2 * c]] / ((-I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] + d * (-1 + E^{((2 * I) * d * x)}) * \sin[c])) / ((B + A * \cos[c + d * x]) * (a + a * \sec[c + d * x])^3) - (((49 * I) / 10) * B * \cos[c / 2 + (d * x) / 2]^6 * \csc[c / 2] * \sec[c / 2] * \sec[c + d * x]^2 * (A + B * \sec[c + d * x]) * ((2 * E^{((2 * I) * d * x)}) * \text{Hypergeometric2F1}[1 / 2, 3 / 4, 7 / 4, -(E^{((2 * I) * d * x)}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{((2 * I) * d * x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c])} / E^{(I * d * x)}) * \sqrt{1 + E^{((2 * I) * d * x)}) * \cos[2 * c] + I * E^{((2 * I) * d * x)}) * \sin[2 * c]}) / ((3 * I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] - 3 * d * (-1 + E^{((2 * I) * d * x)}) * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1 / 4, 1 / 2, 3 / 4, -(E^{((2 * I) * d * x)}) * (\cos[c] + I * \sin[c])^2]) * \sqrt{(2 * (1 + E^{((2 * I) * d * x)}) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c])} / E^{(I * d * x)}) * \sqrt{1 + E^{((2 * I) * d * x)}) * \cos[2 * c] + I * E^{((2 * I) * d * x)}) * \sin[2 * c]}) / ((-I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] + d * (-1 + E^{((2 * I) * d * x)}) * \sin[c])) / ((B + A * \cos[c + d * x]) * (a + a * \sec[c + d * x])^3) - (2 * A * \cos[c / 2 + (d * x) / 2]^6 * \csc[c / 2] * \text{HypergeometricPFQ}[\{1 / 4, 1 / 2\}, \{5 / 4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c / 2] * \sec[c + d * x]^2 * (A + B * \sec[c + d * x]) * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\text{Cot}[c]])}) * \sqrt{1 + \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]})} / (d * (B + A * \cos[c + d * x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d * x])^3) + (26 * B * \cos[c / 2 + (d * x) / 2]^6 * \csc[c / 2] * \text{HypergeometricPFQ}[\{1 / 4, 1 / 2\}, \{5 / 4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c / 2] * \sec[c + d * x]^2 * (A + B * \sec[c + d * x]) * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]}] * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\text{Cot}[c]])}) * \sqrt{1 + \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]})} / (3 * d * (B + A * \cos[c + d * x]) * \sqrt{1 + \text{Cot}[c]^2} * (a + a * \sec[c + d * x])^3) + (\cos[c / 2 + (d * x) / 2]^6 * (A + B * \sec[c + d * x]) * ((2 * (20 * B - 9 * A * \cos[c] + 29 * B * \cos[c]) * \csc[c / 2] * \sec[c / 2] * \sec[c]) / (5 * d) + (2 * \sec[c / 2] * \sec[c / 2 + (d * x) / 2]^5 * (-A * \sin[(d * x) / 2]) + B * \sin[(d * x) / 2])) / (5 * d) + (4 * \sec[c / 2] * \sec[c / 2 + (d * x) / 2]^3 * (-6 * A * \sin[(d * x) / 2] + 11 * B * \sin[(d * x) / 2])) / (15 * d) + (4 * \sec[c / 2] * \sec[c / 2 + (d * x) / 2] * (-9 * A * \sin[(d * x) / 2] + 29 * B * \sin[(d * x) / 2])) / (5 * d) + (16 * B * \sec[c] * \sec[c + d * x] * \sin[d * x]) / d + (4 * (-6 * A + 11 * B) * \sec[c / 2 + (d * x) / 2]^2 * \tan[c / 2]) / (15 * d) + (2 * (-A + B) * \sec[c / 2 + (d * x) / 2]^4 * \tan[c / 2]) / (5 * d)) / (\cos[c + d * x]^{(3 / 2)} * (B + A * \cos[c + d * x]) * (a + a * \sec[c + d * x])^3) \end{aligned}$$

Maple [B] time = 2.533, size = 685, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(7/2)}/(a+a*\sec(d*x+c))^3,x)$

[Out] $\frac{1}{60} * (-2 * (\sin(1/2 * d * x + 1/2 * c))^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (15 * A * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 27 * A * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 65 * B * \text{EllipticF}$

$$\begin{aligned} & (\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 147*B*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \\ & \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^4 + 4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (15*A*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 27*A*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 65*B*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 147*B*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) - 2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (15*A*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 27*A*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 65*B*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 147*B*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) * \cos(1/2*d*x+1/2*c) + 12*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (9*A - 49*B) * \sin(1/2*d*x+1/2*c)^8 - 2*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (147*A - 817*B) * \sin(1/2*d*x+1/2*c)^6 + 6*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (43*A - 248*B) * \sin(1/2*d*x+1/2*c)^4 - (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (69*A - 439*B) * \sin(1/2*d*x+1/2*c)^2 / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))/cos(dx+c)^(7/2)/(a+a*sec(dx+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(B \sec(dx+c) + A) \sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^4 \sec(dx+c)^3 + 3a^3 \cos(dx+c)^4 \sec(dx+c)^2 + 3a^3 \cos(dx+c)^4 \sec(dx+c) + a^3 \cos(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))/cos(dx+c)^(7/2)/(a+a*sec(dx+c))^3,x, algorithm="fricas")

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a^3*cos(d*x + c)^4*sec(d*x + c)^3 + 3*a^3*cos(d*x + c)^4*sec(d*x + c)^2 + 3*a^3*cos(d*x + c)^4*sec(d*x + c) + a^3*cos(d*x + c)^4), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+a*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^3*cos(d*x + c)^(7/2)), x)
```

$$3.515 \quad \int \cos^{\frac{9}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=220

$$\frac{2a(8A + 9B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} + \frac{4a(8A + 9B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{16a(8A + 9B) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}}$$

[Out] (32*a*(8*A + 9*B)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(8*A + 9*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (4*a*(8*A + 9*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(8*A + 9*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.475591, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4015, 3805, 3804}

$$\frac{2a(8A + 9B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} + \frac{4a(8A + 9B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{16a(8A + 9B) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (32*a*(8*A + 9*B)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a*(8*A + 9*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (4*a*(8*A + 9*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(8*A + 9*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(9*d*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

Rule 3805

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx) \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \\
&= \frac{2aA \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{9d \sqrt{a+a \sec(c+dx)}} + \frac{1}{9} ((8A+9B) \sqrt{\cos(c+dx)}) \\
&= \frac{2a(8A+9B) \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{63d \sqrt{a+a \sec(c+dx)}} + \frac{2aA \cos^{\frac{7}{2}}(c+dx)}{9d \sqrt{a+a \sec(c+dx)}} \\
&= \frac{4a(8A+9B) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{105d \sqrt{a+a \sec(c+dx)}} + \frac{2a(8A+9B) \cos^{\frac{5}{2}}(c+dx)}{63d \sqrt{a+a \sec(c+dx)}} \\
&= \frac{16a(8A+9B) \sqrt{\cos(c+dx)} \sin(c+dx)}{315d \sqrt{a+a \sec(c+dx)}} + \frac{4a(8A+9B) \cos^{\frac{3}{2}}(c+dx)}{105d \sqrt{a+a \sec(c+dx)}} \\
&= \frac{32a(8A+9B) \sin(c+dx)}{315d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \frac{16a(8A+9B) \sqrt{\cos(c+dx)}}{315d \sqrt{a+a \sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.484972, size = 119, normalized size = 0.54

$$\frac{\sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a(\sec(c+dx)+1)} (94(8A+9B) \cos(c+dx) + 4(83A+54B) \cos(2(c+dx)) + 80A \cos(3(c+dx)))}{1260d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sqrt[Cos[c + d*x]]*(1321*A + 1368*B + 94*(8*A + 9*B)*Cos[c + d*x] + 4*(83*A + 54*B)*Cos[2*(c + d*x)] + 80*A*Cos[3*(c + d*x)] + 90*B*Cos[3*(c + d*x)] + 35*A*Cos[4*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(1260*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.34, size = 130, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx + c)) (35 A (\cos(dx + c))^4 + 40 A (\cos(dx + c))^3 + 45 B (\cos(dx + c))^3 + 48 A (\cos(dx + c))^2 + 54 B \cos(dx + c))}{315 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x)`

[Out] $-2/315/d*(-1+\cos(dx+c))*(35A\cos(dx+c)^4+40A\cos(dx+c)^3+45B\cos(dx+c)^3+48A\cos(dx+c)^2+54B\cos(dx+c)^2+64A\cos(dx+c)+72B\cos(dx+c)+128A+144B)*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*\cos(dx+c)^{1/2}/\sin(dx+c)$

Maxima [B] time = 2.06703, size = 738, normalized size = 3.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] $1/5040*(\sqrt{2}*(1890*\cos(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))*\sin(9/2*d*x + 9/2*c) + 420*\cos(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))*\sin(9/2*d*x + 9/2*c) + 252*\cos(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))*\sin(9/2*d*x + 9/2*c) + 45*\cos(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c)))*\sin(9/2*d*x + 9/2*c) - 1890*\cos(9/2*d*x + 9/2*c)*\sin(8/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 420*\cos(9/2*d*x + 9/2*c)*\sin(2/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 252*\cos(9/2*d*x + 9/2*c)*\sin(4/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) - 45*\cos(9/2*d*x + 9/2*c)*\sin(2/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 70*\sin(9/2*d*x + 9/2*c) + 45*\sin(7/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 252*\sin(5/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 420*\sin(1/3*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))) + 1890*\sin(1/9*\arctan2(\sin(9/2*d*x + 9/2*c), \cos(9/2*d*x + 9/2*c))))*A*\sqrt{a} - 18*\sqrt{2}*(7*(15*\sin(3*d*x + 3*c) + 5*\sin(2*d*x + 2*c) + \sin(dx + c))*\cos(7/2*\arctan2(\sin(dx + c), \cos(dx + c))) - (105*\cos(3*d*x + 3*c) + 35*\cos(2*d*x + 2*c) + 7*\cos(dx + c) + 10)*\sin(7/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 7*\sin(5/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 35*\sin(3/2*\arctan2(\sin(dx + c), \cos(dx + c))) - 105*\sin(1/2*\arctan2(\sin(dx + c), \cos(dx + c))))*B*\sqrt{a})/d$

Fricas [A] time = 0.485765, size = 309, normalized size = 1.4

$2(35A\cos(dx+c)^4 + 5(8A+9B)\cos(dx+c)^3 + 6(8A+9B)\cos(dx+c)^2 + 8(8A+9B)\cos(dx+c) + 128A + 144B)$

$315(d\cos(dx+c) + d)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] 2/315*(35*A*cos(d*x + c)^4 + 5*(8*A + 9*B)*cos(d*x + c)^3 + 6*(8*A + 9*B)*cos(d*x + c)^2 + 8*(8*A + 9*B)*cos(d*x + c) + 128*A + 144*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.516 \quad \int \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=175

$$\frac{2a(6A + 7B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d\sqrt{a \sec(c + dx)} + a} + \frac{8a(6A + 7B) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d\sqrt{a \sec(c + dx)} + a} + \frac{16a(6A + 7B) \sin(c + dx)}{105d\sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx)} + a} +$$

[Out] (16*a*(6*A + 7*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(6*A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(6*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.403348, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4015, 3805, 3804}

$$\frac{2a(6A + 7B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d\sqrt{a \sec(c + dx)} + a} + \frac{8a(6A + 7B) \sin(c + dx) \sqrt{\cos(c + dx)}}{105d\sqrt{a \sec(c + dx)} + a} + \frac{16a(6A + 7B) \sin(c + dx)}{105d\sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx)} + a} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (16*a*(6*A + 7*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a*(6*A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(6*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n]/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aA \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d \sqrt{a + a \sec(c + dx)}} + \frac{1}{7} \left((6A + 7B) \sqrt{\cos(c + dx)} \right) \\
&= \frac{2a(6A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d \sqrt{a + a \sec(c + dx)}} + \frac{2aA \cos^{\frac{5}{2}}(c + dx)}{7d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{8a(6A + 7B) \sqrt{\cos(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \sec(c + dx)}} + \frac{2a(6A + 7B) \cos^{\frac{3}{2}}(c + dx)}{35d \sqrt{a + a \sec(c + dx)}} \\
&= \frac{16a(6A + 7B) \sin(c + dx)}{105d \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{8a(6A + 7B) \sqrt{\cos(c + dx)}}{105d \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.339418, size = 96, normalized size = 0.55

$$\frac{\sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a(\sec(c + dx) + 1)}((141A + 112B)\cos(c + dx) + 6(6A + 7B)\cos(2(c + dx)) + 15A\cos(3(c + dx)))}{210d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sqrt[Cos[c + d*x]]*(228*A + 266*B + (141*A + 112*B)*Cos[c + d*x] + 6*(6*A + 7*B)*Cos[2*(c + d*x)] + 15*A*Cos[3*(c + d*x)])*Sqrt[a*(1 + Sec[c + d*x])] *Sin[c + d*x])/(210*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.276, size = 108, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx + c)) (15 A (\cos(dx + c))^3 + 18 A (\cos(dx + c))^2 + 21 B (\cos(dx + c))^2 + 24 A \cos(dx + c) + 28 B \cos(dx + c))}{105 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2), x)

[Out] -2/105/d*(-1+cos(d*x+c))*(15*A*cos(d*x+c)^3+18*A*cos(d*x+c)^2+21*B*cos(d*x+c)^2+24*A*cos(d*x+c)+28*B*cos(d*x+c)+48*A+56*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)/sin(d*x+c)

Maxima [B] time = 2.02598, size = 564, normalized size = 3.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")

[Out] 1/840*(3*sqrt(2)*(105*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) *sin(7/2*d*x + 7/2*c) + 35*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos

$(7/2*d*x + 7/2*c)) * \sin(7/2*d*x + 7/2*c) + 7 * \cos(2/7 * \arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * \sin(7/2*d*x + 7/2*c) - 105 * \cos(7/2*d*x + 7/2*c) * \sin(6/7 * \arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 35 * \cos(7/2*d*x + 7/2*c) * \sin(4/7 * \arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 7 * \cos(7/2*d*x + 7/2*c) * \sin(2/7 * \arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 10 * \sin(7/2*d*x + 7/2*c) + 7 * \sin(5/7 * \arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 35 * \sin(3/7 * \arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 105 * \sin(1/7 * \arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) * A * \sqrt{a} - 14 * \sqrt{2} * (5 * (6 * \sin(2*d*x + 2*c) + \sin(d*x + c)) * \cos(5/2 * \arctan2(\sin(d*x + c), \cos(d*x + c))) - (30 * \cos(2*d*x + 2*c) + 5 * \cos(d*x + c) + 6) * \sin(5/2 * \arctan2(\sin(d*x + c), \cos(d*x + c)))) - 5 * \sin(3/2 * \arctan2(\sin(d*x + c), \cos(d*x + c))) - 30 * \sin(1/2 * \arctan2(\sin(d*x + c), \cos(d*x + c)))) * B * \sqrt{a}) / d$

Fricas [A] time = 0.480417, size = 265, normalized size = 1.51

$$\frac{2 \left(15 A \cos(dx + c)^3 + 3(6A + 7B) \cos(dx + c)^2 + 4(6A + 7B) \cos(dx + c) + 48A + 56B \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)}}{105(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorith="fricas")

[Out] 2/105*(15*A*cos(d*x + c)^3 + 3*(6*A + 7*B)*cos(d*x + c)^2 + 4*(6*A + 7*B)*cos(d*x + c) + 48*A + 56*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)
```

$$3.517 \quad \int \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=130

$$\frac{2a(4A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)}}{15d\sqrt{a \sec(c + dx) + a}} + \frac{4a(4A + 5B) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2aA \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d\sqrt{a \sec(c + dx) + a}}$$

[Out] (4*a*(4*A + 5*B)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.331671, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4015, 3805, 3804}

$$\frac{2a(4A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)}}{15d\sqrt{a \sec(c + dx) + a}} + \frac{4a(4A + 5B) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2aA \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (4*a*(4*A + 5*B)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \sec(c + dx)}} + \frac{1}{5} \left((4A + 5B) \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)} \right) \\ &= \frac{2a(4A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} + \frac{2aA \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \sec(c + dx)}} \\ &= \frac{4a(4A + 5B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{2a(4A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \sec(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.164615, size = 79, normalized size = 0.61

$$\frac{2 \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + 1)} \left((4A + 5B) \cos(c + dx) + 3A \cos^2(c + dx) + 8A + 10B \right)}{15d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (2*Sqrt[Cos[c + d*x]]*(8*A + 10*B + (4*A + 5*B)*Cos[c + d*x] + 3*A*Cos[c + d*x]^2)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(15*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.3, size = 86, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) \left(3 A (\cos(dx + c))^2 + 4 A \cos(dx + c) + 5 B \cos(dx + c) + 8 A + 10 B \right)}{15 d \sin(dx + c)} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \sqrt{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2), x)

[Out] -2/15/d*(-1+cos(d*x+c))*(3*A*cos(d*x+c)^2+4*A*cos(d*x+c)+5*B*cos(d*x+c)+8*A+10*B)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)/sin(d*x+c)

Maxima [B] time = 1.98797, size = 400, normalized size = 3.08

$$\sqrt{2} \left(30 \cos\left(\frac{4}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \cos\left(\frac{2}{5} \arctan\left(\sin\left(\frac{5}{2} dx + \frac{5}{2} c\right), \cos\left(\frac{5}{2} dx + \frac{5}{2} c\right)\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")

[Out] 1/60*(sqrt(2)*(30*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) + 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) * sin(5/2*d*x + 5/2*c) - 30*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 6*sin(5/2*d*x + 5/2*c) + 5*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 30*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))))*A*sqrt(a) - 10*(3*sqrt(2)*cos(3/2*arctan2(sin(d*x + c), cos(d*x + c))) * sin(d*x + c) - (3*sqrt(2)*cos(d*x + c) + 2*sqrt(2))*sin(3/2*arctan2(sin(d*x + c), cos(d*x + c))) - 3*sqrt(2)*sin(1/2*arctan2(sin(d*x + c), cos(d*x + c))))*B*sqrt(a)

))/d

Fricas [A] time = 0.473478, size = 216, normalized size = 1.66

$$\frac{2 \left(3 A \cos(dx + c)^2 + (4 A + 5 B) \cos(dx + c) + 8 A + 10 B \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx + c)} \sin(dx + c)}{15 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 2/15*(3*A*cos(d*x + c)^2 + (4*A + 5*B)*cos(d*x + c) + 8*A + 10*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a \cos(dx + c)}^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)

$$3.518 \quad \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=82

$$\frac{2a(A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{3d}$$

[Out] (2*a*(A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.262272, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2955, 4013, 3804}

$$\frac{2a(A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{2A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*a*(A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)]^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],

x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx)) dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \sec(c + dx)} (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} (A + 3B) \int \frac{\sqrt{a + a \sec(c + dx)}}{\sec(c + dx)} dx \\ &= \frac{2a(A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}} + \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}}{3d} \end{aligned}$$

Mathematica [A] time = 0.175153, size = 56, normalized size = 0.68

$$\frac{2\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} (A \cos(c + dx) + 2A + 3B)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (2*Sqrt[Cos[c + d*x]]*(2*A + 3*B + A*Cos[c + d*x])*Sqrt[a*(1 + Sec[c + d*x])]*Tan[(c + d*x)/2])/(3*d)

Maple [A] time = 0.265, size = 65, normalized size = 0.8

$$-\frac{(-2 + 2 \cos(dx + c)) (A \cos(dx + c) + 2A + 3B)}{3d \sin(dx + c)} \sqrt{\cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x)`

[Out] $-2/3/d*(-1+\cos(d*x+c))*(A*\cos(d*x+c)+2*A+3*B)*\cos(d*x+c)^(1/2)*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^(1/2)/\sin(d*x+c)$

Maxima [A] time = 1.94239, size = 190, normalized size = 2.32

$$\sqrt{2}\left(3\cos\left(\frac{2}{3}\arctan\left(\sin\left(\frac{3}{2}dx+\frac{3}{2}c\right),\cos\left(\frac{3}{2}dx+\frac{3}{2}c\right)\right)\right)\sin\left(\frac{3}{2}dx+\frac{3}{2}c\right)-3\cos\left(\frac{3}{2}dx+\frac{3}{2}c\right)\sin\left(\frac{2}{3}\arctan\left(\sin\left(\frac{3}{2}d\right.\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] $1/6*(\sqrt{2}*(3*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(3/2*d*x + 3/2*c) - 3*\cos(3/2*d*x + 3/2*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(3/2*d*x + 3/2*c) + 3*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A*\sqrt{a} + 12*\sqrt{2}*B*\sqrt{a}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))/d$

Fricas [A] time = 0.470526, size = 171, normalized size = 2.09

$$\frac{2(A\cos(dx+c)+2A+3B)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{3(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] $2/3*(A*\cos(d*x + c) + 2*A + 3*B)*\sqrt{((a*\cos(d*x + c) + a)/\cos(d*x + c))*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(d*\cos(d*x + c) + d)}$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)`

$$3.519 \quad \int \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx$$

Optimal. Leaf size=96

$$\frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}} + \frac{2\sqrt{a}B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

[Out] (2*Sqrt[a]*B*ArcSinh[(Sqrt[a]*Tan[c+d*x])/Sqrt[a+a*Sec[c+d*x]]]*Sqrt[Cos[c+d*x]]*Sqrt[Sec[c+d*x]])/d + (2*a*A*Sin[c+d*x])/(d*Sqrt[Cos[c+d*x]]*Sqrt[a+a*Sec[c+d*x]])

Rubi [A] time = 0.25894, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4015, 3801, 215}

$$\frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}} + \frac{2\sqrt{a}B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c+d*x]]*Sqrt[a+a*Sec[c+d*x]]*(A+B*Sec[c+d*x]),x]

[Out] (2*Sqrt[a]*B*ArcSinh[(Sqrt[a]*Tan[c+d*x])/Sqrt[a+a*Sec[c+d*x]]]*Sqrt[Cos[c+d*x]]*Sqrt[Sec[c+d*x]])/d + (2*a*A*Sin[c+d*x])/(d*Sqrt[Cos[c+d*x]]*Sqrt[a+a*Sec[c+d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e+f*x])^p*(g*Sin[e+f*x])^p, Int[((a+b*Csc[e+f*x])^m*(c+d*Csc[e+f*x])^n)/(g*Csc[e+f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4015

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C

```
ot[e + f*x]*(d*Csc[e + f*x]^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx)) dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \right) \int \frac{\sqrt{a+a \sec(c+dx)} (A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx \\ &= \frac{2aA \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} + \left(B \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \right) \int \frac{1}{\sqrt{\sec(c+dx)}} dx \\ &= \frac{2aA \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} - \frac{(2B \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)})}{d} \\ &= \frac{2\sqrt{a}B \sinh^{-1} \left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}} \right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d} + \frac{2aA \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a+a \sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.311601, size = 94, normalized size = 0.98

$$\frac{2\sqrt{\cos(c+dx)} \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\sec(c+dx)+1)} \left(A\sqrt{1-\sec(c+dx)} - B\sqrt{\sec(c+dx)} \sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \right)}{d\sqrt{1-\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]),
x]
```

```
[Out] (2*Sqrt[Cos[c + d*x]]*(A*Sqrt[1 - Sec[c + d*x]] - B*ArcSin[Sqrt[Sec[c + d*x]]])*Sqrt[Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x]])*Tan[(c + d*x)/2]/(d*Sqrt[1 - Sec[c + d*x]])
```

Maple [B] time = 0.301, size = 169, normalized size = 1.8

$$-\frac{-1 + \cos(dx + c)}{d(\sin(dx + c))^2} \left(2A \sin(dx + c) \sqrt{-2(\cos(dx + c) + 1)^{-1}} - B\sqrt{2} \arctan\left(\frac{\sqrt{2}(\cos(dx + c) + 1 - \sin(dx + c))}{4}\right) \sqrt{-2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/d*(-1+cos(d*x+c))*(2*A*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c))))*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^2
```

Maxima [B] time = 1.91334, size = 354, normalized size = 3.69

$$4\sqrt{2}A\sqrt{a}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) + B\sqrt{a}\left(\log\left(2\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 2\sqrt{2}\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2\sqrt{2}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/2*(4*sqrt(2)*A*sqrt(a)*sin(1/2*d*x + 1/2*c) + B*sqrt(a)*(log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2)))/d
```

Fricas [A] time = 0.552341, size = 799, normalized size = 8.32

$$\frac{4A\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c) + (B\cos(dx+c) + B)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 4\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}(\cos(dx+c)-2)\sqrt{\cos(dx+c)}}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{2(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x, algorith="fricas")

[Out] [1/2*(4*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (B*cos(d*x + c) + B)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), (2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + (B*cos(d*x + c) + B)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\sec(c + dx) + 1)}(A + B\sec(c + dx))\sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)*(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))*sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B\sec(dx + c) + A)\sqrt{a\sec(dx + c) + a}\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)*(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

$$3.520 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=98

$$\frac{\sqrt{a}(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{aB \sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}}$$

[Out] (Sqrt[a]*(2*A + B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a*B*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.256568, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4016, 3801, 215}

$$\frac{\sqrt{a}(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{d} + \frac{aB \sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)\sqrt{a\sec(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (Sqrt[a]*(2*A + B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a*B*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4016

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*

$\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x]$
 $+ \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /;$

$\text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[A*b*(2*n + 1) + 2*a*B*n, 0] \&\& !$
 $\text{LtQ}[n, 0]$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/ \text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /;$

$\text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_.)^2], x_Symbol] :> \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /;$

$\text{FreeQ}\{a, b\}, x\} \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)}\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx \\
 &= \frac{aB \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{1}{2} \left((2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \right. \\
 &\quad \left. - \frac{((2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{\sqrt{a + a \sec(c + dx)}} \right) \\
 &= \frac{aB \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} - \frac{((2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{\sqrt{a + a \sec(c + dx)}} \\
 &= \frac{\sqrt{a}(2A + B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{d} + \frac{3}{d \cos^{\frac{3}{2}}(c + dx)}
 \end{aligned}$$

Mathematica [A] time = 0.377472, size = 89, normalized size = 0.91

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(2A + B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2B \sin\left(\frac{1}{2}(c + dx)\right) \right) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]
],x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(2
*A + B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*B*Sec[c + d*x]*Sin[(c + d*x)/
2]))/(2*d)
```

Maple [B] time = 0.297, size = 275, normalized size = 2.8

$$\frac{-1 + \cos(dx + c)}{2d(\sin(dx + c))^2} \left(2A \cos(dx + c) \sqrt{2} \arctan \left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 - \sin(dx + c))} \right) - 2A \cos(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x)
```

```
[Out] 1/2/d*(-1+cos(d*x+c))*(2*A*cos(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d
*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))-2*A*cos(d*x+c)*2^(1/2)*arctan(1/
4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+B*cos(d*x+c)
*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x
+c)))-B*cos(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(co
s(d*x+c)+1+sin(d*x+c)))-2*B*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*(a*(cos(d
*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^2/(-2/(cos(d*x+c)+1))^(1/2)/cos(d*x+c
)^(1/2)
```

Maxima [B] time = 2.12408, size = 1222, normalized size = 12.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, algor
ithm="maxima")
```

```
[Out] 1/4*(2*A*sqrt(a)*(log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 +
2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - log
(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*
x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + log(2*cos(1/2*d*x + 1/2*c
```

$$\begin{aligned}
& c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2} \\
&)\sin(1/2dx + 1/2c) + 2) - \log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx \\
& + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c \\
&) + 2)) - (4\sqrt{2}\cos(3/2\arctan2(\sin(dx + c), \cos(dx + c)))\sin(2dx \\
& + 2c) - 4\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))\sin(2dx \\
& + 2c) - (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1) \\
& * \log(2\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(s \\
& in(dx + c), \cos(dx + c)))^2 + 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos \\
& (dx + c))) + 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) + \\
& (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)* \log(2*c \\
& os(1/2\arctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + \\
& c), \cos(dx + c)))^2 + 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c \\
&))) - 2\sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - (\cos(2* \\
& dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)* \log(2\cos(1/2*a \\
& rctan2(\sin(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos \\
& (dx + c)))^2 - 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2* \\
& \sqrt{2}\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) + (\cos(2dx + 2* \\
& c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)* \log(2\cos(1/2\arctan2(s \\
& in(dx + c), \cos(dx + c)))^2 + 2\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c \\
&)))^2 - 2\sqrt{2}\cos(1/2\arctan2(\sin(dx + c), \cos(dx + c))) - 2\sqrt{2}* \\
& \sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) + 2) - 4*(\sqrt{2}\cos(2dx + \\
& 2c) + \sqrt{2})*\sin(3/2\arctan2(\sin(dx + c), \cos(dx + c))) + 4*(\sqrt{2}*c \\
& os(2dx + 2c) + \sqrt{2})*\sin(1/2\arctan2(\sin(dx + c), \cos(dx + c))) * B* \\
& \sqrt{a}/(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)) \\
& /d
\end{aligned}$$

Fricas [A] time = 0.674699, size = 929, normalized size = 9.48

$$\left[\frac{4B\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c) + ((2A+B)\cos(dx+c)^2 + (2A+B)\cos(dx+c))\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 4\sqrt{a}}{4(d\cos(dx+c)^2 + d\cos(dx+c))}\right)}{4(d\cos(dx+c)^2 + d\cos(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*(a+a*sec(dx+c))^(1/2)/cos(dx+c)^(1/2),x, algorith="fricas")

[Out] [1/4*(4*B*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) + ((2*A + B)*cos(dx + c)^2 + (2*A + B)*cos(dx + c))*sqrt(a)*log((a

```
*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/2*(2*B*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((2*A + B)*cos(d*x + c)^2 + (2*A + B)*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)))]
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sec(c + dx) + 1)}(A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral(sqrt(a*(sec(c + d*x) + 1))*(A + B*sec(c + d*x))/sqrt(cos(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{a \sec(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)
```

$$3.521 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=151

$$\frac{a(4A+3B) \sin(c+dx)}{4d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(4A+3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{aB \sin(c+dx)}{2d \cos^{\frac{5}{2}}(c+dx)}$$

[Out] (Sqrt[a]*(4*A + 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a*B*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(4*A + 3*B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.331359, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4016, 3803, 3801, 215}

$$\frac{a(4A+3B) \sin(c+dx)}{4d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(4A+3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{aB \sin(c+dx)}{2d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (Sqrt[a]*(4*A + 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a*B*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(4*A + 3*B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3803

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \sec^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx \\
&= \frac{aB \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{1}{4} \left((4A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \right) \\
&= \frac{aB \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{a(4A + 3B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{aB \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{a(4A + 3B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{\sqrt{a}(4A + 3B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{4d} + \frac{aB \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.622837, size = 106, normalized size = 0.7

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(4A + 3B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(4*A + 3*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(4*A + 3*B + 2*B*Sec[c + d*x])*Sin[(c + d*x)/2]))/(8*d)

Maple [B] time = 0.344, size = 342, normalized size = 2.3

$$-\frac{-1 + \cos(dx + c)}{8d(\sin(dx + c))^2} \left(-4A(\cos(dx + c))^2 \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 - \sin(dx + c))}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x)`

[Out]
$$-1/8/d*(-1+\cos(d*x+c))*(-4*A*\cos(d*x+c)^2*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))+4*A*\cos(d*x+c)^2*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))-3*B*\cos(d*x+c)^2*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c))))+3*B*\cos(d*x+c)^2*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))+8*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+6*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+4*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/(-2/(\cos(d*x+c)+1))^{(1/2)}/\sin(d*x+c)^2/\cos(d*x+c)^{(3/2)}$$

Maxima [B] time = 2.27221, size = 2601, normalized size = 17.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="maxima")`

[Out]
$$-1/16*(4*(4*\sqrt{2}*\cos(3/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))*\sin(2*d*x+2*c) - 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))*\sin(2*d*x+2*c) - (\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) + 2) + (\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) + 2) - (\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) + 2) + (\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) + 2) - 4*(\sqrt{2}*\cos(2*d*x+2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x+c), \cos(d*x+c)))) + 4*(\sqrt{2}*\cos(2*d*x+2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x+c), \cos(d*x+c))))*A*\sqrt{a}/(\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1) +$$

$$\begin{aligned}
& (12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arctan \\
& 2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin \\
& (2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2}*\sin \\
& (4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \\
& \cos(d*x + c))) - 12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c) \\
&)*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 3*(2*(2*\cos(2*d*x + 2*c) + \\
& 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d* \\
& x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4 \\
& *\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 \\
& + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan \\
& 2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \\
& \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos \\
& (4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + \\
& 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log \\
& (2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d \\
& *x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x \\
& + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 3*(\\
& 2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2* \\
& d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4 \\
& *\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 \\
& - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/ \\
& 2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1) \\
& *\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + \\
& 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*co \\
& s(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \\
& 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan \\
& 2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), co \\
& s(d*x + c))) + 2) - 12*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2* \\
& c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2})*\cos \\
& (4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arctan2(\sin(d \\
& *x + c), \cos(d*x + c))) + 4*(\sqrt{2})*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x \\
& + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 12*(\sqrt{2} \\
&)*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2 \\
& (\sin(d*x + c), \cos(d*x + c)))*B*\sqrt{a}/(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4* \\
& d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 \\
& + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x \\
& + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.681025, size = 1035, normalized size = 6.85

$$\frac{4((4A + 3B)\cos(dx + c) + 2B)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c) + ((4A + 3B)\cos(dx+c)^3 + (4A + 3B)\cos(dx+c)}{16(d\cos(dx+c)^3 + d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorith="fricas")

[Out] [1/16*(4*((4*A + 3*B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((4*A + 3*B)*cos(d*x + c)^3 + (4*A + 3*B)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/8*(2*((4*A + 3*B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((4*A + 3*B)*cos(d*x + c)^3 + (4*A + 3*B)*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{a \sec(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)
```

$$3.522 \quad \int \frac{\sqrt{a+a \sec(c+dx)}(A+B \sec(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=196

$$\frac{a(6A+5B)\sin(c+dx)}{8d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a(6A+5B)\sin(c+dx)}{12d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(6A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin(c+dx)}{8d}$$

[Out] (Sqrt[a]*(6*A + 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*B*Sin[c + d*x])/(3*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(6*A + 5*B)*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(6*A + 5*B)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.395795, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4016, 3803, 3801, 215}

$$\frac{a(6A+5B)\sin(c+dx)}{8d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a(6A+5B)\sin(c+dx)}{12d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{a}(6A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin(c+dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (Sqrt[a]*(6*A + 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*B*Sin[c + d*x])/(3*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(6*A + 5*B)*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*(6*A + 5*B)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sec^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}(A + B \sec(c + dx)) dx \\
&= \frac{aB \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{1}{6} ((6A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \\
&= \frac{aB \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{a(6A + 5B) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{aB \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{a(6A + 5B) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{aB \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{a(6A + 5B) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{aB \sin(c + dx)}{3d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} + \frac{a(6A + 5B) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \sec(c + dx)}} \\
&= \frac{\sqrt{a}(6A + 5B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{8d} + \frac{1}{3d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 1.04659, size = 131, normalized size = 0.67

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (4(6A + 5B) \cos(c + dx) + 3(6A + 5B) \cos(2(c + dx)) + 18A + 31B)\right)}{48d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(6*A + 5*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (18*A + 31*B + 4*(6*A + 5*B)*Cos[c + d*x] + 3*(6*A + 5*B)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/ (48*d*Cos[c + d*x]^(5/2))

Maple [B] time = 0.353, size = 404, normalized size = 2.1

$$-\frac{-1 + \cos(dx + c)}{48d(\sin(dx + c))^2} \left(18A(\cos(dx + c))^3 \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 + \sin(dx + c))}\right)\sqrt{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))*(a+a*\sec(d*x+c))^{(1/2)}/\cos(d*x+c)^{(5/2)},x)$

[Out] $-1/48/d*(-1+\cos(d*x+c))*(18*A*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*2^{(1/2)}-18*A*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))*2^{(1/2)}+15*B*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))*2^{(1/2)}-15*B*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))*2^{(1/2)}+36*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+30*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+24*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+20*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+16*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/(-2/(\cos(d*x+c)+1))^{(1/2)}/\sin(d*x+c)^2/\cos(d*x+c)^{(5/2)}$

Maxima [B] time = 2.6058, size = 4512, normalized size = 23.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))*(a+a*\sec(d*x+c))^{(1/2)}/\cos(d*x+c)^{(5/2)},x, \text{algorithm}="maxima")$

[Out] $-1/96*(6*(12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 12*(\sqrt{2}*\sin(4*d*x + 4*c) + 2*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) +$

$$\begin{aligned}
& 2) - 3*(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + \\
& 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + \\
& 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2 \\
& (\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + \\
& c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2} \\
&)*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + 3*(2*(2*\cos(2*d*x + 2 \\
& *c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin \\
& (4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^ \\
& 2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c \\
&)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/ \\
& 2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c))) + 2) - 12*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2* \\
& d*x + 2*c) + \sqrt{2})*\sin(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*(\sqrt{ \\
& t(2)*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*\arcta \\
& n2(\sin(d*x + c), \cos(d*x + c))) + 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*c \\
& os(2*d*x + 2*c) + \sqrt{2})*\sin(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1 \\
& 2*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2 \\
& *\arctan2(\sin(d*x + c), \cos(d*x + c))) * A*\sqrt{a}/(2*(2*\cos(2*d*x + 2*c) + 1 \\
&)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x \\
& + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*c \\
& os(2*d*x + 2*c) + 1) + (60*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x \\
& + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(11/2*\arctan2(\sin(d*x + c), \cos(d*x \\
& + c))) + 20*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{ \\
& t(2)*\sin(2*d*x + 2*c))*\cos(9/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 168*(\\
& \sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x \\
& + 2*c))*\cos(7/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 168*(\sqrt{2}*\sin(6* \\
& d*x + 6*c) + 3*\sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(5 \\
& /2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 20*(\sqrt{2}*\sin(6*d*x + 6*c) + 3* \\
& \sqrt{2}*\sin(4*d*x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(3/2*\arctan2(\sin(\\
& d*x + c), \cos(d*x + c))) - 60*(\sqrt{2}*\sin(6*d*x + 6*c) + 3*\sqrt{2}*\sin(4*d \\
& *x + 4*c) + 3*\sqrt{2}*\sin(2*d*x + 2*c))*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d \\
& *x + c))) - 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + \\
& 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \\
& 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d \\
& *x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 1 \\
& 8*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + \\
& 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2* \\
& arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c) \\
&))) + 2) + 15*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6 \\
& *c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9* \\
& \cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x \\
& + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18* \\
& \sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2* \\
& c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*ar
\end{aligned}$$

$$\begin{aligned}
& \left(\tan^2(\sin(dx + c), \cos(dx + c)) \right)^2 + 2\sqrt{2}\cos\left(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c))\right) \\
& - 2\sqrt{2}\sin\left(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c))\right) + 2 \\
& - 15(2(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) \\
& + \cos(6dx + 6c)^2 + 6(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^2 \\
& + 9\cos(2dx + 2c)^2 + 6(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) \\
& + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + 18\sin(4dx + 4c)\sin(2dx + 2c) \\
& + 9\sin(2dx + 2c)^2 + 6\cos(2dx + 2c) + 1) \log(2\cos(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c)))^2 \\
& + 2\sin(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2}\cos(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) \\
& + 2\sqrt{2}\sin(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) + 2) \\
& + 15(2(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) \\
& + \cos(6dx + 6c)^2 + 6(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^2 \\
& + 9\cos(2dx + 2c)^2 + 6(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) \\
& + \sin(6dx + 6c)^2 + 9\sin(4dx + 4c)^2 + 18\sin(4dx + 4c)\sin(2dx + 2c) \\
& + 9\sin(2dx + 2c)^2 + 6\cos(2dx + 2c) + 1) \log(2\cos(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c)))^2 \\
& + 2\sin(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c)))^2 - 2\sqrt{2}\cos(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) \\
& - 2\sqrt{2}\sin(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) + 2) \\
& - 60(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(\frac{11}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) \\
& - 20(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(\frac{9}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) \\
& - 168(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(\frac{7}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) \\
& + 168(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(\frac{5}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) \\
& + 20(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(\frac{3}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) \\
& + 60(\sqrt{2}\cos(6dx + 6c) + 3\sqrt{2}\cos(4dx + 4c) + 3\sqrt{2}\cos(2dx + 2c) + \sqrt{2})\sin(\frac{1}{2}\arctan^2(\sin(dx + c), \cos(dx + c))) \\
& \cdot B\sqrt{a} / (2(3\cos(4dx + 4c) + 3\cos(2dx + 2c) + 1)\cos(6dx + 6c) + \cos(6dx + 6c)^2 \\
& + 6(3\cos(2dx + 2c) + 1)\cos(4dx + 4c) + 9\cos(4dx + 4c)^2 + 9\cos(2dx + 2c)^2 \\
& + 6(\sin(4dx + 4c) + \sin(2dx + 2c))\sin(6dx + 6c) + \sin(6dx + 6c)^2 \\
& + 9\sin(4dx + 4c)^2 + 18\sin(4dx + 4c)\sin(2dx + 2c) + 9\sin(2dx + 2c)^2 \\
& + 6\cos(2dx + 2c) + 1) / d
\end{aligned}$$

Fricas [A] time = 0.687832, size = 1131, normalized size = 5.77

$$\frac{4 \left(3 (6 A + 5 B) \cos(dx + c)^2 + 2 (6 A + 5 B) \cos(dx + c) + 8 B \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + 3 \left((6 A + 5 B) \cos(dx + c)^4 + (6 A + 5 B) \cos(dx + c)^3 \right) \sqrt{a} \log\left(\frac{a \cos(dx + c)^3 - 4 \sqrt{a} \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} (\cos(dx + c) - 2) \sqrt{\cos(dx + c)} \sin(dx + c) - 7 a \cos(dx + c)^2 + 8 a}{\cos(dx + c)^3 + \cos(dx + c)^2}\right)}{96 (d \cos(dx + c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(5/2),x, algorithm="fricas")

[Out] [1/96*(4*(3*(6*A + 5*B)*cos(d*x + c)^2 + 2*(6*A + 5*B)*cos(d*x + c) + 8*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((6*A + 5*B)*cos(d*x + c)^4 + (6*A + 5*B)*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/48*(2*(3*(6*A + 5*B)*cos(d*x + c)^2 + 2*(6*A + 5*B)*cos(d*x + c) + 8*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((6*A + 5*B)*cos(d*x + c)^4 + (6*A + 5*B)*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))**(1/2)/cos(d*x+c)**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{a \sec(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+a*sec(d*x+c))^(1/2)/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(a*sec(d*x + c) + a)/cos(d*x + c)^(5/2), x)
```

$$3.523 \quad \int \cos^{\frac{11}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=275

$$\frac{2a^2(12A + 11B) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{99d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(168A + 187B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(168A + 187B) \sin(c + dx)}{1155d\sqrt{a \sec(c + dx)}}$$

[Out] (32*a^2*(168*A + 187*B)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(168*A + 187*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (4*a^2*(168*A + 187*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(168*A + 187*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(12*A + 11*B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(9/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(11*d)

Rubi [A] time = 0.713592, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4017, 4015, 3805, 3804}

$$\frac{2a^2(12A + 11B) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{99d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(168A + 187B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(168A + 187B) \sin(c + dx)}{1155d\sqrt{a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (32*a^2*(168*A + 187*B)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(168*A + 187*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (4*a^2*(168*A + 187*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(168*A + 187*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(12*A + 11*B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(99*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(9/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(11*d)

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.)
+ (a_.))*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)])
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \\
&= \frac{2aA\cos^{\frac{9}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{11d} + \frac{1}{11} \left(2\sqrt{a+a\sec(c+dx)}\right) \\
&= \frac{2a^2(12A+11B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{99d\sqrt{a+a\sec(c+dx)}} + \frac{2aA\cos^{\frac{9}{2}}(c+dx)}{99d} \\
&= \frac{2a^2(168A+187B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(12A+11B)}{99d} \\
&= \frac{4a^2(168A+187B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{1155d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(168A+187B)}{693d} \\
&= \frac{16a^2(168A+187B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3465d\sqrt{a+a\sec(c+dx)}} + \frac{4a^2(168A+187B)}{3465d} \\
&= \frac{32a^2(168A+187B)\sin(c+dx)}{3465d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{16a^2(168A+187B)}{3465d}
\end{aligned}$$

Mathematica [A] time = 0.547844, size = 131, normalized size = 0.48

$$\frac{2a\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}(35(21A+11B)\cos^4(c+dx)+(840A+935B)\cos^3(c+dx)+6(168A+187B)\cos^2(c+dx)+35(12A+11B)\cos(c+dx)+35A)}{3465d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*a*Sqrt[Cos[c + d*x]]*(2688*A + 2992*B + 8*(168*A + 187*B)*Cos[c + d*x] + 6*(168*A + 187*B)*Cos[c + d*x]^2 + (840*A + 935*B)*Cos[c + d*x]^3 + 35*(21*A + 11*B)*Cos[c + d*x]^4 + 315*A*Cos[c + d*x]^5)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(3465*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.303, size = 153, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx + c)) \left(315A(\cos(dx + c))^5 + 735A(\cos(dx + c))^4 + 385B(\cos(dx + c))^4 + 840A(\cos(dx + c))^3 + \dots \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)`

[Out]
$$-2/3465/d*a*(-1+\cos(d*x+c))*(315*A*\cos(d*x+c)^5+735*A*\cos(d*x+c)^4+385*B*\cos(d*x+c)^4+840*A*\cos(d*x+c)^3+935*B*\cos(d*x+c)^3+1008*A*\cos(d*x+c)^2+1122*B*\cos(d*x+c)^2+1344*A*\cos(d*x+c)+1496*B*\cos(d*x+c)+2688*A+2992*B)*\cos(d*x+c)^{(1/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)$$

Maxima [B] time = 2.13177, size = 949, normalized size = 3.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out]
$$\frac{1}{110880} * (21 * \sqrt{2}) * (3630 * a * \cos(10/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) * \sin(11/2 * d * x + 11/2 * c) + 990 * a * \cos(8/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) * \sin(11/2 * d * x + 11/2 * c) + 429 * a * \cos(6/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) * \sin(11/2 * d * x + 11/2 * c) + 165 * a * \cos(4/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) * \sin(11/2 * d * x + 11/2 * c) + 55 * a * \cos(2/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) * \sin(11/2 * d * x + 11/2 * c) - 3630 * a * \cos(11/2 * d * x + 11/2 * c) * \sin(10/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) - 990 * a * \cos(11/2 * d * x + 11/2 * c) * \sin(8/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) - 429 * a * \cos(11/2 * d * x + 11/2 * c) * \sin(6/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) - 165 * a * \cos(11/2 * d * x + 11/2 * c) * \sin(4/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) - 55 * a * \cos(11/2 * d * x + 11/2 * c) * \sin(2/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) + 30 * a * \sin(11/2 * d * x + 11/2 * c) + 55 * a * \sin(9/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) + 165 * a * \sin(7/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) + 429 * a * \sin(5/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) + 990 * a * \sin(3/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c))) + 3630 * a * \sin(1/11 * \arctan2(\sin(11/2 * d * x + 11/2 * c), \cos(11/2 * d * x + 11/2 * c)))$$

$2*d*x + 11/2*c), \cos(11/2*d*x + 11/2*c))) * A * \sqrt{a} - 44 * \sqrt{2} * (189 * (10 * a * \sin(4*d*x + 4*c) + a * \sin(2*d*x + 2*c)) * \cos(9/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 7 * (270 * a * \cos(4*d*x + 4*c) + 27 * a * \cos(2*d*x + 2*c) + 5 * a * \sin(9/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 135 * a * \sin(7/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 189 * a * \sin(5/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1050 * a * \sin(3/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1890 * a * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * B * \sqrt{a}) / d$

Fricas [A] time = 0.493559, size = 397, normalized size = 1.44

$$\frac{2(315 A a \cos(dx + c)^5 + 35(21 A + 11 B) a \cos(dx + c)^4 + 5(168 A + 187 B) a \cos(dx + c)^3 + 6(168 A + 187 B) a \cos(dx + c)^2 + 8(168 A + 187 B) a \cos(dx + c) + 16(168 A + 187 B) a \sqrt{(a \cos(dx + c) + a) / \cos(dx + c)}) \sqrt{\cos(dx + c)} \sin(dx + c) / (d \cos(dx + c) + d)}{3465(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorith="fricas")

[Out] 2/3465*(315*A*a*cos(d*x + c)^5 + 35*(21*A + 11*B)*a*cos(d*x + c)^4 + 5*(168*A + 187*B)*a*cos(d*x + c)^3 + 6*(168*A + 187*B)*a*cos(d*x + c)^2 + 8*(168*A + 187*B)*a*cos(d*x + c) + 16*(168*A + 187*B)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(11/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algo  
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(11/  
2), x)
```

$$3.524 \quad \int \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=228

$$\frac{2a^2(10A + 9B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{8a^2(34A + 39B) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}}$$

```
[Out] (16*a^2*(34*A + 39*B)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(34*A + 39*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(34*A + 39*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(10*A + 9*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d)
```

Rubi [A] time = 0.686358, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4017, 4015, 3805, 3804}

$$\frac{2a^2(10A + 9B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{63d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \sec(c + dx) + a}} + \frac{8a^2(34A + 39B) \sin(c + dx) \sqrt{\cos(c + dx)}}{315d\sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (16*a^2*(34*A + 39*B)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^2*(34*A + 39*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(34*A + 39*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(10*A + 9*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(9*d)
```

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
```

tegerQ[n])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \\
&= \frac{2aA\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{9d} + \frac{1}{9}(2\sqrt{c} \\
&= \frac{2a^2(10A+9B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} + \frac{2aA\cos^{\frac{7}{2}}(c+dx)}{63d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^2(34A+39B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(10A+9B)}{63d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{8a^2(34A+39B)\sqrt{\cos(c+dx)}\sin(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(34A+39B)}{105d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{16a^2(34A+39B)\sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{8a^2(34A+39B)\sqrt{\cos(c+dx)}}{315d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.422066, size = 118, normalized size = 0.52

$$\frac{2a\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}(5(17A+9B)\cos^3(c+dx)+3(34A+39B)\cos^2(c+dx)+4(34A+39B)\cos(c+dx)+5A)}{315d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (2*a*Sqrt[Cos[c + d*x]]*(8*(34*A + 39*B) + 4*(34*A + 39*B)*Cos[c + d*x] + 3*(34*A + 39*B)*Cos[c + d*x]^2 + 5*(17*A + 9*B)*Cos[c + d*x]^3 + 35*A*Cos[c + d*x]^4)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(315*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.315, size = 131, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx+c))(35A(\cos(dx+c))^4 + 85A(\cos(dx+c))^3 + 45B(\cos(dx+c))^3 + 102A(\cos(dx+c))^2 + 117B\cos(dx+c) + 5A)}{315d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] -2/315/d*a*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+85*A*cos(d*x+c)^3+45*B*cos(d*x+c)^3+102*A*cos(d*x+c)^2+117*B*cos(d*x+c)^2+136*A*cos(d*x+c)+156*B*cos(d*x+c)+272*A+312*B)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.09384, size = 753, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(3780*a*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 1050*a*cos(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 378*a*cos(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 135*a*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) - 3780*a*cos(9/2*d*x + 9/2*c)*sin(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 1050*a*cos(9/2*d*x + 9/2*c)*sin(2/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 378*a*cos(9/2*d*x + 9/2*c)*sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 135*a*cos(9/2*d*x + 9/2*c)*sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 70*a*sin(9/2*d*x + 9/2*c) + 135*a*sin(7/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 378*a*sin(5/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 1050*a*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) + 3780*a*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))))*A*sqrt(a) - 6*sqrt(2)*(175*a*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - 5*(35*a*cos(2*d*x + 2*c) + 6*a)*sin(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 126*a*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 175*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 1470*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*B*sqrt(a))/d
```

Fricas [A] time = 0.48523, size = 332, normalized size = 1.46

$$\frac{2(35 A a \cos(dx + c)^4 + 5(17 A + 9 B)a \cos(dx + c)^3 + 3(34 A + 39 B)a \cos(dx + c)^2 + 4(34 A + 39 B)a \cos(dx + c) + 8(34 A + 39 B)a)}{315(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] 2/315*(35*A*a*cos(d*x + c)^4 + 5*(17*A + 9*B)*a*cos(d*x + c)^3 + 3*(34*A + 39*B)*a*cos(d*x + c)^2 + 4*(34*A + 39*B)*a*cos(d*x + c) + 8*(34*A + 39*B)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```


$$3.525 \quad \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=181

$$\frac{2a^2(8A + 7B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(52A + 63B) \sin(c + dx)\sqrt{\cos(c + dx)}}{105d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(52A + 63B) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx)}}$$

[Out] (4*a^2*(52*A + 63*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(52*A + 63*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.616517, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4017, 4015, 3805, 3804}

$$\frac{2a^2(8A + 7B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{35d\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(52A + 63B) \sin(c + dx)\sqrt{\cos(c + dx)}}{105d\sqrt{a \sec(c + dx) + a}} + \frac{4a^2(52A + 63B) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (4*a^2*(52*A + 63*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(52*A + 63*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(7*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)}dx \\
&= \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{7d} + \frac{1}{7}(2\sqrt{a+a\sec(c+dx)}) \\
&= \frac{2a^2(8A+7B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2aA\cos^{\frac{5}{2}}(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2a^2(52A+63B)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(8A+7B)}{35d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{4a^2(52A+63B)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(52A+63B)}{105d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.316271, size = 100, normalized size = 0.55

$$\frac{2a\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}(3(13A+7B)\cos^2(c+dx)+(52A+63B)\cos(c+dx)+2(52A+63B))}{105d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (2*a*Sqrt[Cos[c + d*x]]*(2*(52*A + 63*B) + (52*A + 63*B)*Cos[c + d*x] + 3*(13*A + 7*B)*Cos[c + d*x]^2 + 15*A*Cos[c + d*x]^3)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(105*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.273, size = 109, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx+c))(15A(\cos(dx+c))^3 + 39A(\cos(dx+c))^2 + 21B(\cos(dx+c))^2 + 52A\cos(dx+c) + 63B)}{105d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)

[Out] $-2/105/d*a*(-1+\cos(d*x+c))*(15*A*\cos(d*x+c)^3+39*A*\cos(d*x+c)^2+21*B*\cos(d*x+c)^2+52*A*\cos(d*x+c)+63*B*\cos(d*x+c)+104*A+126*B)*\cos(d*x+c)^{(1/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)$

Maxima [B] time = 2.06328, size = 609, normalized size = 3.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] $1/840*(\sqrt{2}*(735*a*\cos(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))\sin(7/2*d*x + 7/2*c) + 175*a*\cos(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))\sin(7/2*d*x + 7/2*c) + 63*a*\cos(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c)))\sin(7/2*d*x + 7/2*c) - 735*a*\cos(7/2*d*x + 7/2*c)*\sin(6/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 175*a*\cos(7/2*d*x + 7/2*c)*\sin(4/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) - 63*a*\cos(7/2*d*x + 7/2*c)*\sin(2/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 30*a*\sin(7/2*d*x + 7/2*c) + 63*a*\sin(5/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 175*a*\sin(3/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))) + 735*a*\sin(1/7*\arctan2(\sin(7/2*d*x + 7/2*c), \cos(7/2*d*x + 7/2*c))))*A*\sqrt{a} - 84*(10*\sqrt{2}*a*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))\sin(2*d*x + 2*c) - 5*\sqrt{2}*a*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 10*\sqrt{2}*a*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - (10*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*B*\sqrt{a))/d$

Fricas [A] time = 0.48177, size = 282, normalized size = 1.56

$$\frac{2(15Aa\cos(dx+c)^3 + 3(13A+7B)a\cos(dx+c)^2 + (52A+63B)a\cos(dx+c) + 2(52A+63B)a)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{105(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")`

[Out] $\frac{2}{105}(15Aa\cos(dx+c)^3 + 3(13A+7B)a\cos(dx+c)^2 + (52A+63B)a\cos(dx+c) + 2(52A+63B)a)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)/(d\cos(dx+c)+d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**(7/2)*(a+a*sec(dx+c))**(3/2)*(A+B*sec(dx+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(a \sec(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(7/2)*(a+a*sec(dx+c))^(3/2)*(A+B*sec(dx+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(dx+c)+A)*(a*sec(dx+c)+a)^(3/2)*cos(dx+c)^(7/2),x)`

$$3.526 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=131

$$\frac{8a^2(3A + 5B) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a(3A + 5B) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{15d}$$

[Out] (8*a^2*(3*A + 5*B)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 5*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.383111, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4013, 3809, 3804}

$$\frac{8a^2(3A + 5B) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a(3A + 5B) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (8*a^2*(3*A + 5*B)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*(3*A + 5*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3809

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_), x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*
(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e
+ f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m
, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2
*m]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2A \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{1}{5} \left(3 \int \frac{(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx\right) \\ &= \frac{2a(3A + 5B)\sqrt{\cos(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{15d} \\ &= \frac{8a^2(3A + 5B) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a + a \sec(c + dx)}} + \frac{2a(3A + 5B)\sqrt{\cos(c + dx)}}{15d} \end{aligned}$$

Mathematica [A] time = 0.266995, size = 80, normalized size = 0.61

$$\frac{2a \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a(\sec(c + dx) + 1)}\left((9A + 5B) \cos(c + dx) + 3A \cos^2(c + dx) + 18A + 25B\right)}{15d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*a*Sqrt[Cos[c + d*x]]*(18*A + 25*B + (9*A + 5*B)*Cos[c + d*x] + 3*A*Cos[c + d*x]^2)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(15*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.272, size = 87, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) \left(3A(\cos(dx + c))^2 + 9A\cos(dx + c) + 5B\cos(dx + c) + 18A + 25B \right)}{15d \sin(dx + c)} \sqrt{\cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)

[Out] -2/15/d*a*(-1+cos(d*x+c))*(3*A*cos(d*x+c)^2+9*A*cos(d*x+c)+5*B*cos(d*x+c)+18*A+25*B)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)

Maxima [B] time = 2.00264, size = 373, normalized size = 2.85

$$3\sqrt{2} \left(20a \cos\left(\frac{4}{5} \arctan\left(\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right), \cos\left(\frac{5}{2}dx + \frac{5}{2}c\right)\right)\right) \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 5a \cos\left(\frac{2}{5} \arctan\left(\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right), \cos\left(\frac{5}{2}dx + \frac{5}{2}c\right)\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] 1/60*(3*sqrt(2)*(20*a*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) + 5*a*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) - 20*a*cos(5/2*d*x + 5/2*c)*sin(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 5*a*cos(5/2*d*x + 5/2*c)*sin(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 2*a*sin(5/2*d*x + 5/2*c) + 5*a*sin(3/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 20*a*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))))*A*sqrt(a) + 20*(sqrt(2)*a*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 9*sqrt(2)*a*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))

))) * B * sqrt(a) / d

Fricas [A] time = 0.475222, size = 228, normalized size = 1.74

$$\frac{2 \left(3 A a \cos(dx + c)^2 + (9 A + 5 B) a \cos(dx + c) + (18 A + 25 B) a \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c)}{15 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] 2/15*(3*A*a*cos(d*x + c)^2 + (9*A + 5*B)*a*cos(d*x + c) + (18*A + 25*B)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2), x)

$$3.527 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=145

$$\frac{2a^2(4A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

[Out] (2*a^(3/2)*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a^2*(4*A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.444454, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4017, 4015, 3801, 215}

$$\frac{2a^2(4A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^{3/2}B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*a^(3/2)*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a^2*(4*A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n]/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4017

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]

```

Rule 4015

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx \\
&= \frac{2aA\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{3d} + \frac{1}{3}(2\sqrt{c} \\
&= \frac{2a^2(4A+3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}\sqrt{a}}{3d} \\
&= \frac{2a^2(4A+3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}\sqrt{a}}{3d} \\
&= \frac{2a^{3/2}B\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d} +
\end{aligned}$$

Mathematica [A] time = 0.429692, size = 101, normalized size = 0.7

$$\frac{2a^2 \sin(c+dx) \left(\sqrt{1-\sec(c+dx)}(A \cos(c+dx) + 5A + 3B) + 3B\sqrt{\sec(c+dx)} \sin^{-1} \left(\sqrt{1-\sec(c+dx)} \right) \right)}{3d\sqrt{\cos(c+dx)} - 1\sqrt{a}(\sec(c+dx) + 1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (2*a^2*((5*A + 3*B + A*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]] + 3*B*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Sec[c + d*x]])*Sin[c + d*x])/(3*d*Sqrt[-1 + Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.296, size = 201, normalized size = 1.4

$$-\frac{a}{6d\sin(dx+c)}\sqrt{\cos(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(-3B\sin(dx+c)\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)

```
[Out] -1/6/d*a*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-3*B*sin(d*x+c)*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)+3*B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*(-2/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)+4*A*cos(d*x+c)^2+16*A*cos(d*x+c)+12*B*cos(d*x+c)-20*A-12*B)/sin(d*x+c)
```

Maxima [B] time = 2.05598, size = 787, normalized size = 5.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/30*(10*(sqrt(2)*a*sin(3/2*d*x + 3/2*c) + 9*sqrt(2)*a*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 3*(2*sqrt(2)*a*sin(5/2*d*x + 5/2*c) + 40*sqrt(2)*a*sin(1/2*d*x + 1/2*c) - 2*sqrt(2)*a*sin(5/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 20*sqrt(2)*a*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 5*a*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) - 5*a*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) + 5*a*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2) - 5*a*log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + 2))*B*sqrt(a)/d
```

Fricas [A] time = 0.561161, size = 910, normalized size = 6.28

$$\frac{4(Aa \cos(dx+c) + (5A+3B)a) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + 3(Ba \cos(dx+c) + Ba) \sqrt{a} \log \left(\frac{a \cos(dx+c)^3 - 4 \sqrt{a} \sqrt{\cos(dx+c)} \sin(dx+c) + 3(Ba \cos(dx+c) + Ba) \sqrt{a}}{6(d \cos(dx+c) + d)} \right)}{6(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/6*(4*(A*a*cos(d*x + c) + (5*A + 3*B)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*(B*a*cos(d*x + c) + B*a)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), 1/3*(2*(A*a*cos(d*x + c) + (5*A + 3*B)*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*(B*a*cos(d*x + c) + B*a)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(a \sec(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2), x)
```

$$3.528 \quad \int \sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=144

$$\frac{a^2(2A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(2A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d} + \frac{aB \sin(c + dx)\sqrt{a}}{d\sqrt{\cos(c + dx)}}$$

[Out] (a^(3/2)*(2*A + 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^2*(2*A - B)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.433127, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4018, 4015, 3801, 215}

$$\frac{a^2(2A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{a^{3/2}(2A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a \sec(c + dx) + a}}\right)}{d} + \frac{aB \sin(c + dx)\sqrt{a}}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(3/2)*(2*A + 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^2*(2*A - B)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^n_.*((g_.)*sin[(e_.) + (f_.)*(x_)])^p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4018


```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}(A+B\sec(c+dx))}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{aB\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{3/2}A}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{a^2(2A-B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{aB\sqrt{a+a\sec(c+dx)}}{d\sqrt{\cos(c+dx)}} \\
&= \frac{a^2(2A-B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{aB\sqrt{a+a\sec(c+dx)}}{d\sqrt{\cos(c+dx)}} \\
&= \frac{a^{3/2}(2A+3B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.766489, size = 133, normalized size = 0.92

$$\frac{a\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\sec(c+dx)+1)}\left(\sqrt{1-\sec(c+dx)}(2A+B\sec(c+dx))+2A\sqrt{\sec(c+dx)}\sin^{-1}\left(\sqrt{1-\sec(c+dx)}\right)\right)}{d\sqrt{1-\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (a*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])]*(2*A*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Sec[c + d*x]] - 3*B*ArcSin[Sqrt[Sec[c + d*x]]]*Sqrt[Sec[c + d*x]] + Sqrt[1 - Sec[c + d*x]]*(2*A + B*Sec[c + d*x]))*Tan[(c + d*x)/2])/(d*Sqrt[1 - Sec[c + d*x]])

Maple [B] time = 0.309, size = 306, normalized size = 2.1

$$-\frac{a(-1+\cos(dx+c))}{2d(\sin(dx+c))^2}\left(4A\cos(dx+c)\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)^{-1}}+2A\cos(dx+c)\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
t(2)*sin(1/2*d*x + 1/2*c) + 2))*sin(2*d*x + 2*c)^2 + 4*sqrt(2)*a*sin(3/2*d*x
+ 3/2*c) - 4*sqrt(2)*a*sin(1/2*d*x + 1/2*c) + 2*(2*sqrt(2)*a*sin(3/2*d*x
+ 3/2*c) - 2*sqrt(2)*a*sin(1/2*d*x + 1/2*c) + 3*a*log(2*cos(1/2*d*x + 1/2*c
)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)
*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d
*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/
2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2
*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 3*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 4*(sqrt(2)*a*cos(3/2*d*x + 3/2*c) - sqrt(2)*a*cos(1/2*d*x + 1/2*c))*sin(2*d*x + 2*c))*B*sqrt(a)/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/d
```

Fricas [A] time = 0.681821, size = 1018, normalized size = 7.07

$$\frac{4(2Aa \cos(dx + c) + Ba) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + ((2A + 3B)a \cos(dx+c)^2 + (2A + 3B)a \cos(dx+c))}{4(d \cos(dx+c)^2 + d \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorith
m="fricas")
```

```
[Out] [1/4*(4*(2*A*a*cos(d*x + c) + B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*
sqrt(cos(d*x + c))*sin(d*x + c) + ((2*A + 3*B)*a*cos(d*x + c)^2 + (2*A + 3*B)
*a*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c))^3 - 4*sqrt(a)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c)
- 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x
+ c)^2 + d*cos(d*x + c)), 1/2*(2*(2*A*a*cos(d*x + c) + B*a)*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((2*A + 3*B)*a
```

```
*cos(d*x + c)^2 + (2*A + 3*B)*a*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^2 + d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c)), x)
```

$$3.529 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=153

$$\frac{a^2(4A+5B) \sin(c+dx)}{4d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(12A+7B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{aB \sin(c+dx)}{2d \cos(c+dx)}$$

[Out] (a^(3/2)*(12*A + 7*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*d) + (a^2*(4*A + 5*B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.453554, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4018, 4016, 3801, 215}

$$\frac{a^2(4A+5B) \sin(c+dx)}{4d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(12A+7B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)+a}}\right)}{4d} + \frac{aB \sin(c+dx)}{2d \cos(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (a^(3/2)*(12*A + 7*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*d) + (a^2*(4*A + 5*B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx \\
&= \frac{aB \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{2} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{3/2} dx \\
&= \frac{a^2(4A + 5B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{aB \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^2(4A + 5B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{aB \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{a^{3/2}(12A + 7B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} + \frac{aB \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.837058, size = 107, normalized size = 0.7

$$\frac{a \sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sqrt{2}(12A + 7B) \tanh^{-1} \left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (a*Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(Sqrt[2]*(12*A + 7*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sec[c + d*x]*(4*A + 7*B + 2*B*Sec[c + d*x])*Sin[(c + d*x)/2]))/(8*d)

Maple [B] time = 0.312, size = 343, normalized size = 2.2

$$\frac{a(-1 + \cos(dx + c))}{8d(\sin(dx + c))^2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(12A(\cos(dx + c))^2 \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1)}\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c))/\cos(d*x+c)^{1/2},x)$

[Out]
$$-1/8/d*a*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(12*A*\cos(d*x+c)^2*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))-12*A*\cos(d*x+c)^2*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))))+7*B*\cos(d*x+c)^2*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))-7*B*\cos(d*x+c)^2*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c))))+8*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+14*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+4*B*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{1/2}/\cos(d*x+c)^{3/2}$$

Maxima [B] time = 2.45689, size = 4575, normalized size = 29.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c))/\cos(d*x+c)^{1/2},x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & 1/16*(4*(3*(a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 + 3*(a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 2*(2*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 2*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2 \end{aligned}$$

$$\begin{aligned}
& * \sqrt{2} \cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 4*(\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - \sqrt{2}*a*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*A*\sqrt{a}/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) - (56*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 24*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 12*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 4*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2}*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 3*\sqrt{2}*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 8*(3*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + a*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + a*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + a*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))
\end{aligned}$$

$$\begin{aligned}
&))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \\
& 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2* \\
& \sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - \\
& 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a* \\
& \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan \\
& 2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), c \\
& \cos(3/2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2* \\
& c))) + a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)) \\
&)^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2* \\
& \sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2} \\
& *\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 7 \\
& *(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*co \\
& s(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c)))^2 + 2*(2*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c))) + a)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&)) + a)*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^ \\
& 2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2} \\
& *\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2} \\
& *\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 4*(\\
& 3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) + 7*\sqrt{2}*a*\cos(7/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2}*a*\cos(5/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2}*a*\cos(1/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c))) - 28*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a)*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) + 12*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2* \\
& c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a)*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
&), \cos(3/2*d*x + 3/2*c))) + 8*(3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - 7*\sqrt{2} \\
& *a*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \sin(4/3*ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * B*\sqrt{a}/(2*(2*\cos(4/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c)))^2 + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c)))^2 + 4*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/ \\
& 2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sin \\
& (4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*arc
\end{aligned}$$

$\tan^2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)) + 1)/d$

Fricas [A] time = 0.680888, size = 1062, normalized size = 6.94

$$\frac{4((4A + 7B)a \cos(dx + c) + 2Ba) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + ((12A + 7B)a \cos(dx+c)^3 + (12A + 7B)a \cos(dx+c)^2) \sqrt{-a} \arctan\left(\frac{2\sqrt{-a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c)}{a \cos(dx+c)^2 - a \cos(dx+c) - 2a}\right)}{16(d \cos(dx+c)^3 + d \cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/16*(4*((4*A + 7*B)*a*cos(d*x + c) + 2*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((12*A + 7*B)*a*cos(d*x + c)^3 + (12*A + 7*B)*a*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2), 1/8*(2*((4*A + 7*B)*a*cos(d*x + c) + 2*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((12*A + 7*B)*a*cos(d*x + c)^3 + (12*A + 7*B)*a*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorith
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)
), x)
```

$$3.530 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=200

$$\frac{a^2(14A+11B) \sin(c+dx)}{8d \cos^2(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^2(6A+7B) \sin(c+dx)}{12d \cos^2(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(14A+11B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{8d}$$

[Out] (a^(3/2)*(14*A + 11*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(8*d) + (a^2*(6*A + 7*B)*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(14*A + 11*B)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 0.540209, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(14A+11B) \sin(c+dx)}{8d \cos^2(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^2(6A+7B) \sin(c+dx)}{12d \cos^2(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^{3/2}(14A+11B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{8d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (a^(3/2)*(14*A + 11*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(8*d) + (a^2*(6*A + 7*B)*Sin[c + d*x])/(12*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(14*A + 11*B)*Sin[c + d*x])/(8*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n]/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(-2*b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]
```

Rule 3803

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n - 1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b]]/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx \\
&= \frac{aB \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} + \frac{1}{3} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx \\
&= \frac{a^2(6A + 7B) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{aB \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{3d \cos^{\frac{5}{2}}(c + dx)} \\
&= \frac{a^2(6A + 7B) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(14A + 11B) \sin(c + dx)}{8d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(6A + 7B) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(14A + 11B) \sin(c + dx)}{8d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(6A + 7B) \sin(c + dx)}{12d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(14A + 11B) \sin(c + dx)}{8d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^{3/2}(14A + 11B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.28155, size = 134, normalized size = 0.67

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (4(6A + 11B) \cos(c + dx) + (42A + 33B) \cos(2(c + dx))) + 7(6A + 11B) \cos(c + dx) \right)}{48d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(14*A + 11*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (7*(6*A + 7*B) + 4*(6*A + 11*B))*Cos[c + d*x] + (42*A + 33*B)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/ (48*d*Cos[c + d*x]^(5/2))

Maple [B] time = 0.289, size = 405, normalized size = 2.

$$\frac{a(-1 + \cos(dx + c))}{48d(\sin(dx + c))^2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(42A(\cos(dx + c))^3 \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1)}\right) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c))/\cos(d*x+c)^{3/2},x)$

[Out] $\frac{1}{48}d*a*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(42*A*\cos(d*x+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))^2^{1/2}-42*A*\cos(d*x+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))^2^{1/2}+33*B*\cos(d*x+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))^2^{1/2}-33*B*\cos(d*x+c)^3*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))^2^{1/2}-84*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}-66*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}-24*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}-44*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}-16*B*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))/\cos(d*x+c)^{5/2}/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{1/2}$

Maxima [B] time = 2.83197, size = 6218, normalized size = 31.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c))/\cos(d*x+c)^{3/2},x, \text{algorithm}="maxima")$

[Out] $-1/96*(6*(56*\sqrt{2})*a*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 24*\sqrt{2} * a*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*\sqrt{2} * a*\sin(3/2*d*x + 3/2*c) + 28*\sqrt{2} * a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 4*(3*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 7*\sqrt{2} * a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sqrt{2} * a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2} * a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 8*(3*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) - 7*\sqrt{2} * a*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 7*(a*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*a*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*a*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))$

$$\begin{aligned}
& \cos(3/2*d*x + 3/2*c))) - 7*\sqrt{2}*a*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) - 28*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
& d*x + 3/2*c))) + \sqrt{2}*a*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d \\
& *x + 3/2*c))) + 12*(2*\sqrt{2}*a*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c))) + \sqrt{2}*a*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))) + 8*(3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) - 7*\sqrt{2}*a*\cos(1/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*A*\sqrt{a}/(2*(2*\cos(4/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))))^2 + 4*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c)))^2 + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c)))^2 + 4*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) *si \\
& n(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sin(4/3*arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(4/3*\arctan2(\sin(\\
& 3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) + (132*(\sqrt{2}*a*\sin(6*d*x + \\
& 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(11 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\sin(6*d*x + \\
& 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(9/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2}*a*\sin(6*d*x + \\
& 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(7/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2}*a*\sin(6*d*x + \\
& 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(5/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*\sin(6*d*x + \\
& 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(3/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 132*(\sqrt{2}*a*\sin(6*d*x + \\
& 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(1/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 33*(a*\cos(6*d*x + 6*c)^2 + \\
& 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9* \\
& a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d \\
& *x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x \\
& + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2 \\
& *c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log \\
& (2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2 \\
& *d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c \\
&), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c \\
&)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^ \\
& 2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3* \\
& a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*co \\
& s(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d* \\
& x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*
\end{aligned}$$

$$\begin{aligned}
& d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)) + 2) - 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x \\
& + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x \\
& + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) \\
& + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a) \\
& *\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2* \\
& d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&)^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{ \\
& rt(2)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos \\
& (6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6 \\
& *d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + \\
& 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2 \\
& *c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + \\
& 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d \\
& *x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos \\
& (1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 132*(\sqrt{2}*a*\cos(6*d*x + 6 \\
& *c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2} \\
& *a)*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*c \\
& os(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2* \\
& c) + \sqrt{2}*a)*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 216* \\
& (\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*co \\
& s(2*d*x + 2*c) + \sqrt{2}*a)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c))) + 216*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3* \\
& \sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c))) + 44*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x \\
& + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(3/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) + 132*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}* \\
& a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(1/4*\arct \\
& an2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * B*\sqrt{a}/(2*(3*\cos(4*d*x + 4*c) \\
& + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(\\
& 2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos(4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2 \\
& *c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + \sin(6*d* \\
& x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + \\
& 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.690498, size = 1177, normalized size = 5.88

$$\frac{4 \left(3 (14 A + 11 B) a \cos (d x + c)^2 + 2 (6 A + 11 B) a \cos (d x + c) + 8 B a \right) \sqrt{\frac{a \cos (d x + c) + a}{\cos (d x + c)}} \sqrt{\cos (d x + c) \sin (d x + c)} + 3 \left((14 A + 11 B) a \cos (d x + c)^3 + 3 (14 A + 11 B) a \cos (d x + c)^2 + 3 (14 A + 11 B) a \cos (d x + c) + 3 (14 A + 11 B) a \right) \sqrt{-a} \arctan \left(\frac{2 \sqrt{-a} \sqrt{\frac{a \cos (d x + c) + a}{\cos (d x + c)}}}{\cos (d x + c) - 2} \right) \sqrt{\cos (d x + c) \sin (d x + c)} + 7 a \cos (d x + c)^2 + 8 a}{96 (d \cos (d x + c)^4 + d \cos (d x + c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] [1/96*(4*(3*(14*A + 11*B)*a*cos(d*x + c)^2 + 2*(6*A + 11*B)*a*cos(d*x + c) + 8*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((14*A + 11*B)*a*cos(d*x + c)^4 + (14*A + 11*B)*a*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/48*(2*(3*(14*A + 11*B)*a*cos(d*x + c)^2 + 2*(6*A + 11*B)*a*cos(d*x + c) + 8*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((14*A + 11*B)*a*cos(d*x + c)^4 + (14*A + 11*B)*a*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/cos(d*x + c)^(3/2), x)
```

$$3.531 \quad \int \frac{(a+a \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=247

$$\frac{a^2(88A+75B)\sin(c+dx)}{64d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a^2(88A+75B)\sin(c+dx)}{96d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a^2(8A+9B)\sin(c+dx)}{24d \cos^{\frac{7}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \dots$$

[Out] (a^(3/2)*(88*A + 75*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a^2*(8*A + 9*B)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2))

Rubi [A] time = 0.633667, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4018, 4016, 3803, 3801, 215}

$$\frac{a^2(88A+75B)\sin(c+dx)}{64d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a^2(88A+75B)\sin(c+dx)}{96d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a^2(8A+9B)\sin(c+dx)}{24d \cos^{\frac{7}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \dots$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (a^(3/2)*(88*A + 75*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a^2*(8*A + 9*B)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a*B*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*d*(m+n) + B*(b*d*n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(-2*b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(2*n+1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n+1) + 2*a*B*n)/(b*(2*n+1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n+1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Simp}[(-2*b*d*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{n-1})/(f*(2*n-1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(2*a*d*(n-1))/(b*(2*n-1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n-1}, x], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_.)^2], x_Symbol] :> \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{5}{2}}(c + dx) (a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx \\
&= \frac{aB \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)} + \frac{1}{4} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sec^{\frac{5}{2}}(c + dx) (a + a \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx \\
&= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{aB \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(88A + 75B) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(88A + 75B) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(88A + 75B) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^2(8A + 9B) \sin(c + dx)}{24d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(88A + 75B) \sin(c + dx)}{96d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3/2(88A + 75B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.8487, size = 153, normalized size = 0.62

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((1048A + 1155B) \cos(c + dx) + 4(88A + 75B) \cos(2(c + dx))) + \dots\right)}{768d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (a*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(88*A + 75*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (352*A + 492*B + (1048*A + 1155*B)*Cos[c + d*x] + 4*(88*A + 75*B)*Cos[2*(c + d*x)] + 264*A*Cos[3*(c + d*x)] + 225*B*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/((768*d*Cos[c + d*x]^(7/2)))

Maple [B] time = 0.33, size = 467, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c))/\cos(d*x+c)^{5/2},x)$

[Out]
$$\begin{aligned} & -1/384/d*a*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(-264*A*\cos(d*x+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))) \\ & +264*A*\cos(d*x+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c))))*2^{1/2} \\ & -225*B*\cos(d*x+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))) \\ & +225*B*\cos(d*x+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c))))*2^{1/2} \\ & +528*A*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{1/2}+450*B*\sin(d*x+c)*\cos(d*x+c)^3 \\ & *(-2/(\cos(d*x+c)+1))^{1/2}+352*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2} \\ & +300*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+128*A*\cos(d*x+c)*\sin(d*x+c) \\ & *(-2/(\cos(d*x+c)+1))^{1/2}+240*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2} \\ & +96*B*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))/\sin(d*x+c)^2/\cos(d*x+c)^{7/2}/(-2/(\cos(d*x+c)+1))^{1/2} \end{aligned}$$

Maxima [B] time = 3.81291, size = 7937, normalized size = 32.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{3/2}*(A+B*\sec(d*x+c))/\cos(d*x+c)^{5/2},x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & -1/768*(8*(132*(\sqrt{2})*a*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a*\sin(4*d*x + 4*c) + 3*\sqrt{2})*a*\sin(2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\ & + 44*(\sqrt{2})*a*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a*\sin(4*d*x + 4*c) + 3*\sqrt{2})*a*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\ & + 216*(\sqrt{2})*a*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a*\sin(4*d*x + 4*c) + 3*\sqrt{2})*a*\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\ & - 216*(\sqrt{2})*a*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a*\sin(4*d*x + 4*c) + 3*\sqrt{2})*a*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\ & - 44*(\sqrt{2})*a*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a*\sin(4*d*x + 4*c) + 3*\sqrt{2})*a*\sin(2*d*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \end{aligned}$$

$$\begin{aligned}
& 2*c)) - 132*(\sqrt{2}*a*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a*\sin(4*d*x + 4*c) + \\
& 3*\sqrt{2}*a*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c))) - 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x \\
& + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x \\
& + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) \\
& + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a) \\
& *\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2* \\
& d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), c \\
& os(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&)^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2} \\
& *a*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos \\
& (6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6 \\
& *d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + \\
& 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2 \\
& *c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + \\
& 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d \\
& *x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos \\
& (1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arcta \\
& n2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 33*(a*\cos(6*d*x + 6*c)^2 + 9 \\
& *a*\cos(4*d*x + 4*c)^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a \\
& *\sin(4*d*x + 4*c)^2 + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d* \\
& x + 2*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x \\
& + 6*c) + 6*(3*a*\cos(2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2* \\
& c) + 6*(a*\sin(4*d*x + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(\\
& 2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c))) + 2) + 33*(a*\cos(6*d*x + 6*c)^2 + 9*a*\cos(4*d*x + 4*c) \\
& ^2 + 9*a*\cos(2*d*x + 2*c)^2 + a*\sin(6*d*x + 6*c)^2 + 9*a*\sin(4*d*x + 4*c)^2 \\
& + 18*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a*\sin(2*d*x + 2*c)^2 + 2*(3*a \\
& *\cos(4*d*x + 4*c) + 3*a*\cos(2*d*x + 2*c) + a)*\cos(6*d*x + 6*c) + 6*(3*a*\cos \\
& (2*d*x + 2*c) + a)*\cos(4*d*x + 4*c) + 6*a*\cos(2*d*x + 2*c) + 6*(a*\sin(4*d*x \\
& + 4*c) + a*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + a)*\log(2*\cos(1/4*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&) + 2) - 132*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3 \\
& *\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c))) - 44*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a*\cos(4*d* \\
& x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(9/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) - 216*(\sqrt{2}*a*\cos(6*d*x + 6*c) + 3*\sqrt{2} \\
&)*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a)*\sin(7/4*ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 216*(\sqrt{2}*a*\cos(6*d*x + 6*c \\
&) + 3*\sqrt{2}*a*\cos(4*d*x + 4*c) + 3*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a
\end{aligned}$$

$$\begin{aligned}
& s(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c) + 4*a*\cos(2*d*x + 2*c) + a*\cos(8*d*x \\
& + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + 4*a*\cos(2*d*x + 2*c) + a*\cos(6*d*x + 6 \\
& *c) + 12*(4*a*\cos(2*d*x + 2*c) + a*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2*c) \\
& + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*s \\
& \sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6*d* \\
& x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sqrt{2}*\cos(\\
& 1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 75*(a*\cos(8*d*x + 8*c)^2 + 16 \\
& *a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d*x + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 + \\
& a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d*x + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 + \\
& 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4*a* \\
& \cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c) + 4*a*\cos(2*d*x + 2*c) + a*\cos(8*d \\
& *x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + 4*a*\cos(2*d*x + 2*c) + a*\cos(6*d*x + \\
& 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + 2* \\
& c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c)) \\
& *\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(6* \\
& d*x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 - 2*\sqrt{2}*co \\
& s(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arct \\
& an2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 75*(a*\cos(8*d*x + 8*c)^2 + \\
& 16*a*\cos(6*d*x + 6*c)^2 + 36*a*\cos(4*d*x + 4*c)^2 + 16*a*\cos(2*d*x + 2*c)^2 \\
& + a*\sin(8*d*x + 8*c)^2 + 16*a*\sin(6*d*x + 6*c)^2 + 36*a*\sin(4*d*x + 4*c)^2 \\
& + 48*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a*\sin(2*d*x + 2*c)^2 + 2*(4* \\
& a*\cos(6*d*x + 6*c) + 6*a*\cos(4*d*x + 4*c) + 4*a*\cos(2*d*x + 2*c) + a*\cos(8 \\
& *d*x + 8*c) + 8*(6*a*\cos(4*d*x + 4*c) + 4*a*\cos(2*d*x + 2*c) + a*\cos(6*d*x \\
& + 6*c) + 12*(4*a*\cos(2*d*x + 2*c) + a*\cos(4*d*x + 4*c) + 8*a*\cos(2*d*x + \\
& 2*c) + 4*(2*a*\sin(6*d*x + 6*c) + 3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c) \\
&))*\sin(8*d*x + 8*c) + 16*(3*a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\sin(\\
& 6*d*x + 6*c) + a*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 - 2*\sqrt{2}* \\
& \cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\ar \\
& ctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 300*(\sqrt{2}*a*\cos(8*d*x \\
& + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + 4*sq \\
& rt(2)*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(15/4*\arctan2(\sin(2*d*x + 2*c), co \\
& s(2*d*x + 2*c))) - 100*(\sqrt{2}*a*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x \\
& + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{ \\
& 2}*a*\sin(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 1140*(\sqrt{2} \\
&)*a*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x \\
& + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(11/4*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c))) + 228*(\sqrt{2}*a*\cos(8*d*x + 8*c) + 4*\sqrt{2} \\
&)*a*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x \\
& + 2*c) + \sqrt{2}*a*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - \\
& 228*(\sqrt{2}*a*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a*\cos(6*d*x + 6*c) + 6*\sqrt{2} \\
&)*a*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(7/4*arc
\end{aligned}$$

```

tan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1140*(sqrt(2)*a*cos(8*d*x + 8*c)
) + 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)
*a*cos(2*d*x + 2*c) + sqrt(2)*a*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) + 100*(sqrt(2)*a*cos(8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c)
+ 6*sqrt(2)*a*cos(4*d*x + 4*c) + 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a)
*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 300*(sqrt(2)*a*cos(
8*d*x + 8*c) + 4*sqrt(2)*a*cos(6*d*x + 6*c) + 6*sqrt(2)*a*cos(4*d*x + 4*c)
+ 4*sqrt(2)*a*cos(2*d*x + 2*c) + sqrt(2)*a*sin(1/4*arctan2(sin(2*d*x + 2*c)
), cos(2*d*x + 2*c))) * B*sqrt(a)/(2*(4*cos(6*d*x + 6*c) + 6*cos(4*d*x + 4*c)
) + 4*cos(2*d*x + 2*c) + 1)*cos(8*d*x + 8*c) + cos(8*d*x + 8*c)^2 + 8*(6*cos
(4*d*x + 4*c) + 4*cos(2*d*x + 2*c) + 1)*cos(6*d*x + 6*c) + 16*cos(6*d*x +
6*c)^2 + 12*(4*cos(2*d*x + 2*c) + 1)*cos(4*d*x + 4*c) + 36*cos(4*d*x + 4*c)
^2 + 16*cos(2*d*x + 2*c)^2 + 4*(2*sin(6*d*x + 6*c) + 3*sin(4*d*x + 4*c) + 2
*sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + sin(8*d*x + 8*c)^2 + 16*(3*sin(4*d*x
+ 4*c) + 2*sin(2*d*x + 2*c))*sin(6*d*x + 6*c) + 16*sin(6*d*x + 6*c)^2 + 36*
sin(4*d*x + 4*c)^2 + 48*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 16*sin(2*d*x +
2*c)^2 + 8*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 0.829933, size = 1277, normalized size = 5.17

$$\left[\frac{4 \left(3(88A + 75B)a \cos(dx + c)^3 + 2(88A + 75B)a \cos(dx + c)^2 + 8(8A + 15B)a \cos(dx + c) + 48Ba \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}}}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(5/2),x, algor
ithm="fricas")

```

```

[Out] [1/768*(4*(3*(88*A + 75*B)*a*cos(d*x + c)^3 + 2*(88*A + 75*B)*a*cos(d*x + c)
)^2 + 8*(8*A + 15*B)*a*cos(d*x + c) + 48*B*a)*sqrt((a*cos(d*x + c) + a)/cos
(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((88*A + 75*B)*a*cos(d*x + c)
)^5 + (88*A + 75*B)*a*cos(d*x + c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt
(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x
+ c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x
+ c)^2)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4), 1/384*(2*(3*(88*A + 75*B)*
a*cos(d*x + c)^3 + 2*(88*A + 75*B)*a*cos(d*x + c)^2 + 8*(8*A + 15*B)*a*cos(
d*x + c) + 48*B*a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)
))*sin(d*x + c) + 3*((88*A + 75*B)*a*cos(d*x + c)^5 + (88*A + 75*B)*a*cos(d

```

```
*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(3/2)/cos(d*x + c)^(5/2), x)
```

$$3.532 \quad \int \cos^{\frac{11}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=275

$$\frac{2a^2(14A + 11B) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{99d} + \frac{2a^3(194A + 209B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(710A + 11B) \cos^{\frac{3}{2}}(c + dx)}{11d}$$

[Out] (16*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(710*A + 803*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(710*A + 803*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(194*A + 209*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(14*A + 11*B)*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(99*d) + (2*a*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)

Rubi [A] time = 0.831167, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4017, 4015, 3805, 3804}

$$\frac{2a^2(14A + 11B) \sin(c + dx) \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{99d} + \frac{2a^3(194A + 209B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{693d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(710A + 11B) \cos^{\frac{3}{2}}(c + dx)}{11d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (16*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (8*a^3*(710*A + 803*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3465*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(710*A + 803*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(1155*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(194*A + 209*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(693*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(14*A + 11*B)*Cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(99*d) + (2*a*A*Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)

Rule 2955


```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.)
+ (a_.))*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.)
+ (a_.)], x_Symbol] := Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)])
*(d_.)], x_Symbol] := Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \\
&= \frac{2aA\cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{11d} + \frac{1}{11} \int \frac{2a^2(14A+11B)\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{99d} dx \\
&= \frac{2a^3(194A+209B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{693d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(14A+11B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{1155d\sqrt{a+a\sec(c+dx)}} + \frac{2a^3(194A+209B)\cos^{\frac{1}{2}}(c+dx)\sin(c+dx)}{3465d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{16a^3(710A+803B)\sin(c+dx)}{3465d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{8a^3(710A+803B)\sin(c+dx)}{3465d}
\end{aligned}$$

Mathematica [A] time = 0.583902, size = 137, normalized size = 0.5

$$\frac{2a^2 \sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}(35(32A+11B)\cos^4(c+dx)+5(355A+286B)\cos^3(c+dx)+3(710A+803B)\cos^2(c+dx)+3(32A+11B)\cos(c+dx)+3A)}{3465d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(11/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

[Out] (2*a^2*Sqrt[Cos[c + d*x]]*(8*(710*A + 803*B) + 4*(710*A + 803*B)*Cos[c + d*x] + 3*(710*A + 803*B)*Cos[c + d*x]^2 + 5*(355*A + 286*B)*Cos[c + d*x]^3 + 35*(32*A + 11*B)*Cos[c + d*x]^4 + 315*A*Cos[c + d*x]^5)*Sqrt[a*(1 + Sec[c + d*x])] * Sin[c + d*x]) / (3465*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.34, size = 155, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) \left(315A(\cos(dx + c))^5 + 1120A(\cos(dx + c))^4 + 385B(\cos(dx + c))^4 + 1775A(\cos(dx + c)) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)`

[Out] `-2/3465/d*a^2*(-1+cos(d*x+c))*(315*A*cos(d*x+c)^5+1120*A*cos(d*x+c)^4+385*B*cos(d*x+c)^4+1775*A*cos(d*x+c)^3+1430*B*cos(d*x+c)^3+2130*A*cos(d*x+c)^2+2409*B*cos(d*x+c)^2+2840*A*cos(d*x+c)+3212*B*cos(d*x+c)+5680*A+6424*B)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)`

Maxima [B] time = 2.16263, size = 1018, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")`

[Out] `1/110880*(5*sqrt(2)*(31878*a^2*cos(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 8778*a^2*cos(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 3465*a^2*cos(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 1287*a^2*cos(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) + 385*a^2*cos(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))*sin(11/2*d*x + 11/2*c) - 31878*a^2*cos(11/2*d*x + 11/2*c)*sin(10/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 8778*a^2*cos(11/2*d*x + 11/2*c)*sin(8/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 3465*a^2*cos(11/2*d*x + 11/2*c)*sin(6/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 1287*a^2*cos(11/2*d*x + 11/2*c)*sin(4/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) - 385*a^2*cos(11/2*d*x + 11/2*c)*sin(2/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 126*a^2*sin(11/2*d*x + 11/2*c) + 385*a^2*sin(9/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 1287*a^2*sin(7/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 3465*a^2*sin(5/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c))) + 8778*a^2*sin(3/11*arctan2(sin(11/2*d*x + 11/2*c), cos(11/2*d*x + 11/2*c)))`

$$\begin{aligned} & \left(\frac{11}{2}c \right) + 31878a^2 \sin\left(\frac{1}{11} \arctan2\left(\sin\left(\frac{11}{2}dx + \frac{11}{2}c\right), \cos\left(\frac{11}{2}dx + \frac{11}{2}c\right)\right)\right) * A \sqrt{a} + 44\sqrt{2} * (225a^2 \sin\left(\frac{7}{4} \arctan2\left(\sin(2dx + 2c), \cos(2dx + 2c)\right)\right) + 378a^2 \sin\left(\frac{5}{4} \arctan2\left(\sin(2dx + 2c), \cos(2dx + 2c)\right)\right) + 2100a^2 \sin\left(\frac{3}{4} \arctan2\left(\sin(2dx + 2c), \cos(2dx + 2c)\right)\right) + 4095a^2 \sin\left(\frac{1}{4} \arctan2\left(\sin(2dx + 2c), \cos(2dx + 2c)\right)\right) - 63 * (65a^2 \sin(4dx + 4c) + 6a^2 \sin(2dx + 2c)) * \cos\left(\frac{9}{4} \arctan2\left(\sin(2dx + 2c), \cos(2dx + 2c)\right)\right) + 7 * (585a^2 \cos(4dx + 4c) + 54a^2 \cos(2dx + 2c) + 5a^2) * \sin\left(\frac{9}{4} \arctan2\left(\sin(2dx + 2c), \cos(2dx + 2c)\right)\right) * B \sqrt{a} \right) / d \end{aligned}$$

Fricas [A] time = 0.494805, size = 412, normalized size = 1.5

$$\frac{2 \left(315 A a^2 \cos(dx + c)^5 + 35 (32 A + 11 B) a^2 \cos(dx + c)^4 + 5 (355 A + 286 B) a^2 \cos(dx + c)^3 + 3 (710 A + 803 B) a^2 \cos(dx + c)^2 + 4 (710 A + 803 B) a^2 \cos(dx + c) + 8 (710 A + 803 B) a^2 \right) \sqrt{\frac{(a \cos(dx + c) + a)}{\cos(dx + c)}} \sqrt{\frac{\cos(dx + c) \sin(dx + c)}{(d \cos(dx + c) + d)}}}{3465 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(11/2)*(a+a*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] $\frac{2}{3465} * (315 * A * a^2 * \cos(dx + c)^5 + 35 * (32 * A + 11 * B) * a^2 * \cos(dx + c)^4 + 5 * (355 * A + 286 * B) * a^2 * \cos(dx + c)^3 + 3 * (710 * A + 803 * B) * a^2 * \cos(dx + c)^2 + 4 * (710 * A + 803 * B) * a^2 * \cos(dx + c) + 8 * (710 * A + 803 * B) * a^2) * \sqrt{\frac{(a * \cos(dx + c) + a)}{\cos(dx + c)}} * \sqrt{\frac{\cos(dx + c) * \sin(dx + c)}{(d * \cos(dx + c) + d)}}$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)**(11/2)*(a+a*sec(dx+c))**(5/2)*(A+B*sec(dx+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(11/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algo
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(11/
2), x)
```

$$3.533 \quad \int \cos^{\frac{9}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=228

$$\frac{2a^2(4A + 3B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{21d} + \frac{2a^3(124A + 135B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(292A + 345B)}{315d}$$

[Out] (4*a^3*(292*A + 345*B)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(292*A + 345*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(124*A + 135*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(4*A + 3*B)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)

Rubi [A] time = 0.75792, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4017, 4015, 3805, 3804}

$$\frac{2a^2(4A + 3B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}}{21d} + \frac{2a^3(124A + 135B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{315d \sqrt{a \sec(c + dx) + a}} + \frac{2a^3(292A + 345B)}{315d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (4*a^3*(292*A + 345*B)*Sin[c + d*x])/(315*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(292*A + 345*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^3*(124*A + 135*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(315*d*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(4*A + 3*B)*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*A*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3805

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Simp[(a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n*Sqrt[a
+ b*Csc[e + f*x]]), x] + Dist[(a*(2*n + 1))/(2*b*d*n), Int[Sqrt[a + b*Csc[
e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f}, x] &&
EqQ[a^2 - b^2, 0] && LtQ[n, -2^(-1)] && IntegerQ[2*n]
```

Rule 3804

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*
Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)}dx \\
&= \frac{2aA\cos^{\frac{7}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{9d} + \frac{1}{9}\left(2a^2(4A+3B)\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)\right) \\
&= \frac{2a^2(4A+3B)\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{21d} \\
&= \frac{2a^3(124A+135B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(4A+3B)\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{315d} \\
&= \frac{2a^3(292A+345B)\sqrt{\cos(c+dx)}\sin(c+dx)}{315d\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(124A+135B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{315d} \\
&= \frac{4a^3(292A+345B)\sin(c+dx)}{315d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(292A+345B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{315d}
\end{aligned}$$

Mathematica [A] time = 0.457175, size = 116, normalized size = 0.51

$$\frac{2a^2 \sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{a(\sec(c+dx)+1)}(5(26A+9B)\cos^3(c+dx)+3(73A+60B)\cos^2(c+dx)+(292A+345B)\cos(c+dx))}{315d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*a^2*Sqrt[Cos[c + d*x]]*(584*A + 690*B + (292*A + 345*B)*Cos[c + d*x] + 3*(73*A + 60*B)*Cos[c + d*x]^2 + 5*(26*A + 9*B)*Cos[c + d*x]^3 + 35*A*Cos[c + d*x]^4)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(315*d*(1 + Cos[c + d*x]))

Maple [A] time = 0.293, size = 133, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx+c))(35A(\cos(dx+c))^4 + 130A(\cos(dx+c))^3 + 45B(\cos(dx+c))^3 + 219A(\cos(dx+c))^2 + 180A\cos(dx+c) + 90A)}{315d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] -2/315/d*a^2*(-1+cos(d*x+c))*(35*A*cos(d*x+c)^4+130*A*cos(d*x+c)^3+45*B*cos
(d*x+c)^3+219*A*cos(d*x+c)^2+180*B*cos(d*x+c)^2+292*A*cos(d*x+c)+345*B*cos(
d*x+c)+584*A+690*B)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/si
n(d*x+c)
```

Maxima [B] time = 2.10051, size = 805, normalized size = 3.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algor
ithm="maxima")
```

```
[Out] 1/5040*(sqrt(2)*(8190*a^2*cos(8/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x
+ 9/2*c))) * sin(9/2*d*x + 9/2*c) + 2100*a^2*cos(2/3*arctan2(sin(9/2*d*x + 9
/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 756*a^2*cos(4/9*arctan
2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x + 9/2*c) + 225*a
^2*cos(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) * sin(9/2*d*x
+ 9/2*c) - 8190*a^2*cos(9/2*d*x + 9/2*c) * sin(8/9*arctan2(sin(9/2*d*x + 9/2
*c), cos(9/2*d*x + 9/2*c))) - 2100*a^2*cos(9/2*d*x + 9/2*c) * sin(2/3*arctan2
(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 756*a^2*cos(9/2*d*x + 9/2*c
) * sin(4/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*c))) - 225*a^2*co
s(9/2*d*x + 9/2*c) * sin(2/9*arctan2(sin(9/2*d*x + 9/2*c), cos(9/2*d*x + 9/2*
c)))) + 70*a^2*sin(9/2*d*x + 9/2*c) + 225*a^2*sin(7/9*arctan2(sin(9/2*d*x +
9/2*c), cos(9/2*d*x + 9/2*c))) + 756*a^2*sin(5/9*arctan2(sin(9/2*d*x + 9/2*
c), cos(9/2*d*x + 9/2*c))) + 2100*a^2*sin(1/3*arctan2(sin(9/2*d*x + 9/2*c),
cos(9/2*d*x + 9/2*c))) + 8190*a^2*sin(1/9*arctan2(sin(9/2*d*x + 9/2*c), co
s(9/2*d*x + 9/2*c)))) * A * sqrt(a) - 30*sqrt(2)*(77*a^2*cos(7/4*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - 42*a^2*sin(5/4*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c))) - 77*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c))) - 630*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) - (77*a^2*cos(2*d*x + 2*c) + 6*a^2)*sin(7/4*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c)))) * B * sqrt(a) / d
```

Fricas [A] time = 0.486682, size = 348, normalized size = 1.53

$$\frac{2(35 A a^2 \cos(dx + c)^4 + 5(26 A + 9 B) a^2 \cos(dx + c)^3 + 3(73 A + 60 B) a^2 \cos(dx + c)^2 + (292 A + 345 B) a^2 \cos(dx + c) + 292 A a^2}{315(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] $\frac{2}{315} \cdot (35 A a^2 \cos(dx + c)^4 + 5(26 A + 9 B) a^2 \cos(dx + c)^3 + 3(73 A + 60 B) a^2 \cos(dx + c)^2 + (292 A + 345 B) a^2 \cos(dx + c) + 2(292 A + 345 B) a^2) \cdot \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \cdot \sqrt{\cos(dx + c)} \cdot \sin(dx + c) / (d \cos(dx + c) + d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(9/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.534 \quad \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=178

$$\frac{64a^3(5A + 7B) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{16a^2(5A + 7B) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a(5A + 7B) \sin(c + dx)}{105d}$$

[Out] (64*a^3*(5*A + 7*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(5*A + 7*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(5*A + 7*B)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.458249, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4013, 3809, 3804}

$$\frac{64a^3(5A + 7B) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{16a^2(5A + 7B) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{105d} + \frac{2a(5A + 7B) \sin(c + dx)}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (64*a^3*(5*A + 7*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (16*a^2*(5*A + 7*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(5*A + 7*B)*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*A*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3809

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^ (n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^ (m_.), x_Symbol] :> -Simp[(a*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*m), x] + Dist[(b*(2*m - 1))/(d*m), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && GtQ[m, 1/2] && IntegerQ[2*m]

Rule 3804

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Simp[(-2*a*Cot[e + f*x])/(f*Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\
 &= \frac{2A \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{1}{7} \left((5A + 7B) \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)\right) \\
 &= \frac{2a(5A + 7B) \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{35d} \\
 &= \frac{16a^2(5A + 7B)\sqrt{\cos(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{105d} \\
 &= \frac{64a^3(5A + 7B) \sin(c + dx)}{105d\sqrt{\cos(c + dx)}\sqrt{a + a \sec(c + dx)}} + \frac{16a^2(5A + 7B)\sqrt{\cos(c + dx)}\sqrt{a + a \sec(c + dx)} \sin(c + dx)}{105d}
 \end{aligned}$$

Mathematica [A] time = 0.350622, size = 99, normalized size = 0.56

$$\frac{2a^2 \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a(\sec(c + dx) + 1)} \left(3(20A + 7B) \cos^2(c + dx) + (115A + 98B) \cos(c + dx) + 15A \cos^3(c + dx) \right)}{105d(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*a^2*Sqrt[Cos[c + d*x]]*(230*A + 301*B + (115*A + 98*B)*Cos[c + d*x] + 3*(20*A + 7*B)*Cos[c + d*x]^2 + 15*A*Cos[c + d*x]^3)*Sqrt[a*(1 + Sec[c + d*x])]*Sin[c + d*x])/(105*d*(1 + Cos[c + d*x]))
```

Maple [A] time = 0.274, size = 111, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) \left(15A(\cos(dx + c))^3 + 60A(\cos(dx + c))^2 + 21B(\cos(dx + c))^2 + 115A\cos(dx + c) + 98B \right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] -2/105/d*a^2*(-1+cos(d*x+c))*(15*A*cos(d*x+c)^3+60*A*cos(d*x+c)^2+21*B*cos(d*x+c)^2+115*A*cos(d*x+c)+98*B*cos(d*x+c)+230*A+301*B)*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)
```

Maxima [B] time = 2.06843, size = 651, normalized size = 3.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/840*(5*sqrt(2)*(315*a^2*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) + 77*a^2*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))
```

*c), cos(7/2*d*x + 7/2*c))*sin(7/2*d*x + 7/2*c) + 21*a^2*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))*sin(7/2*d*x + 7/2*c) - 315*a^2*cos(7/2*d*x + 7/2*c)*sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 77*a^2*cos(7/2*d*x + 7/2*c)*sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 21*a^2*cos(7/2*d*x + 7/2*c)*sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 6*a^2*sin(7/2*d*x + 7/2*c) + 21*a^2*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 77*a^2*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 315*a^2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))))*A*sqrt(a) - 28*(75*sqrt(2)*a^2*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) - 25*sqrt(2)*a^2*sin(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 75*sqrt(2)*a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 3*(25*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*B*sqrt(a))/d

Fricas [A] time = 0.481874, size = 294, normalized size = 1.65

$$\frac{2 \left(15 A a^2 \cos(dx + c)^3 + 3 (20 A + 7 B) a^2 \cos(dx + c)^2 + (115 A + 98 B) a^2 \cos(dx + c) + (230 A + 301 B) a^2 \right) \sqrt{\frac{a \cos(dx + c)}{\cos(dx + c)}}}{105 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorith="fricas")

[Out] 2/105*(15*A*a^2*cos(d*x + c)^3 + 3*(20*A + 7*B)*a^2*cos(d*x + c)^2 + (115*A + 98*B)*a^2*cos(d*x + c) + (230*A + 301*B)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c) + d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(7/2), x)
```

$$3.535 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=192

$$\frac{2a^3(32A + 35B) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(8A + 5B) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2a^{5/2}B\sqrt{\cos(c + dx)}}{15d}$$

[Out] (2*a^(5/2)*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a^3*(32*A + 35*B)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 5*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.618572, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4017, 4015, 3801, 215}

$$\frac{2a^3(32A + 35B) \sin(c + dx)}{15d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{2a^2(8A + 5B) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}}{15d} + \frac{2a^{5/2}B\sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*a^(5/2)*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (2*a^3*(32*A + 35*B)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*a^2*(8*A + 5*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n]/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{2aA\cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{5d} + \frac{1}{5} \left(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \right. \\
&= \frac{2a^2(8A+5B)\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{15d} \\
&= \frac{2a^3(32A+35B)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(8A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{15d} \\
&= \frac{2a^3(32A+35B)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2a^2(8A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{15d} + \frac{2a^{5/2}B\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d} + \dots
\end{aligned}$$

Mathematica [A] time = 0.634799, size = 118, normalized size = 0.61

$$\frac{2a^3 \sin(c+dx) \left(\sqrt{1-\sec(c+dx)} \left((14A+5B)\cos(c+dx) + 3A\cos^2(c+dx) + 43A+40B \right) + 15B\sqrt{\sec(c+dx)}\sin^{-1}\left(\sqrt{1-\sec(c+dx)}\right) \right)}{15d\sqrt{\cos(c+dx)} - \sqrt{a(\sec(c+dx)+1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]

[Out] (2*a^3*((43*A + 40*B + (14*A + 5*B)*Cos[c + d*x] + 3*A*Cos[c + d*x]^2)*Sqrt[1 - Sec[c + d*x]] + 15*B*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Sec[c + d*x]])*Sin[c + d*x])/(15*d*Sqrt[-1 + Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.311, size = 225, normalized size = 1.2

$$-\frac{a^2}{30d\sin(dx+c)}\sqrt{\cos(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(-15B\sin(dx+c)\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(5/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)),x)$

[Out] $-1/30/d*a^2*\cos(dx+c)^{(1/2)}*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(-15*B*\sin(dx+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c)))*(-2/(\cos(dx+c)+1))^{(1/2)}+15*B*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c)))*(-2/(\cos(dx+c)+1))^{(1/2)}*\sin(dx+c)+12*A*\cos(dx+c)^3+44*A*\cos(dx+c)^2+20*B*\cos(dx+c)^2+116*A*\cos(dx+c)+140*B*\cos(dx+c)-172*A-160*B)/\sin(dx+c)$

Maxima [B] time = 2.0021, size = 475, normalized size = 2.47

$\left(3\sqrt{2}a^2\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 25\sqrt{2}a^2\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 150\sqrt{2}a^2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)A\sqrt{a} + 5\left(2\sqrt{2}a^2\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 30\sqrt{2}a^2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - 3a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + 3a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - 3a^2\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2)\right)*B*\sqrt{a}/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(5/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out] $1/30*((3*\sqrt{2})*a^2*\sin(5/2*d*x + 5/2*c) + 25*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 150*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} + 5*(2*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 30*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c) + 3*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*B*\sqrt{a}/d$

Fricas [A] time = 0.571809, size = 1040, normalized size = 5.42

$$\frac{4 \left(3 A a^2 \cos(dx + c)^2 + (14 A + 5 B) a^2 \cos(dx + c) + (43 A + 40 B) a^2 \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + 15 (B a^2 \cos(dx + c) + B a^2) \sqrt{a} \log\left(\frac{(a \cos(dx + c) + a) \sqrt{\cos(dx + c)} \sin(dx + c) + 15 (B a^2 \cos(dx + c) + B a^2) \sqrt{a} \arctan\left(\frac{2 \sqrt{-a} \sqrt{(a \cos(dx + c) + a) \sqrt{\cos(dx + c)} \sin(dx + c) + 15 (B a^2 \cos(dx + c) + B a^2) \sqrt{a}}}{a \cos(dx + c) - 2 a}\right)}{(a \cos(dx + c) + a) \sqrt{\cos(dx + c)} \sin(dx + c) + 15 (B a^2 \cos(dx + c) + B a^2) \sqrt{a}}\right)}{30 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/30*(4*(3*A*a^2*cos(d*x + c)^2 + (14*A + 5*B)*a^2*cos(d*x + c) + (43*A + 40*B)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*(B*a^2*cos(d*x + c) + B*a^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c) + d), 1/15*(2*(3*A*a^2*cos(d*x + c)^2 + (14*A + 5*B)*a^2*cos(d*x + c) + (43*A + 40*B)*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*(B*a^2*cos(d*x + c) + B*a^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c) + d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2), x)
```

$$3.536 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=197

$$\frac{a^3(14A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(2A - 3B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{3d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(2A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{d}$$

[Out] (a^(5/2)*(2*A + 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^3*(14*A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(2*A - 3*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.626155, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4017, 4018, 4015, 3801, 215}

$$\frac{a^3(14A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} - \frac{a^2(2A - 3B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{3d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(2A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(5/2)*(2*A + 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/d + (a^3*(14*A + 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (a^2*(2*A - 3*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*a*A*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(a*A*Cot
[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dis
t[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp
[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
&& GtQ[m, 1/2] && LtQ[n, -1]
```

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*b^2*C
ot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist
[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e
+ f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+a\sec(c+dx))^{5/2}(A+B\sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2aA\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}\sin(c+dx)}{3d} + \frac{1}{3}\left(2a^2\sqrt{\cos(c+dx)}\right. \\
&= -\frac{a^2(2A-3B)\sqrt{a+a\sec(c+dx)}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}}{3d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(14A+3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{a^2(2A-3B)\sqrt{a+a\sec(c+dx)}}{3d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(14A+3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{a^2(2A-3B)\sqrt{a+a\sec(c+dx)}}{3d\sqrt{\cos(c+dx)}} \\
&= \frac{a^{5/2}(2A+5B)\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.661503, size = 117, normalized size = 0.59

$$\frac{a^3 \sin(c+dx) \left(\sqrt{1-\sec(c+dx)}(2A \cos(c+dx) + 16A + 3B \sec(c+dx) + 6B) + 3(2A+5B)\sqrt{\sec(c+dx)} \sin^{-1}\left(\sqrt{1-\sec(c+dx)}\right) \right)}{3d\sqrt{\cos(c+dx)-1}\sqrt{a(\sec(c+dx)+1)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^3*(3*(2*A + 5*B)*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Sec[c + d*x]] + Sqrt[1 - Sec[c + d*x]]*(16*A + 6*B + 2*A*Cos[c + d*x] + 3*B*Sec[c + d*x]))*Sin[c + d*x]/(3*d*Sqrt[-1 + Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.332, size = 368, normalized size = 1.9

$$-\frac{a^2}{12d\sin(dx+c)}\left(6A\sin(dx+c)\arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx+c)+1)^{-1}(\cos(dx+c)+1+\sin(dx+c))}\right)\sqrt{-2(\cos(dx+c)+1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)),x)$

[Out]
$$-1/12/d*a^2*(6*A*\sin(dx+c)*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))*(-2/(\cos(dx+c)+1))^{(1/2)}*\cos(dx+c)*2^{(1/2)}-6*A*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c))))*\cos(dx+c)*2^{(1/2)}+15*B*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1+\sin(dx+c))))*(-2/(\cos(dx+c)+1))^{(1/2)}*\cos(dx+c)*\sin(dx+c)*2^{(1/2)}-15*B*(-2/(\cos(dx+c)+1))^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(dx+c)+1))^{(1/2)}*(\cos(dx+c)+1-\sin(dx+c))))*\cos(dx+c)*\sin(dx+c)*2^{(1/2)}+8*A*\cos(dx+c)^3+56*A*\cos(dx+c)^2+24*B*\cos(dx+c)^2-64*A*\cos(dx+c)-12*B*\cos(dx+c)-12*B*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}/\sin(dx+c)/\cos(dx+c)^{(1/2)}$$

Maxima [B] time = 2.38672, size = 3495, normalized size = 17.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(3/2)}*(a+a*\sec(dx+c))^{(5/2)}*(A+B*\sec(dx+c)),x, \text{algorithm}="maxima")$

[Out]
$$1/12*(\sqrt{2}*(30*a^2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(3/2*d*x + 3/2*c) - 30*a^2*\cos(3/2*d*x + 3/2*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 3*\sqrt{2}*a^2*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) - 3*\sqrt{2}*a^2*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + 3*\sqrt{2}*a^2*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) - 3*\sqrt{2}*a^2*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + 4*a^2*\sin(3/2*d*x + 3/2*c) + 30*a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))$$

```

*c))))*A*sqrt(a) + 3*(4*sqrt(2)*a^2*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c)))^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*sq
rt(2)*a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2*sin(1/4*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*sqrt(2)*a^2*sin(1/4*arctan2(
sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^3 - 4*sqrt(2)*a^2*cos(1/4*arctan2(sin(
2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c))) + 4*sqrt(2)*a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c)))*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 4*(2*sqrt(2)*a^
2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/4*arctan2(sin(
2*d*x + 2*c), cos(2*d*x + 2*c))) - sqrt(2)*a^2*sin(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c))))*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
))) + 5*(a^2*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*a^2
*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*cos(1/4*arctan2(sin(2
*d*x + 2*c), cos(2*d*x + 2*c))) + a^2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c)))^2 + a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))
)^2 + 2*a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/4*ar
ctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + a^2*sin(1/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c)))^2)*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2
+ 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2*sqrt(2
)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) - 5*(a^2*cos(5/
4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*a^2*cos(5/4*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c)))*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c))) + a^2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 +
a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*a^2*sin(5/4
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/4*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c))) + a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c)))^2)*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2
*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 2*sqrt(2)*sin(1/4*arctan2(s
in(2*d*x + 2*c), cos(2*d*x + 2*c))) + 2) + 5*(a^2*cos(5/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c)))^2 + 2*a^2*cos(5/4*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c)))*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + a^2*
cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + a^2*sin(5/4*arctan
2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*a^2*sin(5/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c)))*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c))) + a^2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2)*log(2*co
s(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c))) + 2) - 5*(a^2*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c)))^2 + 2*a^2*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*cos
(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + a^2*cos(1/4*arctan2(sin
(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + a^2*sin(5/4*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c)))^2 + 2*a^2*sin(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x +

```

$$\begin{aligned}
& 2*c)) * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + a^2 * \sin(1/4 * \\
& \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 * \log(2 * \cos(1/4 * \arctan2(\sin(2 \\
& *d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c)))^2 - 2 * \sqrt{2} * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c))) - 2 * \sqrt{2} * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \\
& 2) + 4 * (2 * \sqrt{2}) * a^2 * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + \sqrt{2}) * a^2 * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sqrt{2} \\
& (2) * a^2 * \sin(5/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 * (\sqrt{2}) * \\
& a^2 * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2}) * a^2 * \sin \\
& (1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * B * \sqrt{a} / (\cos(5/4 * \arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \cos(5/4 * \arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) * \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c \\
&))) + \cos(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(5/4 * \arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(5/4 * \arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))) * \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)) + \sin(1/4 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2)) / d
\end{aligned}$$

Fricas [A] time = 0.694929, size = 1146, normalized size = 5.82

$$\frac{4 \left(2 A a^2 \cos(dx + c)^2 + 2 (8 A + 3 B) a^2 \cos(dx + c) + 3 B a^2 \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) + 3 \left((2 A + 5 B) a \right)}{12 \left(d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] [1/12*(4*(2*A*a^2*cos(d*x + c)^2 + 2*(8*A + 3*B)*a^2*cos(d*x + c) + 3*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((2*A + 5*B)*a^2*cos(d*x + c)^2 + (2*A + 5*B)*a^2*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^2 + d*cos(d*x + c)), 1/6*(2*(2*A*a^2*cos(d*x + c)^2 + 2*(8*A + 3*B)*a^2*cos(d*x + c) + 3*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((2*A + 5*B)*a^2*cos(d*x + c)^2 + (2*A + 5*B)*a^2*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^2

2 + d*cos(d*x + c))]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2), x)

$$3.537 \quad \int \sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=200

$$\frac{a^3(4A - 9B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{a^2(4A + 7B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{4d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(20A + 19B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{4d}$$

[Out] (a^(5/2)*(20*A + 19*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*d) + (a^3*(4*A - 9*B)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(4*A + 7*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.627095, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4018, 4015, 3801, 215}

$$\frac{a^3(4A - 9B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}\sqrt{a \sec(c + dx) + a}} + \frac{a^2(4A + 7B) \sin(c + dx)\sqrt{a \sec(c + dx) + a}}{4d\sqrt{\cos(c + dx)}} + \frac{a^{5/2}(20A + 19B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^(5/2)*(20*A + 19*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*d) + (a^3*(4*A - 9*B)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(4*A + 7*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^ (m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4015

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^ (n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*b^2*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(a*f*n*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(A*b*(2*n + 1) + 2*a*B*n)/(2*a*d*n), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{aB(a+a \sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} + \frac{1}{2} \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{a^2(4A+7B)\sqrt{a+a \sec(c+dx)} \sin(c+dx)}{4d\sqrt{\cos(c+dx)}} + \frac{aB(a+a \sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(4A-9B) \sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} + \frac{a^2(4A+7B)\sqrt{a+a \sec(c+dx)} \sin(c+dx)}{4d\sqrt{\cos(c+dx)}} \\
&= \frac{a^3(4A-9B) \sin(c+dx)}{4d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} + \frac{a^2(4A+7B)\sqrt{a+a \sec(c+dx)} \sin(c+dx)}{4d\sqrt{\cos(c+dx)}} \\
&= \frac{a^{5/2}(20A+19B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{4d}
\end{aligned}$$

Mathematica [A] time = 0.922839, size = 173, normalized size = 0.86

$$\frac{a^3 \sin(c+dx) \sqrt{\cos(c+dx)} (A+B \sec(c+dx)) \left(\sqrt{1-\sec(c+dx)} \left((4A+11B) \sec(c+dx) + 8A + 2B \sec^2(c+dx)\right) + 20A\right)}{4d \sqrt{1-\sec(c+dx)} \sqrt{a(\sec(c+dx)+1)} (A \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (a^3*Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x])*(20*A*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Sec[c + d*x]] - 19*B*ArcSin[Sqrt[Sec[c + d*x]]]*Sqrt[Sec[c + d*x]] + Sqrt[1 - Sec[c + d*x]]*(8*A + (4*A + 11*B)*Sec[c + d*x] + 2*B*Sec[c + d*x]^2))*Sin[c + d*x])/(4*d*(B + A*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.338, size = 376, normalized size = 1.9

$$-\frac{a^2(-1+\cos(dx+c))}{8d(\sin(dx+c))^2} \left(16A(\cos(dx+c))^2 \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} - 20A(\cos(dx+c))^2 \sqrt{2} \arctan\left(\frac{1}{\sqrt{a+a \sec(c+dx)}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x)`

[Out]
$$\begin{aligned} & -1/8/d*a^2*(-1+\cos(d*x+c))*(16*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}) \\ & -20*A*\cos(d*x+c)^2*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)) \\ & +20*A*\cos(d*x+c)^2*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)) \\ & -19*B*\cos(d*x+c)^2*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)) \\ & +19*B*\cos(d*x+c)^2*2^{1/2}*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)) \\ & +8*A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2} \\ & +22*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+4*B*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c) \\ & *(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/\cos(d*x+c)^{3/2}/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{1/2} \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.692874, size = 1160, normalized size = 5.8

$$\left[\frac{4 \left(8 A a^2 \cos(dx+c)^2 + (4 A + 11 B) a^2 \cos(dx+c) + 2 B a^2 \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + ((20 A + 19 B) a^2}{16 (d \cos(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="fricas")`


```
[Out] [1/16*(4*(8*A*a^2*cos(d*x + c)^2 + (4*A + 11*B)*a^2*cos(d*x + c) + 2*B*a^2)
*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) +
((20*A + 19*B)*a^2*cos(d*x + c)^3 + (20*A + 19*B)*a^2*cos(d*x + c)^2)*sqrt(
a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)
)*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 +
8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^3 + d*cos(d*x + c
)^2), 1/8*(2*(8*A*a^2*cos(d*x + c)^2 + (4*A + 11*B)*a^2*cos(d*x + c) + 2*B*
a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c
) + ((20*A + 19*B)*a^2*cos(d*x + c)^3 + (20*A + 19*B)*a^2*cos(d*x + c)^2)*s
qrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(
d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d
*x + c)^3 + d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c)
), x)
```

$$3.538 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=200

$$\frac{a^3(54A+49B)\sin(c+dx)}{24d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a^2(2A+3B)\sin(c+dx)\sqrt{a \sec(c+dx)+a}}{4d \cos^{\frac{3}{2}}(c+dx)} + \frac{a^{5/2}(38A+25B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{8d}$$

[Out] (a^(5/2)*(38*A + 25*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^3*(54*A + 49*B)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(2*A + 3*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + (a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rubi [A] time = 0.651345, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4018, 4016, 3801, 215}

$$\frac{a^3(54A+49B)\sin(c+dx)}{24d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \sec(c+dx)+a}} + \frac{a^2(2A+3B)\sin(c+dx)\sqrt{a \sec(c+dx)+a}}{4d \cos^{\frac{3}{2}}(c+dx)} + \frac{a^{5/2}(38A+25B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{8d}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (a^(5/2)*(38*A + 25*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^3*(54*A + 49*B)*Sin[c + d*x])/(24*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(2*A + 3*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + (a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4018

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]
```

Rule 4016

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{aB(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{3/2}(c + dx)} + \frac{1}{3} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^{5/2} dx \\
&= \frac{a^2(2A + 3B) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} + \frac{aB(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{3/2}(c + dx)} \\
&= \frac{a^3(54A + 49B) \sin(c + dx)}{24d \cos^{3/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(2A + 3B) \sqrt{a + a \sec(c + dx)}}{4d \cos^{3/2}(c + dx)} \\
&= \frac{a^3(54A + 49B) \sin(c + dx)}{24d \cos^{3/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(2A + 3B) \sqrt{a + a \sec(c + dx)}}{4d \cos^{3/2}(c + dx)} \\
&= \frac{a^5(38A + 25B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} + \frac{a^2(2A + 3B) \sqrt{a + a \sec(c + dx)}}{4d \cos^{3/2}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 1.3001, size = 133, normalized size = 0.66

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right)\right) (4(6A + 17B) \cos(c + dx) + (66A + 75B) \cos(2(c + dx)) + 66A + 66B)}{48d \cos^{5/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(3*Sqrt[2]*(38*A + 25*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^3 + (66*A + 91*B + 4*(6*A + 17*B))*Cos[c + d*x] + (66*A + 75*B)*Cos[2*(c + d*x)]*Sin[(c + d*x)/2])/(48*d*Cos[c + d*x]^(5/2))

Maple [B] time = 0.289, size = 407, normalized size = 2.

$$-\frac{a^2(-1 + \cos(dx + c))}{48d(\sin(dx + c))^2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(-114A(\cos(dx + c))^3 \arctan\left(\frac{1}{4}\sqrt{2}\sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x)`

[Out]
$$\begin{aligned} & -1/48/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))*(-114*A*\cos \\ & (d*x+c)^3*\arctan(1/4*2^{(1/2)*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d* \\ & x+c)))*2^{(1/2)}+114*A*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2)*(-2/(\cos(d*x+c)+1))^{(1/2)} \\ & *(\cos(d*x+c)+1+\sin(d*x+c)))*2^{(1/2)}-75*B*\cos(d*x+c)^3*\arctan(1/4*2^{(1/2) \\ & *(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))*2^{(1/2)}+75*B*\cos(d*x+ \\ & c)^3*\arctan(1/4*2^{(1/2)*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)) \\ &))*2^{(1/2)}+132*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+150*B*\cos \\ & (d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+24*A*\cos(d*x+c)*\sin(d*x+c)* \\ & (-2/(\cos(d*x+c)+1))^{(1/2)}+68*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)} \\ & +16*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))/\sin(d*x+c)^2/\cos(d*x+c)^{(5/2)} \\ & /(-2/(\cos(d*x+c)+1))^{(1/2)} \end{aligned}$$

Maxima [B] time = 21.4001, size = 8501, normalized size = 42.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/96*(6*(88*\sqrt{2})*a^2*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) - 56*\sqrt{2} \\ & *a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 28*\sqrt{2})*a^2*\sin(3/2*d*x + 3 \\ & /2*c) + 44*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c) - 19*(a^2*\log(2*\cos(1/2*d*x + 1 \\ & /2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\ & *\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\ & /2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x \\ & + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\ & - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a \\ & ^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(\\ & 1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(4*d*x + 4*c)^2 \\ & - 76*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\ & *\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*c \\ & os(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + \\ & 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/2* \\ & c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\ &)*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\ & d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1 \\ \end{aligned}$$

$$\begin{aligned}
& 2\sqrt{2}\cos(1/2*d*x + 1/2*c) + 2\sqrt{2}\sin(1/2*d*x + 1/2*c) + 2) - 19* \\
& a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos \\
& (1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + \\
& 4*(11*\sqrt{2}*a^2*\cos(7/2*d*x + 7/2*c) - 7*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c \\
&) + 7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c \\
&) - 19*(a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\
& t(2)*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2 \\
& *\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + a^2*\log(2*\cos(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\
& (2)*\sin(1/2*d*x + 1/2*c) + 2) - a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2))*\sin(2*d*x + 2*c))*\sin(4*d*x + 4*c) - 44*(2*\sqrt{2}*a^2*\cos(2* \\
& d*x + 2*c) + \sqrt{2}*a^2)*\sin(7/2*d*x + 7/2*c) + 28*(2*\sqrt{2}*a^2*\cos(2*d* \\
& x + 2*c) + \sqrt{2}*a^2)*\sin(5/2*d*x + 5/2*c) + 8*(7*\sqrt{2}*a^2*\cos(3/2*d*x \\
& + 3/2*c) - 11*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*A*\sqrt{a} \\
&)/(2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos \\
& (2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
& + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1) - (300*\sqrt{2}*a^2*\cos(1/3 \\
& *arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(6*d*x + 6*c) - 28 \\
& *\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) + 28*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 2 \\
& 8*(\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) - \sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c))*\cos \\
& (6*d*x + 6*c) - 300*(\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\sin(8/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 3*\sqrt{2}*a^2*\sin(4/3 \\
& *arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(11/3*arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(7*\sqrt{2}*a^2*\sin(9/2*d*x + \\
& 9/2*c) - 7*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 114*\sqrt{2}*a^2*\sin(7/3*arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 114*\sqrt{2}*a^2*\sin(5/3* \\
& arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*\sqrt{2}*a^2*\sin(1 \\
& /3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 456*(\sqrt{2}*a^2*\sin(6*d*x + 6 \\
& *c) + 3*\sqrt{2}*a^2*\sin(4/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))))*\cos(7/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 456*(\\
& \sqrt{2}*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\sin(4/3*arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(5/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
& /2*d*x + 3/2*c))) - 12*(7*\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2* \\
& \sin(3/2*d*x + 3/2*c) + 75*\sqrt{2}*a^2*\sin(1/3*arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))))*\cos(4/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 75*(a^2*\cos(6*d*x + 6*c)^2 + 9*a^2*\cos(8/3*arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*arctan2(\sin(3/2*d*x + 3 \\
& /2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*ar \\
& ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6* \\
& c)*\sin(4/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin \\
& (4/3*arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d \\
& *x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*arctan2(\sin(3/2*d
\end{aligned}$$

$$\begin{aligned}
& \left. \right)^2 + 2a^2 \cos(6dx + 6c) + a^2 + 6(a^2 \cos(6dx + 6c) + 3a^2 \cos(\\
& 4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + a^2) \cos(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 6(a^2 \cos(6dx + 6c) \\
& + a^2) \cos(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 6(a \\
& ^2 \sin(6dx + 6c) + 3a^2 \sin(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx \\
& + 3/2 c)))) \sin(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) \\
&) \log(2 \cos(1/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 + 2 \\
& \sin(1/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 - 2\sqrt{2} \\
& \cos(1/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) - 2\sqrt{2} \sin \\
& (1/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 2) + 28(\sqrt{2} \\
& a^2 \cos(9/2 dx + 9/2 c) - \sqrt{2} a^2 \cos(3/2 dx + 3/2 c)) \sin(6dx + \\
& 6c) + 300(\sqrt{2} a^2 \cos(6dx + 6c) + 3\sqrt{2} a^2 \cos(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 3\sqrt{2} a^2 \cos(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + \sqrt{2} a^2 \sin(11/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 12(7\sqrt{2} a^2 \cos(9/2 dx + 9/2 c) - 7\sqrt{2} a^2 \cos(3/2 dx + 3/2 c) - 114\sqrt{2} a^2 \cos(7/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 114\sqrt{2} a^2 \cos(5/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 75\sqrt{2} a^2 \cos(1/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))) \sin(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 456(\sqrt{2} a^2 \cos(6dx + 6c) + 3\sqrt{2} a^2 \cos(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + \sqrt{2} a^2 \sin(7/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) - 456(\sqrt{2} a^2 \cos(6dx + 6c) + 3\sqrt{2} a^2 \cos(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + \sqrt{2} a^2 \sin(5/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 12(7\sqrt{2} a^2 \cos(9/2 dx + 9/2 c) - 7\sqrt{2} a^2 \cos(3/2 dx + 3/2 c) + 75\sqrt{2} a^2 \cos(1/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))) \sin(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) - 300(\sqrt{2} a^2 \cos(6dx + 6c) + \sqrt{2} a^2 \sin(1/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))) \sqrt{a} / (\cos(6dx + 6c)^2 + 6(\cos(6dx + 6c) + 3\cos(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 1) \cos(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 9\cos(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 + 6(\cos(6dx + 6c) + 1) \cos(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 9\cos(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 + \sin(6dx + 6c)^2 + 6(\sin(6dx + 6c) + 3\sin(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))) \sin(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 9\sin(8/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 + 6\sin(6dx + 6c) \sin(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c))) + 9\sin(4/3 \arctan 2(\sin(3/2 dx + 3/2 c), \cos(3/2 dx + 3/2 c)))^2 + 2\cos(6dx + 6c) + 1) \\
& /d
\end{aligned}$$

Fricas [A] time = 0.694851, size = 1204, normalized size = 6.02

$$\frac{4 \left(3 (22 A + 25 B) a^2 \cos(dx + c)^2 + 2 (6 A + 17 B) a^2 \cos(dx + c) + 8 B a^2 \right) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) + 3 \left(\dots \right)}{96 (d \cos(dx+c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/96*(4*(3*(22*A + 25*B)*a^2*cos(d*x + c)^2 + 2*(6*A + 17*B)*a^2*cos(d*x + c) + 8*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((38*A + 25*B)*a^2*cos(d*x + c)^4 + (38*A + 25*B)*a^2*cos(d*x + c)^3)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3), 1/48*(2*(3*(22*A + 25*B)*a^2*cos(d*x + c)^2 + 2*(6*A + 17*B)*a^2*cos(d*x + c) + 8*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((38*A + 25*B)*a^2*cos(d*x + c)^4 + (38*A + 25*B)*a^2*cos(d*x + c)^3)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^4 + d*cos(d*x + c)^3)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/sqrt(cos(d*x + c)), x)
```

$$3.539 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=247

$$\frac{a^3(200A+163B) \sin(c+dx)}{64d \cos^2(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^3(104A+95B) \sin(c+dx)}{96d \cos^2(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^2(8A+11B) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{24d \cos^2(c+dx)}$$

[Out] (a^(5/2)*(200*A + 163*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a^3*(104*A + 95*B)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(200*A + 163*B)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(8*A + 11*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Cos[c + d*x]^(5/2)) + (a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 0.766348, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4018, 4016, 3803, 3801, 215}

$$\frac{a^3(200A+163B) \sin(c+dx)}{64d \cos^2(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^3(104A+95B) \sin(c+dx)}{96d \cos^2(c+dx) \sqrt{a \sec(c+dx)+a}} + \frac{a^2(8A+11B) \sin(c+dx) \sqrt{a \sec(c+dx)+a}}{24d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (a^(5/2)*(200*A + 163*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*d) + (a^3*(104*A + 95*B)*Sin[c + d*x])/(96*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(200*A + 163*B)*Sin[c + d*x])/(64*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(8*A + 11*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Cos[c + d*x]^(5/2)) + (a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dis

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

Rule 4016

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(-2*b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^n)/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !LtQ[n, 0]

Rule 3803

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Simp}[(-2*b*d*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{n-1})/(f*(2*n - 1)*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] + \text{Dist}[(2*a*d*(n - 1))/(b*(2*n - 1)), \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*(d*\text{Csc}[e + f*x])^{n-1}, x], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_.)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\cos^3(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^3(c + dx) (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{aB(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^5(c + dx)} + \frac{1}{4} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^2(c + dx) (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{a^2(8A + 11B) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{24d \cos^5(c + dx)} + \frac{aB(a + a \sec(c + dx))^{3/2}}{4d \cos^5(c + dx)} \int \sec(c + dx) (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{a^3(104A + 95B) \sin(c + dx)}{96d \cos^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(8A + 11B) \sqrt{a + a \sec(c + dx)}}{24d \cos^5(c + dx)} \int \sec(c + dx) (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{a^3(104A + 95B) \sin(c + dx)}{96d \cos^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(200A + 163B) \sin(c + dx)}{64d \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^3(104A + 95B) \sin(c + dx)}{96d \cos^5(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(200A + 163B) \sin(c + dx)}{64d \cos^3(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{a^5/2(200A + 163B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d} + \dots
\end{aligned}$$

Mathematica [A] time = 1.90154, size = 154, normalized size = 0.62

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) \left((2056A + 2203B) \cos(c + dx) + (544A + 652B) \cos(2(c + dx)) \right) + 768d \cos^3\left(\frac{1}{2}(c + dx)\right) \right)}{64d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(6*Sqrt[2]*(200*A + 163*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (544*A + 844*B + (2056*A + 2203*B)*Cos[c + d*x] + (544*A + 652*B)*Cos[2*(c + d*x)] + 600*A*Cos[3*(c + d*x)] + 489*B*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(768*d*Cos[c + d*x]^(7/2))

Maple [B] time = 0.302, size = 469, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c))/\cos(dx+c)^{3/2}, x)$

[Out] $-1/384/d*a^2*(a*(\cos(dx+c)+1)/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))*(600*A*\cos(dx+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))^2^{1/2}-600*A*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))+489*B*\cos(dx+c)^4*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1+\sin(dx+c)))^2^{1/2}-489*B*\cos(dx+c)^4*2^{1/2}*\arctan(1/4*2^{1/2}*(-2/(\cos(dx+c)+1))^{1/2}*(\cos(dx+c)+1-\sin(dx+c))))+1200*A*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2}+978*B*\sin(dx+c)*\cos(dx+c)^3*(-2/(\cos(dx+c)+1))^{1/2}+544*A*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+652*B*\cos(dx+c)^2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+128*A*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+368*B*\cos(dx+c)*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{1/2}+96*B*(-2/(\cos(dx+c)+1))^{1/2}*\sin(dx+c))/\sin(dx+c)^2/\cos(dx+c)^{7/2}/(-2/(\cos(dx+c)+1))^{1/2}$

Maxima [B] time = 4.21488, size = 9897, normalized size = 40.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c))/\cos(dx+c)^{3/2}, x, \text{algorithm}="maxima")$

[Out] $1/768*(8*(300*\sqrt{2})*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(6*d*x + 6*c) - 28*\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) + 28*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) - 28*(\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) - \sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c))*\cos(6*d*x + 6*c) - 300*(\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2})*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 3*\sqrt{2})*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(11/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(7*\sqrt{2})*a^2*\sin(9/2*d*x + 9/2*c) - 7*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) - 114*\sqrt{2})*a^2*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 114*\sqrt{2})*a^2*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x$

$$\begin{aligned}
& + 3/2*c))) + 75*\sqrt{2}*a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& - 456*(\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 456*(\sqrt{2}*a^2*\sin(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(7*\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) + 75*\sqrt{2}*a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*(a^2*\cos(6*d*x + 6*c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a^2)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 75*(a^2*\cos(6*d*x + 6*c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + a^2)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 75*(a^2*\cos(6*d*x + 6*c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x
\end{aligned}$$

$$\begin{aligned}
& + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))* \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) - 75*(a^2*\cos(6*d*x + 6*c))^2 + 9*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 9*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*a^2*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*a^2*\cos(6*d*x + 6*c) + a^2 + 6*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 6*(a^2*\cos(6*d*x + 6*c) + a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 6*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \log(2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2) + 28*(\sqrt{2}*a^2*\cos(9/2*d*x + 9/2*c) - \sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c))*\sin(6*d*x + 6*c) + 300*(\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + \sqrt{2}*a^2*\sin(11/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*(7*\sqrt{2}*a^2*\cos(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) - 114*\sqrt{2}*a^2*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 114*\sqrt{2}*a^2*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 75*\sqrt{2}*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 456*(\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + \sqrt{2}*a^2*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 456*(\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 3*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + \sqrt{2}*a^2*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*(7*\sqrt{2}*a^2*\cos(9/2*d*x + 9/2*c) - 7*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c) + 75*\sqrt{2}*a^2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 300*(\sqrt{2}*a^2*\cos(6*d*x + 6*c) + \sqrt{2}*a^2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))
\end{aligned}$$

$$\begin{aligned}
& /2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * A * \sqrt{a} / (\cos(6*d*x + 6*c)^2 + 6* \\
& (\cos(6*d*x + 6*c) + 3*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \\
& 9*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*(\cos(6*d*x + 6*c) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \\
& 9*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(6*d*x + 6*c)^2 + 6*(\sin(6*d*x + 6*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 6*\sin(6*d*x + 6*c)*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 9*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\cos(6*d*x + 6*c) + 1) - (1956*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 652*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 6204*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2060*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2060*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 6204*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 652*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 1956*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2) + 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos
\end{aligned}$$

$$\begin{aligned}
& (6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2) - 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 489*(a^2*\cos(8*d*x + 8*c)^2 + 16*a^2*\cos(6*d*x + 6*c)^2 + 36*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(8*d*x + 8*c)^2 + 16*a^2*\sin(6*d*x + 6*c)^2 + 36*a^2*\sin(4*d*x + 4*c)^2 + 48*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*a^2*\sin(2*d*x + 2*c)^2 + 8*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*\cos(6*d*x + 6*c) + 6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 8*(6*a^2*\cos(4*d*x + 4*c) + 4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 12*(4*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 4*(2*a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + 16*(3*a^2*\sin(4*d*x + 4*c) + 2*a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 1956*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 652*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(13/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 6204*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2
\end{aligned}$$

$$\begin{aligned}
&)*\sin(11/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2060*(\sqrt{2}*a^2 \\
& *\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d* \\
& x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(9/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2060*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4 \\
& *\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2 \\
& *d*x + 2*c))) + 6204*(\sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d* \\
& x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) \\
& + \sqrt{2}*a^2*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 652*(\\
& \sqrt{2}*a^2*\cos(8*d*x + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2 \\
& ^2*\cos(4*d*x + 4*c) + 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(3/4 \\
& *\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1956*(\sqrt{2}*a^2*\cos(8*d*x \\
& + 8*c) + 4*\sqrt{2}*a^2*\cos(6*d*x + 6*c) + 6*\sqrt{2}*a^2*\cos(4*d*x + 4*c) + \\
& 4*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(1/4*\arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c))))*B*\sqrt{a}/(2*(4*\cos(6*d*x + 6*c) + 6*\cos(4*d*x + \\
& 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(8*d*x + 8*c) + \cos(8*d*x + 8*c)^2 + 8*(6 \\
& *\cos(4*d*x + 4*c) + 4*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) + 16*\cos(6*d*x \\
& + 6*c)^2 + 12*(4*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 36*\cos(4*d*x + 4 \\
& *c)^2 + 16*\cos(2*d*x + 2*c)^2 + 4*(2*\sin(6*d*x + 6*c) + 3*\sin(4*d*x + 4*c) \\
& + 2*\sin(2*d*x + 2*c))*\sin(8*d*x + 8*c) + \sin(8*d*x + 8*c)^2 + 16*(3*\sin(4*d \\
& *x + 4*c) + 2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 16*\sin(6*d*x + 6*c)^2 + \\
& 36*\sin(4*d*x + 4*c)^2 + 48*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 16*\sin(2*d*x \\
& + 2*c)^2 + 8*\cos(2*d*x + 2*c) + 1))/d
\end{aligned}$$

Fricas [A] time = 0.832905, size = 1331, normalized size = 5.39

$$\left[4 \left(3 (200 A + 163 B) a^2 \cos(dx + c)^3 + 2 (136 A + 163 B) a^2 \cos(dx + c)^2 + 8 (8 A + 23 B) a^2 \cos(dx + c) + 48 B a^2 \right) \sqrt{\frac{a \cos(dx + c)}{\cos(dx + c)}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algo
ithm="fricas")

[Out] [1/768*(4*(3*(200*A + 163*B)*a^2*cos(d*x + c)^3 + 2*(136*A + 163*B)*a^2*cos
(d*x + c)^2 + 8*(8*A + 23*B)*a^2*cos(d*x + c) + 48*B*a^2)*sqrt((a*cos(d*x +
c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((200*A + 163*B)
*a^2*cos(d*x + c)^5 + (200*A + 163*B)*a^2*cos(d*x + c)^4)*sqrt(a)*log((a*co

```
s(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x +
c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d
*x + c)^3 + cos(d*x + c)^2))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4), 1/384*
(2*(3*(200*A + 163*B)*a^2*cos(d*x + c)^3 + 2*(136*A + 163*B)*a^2*cos(d*x +
c)^2 + 8*(8*A + 23*B)*a^2*cos(d*x + c) + 48*B*a^2)*sqrt((a*cos(d*x + c) + a
)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 3*((200*A + 163*B)*a^2*co
s(d*x + c)^5 + (200*A + 163*B)*a^2*cos(d*x + c)^4)*sqrt(-a)*arctan(2*sqrt(-
a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/
(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c)^5 + d*cos(d*x +
c)^4)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/cos(d*x + c)^(3/2
), x)
```

$$3.540 \quad \int \frac{(a+a \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=294

$$\frac{a^3(326A + 283B) \sin(c + dx)}{128d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(326A + 283B) \sin(c + dx)}{192d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(170A + 157B) \sin(c + dx)}{240d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} +$$

[Out] (a^(5/2)*(326*A + 283*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^3*(170*A + 157*B)*Sin[c + d*x])/(240*d*cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(192*d*cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(128*d*cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(10*A + 13*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d*cos[c + d*x]^(7/2)) + (a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*cos[c + d*x]^(7/2))

Rubi [A] time = 0.856578, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4018, 4016, 3803, 3801, 215}

$$\frac{a^3(326A + 283B) \sin(c + dx)}{128d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(326A + 283B) \sin(c + dx)}{192d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} + \frac{a^3(170A + 157B) \sin(c + dx)}{240d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} +$$

Antiderivative was successfully verified.

[In] Int[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(5/2), x]

[Out] (a^(5/2)*(326*A + 283*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(128*d) + (a^3*(170*A + 157*B)*Sin[c + d*x])/(240*d*cos[c + d*x]^(7/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(192*d*cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(128*d*cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]) + (a^2*(10*A + 13*B)*Sqrt[a + a*Sec[c + d*x]]*Sin[c + d*x])/(40*d*cos[c + d*x]^(7/2)) + (a*B*(a + a*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*cos[c + d*x]^(7/2))

Rule 2955

```

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])

```

Rule 4018

```

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

Rule 4016

```

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.)
+ (a_.))*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(-2*b*B*
Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Csc[e + f*x]]), x]
+ Dist[(A*b*(2*n + 1) + 2*a*B*n)/(b*(2*n + 1)), Int[Sqrt[a + b*Csc[e + f*x
]]*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[
A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && NeQ[A*b*(2*n + 1) + 2*a*B*n, 0] && !
LtQ[n, 0]

```

Rule 3803

```

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.)
+ (a_.)], x_Symbol] := Simp[(-2*b*d*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 1))/
(f*(2*n - 1)*Sqrt[a + b*Csc[e + f*x]]), x] + Dist[(2*a*d*(n - 1))/(b*(2*n -
1)), Int[Sqrt[a + b*Csc[e + f*x]]*(d*Csc[e + f*x])^(n - 1), x], x] /; Free
Q[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]

```

Rule 3801

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

```

Rule 215

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr

```

t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\cos^{5/2}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{5/2}(c + dx) (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
 &= \frac{aB(a + a \sec(c + dx))^{3/2} \sin(c + dx)}{5d \cos^{7/2}(c + dx)} + \frac{1}{5} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^{3/2}(c + dx) (a + a \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
 &= \frac{a^2(10A + 13B) \sqrt{a + a \sec(c + dx)} \sin(c + dx)}{40d \cos^{7/2}(c + dx)} + \frac{aB(a + a \sec(c + dx))^3}{5d \cos^{7/2}(c + dx)} \\
 &= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^2(10A + 13B) \sqrt{a + a \sec(c + dx)}}{40d \cos^{7/2}(c + dx)} \\
 &= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(326A + 283B) \sin(c + dx)}{192d \cos^{5/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(326A + 283B) \sin(c + dx)}{192d \cos^{5/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \cos^{7/2}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{a^3(326A + 283B) \sin(c + dx)}{192d \cos^{5/2}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{a^5/2(326A + 283B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{128d} + \dots
 \end{aligned}$$

Mathematica [A] time = 2.82132, size = 178, normalized size = 0.61

$$a^2 \sec \left(\frac{1}{2}(c + dx) \right) \sqrt{a(\sec(c + dx) + 1)} \left(\sin \left(\frac{1}{2}(c + dx) \right) (36(650A + 781B) \cos(c + dx) + 4(6730A + 6509B) \cos(2(c + dx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(5/2),x]

[Out] (a^2*Sec[(c + d*x)/2]*Sqrt[a*(1 + Sec[c + d*x])]*(60*Sqrt[2]*(326*A + 283*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^5 + (22030*A + 24863*B + 3

$$6*(650*A + 781*B)*\text{Cos}[c + d*x] + 4*(6730*A + 6509*B)*\text{Cos}[2*(c + d*x)] + 6520*A*\text{Cos}[3*(c + d*x)] + 5660*B*\text{Cos}[3*(c + d*x)] + 4890*A*\text{Cos}[4*(c + d*x)] + 4245*B*\text{Cos}[4*(c + d*x)]*\text{Sin}[(c + d*x)/2])/((15360*d*\text{Cos}[c + d*x])^{9/2})$$

Maple [B] time = 0.323, size = 531, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+a*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c))/\cos(d*x+c)^{5/2}, x)$

[Out]
$$\begin{aligned} & -1/3840/d*a^2*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}*(-1+\cos(d*x+c))*(4890*A*a \\ & \arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\cos(\\ & d*x+c)^{5*2^{1/2}}-4890*A*\arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d \\ & *x+c)+1-\sin(d*x+c)))*\cos(d*x+c)^{5*2^{1/2}}+4245*B*\arctan(1/4*2^{1/2})*(-2/(co \\ & s(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1+\sin(d*x+c)))*\cos(d*x+c)^{5*2^{1/2}}-4245*B*a \\ & \arctan(1/4*2^{1/2})*(-2/(\cos(d*x+c)+1))^{1/2}*(\cos(d*x+c)+1-\sin(d*x+c)))*\cos(\\ & d*x+c)^{5*2^{1/2}}+9780*A*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^4+8 \\ & 490*B*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^4+6520*A*\sin(d*x+c)* \\ & \cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{1/2}+5660*B*\sin(d*x+c)*\cos(d*x+c)^3*(-2/(c \\ & os(d*x+c)+1))^{1/2}+3680*A*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2} \\ &)+4528*B*\cos(d*x+c)^2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+960*A*\cos(d*x+c) \\ & *\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+2784*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos \\ & (d*x+c)+1))^{1/2}+768*B*(-2/(\cos(d*x+c)+1))^{1/2}*\sin(d*x+c))/\sin(d*x+c)^2/ \\ & \cos(d*x+c)^{9/2}/(-2/(\cos(d*x+c)+1))^{1/2} \end{aligned}$$

Maxima [B] time = 6.72899, size = 12477, normalized size = 42.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+a*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c))/\cos(d*x+c)^{5/2}, x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & -1/7680*(10*(1956*(\sqrt{2})*a^2*\sin(8*d*x + 8*c) + 4*\sqrt{2})*a^2*\sin(6*d*x + \\ & 6*c) + 6*\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 4*\sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos \\ & (15/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 652*(\sqrt{2})*a^2*\sin(\end{aligned}$$

$$\begin{aligned}
& 8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) \\
& + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(13/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) \\
& + 6204*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) \\
& + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(11/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) \\
& - 2060*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) \\
& + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(9/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) \\
& + 2060*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) \\
& + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(7/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) \\
& - 6204*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) \\
& + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(5/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) \\
& - 652*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) \\
& + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(3/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) \\
& - 1956*(sqrt(2)*a^2*sin(8*d*x + 8*c) + 4*sqrt(2)*a^2*sin(6*d*x + 6*c) + 6*sqrt(2)*a^2*sin(4*d*x + 4*c) \\
& + 4*sqrt(2)*a^2*sin(2*d*x + 2*c))*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) \\
& - 489*(a^2*cos(8*d*x + 8*c)^2 + 16*a^2*cos(6*d*x + 6*c)^2 + 36*a^2*cos(4*d*x + 4*c)^2 + 16*a^2*cos(2*d*x + 2*c)^2 + a^2*sin(8*d*x + 8*c)^2 \\
& + 16*a^2*sin(6*d*x + 6*c)^2 + 36*a^2*sin(4*d*x + 4*c)^2 + 48*a^2*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 16*a^2*sin(2*d*x + 2*c)^2 + 8*a^2*cos(2*d*x + 2*c) \\
& + a^2 + 2*(4*a^2*cos(6*d*x + 6*c) + 6*a^2*cos(4*d*x + 4*c) + 4*a^2*cos(2*d*x + 2*c) + a^2)*cos(8*d*x + 8*c) + 8*(6*a^2*cos(4*d*x + 4*c) \\
& + 4*a^2*cos(2*d*x + 2*c) + a^2)*cos(6*d*x + 6*c) + 12*(4*a^2*cos(2*d*x + 2*c) + a^2)*cos(4*d*x + 4*c) + 4*(2*a^2*sin(6*d*x + 6*c) + 3*a^2*sin(4*d*x + 4*c) \\
& + 2*a^2*sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + 16*(3*a^2*sin(4*d*x + 4*c) + 2*a^2*sin(2*d*x + 2*c))*sin(6*d*x + 6*c))*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 \\
& + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2) \\
& + 489*(a^2*cos(8*d*x + 8*c)^2 + 16*a^2*cos(6*d*x + 6*c)^2 + 36*a^2*cos(4*d*x + 4*c)^2 + 16*a^2*cos(2*d*x + 2*c)^2 + a^2*sin(8*d*x + 8*c)^2 + 16*a^2*sin(6*d*x + 6*c)^2 \\
& + 36*a^2*sin(4*d*x + 4*c)^2 + 48*a^2*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 16*a^2*sin(2*d*x + 2*c)^2 + 8*a^2*cos(2*d*x + 2*c) + a^2 + 2*(4*a^2*cos(6*d*x + 6*c) + 6*a^2*cos(4*d*x + 4*c) \\
& + 4*a^2*cos(2*d*x + 2*c) + a^2)*cos(8*d*x + 8*c) + 8*(6*a^2*cos(4*d*x + 4*c) + 4*a^2*cos(2*d*x + 2*c) + a^2)*cos(6*d*x + 6*c) + 12*(4*a^2*cos(2*d*x + 2*c) + a^2)*cos(4*d*x + 4*c) \\
& + 4*(2*a^2*sin(6*d*x + 6*c) + 3*a^2*sin(4*d*x + 4*c) + 2*a^2*sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + 16*(3*a^2*sin(4*d*x + 4*c) + 2*a^2*sin(2*d*x + 2*c))*sin(6*d*x + 6*c))*log(2*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 \\
& + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))^2 + 2*sqrt(2)*cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 2*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 2) \\
& - 489*(a^2*cos(8*d*x + 8*c)^2 + 16*a^2*cos(6*d*x + 6*c)^2 + 36*a^2*cos(4*d*x + 4*c)^2 + 16*a^2*cos(2*d*x + 2*c)^2 + a^2*sin(8*d*x + 8*c)^2 + 16*a^2*sin(6*d*x + 6*c)^2
\end{aligned}$$

$$\begin{aligned}
& c)^2 + 36a^2\sin(4dx + 4c)^2 + 48a^2\sin(4dx + 4c)\sin(2dx + 2c) \\
& + 16a^2\sin(2dx + 2c)^2 + 8a^2\cos(2dx + 2c) + a^2 + 2(4a^2\cos(\\
& 6dx + 6c) + 6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2)\cos(8 \\
& dx + 8c) + 8(6a^2\cos(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2)\cos \\
& (6dx + 6c) + 12(4a^2\cos(2dx + 2c) + a^2)\cos(4dx + 4c) + 4(2a \\
& ^2\sin(6dx + 6c) + 3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))\sin(\\
& 8dx + 8c) + 16(3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))\sin(6d \\
& *x + 6c))\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \\
& * \sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2\sqrt{2}\cos(1/4 \\
& * \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2\sqrt{2}\sin(1/4\arctan2(s \\
& in(2dx + 2c), \cos(2dx + 2c))) + 2) + 489(a^2\cos(8dx + 8c)^2 + 16 \\
& * a^2\cos(6dx + 6c)^2 + 36a^2\cos(4dx + 4c)^2 + 16a^2\cos(2dx + 2 \\
& c)^2 + a^2\sin(8dx + 8c)^2 + 16a^2\sin(6dx + 6c)^2 + 36a^2\sin(4dx \\
& x + 4c)^2 + 48a^2\sin(4dx + 4c)\sin(2dx + 2c) + 16a^2\sin(2dx + \\
& 2c)^2 + 8a^2\cos(2dx + 2c) + a^2 + 2(4a^2\cos(6dx + 6c) + 6a^2\c \\
& os(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2)\cos(8dx + 8c) + 8(6a^2 \\
& * \cos(4dx + 4c) + 4a^2\cos(2dx + 2c) + a^2)\cos(6dx + 6c) + 12(4 \\
& a^2\cos(2dx + 2c) + a^2)\cos(4dx + 4c) + 4(2a^2\sin(6dx + 6c) + \\
& 3a^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))\sin(8dx + 8c) + 16(3a \\
& ^2\sin(4dx + 4c) + 2a^2\sin(2dx + 2c))\sin(6dx + 6c))\log(2\cos(1 \\
& /4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2\sin(1/4\arctan2(\sin(2 \\
& * dx + 2c), \cos(2dx + 2c)))^2 - 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2 \\
& * c), \cos(2dx + 2c))) - 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2 \\
& * c), \cos(2dx + 2c))) + 2) - 1956(\sqrt{2})a^2\cos(8dx + 8c) + 4\sqrt{2})a^2\cos \\
& (6dx + 6c) + 6\sqrt{2})a^2\cos(4dx + 4c) + 4\sqrt{2})a^2\cos(2dx + \\
& 2c) + \sqrt{2})a^2)\sin(15/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - \\
& 652(\sqrt{2})a^2\cos(8dx + 8c) + 4\sqrt{2})a^2\cos(6dx + 6c) + 6\sqrt{2} \\
& t(2)a^2\cos(4dx + 4c) + 4\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2)\s \\
& in(13/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 6204(\sqrt{2})a^2\co \\
& s(8dx + 8c) + 4\sqrt{2})a^2\cos(6dx + 6c) + 6\sqrt{2})a^2\cos(4dx + \\
& 4c) + 4\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2)\sin(11/4\arctan2(\sin(\\
& 2dx + 2c), \cos(2dx + 2c))) + 2060(\sqrt{2})a^2\cos(8dx + 8c) + 4\sqrt{2} \\
&)a^2\cos(6dx + 6c) + 6\sqrt{2})a^2\cos(4dx + 4c) + 4\sqrt{2})a^ \\
& 2\cos(2dx + 2c) + \sqrt{2})a^2)\sin(9/4\arctan2(\sin(2dx + 2c), \cos(2d \\
& * x + 2c))) - 2060(\sqrt{2})a^2\cos(8dx + 8c) + 4\sqrt{2})a^2\cos(6dx \\
& + 6c) + 6\sqrt{2})a^2\cos(4dx + 4c) + 4\sqrt{2})a^2\cos(2dx + 2c) + \\
& \sqrt{2})a^2)\sin(7/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 6204(s \\
& \sqrt{2})a^2\cos(8dx + 8c) + 4\sqrt{2})a^2\cos(6dx + 6c) + 6\sqrt{2})a^ \\
& 2\cos(4dx + 4c) + 4\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2)\sin(5/4 \\
& \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 652(\sqrt{2})a^2\cos(8dx + \\
& 8c) + 4\sqrt{2})a^2\cos(6dx + 6c) + 6\sqrt{2})a^2\cos(4dx + 4c) + 4 \\
& * \sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2)\sin(3/4\arctan2(\sin(2dx + 2 \\
& c), \cos(2dx + 2c))) + 1956(\sqrt{2})a^2\cos(8dx + 8c) + 4\sqrt{2})a^2 \\
& * \cos(6dx + 6c) + 6\sqrt{2})a^2\cos(4dx + 4c) + 4\sqrt{2})a^2\cos(2dx \\
& x + 2c) + \sqrt{2})a^2)\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))
\end{aligned}$$

$$\begin{aligned}
&)) * A * \sqrt{a} / (2 * (4 * \cos(6 * d * x + 6 * c) + 6 * \cos(4 * d * x + 4 * c) + 4 * \cos(2 * d * x + 2 * \\
&c) + 1) * \cos(8 * d * x + 8 * c) + \cos(8 * d * x + 8 * c)^2 + 8 * (6 * \cos(4 * d * x + 4 * c) + 4 * c \\
&\cos(2 * d * x + 2 * c) + 1) * \cos(6 * d * x + 6 * c) + 16 * \cos(6 * d * x + 6 * c)^2 + 12 * (4 * \cos(2 \\
&* d * x + 2 * c) + 1) * \cos(4 * d * x + 4 * c) + 36 * \cos(4 * d * x + 4 * c)^2 + 16 * \cos(2 * d * x + \\
&2 * c)^2 + 4 * (2 * \sin(6 * d * x + 6 * c) + 3 * \sin(4 * d * x + 4 * c) + 2 * \sin(2 * d * x + 2 * c)) * s \\
&\sin(8 * d * x + 8 * c) + \sin(8 * d * x + 8 * c)^2 + 16 * (3 * \sin(4 * d * x + 4 * c) + 2 * \sin(2 * d * x \\
&+ 2 * c)) * \sin(6 * d * x + 6 * c) + 16 * \sin(6 * d * x + 6 * c)^2 + 36 * \sin(4 * d * x + 4 * c)^2 + \\
&48 * \sin(4 * d * x + 4 * c) * \sin(2 * d * x + 2 * c) + 16 * \sin(2 * d * x + 2 * c)^2 + 8 * \cos(2 * d * x \\
&+ 2 * c) + 1) + (16980 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 \\
&* d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + \\
&4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(19/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + 5660 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(17/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + 81504 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(15/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + 8320 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(13/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + 86440 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(11/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 86440 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(9/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 8320 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(7/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 81504 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(5/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 5660 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(3/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 16980 * (\sqrt{2}) * a^2 * \sin(10 * d * x + 10 * c) + 5 * \sqrt{2}) * a^2 * \sin(8 * d * x + 8 * c) + 10 * \sqrt{2}) * a^2 * \sin(6 * d * x + 6 * c) + 10 * \sqrt{2}) * a^2 * \sin(4 * d * x + 4 * c) + 5 * \sqrt{2}) * a^2 * \sin(2 * d * x + 2 * c)) * \cos(1/4 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - 4245 * (a^2 * \cos(10 * d * x + 10 * c)^2 + 25 * a^2 * \cos(8 * d * x + 8 * c)^2 + 100 * a^2 * \cos(6 * d * x + 6 * c)^2 + 100 * a^2 * \cos(4 * d * x + 4 * c)^2 + 25 * a^2 * \cos(2 * d * x + 2 * c)^2 + a^2 * \sin(10 * d * x + 10 * c)^2 + 25 * a^2 * \sin(8 * d * x + 8 * c)^2 + 100 * a^2 * \sin(6 * d * x + 6 * c)^2 + 100 * a^2 * \sin(4 * d * x + 4 * c)^2 + 100 * a^2 * \sin(4 * d * x + 4 * c) * \sin(2 * d * x + 2 * c) + 25 * a^2 * \sin(2 * d * x + 2 * c)^2 + 10 * a^2 * \cos(2 * d * x + 2 * c) + a^2 + 2 * (5 * a^2 * \cos(8 * d * x + 8 * c) + 10 * a^2 * \cos(6 * d * x + 6 * c) + 10 * a^2 * \cos(4 * d * x + 4 * c) + 5 * a^2 * \cos(2 * d * x + 2 * c) + a^2) * \cos(
\end{aligned}$$

$$\begin{aligned}
& 10*d*x + 10*c) + 10*(10*a^2*\cos(6*d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5* \\
& a^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 20*(10*a^2*\cos(4*d*x + 4*c) \\
& + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 20*(5*a^2*\cos(2*d*x + 2* \\
& c) + a^2)*\cos(4*d*x + 4*c) + 10*(a^2*\sin(8*d*x + 8*c) + 2*a^2*\sin(6*d*x + 6 \\
& *c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 5 \\
& 0*(2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))* \\
& \sin(8*d*x + 8*c) + 100*(2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(\\
& 6*d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 \\
& + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sqrt{2}*\cos(\\
& 1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 4245*(a^2*\cos(10*d*x + 10*c))^2 \\
& + 25*a^2*\cos(8*d*x + 8*c))^2 + 100*a^2*\cos(6*d*x + 6*c))^2 + 100*a^2*\cos(4* \\
& d*x + 4*c))^2 + 25*a^2*\cos(2*d*x + 2*c))^2 + a^2*\sin(10*d*x + 10*c))^2 + 25*a^ \\
& 2*\sin(8*d*x + 8*c))^2 + 100*a^2*\sin(6*d*x + 6*c))^2 + 100*a^2*\sin(4*d*x + 4*c \\
&)^2 + 100*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*a^2*\sin(2*d*x + 2*c))^2 \\
& + 10*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(5*a^2*\cos(8*d*x + 8*c) + 10*a^2*\cos(6 \\
& *d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(1 \\
& 0*d*x + 10*c) + 10*(10*a^2*\cos(6*d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a \\
& ^2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 20*(10*a^2*\cos(4*d*x + 4*c) + \\
& 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 20*(5*a^2*\cos(2*d*x + 2*c) \\
&) + a^2)*\cos(4*d*x + 4*c) + 10*(a^2*\sin(8*d*x + 8*c) + 2*a^2*\sin(6*d*x + 6* \\
& c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50 \\
& *(2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\si \\
& n(8*d*x + 8*c) + 100*(2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(6 \\
& *d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \\
& 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sqrt{2}*\cos(1 \\
& /4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 4245*(a^2*\cos(10*d*x + 10*c))^2 \\
& + 25*a^2*\cos(8*d*x + 8*c))^2 + 100*a^2*\cos(6*d*x + 6*c))^2 + 100*a^2*\cos(4*d \\
& *x + 4*c))^2 + 25*a^2*\cos(2*d*x + 2*c))^2 + a^2*\sin(10*d*x + 10*c))^2 + 25*a^2 \\
& *\sin(8*d*x + 8*c))^2 + 100*a^2*\sin(6*d*x + 6*c))^2 + 100*a^2*\sin(4*d*x + 4*c) \\
&)^2 + 100*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 25*a^2*\sin(2*d*x + 2*c))^2 \\
& + 10*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(5*a^2*\cos(8*d*x + 8*c) + 10*a^2*\cos(6* \\
& d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(10 \\
& *d*x + 10*c) + 10*(10*a^2*\cos(6*d*x + 6*c) + 10*a^2*\cos(4*d*x + 4*c) + 5*a^ \\
& 2*\cos(2*d*x + 2*c) + a^2)*\cos(8*d*x + 8*c) + 20*(10*a^2*\cos(4*d*x + 4*c) + \\
& 5*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 20*(5*a^2*\cos(2*d*x + 2*c) \\
& + a^2)*\cos(4*d*x + 4*c) + 10*(a^2*\sin(8*d*x + 8*c) + 2*a^2*\sin(6*d*x + 6*c \\
&) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(10*d*x + 10*c) + 50* \\
& (2*a^2*\sin(6*d*x + 6*c) + 2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\si \\
& n(8*d*x + 8*c) + 100*(2*a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(6 \\
& *d*x + 6*c))*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \\
& 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 - 2*\sqrt{2}*\cos(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) + 4245*(a^2*\cos(10*d*x + 10*c))^2
\end{aligned}$$

$$\begin{aligned}
& + 25a^2\cos(8dx + 8c)^2 + 100a^2\cos(6dx + 6c)^2 + 100a^2\cos(4dx + 4c)^2 + 25a^2\cos(2dx + 2c)^2 + a^2\sin(10dx + 10c)^2 + 25a^2\sin(8dx + 8c)^2 + 100a^2\sin(6dx + 6c)^2 + 100a^2\sin(4dx + 4c)^2 + 100a^2\sin(4dx + 4c)\sin(2dx + 2c) + 25a^2\sin(2dx + 2c)^2 + 10a^2\cos(2dx + 2c) + a^2 + 2(5a^2\cos(8dx + 8c) + 10a^2\cos(6dx + 6c) + 10a^2\cos(4dx + 4c) + 5a^2\cos(2dx + 2c) + a^2)\cos(10dx + 10c) + 10(10a^2\cos(6dx + 6c) + 10a^2\cos(4dx + 4c) + 5a^2\cos(2dx + 2c) + a^2)\cos(8dx + 8c) + 20(10a^2\cos(4dx + 4c) + 5a^2\cos(2dx + 2c) + a^2)\cos(6dx + 6c) + 20(5a^2\cos(2dx + 2c) + a^2)\cos(4dx + 4c) + 10(a^2\sin(8dx + 8c) + 2a^2\sin(6dx + 6c) + 2a^2\sin(4dx + 4c) + a^2\sin(2dx + 2c))\sin(10dx + 10c) + 50(2a^2\sin(6dx + 6c) + 2a^2\sin(4dx + 4c) + a^2\sin(2dx + 2c))\sin(8dx + 8c) + 100(2a^2\sin(4dx + 4c) + a^2\sin(2dx + 2c))\sin(6dx + 6c))\log(2\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2\sqrt{2}\cos(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2\sqrt{2}\sin(1/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 2) - 16980(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(19/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 5660(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(17/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 81504(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(15/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 8320(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(13/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 86440(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(11/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 86440(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(9/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 8320(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(7/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 81504(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(5/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 5660(\sqrt{2})a^2\cos(10dx + 10c) + 5\sqrt{2})a^2\cos(8dx + 8c) + 10\sqrt{2})a^2\cos(6dx + 6c) + 10\sqrt{2})a^2\cos(4dx + 4c) + 5\sqrt{2})a^2\cos(2dx + 2c) + \sqrt{2})a^2\sin(3/4\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))
\end{aligned}$$

```

arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 16980*(sqrt(2)*a^2*cos(10*d*
x + 10*c) + 5*sqrt(2)*a^2*cos(8*d*x + 8*c) + 10*sqrt(2)*a^2*cos(6*d*x + 6*c
) + 10*sqrt(2)*a^2*cos(4*d*x + 4*c) + 5*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt
(2)*a^2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*B*sqrt(a)/(2
*(5*cos(8*d*x + 8*c) + 10*cos(6*d*x + 6*c) + 10*cos(4*d*x + 4*c) + 5*cos(2*
d*x + 2*c) + 1)*cos(10*d*x + 10*c) + cos(10*d*x + 10*c)^2 + 10*(10*cos(6*d*
x + 6*c) + 10*cos(4*d*x + 4*c) + 5*cos(2*d*x + 2*c) + 1)*cos(8*d*x + 8*c) +
25*cos(8*d*x + 8*c)^2 + 20*(10*cos(4*d*x + 4*c) + 5*cos(2*d*x + 2*c) + 1)*
cos(6*d*x + 6*c) + 100*cos(6*d*x + 6*c)^2 + 20*(5*cos(2*d*x + 2*c) + 1)*cos
(4*d*x + 4*c) + 100*cos(4*d*x + 4*c)^2 + 25*cos(2*d*x + 2*c)^2 + 10*(sin(8*
d*x + 8*c) + 2*sin(6*d*x + 6*c) + 2*sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*si
n(10*d*x + 10*c) + sin(10*d*x + 10*c)^2 + 50*(2*sin(6*d*x + 6*c) + 2*sin(4*
d*x + 4*c) + sin(2*d*x + 2*c))*sin(8*d*x + 8*c) + 25*sin(8*d*x + 8*c)^2 + 1
00*(2*sin(4*d*x + 4*c) + sin(2*d*x + 2*c))*sin(6*d*x + 6*c) + 100*sin(6*d*x
+ 6*c)^2 + 100*sin(4*d*x + 4*c)^2 + 100*sin(4*d*x + 4*c)*sin(2*d*x + 2*c)
+ 25*sin(2*d*x + 2*c)^2 + 10*cos(2*d*x + 2*c) + 1))/d

```

Fricas [A] time = 0.84788, size = 1455, normalized size = 4.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(5/2),x, algor
ithm="fricas")

```

```

[Out] [1/7680*(4*(15*(326*A + 283*B))*a^2*cos(d*x + c)^4 + 10*(326*A + 283*B))*a^2*
cos(d*x + c)^3 + 8*(230*A + 283*B))*a^2*cos(d*x + c)^2 + 48*(10*A + 29*B))*a^
2*cos(d*x + c) + 384*B*a^2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(co
s(d*x + c))*sin(d*x + c) + 15*((326*A + 283*B))*a^2*cos(d*x + c)^6 + (326*A
+ 283*B))*a^2*cos(d*x + c)^5)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt
((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*s
in(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))
/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5), 1/3840*(2*(15*(326*A + 283*B))*a^2*c
os(d*x + c)^4 + 10*(326*A + 283*B))*a^2*cos(d*x + c)^3 + 8*(230*A + 283*B))*a
^2*cos(d*x + c)^2 + 48*(10*A + 29*B))*a^2*cos(d*x + c) + 384*B*a^2)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + 15*((326*
A + 283*B))*a^2*cos(d*x + c)^6 + (326*A + 283*B))*a^2*cos(d*x + c)^5)*sqrt(-a
)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x +
c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(d*cos(d*x + c
)^6 + d*cos(d*x + c)^5)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(5/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(a \sec(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(a*sec(d*x + c) + a)^(5/2)/cos(d*x + c)^(5/2), x)

$$3.541 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=250

$$\frac{2(A-7B) \sin(c+dx) \cos^3(c+dx)}{35d\sqrt{a \sec(c+dx)+a}} + \frac{2(31A-7B) \sin(c+dx) \sqrt{\cos(c+dx)}}{105d\sqrt{a \sec(c+dx)+a}} - \frac{2(43A-91B) \sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

```
[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(43*A - 91*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A - 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.843238, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4022, 4013, 3808, 206}

$$\frac{2(A-7B) \sin(c+dx) \cos^3(c+dx)}{35d\sqrt{a \sec(c+dx)+a}} + \frac{2(31A-7B) \sin(c+dx) \sqrt{\cos(c+dx)}}{105d\sqrt{a \sec(c+dx)+a}} - \frac{2(43A-91B) \sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]
```

```
[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(43*A - 91*B)*Sin[c + d*x])/(105*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*(31*A - 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(105*d*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
```

*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{7}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{\left(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{-\frac{1}{2}a(A-7B)+3aA}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx}{7a} \\
&= -\frac{2(A-7B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d\sqrt{a+a\sec(c+dx)}} + \frac{(4\sqrt{ca})}{105d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(31A-7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} - \frac{2(A-7B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{35d\sqrt{a+a\sec(c+dx)}} + \frac{(4\sqrt{ca})}{105d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(43A-91B)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2(31A-7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{(4\sqrt{ca})}{105d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{2(43A-91B)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2(31A-7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{105d\sqrt{a+a\sec(c+dx)}} + \frac{(4\sqrt{ca})}{105d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{\sqrt{2}(A-B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} - \frac{(4\sqrt{ca})}{105d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.13812, size = 170, normalized size = 0.68

$$\frac{\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)\left(2\sqrt{1-\sec(c+dx)}\left((91B-43A)\sec^3(c+dx)+(31A-7B)\sec^2(c+dx)-3(A-7B)\sec(c+dx)\right)\right)}{105d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Cos[c + d*x]^(5/2)*(-105*Sqrt[2]*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Sec[c + d*x]^(7/2) + 2*Sqrt[1 - Sec[c + d*x]]*(15*A - 3*(A - 7*B)*Sec[c + d*x] + (31*A - 7*B)*Sec[c + d*x]^2 + (-43*A + 91*B)*Sec[c + d*x]^3)*Sin[c + d*x])/(105*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.289, size = 217, normalized size = 0.9

$$-\frac{1}{105ad \sin(dx+c)} \sqrt{\cos(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(30A(\cos(dx+c))^4 + 105 \arctan\left(\frac{1}{2} \sin(dx+c)\right) \sqrt{-2(\cos(dx+c)+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x)`

[Out] `-1/105/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(30*A*cos(d*x+c)^4+105*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-36*A*cos(d*x+c)^3-105*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+42*B*cos(d*x+c)^3+68*A*cos(d*x+c)^2-56*B*cos(d*x+c)^2-148*A*cos(d*x+c)+196*B*cos(d*x+c)+86*A-182*B)/a/sin(d*x+c)`

Maxima [B] time = 2.20107, size = 1011, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `-1/840*(sqrt(2)*(525*cos(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 175*cos(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) + 21*cos(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) * sin(7/2*d*x + 7/2*c) - 525*cos(7/2*d*x + 7/2*c) * sin(6/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 175*cos(7/2*d*x + 7/2*c) * sin(4/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 21*cos(7/2*d*x + 7/2*c) * sin(2/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) + 1) + 420*log(cos(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 + sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))^2 - 2*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) + 1) - 30*sin(7/2*d*x + 7/2*c) + 21*sin(5/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) - 175*sin(3/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c))) + 525*sin(1/7*arctan2(sin(7/2*d*x + 7/2*c), cos(7/2*d*x + 7/2*c)))) * A/sqrt(a) + 28*(`

$$30\sqrt{2}\cos\left(\frac{5}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right)\sin(2dx+2c) - 3(10\sqrt{2}\cos(2dx+2c) + \sqrt{2})\sin\left(\frac{5}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right) + 15\sqrt{2}\log\left(\cos\left(\frac{1}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right)^2 + \sin\left(\frac{1}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right)^2 + 2\sin\left(\frac{1}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right) + 1\right) - 15\sqrt{2}\log\left(\cos\left(\frac{1}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right)^2 + \sin\left(\frac{1}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right)^2 - 2\sin\left(\frac{1}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right) + 1\right) + 5\sqrt{2}\sin\left(\frac{3}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right) - 30\sqrt{2}\sin\left(\frac{1}{4}\arctan\left(\frac{\sin(2dx+2c)}{\cos(2dx+2c)}\right)\right) \Big) \cdot B/\sqrt{a}/d$$

Fricas [A] time = 0.538725, size = 1081, normalized size = 4.32

$$\frac{4\left(15A\cos(dx+c)^3 - 3(A-7B)\cos(dx+c)^2 + (31A-7B)\cos(dx+c) - 43A + 91B\right)\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{210(ad\cos(dx+c) + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(7/2)*(A+B*sec(dx+c))/(a+a*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] [1/210*(4*(15*A*cos(dx + c)^3 - 3*(A - 7*B)*cos(dx + c)^2 + (31*A - 7*B)*cos(dx + c) - 43*A + 91*B)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c) - 105*sqrt(2)*((A - B)*a*cos(dx + c) + (A - B)*a)*log(-(cos(dx + c)^2 + 2*sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c)/sqrt(a) - 2*cos(dx + c) - 3)/(cos(dx + c)^2 + 2*cos(dx + c) + 1))/sqrt(a))/(a*d*cos(dx + c) + a*d), -1/105*(105*sqrt(2)*((A - B)*a*cos(dx + c) + (A - B)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(-1/a)*sqrt(cos(dx + c))/sin(dx + c)) - 2*(15*A*cos(dx + c)^3 - 3*(A - 7*B)*cos(dx + c)^2 + (31*A - 7*B)*cos(dx + c) - 43*A + 91*B)*sqrt((a*cos(dx + c) + a)/cos(dx + c))*sqrt(cos(dx + c))*sin(dx + c))/(a*d*cos(dx + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(7/2)/sqrt(a*sec(d*x + c) + a), x)

$$3.542 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=207

$$\frac{2(A-5B) \sin(c+dx) \sqrt{\cos(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \sec(c+dx)+a}} - \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan(c+dx)}{\sqrt{ad}}$$

[Out] -((Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)) + (2*(13*A - 5*B)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.632401, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4022, 4013, 3808, 206}

$$\frac{2(A-5B) \sin(c+dx) \sqrt{\cos(c+dx)}}{15d \sqrt{a \sec(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \sec(c+dx)+a}} - \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan(c+dx)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -((Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)) + (2*(13*A - 5*B)*Sin[c + d*x])/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - (2*(A - 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d *Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d
*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n
- A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B,
m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{\left(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{-\frac{1}{2}a(A-5B)+2aA}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx}{5a} \\
&= -\frac{2(A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{2A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d\sqrt{a+a\sec(c+dx)}} + \frac{(4\sqrt{cd})}{15d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(13A-5B)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{2(A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{(4\sqrt{cd})}{15d\sqrt{a+a\sec(c+dx)}} \\
&= \frac{2(13A-5B)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \frac{2(A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15d\sqrt{a+a\sec(c+dx)}} + \frac{(4\sqrt{cd})}{15d\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{\sqrt{2}(A-B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} + \frac{(4\sqrt{cd})}{15d\sqrt{a+a\sec(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.750765, size = 154, normalized size = 0.74

$$\frac{\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)\left(2\sqrt{1-\sec(c+dx)}\left((13A-5B)\sec^2(c+dx)-(A-5B)\sec(c+dx)+3A\right)+15\sqrt{2}(A-B)\sec(c+dx)\right)}{15d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] (Cos[c + d*x]^(3/2)*(15*Sqrt[2]*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])]/Sqrt[1 - Sec[c + d*x]])*Sec[c + d*x]^(5/2) + 2*Sqrt[1 - Sec[c + d*x]]*(3*A - (A - 5*B)*Sec[c + d*x] + (13*A - 5*B)*Sec[c + d*x]^2))*Sin[c + d*x]/(15*d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.415, size = 195, normalized size = 0.9

$$-\frac{1}{15ad\sin(dx+c)}\sqrt{\cos(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(6A(\cos(dx+c))^3-15\arctan\left(\frac{1}{2}\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x)
```

```
[Out] -1/15/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(6*A*cos(d*x+c)
)^3-15*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))
^(1/2)*A*sin(d*x+c)+15*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2
/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)-8*A*cos(d*x+c)^2+10*B*cos(d*x+c)^2+28*A
*cos(d*x+c)-20*B*cos(d*x+c)-26*A+10*B)/a/sin(d*x+c)
```

Maxima [B] time = 2.14659, size = 784, normalized size = 3.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algor
ithm="maxima")
```

```
[Out] 1/60*(sqrt(2)*(60*cos(4/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c
)))*sin(5/2*d*x + 5/2*c) - 5*cos(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*
d*x + 5/2*c)))*sin(5/2*d*x + 5/2*c) - 60*cos(5/2*d*x + 5/2*c)*sin(4/5*arcta
n2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 5*cos(5/2*d*x + 5/2*c)*si
n(2/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) - 30*log(cos(1/5
*arctan2(sin(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + sin(1/5*arctan2(s
in(5/2*d*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + 2*sin(1/5*arctan2(sin(5/2*d
*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 1) + 30*log(cos(1/5*arctan2(sin(5/2*d
*x + 5/2*c), cos(5/2*d*x + 5/2*c)))^2 + sin(1/5*arctan2(sin(5/2*d*x + 5/2*c
), cos(5/2*d*x + 5/2*c)))^2 - 2*sin(1/5*arctan2(sin(5/2*d*x + 5/2*c), cos(5
/2*d*x + 5/2*c))) + 1) + 6*sin(5/2*d*x + 5/2*c) - 5*sin(3/5*arctan2(sin(5/2
*d*x + 5/2*c), cos(5/2*d*x + 5/2*c))) + 60*sin(1/5*arctan2(sin(5/2*d*x + 5/
2*c), cos(5/2*d*x + 5/2*c))))*A/sqrt(a) + 10*(3*sqrt(2)*log(cos(1/4*arctan2
(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
))) + 1) - 3*sqrt(2)*log(cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)
)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sin(1/4*a
rctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) + 2*sqrt(2)*sin(3/4*arctan
2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) - 6*sqrt(2)*sin(1/4*arctan2(sin(2*d*
x + 2*c), cos(2*d*x + 2*c))))*B/sqrt(a))/d
```

Fricas [A] time = 0.534067, size = 983, normalized size = 4.75

$$\frac{4 \left(3 A \cos(dx + c)^2 - (A - 5 B) \cos(dx + c) + 13 A - 5 B \right) \sqrt{\frac{a \cos(dx + c) + a}{\cos(dx + c)}} \sqrt{\cos(dx + c)} \sin(dx + c) - \frac{15 \sqrt{2} ((A - B) a \cos(dx + c) + (A - B) a)}{30 (ad \cos(dx + c) + ad)}}{30 (ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorith="fricas")
```

```
[Out] [1/30*(4*(3*A*cos(d*x + c)^2 - (A - 5*B)*cos(d*x + c) + 13*A - 5*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 15*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), 1/15*(15*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*(3*A*cos(d*x + c)^2 - (A - 5*B)*cos(d*x + c) + 13*A - 5*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/sqrt(a*sec(d*x + c) + a), x)

$$3.543 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=162

$$\frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)}{3d\sqrt{a}}$$

```
[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(A - 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.447105, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4022, 4013, 3808, 206}

$$\frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}} + \frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)}{3d\sqrt{a}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]
```

```
[Out] (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) - (2*(A - 3*B)*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 4022

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{\sqrt{a+a\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+a\sec(c+dx)}} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \frac{\left(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{-\frac{1}{2}a(A-3B)+aA}{\sqrt{\sec(c+dx)}\sqrt{a+a\sec(c+dx)}} dx}{3a} \\
&= -\frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} + \left((A-3B)\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)}}\right) \\
&= -\frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\sec(c+dx)}} - \frac{(2(A-3B)\sin(c+dx))}{3d\sqrt{\cos(c+dx)}} \\
&= \frac{\sqrt{2}(A-B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} - \frac{(2(A-3B)\sin(c+dx))}{3d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.325584, size = 124, normalized size = 0.77

$$\frac{\sin(c+dx)\left(2\sqrt{1-\sec(c+dx)}(A\cos(c+dx)-A+3B)-3\sqrt{2}(A-B)\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right)\right)}{3d\sqrt{\cos(c+dx)}-1\sqrt{a(\sec(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]], x]

[Out] ((2*(-A + 3*B + A*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]] - 3*Sqrt[2]*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Sqrt[Sec[c + d*x]])*Sin[c + d*x])/(3*d*Sqrt[-1 + Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.335, size = 173, normalized size = 1.1

$$-\frac{1}{3ad\sin(dx+c)}\sqrt{\cos(dx+c)}\sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}}\left(3\arctan\left(\frac{1}{2}\sin(dx+c)\sqrt{-2(\cos(dx+c)+1)}\right)\sqrt{-2(\cos(dx+c)+1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2), x)

```
[Out] -1/3/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(3*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-3*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2))*B*sin(d*x+c)+2*A*cos(d*x+c)^2-4*A*cos(d*x+c)+6*B*cos(d*x+c)+2*A-6*B)/a/sin(d*x+c)
```

Maxima [B] time = 2.0904, size = 645, normalized size = 3.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] -1/6*((3*sqrt(2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(3/2*d*x + 3/2*c) - 3*sqrt(2)*cos(3/2*d*x + 3/2*c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) + 3*sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - 2*sqrt(2)*sin(3/2*d*x + 3/2*c) + 3*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*A/sqrt(a) + 3*(sqrt(2)*log(cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) - sqrt(2)*log(cos(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 + sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))^2 - 2*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) - 4*sqrt(2)*sin(1/4*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*B/sqrt(a))/d
```


Fricas [A] time = 0.524162, size = 892, normalized size = 5.51

$$\frac{4(A \cos(dx+c) - A + 3B) \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) - \frac{3\sqrt{2}((A-B)a \cos(dx+c)+(A-B)a) \log\left(\frac{\cos(dx+c)^2 + \frac{2\sqrt{2}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}}}{\cos(dx+c)}}{\cos(dx+c)}\right)}{\sqrt{a}}}{6(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorith="fricas")

[Out] [1/6*(4*(A*cos(d*x + c) - A + 3*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 3*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d), -1/3*(3*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - 2*(A*cos(d*x + c) - A + 3*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(a*sec(d*x + c) + a), x)
```

$$3.544 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=119

$$\frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}} - \frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)) + (2*A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.28614, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4013, 3808, 206}

$$\frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \sec(c+dx)+a}} - \frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]],x]

[Out] -((Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)) + (2*A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[

```
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{\sqrt{a+a \sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx \\ &= \frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} + \left((-A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\sec(c+dx)}\sqrt{a+a \sec(c+dx)}} dx \\ &= \frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} - \frac{(2(-A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \operatorname{Subst}\left[\int \frac{1}{\sqrt{1-u^2}} du, u, \frac{\sqrt{a}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right]}{d} \\ &= -\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \sec(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} + \frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.29818, size = 140, normalized size = 1.18

$$\frac{\sin(c+dx)\sqrt{\cos(c+dx)}(A+B \sec(c+dx))\left(\sqrt{2}(A-B)\sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{\sec(c+dx)}}{\sqrt{1-\sec(c+dx)}}\right) + 2A\sqrt{1-\sec(c+dx)}\right)}{d\sqrt{1-\sec(c+dx)}\sqrt{a(\sec(c+dx)+1)}(A \cos(c+dx)+B)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[a + a*Sec[c + d*x]
],x]
```

[Out] (Sqrt[Cos[c + d*x]]*(2*A*Sqrt[1 - Sec[c + d*x]] + Sqrt[2]*(A - B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Sqrt[Sec[c + d*x]]*(A + B*Sec[c + d*x])*Sin[c + d*x])/(d*(B + A*Cos[c + d*x])*Sqrt[1 - Sec[c + d*x]])*Sqrt[a*(1 + Sec[c + d*x]))

Maple [A] time = 0.323, size = 142, normalized size = 1.2

$$\frac{(\cos(dx+c))^2-1}{ad(\sin(dx+c))^2} \left(A \sin(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} - A \arctan\left(\frac{\sin(dx+c)}{2} \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) + B \arctan\left(\frac{\sin(dx+c)}{2} \sqrt{-2(\cos(dx+c)+1)^{-1}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x)

[Out] 1/d*(A*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+B*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)))*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)/a/sin(d*x+c)^2*(cos(d*x+c)^2-1)

Maxima [A] time = 1.96689, size = 263, normalized size = 2.21

$$\frac{\left(\sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right) - \sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right) - 4 \sqrt{2} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) A}{\sqrt{a}}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] -1/2*((sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1) - 4*sqrt(2)*sin(1/2*d*x + 1/2*c))*A/sqrt(a) - (sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*B/sqrt(a))/d

Fricas [A] time = 0.516443, size = 813, normalized size = 6.83

$$\frac{4 A \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) - \frac{\sqrt{2}((A-B)a \cos(dx+c)+(A-B)a) \log\left(\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\cos(dx+c)} \sin(dx+c) - 2 \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right) - \sqrt{a}}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}}{2(ad \cos(dx+c) + ad) \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algo
ithm="fricas")

[Out] [1/2*(4*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c))^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a)/(a*d*cos(d*x + c) + a*d), (sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*A*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a*d*cos(d*x + c) + a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a}(\sec(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(cos(c + d*x))/sqrt(a*(sec(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{\sqrt{a \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(a*sec(d*x + c) + a), x)

$$3.545 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=140

$$\frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)

Rubi [A] time = 0.342973, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4023


```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + B \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \left((A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx + \frac{(B \sqrt{\cos(c + dx)})}{\sqrt{a + a \sec(c + dx)}} dx \\
&= -\frac{\left(2(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \text{Subst} \left(\int \frac{1}{2a - x^2} dx, x, -\frac{a \sqrt{\sec(c + dx)} \sin(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{d} \\
&= \frac{2B \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{ad}} + \frac{\sqrt{2}(A - B) \tanh^{-1} \left(\frac{\sqrt{a} \sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} \right)}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.21388, size = 115, normalized size = 0.82

$$\frac{\sin(c + dx) \sqrt{\cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \left(\sqrt{2}(B - A) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{\sec(c + dx)}}{\sqrt{1 - \sec(c + dx)}} \right) - 2B \sin^{-1} \left(\sqrt{\sec(c + dx)} \right) \right)}{d \sqrt{1 - \sec(c + dx)} \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]),x]

[Out] ((-2*B*ArcSin[Sqrt[Sec[c + d*x]]] + Sqrt[2]*(-A + B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]])*Sqrt[Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(d*Sqrt[1 - Sec[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.311, size = 201, normalized size = 1.4

$$-\frac{-1 + \cos(dx + c)}{d(\sin(dx + c))^2 a} \left(-B\sqrt{2} \arctan \left(\frac{\sqrt{2}(\cos(dx + c) + 1 - \sin(dx + c))}{4} \sqrt{-2(\cos(dx + c) + 1)^{-1}} \right) + B\sqrt{2} \arctan \left(\frac{\sqrt{2}(\cos(dx + c) + 1)}{4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x)

```
[Out] -1/d*(-1+cos(d*x+c))*(-B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))+B*2^(1/2)*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))+2*A*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-2*B*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)))*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/sin(d*x+c)^2/a/(-2/(cos(d*x+c)+1))^(1/2)
```

Maxima [B] time = 2.08023, size = 944, normalized size = 6.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/2*((sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - sqrt(2)*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*A/sqrt(a) - (sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - sqrt(2)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) - log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2) + log(2*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sqrt(2)*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 2*sqrt(2)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2))*B/sqrt(a))/d
```

Fricas [A] time = 0.590442, size = 945, normalized size = 6.75

$$\frac{\sqrt{2}(A - B)\sqrt{a} \log\left(\frac{\cos(dx+c)^2 + \frac{2\sqrt{2}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\sqrt{a}} - 2\cos(dx+c) - 3}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right) - B\sqrt{a} \log\left(\frac{a\cos(dx+c)^3 - 4\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}(\cos(dx+c) - 2)\sqrt{\cos(dx+c)}\sin(dx+c) - 7a\cos(dx+c)^2 + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/2*(sqrt(2)*(A - B)*sqrt(a)*log(-(cos(d*x + c))^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - B*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a*d), -(sqrt(2)*(A - B)*a*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) - B*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt{a}(\sec(c + dx) + 1)\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))/(sqrt(a*(sec(c + d*x) + 1))*sqrt(cos(c + d*x))), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)
```

$$3.546 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=181

$$\frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] ((2*A - B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (B*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]))

Rubi [A] time = 0.503087, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {2955, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{(2A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] ((2*A - B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) - (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (B*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4021

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \frac{B \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} \left(\frac{AB}{2} \right)}{\sqrt{a + a \sec(c + dx)}} dx}{a} \\
&= \frac{B \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \left((A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \frac{B \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(2(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \text{Subst}}{d} \\
&= \frac{(2A - B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - \sqrt{2}(A - B) \tanh^{-1}}{\sqrt{ad}}
\end{aligned}$$

Mathematica [A] time = 0.529088, size = 114, normalized size = 0.63

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(2(A - B) \cos(c + dx) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - \sqrt{2}(2A - B) \cos(c + dx) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d \cos^{\frac{3}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] -((Cos[(c + d*x)/2]*(2*(A - B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[c + d*x] - Sqrt[2]*(2*A - B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] - 2*B*Sin[(c + d*x)/2]))/(d*Cos[c + d*x]^(3/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.319, size = 342, normalized size = 1.9

$$-\frac{-1 + \cos(dx + c)}{2d(\sin(dx + c))^2 a} \left(2A \cos(dx + c) \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 + \sin(dx + c))}\right) - 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(1/2)},x)$

[Out] $-1/2/d*(-1+\cos(d*x+c))*(2*A*\cos(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))-2*A*\cos(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))-B*\cos(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))+B*\cos(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))-4*A*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)+2*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)+4*B*\arctan(1/2*\sin(d*x+c))*(-2/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}/\sin(d*x+c)^2/(-2/(\cos(d*x+c)+1))^{(1/2)}/a$

Maxima [B] time = 2.28476, size = 2037, normalized size = 11.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(1/2)},x, \text{algorithm}="maxima")$

[Out] $-1/4*(2*(\sqrt{2}*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1) - \sqrt{2}*\log(\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + \sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 1) - \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2))*A/\sqrt{a} + (4*\sqrt{2}*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(2*d*x + 2*c) - 4*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(2*d*x + 2*c) + (\cos(2*d*x +$

$$\begin{aligned}
& 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2* \\
& c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(\\
& 2*d*x + 2*c))) + 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c))) + 2) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + \\
& 1)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/ \\
& 4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sqrt{2}*\cos(1/4*\arctan \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^ \\
& 2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - \\
& 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2*\sqrt{2})* \\
& \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - (\cos(2*d*x + 2* \\
& c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/4*\arctan2(s \\
& in(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d \\
& *x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)) \\
&) + 2) - 2*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2} \\
& * \cos(2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(\\
& 2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \\
& 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) + 2*(\sqrt{2})*\c \\
& os(2*d*x + 2*c)^2 + \sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) \\
& + \sqrt{2})*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \si \\
& n(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sin(1/4*\arctan2(\si \\
& n(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2} \\
& * \sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\sqrt{2})*\cos \\
& (2*d*x + 2*c) + \sqrt{2})*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
&)))*B/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\s \\
& \sqrt{a}))/d
\end{aligned}$$

Fricas [A] time = 0.753037, size = 1507, normalized size = 8.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algorith="fricas")

[Out] [1/4*(4*B*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - ((2*A - B)*cos(d*x + c)^2 + (2*A - B)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 + 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*

```
x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(co
s(d*x + c)^3 + cos(d*x + c)^2)) - 2*sqrt(2)*((A - B)*a*cos(d*x + c)^2 + (A
- B)*a*cos(d*x + c))*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c)
- 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c)^2 +
a*d*cos(d*x + c)), 1/2*(2*sqrt(2)*((A - B)*a*cos(d*x + c)^2 + (A - B)*a*co
s(d*x + c))*sqrt(-1/a)*arctan(sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c
))*sqrt(-1/a)*sqrt(cos(d*x + c))/sin(d*x + c)) + 2*B*sqrt((a*cos(d*x + c) +
a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((2*A - B)*cos(d*x + c)
^2 + (2*A - B)*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c)
+ a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*
cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c)^2 + a*d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a \cos(dx + c)}^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(1/2),x, algo-
rithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(3/2)
, x)

$$3.547 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \sec(c+dx)}} dx$$

Optimal. Leaf size=230

$$\frac{(4A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(4A - 7B)\sqrt{a}}{\sqrt{ad}}$$

[Out] -((4*A - 7*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (B*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + ((4*A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.700317, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {2955, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(4A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)\sqrt{a \sec(c + dx) + a}} + \frac{\sqrt{2}(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{(4A - 7B)\sqrt{a}}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] -((4*A - 7*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(4*Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(Sqrt[a]*d) + (B*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + ((4*A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[p] \&\& \text{!(IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 4021

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_)](d_.))^n(\text{csc}[e_.] + (f_.)(x_)](b_.) + (a_.))^m(\text{csc}[e_.] + (f_.)(x_)](B_.) + (A_.)), x_Symbol] \rightarrow -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m(d*\text{Csc}[e + f*x])^{n-1})/(f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m(d*\text{Csc}[e + f*x])^{n-1})*\text{Simp}[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1]$

Rule 4023

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_)](d_.))^n(\text{csc}[e_.] + (f_.)(x_)](b_.) + (a_.))^m(\text{csc}[e_.] + (f_.)(x_)](B_.) + (A_.)), x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)](d_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)](b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x])]/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 206

$\text{Int}[(a_.) + (b_.)(x_)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)](d_.)]*\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)](b_.) + (a_.)), x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/(b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)(x_)^2], x_Symbol] \rightarrow \text{Simp}[\text{ArcSinh}[(\text{Rt}[b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{PosQ}[b]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx))}{\sqrt{a + a \sec(c + dx)}} dx \\
&= \frac{B \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx}{2a} \\
&= \frac{B \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(4A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{1}{2}}(c + dx)}{\sqrt{a + a \sec(c + dx)}} dx}{2a} \\
&= \frac{B \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(4A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \frac{\left((4A - B) \sin(c + dx) \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= \frac{B \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{(4A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \frac{\left((4A - B) \sin(c + dx) \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
&= -\frac{(4A - 7B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - \sqrt{2} (A - B) \tan(c + dx)}{4\sqrt{ad}} + \frac{\left((4A - B) \sin(c + dx) \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.02288, size = 137, normalized size = 0.6

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(2 \sin\left(\frac{1}{2}(c + dx)\right) \left((4A - B) \cos(c + dx) + 2B \right) + 8(A - B) \cos^2(c + dx) \tanh^{-1} \left(\sin\left(\frac{1}{2}(c + dx)\right) \right) - \sqrt{2} (4A - B) \tan(c + dx) \right)}{4d \cos^{\frac{5}{2}}(c + dx) \sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]), x]

[Out] (Cos[(c + d*x)/2]*(8*(A - B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[c + d*x]^2 - Sqrt[2]*(4*A - 7*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^2 + 2*(2*B + (4*A - B)*Cos[c + d*x])*Sin[(c + d*x)/2])/((4*d*Cos[c + d*x]^(5/2)*Sqrt[a*(1 + Sec[c + d*x])])

Maple [B] time = 0.354, size = 413, normalized size = 1.8

$$-\frac{-1 + \cos(dx + c)}{8ad(\sin(dx + c))^2} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(-4A(\cos(dx + c))^2 \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2), x)`

[Out]
$$\begin{aligned} & -1/8/d*(-1+\cos(d*x+c))*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-4*A*\cos(d*x+c) \\ & ^2*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d \\ & *x+c)))+4*A*\cos(d*x+c)^2*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)} \\ & *(\cos(d*x+c)+1-\sin(d*x+c)))+7*B*\cos(d*x+c)^2*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(- \\ & -2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c)))-7*B*\cos(d*x+c)^2*2^{(1/2)} \\ &)*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))+8 \\ & *A*\cos(d*x+c)*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+16*A*\cos(d*x+c)^2*\arctan \\ & (1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-2*B*\cos(d*x+c)*\sin(d*x+c)*(-2/(c \\ & \cos(d*x+c)+1))^{(1/2)}-16*B*\cos(d*x+c)^2*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c) \\ & +1))^{(1/2)})+4*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c))/a/(-2/(\cos(d*x+c)+1)) \\ & ^{(1/2)}/\sin(d*x+c)^2/\cos(d*x+c)^{(3/2)} \end{aligned}$$

Maxima [B] time = 2.44751, size = 3650, normalized size = 15.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2), x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/16*(4*(4*\sqrt{2}*\cos(3/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*\sin(2*d*x \\ & + 2*c) - 4*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))))*\sin(2*d*x + \\ & 2*c) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)* \\ & \log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin \\ & (d*x + c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(\\ & d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))) + 2) - \\ & (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos \\ & (1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + \\ & c), \cos(d*x + c))))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c) \end{aligned}$$

$$\begin{aligned}
& d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sqrt{2}*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 2*\sqrt{2}*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2) - 8*(\sqrt{2}*\cos(4*d*x + 4*c)^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) + 8*(\sqrt{2}*\cos(4*d*x + 4*c)^2 + 4*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + 4*c) + 4*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 20*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 20*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\sqrt{2}*\cos(4*d*x + 4*c) + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*B/((2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*\sqrt{a}))/d
\end{aligned}$$

Fricas [A] time = 0.765574, size = 1615, normalized size = 7.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/16*(4*((4*A - B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - ((4*A - 7*B)*cos(d*x + c)^3 + (4*A - 7*B)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) - 8*sqrt(2)*((A - B)*a*cos(d*x + c)^3 + (A - B)*a*cos(d*x + c)^2)*log(-(cos(d*x +

```
c)^2 + 2*sqrt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))
*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c)
+ 1))/sqrt(a))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2), -1/8*(8*sqrt(2)
*((A - B)*a*cos(d*x + c)^3 + (A - B)*a*cos(d*x + c)^2)*sqrt(-1/a)*arctan(sq
rt(2)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(-1/a)*sqrt(cos(d*x + c))
/sin(d*x + c)) - 2*((4*A - B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c) + a)
/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((4*A - 7*B)*cos(d*x + c)^
3 + (4*A - 7*B)*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x
+ c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 -
a*cos(d*x + c) - 2*a)))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{a \sec(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(1/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(a*sec(d*x + c) + a)*cos(d*x + c)^(5/2)
), x)
```

$$3.548 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=270

$$\frac{(15A - 11B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A - 5B) \sin(c+dx) \cos^3(c+dx)}{10ad\sqrt{a \sec(c+dx)+a}} - \frac{(A - B)}{2d}$$

```
[Out] -((15*A - 11*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((147*A - 95*B)*Sin[c + d*x])/(30*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 35*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((9*A - 5*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]])
```

Rubi [A] time = 0.866346, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4020, 4022, 4013, 3808, 206}

$$\frac{(15A - 11B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A - 5B) \sin(c+dx) \cos^3(c+dx)}{10ad\sqrt{a \sec(c+dx)+a}} - \frac{(A - B)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]
```

```
[Out] -((15*A - 11*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) + ((147*A - 95*B)*Sin[c + d*x])/(30*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((39*A - 35*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Sec[c + d*x]]) + ((9*A - 5*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Sec[c + d*x]])
```

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
```

*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{\frac{3}{2}}} dx \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{\frac{1}{2}a(9A-5B)}{\sec^{\frac{5}{2}}(c+dx)} dx}{2a^2} \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(9A-5B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{10ad\sqrt{a+a\sec(c+dx)}} + \dots \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} - \frac{(39A-35B)\sqrt{\cos(c+dx)}\sin(c+dx)}{30ad\sqrt{a+a\sec(c+dx)}} + \dots \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(147A-95B)\sin(c+dx)}{30ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \dots \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(147A-95B)\sin(c+dx)}{30ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} - \dots \\
&= -\frac{(15A-11B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{2\sqrt{2}a^{\frac{3}{2}}d} - \dots
\end{aligned}$$

Mathematica [A] time = 1.29232, size = 178, normalized size = 0.66

$$\frac{2 \tan(c+dx)\sqrt{1-\sec(c+dx)}(3(39A-20B)\cos(c+dx) + (10B-6A)\cos(2(c+dx)) + 3A\cos(3(c+dx)) + 141A-85B) + 60d\sqrt{\cos(c+dx)} - 1(a\sec(c+dx) + 1)}{2\sqrt{2}a^{\frac{3}{2}}d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (30*Sqrt[2]*(15*A - 11*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^2*Sec[c + d*x]^(3/2)*Sin[c + d*x] + 2*(141*A - 85*B + 3*(39*A - 20*B)*Cos[c + d*x] + (-6*A + 10*B)*Cos[2*(c + d*x)] + 3*A*Cos[3*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Tan[c + d*x])/(60*d*Sqrt[-1 + Cos[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.403, size = 329, normalized size = 1.2

$$-\frac{-1 + \cos(dx + c)}{60 d (\sin(dx + c))^3 a^2} \sqrt{\cos(dx + c)} \sqrt{\frac{a (\cos(dx + c) + 1)}{\cos(dx + c)}} \left(225 A \sin(dx + c) \cos(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c)\right) \sqrt{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x)`

[Out]
$$-1/60/d*\cos(d*x+c)^{(1/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))*(225*A*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1)))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}-24*A*\cos(d*x+c)^4-165*B*\sin(d*x+c)*\cos(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1)))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}+225*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1)))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*A*\sin(d*x+c)+48*A*\cos(d*x+c)^3-165*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1)))^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*B*\sin(d*x+c)-40*B*\cos(d*x+c)^3-240*A*\cos(d*x+c)^2+160*B*\cos(d*x+c)^2-78*A*\cos(d*x+c)+70*B*\cos(d*x+c)+294*A-190*B)/\sin(d*x+c)^3/a^2$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 0.547027, size = 1283, normalized size = 4.75

$$\left[\frac{15 \sqrt{2} \left((15 A - 11 B) \cos(dx + c)^2 + 2 (15 A - 11 B) \cos(dx + c) + 15 A - 11 B \right) \sqrt{a} \log \left(-\frac{a \cos(dx+c)^2 - 2 \sqrt{2} \sqrt{a} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}} \sqrt{\frac{a \cos(dx+c)+a}{\cos(dx+c)}}}{\cos(dx+c)^2 + 2} \right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [-1/120*(15*sqrt(2)*((15*A - 11*B)*cos(d*x + c)^2 + 2*(15*A - 11*B)*cos(d*x + c) + 15*A - 11*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(12*A*cos(d*x + c)^3 - 4*(3*A - 5*B)*cos(d*x + c)^2 + 12*(9*A - 5*B)*cos(d*x + c) + 147*A - 95*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/60*(15*sqrt(2)*((15*A - 11*B)*cos(d*x + c)^2 + 2*(15*A - 11*B)*cos(d*x + c) + 15*A - 11*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(12*A*cos(d*x + c)^3 - 4*(3*A - 5*B)*cos(d*x + c)^2 + 12*(9*A - 5*B)*cos(d*x + c) + 147*A - 95*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(3/2), x)
```


$$3.549 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=223

$$\frac{(11A - 7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A - 3B) \sin(c+dx)\sqrt{\cos(c+dx)}}{6ad\sqrt{a \sec(c+dx)+a}} - \frac{(19A - 7B)\sqrt{\cos(c+dx)}}{6ad\sqrt{\cos(c+dx)}}$$

[Out] ((11*A - 7*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((19*A - 15*B)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((7*A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.686667, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4020, 4022, 4013, 3808, 206}

$$\frac{(11A - 7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A - 3B) \sin(c+dx)\sqrt{\cos(c+dx)}}{6ad\sqrt{a \sec(c+dx)+a}} - \frac{(19A - 7B)\sqrt{\cos(c+dx)}}{6ad\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((11*A - 7*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*d*(a + a*Sec[c + d*x])^(3/2)) - ((19*A - 15*B)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((7*A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*a*d*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{\frac{3}{2}}} dx \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{\frac{1}{2}a(7A-3B)}{\sec^{\frac{3}{2}}(c+dx)}}{2a^2} \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} + \frac{(7A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6ad\sqrt{a+a\sec(c+dx)}} + \left(\frac{1}{2}a(7A-3B)\right) \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} - \frac{(19A-15B)\sin(c+dx)}{6ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \left(\frac{1}{2}a(7A-3B)\right) \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}} - \frac{(19A-15B)\sin(c+dx)}{6ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} + \left(\frac{1}{2}a(7A-3B)\right) \\
&= \frac{(11A-7B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{2\sqrt{2}a^{\frac{3}{2}}d} - \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2d(a+a\sec(c+dx))^{\frac{3}{2}}}
\end{aligned}$$

Mathematica [A] time = 1.23248, size = 155, normalized size = 0.7

$$\frac{\sin(c+dx)\left(\sqrt{1-\sec(c+dx)}(\sec(c+dx)(2A\cos(2(c+dx))-17A+15B)+12(B-A))-3\sqrt{2}(11A-7B)\cos^2\left(\frac{1}{2}(c+dx)\right)\right)}{6d\sqrt{\cos(c+dx)-1(a(\sec(c+dx)+1))^{\frac{3}{2}}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] ((-3*Sqrt[2]*(11*A - 7*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^2*Sec[c + d*x]^(3/2) + Sqrt[1 - Sec[c + d*x]]*(12*(-A + B) + (-17*A + 15*B + 2*A*Cos[2*(c + d*x)])*Sec[c + d*x]))*Sin[c + d*x])/(6*d*Sqrt[-1 + Cos[c + d*x]]*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.315, size = 307, normalized size = 1.4

$$\frac{-1 + \cos(dx+c)}{12a^2(\sin(dx+c))^3} \sqrt{\cos(dx+c)} \sqrt{\frac{a(\cos(dx+c)+1)}{\cos(dx+c)}} \left(33A\sin(dx+c)\cos(dx+c)\arctan\left(\frac{1}{2}\sin(dx+c)\sqrt{-2}\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{(3/2)}*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{(3/2)},x)$

[Out] $\frac{1}{12}d*\cos(dx+c)^{(1/2)}*(a*(\cos(dx+c)+1)/\cos(dx+c))^{(1/2)}*(-1+\cos(dx+c))$
 $* (33*A*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)})$
 $* (-2/(\cos(dx+c)+1))^{(1/2)} - 21*B*\sin(dx+c)*\cos(dx+c)*\arctan(1/2*\sin(dx+c)$
 $* (-2/(\cos(dx+c)+1))^{(1/2)}) * (-2/(\cos(dx+c)+1))^{(1/2)} + 33*\arctan(1/2*\sin(dx+c)$
 $* (-2/(\cos(dx+c)+1))^{(1/2)}) * (-2/(\cos(dx+c)+1))^{(1/2)} * A*\sin(dx+c) + 8*A$
 $* \cos(dx+c)^3 - 21*\arctan(1/2*\sin(dx+c)*(-2/(\cos(dx+c)+1))^{(1/2)}) * (-2/(\cos(dx+c)+1))^{(1/2)}$
 $* B*\sin(dx+c) - 32*A*\cos(dx+c)^2 + 24*B*\cos(dx+c)^2 - 14*A*\cos(dx+c) + 6*B*\cos(dx+c) + 38*A - 30*B) / a^2 / \sin(dx+c)^3$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(3/2)}*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{(3/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.542424, size = 1172, normalized size = 5.26

$$\left[\frac{3\sqrt{2}((11A-7B)\cos(dx+c)^2 + 2(11A-7B)\cos(dx+c) + 11A-7B)\sqrt{a}\log\left(\frac{a\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{\cos(dx+c)^2 + 2\cos(dx+c)}\right)}{24(a^2d\cos(dx+c))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\cos(dx+c)^{(3/2)}*(A+B*\sec(dx+c))/(a+a*\sec(dx+c))^{(3/2)},x, \text{algorithm}="fricas")$

[Out] $[-1/24*(3*\sqrt{2})*((11*A - 7*B)*\cos(dx + c)^2 + 2*(11*A - 7*B)*\cos(dx + c) + 11*A - 7*B)*\sqrt{a}*\log(-(a*\cos(dx + c))^2 + 2*\sqrt{2}*\sqrt{a}*\sqrt{(a$

```

cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d
*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*A*cos(d*x + c)
^2 - 12*(A - B)*cos(d*x + c) - 19*A + 15*B)*sqrt((a*cos(d*x + c) + a)/cos(d
*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*c
os(d*x + c) + a^2*d), -1/12*(3*sqrt(2))*((11*A - 7*B)*cos(d*x + c)^2 + 2*(11
*A - 7*B)*cos(d*x + c) + 11*A - 7*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt(
(a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2
*(4*A*cos(d*x + c)^2 - 12*(A - B)*cos(d*x + c) - 19*A + 15*B)*sqrt((a*cos(d
*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x
+ c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(3/2
), x)
```

$$3.550 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=176

$$\frac{(7A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A-B)\sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} - \frac{(A-B)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}}$$

[Out] -((7*A - 3*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((5*A - B)*Sin[c + d*x])/(2*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.489672, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4020, 4013, 3808, 206}

$$\frac{(7A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A-B)\sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a\sec(c+dx)+a}} - \frac{(A-B)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] -((7*A - 3*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((5*A - B)*Sin[c + d*x])/(2*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{3/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{3/2}} dx \\
&= -\frac{(A-B)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{\frac{1}{2}a(5A-B)\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{2a^2} \\
&= -\frac{(A-B)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} + \frac{(5A-B)\sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(A-B)\sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{3/2}} + \frac{(5A-B)\sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a+a\sec(c+dx)}} \\
&= -\frac{(7A-3B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{2\sqrt{2}a^{3/2}d} - \frac{\sin(c+dx)}{2d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 1.8762, size = 198, normalized size = 1.12

$$\frac{2 \tan(c+dx)\sqrt{1-\sec(c+dx)}(2A^2 \cos(2(c+dx)) + 2A^2 + A(5A+3B)\cos(c+dx) + 5AB - B^2) + 4\sqrt{2}(7A-3B)\sin(c+dx)}{4d\sqrt{\cos(c+dx)} - 1(a(\sec(c+dx)+1))^{3/2}(A\cos(c+dx) + B\sec(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(3/2), x]

[Out] (4*Sqrt[2]*(7*A - 3*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^3*(B + A*Cos[c + d*x])*Sec[c + d*x]^(3/2)*Sin[(c + d*x)/2] + 2*(2*A^2 + 5*A*B - B^2 + A*(5*A + 3*B)*Cos[c + d*x] + 2*A^2*Cos[2*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Tan[c + d*x]/(4*d*Sqrt[-1 + Cos[c + d*x]])*(B + A*Cos[c + d*x])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.385, size = 235, normalized size = 1.3

$$\frac{-1 + \cos(dx+c)}{2da^2(\sin(dx+c))^3} \left(4A(\cos(dx+c))^2 \sqrt{-2(\cos(dx+c)+1)^{-1}} + A\cos(dx+c) \sqrt{-2(\cos(dx+c)+1)^{-1}} + 7A\sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x)
```

```
[Out] 1/2/d*(-1+cos(d*x+c))*(4*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+7*A*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-B*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-3*B*sin(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-5*A*(-2/(cos(d*x+c)+1))^(1/2)+B*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/a^2/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^3
```

Maxima [B] time = 2.42527, size = 11081, normalized size = 62.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] -1/4*((4*(7*log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - 7*log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 - 2*sin(1/2*d*x + 1/2*c) + 1) - 8*sin(1/2*d*x + 1/2*c))*cos(3/2*d*x + 3/2*c)^4 + 63*(log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(1/2*d*x + 1/2*c)^4 + 4*(7*log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - 7*log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 - 2*sin(1/2*d*x + 1/2*c) + 1) - 8*sin(1/2*d*x + 1/2*c))*sin(3/2*d*x + 3/2*c)^4 + 70*(log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(1/2*d*x + 1/2*c)^2*sin(1/2*d*x + 1/2*c)^2 + 7*(log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*sin(1/2*d*x + 1/2*c)^4 - 8*sin(1/2*d*x + 1/2*c)^5 + 28*(7*(log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(1/2*d*x + 1/2*c) - 8*cos(1/2*d*x + 1/2*c)*sin(1/2*d*x + 1/2*c))*cos(3/2*d*x + 3/2*c)^3 + 4*(21*(log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*sin(1/2*d*x + 1/2*c) - 24*sin(1/2*d*x + 1/2*c)^2 - 20)*sin(3/2*d*x + 3/2*c)^3 - 8*(10*cos(1/2*d*x + 1/2*c))^2 + 3)*sin(1/2*d*x + 1/2*c)^3 + ((7*log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d*x + 1/2*c))^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - 7*log(cos(1/2*d*x + 1/2*c))^2 + sin(1/2*d
```

$$\begin{aligned}
& *x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\cos(3 \\
& /2*d*x + 3/2*c)^2 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + \\
& 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(1/2*d*x + 1/2*c)^2 + (7*\log(\cos \\
& \cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + \\
& 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2*c)^2 + 7*(\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c \\
&) + 1))*\sin(1/2*d*x + 1/2*c)^2 - 8*\sin(1/2*d*x + 1/2*c)^3 + 6*(7*(\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c \\
&) + 1))*\cos(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)) \\
& *\cos(3/2*d*x + 3/2*c) + 2*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2 \\
& *d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c) - 8*\sin \\
& (1/2*d*x + 1/2*c)^2 - 8)*\sin(3/2*d*x + 3/2*c) - 8*(9*\cos(1/2*d*x + 1/2*c)^2 \\
& + 2)*\sin(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5/2*c)^2 + (427*(\log(\cos(1/2*d*x \\
& + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) \\
& *\cos(1/2*d*x + 1/2*c)^2 + 35*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2 \\
& *d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c)^2 - 40* \\
& \sin(1/2*d*x + 1/2*c)^3 - 8*(61*\cos(1/2*d*x + 1/2*c)^2 + 9)*\sin(1/2*d*x + 1/ \\
& 2*c))*\cos(3/2*d*x + 3/2*c)^2 + ((7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \\
& \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2* \\
& c))*\cos(3/2*d*x + 3/2*c)^2 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(\\
& 1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(1/2*d*x + 1/2*c)^2 + \\
& (7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/ \\
& 2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2*c)^2 + 7*(\\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c \\
&) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d* \\
& x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c)^2 - 8*\sin(1/2*d*x + 1/2*c)^3 + 6*(7*(\\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c \\
&) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d* \\
& x + 1/2*c) + 1))*\cos(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x \\
& + 1/2*c))*\cos(3/2*d*x + 3/2*c) + 2*(7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2 \\
& *d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x + 1/2*c \\
&) - 8*\sin(1/2*d*x + 1/2*c)^2 - 8)*\sin(3/2*d*x + 3/2*c) - 8*(9*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2)*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c)^2 + (8*(7*\log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1)
\end{aligned}$$

$$\begin{aligned}
& 1/2*c)) * \sin(3/2*d*x + 3/2*c) - 8*(9*\cos(1/2*d*x + 1/2*c)^3 + 2*\cos(1/2*d*x \\
& + 1/2*c)) * \sin(1/2*d*x + 1/2*c)) * \cos(5/2*d*x + 5/2*c) + 2*(147*(\log(\cos(1/2 \\
& *d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log \\
& (\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
& + 1)) * \cos(1/2*d*x + 1/2*c)^3 + 35*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin \\
& (1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \cos(1/2*d*x + 1/2*c) * \sin \\
& (1/2*d*x + 1/2*c)^2 - 40*\cos(1/2*d*x + 1/2*c) * \sin(1/2*d*x + 1/2*c)^3 - 56* \\
& (3*\cos(1/2*d*x + 1/2*c)^3 + \cos(1/2*d*x + 1/2*c)) * \sin(1/2*d*x + 1/2*c)) * \cos \\
& (3/2*d*x + 3/2*c) + 2*(2*(7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2* \\
& c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2 \\
& *d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c)) * \sin \\
& (3/2*d*x + 3/2*c)^3 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \cos(1/2*d*x + 1/2*c)^2 * \sin(1/2*d \\
& *x + 1/2*c) + 7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \sin(1/2*d*x + 1/2*c)^3 - 8*\sin(1/2*d*x + \\
& 1/2*c)^4 + (7*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(\\
& 1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \sin(1/2*d*x + 1/2*c) - 8*\sin(1/2*d*x + 1/2* \\
& c)^2 - 4)*\cos(3/2*d*x + 3/2*c)^2 + (35*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/ \\
& 2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \sin(1/2*d*x + 1/2* \\
& c) - 40*\sin(1/2*d*x + 1/2*c)^2 - 36)*\sin(3/2*d*x + 3/2*c)^2 - 4*(18*\cos(1/2 \\
& *d*x + 1/2*c)^2 + 5)*\sin(1/2*d*x + 1/2*c)^2 + 6*(7*(\log(\cos(1/2*d*x + 1/2*c) \\
&)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d* \\
& x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \cos(1/ \\
& 2*d*x + 1/2*c) * \sin(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c) * \sin(1/2*d*x + \\
& 1/2*c)^2 - 4*\cos(1/2*d*x + 1/2*c) * \cos(3/2*d*x + 3/2*c) - 36*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*((7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c) + 1) - 7*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2* \\
& c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 8*\sin(1/2*d*x + 1/2*c)) * \cos(3/2*d*x + \\
& 3/2*c)^2 + 63*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(\\
& 1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sin(1/2*d*x + 1/2*c) + 1)) * \cos(1/2*d*x + 1/2*c)^2 + 14*(\log(\cos(1/2*d* \\
& x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(c \\
& os(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1 \\
&)) * \sin(1/2*d*x + 1/2*c)^2 - 16*\sin(1/2*d*x + 1/2*c)^3 + 6*(7*(\log(\cos(1/2*d \\
& *x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\\
& \cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + \\
& 1)) * \cos(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c) * \sin(1/2*d*x + 1/2*c)) * \cos \\
& (3/2*d*x + 3/2*c) - 4*(18*\cos(1/2*d*x + 1/2*c)^2 + 7)*\sin(1/2*d*x + 1/2*c)) \\
& * \sin(3/2*d*x + 3/2*c)) * \sin(5/2*d*x + 5/2*c) + 2*(133*(\log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*
\end{aligned}$$

$$\begin{aligned}
& d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(\\
& 1/2*d*x + 1/2*c)^2*\sin(1/2*d*x + 1/2*c) + 21*(\log(\cos(1/2*d*x + 1/2*c)^2 + \\
& \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/ \\
& 2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d*x \\
& + 1/2*c)^3 - 24*\sin(1/2*d*x + 1/2*c)^4 + 2*(21*(\log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(1/2*d* \\
& x + 1/2*c) - 24*\sin(1/2*d*x + 1/2*c)^2 - 20))*\cos(3/2*d*x + 3/2*c)^2 - 8*(19 \\
& * \cos(1/2*d*x + 1/2*c)^2 + 7)*\sin(1/2*d*x + 1/2*c)^2 + 16*(7*(\log(\cos(1/2*d* \\
& x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(c \\
& os(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1 \\
&))*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(1 \\
& /2*d*x + 1/2*c)^2 - 5*\cos(1/2*d*x + 1/2*c))*\cos(3/2*d*x + 3/2*c) - 80*\cos(1 \\
& /2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3/2*c) - 8*(9*\cos(1/2*d*x + 1/2*c)^4 + 11* \\
& \cos(1/2*d*x + 1/2*c)^2)*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a}/(4*\sqrt{2})*a^2*\cos(\\
& 3/2*d*x + 3/2*c)^4 + 28*\sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c)^3*\cos(1/2*d*x + 1/ \\
& 2*c) + 9*\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)^4 + 4*\sqrt{2})*a^2*\sin(3/2*d*x + 3 \\
& /2*c)^4 + 12*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c)^3*\sin(1/2*d*x + 1/2*c) + 10*s \\
& \sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)^2*\sin(1/2*d*x + 1/2*c)^2 + \sqrt{2})*a^2*\sin(\\
& 1/2*d*x + 1/2*c)^4 + (\sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c)^2 + 6*\sqrt{2})*a^2*co \\
& s(3/2*d*x + 3/2*c)*\cos(1/2*d*x + 1/2*c) + 9*\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c \\
&)^2 + \sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c)^2 + 2*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2* \\
& c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(5/2*d*x + \\
& 5/2*c)^2 + (61*\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)^2 + 5*\sqrt{2})*a^2*\sin(1/2* \\
& d*x + 1/2*c)^2)*\cos(3/2*d*x + 3/2*c)^2 + (\sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c)^ \\
& 2 + 6*\sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c)*\cos(1/2*d*x + 1/2*c) + 9*\sqrt{2})*a^2 \\
& *\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c)^2 + 2*\sqrt{2})*a^ \\
& 2*\sin(3/2*d*x + 3/2*c)*\sin(1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\sin(1/2*d*x + 1/2 \\
& *c)^2)*\sin(5/2*d*x + 5/2*c)^2 + (8*\sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c)^2 + 28* \\
& \sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c)*\cos(1/2*d*x + 1/2*c) + 37*\sqrt{2})*a^2*\cos(\\
& 1/2*d*x + 1/2*c)^2 + 13*\sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3 \\
& /2*c)^2 + 2*(2*\sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c)^3 + 13*\sqrt{2})*a^2*\cos(3/2* \\
& d*x + 3/2*c)^2*\cos(1/2*d*x + 1/2*c) + 9*\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)^3 \\
& + \sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)^2 + (2*\sqrt{2})*a^2* \\
& \cos(3/2*d*x + 3/2*c) + \sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2* \\
& c)^2 + 2*(12*\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2})*a^2*\sin(1/2*d*x + \\
& 1/2*c)^2)*\cos(3/2*d*x + 3/2*c) + 2*(2*\sqrt{2})*a^2*\cos(3/2*d*x + 3/2*c)*\sin \\
& (1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c))* \\
& \sin(3/2*d*x + 3/2*c))*\cos(5/2*d*x + 5/2*c) + 2*(21*\sqrt{2})*a^2*\cos(1/2*d*x \\
& + 1/2*c)^3 + 5*\sqrt{2})*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c)^2)*\cos \\
& (3/2*d*x + 3/2*c) + 2*(2*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c)^3 + \sqrt{2})*a^2*c \\
& os(3/2*d*x + 3/2*c)^2*\sin(1/2*d*x + 1/2*c) + 6*\sqrt{2})*a^2*\cos(3/2*d*x + 3/ \\
& 2*c)*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) + 9*\sqrt{2})*a^2*\cos(1/2*d*x \\
& + 1/2*c)^2*\sin(1/2*d*x + 1/2*c) + 5*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c)^2*\sin(\\
& 1/2*d*x + 1/2*c) + \sqrt{2})*a^2*\sin(1/2*d*x + 1/2*c)^3 + 2*(\sqrt{2})*a^2*\cos(
\end{aligned}$$

$$\begin{aligned}
& 3/2*d*x + 3/2*c)^2 + 6*sqrt(2)*a^2*cos(3/2*d*x + 3/2*c)*cos(1/2*d*x + 1/2*c) \\
&) + 9*sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c) \\
& ^2)*sin(3/2*d*x + 3/2*c))*sin(5/2*d*x + 5/2*c) + 2*(6*sqrt(2)*a^2*cos(3/2 \\
& *d*x + 3/2*c)^2*sin(1/2*d*x + 1/2*c) + 16*sqrt(2)*a^2*cos(3/2*d*x + 3/2*c)* \\
& cos(1/2*d*x + 1/2*c)*sin(1/2*d*x + 1/2*c) + 19*sqrt(2)*a^2*cos(1/2*d*x + 1/ \\
& 2*c)^2*sin(1/2*d*x + 1/2*c) + 3*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c)^3)*sin(3/2 \\
& *d*x + 3/2*c)) - (3*(log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + \\
& 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/ \\
& 2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(2*d*x + 2*c)^2 + 12*(log(cos(1/2* \\
& d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log \\
& (cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + \\
& 1))*cos(d*x + c)^2 + 3*(log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^ \\
& 2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x \\
& + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*sin(2*d*x + 2*c)^2 + 12*(log(cos(\\
& 1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - \\
& log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2* \\
& c) + 1))*sin(d*x + c)^2 + 2*(6*(log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + \\
& 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1 \\
& /2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2*c) + 1))*cos(d*x + c) + 3*log(cos(1 \\
& /2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) - \\
& 3*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + 1/2 \\
& *c) + 1) - 2*sin(3/2*d*x + 3/2*c) + 2*sin(1/2*d*x + 1/2*c))*cos(2*d*x + 2*c) \\
&) + 4*(3*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d* \\
& x + 1/2*c) + 1) - 3*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2 \\
& *sin(1/2*d*x + 1/2*c) + 1) + 2*sin(1/2*d*x + 1/2*c))*cos(d*x + c) + 4*(3*(l \\
& og(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) \\
& + 1) - log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x \\
& + 1/2*c) + 1))*sin(d*x + c) + cos(3/2*d*x + 3/2*c) - cos(1/2*d*x + 1/2*c)) \\
& *sin(2*d*x + 2*c) - 4*(2*cos(d*x + c) + 1)*sin(3/2*d*x + 3/2*c) + 8*cos(3/2 \\
& *d*x + 3/2*c)*sin(d*x + c) - 8*cos(1/2*d*x + 1/2*c)*sin(d*x + c) + 3*log(co \\
& s(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c) + 1) \\
& - 3*log(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2 - 2*sin(1/2*d*x + \\
& 1/2*c) + 1) + 4*sin(1/2*d*x + 1/2*c))*B/(sqrt(2)*a*cos(2*d*x + 2*c)^2 + 4* \\
& sqrt(2)*a*cos(d*x + c)^2 + sqrt(2)*a*sin(2*d*x + 2*c)^2 + 4*sqrt(2)*a*sin(2 \\
& *d*x + 2*c)*sin(d*x + c) + 4*sqrt(2)*a*sin(d*x + c)^2 + 4*sqrt(2)*a*cos(d*x \\
& + c) + 2*(2*sqrt(2)*a*cos(d*x + c) + sqrt(2)*a)*cos(2*d*x + 2*c) + sqrt(2) \\
& *a)*sqrt(a))/d
\end{aligned}$$

Fricas [A] time = 0.53, size = 1068, normalized size = 6.07

$$\frac{\sqrt{2}((7A - 3B)\cos(dx + c)^2 + 2(7A - 3B)\cos(dx + c) + 7A - 3B)\sqrt{a}\log\left(\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{8(a^2d\cos(dx + c)^2 + 2a^2d\cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorith="fricas")

[Out] [-1/8*(sqrt(2)*((7*A - 3*B)*cos(d*x + c)^2 + 2*(7*A - 3*B)*cos(d*x + c) + 7*A - 3*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(4*A*cos(d*x + c) + 5*A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), 1/4*(sqrt(2)*((7*A - 3*B)*cos(d*x + c)^2 + 2*(7*A - 3*B)*cos(d*x + c) + 7*A - 3*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(4*A*cos(d*x + c) + 5*A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^(3/2), x)
```


$$3.551 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=127

$$\frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d\cos^3(c+dx)(a\sec(c+dx)+a)^{3/2}}$$

[Out] ((3*A + B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.31737, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2955, 4012, 3808, 206}

$$\frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d\cos^3(c+dx)(a\sec(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] ((3*A + B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4012

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*
x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x
] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m,
-1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{3/2}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{((3A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{4a}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{((3A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{2\sqrt{2}a^{3/2}d} - \frac{(3A + B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{2d \cos^{\frac{3}{2}}(c + dx)}$$

Mathematica [A] time = 0.50512, size = 86, normalized size = 0.68

$$\frac{\frac{1}{2}(B - A) \sin(c + dx) + (3A + B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{ad\sqrt{\cos(c + dx)}(\cos(c + dx) + 1)\sqrt{a(\sec(c + dx) + 1)}}$$

$$\begin{aligned}
& + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(d*x \\
& + c)^2 + 3*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - \\
& 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c)^2 + 12*(\log(\cos(1/2*d*x + 1/ \\
& 2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2 \\
& *d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin \\
& (d*x + c)^2 + 2*(6*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2 \\
& *\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2 \\
& *c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(d*x + c) + 3*\log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos(1/ \\
& 2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 2 \\
& *\sin(3/2*d*x + 3/2*c) + 2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 4*(3*\log \\
& (\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + \\
& 1) - 3*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x \\
& + 1/2*c) + 1) + 2*\sin(1/2*d*x + 1/2*c))*\cos(d*x + c) + 4*(3*(\log(\cos(1/2*d \\
& *x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\\
& \cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + \\
& 1))*\sin(d*x + c) + \cos(3/2*d*x + 3/2*c) - \cos(1/2*d*x + 1/2*c))*\sin(2*d*x + \\
& 2*c) - 4*(2*\cos(d*x + c) + 1)*\sin(3/2*d*x + 3/2*c) + 8*\cos(3/2*d*x + 3/2*c \\
&)*\sin(d*x + c) - 8*\cos(1/2*d*x + 1/2*c)*\sin(d*x + c) + 3*\log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 3*\log(\cos \\
& (1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& + 4*\sin(1/2*d*x + 1/2*c))*A/((\sqrt{2})*a*\cos(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*co \\
& s(d*x + c)^2 + \sqrt{2})*a*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*\sin(2*d*x + 2*c)* \\
& \sin(d*x + c) + 4*\sqrt{2})*a*\sin(d*x + c)^2 + 4*\sqrt{2})*a*\cos(d*x + c) + 2*(2 \\
& *\sqrt{2})*a*\cos(d*x + c) + \sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sqrt{a)} \\
& + (4*(\sin(3/2*d*x + 3/2*c) - \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&)) + 8*(\sin(3/2*d*x + 3/2*c) - \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/ \\
& 2*d*x + 3/2*c))))*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c \\
&))) + (2*(2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \\
& 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(4/3*a \\
& rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(2/3*\arctan2(s \\
& in(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(4/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 4*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c \\
&), \cos(3/2*d*x + 3/2*c)))*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 4*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&))^2 + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*l \\
& og(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3 \\
& *\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2 \\
& (\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1) - (2*(2*\cos(2/3*\arctan2(\\
& \sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*\arctan2(\sin(3/2*d \\
& *x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c)))^2 + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c)))^2 + \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2
\end{aligned}$$

```

*c)))^2 + 4*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 4*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1)*log(cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 - 2*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1) - 4*(cos(3/2*d*x + 3/2*c) - cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 8*(cos(3/2*d*x + 3/2*c) - cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 4*sin(3/2*d*x + 3/2*c) - 4*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*B/((sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*sqrt(2)*a*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + sqrt(2)*a*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*sqrt(2)*a*sin(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 4*sqrt(2)*a*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 4*sqrt(2)*a*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*(2*sqrt(2)*a*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))) + sqrt(2)*a*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + sqrt(2)*a*sqrt(a))/d

```

Fricas [A] time = 0.521389, size = 995, normalized size = 7.83

$$\frac{\sqrt{2}((3A + B)\cos(dx + c)^2 + 2(3A + B)\cos(dx + c) + 3A + B)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\sqrt{\frac{a\cos(dx+c)+a}{\cos(dx+c)}}\sqrt{\cos(dx+c)}\sin(dx+c)}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{8(a^2d\cos(dx + c)^2 + 2a^2d\cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/8*(sqrt(2)*((3*A + B)*cos(d*x + c)^2 + 2*(3*A + B)*cos(d*x + c) + 3*A + B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((3*A + B)*cos(d*x + c)^2 + 2*

```
(3*A + B)*cos(d*x + c) + 3*A + B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*
cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(A
- B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x +
c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(3/2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c
))), x)
```

$$3.552 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=185

$$\frac{(A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(3/2)*d) + ((A - 5*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.53118, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {2955, 4019, 4023, 3808, 206, 3801, 215}

$$\frac{(A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sinh^{-1}\left(\frac{\sqrt{a}\tan(c+dx)}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(3/2)*d) + ((A - 5*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Dist[(A*b - a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```


Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sec^{\frac{3}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\
&= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{\sec(c + dx)}}{2a^2}}{2a^2} \\
&= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left((A - 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right)}{4a} \\
&= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{\left((A - 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right)}{4a} \\
&= \frac{2B \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{a^{3/2}d} + \frac{(A - 5B) \tanh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right)}{a^{3/2}d}
\end{aligned}$$

Mathematica [A] time = 0.923604, size = 113, normalized size = 0.61

$$\frac{(A - B) \tan\left(\frac{1}{2}(c + dx)\right) + (A - 5B) \cos\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 4\sqrt{2}B \cos\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)}{2ad\sqrt{\cos(c + dx)}\sqrt{a(\sec(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] ((A - 5*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + 4*Sqrt[2]*B*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + (A - B)*Tan[(c + d*x)/2])/(2*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Sec[c + d*x])])

Maple [A] time = 0.298, size = 303, normalized size = 1.6

$$-\frac{-1 + \cos(dx + c)}{2d(\sin(dx + c))^3 a^2} \sqrt{\cos(dx + c)} \left(-2B \sin(dx + c) \sqrt{2} \arctan\left(\frac{1}{4} \sqrt{2} \sqrt{-2(\cos(dx + c) + 1)^{-1}(\cos(dx + c) + 1 - \sin(dx + c))}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(3/2)},x)$

[Out] $-1/2/d*\cos(d*x+c)^{(1/2)}*(-1+\cos(d*x+c))*(-2*B*\sin(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1-\sin(d*x+c)))+2*B*\sin(d*x+c)*2^{(1/2)}*\arctan(1/4*2^{(1/2)}*(-2/(\cos(d*x+c)+1))^{(1/2)}*(\cos(d*x+c)+1+\sin(d*x+c))))+A*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-5*B*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})+B*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}+A*(-2/(\cos(d*x+c)+1))^{(1/2)}-B*(-2/(\cos(d*x+c)+1))^{(1/2)})*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/(-2/(\cos(d*x+c)+1))^{(1/2)}/\sin(d*x+c)^3/a^2$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(3/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [A] time = 0.655233, size = 1577, normalized size = 8.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(3/2)},x, \text{algorithm}="fricas")$

[Out] $[-1/8*(\sqrt{2})*((A - 5*B)*\cos(d*x + c)^2 + 2*(A - 5*B)*\cos(d*x + c) + A - 5*B)*\sqrt{a}*\log(-a*\cos(d*x + c)^2 + 2*\sqrt{2}*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 4*(A - B)*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 4*(B*\cos(d*x + c)^2 + 2*B*\cos(d*x + c) + B)*\sqrt{a}*\log((a*\cos(d*x + c))^3 - 4*\sqrt{a}*\sqrt{(a*\cos$

```
(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x
+ c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a^2*d
*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d), -1/4*(sqrt(2)*((A - 5*B)*c
os(d*x + c)^2 + 2*(A - 5*B)*cos(d*x + c) + A - 5*B)*sqrt(-a)*arctan(sqrt(2)
*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin
(d*x + c))) - 2*(A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*
x + c))*sin(d*x + c) - 4*(B*cos(d*x + c)^2 + 2*B*cos(d*x + c) + B)*sqrt(-a)
*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c)
))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^2*d*cos(d*x
+ c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(3/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/
2)), x)
```

$$3.553 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=237

$$\frac{(5A-9B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(2A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

[Out] ((2*A - 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(3/2)*d) - ((5*A - 9*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) - ((A - 3*B)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.744347, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2955, 4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(5A-9B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(2A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sinh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a\sec(c+dx)+a}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] ((2*A - 3*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(3/2)*d) - ((5*A - 9*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) - ((A - 3*B)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 4019

$\text{Int}[(\text{csc}[e.] + (f.)(x.))(d.)^{(n.)}(\text{csc}[e.] + (f.)(x.))(b.) + (a.)^{(m.)}(\text{csc}[e.] + (f.)(x.))(B.) + (A.)), x_Symbol] \rightarrow \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n-1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*d*(n-1)) - B*(b*d*(n-1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

Rule 4021

$\text{Int}[(\text{csc}[e.] + (f.)(x.))(d.)^{(n.)}(\text{csc}[e.] + (f.)(x.))(b.) + (a.)^{(m.)}(\text{csc}[e.] + (f.)(x.))(B.) + (A.)), x_Symbol] \rightarrow -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n-1)})/(f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n-1)}*\text{Simp}[b*B*(n-1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 1]$

Rule 4023

$\text{Int}[(\text{csc}[e.] + (f.)(x.))(d.)^{(n.)}(\text{csc}[e.] + (f.)(x.))(b.) + (a.)^{(m.)}(\text{csc}[e.] + (f.)(x.))(B.) + (A.)), x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[e.] + (f.)(x.)(d.)]/\text{Sqrt}[\text{csc}[e.] + (f.)(x.)(b.) + (a.)], x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x])/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 206

$\text{Int}[(a.) + (b.)(x.)^2]^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\
&= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx}{2a^2} \\
&= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{(A - 3B) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{(A - 3B) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} - \dots \\
&= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{(A - 3B) \sin(c + dx)}{2ad \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} + \dots \\
&= \frac{(2A - 3B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - (5A - 9B) \tan(c + dx)}{a^{3/2} d}
\end{aligned}$$

Mathematica [A] time = 2.16972, size = 288, normalized size = 1.22

$$\frac{\sin(c + dx) \sqrt{\cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \left(4(A - 3B) \cos^2 \left(\frac{1}{2}(c + dx) \right) \sin^{-1} \left(\sqrt{1 - \sec(c + dx)} \right) - 2\sqrt{2}(5A - 9B) \cos^2 \left(\frac{1}{2}(c + dx) \right) \right)}{a^{3/2} d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] $-(\sqrt{\cos[c + d*x]} \cdot \sec[c + d*x]^{5/2} \cdot (4 \cdot (A - 3B) \cdot \arcsin[\sqrt{1 - \sec[c + d*x]}] \cdot \cos[(c + d*x)/2]^2 + 20 \cdot A \cdot \arcsin[\sqrt{\sec[c + d*x]}] \cdot \cos[(c + d*x)/2]^2 - 36 \cdot B \cdot \arcsin[\sqrt{\sec[c + d*x]}] \cdot \cos[(c + d*x)/2]^2 - 2 \cdot \sqrt{2} \cdot (5 \cdot A - 9 \cdot B) \cdot \arctan[(\sqrt{2} \cdot \sqrt{\sec[c + d*x]})/\sqrt{1 - \sec[c + d*x]}] \cdot \cos[(c + d*x)/2]^2 - 4 \cdot B \cdot \sqrt{-((-1 + \sec[c + d*x]) \cdot \sec[c + d*x])} + 2 \cdot A \cdot \cos[c + d*x] \cdot \sqrt{(-1 + \cos[c + d*x]) \cdot \sec[c + d*x]^2} - 6 \cdot B \cdot \cos[c + d*x] \cdot \sqrt{(-1 + \cos[c + d*x]) \cdot \sec[c + d*x]^2}) \cdot \sin[c + d*x]) / (4 \cdot d \cdot \sqrt{1 - \sec[c + d*x]} \cdot (a \cdot (1 + \sec[c + d*x]))^{3/2})$

Maple [B] time = 0.321, size = 467, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x)

[Out] $-1/2/d \cdot (-1 + \cos(d*x+c)) \cdot (a \cdot (\cos(d*x+c)+1) / \cos(d*x+c))^{1/2} \cdot (2 \cdot A \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot 2^{1/2} \cdot \arctan(1/4 \cdot 2^{1/2} \cdot (-2 / (\cos(d*x+c)+1))^{1/2} \cdot (\cos(d*x+c)+1 + \sin(d*x+c))) - 2 \cdot A \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot 2^{1/2} \cdot \arctan(1/4 \cdot 2^{1/2} \cdot (-2 / (\cos(d*x+c)+1))^{1/2} \cdot (\cos(d*x+c)+1 - \sin(d*x+c))) - 3 \cdot B \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot 2^{1/2} \cdot \arctan(1/4 \cdot 2^{1/2} \cdot (-2 / (\cos(d*x+c)+1))^{1/2} \cdot (\cos(d*x+c)+1 + \sin(d*x+c))) + 3 \cdot B \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot 2^{1/2} \cdot \arctan(1/4 \cdot 2^{1/2} \cdot (-2 / (\cos(d*x+c)+1))^{1/2} \cdot (\cos(d*x+c)+1 - \sin(d*x+c))) + A \cdot \cos(d*x+c)^2 \cdot (-2 / (\cos(d*x+c)+1))^{1/2} - 5 \cdot A \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot \arctan(1/2 \cdot \sin(d*x+c) \cdot (-2 / (\cos(d*x+c)+1))^{1/2}) - 3 \cdot B \cdot \cos(d*x+c)^2 \cdot (-2 / (\cos(d*x+c)+1))^{1/2} + 9 \cdot B \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot \arctan(1/2 \cdot \sin(d*x+c) \cdot (-2 / (\cos(d*x+c)+1))^{1/2}) - A \cdot \cos(d*x+c) \cdot (-2 / (\cos(d*x+c)+1))^{1/2} + B \cdot \cos(d*x+c) \cdot (-2 / (\cos(d*x+c)+1))^{1/2} + 2 \cdot B \cdot (-2 / (\cos(d*x+c)+1))^{1/2}) / a^{2/2} \cdot (-2 / (\cos(d*x+c)+1))^{1/2} / \sin(d*x+c)^3 / \cos(d*x+c)^{1/2}$

Maxima [B] time = 3.47852, size = 9527, normalized size = 40.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] $\frac{1}{4} \left((4 \sin(2dx + 2c) + 2 \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) \cos(\frac{3}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \cos(2dx + 2c)^2 + 4 \sqrt{2} \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + \sqrt{2} \sin(2dx + 2c)^2 + 4 \sqrt{2} \sin(2dx + 2c) \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4 \sqrt{2} \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 4 (\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \cos(2dx + 2c) + \sqrt{2} \log(2 \cos(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2 \sin(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sqrt{2} \cos(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \sin(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 2 (\sqrt{2} \cos(2dx + 2c)^2 + 4 \sqrt{2} \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + \sqrt{2} \sin(2dx + 2c)^2 + 4 \sqrt{2} \sin(2dx + 2c) \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4 \sqrt{2} \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 4 (\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \cos(2dx + 2c) + \sqrt{2} \log(2 \cos(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2 \sin(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 2 \sqrt{2} \cos(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2 \sqrt{2} \sin(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) + 2 (\sqrt{2} \cos(2dx + 2c)^2 + 4 \sqrt{2} \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + \sqrt{2} \sin(2dx + 2c)^2 + 4 \sqrt{2} \sin(2dx + 2c) \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4 \sqrt{2} \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 4 (\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \cos(2dx + 2c) + \sqrt{2} \log(2 \cos(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2 \sin(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2 \sqrt{2} \cos(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \sin(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 2 (\sqrt{2} \cos(2dx + 2c)^2 + 4 \sqrt{2} \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + \sqrt{2} \sin(2dx + 2c)^2 + 4 \sqrt{2} \sin(2dx + 2c) \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4 \sqrt{2} \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 + 4 (\sqrt{2} \cos(2dx + 2c) + \sqrt{2}) \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2 \sqrt{2} \cos(2dx + 2c) + \sqrt{2} \log(2 \cos(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + 2 \sin(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2 - 2 \sqrt{2} \cos(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 2 \sqrt{2} \sin(\frac{1}{4} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 2) - 5 (\cos(2dx + 2c)^2 + 4 (\cos(2dx + 2c) + 1) \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4 \cos(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))^2 + \sin(2dx + 2c)^2 + 4 \sin(2dx + 2c) \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + 4 \sin(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))^2$

$$\begin{aligned}
& \text{rt}(2) * \sin(4*d*x + 4*c) + 2*\text{sqrt}(2) * \sin(2*d*x + 2*c) + 2*\text{sqrt}(2) * \sin(1/2 * \text{arc} \\
& \text{tan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(3/2 * \text{arctan2}(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c))) + 4*(\text{sqrt}(2) * \sin(4*d*x + 4*c) + 2*\text{sqrt}(2) * \sin(2*d*x + \\
& 2*c)) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*\text{sqrt}(2) * \cos(\\
& 2*d*x + 2*c) + \text{sqrt}(2) * \log(2 * \cos(1/4 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))^2 + 2 * \sin(1/4 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \text{sq} \\
& \text{rt}(2) * \cos(1/4 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2 * \text{sqrt}(2) * \sin(\\
& 1/4 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 3 * (\text{sqrt}(2) * \cos(4*d* \\
& x + 4*c)^2 + 4 * \text{sqrt}(2) * \cos(2*d*x + 2*c)^2 + 4 * \text{sqrt}(2) * \cos(3/2 * \text{arctan2}(\sin(2 \\
& *d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4 * \text{sqrt}(2) * \cos(1/2 * \text{arctan2}(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c)))^2 + \text{sqrt}(2) * \sin(4*d*x + 4*c)^2 + 4 * \text{sqrt}(2) * \sin(4*d* \\
& x + 4*c) * \sin(2*d*x + 2*c) + 4 * \text{sqrt}(2) * \sin(2*d*x + 2*c)^2 + 4 * \text{sqrt}(2) * \sin(3/ \\
& 2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4 * \text{sqrt}(2) * \sin(1/2 * \text{arctan} \\
& 2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * (2 * \text{sqrt}(2) * \cos(2*d*x + 2*c) + \\
& \text{sqrt}(2)) * \cos(4*d*x + 4*c) + 4 * (\text{sqrt}(2) * \cos(4*d*x + 4*c) + 2 * \text{sqrt}(2) * \cos(2*d \\
& *x + 2*c) + 2 * \text{sqrt}(2) * \cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& + \text{sqrt}(2)) * \cos(3/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 * (\text{sqrt}(2) \\
&) * \cos(4*d*x + 4*c) + 2 * \text{sqrt}(2) * \cos(2*d*x + 2*c) + \text{sqrt}(2)) * \cos(1/2 * \text{arctan2}(\\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 * (\text{sqrt}(2) * \sin(4*d*x + 4*c) + 2 * \text{sqrt} \\
& (2) * \sin(2*d*x + 2*c) + 2 * \text{sqrt}(2) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c)))) * \sin(3/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 * (\text{sqrt}(\\
& 2) * \sin(4*d*x + 4*c) + 2 * \text{sqrt}(2) * \sin(2*d*x + 2*c)) * \sin(1/2 * \text{arctan2}(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) + 4 * \text{sqrt}(2) * \cos(2*d*x + 2*c) + \text{sqrt}(2) * \log(2 * c \\
& \cos(1/4 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \text{arctan2}(s \\
& \sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 2 * \text{sqrt}(2) * \cos(1/4 * \text{arctan2}(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))) - 2 * \text{sqrt}(2) * \sin(1/4 * \text{arctan2}(\sin(2*d*x + 2*c), c \\
& \cos(2*d*x + 2*c))) + 2) + 3 * (\text{sqrt}(2) * \cos(4*d*x + 4*c)^2 + 4 * \text{sqrt}(2) * \cos(2*d* \\
& x + 2*c)^2 + 4 * \text{sqrt}(2) * \cos(3/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) \\
& ^2 + 4 * \text{sqrt}(2) * \cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \text{sq} \\
& \text{rt}(2) * \sin(4*d*x + 4*c)^2 + 4 * \text{sqrt}(2) * \sin(4*d*x + 4*c) * \sin(2*d*x + 2*c) + 4 * \text{s} \\
& \text{qrt}(2) * \sin(2*d*x + 2*c)^2 + 4 * \text{sqrt}(2) * \sin(3/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c)))^2 + 4 * \text{sqrt}(2) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c)))^2 + 2 * (2 * \text{sqrt}(2) * \cos(2*d*x + 2*c) + \text{sqrt}(2)) * \cos(4*d*x + 4*c) + 4 * (\\
& \text{sqrt}(2) * \cos(4*d*x + 4*c) + 2 * \text{sqrt}(2) * \cos(2*d*x + 2*c) + 2 * \text{sqrt}(2) * \cos(1/2 * a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \text{sqrt}(2)) * \cos(3/2 * \text{arctan2}(\sin(\\
& 2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 * (\text{sqrt}(2) * \cos(4*d*x + 4*c) + 2 * \text{sqrt}(2) * \\
& \cos(2*d*x + 2*c) + \text{sqrt}(2)) * \cos(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c))) + 4 * (\text{sqrt}(2) * \sin(4*d*x + 4*c) + 2 * \text{sqrt}(2) * \sin(2*d*x + 2*c) + 2 * \text{sqrt}(2) \\
&) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) * \sin(3/2 * \text{arctan2}(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 * (\text{sqrt}(2) * \sin(4*d*x + 4*c) + 2 * \text{sqrt}(2) \\
& * \sin(2*d*x + 2*c)) * \sin(1/2 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4 \\
& * \text{sqrt}(2) * \cos(2*d*x + 2*c) + \text{sqrt}(2) * \log(2 * \cos(1/4 * \text{arctan2}(\sin(2*d*x + 2*c) \\
& , \cos(2*d*x + 2*c)))^2 + 2 * \sin(1/4 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c)))^2 - 2 * \text{sqrt}(2) * \cos(1/4 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2 \\
& * \text{sqrt}(2) * \sin(1/4 * \text{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 2) - 3 * (\text{sq}
\end{aligned}$$

$$\begin{aligned}
& 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\cos(2*d*x + 2*c) \\
& + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 - 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1) - 12*(\cos(4*d*x + 4*c) + 2*\cos(2*d*x + 2*c) + 2*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 8*(\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - \cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 3*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 4*(\cos(4*d*x + 4*c) + 2*\cos(2*d*x + 2*c) + 2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\cos(4*d*x + 4*c) + 2*\cos(2*d*x + 2*c) + 2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 24*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12*(\cos(4*d*x + 4*c) + 2*\cos(2*d*x + 2*c) + 1)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 24*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*)B/((\sqrt{2})*a*\cos(4*d*x + 4*c)^2 + 4*\sqrt{2})*a*\cos(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\sqrt{2})*a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2})*a*\sin(4*d*x + 4*c)^2 + 4*\sqrt{2})*a*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2})*a*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2})*a*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\sqrt{2})*a*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 4*\sqrt{2})*a*\cos(2*d*x + 2*c) + 2*(2*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\cos(4*d*x + 4*c) + 4*(\sqrt{2})*a*\cos(4*d*x + 4*c) + 2*\sqrt{2})*a*\cos(2*d*x + 2*c) + 2*\sqrt{2})*a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sqrt{2})*a*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\sqrt{2})*a*\cos(4*d*x + 4*c) + 2*\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\sqrt{2})*a*\sin(4*d*x + 4*c) + 2*\sqrt{2})*a*\sin(2*d*x + 2*c) + 2*\sqrt{2})*a*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*)\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 4*(\sqrt{2})*a*\sin(4*d*x + 4*c) + 2*\sqrt{2})*a*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sqrt{2})*a*\sqrt{a}))/d
\end{aligned}$$

Fricas [A] time = 0.841485, size = 1862, normalized size = 7.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")

```
[Out] [-1/8*(sqrt(2)*((5*A - 9*B)*cos(d*x + c)^3 + 2*(5*A - 9*B)*cos(d*x + c)^2 +
(5*A - 9*B)*cos(d*x + c))*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(
a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)
- 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((A -
3*B)*cos(d*x + c) - 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d
*x + c))*sin(d*x + c) + 2*((2*A - 3*B)*cos(d*x + c)^3 + 2*(2*A - 3*B)*cos(d
*x + c)^2 + (2*A - 3*B)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 + 4*sqrt
(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*
*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x
+ c)^2)))/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x +
c)), 1/4*(sqrt(2)*((5*A - 9*B)*cos(d*x + c)^3 + 2*(5*A - 9*B)*cos(d*x + c)^
2 + (5*A - 9*B)*cos(d*x + c))*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(
d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*((A -
3*B)*cos(d*x + c) - 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d
*x + c))*sin(d*x + c) + 2*((2*A - 3*B)*cos(d*x + c)^3 + 2*(2*A - 3*B)*cos(d
*x + c)^2 + (2*A - 3*B)*cos(d*x + c))*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*co
s(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x +
c)^2 - a*cos(d*x + c) - 2*a)))/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)
^2 + a^2*d*cos(d*x + c))]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(3/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2)), x)
```

$$3.554 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=287

$$\frac{(9A - 13B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(12A - 19B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d}$$

[Out] -((12*A - 19*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*a^(3/2)*d) + ((9*A - 13*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)) - ((A - 2*B)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + ((6*A - 7*B)*Sin[c + d*x])/(4*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.94735, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2955, 4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(9A - 13B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(12A - 19B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{4a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)),x]

[Out] -((12*A - 19*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*a^(3/2)*d) + ((9*A - 13*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)) - ((A - 2*B)*Sin[c + d*x])/(2*a*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Sec[c + d*x]]) + ((6*A - 7*B)*Sin[c + d*x])/(4*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.)^(n_.))*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[A*(a*d*(n-1)) - B*(b*d*(n-1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4021

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(B*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(f*(m + n)), x] + \text{Dist}[d/(b*(m + n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[b*B*(n-1) + (A*b*(m + n) + a*B*m)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[n, 1]

Rule 4023

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x])/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

$\text{Int}[(a_.) + (b_.)*(x_.^2)^{-1}, x_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0])

Rule 3801

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 + x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{7}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{3/2}} dx \\
 &= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx)(A - 2B \sec(c + dx))}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} dx}{2a^2} \\
 &= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{(A - 2B) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{(A - 2B) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{(A - 2B) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{3/2}} - \frac{(A - 2B) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}} \\
 &= -\frac{(12A - 19B) \sinh^{-1}\left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4a^{3/2}d} + \frac{(9A - 13B) \sin(c + dx)}{2ad \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \sec(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 3.30096, size = 328, normalized size = 1.14

$$\sin(c + dx) \sec^3(c + dx) \left(2(6A - 7B) \cos^2\left(\frac{1}{2}(c + dx)\right) \sin^{-1}\left(\sqrt{1 - \sec(c + dx)}\right) - 2\sqrt{2}(9A - 13B) \cos^2\left(\frac{1}{2}(c + dx)\right) \tan^{-1}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(3/2)), x]

[Out] (Sec[c + d*x]^(3/2)*(2*(6*A - 7*B)*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Cos[(c + d*x)/2]^2 + 36*A*ArcSin[Sqrt[Sec[c + d*x]]]*Cos[(c + d*x)/2]^2 - 52*B*ArcSin[Sqrt[Sec[c + d*x]]]*Cos[(c + d*x)/2]^2 - 2*Sqrt[2]*(9*A - 13*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Cos[(c + d*x)/2]^2 + 2*B*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]^(3/2) + 4*A*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])] - 3*B*Sqrt[-((-1 + Sec[c + d*x])*Sec[c + d*x])] + 6*A*Cos[c + d*x]*Sqrt[(-1 + Cos[c + d*x])*Sec[c + d*x]^2] - 7*B*Cos[c + d*x]*Sqrt[(-1 + Cos[c + d*x])*Sec[c + d*x]^2])*Sin[c + d*x])/(4*d*Sqrt[-1 + Cos[c + d*x]])*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [B] time = 0.291, size = 531, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(3/2), x)

[Out] 1/8/d*(-1+cos(d*x+c))*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(12*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)-12*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-19*B*sin(d*x+c)*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1+sin(d*x+c)))*2^(1/2)+19*B*sin(d*x+c)*cos(d*x+c)^2*arctan(1/4*2^(1/2)*(-2/(cos(d*x+c)+1))^(1/2)*(cos(d*x+c)+1-sin(d*x+c)))*2^(1/2)-36*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))+12*A*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+52*B*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))-14*B*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)-4*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+8*B*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-8*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)+10*B*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-4*B*(-2/(cos(d*x+c)+1))^(1/2))/a^2/(-2/(cos(d*x+c)+1))^(1/2)/sin(d

$$x+c)^3/\cos(d*x+c)^{(3/2)}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.862492, size = 1989, normalized size = 6.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] [-1/16*(2*sqrt(2)*((9*A - 13*B)*cos(d*x + c)^4 + 2*(9*A - 13*B)*cos(d*x + c)^3 + (9*A - 13*B)*cos(d*x + c)^2)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((6*A - 7*B)*cos(d*x + c)^2 + (4*A - 3*B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((12*A - 19*B)*cos(d*x + c)^4 + 2*(12*A - 19*B)*cos(d*x + c)^3 + (12*A - 19*B)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x + c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2), -1/8*(2*sqrt(2)*((9*A - 13*B)*cos(d*x + c)^4 + 2*(9*A - 13*B)*cos(d*x + c)^3 + (9*A - 13*B)*cos(d*x + c)^2)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*((6*A - 7*B)*cos(d*x + c)^2 + (4*A - 3*B)*cos(d*x + c) + 2*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) + ((12*A - 19*B)*cos(d*x + c)^4 + 2*(12*A - 19*B)*cos(d*x + c)^3 + (12*A - 19*B)*cos(d*x + c)^2)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)
```

$c)/(a*\cos(d*x + c)^2 - a*\cos(d*x + c) - 2*a)))/(a^2*d*\cos(d*x + c)^4 + 2*a^2*d*\cos(d*x + c)^3 + a^2*d*\cos(d*x + c)^2)]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+a*sec(d*x+c))**(3/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(7/2)), x)

$$3.555 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=317

$$\frac{(157A - 85B) \sin(c + dx) \cos^3(c + dx)}{80a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A - 475B) \sin(c + dx) \sqrt{\cos(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(2671A - 1495B) \sin(c + dx)}{240a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] -((283*A - 163*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((21*A - 13*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((2671*A - 1495*B)*Sin[c + d*x])/(240*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((787*A - 475*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((157*A - 85*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 1.12291, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4020, 4022, 4013, 3808, 206}

$$\frac{(157A - 85B) \sin(c + dx) \cos^3(c + dx)}{80a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(787A - 475B) \sin(c + dx) \sqrt{\cos(c + dx)}}{240a^2 d \sqrt{a \sec(c + dx) + a}} + \frac{(2671A - 1495B) \sin(c + dx)}{240a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((283*A - 163*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((21*A - 13*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) + ((2671*A - 1495*B)*Sin[c + d*x])/(240*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) - ((787*A - 475*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(240*a^2*d*Sqrt[a + a*Sec[c + d*x]]) + ((157*A - 85*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*A*m - b*B*n - A*b*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[(a*A*m - b*B*n)/(b*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2)], x], x, (b*\text{Cot}[e + f*x])/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /;$ FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

$\text{Int}[(a + (b*(x^2))^{-1}), x_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && Gt

Q[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}} dx \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\frac{1}{2}a(13A-5B)}{\sec^{\frac{5}{2}}(c+dx)} dx}{4a^2} \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(21A-13B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(21A-13B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(21A-13B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(21A-13B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(21A-13B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \\
&= -\frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(21A-13B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \\
&= -\frac{(283A-163B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{16\sqrt{2}a^{5/2}d} - \dots
\end{aligned}$$

Mathematica [A] time = 2.09538, size = 207, normalized size = 0.65

$$2 \tan(c+dx)\sqrt{1-\sec(c+dx)}\sec(c+dx)(5(887A-479B)\cos(c+dx)+16(52A-25B)\cos(2(c+dx))-40A\cos(3(c+dx)))$$

480c

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]
```

```
[Out] (60*sqrt(2)*(283*A - 163*B)*ArcTan[(sqrt(2)*sqrt(sec(c + d*x)))/sqrt(1 - sec(c + d*x))] * cos((c + d*x)/2)^4 * sec(c + d*x)^(5/2) * sin(c + d*x) + 2*(3491*A - 1895*B + 5*(887*A - 479*B) * cos(c + d*x) + 16*(52*A - 25*B) * cos(2*(c + d*x)) - 40*A * cos(3*(c + d*x)) + 40*B * cos(3*(c + d*x)) + 12*A * cos(4*(c + d*x)) * sqrt(1 - sec(c + d*x)) * sec(c + d*x) * tan(c + d*x)) / (480*d*sqrt(-1 + cos(c + d*x)) * (a*(1 + sec(c + d*x)))^(5/2))
```

Maple [A] time = 0.325, size = 461, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x)
```

```
[Out] 1/480/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^(1/2)*(4245*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-192*A*cos(d*x+c)^5-2445*B*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+8490*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+512*A*cos(d*x+c)^4-4890*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-320*B*cos(d*x+c)^4+4245*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-3456*A*cos(d*x+c)^3-2445*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+1920*B*cos(d*x+c)^3-5974*A*cos(d*x+c)^2+3430*B*cos(d*x+c)^2+3768*A*cos(d*x+c)-2040*B*cos(d*x+c)+5342*A-2990*B)/sin(d*x+c)^5/a^3
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [A] time = 0.566558, size = 1565, normalized size = 4.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/960*(15*sqrt(2)*((283*A - 163*B)*cos(d*x + c)^3 + 3*(283*A - 163*B)*cos(d*x + c)^2 + 3*(283*A - 163*B)*cos(d*x + c) + 283*A - 163*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c)))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(96*A*cos(d*x + c)^4 - 160*(A - B)*cos(d*x + c)^3 + 32*(49*A - 25*B)*cos(d*x + c)^2 + 5*(911*A - 503*B)*cos(d*x + c) + 2671*A - 1495*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/480*(15*sqrt(2)*((283*A - 163*B)*cos(d*x + c)^3 + 3*(283*A - 163*B)*cos(d*x + c)^2 + 3*(283*A - 163*B)*cos(d*x + c) + 283*A - 163*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(96*A*cos(d*x + c)^4 - 160*(A - B)*cos(d*x + c)^3 + 32*(49*A - 25*B)*cos(d*x + c)^2 + 5*(911*A - 503*B)*cos(d*x + c) + 2671*A - 1495*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*sec(d*x + c) + a)^(5/2), x)

$$3.556 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=270

$$\frac{(95A - 39B) \sin(c + dx) \sqrt{\cos(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(299A - 147B) \sin(c + dx)}{48a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A - 75B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a^2}$$

[Out] ((163*A - 75*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((17*A - 9*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((299*A - 147*B)*Sin[c + d*x])/(48*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((95*A - 39*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.909944, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4020, 4022, 4013, 3808, 206}

$$\frac{(95A - 39B) \sin(c + dx) \sqrt{\cos(c + dx)}}{48a^2 d \sqrt{a \sec(c + dx) + a}} - \frac{(299A - 147B) \sin(c + dx)}{48a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(163A - 75B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] ((163*A - 75*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*(a + a*Sec[c + d*x])^(5/2)) - ((17*A - 9*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Sec[c + d*x])^(3/2)) - ((299*A - 147*B)*Sin[c + d*x])/(48*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]]) + ((95*A - 39*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d

*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4022

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*m - b*B*n - A*b*(m + n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+a\sec(c+dx))^{5/2}} dx \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{\frac{1}{2}a(11A-3B)}{\sec^{\frac{3}{2}}(c+dx)} dx}{4a^2} \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A-9B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \dots \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A-9B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} + \dots \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A-9B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \dots \\
&= -\frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\sec(c+dx))^{5/2}} - \frac{(17A-9B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\sec(c+dx))^{3/2}} - \dots \\
&= \frac{(163A-75B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{16\sqrt{2}a^{5/2}d} - (A)
\end{aligned}$$

Mathematica [A] time = 1.66488, size = 183, normalized size = 0.68

$$\frac{2 \tan(c+dx)\sqrt{1-\sec(c+dx)}\sec(c+dx)((255B-479A)\cos(c+dx) + (48B-80A)\cos(2(c+dx)) + 8A\cos(3(c+dx)))}{96d\sqrt{\cos(c+dx)}-1(a(\sec(c+dx)))^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (-12*sqrt(2)*(163*A - 75*B)*ArcTan[(sqrt(2)*sqrt(Sec[c + d*x]))/sqrt(1 - Sec[c + d*x])]*Cos[(c + d*x)/2]^4*Sec[c + d*x]^(5/2)*Sin[c + d*x] + 2*(-379*A + 195*B + (-479*A + 255*B)*Cos[c + d*x] + (-80*A + 48*B)*Cos[2*(c + d*x)] + 8*A*Cos[3*(c + d*x)])*sqrt(1 - Sec[c + d*x])*Sec[c + d*x]*Tan[c + d*x])/(96*d*sqrt(-1 + Cos[c + d*x])*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [A] time = 0.325, size = 439, normalized size = 1.6

$$-\frac{(-1 + \cos(dx + c))^2}{96 da^3 (\sin(dx + c))^5} \sqrt{\cos(dx + c)} \sqrt{\frac{a(\cos(dx + c) + 1)}{\cos(dx + c)}} \left(489 A \sin(dx + c) (\cos(dx + c))^2 \arctan\left(\frac{1}{2} \sin(dx + c)\right) \sqrt{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x)`

[Out] `-1/96/d*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)*(-1+cos(d*x+c))^(2*(489*A*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)-225*B*sin(d*x+c)*cos(d*x+c)^2*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+978*A*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+64*A*cos(d*x+c)^4-450*B*sin(d*x+c)*cos(d*x+c)*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)+489*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*A*sin(d*x+c)-384*A*cos(d*x+c)^3-225*arctan(1/2*sin(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2))*(-2/(cos(d*x+c)+1))^(1/2)*B*sin(d*x+c)+192*B*cos(d*x+c)^3-686*A*cos(d*x+c)^2+318*B*cos(d*x+c)^2+408*A*cos(d*x+c)-216*B*cos(d*x+c)+598*A-294*B)/a^3/sin(d*x+c)^5`

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2), x, algorithm="maxima")`

[Out] Timed out

Fricas [A] time = 0.558409, size = 1457, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/192*(3*sqrt(2)*((163*A - 75*B)*cos(d*x + c)^3 + 3*(163*A - 75*B)*cos(d*x + c)^2 + 3*(163*A - 75*B)*cos(d*x + c) + 163*A - 75*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(32*A*cos(d*x + c)^3 - 32*(5*A - 3*B)*cos(d*x + c)^2 - (503*A - 255*B)*cos(d*x + c) - 299*A + 147*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/96*(3*sqrt(2)*((163*A - 75*B)*cos(d*x + c)^3 + 3*(163*A - 75*B)*cos(d*x + c)^2 + 3*(163*A - 75*B)*cos(d*x + c) + 163*A - 75*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*(32*A*cos(d*x + c)^3 - 32*(5*A - 3*B)*cos(d*x + c)^2 - (503*A - 255*B)*cos(d*x + c) - 299*A + 147*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*sec(d*x + c) + a)^(5/2), x)
```


$$3.557 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=223

$$\frac{(49A - 9B) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} - \frac{(75A - 19B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16 \sqrt{2} a^{5/2} d} - \frac{16ad \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{16ad \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

[Out] -((75*A - 19*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 5*B)*Sin[c + d*x])/(16*a*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((49*A - 9*B)*Sin[c + d*x])/(16*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.699583, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4020, 4013, 3808, 206}

$$\frac{(49A - 9B) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} - \frac{(75A - 19B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16 \sqrt{2} a^{5/2} d} - \frac{16ad \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}{16ad \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] -((75*A - 19*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) - ((13*A - 5*B)*Sin[c + d*x])/(16*a*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) + ((49*A - 9*B)*Sin[c + d*x])/(16*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 4013

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m
- b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x],
x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^
2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx))}{(a+a\sec(c+dx))^{5/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a\sec(c+dx))^{5/2}} dx \\
&= -\frac{(A-B)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{4a^2} \\
&= -\frac{(A-B)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-5B)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} \\
&= -\frac{(A-B)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-5B)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} \\
&= -\frac{(A-B)\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} - \frac{(13A-5B)\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\sec(c+dx))^{5/2}} \\
&= -\frac{(75A-19B)\tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{16\sqrt{2}a^{5/2}d} - \frac{1}{4d}
\end{aligned}$$

Mathematica [A] time = 2.46083, size = 228, normalized size = 1.02

$$\frac{\tan(c+dx)\sqrt{1-\sec(c+dx)}\sec(c+dx)\left(2(73A^2+76AB-13B^2)\cos(c+dx)+16A^2\cos(3(c+dx))+85A^2+A(85A-19B)\right)}{32d\sqrt{\cos(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + a*Sec[c + d*x])^(5/2), x]

[Out] (8*Sqrt[2]*(75*A - 19*B)*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]])*Cos[(c + d*x)/2]^5*(B + A*Cos[c + d*x])*Sec[c + d*x]^(5/2)*Sin[(c + d*x)/2] + (85*A^2 + 117*A*B - 18*B^2 + 2*(73*A^2 + 76*A*B - 13*B^2)*Cos[c + d*x] + A*(85*A + 19*B)*Cos[2*(c + d*x)] + 16*A^2*Cos[3*(c + d*x)])*Sqrt[1 - Sec[c + d*x]]*Sec[c + d*x]*Tan[c + d*x]/(32*d*Sqrt[-1 + Cos[c + d*x]])*(B + A*Cos[c + d*x])*(a*(1 + Sec[c + d*x]))^(5/2)

Maple [A] time = 0.444, size = 365, normalized size = 1.6

$$-\frac{(-1 + \cos(dx + c))^2}{16 da^3 (\sin(dx + c))^5} \left(32 A (\cos(dx + c))^3 \sqrt{-2 (\cos(dx + c) + 1)^{-1}} + 75 A \cos(dx + c) \sin(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2), x)

[Out] -1/16/d*(-1+cos(d*x+c))^2*(32*A*cos(d*x+c)^3*(-2/(cos(d*x+c)+1))^(1/2)+75*A*cos(d*x+c)*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))+53*A*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)-19*B*cos(d*x+c)*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-13*B*cos(d*x+c)^2*(-2/(cos(d*x+c)+1))^(1/2)+75*A*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2))-36*A*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-19*B*sin(d*x+c)*arctan(1/2*sin(d*x+c))*(-2/(cos(d*x+c)+1))^(1/2)+4*B*cos(d*x+c)*(-2/(cos(d*x+c)+1))^(1/2)-49*A*(-2/(cos(d*x+c)+1))^(1/2)+9*B*(-2/(cos(d*x+c)+1))^(1/2))*cos(d*x+c)^(1/2)*(a*(cos(d*x+c)+1)/cos(d*x+c))^(1/2)/a^3/(-2/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^5

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2), x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.546412, size = 1338, normalized size = 6.

$$\left[\frac{\sqrt{2}((75A - 19B) \cos(dx + c)^3 + 3(75A - 19B) \cos(dx + c)^2 + 3(75A - 19B) \cos(dx + c) + 75A - 19B) \sqrt{a} \log\left(-\frac{a}{\dots}\right)}{64(a^3 d \cos(dx + c))^{5/2}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] [-1/64*(sqrt(2)*((75*A - 19*B)*cos(d*x + c)^3 + 3*(75*A - 19*B)*cos(d*x + c)^2 + 3*(75*A - 19*B)*cos(d*x + c) + 75*A - 19*B)*sqrt(a)*log(-(a*cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(32*A*cos(d*x + c)^2 + (85*A - 13*B)*cos(d*x + c) + 49*A - 9*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), 1/32*(sqrt(2)*((75*A - 19*B)*cos(d*x + c)^3 + 3*(75*A - 19*B)*cos(d*x + c)^2 + 3*(75*A - 19*B)*cos(d*x + c) + 75*A - 19*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*(32*A*cos(d*x + c)^2 + (85*A - 13*B)*cos(d*x + c) + 49*A - 9*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(a*sec(d*x + c) + a)^(5/2), x)
```

$$3.558 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=223

$$\frac{(9A - B) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(19A + 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16 \sqrt{2} a^{5/2} d} + \frac{1}{16ad}$$

[Out] ((19*A + 5*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B)*Sin[c + d*x])/(16*a*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) - ((9*A - B)*Sin[c + d*x])/(16*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.711566, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {2955, 4019, 4020, 4013, 3808, 206}

$$\frac{(9A - B) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \sec(c + dx) + a}} + \frac{(19A + 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16 \sqrt{2} a^{5/2} d} + \frac{1}{16ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((19*A + 5*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B)*Sin[c + d*x])/(16*a*d*Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(3/2)) - ((9*A - B)*Sin[c + d*x])/(16*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 4019

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rule 4020

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[((A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 4013

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[(a*A*m - b*B*n)/(b*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, A, B, m, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && !LeQ[m, -1]

Rule 3808

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{\sec(c + dx)}(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx \\
&= \frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{-\frac{1}{2}a}{\sqrt{\sec}}}{4a^2} \\
&= \frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} + \frac{(5A + 3B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} + \frac{(5A + 3B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} \\
&= \frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} + \frac{(5A + 3B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}} \\
&= \frac{(19A + 5B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{16\sqrt{2}a^{5/2}d} + \frac{\sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 0.988327, size = 108, normalized size = 0.48

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \left(4 \sin\left(\frac{1}{2}(c + dx)\right) \left((5B - 13A) \cos(c + dx) - 9A + B\right) + 8(19A + 5B) \cos^4\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{64ad \cos^{\frac{3}{2}}(c + dx)(a(\sec(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (Sec[(c + d*x)/2]*(8*(19*A + 5*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^4 + 4*(-9*A + B + (-13*A + 5*B)*Cos[c + d*x])*Sin[(c + d*x)/2])/ (64*a*d*Cos[c + d*x]^(3/2)*(a*(1 + Sec[c + d*x]))^(3/2))

Maple [A] time = 0.324, size = 339, normalized size = 1.5

$$\frac{(-1 + \cos(dx + c))^2}{16 da^3 (\sin(dx + c))^5} \left(19 A \cos(dx + c) \sin(dx + c) \arctan\left(\frac{1}{2} \sin(dx + c) \sqrt{-2 (\cos(dx + c) + 1)^{-1}}\right) + 13 A (\cos(dx + c) + 1)^{3/2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/(a+a*\sec(d*x+c))^{5/2}/\cos(d*x+c)^{1/2},x)$

[Out] $1/16/d*(-1+\cos(d*x+c))^2*(19*A*\cos(d*x+c)*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})+13*A*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}+5*B*\cos(d*x+c)*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})-5*B*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{1/2}+19*A*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})-4*A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}+5*B*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2})+4*B*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{1/2}-9*A*(-2/(\cos(d*x+c)+1))^{1/2}+B*(-2/(\cos(d*x+c)+1))^{1/2})*\cos(d*x+c)^{1/2}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{1/2}/a^3/\sin(d*x+c)^5/(-2/(\cos(d*x+c)+1))^{1/2}$

Maxima [B] time = 4.8777, size = 7997, normalized size = 35.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/(a+a*\sec(d*x+c))^{5/2}/\cos(d*x+c)^{1/2},x, \text{algorithm}="maxima")$

[Out] $1/32*((19*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(4*d*x + 4*c)^2 + 304*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(3*d*x + 3*c)^2 + 684*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c)^2 + 304*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(d*x + c)^2 + 19*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(4*d*x + 4*c)^2 + 304*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(3*d*x + 3*c)^2 + 684*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c)^2 + 304*(\log(\cos(1/2*d*x + 1/2*c))^2 + \sin(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x$

$$\begin{aligned}
& + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin \\
& (1/2*d*x + 1/2*c) + 1))*\sin(d*x + c)^2 + 2*(76*(\log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + \\
& 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(3*d*x \\
& + 3*c) + 114*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c) + 76*(\log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2* \\
& d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(\\
& d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 26*\sin(7/2*d*x + 7/2*c) - 10*\sin(5/2*d*x \\
& + 5/2*c) + 10*\sin(3/2*d*x + 3/2*c) + 26*\sin(1/2*d*x + 1/2*c))*\cos(4*d*x + \\
& 4*c) + 104*(2*\sin(3*d*x + 3*c) + 3*\sin(2*d*x + 2*c) + 2*\sin(d*x + c))*\cos(7 \\
& /2*d*x + 7/2*c) + 8*(114*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\cos(2*d*x + 2*c) + 76*(\log(\cos(1 \\
& /2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c \\
&) + 1))*\cos(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2* \\
& d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) - 10*\sin(5/2*d*x + 5/2*c) + 10 \\
& *\sin(3/2*d*x + 3/2*c) + 26*\sin(1/2*d*x + 1/2*c))*\cos(3*d*x + 3*c) + 40*(3*s \\
& in(2*d*x + 2*c) + 2*\sin(d*x + c))*\cos(5/2*d*x + 5/2*c) + 12*(76*(\log(\cos(1/ \\
& 2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 1 \\
& \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) \\
& + 1))*\cos(d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d \\
& *x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 10*\sin(3/2*d*x + 3/2*c) + 26* \\
& \sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 8*(19*\log(\cos(1/2*d*x + 1/2*c)^2 + \\
& \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x \\
& + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 26*\sin(\\
& 1/2*d*x + 1/2*c))*\cos(d*x + c) + 4*(38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/ \\
& 2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 \\
& + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(3*d*x + 3*c) + \\
& 57*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1 \\
& /2*d*x + 1/2*c) + 1))*\sin(2*d*x + 2*c) + 38*(\log(\cos(1/2*d*x + 1/2*c)^2 + s \\
& in(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2 \\
& *c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) \\
& + 13*\cos(7/2*d*x + 7/2*c) + 5*\cos(5/2*d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c) \\
& - 13*\cos(1/2*d*x + 1/2*c))*\sin(4*d*x + 4*c) - 52*(4*\cos(3*d*x + 3*c) + 6*c \\
& os(2*d*x + 2*c) + 4*\cos(d*x + c) + 1))*\sin(7/2*d*x + 7/2*c) + 16*(57*(\log(co \\
& s(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) \\
& - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/
\end{aligned}$$

$$\begin{aligned}
& 2*c) + 1))*\sin(2*d*x + 2*c) + 38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin \\
& (1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) + 5*\cos(5/2 \\
& *d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c) - 13*\cos(1/2*d*x + 1/2*c))*\sin(3*d*x \\
& + 3*c) - 20*(6*\cos(2*d*x + 2*c) + 4*\cos(d*x + c) + 1)*\sin(5/2*d*x + 5/2*c) \\
& + 24*(38*(\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2* \\
& d*x + 1/2*c) + 1) - \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2 \\
& *\sin(1/2*d*x + 1/2*c) + 1))*\sin(d*x + c) - 5*\cos(3/2*d*x + 3/2*c) - 13*\cos(\\
& 1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c) + 20*(4*\cos(d*x + c) + 1)*\sin(3/2*d*x + \\
& 3/2*c) - 80*\cos(3/2*d*x + 3/2*c)*\sin(d*x + c) - 208*\cos(1/2*d*x + 1/2*c)*\sin \\
& (d*x + c) + 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c) + 1) - 19*\log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2* \\
& c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1) + 52*\sin(1/2*d*x + 1/2*c))*A/((\sqrt{2}*a \\
& ^2*\cos(4*d*x + 4*c)^2 + 16*\sqrt{2}*a^2*\cos(3*d*x + 3*c)^2 + 36*\sqrt{2}*a^2* \\
& \cos(2*d*x + 2*c)^2 + 16*\sqrt{2}*a^2*\cos(d*x + c)^2 + \sqrt{2}*a^2*\sin(4*d*x \\
& + 4*c)^2 + 16*\sqrt{2}*a^2*\sin(3*d*x + 3*c)^2 + 36*\sqrt{2}*a^2*\sin(2*d*x + 2 \\
& *c)^2 + 48*\sqrt{2}*a^2*\sin(2*d*x + 2*c)*\sin(d*x + c) + 16*\sqrt{2}*a^2*\sin(d \\
& *x + c)^2 + 8*\sqrt{2}*a^2*\cos(d*x + c) + \sqrt{2}*a^2 + 2*(4*\sqrt{2}*a^2*\cos \\
& (3*d*x + 3*c) + 6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + 4*\sqrt{2}*a^2*\cos(d*x + c) \\
& + \sqrt{2}*a^2)*\cos(4*d*x + 4*c) + 8*(6*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + 4*\sqrt{2} \\
& *a^2*\cos(d*x + c) + \sqrt{2}*a^2)*\cos(3*d*x + 3*c) + 12*(4*\sqrt{2}*a^2* \\
& \cos(d*x + c) + \sqrt{2}*a^2)*\cos(2*d*x + 2*c) + 4*(2*\sqrt{2}*a^2*\sin(3*d*x + \\
& 3*c) + 3*\sqrt{2}*a^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\sin(d*x + c))*\sin(4* \\
& d*x + 4*c) + 16*(3*\sqrt{2}*a^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\sin(d*x + c) \\
&))*\sin(3*d*x + 3*c))*\sqrt{a}) + (4*(3*\sin(3/2*d*x + 3/2*c) + 5*\sin(7/3*\arct \\
& an2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sin(5/3*\arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/ \\
& 2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2 \\
& *d*x + 3/2*c))) - 40*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + \\
& 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c))))*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
& /2*c))) + 24*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
& \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))))*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
& + 24*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
& 3/2*d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2 \\
& *c))) + 16*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c) \\
& , \cos(3/2*d*x + 3/2*c))))*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
& + 3/2*c))) + 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3* \\
& arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
& (3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*\arctan2(\sin(3/ \\
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3 \\
& /2*c), \cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos
\end{aligned}$$

$$\begin{aligned}
& \sin(3/2*d*x + 3/2*c))^2 + 8*(4*\cos(3*d*x + 3*c) + 1)*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 1) - 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*(4*\cos(3*d*x + 3*c) + 1)*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) * \sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 1) - 48*\cos(3/2*d*x + 3/2*c) * \sin(3*d*x + 3*c) + 80*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(3*d*x + 3*c) + 48*\cos(3*d*x + 3*c)*\sin(3/2*d*x + 3/2*c) - 4*(3*\cos(3/2*d*x + 3/2*c) + 5*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 3*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 5*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) * \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 20*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 12*(4*\cos(3*d*x + 3*c)
\end{aligned}$$

```

+ 6*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 4*cos(2/
3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 1)*sin(5/3*arctan2
(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 24*(3*cos(3/2*d*x + 3/2*c)
- 5*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(4/3*a
rctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 16*(3*cos(3/2*d*x + 3
/2*c) - 5*cos(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin
(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) - 20*(4*cos(3*d*x
+ 3*c) + 1)*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) +
12*sin(3/2*d*x + 3/2*c))*B/((16*sqrt(2)*a^2*cos(3*d*x + 3*c)^2 + sqrt(2)*a
^2*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 36*sqrt
(2)*a^2*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 16
*sqrt(2)*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2
+ 16*sqrt(2)*a^2*sin(3*d*x + 3*c)^2 + sqrt(2)*a^2*sin(8/3*arctan2(sin(3/2*
d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 36*sqrt(2)*a^2*sin(4/3*arctan2(sin
(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 32*sqrt(2)*a^2*sin(3*d*x + 3*
c)*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 16*sqrt(2
)*a^2*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))^2 + 8*sq
rt(2)*a^2*cos(3*d*x + 3*c) + sqrt(2)*a^2 + 2*(4*sqrt(2)*a^2*cos(3*d*x + 3*c
) + 6*sqrt(2)*a^2*cos(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c
))) + 4*sqrt(2)*a^2*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2
*c))) + sqrt(2)*a^2)*cos(8/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/
2*c))) + 12*(4*sqrt(2)*a^2*cos(3*d*x + 3*c) + 4*sqrt(2)*a^2*cos(2/3*arctan2
(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + sqrt(2)*a^2)*cos(4/3*arctan
2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 8*(4*sqrt(2)*a^2*cos(3*d*x
+ 3*c) + sqrt(2)*a^2)*cos(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x +
3/2*c))) + 4*(2*sqrt(2)*a^2*sin(3*d*x + 3*c) + 3*sqrt(2)*a^2*sin(4/3*arctan
2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 2*sqrt(2)*a^2*sin(2/3*arct
an2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin(8/3*arctan2(sin(3/2*d
*x + 3/2*c), cos(3/2*d*x + 3/2*c))) + 48*(sqrt(2)*a^2*sin(3*d*x + 3*c) + sq
rt(2)*a^2*sin(2/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sin
(4/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c))))*sqrt(a))/d

```

Fricas [A] time = 0.53028, size = 1257, normalized size = 5.64

$$\left[\frac{\sqrt{2}((19A + 5B) \cos(dx + c)^3 + 3(19A + 5B) \cos(dx + c)^2 + 3(19A + 5B) \cos(dx + c) + 19A + 5B) \sqrt{a} \log \left(-\frac{a \cos(dx + c)}{64(a^3 d \cos(dx + c)^3 + 3a^3)} \right)}{64(a^3 d \cos(dx + c)^3 + 3a^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/64*(sqrt(2)*((19*A + 5*B)*cos(d*x + c)^3 + 3*(19*A + 5*B)*cos(d*x + c)^2 + 3*(19*A + 5*B)*cos(d*x + c) + 19*A + 5*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*((13*A - 5*B)*cos(d*x + c) + 9*A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((19*A + 5*B)*cos(d*x + c)^3 + 3*(19*A + 5*B)*cos(d*x + c)^2 + 3*(19*A + 5*B)*cos(d*x + c) + 19*A + 5*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) + 2*((13*A - 5*B)*cos(d*x + c) + 9*A - B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+a*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

$$3.559 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=176

$$\frac{(5A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(5A+3B)\sin(c+dx)}{16ad\cos^2(c+dx)(a\sec(c+dx)+a)^{3/2}} - \frac{5}{4d\cos^2(c+dx)}$$

[Out] ((5*A + 3*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.403405, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2955, 4012, 3810, 3808, 206}

$$\frac{(5A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a\sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(5A+3B)\sin(c+dx)}{16ad\cos^2(c+dx)(a\sec(c+dx)+a)^{3/2}} - \frac{5}{4d\cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((5*A + 3*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)) + ((5*A + 3*B)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4012

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] + Dist[(a*A*m + b*B*(m + 1))/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*
x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x
] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && EqQ[m + n + 1, 0] && LeQ[m,
-1]
```

Rule 3810

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_), x_Symbol] :> Simp[(b*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Cs
c[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] + Dist[(d*(m + 1))/(b*(2*m + 1)),
Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1), x], x] /; FreeQ[
{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && EqQ[m + n, 0] && LtQ[m, -
2^(-1)] && IntegerQ[2*m]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx \\
&= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{((5A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{8a} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(5A + 3B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(5A + 3B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
&= \frac{(5A + 3B) \tanh^{-1}\left(\frac{\sqrt{a}\sqrt{\sec(c+dx)}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\sec(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a^{5/2}d} - \frac{1}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}}
\end{aligned}$$

Mathematica [A] time = 0.808088, size = 108, normalized size = 0.61

$$\frac{\cos^2\left(\frac{1}{2}(c + dx)\right) \left(\frac{1}{2} \tan\left(\frac{1}{2}(c + dx)\right) \left((5A + 3B) \cos(c + dx) + A + 7B\right) + (5A + 3B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{4d \cos^{\frac{5}{2}}(c + dx)(a(\sec(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (Cos[(c + d*x)/2]^2*((5*A + 3*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + ((A + 7*B + (5*A + 3*B)*Cos[c + d*x])*Tan[(c + d*x)/2])/2)/(4*d*Cos[c + d*x]^(5/2)*(a*(1 + Sec[c + d*x]))^(5/2))

Maple [B] time = 0.338, size = 340, normalized size = 1.9

$$-\frac{(-1 + \cos(dx + c))^2}{16d(\sin(dx + c))^5 a^3} \sqrt{\cos(dx + c)} \left(5A(\cos(dx + c))^2 \sqrt{-2(\cos(dx + c) + 1)^{-1}} - 5A \cos(dx + c) \sin(dx + c) \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(5/2)},x)$

[Out] $-1/16/d*\cos(d*x+c)^{(1/2)}*(-1+\cos(d*x+c))^{2*(5*A*\cos(d*x+c)^{-2}*(-2/(\cos(d*x+c)+1))^{(1/2)}-5*A*\cos(d*x+c)*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}))+3*B*\cos(d*x+c)^{-2}*(-2/(\cos(d*x+c)+1))^{(1/2)}-3*B*\cos(d*x+c)*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-4*A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-5*A*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})+4*B*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)}-3*B*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{(1/2)})-A*(-2/(\cos(d*x+c)+1))^{(1/2)}-7*B*(-2/(\cos(d*x+c)+1))^{(1/2)}*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{(1/2)}/\sin(d*x+c)^5/(-2/(\cos(d*x+c)+1))^{(1/2)})/a^3$

Maxima [B] time = 4.13796, size = 7231, normalized size = 41.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+a*\sec(d*x+c))^{(5/2)},x, \text{algorithm}="maxima")$

[Out] $1/32*((4*(3*\sin(3/2*d*x + 3/2*c) + 5*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 40*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 24*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 24*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*(3*\sin(3/2*d*x + 3/2*c) - 5*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8$

$$\begin{aligned}
&*(4*\cos(3*d*x + 3*c) + 1)*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x \\
&+ 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c) \\
&))^2 + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) + 3*\sin(4/3*\arctan2(\sin \\
&(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*\arctan2(\sin(3/2*d*x \\
&+ 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
&(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
&/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
&(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
&/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 \\
&+ 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + \\
&3/2*c))) + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 \\
&+ 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
&/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3 \\
&/2*c)))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) \\
&+ 1) - 5*(16*\cos(3*d*x + 3*c)^2 + 2*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2 \\
&(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/3*\arctan2(\sin(3/2*d \\
&*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2* \\
&c), \cos(3/2*d*x + 3/2*c))) + \cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2* \\
&d*x + 3/2*c)))^2 + 12*(4*\cos(3*d*x + 3*c) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + \\
&3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
&\cos(3/2*d*x + 3/2*c))) + 36*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d \\
&*x + 3/2*c)))^2 + 8*(4*\cos(3*d*x + 3*c) + 1)*\cos(2/3*\arctan2(\sin(3/2*d*x + \\
&3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos \\
&(3/2*d*x + 3/2*c)))^2 + 16*\sin(3*d*x + 3*c)^2 + 4*(2*\sin(3*d*x + 3*c) + 3 \\
&*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sin(2/3*a \\
&rctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/ \\
&2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sin(8/3*\arctan2(\sin(3/2*d*x + 3/2* \\
&c), \cos(3/2*d*x + 3/2*c)))^2 + 48*(\sin(3*d*x + 3*c) + \sin(2/3*\arctan2(\sin(3 \\
&/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2* \\
&c), \cos(3/2*d*x + 3/2*c))) + 36*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3 \\
&/2*d*x + 3/2*c)))^2 + 32*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2 \\
&*c), \cos(3/2*d*x + 3/2*c))) + 16*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
&3/2*d*x + 3/2*c)))^2 + 8*\cos(3*d*x + 3*c) + 1)*\log(\cos(1/3*\arctan2(\sin(3/2* \\
&d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + \sin(1/3*\arctan2(\sin(3/2*d*x + 3/2* \\
&c), \cos(3/2*d*x + 3/2*c)))^2 - 2*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(\\
&3/2*d*x + 3/2*c))) + 1) - 48*\cos(3/2*d*x + 3/2*c)*\sin(3*d*x + 3*c) + 80*\cos \\
&(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(3*d*x + 3*c) \\
&+ 48*\cos(3*d*x + 3*c)*\sin(3/2*d*x + 3/2*c) - 4*(3*\cos(3/2*d*x + 3/2*c) + 5* \\
&\cos(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 3*\cos(5/3*ar \\
&ctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 5*\cos(1/3*\arctan2(\sin(\\
&3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2 \\
&*c), \cos(3/2*d*x + 3/2*c))) + 20*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin \\
&(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x \\
&+ 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \\
&\cos(3/2*d*x + 3/2*c))) - 12*(4*\cos(3*d*x + 3*c) + 6*\cos(4/3*\arctan2(\sin(3/
\end{aligned}$$

$$\begin{aligned}
& 2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 1)*\sin(5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 24*(3*\cos(3/2*d*x + 3/2*c) - 5*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 16*(3*\cos(3/2*d*x + 3/2*c) - 5*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) - 20*(4*\cos(3*d*x + 3*c) + 1)*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*\sin(3/2*d*x + 3/2*c))* \\
& A/((16*\sqrt{2}*a^2*\cos(3*d*x + 3*c)^2 + \sqrt{2}*a^2*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 36*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sqrt{2}*a^2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 16*\sqrt{2}*a^2*\sin(3*d*x + 3*c)^2 + \sqrt{2}*a^2*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 36*\sqrt{2}*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 32*\sqrt{2}*a^2*\sin(3*d*x + 3*c)*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 16*\sqrt{2}*a^2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))^2 + 8*\sqrt{2}*a^2*\cos(3*d*x + 3*c) + \sqrt{2}*a^2 + 2*(4*\sqrt{2}*a^2*\cos(3*d*x + 3*c) + 6*\sqrt{2}*a^2*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*\sqrt{2}*a^2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a^2)*\cos(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 12*(4*\sqrt{2}*a^2*\cos(3*d*x + 3*c) + 4*\sqrt{2}*a^2*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + \sqrt{2}*a^2)*\cos(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 8*(4*\sqrt{2}*a^2*\cos(3*d*x + 3*c) + \sqrt{2}*a^2)*\cos(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 4*(2*\sqrt{2}*a^2*\sin(3*d*x + 3*c) + 3*\sqrt{2}*a^2*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 2*\sqrt{2}*a^2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(8/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 48*(\sqrt{2}*a^2*\sin(3*d*x + 3*c) + \sqrt{2}*a^2*\sin(2/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))*\sin(4/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))*\sqrt{a}) - (12*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 16*(11*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 11*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 12*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*(2*(6*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 36*\cos(2*d*x + 2*c)^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c)
\end{aligned}$$

$$\begin{aligned}
& , \cos(2*d*x + 2*c)) + 16*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(4*d*x + 4*c)^2 + 12*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 36*\sin(2*d*x + 2*c)^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 12*\cos(2*d*x + 2*c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) + 3*(2*(6*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 36*\cos(2*d*x + 2*c)^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(4*d*x + 4*c)^2 + 12*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 36*\sin(2*d*x + 2*c)^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c) + 4*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 8*(\sin(4*d*x + 4*c) + 6*\sin(2*d*x + 2*c))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 12*\cos(2*d*x + 2*c) + 1)*\log(\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 + \sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))^2 - 2*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - 12*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1)*\sin(7/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 16*(11*\cos(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 11*\cos(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 3*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 44*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\sin(5/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 44*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 4*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1)*\sin(3/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - 48*\cos(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 12*(\cos(4*d*x + 4*c) + 6*\cos(2*d*x + 2*c) + 1)*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 48*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(1/4*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*B/((\sqrt{2})*a^2*\cos(4*d*x + 4*c)^2 + 36*\sqrt{2})*a^2*\cos(2*d*x + 2*c)^2 + 16*\sqrt{2})*a^2*\cos(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + 16*\sqrt{2})*a^2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))^2 + \sqrt{2})*a^2*\sin(4*d*x + 4*c)^2 +
\end{aligned}$$

```

12*sqrt(2)*a^2*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 36*sqrt(2)*a^2*sin(2*d*x
+ 2*c)^2 + 16*sqrt(2)*a^2*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*
c)))^2 + 16*sqrt(2)*a^2*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))
)^2 + 12*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2 + 2*(6*sqrt(2)*a^2*cos(
2*d*x + 2*c) + sqrt(2)*a^2)*cos(4*d*x + 4*c) + 8*(sqrt(2)*a^2*cos(4*d*x + 4
*c) + 6*sqrt(2)*a^2*cos(2*d*x + 2*c) + 4*sqrt(2)*a^2*cos(1/2*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c))) + sqrt(2)*a^2)*cos(3/2*arctan2(sin(2*d*x + 2
*c), cos(2*d*x + 2*c))) + 8*(sqrt(2)*a^2*cos(4*d*x + 4*c) + 6*sqrt(2)*a^2*c
os(2*d*x + 2*c) + sqrt(2)*a^2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c))) + 8*(sqrt(2)*a^2*sin(4*d*x + 4*c) + 6*sqrt(2)*a^2*sin(2*d*x + 2*c)
+ 4*sqrt(2)*a^2*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(
3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 8*(sqrt(2)*a^2*sin(4*d*x
+ 4*c) + 6*sqrt(2)*a^2*sin(2*d*x + 2*c))*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c))))*sqrt(a))/d

```

Fricas [A] time = 0.527843, size = 1243, normalized size = 7.06

$$\frac{\sqrt{2}((5A + 3B)\cos(dx + c)^3 + 3(5A + 3B)\cos(dx + c)^2 + 3(5A + 3B)\cos(dx + c) + 5A + 3B)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2}{64(a^3d\cos(dx+c)^3 + 3a^3a}\right)}{64(a^3d\cos(dx+c)^3 + 3a^3a}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algor
ithm="fricas")

```

```

[Out] [1/64*(sqrt(2)*((5*A + 3*B)*cos(d*x + c)^3 + 3*(5*A + 3*B)*cos(d*x + c)^2 +
3*(5*A + 3*B)*cos(d*x + c) + 5*A + 3*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2
*sqrt(2)*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))
*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) +
1)) + 4*((5*A + 3*B)*cos(d*x + c) + A + 7*B)*sqrt((a*cos(d*x + c) + a)/cos(
d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*
cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d), -1/32*(sqrt(2)*((5*A + 3*B)
*cos(d*x + c)^3 + 3*(5*A + 3*B)*cos(d*x + c)^2 + 3*(5*A + 3*B)*cos(d*x + c)
+ 5*A + 3*B)*sqrt(-a)*arctan(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/co
s(d*x + c))*sqrt(cos(d*x + c))/(a*sin(d*x + c))) - 2*((5*A + 3*B)*cos(d*x +
c) + A + 7*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*s
in(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d
*x + c) + a^3*d)]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2)), x)

$$3.560 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=234

$$\frac{(3A - 43B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)}}\right)}{a^{5/2}d}$$

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((3*A - 43*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)) + ((3*A - 11*B)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rubi [A] time = 0.713895, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {2955, 4019, 4023, 3808, 206, 3801, 215}

$$\frac{(3A - 43B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)\sqrt{\sec(c+dx)}}{\sqrt{2}\sqrt{a \sec(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sinh^{-1}\left(\frac{\sqrt{a} \tan(c+dx)}{\sqrt{a \sec(c+dx)}}\right)}{a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] (2*B*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((3*A - 43*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)) + ((3*A - 11*B)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(3/2)*(a + a*Sec[c + d*x])^(3/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)]^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,

m, n, p, x && $\text{NeQ}[b*c - a*d, 0]$ && $\text{!IntegerQ}[p]$ && $\text{!(IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 4019

$\text{Int}[(\text{csc}[e.] + (f.)(x.))(d.)^{(n.)}(\text{csc}[e.] + (f.)(x.))(b.) + (a.)]^{(m.)}(\text{csc}[e.] + (f.)(x.))(B.) + (A.)], x_Symbol] \rightarrow \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(n-1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*d*(n-1)) - B*(b*d*(n-1)) - d*(a*B*(m-n+1) + A*b*(m+n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

Rule 4023

$\text{Int}[(\text{csc}[e.] + (f.)(x.))(d.)^{(n.)}(\text{csc}[e.] + (f.)(x.))(b.) + (a.)]^{(m.)}(\text{csc}[e.] + (f.)(x.))(B.) + (A.)], x_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[B/b, \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 3808

$\text{Int}[\text{Sqrt}[\text{csc}[e.] + (f.)(x.))(d.)]/\text{Sqrt}[\text{csc}[e.] + (f.)(x.))(b.) + (a.)], x_Symbol] \rightarrow \text{Dist}[(-2*b*d)/(a*f), \text{Subst}[\text{Int}[1/(2*b - d*x^2), x], x, (b*\text{Cot}[e + f*x])]/(\text{Sqrt}[a + b*\text{Csc}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]])], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 206

$\text{Int}[(a.) + (b.)(x.^2)^{-1}], x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 3801

$\text{Int}[\text{Sqrt}[\text{csc}[e.] + (f.)(x.))(d.)]*\text{Sqrt}[\text{csc}[e.] + (f.)(x.))(b.) + (a.)], x_Symbol] \rightarrow \text{Dist}[(-2*a*\text{Sqrt}[(a*d)/b])/ (b*f), \text{Subst}[\text{Int}[1/\text{Sqrt}[1 + x^2/a], x], x, (b*\text{Cot}[e + f*x])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{GtQ}[(a*d)/b, 0]$

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx \\
 &= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx}{4a^2} \\
 &= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(3A - 11B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(3A - 11B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(3A - 11B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(3A - 11B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} \\
 &= \frac{2B \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} + (3A - 43B) \tanh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right)}{a^{5/2} d}
 \end{aligned}$$

Mathematica [B] time = 6.15611, size = 965, normalized size = 4.12

$$\frac{3A \sin^{-1} \left(\sqrt{1 - \sec(c + dx)} \right) \sqrt{\cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx) (\sec(c + dx) + 1)^2}{16d \sqrt{1 - \sec(c + dx)} (a(\sec(c + dx) + 1))^{5/2}} - \frac{11B \sin^{-1} \left(\sqrt{1 - \sec(c + dx)} \right) \sqrt{\cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx) (\sec(c + dx) + 1)}{16d \sqrt{1 - \sec(c + dx)} (a(\sec(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/((Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] -(B*Sin[c + d*x])/(4*d*Cos[c + d*x]^(9/2)*(a*(1 + Sec[c + d*x]))^(5/2)) - (A*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2)*(a*(1 + Sec[c + d*x]))^(5/2)) + (3*

$$\begin{aligned}
& B*(1 + \text{Sec}[c + d*x])*\text{Sin}[c + d*x]/(16*d*\text{Cos}[c + d*x]^{(9/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)}) - (A*(1 + \text{Sec}[c + d*x])*\text{Sin}[c + d*x]/(16*d*\text{Cos}[c + d*x]^{(7/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)})) - (3*B*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*\text{Cos}[c + d*x]^{(7/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)})) + (A*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*\text{Cos}[c + d*x]^{(5/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)})) + (7*B*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*\text{Cos}[c + d*x]^{(5/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)})) + (3*A*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*\text{Cos}[c + d*x]^{(3/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)})) - (11*B*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*\text{Cos}[c + d*x]^{(3/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)})) + (3*A*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sec[c + d*x]^{(3/2)}*(1 + Sec[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^{(5/2)})) - (11*B*ArcSin[Sqrt[1 - Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sec[c + d*x]^{(3/2)}*(1 + Sec[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^{(5/2)})) + (3*A*ArcSin[Sqrt[Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sec[c + d*x]^{(3/2)}*(1 + Sec[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^{(5/2)})) - (43*B*ArcSin[Sqrt[Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sec[c + d*x]^{(3/2)}*(1 + Sec[c + d*x])^2*\text{Sin}[c + d*x]/(16*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^{(5/2)})) - (3*A*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sec[c + d*x]^{(3/2)}*(1 + Sec[c + d*x])^2*\text{Sin}[c + d*x]/(16*Sqrt[2]*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^{(5/2)})) + (43*B*ArcTan[(Sqrt[2]*Sqrt[Sec[c + d*x]])/Sqrt[1 - Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sec[c + d*x]^{(3/2)}*(1 + Sec[c + d*x])^2*\text{Sin}[c + d*x]/(16*Sqrt[2]*d*Sqrt[1 - Sec[c + d*x]]*(a*(1 + Sec[c + d*x]))^{(5/2)}))
\end{aligned}$$

Maple [B] time = 0.321, size = 540, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c))/\text{cos}(d*x+c)^{(5/2)}/(a+a*\text{sec}(d*x+c))^{(5/2)}, x)$

[Out] $-1/16/d*(-1+\text{cos}(d*x+c))^{2*(a*(\text{cos}(d*x+c)+1)/\text{cos}(d*x+c))^{(1/2)}}*(16*B*\text{cos}(d*x+c)*\text{sin}(d*x+c)*2^{(1/2)}*\text{arctan}(1/4*2^{(1/2)}*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}*(\text{cos}(d*x+c)+1-\text{sin}(d*x+c))))-16*B*\text{cos}(d*x+c)*\text{sin}(d*x+c)*2^{(1/2)}*\text{arctan}(1/4*2^{(1/2)}*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}*(\text{cos}(d*x+c)+1+\text{sin}(d*x+c))))+3*A*\text{cos}(d*x+c)^{2*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}}-3*A*\text{cos}(d*x+c)*\text{sin}(d*x+c)*\text{arctan}(1/2*\text{sin}(d*x+c)*(-2/(\text{cos}(d*x+c)+1))^{(1/2)})-11*B*\text{cos}(d*x+c)^{2*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}}+43*B*\text{cos}(d*x+c)*\text{sin}(d*x+c)*\text{arctan}(1/2*\text{sin}(d*x+c)*(-2/(\text{cos}(d*x+c)+1))^{(1/2)})+16*B*\text{sin}(d*x+c)*2^{(1/2)}*\text{arctan}(1/4*2^{(1/2)}*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}*(\text{cos}(d*x+c)+1-\text{sin}(d*x+c))))-16*B*\text{sin}(d*x+c)*2^{(1/2)}*\text{arctan}(1/4*2^{(1/2)}*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}*(\text{cos}(d*x+c)+1-\text{sin}(d*x+c))))$

$$\frac{1}{2} * (\cos(dx+c) + 1 + \sin(dx+c)) + 4A * \cos(dx+c) * (-2 / (\cos(dx+c) + 1))^{1/2} - 3A * \sin(dx+c) * \arctan(1/2 * \sin(dx+c) * (-2 / (\cos(dx+c) + 1))^{1/2}) - 4B * \cos(dx+c) * (-2 / (\cos(dx+c) + 1))^{1/2} + 43B * \sin(dx+c) * \arctan(1/2 * \sin(dx+c) * (-2 / (\cos(dx+c) + 1))^{1/2}) - 7A * (-2 / (\cos(dx+c) + 1))^{1/2} + 15B * (-2 / (\cos(dx+c) + 1))^{1/2} * \cos(dx+c)^{1/2} / a^3 / (-2 / (\cos(dx+c) + 1))^{1/2} / \sin(dx+c)^5$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))/cos(dx+c)^(5/2)/(a+a*sec(dx+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.688488, size = 1906, normalized size = 8.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))/cos(dx+c)^(5/2)/(a+a*sec(dx+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/64 * (\sqrt{2}) * ((3A - 43B) * \cos(dx+c)^3 + 3 * (3A - 43B) * \cos(dx+c)^2 + 3 * (3A - 43B) * \cos(dx+c) + 3A - 43B) * \sqrt{a} * \log(-a * \cos(dx+c)^2 + 2 * \sqrt{2} * \sqrt{a} * \sqrt{(a * \cos(dx+c) + a) / \cos(dx+c)}) * \sqrt{\cos(dx+c)} * \sin(dx+c) - 2 * a * \cos(dx+c) - 3 * a) / (\cos(dx+c)^2 + 2 * \cos(dx+c) + 1) - 4 * ((3A - 11B) * \cos(dx+c) + 7A - 15B) * \sqrt{(a * \cos(dx+c) + a) / \cos(dx+c)} * \sqrt{\cos(dx+c)} * \sin(dx+c) - 32 * (B * \cos(dx+c)^3 + 3 * B * \cos(dx+c)^2 + 3 * B * \cos(dx+c) + B) * \sqrt{a} * \log((a * \cos(dx+c)^3 - 4 * \sqrt{a} * \sqrt{(a * \cos(dx+c) + a) / \cos(dx+c)}) * (\cos(dx+c) - 2) * \sqrt{\cos(dx+c)} * \sin(dx+c) - 7 * a * \cos(dx+c)^2 + 8 * a) / (\cos(dx+c)^3 + \cos(dx+c)^2)) / (a^3 * d * \cos(dx+c)^3 + 3 * a^3 * d * \cos(dx+c)^2 + 3 * a^3 * d * \cos(dx+c) + a^3 * d), -1/32 * (\sqrt{2}) * ((3A - 43B) * \cos(dx+c)^3 + 3 * (3A - 43B) * \cos(dx+c)^2 + 3 * (3A - 43B) * \cos(dx+c) + 3A - 43B) * \sqrt{-a} * \arctan(\sqrt{2} * \sqrt{-a} * \sqrt{(a * \cos(dx+c) + a) / \cos(dx+c)}) * \sqrt{\cos(dx+c)} / (a * \sin(dx+c))) - 2 * ((3A - 11B) * \cos(dx+c) + 7A - 15B) * \sqrt{a} * \log(-a * \cos(dx+c)^2 + 2 * \sqrt{2} * \sqrt{a} * \sqrt{(a * \cos(dx+c) + a) / \cos(dx+c)}) * \sqrt{\cos(dx+c)} * \sin(dx+c) - 2 * a * \cos(dx+c) - 3 * a) / (\cos(dx+c)^2 + 2 * \cos(dx+c) + 1) - 4 * ((3A - 11B) * \cos(dx+c) + 7A - 15B) * \sqrt{(a * \cos(dx+c) + a) / \cos(dx+c)} * \sqrt{\cos(dx+c)} * \sin(dx+c) - 32 * (B * \cos(dx+c)^3 + 3 * B * \cos(dx+c)^2 + 3 * B * \cos(dx+c) + B) * \sqrt{a} * \log((a * \cos(dx+c)^3 - 4 * \sqrt{a} * \sqrt{(a * \cos(dx+c) + a) / \cos(dx+c)}) * (\cos(dx+c) - 2) * \sqrt{\cos(dx+c)} * \sin(dx+c) - 7 * a * \cos(dx+c)^2 + 8 * a) / (\cos(dx+c)^3 + \cos(dx+c)^2)) / (a^3 * d * \cos(dx+c)^3 + 3 * a^3 * d * \cos(dx+c)^2 + 3 * a^3 * d * \cos(dx+c) + a^3 * d) \end{aligned}$$

```
((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c) - 32*(B*cos(d*x + c)^3 + 3*B*cos(d*x + c)^2 + 3*B*cos(d*x + c) + B)*sqrt(-a)*arctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)]
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+a*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)
```

$$3.561 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+a \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=286

$$\frac{(11A - 35B) \sin(c + dx)}{16a^2 d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} - \frac{(43A - 115B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} + \dots$$

[Out] ((2*A - 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) - ((43*A - 115*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)) + ((7*A - 15*B)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) - ((11*A - 35*B)*Sin[c + d*x])/(16*a^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rubi [A] time = 0.957811, antiderivative size = 286, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2955, 4019, 4021, 4023, 3808, 206, 3801, 215}

$$\frac{(11A - 35B) \sin(c + dx)}{16a^2 d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \sec(c + dx) + a}} - \frac{(43A - 115B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tanh^{-1} \left(\frac{\sqrt{a} \sin(c + dx) \sqrt{\sec(c + dx)}}{\sqrt{2} \sqrt{a \sec(c + dx) + a}} \right)}{16\sqrt{2} a^{5/2} d} + \dots$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] ((2*A - 5*B)*ArcSinh[(Sqrt[a]*Tan[c + d*x])/Sqrt[a + a*Sec[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) - ((43*A - 115*B)*ArcTanh[(Sqrt[a]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Sec[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)) + ((7*A - 15*B)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^(5/2)*(a + a*Sec[c + d*x])^(3/2)) - ((11*A - 35*B)*Sin[c + d*x])/(16*a^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Sec[c + d*x]])

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n]/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

Rule 4021

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)
*Simp[b*B*(n - 1) + (A*b*(m + n) + a*B*m)*Csc[e + f*x], x], x], x] /; FreeQ
[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] &&
GtQ[n, 1]
```

Rule 4023

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Dist[(A*b -
a*B)/b, Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n, x], x] + Dist[B/b, I
nt[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b,
d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0]
```

Rule 3808

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(-2*b*d)/(a*f), Subst[Int[1/(2*b - d*x^2), x], x
, (b*Cot[e + f*x])/(Sqrt[a + b*Csc[e + f*x])*Sqrt[d*Csc[e + f*x]])], x] /;
FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206


```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 3801

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(-2*a*Sqrt[(a*d)/b])/(b*f), Subst[Int[1/Sqrt[1 +
x^2/a], x], x, (b*Cot[e + f*x])/Sqrt[a + b*Csc[e + f*x]]], x] /; FreeQ[{a,
b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && GtQ[(a*d)/b, 0]
```

Rule 215

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{7}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx \\
&= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx)(A + B \sec(c + dx))}{(a + a \sec(c + dx))^{5/2}} dx}{4a^2} \\
&= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(7A - 15B) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(7A - 15B) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(7A - 15B) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(7A - 15B) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(7A - 15B) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(7A - 15B) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{7}{2}}(c + dx)(a + a \sec(c + dx))^{5/2}} + \frac{(7A - 15B) \sin(c + dx)}{16ad \cos^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^3} \\
&= \frac{(2A - 5B) \sinh^{-1} \left(\frac{\sqrt{a} \tan(c + dx)}{\sqrt{a + a \sec(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - (43A - 115B) \sin(c + dx)}{a^{5/2} d}
\end{aligned}$$

Mathematica [B] time = 6.17207, size = 1061, normalized size = 3.71

$$\frac{11A \sin^{-1}(\sqrt{1 - \sec(c + dx)}) \sqrt{\cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx) (\sec(c + dx) + 1)^2}{16d \sqrt{1 - \sec(c + dx)} (a(\sec(c + dx) + 1))^{5/2}} + \frac{35B \sin^{-1}(\sqrt{1 - \sec(c + dx)}) \sqrt{\cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx) (\sec(c + dx) + 1)^2}{16d \sqrt{1 - \sec(c + dx)} (a(\sec(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + a*Sec[c + d*x])^(5/2)), x]

[Out] -(B*Sin[c + d*x])/(4*d*Cos[c + d*x]^(11/2)*(a*(1 + Sec[c + d*x]))^(5/2)) - (A*Sin[c + d*x])/(4*d*Cos[c + d*x]^(9/2)*(a*(1 + Sec[c + d*x]))^(5/2)) + (7*B*(1 + Sec[c + d*x])*Sin[c + d*x])/(16*d*Cos[c + d*x]^(11/2)*(a*(1 + Sec[c + d*x]))^(5/2))

$$\begin{aligned}
& + d*x))^{(5/2)} + (3*A*(1 + \text{Sec}[c + d*x])* \text{Sin}[c + d*x]) / (16*d*\text{Cos}[c + d*x] \\
& ^{(9/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)} - (7*B*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d* \\
& x]) / (16*d*\text{Cos}[c + d*x]^{(9/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)} - (3*A*(1 + \text{Sec}[\\
& c + d*x])^2*\text{Sin}[c + d*x]) / (16*d*\text{Cos}[c + d*x]^{(7/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(\\
& 5/2)} + (11*B*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]) / (16*d*\text{Cos}[c + d*x]^{(7/2)}*(\\
& a*(1 + \text{Sec}[c + d*x]))^{(5/2)} + (7*A*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]) / (16* \\
& d*\text{Cos}[c + d*x]^{(5/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)} - (15*B*(1 + \text{Sec}[c + d*x] \\
&)^2*\text{Sin}[c + d*x]) / (16*d*\text{Cos}[c + d*x]^{(5/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)} - \\
& (11*A*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]) / (16*d*\text{Cos}[c + d*x]^{(3/2)}*(a*(1 + \\
& \text{Sec}[c + d*x]))^{(5/2)} + (35*B*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]) / (16*d*\text{Cos}[\\
& c + d*x]^{(3/2)}*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)} - (11*A*\text{ArcSin}[\text{Sqrt}[1 - \text{Sec}[c \\
& + d*x]]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + \\
& d*x]) / (16*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)} + (35*B*A \\
& \text{rcSin}[\text{Sqrt}[1 - \text{Sec}[c + d*x]]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/2)}*(1 + \text{Se} \\
& c[c + d*x])^2*\text{Sin}[c + d*x]) / (16*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d* \\
& x]))^{(5/2)} - (43*A*\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sec}[c + d \\
& *x]^{(3/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]) / (16*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(\\
& a*(1 + \text{Sec}[c + d*x]))^{(5/2)} + (115*B*\text{ArcSin}[\text{Sqrt}[\text{Sec}[c + d*x]]]*\text{Sqrt}[\text{Cos}[c \\
& + d*x]]*\text{Sec}[c + d*x]^{(3/2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]) / (16*d*\text{Sqrt}[1 \\
& - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + d*x]))^{(5/2)} + (43*A*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt} \\
& [\text{Sec}[c + d*x]])/\text{Sqrt}[1 - \text{Sec}[c + d*x]]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/ \\
& 2)}*(1 + \text{Sec}[c + d*x])^2*\text{Sin}[c + d*x]) / (16*\text{Sqrt}[2]*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]* \\
& (a*(1 + \text{Sec}[c + d*x]))^{(5/2)} - (115*B*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[\text{Sec}[c + d*x]])/ \\
& \text{Sqrt}[1 - \text{Sec}[c + d*x]]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/2)}*(1 + \text{Sec}[c + \\
& d*x])^2*\text{Sin}[c + d*x]) / (16*\text{Sqrt}[2]*d*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*(a*(1 + \text{Sec}[c + \\
& d*x]))^{(5/2)}
\end{aligned}$$

Maple [B] time = 0.333, size = 821, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c))/\text{cos}(d*x+c)^{(7/2)}/(a+a*\text{sec}(d*x+c))^{(5/2)}, x)$

[Out] $1/16/d*(-1+\text{cos}(d*x+c))^{(2)}*(16*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*\text{arctan}(1/4*2^{(1/2)}*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}*(\text{cos}(d*x+c)+1+\text{sin}(d*x+c)))*2^{(1/2)}-16*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*\text{arctan}(1/4*2^{(1/2)}*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}*(\text{cos}(d*x+c)+1-\text{sin}(d*x+c)))*2^{(1/2)}-40*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*\text{arctan}(1/4*2^{(1/2)}*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}*(\text{cos}(d*x+c)+1+\text{sin}(d*x+c)))*2^{(1/2)}+40*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*\text{arctan}(1/4*2^{(1/2)}*(-2/(\text{cos}(d*x+c)+1))^{(1/2)}*(\text{cos}(d*x+c)+1-\text{sin}(d*x+c)))*2^{(1/2)}-43*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*\text{arctan}(1/2*\text{sin}(d*x+c)*(-2/(\text{cos}(d*x$

$$\begin{aligned}
&+c)+1))^{\frac{1}{2}})+16*A*\cos(d*x+c)*\sin(d*x+c)*2^{\frac{1}{2}}*\arctan(1/4*2^{\frac{1}{2}}*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}*(\cos(d*x+c)+1+\sin(d*x+c))))-16*A*\cos(d*x+c)*\sin(d*x+c)*2^{\frac{1}{2}}*\arctan(1/4*2^{\frac{1}{2}}*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}*(\cos(d*x+c)+1-\sin(d*x+c))))+11*A*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}+115*B*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}})-40*B*\cos(d*x+c)*\sin(d*x+c)*2^{\frac{1}{2}}*\arctan(1/4*2^{\frac{1}{2}}*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}*(\cos(d*x+c)+1+\sin(d*x+c))))+40*B*\cos(d*x+c)*\sin(d*x+c)*2^{\frac{1}{2}}*\arctan(1/4*2^{\frac{1}{2}}*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}*(\cos(d*x+c)+1-\sin(d*x+c))))-35*B*\cos(d*x+c)^3*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}-43*A*\cos(d*x+c)*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}})+4*A*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}+115*B*\cos(d*x+c)*\sin(d*x+c)*\arctan(1/2*\sin(d*x+c)*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}})-20*B*\cos(d*x+c)^2*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}-15*A*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}+39*B*\cos(d*x+c)*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}+16*B*(-2/(\cos(d*x+c)+1))^{\frac{1}{2}})*(a*(\cos(d*x+c)+1)/\cos(d*x+c))^{\frac{1}{2}}/\cos(d*x+c)^{\frac{1}{2}}/\sin(d*x+c)^5/(-2/(\cos(d*x+c)+1))^{\frac{1}{2}}/a^3
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0.924742, size = 2234, normalized size = 7.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="fricas")

[Out]
$$\begin{aligned}
&[-1/64*(\sqrt{2})*((43*A - 115*B)*\cos(d*x + c)^4 + 3*(43*A - 115*B)*\cos(d*x + c)^3 + 3*(43*A - 115*B)*\cos(d*x + c)^2 + (43*A - 115*B)*\cos(d*x + c))*\sqrt{a}*\log(-a*\cos(d*x + c)^2 - 2*\sqrt{2}*\sqrt{a}*\sqrt{(a*\cos(d*x + c) + a)/\cos(d*x + c)}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(
\end{aligned}$$

```

d*x + c)^2 + 2*cos(d*x + c) + 1)) + 4*((11*A - 35*B)*cos(d*x + c)^2 + 5*(3*
A - 11*B)*cos(d*x + c) - 16*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt
(cos(d*x + c))*sin(d*x + c) + 16*((2*A - 5*B)*cos(d*x + c)^4 + 3*(2*A - 5*B
)*cos(d*x + c)^3 + 3*(2*A - 5*B)*cos(d*x + c)^2 + (2*A - 5*B)*cos(d*x + c))
*sqrt(a)*log((a*cos(d*x + c)^3 + 4*sqrt(a)*sqrt((a*cos(d*x + c) + a)/cos(d*
x + c))*(cos(d*x + c) - 2)*sqrt(cos(d*x + c))*sin(d*x + c) - 7*a*cos(d*x +
c)^2 + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)))/(a^3*d*cos(d*x + c)^4 + 3*a
^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c)), 1/32*(s
qrt(2)*((43*A - 115*B)*cos(d*x + c)^4 + 3*(43*A - 115*B)*cos(d*x + c)^3 + 3
*(43*A - 115*B)*cos(d*x + c)^2 + (43*A - 115*B)*cos(d*x + c))*sqrt(-a)*arct
an(sqrt(2)*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c
))/a*sin(d*x + c))) - 2*((11*A - 35*B)*cos(d*x + c)^2 + 5*(3*A - 11*B)*co
s(d*x + c) - 16*B)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c
))*sin(d*x + c) + 16*((2*A - 5*B)*cos(d*x + c)^4 + 3*(2*A - 5*B)*cos(d*x +
c)^3 + 3*(2*A - 5*B)*cos(d*x + c)^2 + (2*A - 5*B)*cos(d*x + c))*sqrt(-a)*ar
ctan(2*sqrt(-a)*sqrt((a*cos(d*x + c) + a)/cos(d*x + c))*sqrt(cos(d*x + c))*
sin(d*x + c)/(a*cos(d*x + c)^2 - a*cos(d*x + c) - 2*a)))/(a^3*d*cos(d*x + c
)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c)
]

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+a*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(a \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+a*sec(d*x+c))^(5/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)/((a*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(7/2)), x)
```

$$3.562 \quad \int \cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=140

$$\frac{2(5aA + 7bB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{6(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2(5aA + 7bB) \sin(c + dx)}{5d}$$

[Out] (6*(A*b + a*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(5*a*A + 7*b*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*a*A + 7*b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*(A*b + a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.23104, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2954, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{2(5aA + 7bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{6(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2(5aA + 7bB) \sin(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (6*(A*b + a*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(5*a*A + 7*b*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*a*A + 7*b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*(A*b + a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(7*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b\sec(c+dx))(A+B\sec(c+dx))dx &= \int \cos^{\frac{3}{2}}(c+dx)(b+a\cos(c+dx))(B+A\cos(c+dx))dx \\
&= \int \cos^{\frac{3}{2}}(c+dx)(bB+(Ab+aB)\cos(c+dx)+aA\cos^2(c+dx))dx \\
&= \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + \frac{2}{7} \int \cos^{\frac{3}{2}}(c+dx)\left(\frac{1}{2}(5aA\right. \\
&= \frac{2aA\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{7d} + (Ab+aB) \int \cos^{\frac{5}{2}}(c+dx) \\
&= \frac{2(5aA+7bB)\sqrt{\cos(c+dx)}\sin(c+dx)}{21d} + \frac{2(Ab+aB)\cos^{\frac{3}{2}}(c+dx)}{21d} \\
&= \frac{6(Ab+aB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(5aA+7bB)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d}
\end{aligned}$$

Mathematica [A] time = 0.892786, size = 103, normalized size = 0.74

$$\frac{10(5aA+7bB)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) + 126(ab+Ab)E\left(\frac{1}{2}(c+dx)\middle|2\right) + \sin(c+dx)\sqrt{\cos(c+dx)}(42(ab+Ab)\cos(c+dx) + 15aA\cos(2(c+dx)))}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (126*(A*b + a*B)*EllipticE[(c + d*x)/2, 2] + 10*(5*a*A + 7*b*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(65*a*A + 70*b*B + 42*(A*b + a*B)*Cos[c + d*x] + 15*a*A*Cos[2*(c + d*x)])*Sin[c + d*x])/(105*d)

Maple [B] time = 1.888, size = 413, normalized size = 3.

$$-\frac{2}{105d} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240 Aa \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 + (-360 Aa - 168 B^2) \sin(1/2 dx + c/2) (\sin(1/2 dx + c/2))^7 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)), x)

```
[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*A*a*cos
(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-360*A*a-168*A*b-168*B*a)*sin(1/2*d*x
+1/2*c)^6*cos(1/2*d*x+1/2*c)+(280*A*a+168*A*b+168*B*a+140*B*b)*sin(1/2*d*x+
1/2*c)^4*cos(1/2*d*x+1/2*c)+(-80*A*a-42*A*b-42*B*a-70*B*b)*sin(1/2*d*x+1/2*
c)^2*cos(1/2*d*x+1/2*c)+25*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+
1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*A*(sin(1/2*d*x+1
/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c
),2^(1/2))*b+35*B*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1
)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*
a)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/
(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral(((Bb cos(dx + c)^3 sec(dx + c)^2 + Aa cos(dx + c)^3 + (Ba + Ab) cos(dx + c)^3 sec(dx + c))sqrt(cos(dx + c)), x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^3*sec(d*x + c)^2 + A*a*cos(d*x + c)^3 + (B*a + A
*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)`

$$3.563 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=108

$$\frac{2(aB + Ab)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(3aA + 5bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx) \sqrt{\cos(c + dx)}}{3d} + \frac{2aA \sin(c + dx)}{5d}$$

[Out] (2*(3*a*A + 5*b*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(A*b + a*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.213619, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2954, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(3aA + 5bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx) \sqrt{\cos(c + dx)}}{3d} + \frac{2aA \sin(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (2*(3*a*A + 5*b*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(A*b + a*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Ssin[e + f*x])^(p - m - n)*(b + a*Ssin[e + f*x])^m*(d + c*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Int[(a + b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2),

$x]$ /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))(A+B \sec(c+dx)) dx &= \int \sqrt{\cos(c+dx)}(b+a \cos(c+dx))(B+A \cos(c+dx)) dx \\
&= \int \sqrt{\cos(c+dx)}(bB+(Ab+aB) \cos(c+dx)+aA \cos^2(c+dx)) dx \\
&= \frac{2aA \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c+dx)} \left(\frac{1}{2}(3aA+5bB) \right. \\
&= \frac{2aA \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + (Ab+aB) \int \cos^{\frac{3}{2}}(c+dx) dx \\
&= \frac{2(3aA+5bB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(Ab+aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{3d} \\
&= \frac{2(3aA+5bB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(Ab+aB)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.440875, size = 86, normalized size = 0.8

$$\frac{2\left(5(aB+Ab)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) + 3(3aA+5bB)E\left(\frac{1}{2}(c+dx) \middle| 2\right) + \sin(c+dx)\sqrt{\cos(c+dx)}(3aA \cos(c+dx) + 5aA)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]), x]

[Out] (2*(3*(3*a*A + 5*b*B)*EllipticE[(c + d*x)/2, 2] + 5*(A*b + a*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(5*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x]))/(15*d)

Maple [B] time = 1.894, size = 371, normalized size = 3.4

$$-\frac{2}{15d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24Aa \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (24Aa + 20Ab + 10Ab^2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)), x)

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*A*a*cos(
1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(24*A*a+20*A*b+20*B*a)*sin(1/2*d*x+1/2*
c)^4*cos(1/2*d*x+1/2*c)+(-6*A*a-10*A*b-10*B*a)*sin(1/2*d*x+1/2*c)^2*cos(1/2
*d*x+1/2*c)+5*A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)
*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a+5
*B*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Elliptic
F(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*
d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b)/(-2*sin(1/2*
d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+
1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 \sec(dx + c)^2 + Aa \cos(dx + c)^2 + (Ba + Ab) \cos(dx + c)^2 \sec(dx + c)\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2*sec(d*x + c)^2 + A*a*cos(d*x + c)^2 + (B*a + A
*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)`

$$3.564 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=75

$$\frac{2(aA + 3bB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

[Out] (2*(A*b + a*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(a*A + 3*b*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.193081, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2954, 2968, 3023, 2748, 2641, 2639}

$$\frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (2*(A*b + a*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(a*A + 3*b*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Ssin[e + f*x])^(p - m - n)*(b + a*Ssin[e + f*x])^m*(d + c*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Int[(a + b*Ssin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Ssin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))(B + A \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
&= \int \frac{bB + (Ab + aB) \cos(c + dx) + aA \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aA\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}(aA + 3bB) + \frac{3}{2}(Ab + aB) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aA\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + (Ab + aB) \int \sqrt{\cos(c + dx)} dx \\
&= \frac{2(Ab + aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.25861, size = 67, normalized size = 0.89

$$\frac{2\left((aA + 3bB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) + 3(aB + Ab)E\left(\frac{1}{2}(c + dx)\middle|2\right) + aA \sin(c + dx)\sqrt{\cos(c + dx)}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (2*(3*(A*b + a*B)*EllipticE[(c + d*x)/2, 2] + (a*A + 3*b*B)*EllipticF[(c + d*x)/2, 2] + a*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x]))/(3*d)

Maple [B] time = 1.946, size = 326, normalized size = 4.4

$$-\frac{2}{3d}\sqrt{\left(2\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(4Aa\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + Aa\sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*A*a*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+A*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b-2*A*a*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+3*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb cos(dx + c) sec(dx + c)^2 + Aa cos(dx + c) + (Ba + Ab) cos(dx + c) sec(dx + c))sqrt(cos(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)*sec(d*x + c)^2 + A*a*cos(d*x + c) + (B*a + A*b)*cos(d*x + c)*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)

$$3.565 \quad \int \sqrt{\cos(c + dx)}(a + b \sec(c + dx))(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=71

$$\frac{2(aB + Ab)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{d} + \frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2bB \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] (2*(a*A - b*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(A*b + a*B)*EllipticF[(c + d*x)/2, 2])/d + (2*b*B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.193214, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$, Rules used = {2954, 2968, 3021, 2748, 2641, 2639}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2bB \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (2*(a*A - b*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(A*b + a*B)*EllipticF[(c + d*x)/2, 2])/d + (2*b*B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c + dx)}(a + b \sec(c + dx))(A + B \sec(c + dx)) dx &= \int \frac{(b + a \cos(c + dx))(B + A \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \int \frac{bB + (Ab + aB) \cos(c + dx) + aA \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2bB \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}(Ab + aB) + \frac{1}{2}(aA - bB) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2bB \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + (Ab + aB) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (aA - bB) \int \frac{\cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \dots
\end{aligned}$$

Mathematica [A] time = 0.368513, size = 64, normalized size = 0.9

$$\frac{2 \left((aB + Ab) \text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + (aA - bB) E \left(\frac{1}{2}(c + dx) \middle| 2 \right) + \frac{bB \sin(c+dx)}{\sqrt{\cos(c+dx)}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]),x]

[Out] (2*((a*A - b*B)*EllipticE[(c + d*x)/2, 2] + (A*b + a*B)*EllipticF[(c + d*x)/2, 2] + (b*B*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/d

Maple [B] time = 2.018, size = 244, normalized size = 3.4

$$-2 \frac{Ab \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF}(\cos(1/2 dx + c/2), \sqrt{2}) - A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] -2*(A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a+B*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b-2*B*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx))(a + b \sec(c + dx))\sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))*sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

$$3.566 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=103

$$\frac{2(3aA + bB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} - \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aB + Ab) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2bB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] $(-2*(A*b + a*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(3*a*A + b*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*B*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(A*b + a*B)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rubi [A] time = 0.212193, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2954, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aB + Ab) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2bB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Sec}[c + d*x])*(A + B*\text{Sec}[c + d*x])/ \text{Sqrt}[\text{Cos}[c + d*x]], x]$

[Out] $(-2*(A*b + a*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(3*a*A + b*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*b*B*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(A*b + a*B)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2954

$\text{Int}[(a_. + \text{csc}[e_.] + (f_.)*(x_.))*(b_.)^{(m_.)*(\text{csc}[e_.] + (f_.)*(x_.))*(d_. + (c_.))^{(n_.)*((g_.)*\text{sin}[e_.] + (f_.)*(x_.))^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m + n)}, \text{Int}[(g*\text{Sin}[e + f*x])^{(p - m - n)}*(b + a*\text{Sin}[e + f*x])^m*(d + c*\text{Sin}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 2968

$\text{Int}[(a_. + (b_.)*\text{sin}[e_.] + (f_.)*(x_.))^{(m_.)*((A_.) + (B_.)*\text{sin}[e_.] + (f_.)*(x_.))*((c_.) + (d_.)*\text{sin}[e_.] + (f_.)*(x_.)), x_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2),$

$x] /;$ FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]

Rule 3021

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(b + a \cos(c + dx))(B + A \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \int \frac{bB + (Ab + aB) \cos(c + dx) + aA \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2bB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{3}{2}(Ab + aB) + \frac{1}{2}(3aA + bB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2bB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + (Ab + aB) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \frac{1}{3}(3aA + bB) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2bB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \\
&= -\frac{2(Ab + aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2bB \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.49008, size = 107, normalized size = 1.04

$$\frac{2 \left((3aA + bB) \sqrt{\cos(c + dx)} \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - 3(aB + Ab) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3aB \sin(c + dx) + 3A \right)}{3d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] (2*(-3*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + (3*a*A + b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 3*A*b*Sin[c + d*x] + 3*a*B*Sin[c + d*x] + b*B*Tan[c + d*x]))/(3*d*Sqrt[Cos[c + d*x]])

Maple [B] time = 4.615, size = 428, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2), x)

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*b*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*(A*b+B*a)*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/sqrt(cos(d*x + c)), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx))(a + b \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*(a + b*sec(c + d*x))/sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)

$$3.567 \quad \int \frac{(a+b \sec(c+dx))(A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=140

$$\frac{2(aB + Ab)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} - \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2(aB + Ab)\sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(5aA + 3bB)\sin(c + dx)}{5d\sqrt{\cos(c + dx)}}$$

[Out] (-2*(5*a*A + 3*b*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(A*b + a*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b*B*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*(5*a*A + 3*b*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.231375, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2954, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} - \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2(aB + Ab)\sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(5aA + 3bB)\sin(c + dx)}{5d\sqrt{\cos(c + dx)}} + \frac{2(5aA + 3bB)\sin(c + dx)}{5d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (-2*(5*a*A + 3*b*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(A*b + a*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b*B*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*(5*a*A + 3*b*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))(A + B \sec(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(b + a \cos(c + dx))(B + A \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \int \frac{bB + (Ab + aB) \cos(c + dx) + aA \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2bB \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{5}{2}(Ab + aB) + \frac{1}{2}(5aA + 3bB) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2bB \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + (Ab + aB) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + \frac{1}{5}(5aA + 3bB) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2bB \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(5aA + 3bB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} + \\
&= -\frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2bB \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

Mathematica [A] time = 0.842185, size = 134, normalized size = 0.96

$$\frac{10(aB + Ab) \cos^{\frac{3}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - 6(5aA + 3bB) \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 15aA \sin(2(c + dx)) + 15bB \sin(2(c + dx))}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (-6*(5*a*A + 3*b*B)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*(A*b + a*B)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 10*A*b*Sin[c + d*x] + 10*a*B*Sin[c + d*x] + 15*a*A*Sin[2*(c + d*x)] + 9*b*B*Sin[2*(c + d*x)] + 6*b*B*Tan[c + d*x])/(15*d*Cos[c + d*x]^(3/2))

Maple [B] time = 5.971, size = 663, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2), x)


```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*(A*b+B*a))*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*A*a*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)-2/5*B*b/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")
```

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{Bb \sec(dx+c)^2 + Aa + (Ba + Ab) \sec(dx+c)}{\cos(dx+c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

[Out] `integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))/cos(d*x + c)^(3/2), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)**(3/2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sec(d*x+c))*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)`

$$3.568 \quad \int \cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=182

$$\frac{2(5a^2A + 7b(2aB + Ab)) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} + \frac{2(3a^2B + 6aAb + 5b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(5a^2A + 7b(2aB + Ab)) \operatorname{EllipticE}\left(\frac{1}{2}(c + dx), 2\right)}{5d}$$

[Out] (2*(6*a*A*b + 3*a^2*B + 5*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(5*a^2*A + 7*b*(A*b + 2*a*B))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*a^2*A + 7*b*(A*b + 2*a*B))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(9*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d) + (2*a*A*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])*Sin[c + d*x])/(7*d)

Rubi [A] time = 0.368102, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2990, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(3a^2B + 6aAb + 5b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(5a^2A + 7b(2aB + Ab)) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(5a^2A + 7b(2aB + Ab)) \operatorname{EllipticE}\left(\frac{1}{2}(c + dx), 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (2*(6*a*A*b + 3*a^2*B + 5*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(5*a^2*A + 7*b*(A*b + 2*a*B))*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(5*a^2*A + 7*b*(A*b + 2*a*B))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*(9*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d) + (2*a*A*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])*Sin[c + d*x])/(7*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx &= \int \sqrt{\cos(c+dx)}(b+a \cos(c+dx))^2(B+A \cos(c+dx)) dx \\
&= \frac{2aA \cos^{\frac{3}{2}}(c+dx)(b+a \cos(c+dx)) \sin(c+dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c+dx)} dx \\
&= \frac{2a(9Ab+7aB) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{35d} + \frac{2aA \cos^{\frac{3}{2}}(c+dx)}{7d} \\
&= \frac{2a(9Ab+7aB) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{35d} + \frac{2aA \cos^{\frac{3}{2}}(c+dx)}{7d} \\
&= \frac{2(6aAb+3a^2B+5b^2B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(5a^2A+7b^2A)}{5d} \\
&= \frac{2(6aAb+3a^2B+5b^2B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(5a^2A+7b^2A)}{5d}
\end{aligned}$$

Mathematica [A] time = 1.21557, size = 139, normalized size = 0.76

$$\frac{10(5a^2A+14abB+7Ab^2) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) + 42(3a^2B+6aAb+5b^2B) E\left(\frac{1}{2}(c+dx) \middle| 2\right) + \sin(c+dx) \sqrt{\cos(c+dx)}}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]), x]

[Out] (42*(6*a*A*b + 3*a^2*B + 5*b^2*B)*EllipticE[(c + d*x)/2, 2] + 10*(5*a^2*A + 7*A*b^2 + 14*a*b*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(42*a*(2*A*b + a*B)*Cos[c + d*x] + 5*(13*a^2*A + 14*A*b^2 + 28*a*b*B + 3*a^2*A*Cos[2*(c + d*x)]))*Sin[c + d*x])/(105*d)

Maple [B] time = 1.966, size = 548, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)), x)

```
[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*a^2*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-360*A*a^2-336*A*a*b-168*B*a^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(280*A*a^2+336*A*a*b+140*A*b^2+168*B*a^2+280*B*a*b)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-80*A*a^2-84*A*a*b-70*A*b^2-42*B*a^2-140*B*a*b)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-126*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b+25*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+35*A*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2-105*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+70*B*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral((B*b^2*cos(dx+c)^3*sec(dx+c)^3 + A*a^2*cos(dx+c)^3 + (2*Bab + Ab^2)*cos(dx+c)^3*sec(dx+c)^2 + (Ba^2 + 2*Aab
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(dx+c)^3*sec(dx+c)^3 + A*a^2*cos(dx+c)^3 + (2*B*a*b + A*b^2)*cos(dx+c)^3*sec(dx+c)^2 + (B*a^2 + 2*A*a*b)*cos(dx+c
```

```
)^3*sec(d*x + c))*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*cos(d*x + c)^(7/2), x)
```

$$3.569 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=140

$$\frac{2(a^2B + 2aAb + 3b^2B) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(3a^2A + 5b(2aB + Ab)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(5aB + 7Ab) \sin(c + dx)}{15d}$$

[Out] (2*(3*a^2*A + 5*b*(A*b + 2*a*B))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(2*a*A*b + a^2*B + 3*b^2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(7*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*Sqrt[Cos[c + d*x]]*(b + a*cos[c + d*x])*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.332282, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2990, 3023, 2748, 2641, 2639}

$$\frac{2(a^2B + 2aAb + 3b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(3a^2A + 5b(2aB + Ab)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(5aB + 7Ab) \sin(c + dx) \sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]), x]

[Out] (2*(3*a^2*A + 5*b*(A*b + 2*a*B))*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(2*a*A*b + a^2*B + 3*b^2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a*(7*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*Sqrt[Cos[c + d*x]]*(b + a*cos[c + d*x])*Sin[c + d*x])/(5*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^n_.*((g_.)*sin[(e_.) + (f_.)*(x_)])^p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2990


```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^2(A+B \sec(c+dx)) dx &= \int \frac{(b+a \cos(c+dx))^2(B+A \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \\
&= \frac{2aA\sqrt{\cos(c+dx)}(b+a \cos(c+dx)) \sin(c+dx)}{5d} + \frac{2}{5} \int \frac{\frac{1}{2}b(c+dx)}{\sqrt{\cos(c+dx)}} dx \\
&= \frac{2a(7Ab+5aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{15d} + \frac{2aA\sqrt{\cos(c+dx)}}{5d} \\
&= \frac{2a(7Ab+5aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{15d} + \frac{2aA\sqrt{\cos(c+dx)}}{5d} \\
&= \frac{2(3a^2A+5b(Ab+2aB))E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(2aAb+a^2B)}{5d}
\end{aligned}$$

Mathematica [A] time = 0.621987, size = 106, normalized size = 0.76

$$\frac{2\left(5\left(a^2B+2aAb+3b^2B\right)\text{EllipticF}\left(\frac{1}{2}(c+dx),2\right)+3\left(3a^2A+10abB+5Ab^2\right)E\left(\frac{1}{2}(c+dx)\middle|2\right)+a \sin(c+dx)\sqrt{\cos(c+dx)}\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (2*(3*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*EllipticE[(c + d*x)/2, 2] + 5*(2*a*A*b + a^2*B + 3*b^2*B)*EllipticF[(c + d*x)/2, 2] + a*Sqrt[Cos[c + d*x]]*(10*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x]))/(15*d)

Maple [B] time = 2.096, size = 487, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*a^2*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(24*A*a^2+40*A*a*b+20*B*a^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-6*A*a^2-20*A*a*b-10*B*a^2)*sin(1/2*d*x+1/2*c)^2)

$$2*c)^2*\cos(1/2*d*x+1/2*c)+10*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+5*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+15*B*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-30*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb^2 cos(dx + c)^2 sec(dx + c)^3 + Aa^2 cos(dx + c)^2 + (2Bab + Ab^2) cos(dx + c)^2 sec(dx + c)^2 + (Ba^2 + 2Aa

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^2*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2), x)

$$3.570 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=121

$$\frac{2(a^2A + 6abB + 3Ab^2) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(a^2B + 2aAb - b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2A \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

[Out] (2*(2*a*A*b + a^2*B - b^2*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b^2*B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a^2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.317962, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2988, 3023, 2748, 2641, 2639}

$$\frac{2(a^2A + 6abB + 3Ab^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(a^2B + 2aAb - b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2A \sin(c + dx) \sqrt{\cos(c + dx)}}{3d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (2*(2*a*A*b + a^2*B - b^2*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b^2*B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) + (2*a^2*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2988

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[

```
((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^
2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*S
in[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c -
2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a
*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))*Sin[e + f*x] - b^2*B*d*(n + 1
)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n
, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx &= \int \frac{(b+a\cos(c+dx))^2(B+A\cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2b^2B\sin(c+dx)}{d\sqrt{\cos(c+dx)}} - 2 \int \frac{-\frac{1}{2}b(Ab+2aB) - \frac{1}{2}(2aAb+a^2B)}{\sqrt{\cos(c+dx)}}dx \\
&= \frac{2b^2B\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2a^2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} - \frac{4}{3} \int \frac{1}{\sqrt{\cos(c+dx)}}dx \\
&= \frac{2b^2B\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2a^2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} - \frac{1}{3}(-a) \\
&= \frac{2(2aAb+a^2B-b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2(a^2A+3Ab^2)}{3d}
\end{aligned}$$

Mathematica [A] time = 0.662784, size = 102, normalized size = 0.84

$$\frac{2\left((a^2A+6abB+3Ab^2)\operatorname{EllipticF}\left(\frac{1}{2}(c+dx),2\right)+3(a^2B+2aAb-b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)+\frac{\sin(c+dx)(a^2A\cos(c+dx)+3b^2B)}{\sqrt{\cos(c+dx)}}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (2*(3*(2*a*A*b + a^2*B - b^2*B)*EllipticE[(c + d*x)/2, 2] + (a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticF[(c + d*x)/2, 2] + ((3*b^2*B + a^2*A*Cos[c + d*x])*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/(3*d)

Maple [B] time = 2.04, size = 404, normalized size = 3.3

$$-\frac{2}{3d}\left(4Aa^2\cos\left(\frac{1}{2}dx+c/2\right)\left(\sin\left(\frac{1}{2}dx+c/2\right)\right)^4+a^2A\sqrt{\left(\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^2}\sqrt{2\left(\sin\left(\frac{1}{2}dx+c/2\right)\right)^2-1}\operatorname{EllipticF}\left(\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

```
[Out] -2/3*(4*A*a^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*A*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-6*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b-2*A*a^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+6*B*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2+3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-6*B*b^2*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral((Bb^2*cos(dx+c)*sec(dx+c)^3 + Aa^2*cos(dx+c) + (2Bab + Ab^2)*cos(dx+c)*sec(dx+c)^2 + (Ba^2 + 2Aab)*cos(dx+c)*sec(dx+c)*sqrt(cos(dx+c)), x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)*sec(d*x + c)^3 + A*a^2*cos(d*x + c) + (2*B*a*b + A*b^2)*cos(d*x + c)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)*sec(d*x + c)*sqrt(cos(d*x + c)), x)
```


Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)

$$3.571 \quad \int \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^2(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=126

$$\frac{2(3a^2B + 6aAb + b^2B) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3d} + \frac{2(a^2A - 2abB - Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2b(2aB + Ab) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \dots$$

```
[Out] (2*(a^2*A - A*b^2 - 2*a*b*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(6*a*A*b + 3
*a^2*B + b^2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b^2*B*Sin[c + d*x])/(
3*d*Cos[c + d*x]^(3/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(d*Sqrt[Cos[c +
d*x]])
```

Rubi [A] time = 0.335161, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 2988, 3021, 2748, 2641, 2639}

$$\frac{2(3a^2B + 6aAb + b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(a^2A - 2abB - Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2b(2aB + Ab) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2b^2B \sin(c + dx)}{3d \cos(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*(a^2*A - A*b^2 - 2*a*b*B)*EllipticE[(c + d*x)/2, 2])/d + (2*(6*a*A*b + 3
*a^2*B + b^2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b^2*B*Sin[c + d*x])/(
3*d*Cos[c + d*x]^(3/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(d*Sqrt[Cos[c +
d*x]])
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dis
t[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c
*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2988

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[
((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^
2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*Sin[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c -
2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a
*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] - b^2*B*d*(n + 1
)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n
, -1]

```

Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+b\sec(c+dx))^2(A+B\sec(c+dx))dx &= \int \frac{(b+a\cos(c+dx))^2(B+A\cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{2b^2B\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} - \frac{2}{3} \int \frac{-\frac{3}{2}b(Ab+2aB) - \frac{1}{2}(6aAb+3a^2B)}{\cos} \\
&= \frac{2b^2B\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab+2aB)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} - \frac{4}{3} \int \frac{\frac{1}{4}(-6)}{\cos} \\
&= \frac{2b^2B\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab+2aB)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} - (-a^2A + A) \\
&= \frac{2(a^2A - Ab^2 - 2abB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2(6aAb + 3a^2B + \dots)}{d}
\end{aligned}$$

Mathematica [A] time = 1.19733, size = 105, normalized size = 0.83

$$\frac{2\left((3a^2B + 6aAb + b^2B)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) + 3(a^2A - 2abB - Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right) + \frac{b\sin(c+dx)(3(2aB+Ab)\cos(c+dx)+b)}{\cos^{\frac{3}{2}}(c+dx)}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]),x]

[Out] (2*(3*(a^2*A - A*b^2 - 2*a*b*B)*EllipticE[(c + d*x)/2, 2] + (6*a*A*b + 3*a^2*B + b^2*B)*EllipticF[(c + d*x)/2, 2] + (b*(b*B + 3*(A*b + 2*a*B)*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2)))/(3*d)

Maple [B] time = 4.912, size = 677, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^2)

```

*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2)))-2*a^2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+4*A*a*b*(sin(1/2*d*x+1/2*c
)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1
/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*B*a^2*(sin(1
/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/
2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*
B*b^2*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^
2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*
cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2
)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*b*(A*b+2*B*a)*(-(sin(1/2*d
*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1
/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*s
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*
d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+
1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm
="maxima")

```

```

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*sqrt(cos(d*x + c)), x
)

```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((Bb^2 \sec(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx + c)^2 + (Ba^2 + 2Aab) \sec(dx + c)) \sqrt{\cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)),x, algorithm
="fricas")

```

[Out] `integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(a+b*sec(d*x+c))**2*(A+B*sec(d*x+c)), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))^2*(A+B*sec(d*x+c)), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)`

$$3.572 \quad \int \frac{(a+b \sec(c+dx))^2(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=172

$$\frac{2(3a^2A + 2abB + Ab^2) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3d} - \frac{2(5a^2B + 10aAb + 3b^2B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(5a^2B + 10aAb + 3b^2B) \sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

[Out] (-2*(10*a*A*b + 5*a^2*B + 3*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(3*a^2*A + A*b^2 + 2*a*b*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b^2*B*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*(10*a*A*b + 5*a^2*B + 3*b^2*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.374806, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2988, 3021, 2748, 2636, 2639, 2641}

$$\frac{2(3a^2A + 2abB + Ab^2) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(5a^2B + 10aAb + 3b^2B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(5a^2B + 10aAb + 3b^2B) \sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (-2*(10*a*A*b + 5*a^2*B + 3*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(3*a^2*A + A*b^2 + 2*a*b*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*b^2*B*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2)) + (2*(10*a*A*b + 5*a^2*B + 3*b^2*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2988

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[
((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^
2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*S
in[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c -
2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a
*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))*Sin[e + f*x] - b^2*B*d*(n +
1)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n
, -1]

```

Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

Rule 2636

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```


Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{(b + a \cos(c + dx))^2 (B + A \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2b^2 B \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}b(Ab + 2aB) - \frac{1}{2}(10aAb + 5a^2B + 3b^2B) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2b^2 B \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{4}{15} \int \frac{-\frac{3}{4}(10aAb + 5a^2B + 3b^2B) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2b^2 B \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{1}{3} (-3a^2A - Ab^2 - 2abB) \\
&= \frac{2(3a^2A + Ab^2 + 2abB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2b^2 B \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{3d} \\
&= -\frac{2(10aAb + 5a^2B + 3b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(3a^2A + Ab^2 + 2abB)}{3d}
\end{aligned}$$

Mathematica [A] time = 1.12825, size = 175, normalized size = 1.02

$$10(3a^2A + 2abB + Ab^2) \cos^{\frac{3}{2}}(c + dx) \text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - 6(5a^2B + 10aAb + 3b^2B) \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right)$$

15

Antiderivative was successfully verified.

[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]], x]

[Out] (-6*(10*a*A*b + 5*a^2*B + 3*b^2*B)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*(3*a^2*A + A*b^2 + 2*a*b*B)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 10*A*b^2*Sin[c + d*x] + 20*a*b*B*Sin[c + d*x] + 30*a*A*b*Sin[2*(c + d*x)] + 15*a^2*B*Sin[2*(c + d*x)] + 9*b^2*B*Sin[2*(c + d*x)] + 6*b^2*B*Tan[c + d*x])/(15*d*Cos[c + d*x]^(3/2))

Maple [B] time = 6.644, size = 750, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c))/\cos(dx+c)^{(1/2)},x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5 \\ & *B*b^2/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*b*(A*b+2*B*a)*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+2*a*(2*A*b+B*a)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\sec(dx+c))^2*(A+B*\sec(dx+c))/\cos(dx+c)^{(1/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^2}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)

$$3.573 \quad \int \frac{(a+b \sec(c+dx))^2 (A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=214

$$\frac{2(7a^2B + 14aAb + 5b^2B) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{21d} - \frac{2(5a^2A + 6abB + 3Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7a^2B + 14aAb + 5b^2B) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] (-2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*b^2*B*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2)) + (2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.396129, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2988, 3021, 2748, 2636, 2641, 2639}

$$\frac{2(7a^2B + 14aAb + 5b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} - \frac{2(5a^2A + 6abB + 3Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7a^2B + 14aAb + 5b^2B) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] (-2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*b^2*B*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2)) + (2*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Sin[c + d*x])/(21*d*Cos[c + d*x]^(3/2)) + (2*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^n_.*((g_.)*sin[(e_.) + (f_.)*(x_.)])^p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -

$a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 2988

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*(b*c - a*d)^2*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*d^{2*(n + 1)}*(c^2 - d^2)), x] - \text{Dist}[1/(d^2*(n + 1)*(c^2 - d^2)), \text{Int}[(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1))))*\text{Sin}[e + f*x] - b^2*B*d*(n + 1)*(c^2 - d^2)*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

Rule 3021

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C)*(m + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 2636

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^2 (A + B \sec(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(b + a \cos(c + dx))^2 (B + A \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2b^2 B \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}b(Ab + 2aB) - \frac{1}{2}(14aAb + 7a^2B + 5b^2B) \cos^{\frac{7}{2}}(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2b^2 B \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{4}{35} \int \frac{-\frac{5}{4}(14aAb + 7a^2B + 5b^2B) \cos^{\frac{5}{2}}(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2b^2 B \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{1}{5} (-5a^2A - 3Ab^2 - 6abB) \\
&= \frac{2b^2 B \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(14aAb + 7a^2B + 5b^2B)}{21d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2(5a^2A + 3Ab^2 + 6abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(14aAb + 7a^2B + 5b^2B)}{21d}
\end{aligned}$$

Mathematica [A] time = 4.6096, size = 191, normalized size = 0.89

$$\frac{2 \left(5(7a^2B + 14aAb + 5b^2B) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - 21(5a^2A + 6abB + 3Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{5(7a^2B + 14aAb + 5b^2B) \sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} \right)}{105d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Sec[c + d*x])^2*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2),
x]
```

```
[Out] (2*(-21*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticE[(c + d*x)/2, 2] + 5*(14*a*A
*b + 7*a^2*B + 5*b^2*B)*EllipticF[(c + d*x)/2, 2] + (15*b^2*B*Sin[c + d*x])
/Cos[c + d*x]^(7/2) + (21*b*(A*b + 2*a*B)*Sin[c + d*x])/Cos[c + d*x]^(5/2)
+ (5*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Sin[c + d*x])/Cos[c + d*x]^(3/2) + (21*
(5*a^2*A + 3*A*b^2 + 6*a*b*B)*Sin[c + d*x])/Sqrt[Cos[c + d*x]])/(105*d)
```

Maple [B] time = 8.288, size = 859, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (a+b\sec(dx+c))^2(A+B\sec(dx+c))/\cos(dx+c)^{3/2}, x$

[Out]
$$\begin{aligned} & -(-(-2\cos(1/2dx+1/2c)^2+1)\sin(1/2dx+1/2c)^2)^{1/2}*(2Bb^2*(-1/56* \\ & \cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}/(\cos(1/2dx+1/2c)^2-1/2)^4-5/42*\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+ \\ & \sin(1/2dx+1/2c)^2)^{1/2}/(\cos(1/2dx+1/2c)^2-1/2)^2+5/21*(\sin(1/2dx+1/2c)^2)^{1/2}*(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+ \\ & \sin(1/2dx+1/2c)^2)^{1/2}*EllipticF(\cos(1/2dx+1/2c), 2^{1/2})))+2a*(2A \\ & *b+B*a)*(-1/6*\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}/(\cos(1/2dx+1/2c)^2-1/2)^2+1/3*(\sin(1/2dx+1/2c)^2)^{1/2}*(- \\ & 2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticF(\cos(1/2dx+1/2c), 2^{1/2})))-2/5*b*(A*b+2*B*a)/(8*\sin(1/2dx+1/2c)^6-12*\sin(1/2dx+1/2c)^4+6*\sin(1/2dx+1/2c)^2-1)/\sin(1/2dx+1/2c)^2*(12*EllipticE(\cos(1/2dx+1/2c), 2^{1/2})*(2*\sin(1/2dx+1/2c)^2-1)^{1/2}*(\sin(1/2dx+1/2c)^2)^{1/2}*\sin(1/2dx+1/2c)^4-24*\sin(1/2dx+1/2c)^6*\cos(1/2dx+1/2c)-12*EllipticE(\cos(1/2dx+1/2c), 2^{1/2})*(2*\sin(1/2dx+1/2c)^2-1)^{1/2}*(\sin(1/2dx+1/2c)^2)^{1/2}*\sin(1/2dx+1/2c)^2)^{1/2}+24*\sin(1/2dx+1/2c)^4*\cos(1/2dx+1/2c)+3*EllipticE(\cos(1/2dx+1/2c), 2^{1/2})*(2*\sin(1/2dx+1/2c)^2-1)^{1/2}*(\sin(1/2dx+1/2c)^2)^{1/2}-8*\sin(1/2dx+1/2c)^2*\cos(1/2dx+1/2c))*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}+2a^2*A*(-(\sin(1/2dx+1/2c)^2)^{1/2}*(2*\sin(1/2dx+1/2c)^2-1)^{1/2}*EllipticE(\cos(1/2dx+1/2c), 2^{1/2}))*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}+2*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*\cos(1/2dx+1/2c)*\sin(1/2dx+1/2c)^2)/\sin(1/2dx+1/2c)^2/(2*\sin(1/2dx+1/2c)^2-1))/\sin(1/2dx+1/2c)/(2*\cos(1/2dx+1/2c)^2-1)^{1/2}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b\sec(dx+c))^2(A+B\sec(dx+c))/\cos(dx+c)^{3/2}, x, \text{algorithm} = "maxima")$

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \sec(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \sec(dx+c)^2 + (Ba^2 + 2Aab) \sec(dx+c)}{\cos(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B*b^2*sec(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*sec(d*x + c))/cos(d*x + c)^(3/2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**2*(A+B*sec(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^2}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^2*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)

$$3.574 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=182

$$\frac{2(a^2 + 3b^2)(Ab - aB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3a^4d} + \frac{2(3a^2A - 5abB + 5Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^3d} + \frac{2b^3(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}\right)}{a^4d(a + b)}$$

[Out] (2*(3*a^2*A + 5*A*b^2 - 5*a*b*B)*EllipticE[(c + d*x)/2, 2])/(5*a^3*d) - (2*(a^2 + 3*b^2)*(A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(3*a^4*d) + (2*b^3*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^4*(a + b)*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d)

Rubi [A] time = 0.855298, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2990, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(a^2 + 3b^2)(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^4d} + \frac{2(3a^2A - 5abB + 5Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^3d} + \frac{2b^3(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx)\right)}{a^4d(a + b)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] (2*(3*a^2*A + 5*A*b^2 - 5*a*b*B)*EllipticE[(c + d*x)/2, 2])/(5*a^3*d) - (2*(a^2 + 3*b^2)*(A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(3*a^4*d) + (2*b^3*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^4*(a + b)*d) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*d) + (2*A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(5*a*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.)^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2990

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

Rule 3049

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_
.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x]), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B

```

, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \sec(c + dx))}{a + b \sec(c + dx)} dx &= \int \frac{\cos^{\frac{5}{2}}(c + dx)(B + A \cos(c + dx))}{b + a \cos(c + dx)} dx \\
 &= \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad} + \frac{2 \int \frac{\sqrt{\cos(c + dx)} \left(\frac{3Ab}{2} + \frac{3}{2}aA \cos(c + dx) - \frac{5}{2}(Ab - aB) \cos^2(c + dx) \right)}{b + a \cos(c + dx)} dx}{5a} \\
 &= -\frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2d} + \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad} + \frac{4 \int \frac{\sqrt{\cos(c + dx)}}{b + a \cos(c + dx)} dx}{5} \\
 &= -\frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2d} + \frac{2A \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad} - \frac{4 \int \frac{\sqrt{\cos(c + dx)}}{b + a \cos(c + dx)} dx}{5} \\
 &= \frac{2(3a^2A + 5Ab^2 - 5abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^3d} - \frac{2(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2d} \\
 &= \frac{2(3a^2A + 5Ab^2 - 5abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^3d} - \frac{2(a^2 + 3b^2)(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^4d}
 \end{aligned}$$

Mathematica [A] time = 2.54348, size = 263, normalized size = 1.45

$$\frac{6(3a^2A - 5abB + 5Ab^2) \sin(c + dx) (2b(a + b) \text{EllipticF}(\sin^{-1}(\sqrt{\cos(c + dx)}), -1) - (a^2 - 2b^2) \Pi(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c + dx)}) | -1) - 2abE(\sin^{-1}(\sqrt{\cos(c + dx)}) | -1))}{b\sqrt{\sin^2(c + dx)}} + 2a$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] ((2*a^2*(9*a^2*A + 5*A*b^2 - 5*a*b*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + 2*a^2*(4*A*b + 5*a*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)) + 4*a^2*Sqrt[Cos[c + d*x]]*(-5*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x] + (6*(3*a^2*A + 5*A*b^2 - 5*a*b*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(b*Sqrt[Sin[c + d*x]^2])/(30*a^4*d)

Maple [B] time = 2.38, size = 1074, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((-24*A*a^4+24*A*a^3*b)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(24*A*a^4-44*A*a^3*b+20*A*a^2*b^2+20*B*a^4-20*B*a^3*b)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-6*A*a^4+16*A*a^3*b-10*A*a^2*b^2-10*B*a^4+10*B*a^3*b)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^3*b+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2-15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3+15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^4-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^4+9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3*b-15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2+15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^3-15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))*b^4+5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^4-5*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^3*b+15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b^2-15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Elliptic

$cF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a * b^3 + 15 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^3 * b - 15 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2 * b^2 + 15 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2 * a / (a - b), 2^{(1/2)}) * a * b^3 / a^4 / (a - b) / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*sec(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*sec(d*x + c) + a), x)`

$$3.575 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=136

$$\frac{2(a^2A - 3abB + 3Ab^2) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^3d} - \frac{2b^2(Ab - aB) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^3d(a+b)} - \frac{2(Ab - aB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} +$$

[Out] $(-2*(A*b - a*B)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(a^2*d) + (2*(a^2*A + 3*A*b^2 - 3*a*b*B)*\operatorname{EllipticF}[(c + d*x)/2, 2])/(3*a^3*d) - (2*b^2*(A*b - a*B)*\operatorname{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(a^3*(a + b)*d) + (2*A*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(3*a*d)$

Rubi [A] time = 0.586128, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2990, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(a^2A - 3abB + 3Ab^2)F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^3d} - \frac{2b^2(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^3d(a+b)} - \frac{2(Ab - aB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d} + \frac{2A \sin(c+dx)}{3a}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c + d*x])^{3/2}*(A + B*\operatorname{Sec}[c + d*x])]/(a + b*\operatorname{Sec}[c + d*x]), x]$

[Out] $(-2*(A*b - a*B)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(a^2*d) + (2*(a^2*A + 3*A*b^2 - 3*a*b*B)*\operatorname{EllipticF}[(c + d*x)/2, 2])/(3*a^3*d) - (2*b^2*(A*b - a*B)*\operatorname{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(a^3*(a + b)*d) + (2*A*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(3*a*d)$

Rule 2954

$\operatorname{Int}[(a_. + \operatorname{csc}[e_. + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\operatorname{csc}[e_. + (f_.)*(x_.)]*(d_. + (c_.))^{(n_.)}*((g_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(p_.)}, x_Symbol] := \operatorname{Dist}[g^{(m+n)}, \operatorname{Int}[(g*\operatorname{Sin}[e + f*x])^{(p-m-n)}*(b + a*\operatorname{Sin}[e + f*x])^{(m)}*(d + c*\operatorname{Sin}[e + f*x])^{(n)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& !\operatorname{IntegerQ}[p] \&\& \operatorname{IntegerQ}[m] \&\& \operatorname{IntegerQ}[n]$

Rule 2990

$\operatorname{Int}[(a_. + (b_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(m_.)}*((A_. + (B_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])*(c_. + (d_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := -S$

```
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```


Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{a+b\sec(c+dx)} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx)(B+A\cos(c+dx))}{b+a\cos(c+dx)} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} + \frac{2\int \frac{\frac{Ab}{2} + \frac{1}{2}aA\cos(c+dx) - \frac{3}{2}(Ab-aB)\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(b+a\cos(c+dx))} dx}{3a} \\
&= \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} - \frac{2\int \frac{-\frac{1}{2}aAb - \frac{1}{2}(a^2A+3Ab^2-3abB)\cos(c+dx)}{\sqrt{\cos(c+dx)}(b+a\cos(c+dx))} dx}{3a^2} - \frac{(Ab-aB)}{3a^2} \\
&= -\frac{2(Ab-aB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} - \frac{(b^2(Ab-aB))}{3a^2} \\
&= -\frac{2(Ab-aB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{2(a^2A+3Ab^2-3abB)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^3d} - \frac{2b^2(Ab-aB)}{3a^2}
\end{aligned}$$

Mathematica [A] time = 1.20836, size = 210, normalized size = 1.54

$$\frac{6(Ab-aB)\sin(c+dx)(2b(a+b)\text{EllipticF}(\sin^{-1}(\sqrt{\cos(c+dx)}),-1)-(a^2-2b^2)\Pi(-\frac{a}{b};-\sin^{-1}(\sqrt{\cos(c+dx)})|-1)-2abE(\sin^{-1}(\sqrt{\cos(c+dx)})|-1))}{a^2b\sqrt{\sin^2(c+dx)}} + 4A\left(\text{Ellip}\right)$$

6ad

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] ((2*(-(A*b) + 3*a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + 4*A*(EllipticF[(c + d*x)/2, 2] - (b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)) + 4*A*Sqrt[Cos[c + d*x]]*Sin[c + d*x] - (6*(A*b - a*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a^2*b*Sqrt[Sin[c + d*x]^2]))/(6*a*d)

Maple [B] time = 2.597, size = 786, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)`

[Out]
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((4*A*a^3-4*A*a^2*b)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+(-2*A*a^3+2*A*a^2*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3-A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^3+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})*b^3-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})*a*b^2)/a^3/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="
fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a), x)
```

$$3.576 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx$$

Optimal. Leaf size=89

$$-\frac{2(Ab - aB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{a^2d} + \frac{2b(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a + b)} + \frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad}$$

[Out] (2*A*EllipticE[(c + d*x)/2, 2])/(a*d) - (2*(A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(a^2*d) + (2*b*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^2*(a + b)*d)

Rubi [A] time = 0.275883, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 3002, 2639, 2803, 2641, 2805}

$$-\frac{2(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{2b(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a + b)} + \frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x]),x]

[Out] (2*A*EllipticE[(c + d*x)/2, 2])/(a*d) - (2*(A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(a^2*d) + (2*b*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^2*(a + b)*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3002

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B

, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2803

Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{a+b \sec(c+dx)} dx &= \int \frac{\sqrt{\cos(c+dx)}(B+A \cos(c+dx))}{b+a \cos(c+dx)} dx \\
 &= \frac{A \int \sqrt{\cos(c+dx)} dx}{a} - \frac{(Ab-aB) \int \frac{\sqrt{\cos(c+dx)}}{b+a \cos(c+dx)} dx}{a} \\
 &= \frac{2AE \left(\frac{1}{2}(c+dx) \middle| 2 \right)}{ad} - \frac{(Ab-aB) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a^2} + \frac{(b(Ab-aB)) \int \frac{1}{\sqrt{\cos(c+dx)}(b+a \cos(c+dx))} dx}{a^2} \\
 &= \frac{2AE \left(\frac{1}{2}(c+dx) \middle| 2 \right)}{ad} - \frac{2(Ab-aB)F \left(\frac{1}{2}(c+dx) \middle| 2 \right)}{a^2 d} + \frac{2b(Ab-aB)\Pi \left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \right)}{a^2(a+b)d}
 \end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{\cos(c + dx)}}{a + b \sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(cos(c + d*x))/(a + b*sec(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{b \sec(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a), x)
```


$$3.577 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)(a+b \sec(c+dx))}} dx$$

Optimal. Leaf size=61

$$\frac{2A \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{ad} - \frac{2(Ab - aB) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{ad(a+b)}$$

[Out] (2*A*EllipticF[(c + d*x)/2, 2])/(a*d) - (2*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*(a + b)*d)

Rubi [A] time = 0.218543, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2954, 3002, 2641, 2805}

$$\frac{2AF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{2(Ab - aB) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{ad(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])),x]

[Out] (2*A*EllipticF[(c + d*x)/2, 2])/(a*d) - (2*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*(a + b)*d)

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3002

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned} \int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)}(a + b \sec(c + dx))} dx &= \int \frac{B + A \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx \\ &= \frac{A \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{a} - \frac{(Ab - aB) \int \frac{1}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx}{a} \\ &= \frac{2AF \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{ad} - \frac{2(Ab - aB) \Pi \left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right)}{a(a + b)d} \end{aligned}$$

Mathematica [A] time = 0.221744, size = 58, normalized size = 0.95

$$\frac{2 \left(A(a + b) \text{EllipticF} \left(\frac{1}{2}(c + dx), 2 \right) + (aB - Ab) \Pi \left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right) \right)}{ad(a + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])),x]

[Out] (2*(A*(a + b)*EllipticF[(c + d*x)/2, 2] + (-A*b) + a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*(a + b)*d)

Maple [A] time = 1.973, size = 217, normalized size = 3.6

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)} (\sin(1/2 dx + c/2))^2 \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{a(a - b) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d \left(A \text{EllipticF} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x)`

[Out]
$$-2*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))*a-A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))*b+A*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))*b-B*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))*a)/a/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{(a + b \sec(c + dx))\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(1/2)/(a+b*sec(d*x+c)),x)

[Out] Integral((A + B*sec(c + d*x))/((a + b*sec(c + d*x))*sqrt(cos(c + d*x))), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)

$$3.578 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=86

$$\frac{2(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{bd(a+b)} - \frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd} + \frac{2B \sin(c+dx)}{bd\sqrt{\cos(c+dx)}}$$

[Out] $(-2*B*EllipticE[(c + d*x)/2, 2])/(b*d) + (2*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(b*(a + b)*d) + (2*B*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]])$

Rubi [A] time = 0.393183, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2954, 3000, 3059, 2639, 12, 2805}

$$\frac{2(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{bd(a+b)} - \frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd} + \frac{2B \sin(c+dx)}{bd\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(A + B*\text{Sec}[c + d*x])/(Cos[c + d*x]^{(3/2)}*(a + b*\text{Sec}[c + d*x])),x]$

[Out] $(-2*B*EllipticE[(c + d*x)/2, 2])/(b*d) + (2*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(b*(a + b)*d) + (2*B*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]])$

Rule 2954

$\text{Int}[(a_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(b_.)]^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^{(n_.)}*((g_.)*\sin[(e_.) + (f_.)*(x_.)])^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Sin}[e + f*x])^{(p-m-n)}*(b + a*\text{Sin}[e + f*x])^{(m+d+c*\text{Sin}[e + f*x])^n}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3000

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e$

```

+ f*x]]^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 12

```

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))} dx \\
&= \frac{2B \sin(c + dx)}{bd\sqrt{\cos(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}(Ab-aB) - \frac{1}{2}bB \cos(c+dx) - \frac{1}{2}aB \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(b+a \cos(c+dx))} dx}{b} \\
&= \frac{2B \sin(c + dx)}{bd\sqrt{\cos(c + dx)}} - \frac{2 \int -\frac{a(Ab-aB)}{2\sqrt{\cos(c+dx)}(b+a \cos(c+dx))} dx}{ab} - \frac{B \int \sqrt{\cos(c + dx)} dx}{b} \\
&= -\frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{bd} + \frac{2B \sin(c + dx)}{bd\sqrt{\cos(c + dx)}} + \frac{(Ab - aB) \int \frac{1}{\sqrt{\cos(c+dx)}(b+a \cos(c+dx))} dx}{b} \\
&= -\frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2 \right)}{bd} + \frac{2(Ab - aB)\Pi \left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right)}{b(a + b)d} + \frac{2B \sin(c + dx)}{bd\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [B] time = 2.49994, size = 208, normalized size = 2.42

$$\frac{2B \sin(c+dx) (-2b(a+b) \text{EllipticF}(\sin^{-1}(\sqrt{\cos(c+dx)}), -1) + (a^2 - 2b^2) \Pi(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c+dx)}) | -1) + 2abE(\sin^{-1}(\sqrt{\cos(c+dx)}) | -1))}{ab\sqrt{\sin^2(c+dx)}} - \frac{2bB \left(2 \text{EllipticF} \left(\frac{1}{2}(c + dx) \middle| 2 \right) \right)}{2bd}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/((Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])), x]

[Out] ((2*(2*A*b - 3*a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) - (2*b*B*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)))/a + (4*B*Sin[c + d*x])/Sqrt[Cos[c + d*x]] + (2*B*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/(2*b*d)

Maple [B] time = 4.391, size = 325, normalized size = 3.8

$$-\frac{1}{d} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left(-2 \frac{a(Ab - Ba) \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2}}{b(a^2 - ab) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x)`

[Out]
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*(A*b-B*a)/b/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+2*B/b*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)

$$3.579 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=150

$$\frac{2B \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3bd} - \frac{2(Ab-aB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2d} - \frac{2a(Ab-aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2d(a+b)} + \frac{2(Ab-aB)\sin(c+dx)}{b^2d\sqrt{\cos(c+dx)}}$$

[Out] (-2*(A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(b^2*d) + (2*B*EllipticF[(c + d*x)/2, 2])/(3*b*d) - (2*a*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(b^2*(a + b)*d) + (2*B*Sin[c + d*x])/(3*b*d*Cos[c + d*x]^(3/2)) + (2*(A*b - a*B)*Sin[c + d*x])/(b^2*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.835672, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$-\frac{2(Ab-aB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2d} - \frac{2a(Ab-aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2d(a+b)} + \frac{2(Ab-aB)\sin(c+dx)}{b^2d\sqrt{\cos(c+dx)}} + \frac{2BF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3bd} + \frac{2B}{3bd}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])),x]

[Out] (-2*(A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(b^2*d) + (2*B*EllipticF[(c + d*x)/2, 2])/(3*b*d) - (2*a*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(b^2*(a + b)*d) + (2*B*Sin[c + d*x])/(3*b*d*Cos[c + d*x]^(3/2)) + (2*(A*b - a*B)*Sin[c + d*x])/(b^2*d*Sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3000

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))} dx \\
&= \frac{2B \sin(c + dx)}{3bd \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{\frac{3}{2}(Ab - aB) + \frac{1}{2}bB \cos(c + dx) + \frac{1}{2}aB \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))} dx}{3b} \\
&= \frac{2B \sin(c + dx)}{3bd \cos^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB) \sin(c + dx)}{b^2 d \sqrt{\cos(c + dx)}} + \frac{4 \int \frac{\frac{1}{4}(-3aAb + 3a^2B + b^2B) - \frac{1}{4}b(3Ab - 4aB) \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx}{3b^2} \\
&= \frac{2B \sin(c + dx)}{3bd \cos^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB) \sin(c + dx)}{b^2 d \sqrt{\cos(c + dx)}} - \frac{4 \int \frac{\frac{1}{4}(3aAb - 3a^2B - b^2B) - \frac{1}{4}a^2bB \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx}{3ab^2} \\
&= -\frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d} + \frac{2B \sin(c + dx)}{3bd \cos^{\frac{3}{2}}(c + dx)} + \frac{2(Ab - aB) \sin(c + dx)}{b^2 d \sqrt{\cos(c + dx)}} + \frac{B}{b^2} \\
&= -\frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3bd} - \frac{2a(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a + b)d}
\end{aligned}$$

Mathematica [A] time = 2.31937, size = 263, normalized size = 1.75

$$\frac{6(Ab-ab)\sin(c+dx)(2b(a+b)\text{EllipticF}(\sin^{-1}(\sqrt{\cos(c+dx)}),-1)-(a^2-2b^2)\Pi(-\frac{a}{b};-\sin^{-1}(\sqrt{\cos(c+dx)})|-1)-2abE(\sin^{-1}(\sqrt{\cos(c+dx)})|-1))}{a\sqrt{\sin^2(c+dx)}} + \frac{b(8abB-6Ab)}{6b^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])),x]

[Out] ((2*b*(-9*a*A*b + 9*a^2*B + 2*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (b*(-6*A*b^2 + 8*a*b*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)))/a + (4*b^2*B*Sin[c + d*x])/Cos[c + d*x]^(3/2) + (12*b*(A*b - a*B)*Sin[c + d*x])/Sqrt[Cos[c + d*x]] - (6*(A*b - a*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*Sqrt[Sin[c + d*x]^2]))/(6*b^3*d)

Maple [B] time = 5.868, size = 466, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B/b*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+2*a^2*(A*b-B*a)/b^2/(a^2-a*b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))+2*(A*b-B*a)/b^2*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

$$3.580 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))} dx$$

Optimal. Leaf size=217

$$\frac{2(Ab - aB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3b^2d} + \frac{2(-5a^2B + 5aAb - 3b^2B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5b^3d} + \frac{2a^2(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx)\middle|2\right)}{b^3d(a + b)}$$

[Out] (2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*b^3*d) + (2*(A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(3*b^2*d) + (2*a^2*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(b^3*(a + b)*d) + (2*B*Sin[c + d*x])/(5*b*d*Cos[c + d*x]^(5/2)) + (2*(A*b - a*B)*Sin[c + d*x])/(3*b^2*d*Cos[c + d*x]^(3/2)) - (2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*Sin[c + d*x])/(5*b^3*d*sqrt[Cos[c + d*x]])

Rubi [A] time = 1.18846, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(-5a^2B + 5aAb - 3b^2B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5b^3d} + \frac{2a^2(Ab - aB)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx)\middle|2\right)}{b^3d(a + b)} - \frac{2(-5a^2B + 5aAb - 3b^2B)\sin(c + dx)}{5b^3d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])),x]

[Out] (2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*b^3*d) + (2*(A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(3*b^2*d) + (2*a^2*(A*b - a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(b^3*(a + b)*d) + (2*B*Sin[c + d*x])/(5*b*d*Cos[c + d*x]^(5/2)) + (2*(A*b - a*B)*Sin[c + d*x])/(3*b^2*d*Cos[c + d*x]^(3/2)) - (2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*Sin[c + d*x])/(5*b^3*d*sqrt[Cos[c + d*x]])

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -

a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
```

$i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3002

$\text{Int}[(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]))/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[B/d, \text{Int}[(a + b*\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2641

$\text{Int}[1/\sqrt{\sin[(c_.) + (d_.)*(x_.)]}, x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\sqrt{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]}), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\sqrt{c + d}), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{7/2}(c + dx)(a + b \sec(c + dx))} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{7/2}(c + dx)(b + a \cos(c + dx))} dx \\
&= \frac{2B \sin(c + dx)}{5bd \cos^{5/2}(c + dx)} + \frac{2 \int \frac{\frac{5}{2}(Ab - aB) + \frac{3}{2}bB \cos(c + dx) + \frac{3}{2}aB \cos^2(c + dx)}{\cos^{5/2}(c + dx)(b + a \cos(c + dx))} dx}{5b} \\
&= \frac{2B \sin(c + dx)}{5bd \cos^{5/2}(c + dx)} + \frac{2(Ab - aB) \sin(c + dx)}{3b^2d \cos^{3/2}(c + dx)} + \frac{4 \int \frac{-\frac{3}{4}(5aAb - 5a^2B - 3b^2B) + \frac{1}{4}b(5Ab + 4a^2)}{\cos^{3/2}(c + dx)(b + a \cos(c + dx))} dx}{15b} \\
&= \frac{2B \sin(c + dx)}{5bd \cos^{5/2}(c + dx)} + \frac{2(Ab - aB) \sin(c + dx)}{3b^2d \cos^{3/2}(c + dx)} - \frac{2(5aAb - 5a^2B - 3b^2B) \sin(c + dx)}{5b^3d \sqrt{\cos(c + dx)}} \\
&= \frac{2B \sin(c + dx)}{5bd \cos^{5/2}(c + dx)} + \frac{2(Ab - aB) \sin(c + dx)}{3b^2d \cos^{3/2}(c + dx)} - \frac{2(5aAb - 5a^2B - 3b^2B) \sin(c + dx)}{5b^3d \sqrt{\cos(c + dx)}} \\
&= \frac{2(5aAb - 5a^2B - 3b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d} + \frac{2B \sin(c + dx)}{5bd \cos^{5/2}(c + dx)} + \frac{2(Ab - aB) \sin(c + dx)}{3b^2d \cos^{3/2}(c + dx)} \\
&= \frac{2(5aAb - 5a^2B - 3b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d} + \frac{2(Ab - aB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2d} + \frac{2a^2 \sqrt{\cos(c + dx)}}{5b^3d}
\end{aligned}$$

Mathematica [A] time = 4.58338, size = 328, normalized size = 1.51

$$\frac{b^2(20a^2B - 20aAb + 9b^2B) \left(2 \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - \frac{2b \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} \right)}{a} + \frac{3(5a^2B - 5aAb + 3b^2B) \sin(c + dx) (-2b(a+b) \operatorname{EllipticF}(\sin^{-1}(\sqrt{\cos(c + dx)}), -1) + (a^2 - b^2) \sqrt{\sin^2(c + dx)})}{a \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])),x]

[Out] ((b*(45*a^2*A*b + 10*A*b^3 - 45*a^3*B - 19*a*b^2*B)*EllipticPi[(2*a)/(a + b)], (c + d*x)/2, 2))/(a + b) - (b^2*(-20*a*A*b + 20*a^2*B + 9*b^2*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a + b))/a + (6*b^3*B*Sin[c + d*x])/Cos[c + d*x]^(5/2) + (10*b^2*(A*b - a*B)*Sin[c + d*x])/Cos[c + d*x]^(3/2) + (6*b*(-5*a*A*b + 5*a^2*B + 3*b^2*B)*Sin[

$$\frac{c + d*x]}{\text{Sqrt}[\text{Cos}[c + d*x]]} + (3*(-5*a*A*b + 5*a^2*B + 3*b^2*B)*(2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1] - 2*b*(a + b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1] + (a^2 - 2*b^2)*\text{EllipticPi}[-(a/b), -\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1])* \text{Sin}[c + d*x]) / (a*\text{Sqrt}[\text{Sin}[c + d*x]^2]) / (15*b^4*d)$$

Maple [B] time = 7.738, size = 785, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(7/2)}/(a+b*\sec(d*x+c)), x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(A*b-B*a)/b^2 \\ & *(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 2/5/b*B/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1) / \sin(1/2*d*x+1/2*c)^2 * (12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^4 - 24*\sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) - 12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 + 24*\sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 8*\sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c)) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} - 2*(A*b-B*a)*a^3/b^3/(a^2-a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 2*a*(A*b-B*a)/b^3 * (-\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 2*(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2-1) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+b*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a) \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)*cos(d*x + c)^(7/2)), x)
```

$$3.581 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=305

$$\frac{(16a^2Ab^2 + 2a^4A - 12a^3bB + 9ab^3B - 15Ab^4) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{3a^4d(a^2 - b^2)} - \frac{(4a^2Ab - 2a^3B + 3ab^2B - 5Ab^3) E\left(\frac{1}{2}(c+dx)\right)}{a^3d(a^2 - b^2)}$$

[Out] -(((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(a^3*(a^2 - b^2)*d)) + ((2*a^4*A + 16*a^2*A*b^2 - 15*A*b^4 - 12*a^3*b*B + 9*a*b^3*B)*EllipticF[(c + d*x)/2, 2])/(3*a^4*(a^2 - b^2)*d) - (b^2*(7*a^2*A*b - 5*A*b^3 - 5*a^3*B + 3*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^4*(a - b)*(a + b)^2*d) + ((2*a^2*A - 5*A*b^2 + 3*a*b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.018, antiderivative size = 305, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2989, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{(16a^2Ab^2 + 2a^4A - 12a^3bB + 9ab^3B - 15Ab^4) F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^4d(a^2 - b^2)} - \frac{(4a^2Ab - 2a^3B + 3ab^2B - 5Ab^3) E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^3d(a^2 - b^2)} - b^2$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2,x]

[Out] -(((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(a^3*(a^2 - b^2)*d)) + ((2*a^4*A + 16*a^2*A*b^2 - 15*A*b^4 - 12*a^3*b*B + 9*a*b^3*B)*EllipticF[(c + d*x)/2, 2])/(3*a^4*(a^2 - b^2)*d) - (b^2*(7*a^2*A*b - 5*A*b^3 - 5*a^3*B + 3*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^4*(a - b)*(a + b)^2*d) + ((2*a^2*A - 5*A*b^2 + 3*a*b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*Cos[c + d*x]))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dis

```
t[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c
*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e
_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(B+A \cos(c+dx))}{(b+a \cos(c+dx))^2} dx \\
&= \frac{b(Ab-aB) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d(b+a \cos(c+dx))} + \int \frac{\sqrt{\cos(c+dx)} \left(\frac{3}{2}b(Ab-aB) - a(Ab-aB) \cos(c+dx) \right)}{b+a \cos(c+dx)} dx \\
&= \frac{(2a^2A-5Ab^2+3abB) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2(a^2-b^2)d} + \frac{b(Ab-aB) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d(b+a \cos(c+dx))} \\
&= \frac{(2a^2A-5Ab^2+3abB) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2(a^2-b^2)d} + \frac{b(Ab-aB) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d(b+a \cos(c+dx))} \\
&= -\frac{(4a^2Ab-5Ab^3-2a^3B+3ab^2B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^3(a^2-b^2)d} + \frac{(2a^2A-5Ab^2+3abB) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2(a^2-b^2)d} \\
&= -\frac{(4a^2Ab-5Ab^3-2a^3B+3ab^2B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^3(a^2-b^2)d} + \frac{(2a^4A+16a^2Ab^2-15a^2Bb^2) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2(a^2-b^2)d}
\end{aligned}$$

Mathematica [A] time = 3.39989, size = 320, normalized size = 1.05

$$4 \sin(c+dx) \sqrt{\cos(c+dx)} \left(\frac{3b^2(Ab-aB)}{(b^2-a^2)(a \cos(c+dx)+b)} + 2A \right) - \frac{8(a^2A-3abB+2Ab^2) \left((a+b) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - b \Pi\left(\frac{2a}{a+b}, \frac{1}{2}(c+dx) \middle| 2\right) \right)}{a+b} - \frac{6(-4a^2Ab+2a^3B-3ab^2B) \sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2(a^2-b^2)d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] (4*sqrt[Cos[c + d*x]]*(2*A + (3*b^2*(A*b - a*B))/((-a^2 + b^2)*(b + a*cos[c + d*x])))*Sin[c + d*x] - ((2*(-8*a^2*A*b + 5*A*b^3 + 6*a^3*B - 3*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(a^2*A + 2*A*b^2 - 3*a*b*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a + b) - (6*(-4*a^2*A*b + 5*A*b^3 + 2*a^3*B - 3*a*b^2*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a^2*b*sqrt[Sin[c + d*x]^2]))/((-a +

b)*(a + b)))/(12*a^2*d)

Maple [B] time = 7.568, size = 1059, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{3/2}*(A+B*\sec(dx+c))/(a+b*\sec(dx+c))^2,x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2/3/a^4*(4*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}) \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2})+9*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}) \\ & +6*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2^{1/2})*a*b-2*A*a^2*\cos(1/2*d*x+1/2*c) \\ & *\sin(1/2*d*x+1/2*c)^2-6*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}) \\ & -3*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2^{1/2})*a^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & +2*b^3*(A*b-B*a)/a^4*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & /((2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2} \\ & /(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2^{1/2}) \\ & -1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{1/2}))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{1/2}))) \\ & +2/a^3*b^2*(4*A*b-3*B*a)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{1/2}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^2, x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^2, x)
```

$$3.582 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=223

$$\frac{(4a^2Ab - 2a^3B + ab^2B - 3Ab^3) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{a^3d(a^2 - b^2)} + \frac{(2a^2A + abB - 3Ab^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d(a^2 - b^2)} + \frac{b(5a^2Ab - 3a^3B)}{a^3d(a^2 - b^2)}$$

[Out] $((2*a^2*A - 3*A*b^2 + a*b*B)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(a^2*(a^2 - b^2)*d) - ((4*a^2*A*b - 3*A*b^3 - 2*a^3*B + a*b^2*B)*\operatorname{EllipticF}[(c + d*x)/2, 2])/(a^3*(a^2 - b^2)*d) + (b*(5*a^2*A*b - 3*A*b^3 - 3*a^3*B + a*b^2*B)*\operatorname{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(a^3*(a - b)*(a + b)^2*d) + (b*(A*b - a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*(b + a*\operatorname{Cos}[c + d*x]))$

Rubi [A] time = 0.702195, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2989, 3059, 2639, 3002, 2641, 2805}

$$\frac{(4a^2Ab - 2a^3B + ab^2B - 3Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^3d(a^2 - b^2)} + \frac{(2a^2A + abB - 3Ab^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d(a^2 - b^2)} + \frac{b(5a^2Ab - 3a^3B + ab^2B)}{a^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x]))/(a + b*\operatorname{Sec}[c + d*x])^2, x]$

[Out] $((2*a^2*A - 3*A*b^2 + a*b*B)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(a^2*(a^2 - b^2)*d) - ((4*a^2*A*b - 3*A*b^3 - 2*a^3*B + a*b^2*B)*\operatorname{EllipticF}[(c + d*x)/2, 2])/(a^3*(a^2 - b^2)*d) + (b*(5*a^2*A*b - 3*A*b^3 - 3*a^3*B + a*b^2*B)*\operatorname{EllipticPi}[(2*a)/(a + b), (c + d*x)/2, 2])/(a^3*(a - b)*(a + b)^2*d) + (b*(A*b - a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*(b + a*\operatorname{Cos}[c + d*x]))$

Rule 2954

$\operatorname{Int}[(a_. + \operatorname{csc}[e_. + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\operatorname{csc}[e_. + (f_.)*(x_.)]*(d_. + (c_.))^{(n_.)}*((g_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(p_.)}, x_Symbol] := \operatorname{Dist}[g^{(m+n)}, \operatorname{Int}[(g*\operatorname{Sin}[e + f*x])^{(p-m-n)}*(b + a*\operatorname{Sin}[e + f*x])^m*(d + c*\operatorname{Sin}[e + f*x])^n, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& !\operatorname{IntegerQ}[p] \&\& \operatorname{IntegerQ}[m] \&\& \operatorname{IntegerQ}[n]$

Rule 2989

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3002

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])^n/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c

```

, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^2} dx &= \int \frac{\cos^{\frac{3}{2}}(c+dx)(B+A \cos(c+dx))}{(b+a \cos(c+dx))^2} dx \\
 &= \frac{b(Ab-aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{a(a^2-b^2)d(b+a \cos(c+dx))} + \frac{\int \frac{\frac{1}{2}b(Ab-aB)-a(Ab-aB) \cos(c+dx)+\frac{1}{2}(2a^2A-3a^2B) \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(b+a \cos(c+dx))} dx}{a(a^2-b^2)} \\
 &= \frac{b(Ab-aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{a(a^2-b^2)d(b+a \cos(c+dx))} - \frac{\int \frac{-\frac{1}{2}ab(Ab-aB)+\frac{1}{2}(4a^2Ab-3Ab^3-2a^3B+ab^2B) \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(b+a \cos(c+dx))} dx}{a^2(a^2-b^2)} \\
 &= \frac{(2a^2A-3Ab^2+abB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2(a^2-b^2)d} + \frac{b(Ab-aB)\sqrt{\cos(c+dx)} \sin(c+dx)}{a(a^2-b^2)d(b+a \cos(c+dx))} \\
 &= \frac{(2a^2A-3Ab^2+abB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2(a^2-b^2)d} - \frac{(4a^2Ab-3Ab^3-2a^3B+ab^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^3(a^2-b^2)d}
 \end{aligned}$$

Mathematica [A] time = 2.81339, size = 283, normalized size = 1.27

$$\frac{2(2a^2A+abB-3Ab^2) \sin(c+dx) \left(-2b(a+b) \operatorname{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c+dx)}), -1\right) + (a^2-2b^2) \Pi\left(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) + 2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) \right)}{a^2b\sqrt{\sin^2(c+dx)}} + \frac{8(aB-Ab) \left((a+b) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx)\middle|2\right) \right)}{(a-b)(a+b)}$$

$4ad$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^2, x]

[Out] ((4*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*(b + a*Cos[c + d*x])) + ((2*(2*a^2*A - A*b^2 - a*b*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(-(A*b) + a*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a + b) - (2*(2*a^2*A - 3*A*b^2 + a*b*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a^2*b*Sqrt[Sin[c + d*x])

$$^2]))/((a - b)*(a + b)))/(4*a*d)$$

Maple [B] time = 6.337, size = 843, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x)`

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/a^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})* \\ & b+A*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a-B*EllipticF(\cos(1/2*d*x+1/2*c), \\ & 2^{(1/2)})*a)-2*b^2*(A*b-B*a)/a^3*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a*b \\ &)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ &)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d* \\ & x+1/2*c),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/ \\ & 2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &)*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(\\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^ \\ & 2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(\\ & 1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/ \\ & 2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+si \\ & n(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})) \\ & -2/a^2*b*(3*A*b-2*B*a)/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\ & llipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(\\ & 1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm
="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a)^2, x
)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{\cos(c + dx)}}{(a + b \sec(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sqrt(cos(c + d*x))/(a + b*sec(c + d*x))**2, x
)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^2,x, algorithm  
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a)^2, x  
)
```

$$3.583 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)(a+b \sec(c+dx))^2}} dx$$

Optimal. Leaf size=203

$$\frac{(2a^2A - abB - Ab^2) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{a^2d(a^2 - b^2)} + \frac{(Ab - aB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad(a^2 - b^2)} - \frac{(3a^2Ab + a^3(-B) - ab^2B - Ab^3) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{a^2d(a-b)(a+b)^2}$$

```
[Out] ((A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(a*(a^2 - b^2)*d) + ((2*a^2*A - A*b^2 - a*b*B)*EllipticF[(c + d*x)/2, 2])/(a^2*(a^2 - b^2)*d) - ((3*a^2*A*b - A*b^3 - a^3*B - a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^2*(a - b)*(a + b)^2*d) - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*(b + a*Cos[c + d*x]))
```

Rubi [A] time = 0.613571, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 2999, 3059, 2639, 3002, 2641, 2805}

$$\frac{(2a^2A - abB - Ab^2) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2d(a^2 - b^2)} + \frac{(Ab - aB)E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad(a^2 - b^2)} - \frac{(3a^2Ab + a^3(-B) - ab^2B - Ab^3) \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx)\right)}{a^2d(a-b)(a+b)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^2), x]
```

```
[Out] ((A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(a*(a^2 - b^2)*d) + ((2*a^2*A - A*b^2 - a*b*B)*EllipticF[(c + d*x)/2, 2])/(a^2*(a^2 - b^2)*d) - ((3*a^2*A*b - A*b^3 - a^3*B - a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a^2*(a - b)*(a + b)^2*d) - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*(b + a*Cos[c + d*x]))
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2999

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,

```

0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)}(a + b \sec(c + dx))^2} dx &= \int \frac{\sqrt{\cos(c + dx)}(B + A \cos(c + dx))}{(b + a \cos(c + dx))^2} dx \\
 &= -\frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \cos(c + dx))} + \int \frac{\frac{1}{2}(-Ab + aB) + (aA - bB)\cos(c + dx) + \frac{1}{2}(Ab - aB)\cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx \\
 &= -\frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \cos(c + dx))} - \frac{\int \frac{\frac{1}{2}a(Ab - aB) - \frac{1}{2}(2a^2A - Ab^2 - abB)\cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx}{a(a^2 - b^2)} \\
 &= \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2)d} - \frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \cos(c + dx))} + \frac{(2a^2A - Ab^2 - abB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2(a^2 - b^2)d} \\
 &= \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2)d} + \frac{(2a^2A - Ab^2 - abB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2(a^2 - b^2)d} - \frac{(3a^2Ab - Ab^3 - a^3B)\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \cos(c + dx))}
 \end{aligned}$$

Mathematica [A] time = 2.506, size = 263, normalized size = 1.3

$$\frac{4(aB - Ab)\sin(c + dx)\sqrt{\cos(c + dx)}}{(a^2 - b^2)(a \cos(c + dx) + b)} - \frac{2(Ab - aB)\sin(c + dx)\left(2b(a + b)\text{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c + dx)}), -1\right) - (a^2 - 2b^2)\Pi\left(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right)\right)}{a^2b\sqrt{\sin^2(c + dx)}}}{(b - a)(a + b)}$$

4d

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^2), x]

[Out] ((4*(-(A*b) + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*(b + a*Cos[c + d*x])) - ((2*(-(A*b) + a*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + ((4*a*A - 4*b*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)))/a + (2*(A*b - a*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a^2*b*Sqrt[Sin[c + d*x]^2]))/((-a + b)*(a + b)))/

(4*d)

Maple [B] time = 5.03, size = 802, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2/cos(d*x+c)^(1/2),x)`

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*b*(A*b-B*a)/a^2*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))-2*(-2*A*b+B*a)/a/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**2/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*sqrt(cos(d*x + c))), x)

$$3.584 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=197

$$\frac{(Ab - aB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{ad(a^2 - b^2)} - \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} + \frac{(a^2Ab + a^3B - 3ab^2B + Ab^3)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{abd(a-b)(a+b)^2} +$$

[Out] -(((A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(b*(a^2 - b^2)*d)) - ((A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(a*(a^2 - b^2)*d) + ((a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*(a - b)*b*(a + b)^2*d) + (a*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(b + a*Cos[c + d*x]))

Rubi [A] time = 0.666893, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2954, 3000, 3059, 2639, 3002, 2641, 2805}

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} - \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} + \frac{(a^2Ab + a^3B - 3ab^2B + Ab^3)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{abd(a-b)(a+b)^2} + \frac{a(Ab - aB)}{bd(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2), x]

[Out] -(((A*b - a*B)*EllipticE[(c + d*x)/2, 2])/(b*(a^2 - b^2)*d)) - ((A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(a*(a^2 - b^2)*d) + ((a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a*(a - b)*b*(a + b)^2*d) + (a*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*(b + a*Cos[c + d*x]))

Rule 2954

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
```

```

+ (f_.)*(x_)]], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^2} dx &= \int \frac{B + A \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2} dx \\
&= \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(b + a \cos(c + dx))} - \int \frac{\frac{1}{2}(-aAb - a^2B + 2b^2B) + b(Ab - aB) \cos(c + dx) + \frac{1}{2}a(Ab - aB)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx \\
&= \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(b + a \cos(c + dx))} + \int \frac{\frac{1}{2}a(aAb + a^2B - 2b^2B) - \frac{1}{2}ab(Ab - aB) \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx \\
&= -\frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2)d} + \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(b + a \cos(c + dx))} - \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a} \\
&= -\frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2)d} - \frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2)d} + \frac{(a^2Ab + Ab^3 + a^3B)}{a(a^2 - b^2)}
\end{aligned}$$

Mathematica [A] time = 2.7206, size = 276, normalized size = 1.4

$$\frac{\frac{2(Ab - aB) \sin(c + dx) \left(2b(a + b) \operatorname{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c + dx)}), -1\right) - (a^2 - 2b^2) \Pi\left(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c + dx)}), -1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c + dx)}), -1\right) \right)}{ab\sqrt{\sin^2(c + dx)}} + \frac{4b(aB - Ab) \left(2\operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - \frac{2b\Pi\left(\frac{2}{a}\right)}{a} \right)}{a}}{(a - b)(a + b)}$$

$$4bd$$

Antiderivative was successfully verified.

```

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^2),
x]

```

```

[Out] ((-4*a*(-(A*b) + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*(b + a*
Cos[c + d*x])) + ((2*(a*A*b + 3*a^2*B - 4*b^2*B)*EllipticPi[(2*a)/(a + b),
(c + d*x)/2, 2])/(a + b) + (4*b*(-(A*b) + a*B)*(2*EllipticF[(c + d*x)/2, 2]
- (2*b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b)))/a - (2*(A*b -
a*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*b*(a + b)*Ellipt

```

```
icF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a^2 - 2*b^2)*EllipticPi[-(a/b), -Arc
Sin[Sqrt[Cos[c + d*x]]], -1]*Sin[c + d*x]/(a*b*Sqrt[Sin[c + d*x]^2]))/((a
- b)*(a + b))/(4*b*d)
```

Maple [B] time = 4.72, size = 715, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*(-A*b+B*a)/a*
(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/
2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c
)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1
/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*a/b/(a^2-b
^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2
^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*
c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Elliptic
E(cos(1/2*d*x+1/2*c),2^(1/2))-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+si
n(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))+
3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/
2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipt
icPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2)))-2*A/(a^2-a*b)*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(
1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2)))/s
in(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm
="maxima")
```

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*cos(d*x + c)^(3/2)), x)

$$3.585 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=255

$$\frac{(Ab - aB)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{bd(a^2 - b^2)} + \frac{(-3a^2B + aAb + 2b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a^2 - b^2)} + \frac{(a^2Ab - 3a^3B + 5ab^2B - 3Ab^3)\Pi\left(\frac{2a}{a+b}\right)}{b^2d(a-b)(a+b)^2}$$

```
[Out] ((a*A*b - 3*a^2*B + 2*b^2*B)*EllipticE[(c + d*x)/2, 2])/(b^2*(a^2 - b^2)*d)
+ ((A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(b*(a^2 - b^2)*d) + ((a^2*A*b -
3*A*b^3 - 3*a^3*B + 5*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(
(a - b)*b^2*(a + b)^2*d) - ((a*A*b - 3*a^2*B + 2*b^2*B)*Sin[c + d*x])/(b^2*
(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]) + (a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 -
b^2)*d*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x]))
```

Rubi [A] time = 0.944142, antiderivative size = 255, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} + \frac{(-3a^2B + aAb + 2b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a^2 - b^2)} + \frac{(a^2Ab - 3a^3B + 5ab^2B - 3Ab^3)\Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx)\right)}{b^2d(a-b)(a+b)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2), x]
```

```
[Out] ((a*A*b - 3*a^2*B + 2*b^2*B)*EllipticE[(c + d*x)/2, 2])/(b^2*(a^2 - b^2)*d)
+ ((A*b - a*B)*EllipticF[(c + d*x)/2, 2])/(b*(a^2 - b^2)*d) + ((a^2*A*b -
3*A*b^3 - 3*a^3*B + 5*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(
(a - b)*b^2*(a + b)^2*d) - ((a*A*b - 3*a^2*B + 2*b^2*B)*Sin[c + d*x])/(b^2*
(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]) + (a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 -
b^2)*d*Sqrt[Cos[c + d*x]]*(b + a*Cos[c + d*x]))
```

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c
*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
```

$a*d, 0] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 3000

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n)}, x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^{(1+n)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1 / ((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^n * \text{Simp}[(a*A - b*B)*(b*c - a*d)*(m+1) + b*d*(A*b - a*B)*(m+n+2) + (A*b - a*B)*(a*d*(m+1) - b*c*(m+2))*\sin[e + f*x] - b*d*(A*b - a*B)*(m+n+3)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{RationalQ}[m] \&\& m < -1 \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

Rule 3055

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)^{(n)}, x_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^{(n+1)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1 / ((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^n * \text{Simp}[(m+1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m+n+2) - (c*(A*b^2 - a*b*B + a^2*C) + (m+1)*(b*c - a*d)*(A*b - a*B + b*C))*\sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m+n+3)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

Rule 3059

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2 / (\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[C / (b*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[1 / (b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\sin[e + f*x], x] / (\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P$

$i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3002

$\text{Int}[(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]))/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[B/d, \text{Int}[(a + b*\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2641

$\text{Int}[1/\sqrt{\sin[(c_.) + (d_.)*(x_.)]}, x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\sqrt{(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]}), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\sqrt{c + d}), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^2} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^2} dx \\
&= \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))} - \frac{\int \frac{\frac{1}{2}(aAb - 3a^2B + 2b^2B) + b(Ab - aB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))} dx}{b(a^2 - b^2) d} \\
&= -\frac{(aAb - 3a^2B + 2b^2B) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))} \\
&= -\frac{(aAb - 3a^2B + 2b^2B) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))} \\
&= \frac{(aAb - 3a^2B + 2b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2) d} - \frac{(aAb - 3a^2B + 2b^2B) \sin(c + dx)}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))} \\
&= \frac{(aAb - 3a^2B + 2b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2) d} + \frac{(Ab - aB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2) d} + \frac{(a^2Ab - 2a^2B + 2b^2B) \sin(c + dx)}{b^2(a^2 - b^2) d}
\end{aligned}$$

Mathematica [A] time = 4.37372, size = 319, normalized size = 1.25

$$4\sqrt{\cos(c + dx)} \left(\frac{a^2(aB - Ab) \sin(c + dx)}{(a^2 - b^2)(a \cos(c + dx) + b)} + 2B \tan(c + dx) \right) - \frac{8b(-2a^2B + aAb + b^2B) \left((a+b) \text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - b \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \right)}{a(a+b)} - \frac{2(3a^2B - aAb - 2b^2B) \sin(c + dx)}{4b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^2), x]

[Out] (-(((2*(-3*a^2*A*b + 4*A*b^3 + 9*a^3*B - 10*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) - (8*b*(a*A*b - 2*a^2*B + b^2*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a*(a + b)) - (2*(-(a*A*b) + 3*a^2*B - 2*b^2*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/((a - b)*(a + b))) + 4*Sqrt[Cos[c + d*x]]*((a^2*(-(A*b) + a*B)*Sin[c + d*x])/(a^2 - b^2)*(b + a*Cos[c + d*x])) + 2*

$B \cdot \tan[c + d \cdot x]) / (4 \cdot b^2 \cdot d)$

Maple [B] time = 6.725, size = 877, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B \cdot \sec(dx+c)) / \cos(dx+c)^{(5/2)} / (a+b \cdot \sec(dx+c))^2, x)$

[Out]
$$-(-(-2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2+1) \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot (A \cdot b - B \cdot a) / b \cdot (a^2/b / (a^2-b^2) \cdot \cos(1/2 \cdot dx+1/2 \cdot c) \cdot (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} / (2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2 \cdot a - a + b) - 1/2 / (a+b) / b \cdot (\sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot (-2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2+1)^{(1/2)} / (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot \text{EllipticF}(\cos(1/2 \cdot dx+1/2 \cdot c), 2^{(1/2)}) + 1/2 \cdot a/b / (a^2-b^2) \cdot (\sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot (-2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2+1)^{(1/2)} / (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot \text{EllipticF}(\cos(1/2 \cdot dx+1/2 \cdot c), 2^{(1/2)}) - 1/2 \cdot a/b / (a^2-b^2) \cdot (\sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot (-2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2+1)^{(1/2)} / (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot \text{EllipticE}(\cos(1/2 \cdot dx+1/2 \cdot c), 2^{(1/2)}) - 1/2 / b / (a^2-b^2) / (a^2-a \cdot b) \cdot a^3 \cdot (\sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot (-2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2+1)^{(1/2)} / (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot \text{EllipticPi}(\cos(1/2 \cdot dx+1/2 \cdot c), 2 \cdot a / (a-b), 2^{(1/2)}) + 3/2 \cdot b / (a^2-b^2) / (a^2-a \cdot b) \cdot a \cdot (\sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot (-2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2+1)^{(1/2)} / (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot \text{EllipticPi}(\cos(1/2 \cdot dx+1/2 \cdot c), 2 \cdot a / (a-b), 2^{(1/2)}) + 2 \cdot B \cdot a^2 / b^2 / (a^2-a \cdot b) \cdot (\sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot (-2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2+1)^{(1/2)} / (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot \text{EllipticPi}(\cos(1/2 \cdot dx+1/2 \cdot c), 2 \cdot a / (a-b), 2^{(1/2)}) + 2 \cdot B / b^2 \cdot (-\sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^2-1)^{(1/2)} \cdot \text{EllipticE}(\cos(1/2 \cdot dx+1/2 \cdot c), 2^{(1/2)}) \cdot (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} + 2 \cdot (-2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^4 + \sin(1/2 \cdot dx+1/2 \cdot c)^2)^{(1/2)} \cdot \cos(1/2 \cdot dx+1/2 \cdot c) \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^2 / \sin(1/2 \cdot dx+1/2 \cdot c)^2 / (2 \cdot \sin(1/2 \cdot dx+1/2 \cdot c)^2-1) / \sin(1/2 \cdot dx+1/2 \cdot c) / (2 \cdot \cos(1/2 \cdot dx+1/2 \cdot c)^2-1)^{(1/2)} / d$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^2,x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^2,x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^2,x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*cos(d*x + c)^(5/2)),
x)
```

$$3.586 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^2} dx$$

Optimal. Leaf size=346

$$\frac{(-5a^2B + 3aAb + 2b^2B) \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), 2\right)}{3b^2d(a^2 - b^2)} - \frac{(3a^2Ab - 5a^3B + 4ab^2B - 2Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3d(a^2 - b^2)} - \frac{a(3a^2Ab - 5a^3B + 7ab^2B - 2Ab^3)}{b^3}$$

[Out] -((((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b^2*B)*EllipticE[(c + d*x)/2, 2]))/(b^3*(a^2 - b^2)*d) - ((3*a*A*b - 5*a^2*B + 2*b^2*B)*EllipticF[(c + d*x)/2, 2])/(3*b^2*(a^2 - b^2)*d) - (a*(3*a^2*A*b - 5*A*b^3 - 5*a^3*B + 7*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a - b)*b^3*(a + b)^2*d - ((3*a*A*b - 5*a^2*B + 2*b^2*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)) + ((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b^2*B)*Sin[c + d*x])/(b^3*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]) + (a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.31062, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-5a^2B + 3aAb + 2b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2d(a^2 - b^2)} - \frac{(3a^2Ab - 5a^3B + 4ab^2B - 2Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3d(a^2 - b^2)} - \frac{a(3a^2Ab - 5a^3B + 7ab^2B - 2Ab^3)}{b^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^2), x]

[Out] -((((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b^2*B)*EllipticE[(c + d*x)/2, 2]))/(b^3*(a^2 - b^2)*d) - ((3*a*A*b - 5*a^2*B + 2*b^2*B)*EllipticF[(c + d*x)/2, 2])/(3*b^2*(a^2 - b^2)*d) - (a*(3*a^2*A*b - 5*A*b^3 - 5*a^3*B + 7*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a - b)*b^3*(a + b)^2*d - ((3*a*A*b - 5*a^2*B + 2*b^2*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)) + ((3*a^2*A*b - 2*A*b^3 - 5*a^3*B + 4*a*b^2*B)*Sin[c + d*x])/(b^3*(a^2 - b^2)*d*sqrt[Cos[c + d*x]]) + (a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x]))

Rule 2954

```

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*SIN[e + f*x])^(p - m - n)*(b + a*SIN[e + f*x])^m*(d + c
*SIN[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

```

Rule 3000

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*SIN[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*SIN[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*SIN[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*SIN[e
+ f*x], x]/(Sqrt[a + b*SIN[e + f*x]]*(c + d*SIN[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^2} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))^2} dx \\
&= \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))} - \frac{\int \frac{\frac{1}{2}(3aAb - 5a^2B + 2b^2B) + b(Ab - aB) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))} dx}{b(a^2 - b^2)} \\
&= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))} \\
&= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} + \frac{(3a^2Ab - 2Ab^3 - 5a^3B + 4ab^2B) \sin(c + dx)}{b^3(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} + \frac{(3a^2Ab - 2Ab^3 - 5a^3B + 4ab^2B) \sin(c + dx)}{b^3(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(3a^2Ab - 2Ab^3 - 5a^3B + 4ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3(a^2 - b^2) d} - \frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{(3a^2Ab - 2Ab^3 - 5a^3B + 4ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3(a^2 - b^2) d} - \frac{(3aAb - 5a^2B + 2b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2(a^2 - b^2)}
\end{aligned}$$

Mathematica [A] time = 6.90735, size = 429, normalized size = 1.24

$$\frac{(-24a^2Ab^2 + 40a^3bB - 28ab^3B + 12Ab^4) \left(2\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - \frac{2b\text{Pi}\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} \right)}{a} + \frac{(-9a^3Ab - 12a^2b^2B + 15a^4B + 6aAb^3) \sin(c + dx) \cos(2(c + dx)) (4b(a + b)\text{EllipticPi}\left(\frac{2a}{a+b}, \frac{c + dx}{2}, 2\right) - (2a + b)\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right))}{12b}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^2), x]

[Out] ((2*(-27*a^3*A*b + 30*a*A*b^3 + 45*a^4*B - 44*a^2*b^2*B - 4*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + ((-24*a^2*A*b^2 + 12*A*b^4 + 40*a^3*b*B - 28*a*b^3*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a

$$\begin{aligned} &)/(a + b), (c + d*x)/2, 2]/(a + b))/a + ((-9*a^3*A*b + 6*a*A*b^3 + 15*a^4 \\ &*B - 12*a^2*b^2*B)*\text{Cos}[2*(c + d*x)]*(-4*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d \\ &*x]]], -1] + 4*b*(a + b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1] - 2*(a^2 \\ &- 2*b^2)*\text{EllipticPi}[-(a/b), -\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]]], -1]*\text{Sin}[c + d*x] \\ &)/(a^2*b*\text{Sqrt}[1 - \text{Cos}[c + d*x]^2]*(-1 + 2*\text{Cos}[c + d*x]^2)))/(12*(a - b)*b^3 \\ &*(a + b)*d + (\text{Sqrt}[\text{Cos}[c + d*x]]*((2*\text{Sec}[c + d*x]*(A*b*\text{Sin}[c + d*x] - 2*a* \\ &B*\text{Sin}[c + d*x]))/b^3 + (-(a^3*A*b*\text{Sin}[c + d*x]) + a^4*B*\text{Sin}[c + d*x]))/(b^3* \\ &(-a^2 + b^2)*(b + a*\text{Cos}[c + d*x])) + (2*B*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(3*b^2 \\ &)))/d \end{aligned}$$

Maple [B] time = 9.885, size = 1024, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\text{sec}(d*x+c))/\text{cos}(d*x+c)^{(7/2)}/(a+b*\text{sec}(d*x+c))^2, x)$

[Out]
$$\begin{aligned} &-(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*(A*b-B*a)*a/ \\ &b^2*(a^2/b/(a^2-b^2)*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d* \\ &x+1/2*c)^2)^{(1/2)}/(2*\text{cos}(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\text{sin}(1/2*d*x+ \\ &1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+s \\ &\text{in}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*a/b/(a \\ &^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\ &\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2* \\ &c), 2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+ \\ &1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{El li \\ &pticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\text{sin}(1/2*d* \\ &x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^ \\ &4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\text{cos}(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/ \\ &2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d* \\ &x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{El \\ &lipticPi}(\text{cos}(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}))+2*a^2*(A*b-2*B*a)/b^3/(a^2- \\ &a*b)*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin} \\ &(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\text{cos}(1/2*d*x+1/2*c) \\ &, 2*a/(a-b), 2^{(1/2)})+2/b^2*B*(-1/6*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c) \\ &^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(\text{cos}(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\text{sin}(1/2*d* \\ &x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^ \\ &4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}))+2*(A*b \\ &-2*B*a)/b^3*(-\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ &*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x \\ &+1/2*c)^2)^{(1/2)}+2*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{cos} \end{aligned}$$

$$\frac{(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+b*sec(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^2 \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^2,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^2*cos(d*x + c)^(7/2)), x)

$$3.587 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=461

$$\frac{(128a^4Ab^2 - 223a^2Ab^4 + 8a^6A + 99a^3b^3B - 72a^5bB - 45ab^5B + 105Ab^6) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - (-65a^2Ab^3 + 24a^4)}{12a^5d(a^2 - b^2)^2}$$

```
[Out] -((24*a^4*A*b - 65*a^2*A*b^3 + 35*A*b^5 - 8*a^5*B + 29*a^3*b^2*B - 15*a*b^4*B)*EllipticE[(c + d*x)/2, 2])/(4*a^4*(a^2 - b^2)^2*d) + ((8*a^6*A + 128*a^4*A*b^2 - 223*a^2*A*b^4 + 105*A*b^6 - 72*a^5*b*B + 99*a^3*b^3*B - 45*a*b^5*B)*EllipticF[(c + d*x)/2, 2])/(12*a^5*(a^2 - b^2)^2*d) - (b^2*(63*a^4*A*b - 86*a^2*A*b^3 + 35*A*b^5 - 35*a^5*B + 38*a^3*b^2*B - 15*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^5*(a - b)^2*(a + b)^3*d) + ((8*a^4*A - 61*a^2*A*b^2 + 35*A*b^4 + 33*a^3*b*B - 15*a*b^3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(12*a^3*(a^2 - b^2)^2*d) + (b*(A*b - a*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(b + a*cos[c + d*x])^2) + (b*(13*a^2*A*b - 7*A*b^3 - 9*a^3*B + 3*a*b^2*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(b + a*cos[c + d*x]))
```

Rubi [A] time = 1.58464, antiderivative size = 461, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2954, 2989, 3047, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{(128a^4Ab^2 - 223a^2Ab^4 + 8a^6A + 99a^3b^3B - 72a^5bB - 45ab^5B + 105Ab^6) F\left(\frac{1}{2}(c+dx) \middle| 2\right) - (-65a^2Ab^3 + 24a^4Ab + 29a^4)}{12a^5d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]
```

```
[Out] -((24*a^4*A*b - 65*a^2*A*b^3 + 35*A*b^5 - 8*a^5*B + 29*a^3*b^2*B - 15*a*b^4*B)*EllipticE[(c + d*x)/2, 2])/(4*a^4*(a^2 - b^2)^2*d) + ((8*a^6*A + 128*a^4*A*b^2 - 223*a^2*A*b^4 + 105*A*b^6 - 72*a^5*b*B + 99*a^3*b^3*B - 45*a*b^5*B)*EllipticF[(c + d*x)/2, 2])/(12*a^5*(a^2 - b^2)^2*d) - (b^2*(63*a^4*A*b - 86*a^2*A*b^3 + 35*A*b^5 - 35*a^5*B + 38*a^3*b^2*B - 15*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^5*(a - b)^2*(a + b)^3*d) + ((8*a^4*A - 61*a^2*A*b^2 + 35*A*b^4 + 33*a^3*b*B - 15*a*b^3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(12*a^3*(a^2 - b^2)^2*d) + (b*(A*b - a*B)*Cos[c + d*x]^(5/2)*Sin
```

$$\frac{[c + d*x]}{(2*a*(a^2 - b^2)*d*(b + a*\cos[c + d*x])^2} + \frac{(b*(13*a^2*A*b - 7*A*b^3 - 9*a^3*B + 3*a*b^2*B)*\cos[c + d*x]^{3/2}*\sin[c + d*x])}{(4*a^2*(a^2 - b^2)^2*d*(b + a*\cos[c + d*x])}$$

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c
*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
```

```
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{7}{2}}(c+dx)(B+A\cos(c+dx))}{(b+a\cos(c+dx))^3} dx \\
&= \frac{b(Ab-aB)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2a(a^2-b^2)d(b+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5}{2}b(Ab-aB)-2a(Ab-aB)\cos(c+dx)\right)}{(b+a\cos(c+dx))^3} dx \\
&= \frac{b(Ab-aB)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2a(a^2-b^2)d(b+a\cos(c+dx))^2} + \frac{b(13a^2Ab-7Ab^3-9a^3B+3ab^2B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4a^2(a^2-b^2)^2d(b+a\cos(c+dx))} \\
&= \frac{(8a^4A-61a^2Ab^2+35Ab^4+33a^3bB-15ab^3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{12a^3(a^2-b^2)^2d} + \frac{b(13a^2Ab-7Ab^3-9a^3B+3ab^2B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4a^2(a^2-b^2)^2d(b+a\cos(c+dx))} \\
&= \frac{(8a^4A-61a^2Ab^2+35Ab^4+33a^3bB-15ab^3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{12a^3(a^2-b^2)^2d} + \frac{b(13a^2Ab-7Ab^3-9a^3B+3ab^2B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4a^2(a^2-b^2)^2d(b+a\cos(c+dx))} \\
&= -\frac{(24a^4Ab-65a^2Ab^3+35Ab^5-8a^5B+29a^3b^2B-15ab^4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^4(a^2-b^2)^2d} \\
&= -\frac{(24a^4Ab-65a^2Ab^3+35Ab^5-8a^5B+29a^3b^2B-15ab^4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^4(a^2-b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 6.01117, size = 463, normalized size = 1.

$$\frac{16(14a^2Ab^2+2a^4A-12a^3bB+3ab^3B-7Ab^4)\left((a+b)\operatorname{EllipticF}\left(\frac{1}{2}(c+dx),2\right)-b\Pi\left(\frac{2a}{a+b};\frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b} - \frac{6(65a^2Ab^3-24a^4Ab-29a^3b^2B+8a^5B+15ab^4B-35Ab^5)\sin(c+dx)\left(-2b(a+b)\operatorname{EllipticF}\left(\sin\left(\frac{1}{2}(c+dx)\right),2\right)\right)}{(a-b)^2(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] ((4*sqrt[Cos[c + d*x]]*(4*a^6*A - 57*a^2*A*b^4 + 35*A*b^6 + 33*a^3*b^3*B - 15*a*b^5*B + a*b*(16*a^4*A - 83*a^2*A*b^2 + 49*A*b^4 + 39*a^3*b*B - 21*a*b^5

$$\begin{aligned} & n(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) \\ & -2*b^4*(A*b-B*a)/a^5*(1/2*a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)^2+3/4 \\ & *a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2 \\ & -b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(- \\ & 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/ \\ & 2*c), 2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*co \\ & s(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^ \\ & (1/2)*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c \\ &)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3/8*a \\ & ^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1) \\ & ^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1 \\ & /2*d*x+1/2*c), 2^{(1/2)})-9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c \\ & os(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/ \\ & 2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/ \\ & 8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\ & /2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2* \\ & d*x+1/2*c), 2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/ \\ & 2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(- \\ & 2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})-15/8/(a-b)/(a+b) \\ & /(a^2-b^2)*b^2/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2 \\ & *c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellipti \\ & cPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+4/a^4*b^2*(5*A*b-3*B*a)/(a^2-a*b \\ &)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2* \\ & a/(a-b), 2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^3, x)

$$3.588 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=367

$$\frac{(-33a^2Ab^3 + 24a^4Ab + 5a^3b^2B - 8a^5B - 3ab^4B + 15Ab^5) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4a^4d(a^2-b^2)^2} + \frac{(-29a^2Ab^2 + 8a^4A + 9a^3bB - 3ab^3B + 15Ab^5) \operatorname{EllipticE}\left(\frac{1}{2}(c+dx), 2\right)}{4a^3d(a^2-b^2)^2}$$

[Out] ((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*EllipticE[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) - ((24*a^4*A*b - 33*a^2*A*b^3 + 15*A*b^5 - 8*a^5*B + 5*a^3*b^2*B - 3*a*b^4*B)*EllipticF[(c + d*x)/2, 2])/(4*a^4*(a^2 - b^2)^2*d) + (b*(35*a^4*A*b - 38*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 6*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^4*(a - b)^2*(a + b)^3*d) + (b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) + (b*(11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.10805, antiderivative size = 367, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2989, 3047, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-33a^2Ab^3 + 24a^4Ab + 5a^3b^2B - 8a^5B - 3ab^4B + 15Ab^5) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4a^4d(a^2-b^2)^2} + \frac{(-29a^2Ab^2 + 8a^4A + 9a^3bB - 3ab^3B + 15Ab^5) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3,x]

[Out] ((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*EllipticE[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) - ((24*a^4*A*b - 33*a^2*A*b^3 + 15*A*b^5 - 8*a^5*B + 5*a^3*b^2*B - 3*a*b^4*B)*EllipticF[(c + d*x)/2, 2])/(4*a^4*(a^2 - b^2)^2*d) + (b*(35*a^4*A*b - 38*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 6*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^4*(a - b)^2*(a + b)^3*d) + (b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) + (b*(11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^ (m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^ (n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)]^(p_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c
*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^3} dx &= \int \frac{\cos^{\frac{5}{2}}(c+dx)(B+A \cos(c+dx))}{(b+a \cos(c+dx))^3} dx \\
&= \frac{b(Ab-aB) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2) d(b+a \cos(c+dx))^2} + \frac{\int \frac{\sqrt{\cos(c+dx)} \left(\frac{3}{2} b(Ab-aB) - 2a(Ab-aB) \cos(c+dx) + \dots \right)}{(b+a \cos(c+dx))^2} dx}{2a(a^2-b^2)} \\
&= \frac{b(Ab-aB) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2) d(b+a \cos(c+dx))^2} + \frac{b(11a^2Ab-5Ab^3-7a^3B+ab^2B) \sqrt{\cos(c+dx)}}{4a^2(a^2-b^2)^2 d(b+a \cos(c+dx))} \\
&= \frac{b(Ab-aB) \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2) d(b+a \cos(c+dx))^2} + \frac{b(11a^2Ab-5Ab^3-7a^3B+ab^2B) \sqrt{\cos(c+dx)}}{4a^2(a^2-b^2)^2 d(b+a \cos(c+dx))} \\
&= \frac{(8a^4A-29a^2Ab^2+15Ab^4+9a^3bB-3ab^3B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4a^3(a^2-b^2)^2 d} + \frac{b(Ab-aB) \cos(c+dx)}{2a(a^2-b^2)} \\
&= \frac{(8a^4A-29a^2Ab^2+15Ab^4+9a^3bB-3ab^3B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4a^3(a^2-b^2)^2 d} - \frac{(24a^4Ab-33a^3B)}{(a-b)^2(a+b)^2}
\end{aligned}$$

Mathematica [A] time = 4.70144, size = 394, normalized size = 1.07

$$\frac{16(-4a^2Ab+2a^3B+ab^2B+Ab^3) \left((a+b) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - b \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \right)}{a+b} - \frac{2(-29a^2Ab^2+8a^4A+9a^3bB-3ab^3B+15Ab^4) \sin(c+dx) \left(-2b(a+b) \operatorname{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c+dx)}), -1\right) + (a^2-b^2) \sqrt{\sin^2(c+dx)} \right)}{(a-b)^2(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^3, x]

[Out] ((-4*b*Sqrt[Cos[c + d*x]]*(b*(-11*a^2*A*b + 5*A*b^3 + 7*a^3*B - a*b^2*B) + a*(-13*a^2*A*b + 7*A*b^3 + 9*a^3*B - 3*a*b^2*B))*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(b + a*Cos[c + d*x])^2) + ((2*(8*a^4*A - 7*a^2*A*b^2 + 5*A*b^4 - 5*a^3*b*B - a*b^3*B))*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (16*(-4*a^2*A*b + A*b^3 + 2*a^3*B + a*b^2*B))*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) - (2*(8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B))*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1])

```
*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]],
-1])*Sin[c + d*x]/(a^2*b*Sqrt[Sin[c + d*x]^2]))/((a - b)^2*(a + b)^2)/(16
*a^2*d)
```

Maple [B] time = 10.316, size = 2000, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/a^4/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/
2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(3*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*
b+A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a-B*EllipticF(cos(1/2*d*x+1/2*c),
2^(1/2))*a)-2/a^4*b^2*(4*A*b-3*B*a)*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a
-a+b)-1/2/(a+b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(
1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/
2*d*x+1/2*c),2^(1/2))+1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*co
s(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(
1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+
sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1/2/b/(a^
2-b^2)/(a^2-a*b)*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+
1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(co
s(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/
2)))+2*b^3*(A*b-B*a)/a^4*(1/2*a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/
2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)^2
+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/
(a^2-b^2)/b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2
)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*
x+1/2*c),2^(1/2))*a^2-1/4/(a+b)/(a^2-b^2)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a+7/8/(a+b)/(a^2-b^2)*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3
/8*a^3/b^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^
```

$$\begin{aligned}
& 2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9/8*a/(a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8*a^3/b^2 / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8*a/(a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 6/a^3*b*(2*A*b-B*a)/(a^2-a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a)^3, x)

$$3.589 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=346

$$\frac{(-5a^2Ab^2 + 8a^4A - 7a^3bB + ab^3B + 3Ab^4) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4a^3d(a^2 - b^2)^2} + \frac{(9a^2Ab - 5a^3B - ab^2B - 3Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2}$$

[Out] $((9a^2Ab - 3A^2b^3 - 5a^3B - ab^2B) \operatorname{EllipticE}[(c+dx)/2, 2]) / (4a^2(a^2 - b^2)^2d) + ((8a^4A - 5a^2Ab^2 + 3A^2b^4 - 7a^3bB + a^2b^3B) \operatorname{EllipticF}[(c+dx)/2, 2]) / (4a^3(a^2 - b^2)^2d) - ((15a^4Ab - 6a^2A^2b^3 + 3A^2b^5 - 3a^5B - 10a^3b^2B + ab^4B) \operatorname{EllipticPi}[(2a)/(a+b), (c+dx)/2, 2]) / (4a^3(a-b)^2(a+b)^3d) + (b(Ab - aB) \operatorname{Sqrt}[\operatorname{Cos}[c+dx]] \operatorname{Sin}[c+dx]) / (2a(a^2 - b^2)d(b + a \operatorname{Cos}[c+dx])^2) - ((9a^2Ab - 3A^2b^3 - 5a^3B - ab^2B) \operatorname{Sqrt}[\operatorname{Cos}[c+dx]] \operatorname{Sin}[c+dx]) / (4a(a^2 - b^2)^2d(b + a \operatorname{Cos}[c+dx]))$

Rubi [A] time = 1.10186, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2989, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-5a^2Ab^2 + 8a^4A - 7a^3bB + ab^3B + 3Ab^4) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4a^3d(a^2 - b^2)^2} + \frac{(9a^2Ab - 5a^3B - ab^2B - 3Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2} - \frac{(-6a^2)}{4a^2d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B \operatorname{Sec}[c + dx]) / (\operatorname{Sqrt}[\operatorname{Cos}[c + dx]] (a + b \operatorname{Sec}[c + dx])^3), x]$

[Out] $((9a^2Ab - 3A^2b^3 - 5a^3B - ab^2B) \operatorname{EllipticE}[(c+dx)/2, 2]) / (4a^2(a^2 - b^2)^2d) + ((8a^4A - 5a^2Ab^2 + 3A^2b^4 - 7a^3bB + a^2b^3B) \operatorname{EllipticF}[(c+dx)/2, 2]) / (4a^3(a^2 - b^2)^2d) - ((15a^4Ab - 6a^2A^2b^3 + 3A^2b^5 - 3a^5B - 10a^3b^2B + ab^4B) \operatorname{EllipticPi}[(2a)/(a+b), (c+dx)/2, 2]) / (4a^3(a-b)^2(a+b)^3d) + (b(Ab - aB) \operatorname{Sqrt}[\operatorname{Cos}[c+dx]] \operatorname{Sin}[c+dx]) / (2a(a^2 - b^2)d(b + a \operatorname{Cos}[c+dx])^2) - ((9a^2Ab - 3A^2b^3 - 5a^3B - ab^2B) \operatorname{Sqrt}[\operatorname{Cos}[c+dx]] \operatorname{Sin}[c+dx]) / (4a(a^2 - b^2)^2d(b + a \operatorname{Cos}[c+dx]))$

Rule 2954

$\operatorname{Int}[(a_. + \operatorname{csc}[e_. + (f_.)(x_.)](b_.))^{(m_.)} (\operatorname{csc}[e_. + (f_.)(x_.)](d_.) + (c_.))^{(n_.)} ((g_.) \operatorname{sin}[e_. + (f_.)(x_.)])^{(p_.)}, x_Symbol] \rightarrow \operatorname{Dis}$

$t[g^{(m+n)}, \text{Int}[(g*\sin[e+f*x])^{(p-m-n)}*(b+a*\sin[e+f*x])^m*(d+c*\sin[e+f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

Rule 2989

$\text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (f*(x))) * ((c + d*\sin[e + f*x])^{(n)}), x_Symbol] :> -\text{Simp}[(b*c - a*d)*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)} / (d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1 / (d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m-2)}*(c + d*\sin[e + f*x])^{(n+1)}] * \text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n+1) - a*(b*c - a*d)*(B*c - A*d)*(n+2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m+n+1) - b*B*(c^2*m + d^2*(n+1)))*\text{Sin}[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3055

$\text{Int}[(a + b*\sin[e + f*x])^m * ((c + d*\sin[e + f*x]) + (f*(x)))^{(n)} * ((A + B*\sin[e + f*x]) + (C + f*(x))^2), x_Symbol] :> -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^{(n+1)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1 / ((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^n * \text{Simp}[(m+1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m+n+2) - (c*(A*b^2 - a*b*B + a^2*C) + (m+1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m+n+3)*\text{Sin}[e + f*x]^2, x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

$\text{Int}[(A + B*\sin[e + f*x]) + (C + f*(x))]^2 / (\text{Sqrt}[(a + b*\sin[e + f*x]) * ((c + d*\sin[e + f*x]) + (f*(x)))], x_Symbol] :> \text{Dist}[C / (b*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[1 / (b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\text{Sin}[e + f*x], x] / (\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])), x], x] /;$ FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)}(a + b \sec(c + dx))^3} dx &= \int \frac{\cos^{\frac{3}{2}}(c + dx)(B + A \cos(c + dx))}{(b + a \cos(c + dx))^3} dx \\
&= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}b(Ab - aB) - 2a(Ab - aB) \cos(c + dx) + \frac{1}{2}(4a^2A - 3a^2B)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))} dx}{2a(a^2 - b^2)} \\
&= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))^2} - \frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B)\sqrt{\cos(c + dx)}}{4a(a^2 - b^2)^2d(b + a \cos(c + dx))} \\
&= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))^2} - \frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B)\sqrt{\cos(c + dx)}}{4a(a^2 - b^2)^2d(b + a \cos(c + dx))} \\
&= \frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2(a^2 - b^2)^2d} + \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \cos(c + dx))} \\
&= \frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2(a^2 - b^2)^2d} + \frac{(8a^4A - 5a^2Ab^2 + 3Ab^4 - 4a^3B)}{4a^3}
\end{aligned}$$

Mathematica [A] time = 4.49601, size = 361, normalized size = 1.04

$$\frac{8(2a^2A - 3abB + Ab^2)\left(\frac{(a+b)\text{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - b\text{Pi}\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a+b}\right) + (-9a^2Ab + 5a^3B + ab^2B + 3Ab^3)\sin(c+dx)\left(-2b(a+b)\text{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c+dx)}), -1\right) + (a^2 - 2b^2)\text{Pi}\left(-\frac{a}{b}; -\sin^{-1}\left(\frac{\sqrt{\cos(c+dx)}}{a+b}\right) \middle| 2\right)\right)}{(a-b)^2(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^3), x]

[Out] ((2*Sqrt[Cos[c + d*x]]*(b*(-7*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B) + a*(-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(b + a*Cos[c + d*x])^2) + (((-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(2*a^2*A + A*b^2 - 3*a*b*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a + b) + ((-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqr

$$\begin{aligned}
& 2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8*a^3/b^2 / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8*a / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8 / (a-b) / (a+b) / (a^2-b^2) / b^2 / (a^2-a*b) * a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a / (a-b), 2^{(1/2)}) + 3/4 / (a-b) / (a+b) / (a^2-b^2) / (a^2-a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a / (a-b), 2^{(1/2)}) - 15/8 / (a-b) / (a+b) / (a^2-b^2) * b^2 / (a^2-a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a / (a-b), 2^{(1/2)}) - 2 * (-3*A*b+B*a) / a^2 / (a^2-a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a / (a-b), 2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**3/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*sqrt(cos(d*x + c))), x)

$$3.590 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=338

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4a^2d(a^2 - b^2)^2} - \frac{(5a^2Ab + a^3(-B) - 5ab^2B + Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4abd(a^2 - b^2)^2} + \frac{(10a^2Ab^3 + 3a^3B^2 - 3ab^2B^2 - Ab^3B)}{4abd(a^2 - b^2)^2}$$

[Out] -((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(4*a*b*(a^2 - b^2)^2*d) - ((7*a^2*A*b - A*b^3 - 3*a^3*B - 3*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*a^2*(a^2 - b^2)^2*d) + ((3*a^4*A*b + 10*a^2*A*b^3 - A*b^5 + a^5*B - 10*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^2*(a - b)^2*b*(a + b)^3*d) - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) + ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*b*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.0062, antiderivative size = 338, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 2999, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2} - \frac{(5a^2Ab + a^3(-B) - 5ab^2B + Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4abd(a^2 - b^2)^2} + \frac{(10a^2Ab^3 + 3a^3B^2 - 3ab^2B^2 - Ab^3B)}{4abd(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3), x]

[Out] -((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(4*a*b*(a^2 - b^2)^2*d) - ((7*a^2*A*b - A*b^3 - 3*a^3*B - 3*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*a^2*(a^2 - b^2)^2*d) + ((3*a^4*A*b + 10*a^2*A*b^3 - A*b^5 + a^5*B - 10*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a^2*(a - b)^2*b*(a + b)^3*d) - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) + ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*b*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rule 2954

```

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*SIN[e + f*x])^(p - m - n)*(b + a*SIN[e + f*x])^m*(d + c
*SIN[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

```

Rule 2999

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
IN[e + f*x] - d*(A*b - a*B)*(m + n + 2)*SIN[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*SIN[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*SIN[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*SIN[e
+ f*x], x]/(Sqrt[a + b*SIN[e + f*x]]*(c + d*SIN[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```


Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^3} dx &= \int \frac{\sqrt{\cos(c + dx)}(B + A \cos(c + dx))}{(b + a \cos(c + dx))^3} dx \\
&= -\frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(-Ab + aB) + 2(aA - bB) \cos(c + dx) - \frac{1}{2}(Ab - aB) \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2} dx}{2(a^2 - b^2)} \\
&= -\frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{(5a^2Ab + Ab^3 - a^3B - 5ab^2B) \sqrt{\cos(c + dx)}}{4b(a^2 - b^2)^2 d(b + a \cos(c + dx))} \\
&= -\frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \cos(c + dx))^2} + \frac{(5a^2Ab + Ab^3 - a^3B - 5ab^2B) \sqrt{\cos(c + dx)}}{4b(a^2 - b^2)^2 d(b + a \cos(c + dx))} \\
&= -\frac{(5a^2Ab + Ab^3 - a^3B - 5ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ab(a^2 - b^2)^2 d} - \frac{(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \cos(c + dx))} \\
&= -\frac{(5a^2Ab + Ab^3 - a^3B - 5ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ab(a^2 - b^2)^2 d} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2B)}{4a^2(a^2 - b^2)}
\end{aligned}$$

Mathematica [A] time = 4.71943, size = 368, normalized size = 1.09

$$\frac{16b(a^2B - 3aAb + 2b^2B) \left((a+b) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - b \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \right)}{a(a+b)} - \frac{2(-5a^2Ab + a^3B + 5ab^2B - Ab^3) \sin(c+dx) \left(-2b(a+b) \operatorname{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c+dx)}), -1\right) + (a^2 - 2b^2) \Pi\left(-\frac{a}{b}; -\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| 2\right) \right)}{a^2b \sqrt{\sin^2(c+dx)}}}{(a-b)^2(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^3), x]

[Out] ((4*sqrt[Cos[c + d*x]]*(b*(3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B) - a*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(b + a*cos[c + d*x])^2) + ((2*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (16*b*(-3*a*A*b + a^2*B + 2*b^2*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a*(a + b)) - (2*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -Ar

$$\frac{\text{cSin}[\text{Sqrt}[\text{Cos}[c + d*x]], -1] * \text{Sin}[c + d*x]}{(a^2*b*\text{Sqrt}[\text{Sin}[c + d*x]^2])} / ((a - b)^2*(a + b)^2) / (16*b*d)$$

Maple [B] time = 8.612, size = 1872, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+b*\sec(d*x+c))^3, x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*(-2*A*b+B*a) / \\ & a^2*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 2*b*(A*b-B*a)/a^2*(1/2*a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2*a-a+b)^2 + 3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos \end{aligned}$$

$$\begin{aligned} & (1/2*d*x+1/2*c)^{2+1}^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8*a / (a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8 / (a-b) / (a+b) / (a^2-b^2) / b^2 / (a^2-a*b) * a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/4 / (a-b) / (a+b) / (a^2-b^2) / (a^2-a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 15/8 / (a-b) / (a+b) / (a^2-b^2) * b^2 / (a^2-a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 2*A/a / (a^2-a*b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*cos(d*x + c)^(3/2)), x)

$$3.591 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=342

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4abd(a^2 - b^2)^2} + \frac{(a^2Ab + 3a^3B - 9ab^2B + 5Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(-10a^2Ab + a^4A + 10ab^2B - 3a^3B) \operatorname{EllipticE}\left(\frac{1}{2}(c+dx), 2\right)}{4b^2d(a^2 - b^2)^2}$$

[Out] ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(4*b^2*(a^2 - b^2)^2*d) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*a*b*(a^2 - b^2)^2*d) + ((a^4*A*b - 10*a^2*A*b^3 - 3*A*b^5 + 3*a^5*B - 6*a^3*b^2*B + 15*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a*(a - b)^2*b^2*(a + b)^3*d) + (a*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) - (a*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.09625, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4abd(a^2 - b^2)^2} + \frac{(a^2Ab + 3a^3B - 9ab^2B + 5Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(-10a^2Ab + a^4A + 10ab^2B - 3a^3B) \operatorname{EllipticE}\left(\frac{1}{2}(c+dx), 2\right)}{4b^2d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^3), x]

[Out] ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(4*b^2*(a^2 - b^2)^2*d) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*a*b*(a^2 - b^2)^2*d) + ((a^4*A*b - 10*a^2*A*b^3 - 3*A*b^5 + 3*a^5*B - 6*a^3*b^2*B + 15*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*a*(a - b)^2*b^2*(a + b)^3*d) + (a*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*(b + a*Cos[c + d*x])^2) - (a*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(b + a*Cos[c + d*x]))

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*Sin[e + f*x])^(p - m - n)*(b + a*Sin[e + f*x])^m*(d + c
*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -S
imp[(A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^3} dx &= \int \frac{B + A \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^3} dx \\
&= \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))^2} - \int \frac{\frac{1}{2}(-aAb - 3a^2B + 4b^2B) + 2b(Ab - aB) \cos(c + dx)}{\sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2} dx \\
&= \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))^2} - \frac{a(a^2Ab + 5Ab^3 + 3a^3B - 9ab^2B)\sqrt{\cos(c + dx)}}{4b^2(a^2 - b^2)^2d(b + a \cos(c + dx))} \\
&= \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))^2} - \frac{a(a^2Ab + 5Ab^3 + 3a^3B - 9ab^2B)\sqrt{\cos(c + dx)}}{4b^2(a^2 - b^2)^2d(b + a \cos(c + dx))} \\
&= \frac{(a^2Ab + 5Ab^3 + 3a^3B - 9ab^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2(a^2 - b^2)^2d} + \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \cos(c + dx))} \\
&= \frac{(a^2Ab + 5Ab^3 + 3a^3B - 9ab^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2(a^2 - b^2)^2d} + \frac{(3a^2Ab + 3Ab^3 + a^3B - 7a^2b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ab(a^2 - b^2)^2d}
\end{aligned}$$

Mathematica [A] time = 4.89262, size = 387, normalized size = 1.13

$$\frac{16b(a^2Ab + a^3B - 4ab^2B + 2Ab^3) \left((a+b) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right) - b \Pi\left(\frac{2a}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \right) - 2(a^2Ab + 3a^3B - 9ab^2B + 5Ab^3) \sin(c+dx) \left(-2b(a+b) \operatorname{EllipticF}\left(\sin^{-1}(\sqrt{\cos(c+dx)}), -1\right) + (a^2 - 2b^2) \Pi\left(-\frac{a}{b}; \frac{1}{2}(c+dx) \middle| 2\right) \right)}{a(a+b) \sqrt{\cos(c+dx)} (b + a \cos(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/((Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^3), x]

[Out] ((-4*a*Sqrt[Cos[c + d*x]]*(b*(-a^2*A*b) + 7*A*b^3 + 5*a^3*B - 11*a*b^2*B) + a*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(b + a*Cos[c + d*x])^2) + ((2*(3*a^3*A*b - 9*a*A*b^3 + 9*a^4*B - 19*a^2*b^2*B + 16*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (16*b*(a^2*A*b + 2*A*b^3 + a^3*B - 4*a*b^2*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a*(a + b)) - (2*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1]

$$\begin{aligned}
& 2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8*a/(a^2-b^2)^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\
& (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8/(a-b)/(a+b)/(a^2-b^2)/ \\
& b^2/(a^2-a*b) * a^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) + 3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b) * a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)}) - 15/8/(a-b)/(a+b)/(a^2-b^2) * b^2/(a^2-a*b) * a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*cos(d*x + c)^(5/2)), x)

$$3.592 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=420

$$\frac{(a^2Ab - 5a^3B + 11ab^2B - 7Ab^3) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(3a^3Ab + 29a^2b^2B - 15a^4B - 9aAb^3 - 8b^4B) E\left(\frac{1}{2}(c+dx)\right)}{4b^3d(a^2 - b^2)^2}$$

[Out] $((3a^3Ab - 9a^2Ab^3 - 15a^4B + 29a^2b^2B - 8b^4B) \operatorname{EllipticE}[(c + dx)/2, 2]) / (4b^3(a^2 - b^2)^2d) + ((a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B) \operatorname{EllipticF}[(c + dx)/2, 2]) / (4b^2(a^2 - b^2)^2d) + ((3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35ab^4B) \operatorname{EllipticPi}[(2a)/(a + b), (c + dx)/2, 2]) / (4(a - b)^2b^3(a + b)^3d) - ((3a^3Ab - 9a^2Ab^3 - 15a^4B + 29a^2b^2B - 8b^4B) \operatorname{Sin}[c + dx]) / (4b^3(a^2 - b^2)^2d \operatorname{Sqrt}[\operatorname{Cos}[c + dx]]) + (a(Ab - aB) \operatorname{Sin}[c + dx]) / (2b(a^2 - b^2)d \operatorname{Sqrt}[\operatorname{Cos}[c + dx]](b + a \operatorname{Cos}[c + dx])^2) + (a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B) \operatorname{Sin}[c + dx]) / (4b^2(a^2 - b^2)^2d \operatorname{Sqrt}[\operatorname{Cos}[c + dx]]) (b + a \operatorname{Cos}[c + dx])$

Rubi [A] time = 1.47785, antiderivative size = 420, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(a^2Ab - 5a^3B + 11ab^2B - 7Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(3a^3Ab + 29a^2b^2B - 15a^4B - 9aAb^3 - 8b^4B) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4b^3d(a^2 - b^2)^2} + \dots$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B \operatorname{Sec}[c + dx]) / (\operatorname{Cos}[c + dx]^{7/2} (a + b \operatorname{Sec}[c + dx])^3), x]$

[Out] $((3a^3Ab - 9a^2Ab^3 - 15a^4B + 29a^2b^2B - 8b^4B) \operatorname{EllipticE}[(c + dx)/2, 2]) / (4b^3(a^2 - b^2)^2d) + ((a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B) \operatorname{EllipticF}[(c + dx)/2, 2]) / (4b^2(a^2 - b^2)^2d) + ((3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35ab^4B) \operatorname{EllipticPi}[(2a)/(a + b), (c + dx)/2, 2]) / (4(a - b)^2b^3(a + b)^3d) - ((3a^3Ab - 9a^2Ab^3 - 15a^4B + 29a^2b^2B - 8b^4B) \operatorname{Sin}[c + dx]) / (4b^3(a^2 - b^2)^2d \operatorname{Sqrt}[\operatorname{Cos}[c + dx]]) + (a(Ab - aB) \operatorname{Sin}[c + dx]) / (2b(a^2 - b^2)d \operatorname{Sqrt}[\operatorname{Cos}[c + dx]](b + a \operatorname{Cos}[c + dx])^2) + (a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B) \operatorname{Sin}[c + dx]) / (4b^2(a^2 - b^2)^2d \operatorname{Sqrt}[\operatorname{Cos}[c + dx]]) (b + a \operatorname{Cos}[c + dx])$

]]*(b + a*cos[c + d*x]))

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dis
t[g^(m + n), Int[(g*sin[e + f*x])^(p - m - n)*(b + a*sin[e + f*x])^m*(d + c
*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*sin[e + f*x]], x],
```

```
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^3} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^3} dx \\
&= \frac{a(Ab - aB) \sin(c + dx)}{2b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2} - \frac{\int \frac{\frac{1}{2}(aAb - 5a^2B + 4b^2B) + 2b(Ab - aB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^2} dx}{2b(a^2 - b^2)} \\
&= \frac{a(Ab - aB) \sin(c + dx)}{2b(a^2 - b^2) d \sqrt{\cos(c + dx)}(b + a \cos(c + dx))^2} + \frac{a(a^2Ab - 7Ab^3 - 5a^3B + 11b^3B)}{4b^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{(3a^3Ab - 9aAb^3 - 15a^4B + 29a^2b^2B - 8b^4B) \sin(c + dx)}{4b^3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(3a^3Ab - 9aAb^3 - 15a^4B + 29a^2b^2B - 8b^4B) \sin(c + dx)}{4b^3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{(3a^3Ab - 9aAb^3 - 15a^4B + 29a^2b^2B - 8b^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3(a^2 - b^2)^2 d} - \frac{(3a^3Ab - 9aAb^3 - 15a^4B + 29a^2b^2B - 8b^4B) \sin(c + dx)}{4b^3(a^2 - b^2)^2 d} \\
&= \frac{(3a^3Ab - 9aAb^3 - 15a^4B + 29a^2b^2B - 8b^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3(a^2 - b^2)^2 d} + \frac{(a^2Ab - 7Ab^3 - 5a^3B + 11b^3B) \sin(c + dx)}{4b^2(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 5.69809, size = 463, normalized size = 1.1

$$\frac{2\sqrt{\cos(c+dx)}\left(a^2(-3a^3Ab-29a^2b^2B+15a^4B+9aAb^3+8b^4B)\sin(2(c+dx))+2ab(-5a^3Ab-47a^2b^2B+25a^4B+11aAb^3+16b^4B)\sin(c+dx)+16B(b^3-a^2b)^2\tan(c+dx)\right)}{(a^2-b^2)^2(a\cos(c+dx)+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^3), x]

[Out] (-(((2*(-9*a^4*A*b + 19*a^2*A*b^3 - 16*A*b^5 + 45*a^5*B - 95*a^3*b^2*B + 56*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a + b) + (16*b*(-(a^3*A*b) + 4*a*A*b^3 + 5*a^4*B - 10*a^2*b^2*B + 2*b^4*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - b*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2]))/(a*(a + b)) -

$$\begin{aligned} & (2*(-3*a^3*A*b + 9*a*A*b^3 + 15*a^4*B - 29*a^2*b^2*B + 8*b^4*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*b*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x]/(a*b*Sqrt[Sin[c + d*x]^2])/((a - b)^2*(a + b)^2) \\ & + (2*Sqrt[Cos[c + d*x]]*(2*a*b*(-5*a^3*A*b + 11*a*A*b^3 + 25*a^4*B - 47*a^2*b^2*B + 16*b^4*B)*Sin[c + d*x] + a^2*(-3*a^3*A*b + 9*a*A*b^3 + 15*a^4*B - 29*a^2*b^2*B + 8*b^4*B)*Sin[2*(c + d*x)] + 16*(-(a^2*b) + b^3)^2*B*Tan[c + d*x])/((a^2 - b^2)^2*(b + a*cos[c + d*x])^2)/(16*b^3*d) \end{aligned}$$

Maple [B] time = 10.895, size = 2024, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(7/2)}/(a+b*\sec(d*x+c))^3,x)$

[Out]
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*B*a/b^2*(a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*a/b/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)}))+2*(A*b-B*a)/b*(1/2*a^2/b/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-1/4/(a+b)/(a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\end{aligned}$$

$$\begin{aligned} & \cos(1/2*d*x+1/2*c), 2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8/(a-b)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5 \\ & (\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2)/(a^2-a*b)*a^3 \\ & (\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a \\ & (\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+2*B*a^2/b^3/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c), 2*a/(a-b), 2^{(1/2)})+2*B/b^3*(-(\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & +2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2 \\ & /(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+b*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*cos(d*x + c)^(7/2)), x)
```

$$3.593 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+b \sec(c+dx))^3} dx$$

Optimal. Leaf size=523

$$\frac{(15a^3Ab + 61a^2b^2B - 35a^4B - 33aAb^3 - 8b^4B) \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), 2\right)}{12b^3d(a^2 - b^2)^2} - \frac{(-29a^2Ab^3 + 15a^4Ab + 65a^3b^2B - 35a^5B - 24ab^4B) \operatorname{EllipticE}\left[\frac{1}{2}(c+dx), 2\right]}{4b^4d(a^2 - b^2)^2}$$

[Out] -((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*EllipticE[(c + d*x)/2, 2])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*EllipticF[(c + d*x)/2, 2])/(12*b^3*(a^2 - b^2)^2*d) - (a*(15*a^4*A*b - 38*a^2*A*b^3 + 35*A*b^5 - 35*a^5*B + 86*a^3*b^2*B - 63*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*(a - b)^2*b^4*(a + b)^3*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*Sin[c + d*x])/(12*b^3*(a^2 - b^2)^2*d*Cos[c + d*x]^(3/2)) + ((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*Sin[c + d*x])/(4*b^4*(a^2 - b^2)^2*d*sqrt[Cos[c + d*x]]) + (a*(A*b - a*B)*Sin[c + d*x])/(2*b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])^2) + (a*(3*a^2*A*b - 9*A*b^3 - 7*a^3*B + 13*a*b^2*B)*Sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x]))

Rubi [A] time = 1.9797, antiderivative size = 523, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$, Rules used = {2954, 3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(15a^3Ab + 61a^2b^2B - 35a^4B - 33aAb^3 - 8b^4B) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{12b^3d(a^2 - b^2)^2} - \frac{(-29a^2Ab^3 + 15a^4Ab + 65a^3b^2B - 35a^5B - 24ab^4B) \operatorname{EllipticE}\left[\frac{1}{2}(c+dx), 2\right]}{4b^4d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^3), x]

[Out] -((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*EllipticE[(c + d*x)/2, 2])/(4*b^4*(a^2 - b^2)^2*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*EllipticF[(c + d*x)/2, 2])/(12*b^3*(a^2 - b^2)^2*d) - (a*(15*a^4*A*b - 38*a^2*A*b^3 + 35*A*b^5 - 35*a^5*B + 86*a^3*b^2*B - 63*a*b^4*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(4*(a - b)^2*b^4*(a + b)^3*d) - ((15*a^3*A*b - 33*a*A*b^3 - 35*a^4*B + 61*a^2*b^2*B - 8*b^4*B)*Sin[c + d*x])/(12*b^3*(a^2 - b^2)^2*d*Cos[c + d*x]^(3/2))

$$+ ((15*a^4*A*b - 29*a^2*A*b^3 + 8*A*b^5 - 35*a^5*B + 65*a^3*b^2*B - 24*a*b^4*B)*\text{Sin}[c + d*x])/(4*b^4*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (a*(A*b - a*B)*\text{Sin}[c + d*x])/(2*b*(a^2 - b^2)*d*\text{Cos}[c + d*x]^{(3/2)}*(b + a*\text{Cos}[c + d*x])^2) + (a*(3*a^2*A*b - 9*A*b^3 - 7*a^3*B + 13*a*b^2*B)*\text{Sin}[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*\text{Cos}[c + d*x]^{(3/2)}*(b + a*\text{Cos}[c + d*x]))$$

Rule 2954

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[g^(m + n), Int[(g*Ssin[e + f*x])^(p - m - n)*(b + a*Ssin[e + f*x])^m*(d + c*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{9}{2}}(c + dx)(a + b \sec(c + dx))^3} dx &= \int \frac{B + A \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))^3} dx \\
&= \frac{a(Ab - aB) \sin(c + dx)}{2b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^2} - \frac{\int \frac{\frac{1}{2}(3aAb - 7a^2B + 4b^2B) + 2b(Ab - aB)}{\cos^{\frac{5}{2}}(c + dx)(b + a \cos(c + dx))^3} dx}{2b(a^2 - b^2) d} \\
&= \frac{a(Ab - aB) \sin(c + dx)}{2b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(b + a \cos(c + dx))^2} + \frac{a(3a^2Ab - 9Ab^3 - 7a^3B + 7a^2b^2B - 24ab^4B)}{4b^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} + \frac{a(15a^4Ab - 29a^2Ab^3 + 8Ab^5 - 35a^5B + 65a^3b^2B - 24ab^4B)}{2b(a^2 - b^2) d} \\
&= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} + \frac{(15a^4Ab - 29a^2Ab^3 + 8Ab^5 - 35a^5B + 65a^3b^2B - 24ab^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^4(a^2 - b^2)^2 d} \\
&= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} + \frac{(15a^4Ab - 29a^2Ab^3 + 8Ab^5 - 35a^5B + 65a^3b^2B - 24ab^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^4(a^2 - b^2)^2 d} \\
&= -\frac{(15a^4Ab - 29a^2Ab^3 + 8Ab^5 - 35a^5B + 65a^3b^2B - 24ab^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^4(a^2 - b^2)^2 d} \\
&= -\frac{(15a^4Ab - 29a^2Ab^3 + 8Ab^5 - 35a^5B + 65a^3b^2B - 24ab^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^4(a^2 - b^2)^2 d}
\end{aligned}$$

Mathematica [A] time = 7.30124, size = 572, normalized size = 1.09

$$\frac{(240a^2Ab^4 - 120a^4Ab^2 - 512a^3b^3B + 280a^5bB + 160ab^5B - 48Ab^6) \left(2\text{EllipticF}\left(\frac{1}{2}(c + dx), 2\right) - \frac{2b\pi\left(\frac{2a}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} \right)}{a} + \frac{(87a^3Ab^3 - 45a^5Ab - 195a^4b^2B + 72a^2b^4B + 105a^3b^2B - 24ab^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^4(a^2 - b^2)^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^3), x]

```
[Out] ((2*(-135*a^5*A*b + 285*a^3*A*b^3 - 168*a*A*b^5 + 315*a^6*B - 641*a^4*b^2*B
+ 328*a^2*b^4*B + 16*b^6*B)*EllipticPi[(2*a)/(a + b), (c + d*x)/2, 2])/(a
+ b) + ((-120*a^4*A*b^2 + 240*a^2*A*b^4 - 48*A*b^6 + 280*a^5*b*B - 512*a^3*
b^3*B + 160*a*b^5*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*b*EllipticPi[(2*a)/(
a + b), (c + d*x)/2, 2])/(a + b)))/a + ((-45*a^5*A*b + 87*a^3*A*b^3 - 24*a*
A*b^5 + 105*a^6*B - 195*a^4*b^2*B + 72*a^2*b^4*B)*Cos[2*(c + d*x)]*(-4*a*b*
EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 4*b*(a + b)*EllipticF[ArcSin[Sq
rt[Cos[c + d*x]]], -1] - 2*(a^2 - 2*b^2)*EllipticPi[-(a/b), -ArcSin[Sqrt[Co
s[c + d*x]]], -1])*Sin[c + d*x])/(a^2*b*Sqrt[1 - Cos[c + d*x]^2]*(-1 + 2*Co
s[c + d*x]^2)))/(48*(a - b)^2*b^4*(a + b)^2*d) + (Sqrt[Cos[c + d*x]]*((2*Se
c[c + d*x]*(A*b*Sin[c + d*x] - 3*a*B*Sin[c + d*x]))/b^4 + (-(a^3*A*b*Sin[c
+ d*x]) + a^4*B*Sin[c + d*x])/(2*b^3*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) +
(7*a^5*A*b*Sin[c + d*x] - 13*a^3*A*b^3*Sin[c + d*x] - 11*a^6*B*Sin[c + d*x
] + 17*a^4*b^2*B*Sin[c + d*x])/(4*b^4*(-a^2 + b^2)^2*(b + a*Cos[c + d*x]))
+ (2*B*Sec[c + d*x]*Tan[c + d*x])/(3*b^3)))/d
```

Maple [B] time = 16.947, size = 2178, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))/cos(d*x+c)^(9/2)/(a+b*sec(d*x+c))^3,x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*a*(A*b-2*B*a
)/b^3*(a^2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*
d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)-1/2/(a+b)/b*(sin(1/2*d*x
+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*a/b/
(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/
2*c),2^(1/2))-1/2*a/b/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*
x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2))-1/2/b/(a^2-b^2)/(a^2-a*b)*a^3*(sin(1/2*
d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c
)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(
1/2))+3/2*b/(a^2-b^2)/(a^2-a*b)*a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*
d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*
EllipticPi(cos(1/2*d*x+1/2*c),2*a/(a-b),2^(1/2))-2*(A*b-B*a)*a/b^2*(1/2*a^
2/b/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*a-a+b)^2+3/4*a^2*(a^2-3*b^2)/b^2/(a^2-b^
2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2
```


$$\begin{aligned} &)/(2*\cos(1/2*d*x+1/2*c)^2*a-a+b)-3/8/(a+b)/(a^2-b^2)/b^2*(\sin(1/2*d*x+1/2*c) \\ &)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-1/4/(a+b)/ \\ & (a^2-b^2)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+ \\ & 1/2*c),2^{(1/2)})*a+7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(\\ & 1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c) \\ &)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9/8*a \\ & /(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & /(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x \\ & +1/2*c),2^{(1/2)})-3/8*a^3/b^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c \\ & os(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ &)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*a/(a^2-b^2)^2*(\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8/(a-b \\ &)/(a+b)/(a^2-b^2)/b^2/(a^2-a*b)*a^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/ \\ & 2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2} \\ &)*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+3/4/(a-b)/(a+b)/(a^2-b^2 \\ &)/(a^2-a*b)*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\ & /2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2 \\ & *d*x+1/2*c),2*a/(a-b),2^{(1/2)})-15/8/(a-b)/(a+b)/(a^2-b^2)*b^2/(a^2-a*b)*a*(\\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d \\ & *x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2*a/(\\ & a-b),2^{(1/2)}))+2/b^3*B*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+si \\ & n(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*a^2*(A*b- \\ & 3*B*a)/b^4/(a^2-a*b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+ \\ & 1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(co \\ & s(1/2*d*x+1/2*c),2*a/(a-b),2^{(1/2)})+2*(A*b-3*B*a)/b^4*(-(\sin(1/2*d*x+1/2*c) \\ &)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(\\ & 1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c \\ &)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)/(2 \\ & *cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(9/2)/(a+b*sec(d*x+c))^3,x, algorithm
="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(9/2)/(a+b*sec(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(9/2)/(a+b*sec(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^3 \cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(9/2)/(a+b*sec(d*x+c))^3,x, algorithm
="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^3*cos(d*x + c)^(9/2)),
x)
```

$$3.594 \quad \int \cos^{\frac{7}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=343

$$\frac{2(a^2 - b^2)(25a^2A - 14abB + 8Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{105a^3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(25a^2A + 7abB - 4Ab^2) \sin(c + dx) \sqrt{\cos(c + dx)}}{105a^2d}$$

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 8*A*b^2 - 14*a*b*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^3*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)) + (2*(25*a^2*A - 4*A*b^2 + 7*a*b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((105*a^2*d) + (2*(A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]])*Sin[c + d*x])/(35*a*d) + (2*A*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 1.21888, antiderivative size = 343, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4032, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{105a^2d} + \frac{2(a^2 - b^2)(25a^2A - 14abB + 8Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{105a^3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 8*A*b^2 - 14*a*b*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^3*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)) + (2*(25*a^2*A - 4*A*b^2 + 7*a*b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/((105*a^2*d) + (2*(A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]])*Sin[c + d*x])/(35*a*d) + (2*A*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d)
```

] * Sin[c + d*x]) / (7*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^ (m_.) * (csc[(e_.) + (f_.)*(x_.)] * (d_.) + (c_.)) ^ (n_.) * ((g_.) * sin[(e_.) + (f_.)*(x_.)]) ^ (p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p * (g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m * (c + d*Csc[e + f*x])^n) / (g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4032

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.)) ^ (n_.) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)) ^ (m_.) * (csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x] * (a + b*Csc[e + f*x])^m * (d*Csc[e + f*x])^n) / (f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1) * (d*Csc[e + f*x])^(n + 1) * Simp[A*b*m - a*B*n - (b*B*n + a*A*(n + 1)) * Csc[e + f*x] - A*b*(m + n + 1) * Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)) * (csc[(e_.) + (f_.)*(x_.)]*(d_.)) ^ (n_.) * (csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)) ^ (m_.), x_Symbol] :> Simp[(A*Cot[e + f*x] * (a + b*Csc[e + f*x])^(m + 1) * (d*Csc[e + f*x])^n) / (a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m * (d*Csc[e + f*x])^(n + 1) * Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n) * Csc[e + f*x] + A*b*(m + n + 2) * Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)) / (Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)] * Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]] / Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B) / (a*d), Int[Sqrt[d*Csc[e + f*x]] / Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)] / Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]] / (Sqrt[d*Csc[e + f*x]] * Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,

b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \right) \int \frac{\sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2A \cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{7d} + \frac{1}{7} \left(2 \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c+dx)}{\sec^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2(Ab+7aB) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{35ad} + \frac{2}{7} \int \frac{\sec^{\frac{3}{2}}(c+dx)}{\sec^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2(25a^2A-4Ab^2+7abB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105a^2d} \\
&= \frac{2(25a^2A-4Ab^2+7abB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105a^2d} \\
&= \frac{2(25a^2A-4Ab^2+7abB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105a^2d} \\
&= \frac{2(25a^2A-4Ab^2+7abB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105a^2d} \\
&= \frac{2(25a^2A-4Ab^2+7abB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105a^2d} \\
&= \frac{2(a^2-b^2)(25a^2A+8Ab^2-14abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{105a^3d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 17.2825, size = 455, normalized size = 1.33

$$\frac{\sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \left(\frac{(115a^2A+28abB-16Ab^2) \sin(c+dx)}{210a^2} + \frac{(7aB+Ab) \sin(2(c+dx))}{35a} + \frac{1}{14} A \sin(3(c+dx)) \right)}{d} - \frac{2 \cos^{\frac{3}{2}}(c+dx)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(((115*a^2*A - 16*A*b^2 + 28*a*b*B)*Sin[c + d*x])/(210*a^2) + ((A*b + 7*a*B)*Sin[2*(c + d*x)])/(35*a) + (A*Ssin[3*(c + d*x)]/14))/d - (2*Cos[c + d*x]^(3/2)*(Cos[(c + d*x)/2]^2*Sec[

$$\begin{aligned} & (c + d*x)^{(3/2)} * \text{Sqrt}[a + b * \text{Sec}[c + d*x]] * ((-1) * (a + b) * (19*a^2*A*b + 8*A*b^3 \\ & + 63*a^3*B - 14*a*b^2*B) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b) / \\ & (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[(b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / \\ & (a + b)] + I * a * (a + b) * (8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63*B)) * \text{El} \\ & \text{lipticF}[I * \text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] * \text{Sec}[(c + d*x)/2]^2 * \text{S} \\ & \text{qrt}[(b + a * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 / (a + b)] - (19*a^2*A*b + 8*A* \\ & b^3 + 63*a^3*B - 14*a*b^2*B) * (b + a * \text{Cos}[c + d*x]) * (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} \\ & * \text{Tan}[(c + d*x)/2]) / (105*a^3*d*(b + a * \text{Cos}[c + d*x]) * \text{Sqrt}[\text{Sec}[c + d*x]]) \end{aligned}$$

Maple [B] time = 0.603, size = 2364, normalized size = 6.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x)`

[Out]
$$\begin{aligned} & 2/105/d * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)} * \cos(d*x+c)^{(1/2)} * (-1+\cos(d*x+c)) \\ & * (\cos(d*x+c)+1) * (19*A*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)} \\ & / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c) \\ & +1))^{(1/2)} * a^3*b-7*B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2*b^2 * (1/(\cos(d*x+c) \\ & +1))^{(1/2)} - 19*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^3*b * (1/(\cos(d*x+c)+1))^{(1/2)} \\ & + 20*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^2*b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} - 8* \\ & A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a*b^3 * (1/(\cos(d*x+c)+1))^{(1/2)} + 35*B*\cos(d* \\ & x+c) * ((a-b)/(a+b))^{(1/2)} * a^3*b * (1/(\cos(d*x+c)+1))^{(1/2)} + 15*A*\cos(d*x+c)^5 * (\\ & (a-b)/(a+b))^{(1/2)} * a^4 * (1/(\cos(d*x+c)+1))^{(1/2)} + 10*A*\cos(d*x+c)^3 * ((a-b)/(a \\ & +b))^{(1/2)} * a^4 * (1/(\cos(d*x+c)+1))^{(1/2)} - 25*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} \\ & * a^4 * (1/(\cos(d*x+c)+1))^{(1/2)} + 21*B*\cos(d*x+c)^4 * ((a-b)/(a+b))^{(1/2)} * a^4 * (1/ \\ & (\cos(d*x+c)+1))^{(1/2)} + 42*B*\cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^4 * (1/(\cos(d*x \\ & +c)+1))^{(1/2)} + 8*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * b^4 * (1/(\cos(d*x+c)+1))^{(1/2)} \\ & - 8*A * ((a-b)/(a+b))^{(1/2)} * b^4 * (1/(\cos(d*x+c)+1))^{(1/2)} + 14*B*\cos(d*x+c) * ((a \\ & -b)/(a+b))^{(1/2)} * a^2*b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} - 14*B*\cos(d*x+c) * ((a-b)/(a \\ & +b))^{(1/2)} * a*b^3 * (1/(\cos(d*x+c)+1))^{(1/2)} + 49*B*\sin(d*x+c)*\text{EllipticF}((-1+\cos \\ & (d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a \\ & * \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^3*b + 14*B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(\\ & d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a* \\ & \cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^2*b^2 - 63*B*\sin(d*x+c) * (1/(a+b) * (b+a*\cos \\ & (d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} \\ &) / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^3*b - 14*B*\sin(d*x+c) * (1/(a+b) * (b+a*\cos \\ & (d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} \\ &) / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * a^2*b^2 + 14*B*\sin(d*x+c) * (1/(a+b) * (b+a*\cos \\ & (d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} \end{aligned}$$

```

)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b^3-A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)
*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)+28*B*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^3
*b*(1/(cos(d*x+c)+1))^(1/2)+26*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^3*b*(1/
(cos(d*x+c)+1))^(1/2)+4*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b^3*(1/(cos(d*
x+c)+1))^(1/2)-19*A*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
)^(1/2)*a^2*b^2+8*A*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)
)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
)^(1/2)*a*b^3-19*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/
2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(
1/2))*a^3*b+2*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1
/2))*a^2*b^2-8*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1
/2))*a*b^3+18*A*cos(d*x+c)^4*((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(
1/2)-63*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^4*(1/(cos(d*x+c)+1))^(1/2)-25*A*
((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)-19*A*((a-b)/(a+b))^(1/2)
*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)+4*A*((a-b)/(a+b))^(1/2)*a*b^3*(1/(cos(d*x
+c)+1))^(1/2)-63*B*((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)-7*B*(
(a-b)/(a+b))^(1/2)*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)+14*B*((a-b)/(a+b))^(1/2)
)*a*b^3*(1/(cos(d*x+c)+1))^(1/2)-63*B*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/
(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x
+c),(-(a+b)/(a-b))^(1/2))*a^4+63*B*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a
-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*a^4-8*A*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/co
s(d*x+c)+1))^(1/2)*b^4+25*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)
)/(a-b))^(1/2))*a^4/a^3/((a-b)/(a+b))^(1/2)/(b+a*cos(d*x+c))/(1/(cos(d*x+c
)+1))^(1/2)/sin(d*x+c)^3

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(dx + c)^3 \sec(dx + c) + A \cos(dx + c)^3\right) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^3*sec(d*x + c) + A*cos(d*x + c)^3)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(7/2), x)

$$3.595 \quad \int \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=267

$$\frac{2(a^2 - b^2)(2Ab - 5aB) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{15a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(9a^2A + 5abB - 2Ab^2) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{15a^2d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] $(-2*(a^2 - b^2)*(2*A*b - 5*a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)])/(15*a^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (2*(A*b + 5*a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a*d) + (2*A*\operatorname{Cos}[c + d*x]^{(3/2)}*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*d)$

Rubi [A] time = 0.913874, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4032, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2 - b^2)(2Ab - 5aB) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{15a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(9a^2A + 5abB - 2Ab^2) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{15a^2d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^{(5/2)}*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x]),x]$

[Out] $(-2*(a^2 - b^2)*(2*A*b - 5*a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)])/(15*a^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^2*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (2*(A*b + 5*a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a*d) + (2*A*\operatorname{Cos}[c + d*x]^{(3/2)}*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*d)$

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4032

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*Cot[
e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n
), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a
*B*n - (b*B*n + a*A*(n + 1))*Csc[e + f*x] - A*b*(m + n + 1)*Csc[e + f*x]^2,
x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[
a^2 - b^2, 0] && LtQ[0, m, 1] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
```

```
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx)) dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b \sec(c+dx)} (A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{2A \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{5d} + \frac{1}{5} (2\sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)) \\
&= \frac{2(Ab+5aB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15ad} + \frac{2\sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{5} \\
&= \frac{2(Ab+5aB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15ad} + \frac{2\sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{5} \\
&= \frac{2(Ab+5aB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15ad} + \frac{2\sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{5} \\
&= \frac{2(Ab+5aB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15ad} + \frac{2\sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{5} \\
&= -\frac{2(a^2-b^2)(2Ab-5aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{15a^2 d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2\sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \sin(c+dx)}{5}
\end{aligned}$$

Mathematica [C] time = 14.7522, size = 353, normalized size = 1.32

$$2\sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} \left(a \sin(c+dx) (3aA \cos(c+dx) + 5aB + Ab) - \frac{(\cos^2(\frac{1}{2}(c+dx)) \sec(c+dx))^{3/2} \left(ia(a+b)(9aA+5aB) - \dots \right)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(a*(A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x] - ((Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*((-I)*(a + b)*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]]], (-a + b)/(a + b))*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x) - ...

$$\begin{aligned} &)/2]^2)/(a + b)] + I*a*(a + b)*(9*a*A - 2*A*b + 5*a*B)*EllipticF[I*ArcSinh[\\ & \text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt[((b + a*cos[c \\ & + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (9*a^2*A - 2*A*b^2 + 5*a*b*B)*(b + a \\ & *Cos[c + d*x])*Sec[(c + d*x)/2]^2)^{3/2}*Tan[(c + d*x)/2])/((b + a*cos[c \\ & + d*x])*Sec[c + d*x]^{3/2}))/((15*a^2*d) \end{aligned}$$

Maple [B] time = 0.487, size = 1701, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(d*x+c)^{5/2}*(A+B*\sec(d*x+c))*(a+b*\sec(d*x+c))^{1/2}, x)$

[Out]
$$\begin{aligned} & 2/15/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*\cos(d*x+c)^{1/2}*(-1+\cos(d*x+c)) \\ & *(\cos(d*x+c)+1)*(2*A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a*b^2-9*A*\sin(d*x+c)* \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{1/2})*a^2*b+3*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(d*x+c)+1))^{1/2} \\ & +6*A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(d*x+c)+1))^{1/2}-9*A*\sin(d*x+c)* \\ & \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})* \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3+9*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/ \\ & (\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})* \\ & a^3+2*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*b^3-2*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/ \\ & (\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})* \\ & a*b^2+5*B*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b-5*B*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/ \\ & (\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})* \\ & a*b^2-5*B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})* \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b+7*A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2})* \\ & a^2*b*(1/(\cos(d*x+c)+1))^{1/2}+2*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2} \\ & -5*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1))^{1/2}+4*A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2})* \\ & a^2*b*(1/(\cos(d*x+c)+1))^{1/2}-A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2}+10*B \end{aligned}$$

*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(1/2)+5*B*cos(d*x+c)^3*(1/(cos(d*x+c)+1))^(1/2)*((a-b)/(a+b))^(1/2)*a^3+5*B*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3-5*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^3*(1/(cos(d*x+c)+1))^(1/2)-9*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^3*(1/(cos(d*x+c)+1))^(1/2)-2*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*b^3*(1/(cos(d*x+c)+1))^(1/2)-9*A*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(1/2)-A*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(1/2)-5*B*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(1/2)-5*B*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(1/2)+2*A*((a-b)/(a+b))^(1/2)*b^3*(1/(cos(d*x+c)+1))^(1/2))/a^2/((a-b)/(a+b))^(1/2)/(b+a*cos(d*x+c))/(1/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^3

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2\right) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(5/2), x)

$$3.596 \quad \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=201

$$\frac{2A(a^2 - b^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{3ad \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(3aB + Ab) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3ad \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*A*(a^2 - b^2)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 0.62034, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2955, 4032, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2A(a^2 - b^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3ad \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(3aB + Ab) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3ad \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2A \sin[c + d*x]}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*A*(a^2 - b^2)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In

tegerQ[n])

Rule 4032

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*A*(n + 1))*Csc[e + f*x] - A*b*(m + n + 1)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} (2\sqrt{\cos(c + dx)}) \\
 &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{(A(a^2 - b^2)) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{3a} \\
 &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{(A(a^2 - b^2)) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{3a} \\
 &= \frac{2A \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} + \frac{(A(a^2 - b^2)) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{3a} \\
 &= \frac{2A(a^2 - b^2) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3ad \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(Ab + 3aB) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{3a}
 \end{aligned}$$

Mathematica [C] time = 9.0131, size = 305, normalized size = 1.52

$$2\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)} \left(A \sin(c+dx) + \frac{\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2} \left(-ia(a+b)(A+3B)\sec^2\left(\frac{1}{2}(c+dx)\right)\sqrt{\frac{\sec^2\left(\frac{1}{2}(c+dx)\right)(a\cos(c+dx)+b)}{a+b}}}{\right)}{\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]

[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A*Sin[c + d*x] + ((Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(I*(a + b)*(A*b + 3*a*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(a + b)*(A + 3*B)*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (A*b + 3*a*B)*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(a*(b + a*Cos[c + d*x])*Sec[c + d*x]^(3/2))))/(3*d)

Maple [B] time = 0.38, size = 1162, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2), x)

[Out] 2/3/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))*
 (cos(d*x+c)+1)*(A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^2*(1/(cos(d*x+c)+1))^(
 1/2)+2*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b*(1/(cos(d*x+c)+1))^(1/2)+3*B*
 cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^2*(1/(cos(d*x+c)+1))^(1/2)+A*EllipticF((
 -1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)
)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)^(1/2)*sin(d*x+c)*a^2-A*EllipticF((-1+cos
 (d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a
 *cos(d*x+c))/(cos(d*x+c)+1)^(1/2)*sin(d*x+c)*a*b+A*(1/(a+b)*(b+a*cos(d*x+c
))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(
 d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b-A*(1/(a+b)*(b+a*cos(d*x+c))/(co
 s(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c)

, $(-(a+b)/(a-b))^{(1/2)} \sin(dx+c) b^2 - A \cos(dx+c) ((a-b)/(a+b))^{(1/2)} a^2 * (1/(\cos(dx+c)+1))^{(1/2)} - A \cos(dx+c) ((a-b)/(a+b))^{(1/2)} a * b * (1/(\cos(dx+c)+1))^{(1/2)} + A \cos(dx+c) ((a-b)/(a+b))^{(1/2)} b^2 * (1/(\cos(dx+c)+1))^{(1/2)} - 3 * B * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a^2 + 3 * B * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} a * b + 3 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)} * \sin(dx+c) a^2 - 3 * B * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), -(a+b)/(a-b))^{(1/2)} * \sin(dx+c) a * b - 3 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} a^2 * (1/(\cos(dx+c)+1))^{(1/2)} + 3 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} a * b * (1/(\cos(dx+c)+1))^{(1/2)} - A * ((a-b)/(a+b))^{(1/2)} a * b * (1/(\cos(dx+c)+1))^{(1/2)} - A * ((a-b)/(a+b))^{(1/2)} b^2 * (1/(\cos(dx+c)+1))^{(1/2)} - 3 * B * ((a-b)/(a+b))^{(1/2)} a * b * (1/(\cos(dx+c)+1))^{(1/2)} / a / ((a-b)/(a+b))^{(1/2)} / (b+a * \cos(dx+c)) / (1/(\cos(dx+c)+1))^{(1/2)} / \sin(dx+c)^3$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(A+B*sec(dx+c))*(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx + c) + A)*sqrt(b*sec(dx + c) + a)*cos(dx + c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(A+B*sec(dx+c))*(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] `integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2), x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2), x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2), x)`

$$3.597 \quad \int \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} (A + B \sec(c + dx)) dx$$

Optimal. Leaf size=208

$$\frac{2aB \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2A \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2bB \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

[Out] (2*a*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)])

Rubi [A] time = 0.683206, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 12, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.343$, Rules used = {2955, 4037, 3854, 3858, 2663, 2661, 3859, 2807, 2805, 3856, 2655, 2653}

$$\frac{2A \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2aB \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2bB \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}\right)}{d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]),x]

[Out] (2*a*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d

*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4037

Int[(Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[B/d, Int[Sqrt[a + b*Csc[e + f*x]]*Sqrt[d*Csc[e + f*x]], x], x] + Dist[A, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3854

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[a, Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])]

, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx))dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b\sec(c+dx)}(A+B\sec(c+dx))}{\sqrt{\sec(c+dx)}} dx \\
&= (A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{\sec(c+dx)}} dx + (B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{\sqrt{\sec(c+dx)}} dx \\
&= (aB\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b\sec(c+dx)}} dx + (A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sec(c+dx)\sqrt{a+b\sec(c+dx)}}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{(aB\sqrt{b+a\cos(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{(bB\sqrt{b+a\cos(c+dx)}) \int \frac{\sec(c+dx)}{\sqrt{b+a\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2A\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)\sqrt{a+b\sec(c+dx)}}{d\sqrt{\frac{b+a\cos(c+dx)}{a+b}}} + \frac{2bB\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2\frac{c+dx}{2}\middle|\frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 29.4073, size = 25347, normalized size = 121.86

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]), x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.389, size = 822, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2), x)
```

```
[Out] 2/d*(-1+cos(d*x+c))*(cos(d*x+c)+1)*(A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a-A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a+A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*b-A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a+A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b+A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a-A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*b+B*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a-B*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b+2*B*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*b-A*((a-b)/(a+b))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*b*cos(d*x+c)^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)/((a-b)/(a+b))^(1/2)/(b+a*cos(d*x+c))/(1/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^3
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)*(a+b*sec(d*x+c))**(1/2), x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))*sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)*(a+b*sec(d*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

$$3.598 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=253

$$\frac{(2aA + bB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(aB + 2Ab)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{B \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

[Out] ((2*a*A + b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.935146, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {2955, 4031, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2aA + bB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(aB + 2Ab)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{B \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]],x]

[Out] ((2*a*A + b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b + a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4031

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(B*d*\text{cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1})/(f*(m + n)), x] + \text{Dist}[d/(m + n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n-1}]*\text{Simp}[a*B*(n-1) + (b*B*(m+n-1) + a*A*(m+n))*\text{Csc}[e + f*x] + (a*B*m + A*b*(m+n))*\text{Csc}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && GtQ[n, 0]

Rule 4108

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]/(\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^{3/2}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{3/2}/\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> \text{Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), x], x] /;$ FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,

0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)}\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{-\frac{aB}{2} + \dots}{\dots} dx \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\dots}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{1}{2} (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{((2aA + bB)\sqrt{b + a \cos(c + dx)}) \int \frac{\sqrt{a + b \sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx}{2\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} \\
&= \frac{(2Ab + aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\
&= \frac{(2aA + bB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{(2Ab + aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 32.2891, size = 52603, normalized size = 207.92

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]], x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.421, size = 789, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x)`

[Out]
$$\frac{1}{d} \frac{(-1 + \cos(dx+c)) (\cos(dx+c)+1) (4A \cos(dx+c) \sin(dx+c) (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c)) ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) + 2A \cos(dx+c) \sin(dx+c) (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2}) + a - 2A \cos(dx+c) \sin(dx+c) (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2}) + b + B \cos(dx+c)^2 ((a-b)/(a+b))^{1/2} a (1/(\cos(dx+c)+1))^{1/2} + 2B \cos(dx+c) \sin(dx+c) (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticPi}((-1 + \cos(dx+c)) ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) + a - B \cos(dx+c) \sin(dx+c) (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2}) + A + B \cos(dx+c) \sin(dx+c) (1/(a+b) (b+a \cos(dx+c))/(\cos(dx+c)+1))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) ((a-b)/(a+b))^{1/2} / \sin(dx+c), -(a+b)/(a-b))^{1/2}) + b - B \cos(dx+c) ((a-b)/(a+b))^{1/2} a (1/(\cos(dx+c)+1))^{1/2} + B \cos(dx+c) ((a-b)/(a+b))^{1/2} b (1/(\cos(dx+c)+1))^{1/2} - B ((a-b)/(a+b))^{1/2} b (1/(\cos(dx+c)+1))^{1/2}) + ((b+a \cos(dx+c))/\cos(dx+c))^{1/2} / ((a-b)/(a+b))^{1/2} / (b+a \cos(dx+c)) / (1/(\cos(dx+c)+1))^{1/2} / \sin(dx+c)^3 / \cos(dx+c)^{1/2}}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{a + b \sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2)/cos(d*x+c)**(1/2),x)

[Out] Integral((A + B*sec(c + d*x))*sqrt(a + b*sec(c + d*x))/sqrt(cos(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/sqrt(cos(d*x + c)), x)

$$3.599 \quad \int \frac{\sqrt{a+b \sec(c+dx)}(A+B \sec(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=336

$$\frac{(3aB + 4Ab)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(a^2(-B) + 4aAb + 4b^2B)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \dots$$

[Out] $((4A*b + 3a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(4*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((4*a*A*b - a^2*B + 4*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(4*b*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - ((4*A*b + a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(4*b*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (B*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(2*d*\operatorname{Cos}[c + d*x]^{(3/2)}) + ((4*A*b + a*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(4*b*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rubi [A] time = 1.26203, antiderivative size = 336, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4031, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(a^2(-B) + 4aAb + 4b^2B)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(aB + 4Ab) \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{4bd\sqrt{\cos(c+dx)}} + \frac{(3aB + 4Ab)}{4d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x]))/\operatorname{Cos}[c + d*x]^{(3/2)}, x]$

[Out] $((4A*b + 3a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(4*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((4*a*A*b - a^2*B + 4*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(4*b*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) - ((4*A*b + a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(4*b*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (B*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(2*d*\operatorname{Cos}[c + d*x]^{(3/2)}) + ((4*A*b + a*B)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(4*b*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])$

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4031

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(B*d*C
ot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(f*(m + n)), x
] + Dist[d/(m + n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n -
1)*Simp[a*B*(n - 1) + (b*B*(m + n - 1) + a*A*(m + n))*Csc[e + f*x] + (a*B*m
+ A*b*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B},
x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[0, m, 1] && GtQ[n, 0]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_.), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \sec^{\frac{3}{2}}(c + dx)\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx)) dx \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{2} \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{a + b \sec(c + dx)}(A + B \sec(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4Ab + aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4bd\sqrt{\cos(c + dx)}} \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4Ab + aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4bd\sqrt{\cos(c + dx)}} \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4Ab + aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4bd\sqrt{\cos(c + dx)}} \\
&= \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} + \frac{(4Ab + aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4bd\sqrt{\cos(c + dx)}} \\
&= \frac{(4aAb - a^2B + 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4bd\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{B\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(4Ab + 3aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{(4aAb - a^2B + 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4bd\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 32.9809, size = 77879, normalized size = 231.78

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Sec[c + d*x]]*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.417, size = 1475, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))*(a+b*\sec(d*x+c))^{1/2}/\cos(d*x+c)^{3/2}, x)$

[Out]
$$\begin{aligned} & -1/4/d*(-1+\cos(d*x+c))*(\cos(d*x+c)+1)*(4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b) \\ & *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a \\ & +b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b-4*A*\sin(d*x+c)*\cos(d*x+c)^2 \\ & *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticE((-1+\cos(d*x+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*b^2-8*A*\sin(d*x+c)*\cos \\ & (d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+co \\ & s(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) \\ & *a*b-4*A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(d*x+c)+1))^{1/2}+B*si \\ & n(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*Ellip \\ & ticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a \\ & ^2-B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ &)*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2} \\ &)*a*b-2*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\ & +1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b) \\ & / (a-b))^{1/2})*a^2-2*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/ (c \\ & os(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c) \\ &), (- (a+b)/(a-b))^{1/2})*a*b+4*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d \\ & *x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/ \\ & \sin(d*x+c), (- (a+b)/(a-b))^{1/2})*b^2+2*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(\\ & b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+ \\ & b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a^2-8*B*\sin(d*x+c)* \\ & \cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1 \\ & +\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2} \\ &)*b^2-B*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*(1/(\cos(d*x+c)+1))^{1/2}-2*B \\ & *\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(d*x+c)+1))^{1/2}+4*A*\cos(d*x+ \\ & c)^2*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(d*x+c)+1))^{1/2}-4*A*\cos(d*x+c)^2*((a- \\ & b)/(a+b))^{1/2}*b^2*(1/(\cos(d*x+c)+1))^{1/2}+B*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2} \\ &)*a^2*(1/(\cos(d*x+c)+1))^{1/2}-B*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b*(1 \\ & /(\cos(d*x+c)+1))^{1/2}-2*B*\cos(d*x+c)^2*(1/(\cos(d*x+c)+1))^{1/2}*((a-b)/(a+ \\ & b))^{1/2}*b^2+4*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*b^2*(1/(\cos(d*x+c)+1))^{1/2} \\ &)+3*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(d*x+c)+1))^{1/2}+2*B*((a- \\ & b)/(a+b))^{1/2}*b^2*(1/(\cos(d*x+c)+1))^{1/2})*((b+a*\cos(d*x+c))/\cos(d*x+c)) \\ & ^{1/2}/b/((a-b)/(a+b))^{1/2}/(b+a*\cos(d*x+c))/(1/(\cos(d*x+c)+1))^{1/2}/\sin(\\ & d*x+c)^3/\cos(d*x+c)^{3/2} \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))**(1/2)/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{b \sec(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*(a+b*sec(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)/cos(d*x + c)^(3/2), x)
```

$$3.600 \quad \int \cos^{\frac{9}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=427

$$\frac{2(a^2 - b^2)(39a^2Ab + 75a^3B - 18ab^2B + 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + 2(49a^2A + 72abB + 3Ab^2)}{315a^3d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}$$

```
[Out] (2*(a^2 - b^2)*(39*a^2*A*b + 8*A*b^3 + 75*a^3*B - 18*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(315*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(88*a^2*A*b - 4*A*b^3 + 75*a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d) + (2*(49*a^2*A + 3*A*b^2 + 72*a*b*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d) + (2*(10*A*b + 9*a*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(63*d) + (2*a*A*Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(9*d)
```

Rubi [A] time = 1.70772, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4025, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(49a^2A + 72abB + 3Ab^2) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}}{315ad} + \frac{2(88a^2Ab + 75a^3B + 9ab^2B - 4Ab^3) \sin(c + dx)}{315a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*(a^2 - b^2)*(39*a^2*A*b + 8*A*b^3 + 75*a^3*B - 18*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(315*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(88*a^2*A*b - 4*A*b^3 + 75*a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a^2*d) + (2*(49*a^2*A + 3*A*b^2 + 72*a*b*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d) + (2*(10*A*b + 9*a*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(63*d) + (2*a*A*Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(9*d)
```

$$A + 3A^2b + 72abB) \cos[c + dx]^{3/2} \sqrt{a + b \sec[c + dx]} \sin[c + dx] / (315ad) + (2(10Ab + 9aB) \cos[c + dx]^{5/2} \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (63d) + (2aA \cos[c + dx]^{7/2} \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (9d)$$

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n]/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sec^{\frac{9}{2}}(c+dx)} dx \\
&= \frac{2aA \cos^{\frac{7}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{9d} - \frac{1}{9} (2\sqrt{\cos(c+dx)}) \\
&= \frac{2(10Ab+9aB) \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{63d} \\
&= \frac{2(49a^2A+3Ab^2+72abB) \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{315ad} \\
&= \frac{2(88a^2Ab-4Ab^3+75a^3B+9ab^2B) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{315a^2d} \\
&= \frac{2(88a^2Ab-4Ab^3+75a^3B+9ab^2B) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}{315a^2d} \\
&= \frac{2(88a^2Ab-4Ab^3+75a^3B+9ab^2B) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}{315a^2d} \\
&= \frac{2(88a^2Ab-4Ab^3+75a^3B+9ab^2B) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}{315a^2d} \\
&= \frac{2(a^2-b^2)(39a^2Ab+8Ab^3+75a^3B-18ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{315a^3d \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 18.3851, size = 540, normalized size = 1.26

$$\frac{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \left(\frac{(402a^2Ab+345a^3B+36ab^2B-16Ab^3) \sin(c+dx)}{630a^2} + \frac{(133a^2A+144abB+6Ab^2) \sin(2(c+dx))}{630a} + \frac{1}{126} (9aB+10A) \right)}{d(a \cos(c+dx)+b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

```
[Out] (Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(((402*a^2*A*b - 16*A*b^3 +
345*a^3*B + 36*a*b^2*B)*Sin[c + d*x])/(630*a^2) + ((133*a^2*A + 6*A*b^2 + 1
44*a*b*B)*Sin[2*(c + d*x)]/(630*a) + ((10*A*b + 9*a*B)*Sin[3*(c + d*x)]/1
26 + (a*A*Ssin[4*(c + d*x)]/36))/(d*(b + a*Cos[c + d*x])) - (2*Cos[c + d*x]
^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(
(-I)*(a + b)*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B
)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]
^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(8
*A*b^3 - 6*a*b^2*(A + 3*B) + 3*a^3*(49*A + 25*B) + 3*a^2*b*(13*A + 57*B))*E
llipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*
Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (147*a^4*A + 33*a
^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*(b + a*Cos[c + d*x])*(Sec[(c
+ d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(315*a^3*d*(b + a*Cos[c + d*x])^2*Se
c[c + d*x]^(3/2))
```

Maple [B] time = 0.702, size = 3068, normalized size = 7.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x)
```

```
[Out] -2/315/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c)
))*cos(d*x+c)+1)*(147*A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+
c)+1))^(1/2)*a^5-147*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))
^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-
b))^(1/2))*a^5+8*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/
2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(
1/2))*b^5-98*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^5*(1/(cos(d*x+c)+1))^(1/
2)+147*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^5*(1/(cos(d*x+c)+1))^(1/2)-8*A*co
s(d*x+c)*((a-b)/(a+b))^(1/2)*b^5*(1/(cos(d*x+c)+1))^(1/2)+147*A*((a-b)/(a+b)
))^(1/2)*a^4*b*(1/(cos(d*x+c)+1))^(1/2)+88*A*((a-b)/(a+b))^(1/2)*a^3*b^2*(1
/(cos(d*x+c)+1))^(1/2)+33*A*((a-b)/(a+b))^(1/2)*a^2*b^3*(1/(cos(d*x+c)+1))^(
1/2)-4*A*((a-b)/(a+b))^(1/2)*a*b^4*(1/(cos(d*x+c)+1))^(1/2)+75*B*((a-b)/(a
+b))^(1/2)*a^4*b*(1/(cos(d*x+c)+1))^(1/2)+246*B*((a-b)/(a+b))^(1/2)*a^3*b^2
*(1/(cos(d*x+c)+1))^(1/2)+33*A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*a^3*b^2-2*A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*a^2*b^3+8*A*((a-b)/(a+b))^(1/2)*b^5*(1/(cos(d*x+c)+1))^(
```

$$\begin{aligned}
& 1/2)+8*A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c) \\
&),(- (a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a*b \\
& ^4+147*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{Elliptic} \\
& \text{E}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*a^4 \\
& *b-33*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{Elliptic} \\
& \text{E}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*a^3* \\
& b^2+33*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{Elliptic} \\
& \text{E}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*a^2 \\
& *b^3-8*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{Elliptic} \\
& \text{E}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*a*b \\
& ^4-53*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^3*b^2*(1/(\cos(d*x+c)+1))^{1/2}-1 \\
& 17*B*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^4*b*(1/(\cos(d*x+c)+1))^{1/2}-52*A*c \\
& \cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^4*b*(1/(\cos(d*x+c)+1))^{1/2}+A*\cos(d*x+c) \\
& ^3*((a-b)/(a+b))^{1/2}*a^2*b^3*(1/(\cos(d*x+c)+1))^{1/2}-81*B*\cos(d*x+c)^3*(\\
& (a-b)/(a+b))^{1/2}*a^3*b^2*(1/(\cos(d*x+c)+1))^{1/2}-85*A*\cos(d*x+c)^5*((a-b) \\
&)/(a+b))^{1/2}*a^4*b*(1/(\cos(d*x+c)+1))^{1/2}-68*A*\cos(d*x+c)^2*((a-b)/(a+b) \\
&))^{1/2}*a^3*b^2*(1/(\cos(d*x+c)+1))^{1/2}-4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2} \\
& *a*b^4*(1/(\cos(d*x+c)+1))^{1/2}-204*B*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a \\
& ^4*b*(1/(\cos(d*x+c)+1))^{1/2}+9*B*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^2*b^3* \\
& (1/(\cos(d*x+c)+1))^{1/2}-10*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^4*b*(1/(\cos(\\
& d*x+c)+1))^{1/2}+33*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^3*b^2*(1/(\cos(d*x+c) \\
& +1))^{1/2}-34*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^2*b^3*(1/(\cos(d*x+c)+1))^{1/2} \\
& +8*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b^4*(1/(\cos(d*x+c)+1))^{1/2}+246* \\
& B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^4*b*(1/(\cos(d*x+c)+1))^{1/2}-165*B*\cos(d \\
& *x+c)*((a-b)/(a+b))^{1/2}*a^3*b^2*(1/(\cos(d*x+c)+1))^{1/2}-18*B*\cos(d*x+c)* \\
& ((a-b)/(a+b))^{1/2}*a^2*b^3*(1/(\cos(d*x+c)+1))^{1/2}+18*B*\cos(d*x+c)*((a-b) \\
&)/(a+b))^{1/2}*a*b^4*(1/(\cos(d*x+c)+1))^{1/2}+246*B*\sin(d*x+c)*\text{EllipticF}((-1 \\
& +\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*(1/(a+b)* \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^4*b-153*B*\sin(d*x+c)*\text{EllipticF}((-1 \\
& +\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*(1/(a+b)* \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3*b^2-18*B*\sin(d*x+c)*\text{EllipticF}((-1 \\
& +\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b^3-246*B*\sin(d*x+c)*(1/(a+b)* \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*a^4*b+246*B*\sin(d*x+c)*(1/(a+b)* \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*a^3*b^2+18*B*\sin(d*x+c)*(1/(a+b)* \\
& (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*a^2*b^3-18*B*\sin(d*x+c)*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b) \\
&))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*a*b^4-186*A*\sin(d*x+c)*\text{Elliptic} \\
& \text{F}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(- (a+b)/(a-b))^{1/2})*(1/(\\
& a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^4*b+9*B*((a-b)/(a+b))^{1/2}*a \\
& ^2*b^3*(1/(\cos(d*x+c)+1))^{1/2}-18*B*((a-b)/(a+b))^{1/2}*a*b^4*(1/(\cos(d*x+ \\
& c)+1))^{1/2}-45*B*\cos(d*x+c)^5*((a-b)/(a+b))^{1/2}*a^5*(1/(\cos(d*x+c)+1))^{1/2}
\end{aligned}$$

$1/2)-30*B*\cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^5*(1/(\cos(d*x+c)+1))^(1/2)-75*$
 $B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^(1/2)/\sin(d*x+c), (-a+$
 $b)/(a-b))^(1/2))*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^(1/2)*a^5+75*B*c$
 $\cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^5*(1/(\cos(d*x+c)+1))^(1/2)-35*A*\cos(d*x+c)^$
 $6*((a-b)/(a+b))^(1/2)*a^5*(1/(\cos(d*x+c)+1))^(1/2)-14*A*\cos(d*x+c)^4*((a-b)$
 $/(a+b))^(1/2)*a^5*(1/(\cos(d*x+c)+1))^(1/2))/a^3/((a-b)/(a+b))^(1/2)/(b+a*co$
 $s(d*x+c))/((1/(\cos(d*x+c)+1))^(1/2)/\sin(d*x+c))^3$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorith="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(9/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Bb cos(dx + c)⁴ sec(dx + c)² + Aa cos(dx + c)⁴ + (Ba + Ab) cos(dx + c)⁴ sec(dx + c))sqrt(b sec(dx + c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorith="fricas")

[Out] integral((B*b*cos(d*x + c)⁴*sec(d*x + c)² + A*a*cos(d*x + c)⁴ + (B*a + A*b)*cos(d*x + c)⁴*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.601 \quad \int \cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=342

$$\frac{2(a^2 - b^2)(25a^2A + 21abB - 6Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{105a^2d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{2(25a^2A + 42abB + 3Ab^2) \sin(c + dx)}{105ad}$$

```
[Out] (2*(a^2 - b^2)*(25*a^2*A - 6*A*b^2 + 21*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(25*a^2*A + 3*A*b^2 + 42*a*b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a*d) + (2*(8*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 1.30429, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4025, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{105ad} + \frac{2(a^2 - b^2)(25a^2A + 21abB - 6Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{105a^2d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*(a^2 - b^2)*(25*a^2*A - 6*A*b^2 + 21*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(25*a^2*A + 3*A*b^2 + 42*a*b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*a*d) + (2*(8*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*a*A*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(7*d)
```

]]*Sin[c + d*x]]/(7*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_.*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_.*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,

b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2aA \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{7d} - \frac{1}{7} \left(2\sqrt{c+dx}\right) \\
&= \frac{2(8Ab+7aB) \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{35d} \\
&= \frac{2(25a^2A+3Ab^2+42abB) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}{105ad} \\
&= \frac{2(25a^2A+3Ab^2+42abB) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}{105ad} \\
&= \frac{2(25a^2A+3Ab^2+42abB) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}{105ad} \\
&= \frac{2(25a^2A+3Ab^2+42abB) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}{105ad} \\
&= \frac{2(a^2-b^2)(25a^2A-6Ab^2+21abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{105a^2d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 16.9422, size = 466, normalized size = 1.36

$$\frac{\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \left(\frac{(115a^2A+168abB+12Ab^2) \sin(c+dx)}{210a} + \frac{1}{35}(7aB+8Ab) \sin(2(c+dx)) + \frac{1}{14}aA \sin(3(c+dx)) \right)}{d(a \cos(c+dx)+b)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(((115*a^2*A + 12*A*b^2 + 16*8*a*b*B)*Sin[c + d*x])/(210*a) + ((8*A*b + 7*a*B)*Sin[2*(c + d*x)]/35 + (a

$$\begin{aligned} & *A*\sin[3*(c + d*x)]/14)/(d*(b + a*\cos[c + d*x])) - (2*\cos[c + d*x]^{(3/2)}* \\ & (\cos[(c + d*x)/2]^2*\sec[c + d*x]^{(3/2)}*(a + b*\sec[c + d*x]^{(3/2)}*((-I)*(a \\ & + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*\text{EllipticE}[I*\text{ArcSinh}[\text{Ta} \\ & \text{n}[(c + d*x)/2]], (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + \\ & d*x])*\sec[(c + d*x)/2]^2)/(a + b)} + I*a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + \\ & 7*B) + a^2*(25*A + 63*B))*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(\\ & a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2)/(\\ & a + b)} - (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*(b + a*\cos[c + d*x \\ &])*(\sec[(c + d*x)/2]^2)^{(3/2)}*\tan[(c + d*x)/2]))/(105*a^2*d*(b + a*\cos[c + \\ & d*x])^2*\sec[c + d*x]^{(3/2)}) \end{aligned}$$

Maple [B] time = 0.493, size = 2326, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{7/2}*(a+b*\sec(dx+c))^{3/2}*(A+B*\sec(dx+c)), x)$

[Out] $\frac{2}{105}d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*\cos(dx+c)^{1/2}*(-1+\cos(dx+c))$
 $*(\cos(dx+c)+1)*(82*A*\sin(dx+c)*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})$
 $/\sin(dx+c), (-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)$
 $+1))^{1/2}*a^3*b+63*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^2*b^2*(1/(\cos(dx+c)$
 $+1))^{1/2}-82*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^3*b*(1/(\cos(dx+c)+1))^{1/2}$
 $+55*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2*b^2*(1/(\cos(dx+c)+1))^{1/2}+6$
 $*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a*b^3*(1/(\cos(dx+c)+1))^{1/2}+15*A*\cos(d$
 $*x+c)^5*((a-b)/(a+b))^{1/2}*a^4*(1/(\cos(dx+c)+1))^{1/2}+10*A*\cos(dx+c)^3*$
 $((a-b)/(a+b))^{1/2}*a^4*(1/(\cos(dx+c)+1))^{1/2}-25*A*\cos(dx+c)*((a-b)/(a$
 $b))^{1/2}*a^4*(1/(\cos(dx+c)+1))^{1/2}+21*B*\cos(dx+c)^4*((a-b)/(a+b))^{1/2}$
 $*a^4*(1/(\cos(dx+c)+1))^{1/2}+42*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^4*(1$
 $/(\cos(dx+c)+1))^{1/2}-6*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*b^4*(1/(\cos(dx+c)$
 $+1))^{1/2}+6*A*((a-b)/(a+b))^{1/2}*b^4*(1/(\cos(dx+c)+1))^{1/2}-21*B*\cos(d$
 $*x+c)*((a-b)/(a+b))^{1/2}*a^2*b^2*(1/(\cos(dx+c)+1))^{1/2}+21*B*\cos(dx+c)*$
 $((a-b)/(a+b))^{1/2}*a*b^3*(1/(\cos(dx+c)+1))^{1/2}+84*B*\sin(dx+c)*\text{Elliptic}$
 $\text{F}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2}*(1/($
 $a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^3*b-21*B*\sin(dx+c)*\text{EllipticF}$
 $((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2}*(1/(a$
 $+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b^2-63*B*\sin(dx+c)*(1/(a+b)$
 $*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a$
 $+b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2}*a^3*b+21*B*\sin(dx+c)*(1/(a+b)*$
 $(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a$
 $b))^{1/2})/\sin(dx+c), (-a+b)/(a-b))^{1/2}*a^2*b^2-21*B*\sin(dx+c)*(1/(a+b)$

```

*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a
+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b^3+27*A*cos(d*x+c)^3*((a-b)/
(a+b))^(1/2)*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)+63*B*cos(d*x+c)^3*((a-b)/(a+b
))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)+68*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/
2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)-3*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b^
3*(1/(cos(d*x+c)+1))^(1/2)-82*A*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)
/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*a^2*b^2-6*A*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)
/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(c
os(d*x+c)+1))^(1/2)*a*b^3-82*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*
x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(
a+b)/(a-b))^(1/2))*a^3*b+51*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a
+b)/(a-b))^(1/2))*a^2*b^2+6*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x
+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a
+b)/(a-b))^(1/2))*a*b^3+39*A*cos(d*x+c)^4*((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos
(d*x+c)+1))^(1/2)-63*B*cos(d*x+c))*((a-b)/(a+b))^(1/2)*a^4*(1/(cos(d*x+c)+1
))^(1/2)-25*A*((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)-82*A*((a-b)
/(a+b))^(1/2)*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)-3*A*((a-b)/(a+b))^(1/2)*a*b^
3*(1/(cos(d*x+c)+1))^(1/2)-63*B*((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1
))^(1/2)-42*B*((a-b)/(a+b))^(1/2)*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)-21*B*((a-
b)/(a+b))^(1/2)*a*b^3*(1/(cos(d*x+c)+1))^(1/2)-63*B*sin(d*x+c)*(1/(a+b)*(b+
a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^4+63*B*sin(d*x+c)*EllipticE((-1+c
os(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^4+6*A*sin(d*x+c)*EllipticE((-1+cos(d
*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^4+25*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+
c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin
(d*x+c),(-(a+b)/(a-b))^(1/2))*a^4/a^2/((a-b)/(a+b))^(1/2)/(b+a*cos(d*x+c))
/(1/(cos(d*x+c)+1))^(1/2)/sin(d*x+c)^3

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algor
ithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(7/2
```


), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb cos(dx + c)³ sec(dx + c)² + Aa cos(dx + c)³ + (Ba + Ab) cos(dx + c)³ sec(dx + c))sqrt(b sec(dx + c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^3*sec(d*x + c)^2 + A*a*cos(d*x + c)^3 + (B*a + A*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(7/2), x)

$$3.602 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=266

$$\frac{2(a^2 - b^2)(5aB + 3Ab)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{15ad\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{2(9a^2A + 20abB + 3Ab^2)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{15ad\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*(a^2 - b^2)*(3*A*b + 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(6*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*d)

Rubi [A] time = 0.970073, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4025, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2 - b^2)(5aB + 3Ab)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{15ad\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{2(9a^2A + 20abB + 3Ab^2)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{15ad\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*(a^2 - b^2)*(3*A*b + 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(6*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*d)

Rule 2955

```

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])

```

Rule 4025

```

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_.), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx)) dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+b \sec(c+dx))^{3/2}(A-B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{2aA \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{5d} - \frac{1}{5} \left(2\sqrt{a+b \sec(c+dx)} \sin(c+dx)\right) \\
&= \frac{2(6Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2(6Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2(6Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2(6Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2(a^2-b^2)(3Ab+5aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{15ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \dots
\end{aligned}$$

Mathematica [C] time = 14.2602, size = 369, normalized size = 1.39

$$\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \left[2 \sin(c+dx)(a \cos(c+dx) + b)(3aA \cos(c+dx) + 5aB + 6Ab) - \frac{2(\cos^2(\frac{1}{2}(c+dx)) \sec(c+dx))^{3/2}}{\dots} \right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] (Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(2*(b + a*Cos[c + d*x]))*(6*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x] - (2*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*((-1)*(a + b)*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*

$$\begin{aligned} & \cos[c + d*x])*\sec[(c + d*x)/2]^2/(a + b)] + I*a*(a + b)*(3*b*(A + 5*B) + a \\ & *(9*A + 5*B))*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*\sec[\\ & (c + d*x)/2]^2*\text{sqrt}[\frac{(b + a*\cos[c + d*x])*\sec[(c + d*x)/2]^2}{(a + b)} - (9 \\ & *a^2*A + 3*A*b^2 + 20*a*b*B)*(b + a*\cos[c + d*x])*(\sec[(c + d*x)/2]^2)^{3/2} \\ &)*\text{Tan}[(c + d*x)/2)]/(a*\sec[c + d*x]^{3/2})]/(15*d*(b + a*\cos[c + d*x])^2) \end{aligned}$$

Maple [B] time = 0.481, size = 1749, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} & 2/15/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*\cos(d*x+c)^{1/2}*(-1+\cos(d*x+c)) \\ & *(\cos(d*x+c)+1)*(-3*A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\ & / \sin(d*x+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+ \\ & 1))^{1/2}*a*b^2-9*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & *\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2} \\ &)*a^2*b+3*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(d*x+c)+1))^{1/2} \\ & +6*A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(d*x+c)+1))^{1/2}-9*A* \\ & \sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b) \\ & / (a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3+9*A*\sin(\\ & d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d* \\ & x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^3-3*A*\sin(d*x+ \\ & c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c) \\ &)*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*b^3+3*A*\sin(d*x+c)*(\\ & 1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^2+20*B*\sin(d*x+c)*(1 \\ & / (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a^2*b-20*B*\sin(d*x+c)*(1 \\ & / (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))* \\ & ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})*a*b^2-20*B*\sin(d*x+c)*\text{Ellip \\ & ticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})* \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b+12*A*\sin(d*x+c)*\text{Ellip \\ & ticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})* \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b-3*A*\cos(d*x+c)*((a-b)/ \\ & (a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2}-20*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2} \\ &)*a^2*b*(1/(\cos(d*x+c)+1))^{1/2}+20*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b \\ & ^2*(1/(\cos(d*x+c)+1))^{1/2}+9*A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/ \\ & (\cos(d*x+c)+1))^{1/2}+9*A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x \\ & +c)+1))^{1/2}+25*B*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1) \end{aligned}$$

$$\begin{aligned} &)^{(1/2)} + 5*B*\cos(d*x+c)^3*(1/(\cos(d*x+c)+1))^{(1/2)}*((a-b)/(a+b))^{(1/2)}*a^3+5 \\ &*B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a \\ &+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^3-5*B*c \\ &\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*(1/(\cos(d*x+c)+1))^{(1/2)}-9*A*\cos(d*x+c)* \\ &((a-b)/(a+b))^{(1/2)}*a^3*(1/(\cos(d*x+c)+1))^{(1/2)}+3*A*\cos(d*x+c)*((a-b)/(a+b) \\ &)^{(1/2)}*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}-9*A*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(\\ &d*x+c)+1))^{(1/2)}-6*A*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}-5*B \\ &*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}-20*B*((a-b)/(a+b))^{(1/2) \\ &)*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}-3*A*((a-b)/(a+b))^{(1/2)}*b^3*(1/(\cos(d*x+c) \\ &+1))^{(1/2)}+15*B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin \\ &(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1 \\ &/2)}*a*b^2/a/((a-b)/(a+b))^{(1/2)}/(b+a*\cos(d*x+c))/\sin(d*x+c)^3/(1/(\cos(d*x+ \\ &c)+1))^{(1/2)} \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 \sec(dx + c)^2 + Aa \cos(dx + c)^2 + (Ba + Ab) \cos(dx + c)^2 \sec(dx + c)\right) \sqrt{b \sec(dx + c) + a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b*cos(d*x + c)^2*sec(d*x + c)^2 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^2*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)), x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2), x)

$$3.603 \quad \int \cos^2(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=276

$$\frac{2(a^2A + 3abB - Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(3aB + 4Ab) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*(a^2*A - A*b^2 + 3*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b^2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])) + (2*(4*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rubi [A] time = 1.09329, antiderivative size = 276, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {2955, 4025, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2A + 3abB - Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(3aB + 4Ab) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*(a^2*A - A*b^2 + 3*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b^2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])) + (2*(4*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*A*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d)

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
```

```

+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

```

$b^2, 0] \ \&\& \ !GtQ[a + b, 0]$

Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)\sin[(c_) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b]), x] \ /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} - \frac{1}{3} \left(2\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}\right) \\ &= \frac{2aA\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} - \frac{1}{3} \left(2\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}\right) \\ &= \frac{2aA\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} - \frac{1}{3} \left((-4a\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)})\right) \\ &= \frac{2aA\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d} - \frac{((-a^2A)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)})}{3d} \\ &= \frac{2b^2B\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{2aA\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{3d} \\ &= \frac{2(a^2A - Ab^2 + 3abB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{2aA\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{3d} \end{aligned}$$

Mathematica [C] time = 33.8954, size = 45958, normalized size = 166.51

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]

[Out] Result too large to show

Maple [C] time = 0.364, size = 1429, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c)^{3/2} * (a+b*\sec(dx+c))^{3/2} * (A+B*\sec(dx+c)), x)$

[Out]
$$\frac{2}{3}d * \left(\frac{b+a*\cos(dx+c)}{\cos(dx+c)} \right)^{1/2} * \cos(dx+c)^{1/2} * (-1+\cos(dx+c)) * (\cos(dx+c)+1) * (A*\cos(dx+c)^3 * \left(\frac{a-b}{a+b} \right)^{1/2} * a^2 * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} + 5*A*\cos(dx+c)^2 * \left(\frac{a-b}{a+b} \right)^{1/2} * a*b * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} + 3*B*\cos(dx+c)^2 * \left(\frac{a-b}{a+b} \right)^{1/2} * a^2 * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} + A*\text{EllipticF} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \left(\frac{1}{a+b} \right) * \left(\frac{b+a*\cos(dx+c)}{\cos(dx+c)+1} \right)^{1/2} * \sin(dx+c) * a^2 - 4*A*\text{EllipticF} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \sin(dx+c) * a*b + 3*A*\sin(dx+c) * \text{EllipticF} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * b^2 + 4*A * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \sin(dx+c) * a*b - 4*A * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \sin(dx+c) * b^2 - A*\cos(dx+c) * \left(\frac{a-b}{a+b} \right)^{1/2} * a^2 * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 4*A*\cos(dx+c) * \left(\frac{a-b}{a+b} \right)^{1/2} * a*b * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} + 4*A*\cos(dx+c) * \left(\frac{a-b}{a+b} \right)^{1/2} * b^2 * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 3*B*\sin(dx+c) * \text{EllipticF} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * a^2 + 6*B*\sin(dx+c) * \text{EllipticF} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * a*b - 3*B*\sin(dx+c) * \text{EllipticF} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * b^2 + 3*B * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \sin(dx+c) * a^2 - 3*B * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticE} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \left(\frac{-(a+b)}{a-b} \right)^{1/2} \right) * \sin(dx+c) * a*b + 6*B*\sin(dx+c) * \left(\frac{1}{a+b} \right) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1)^{1/2} * \text{EllipticPi} \left((-1+\cos(dx+c)) * \left(\frac{a-b}{a+b} \right)^{1/2} / \sin(dx+c), \frac{a+b}{a-b}, \frac{1}{\left(\frac{a-b}{a+b} \right)^{1/2}} \right) * b^2 - 3*B*\cos(dx+c) * \left(\frac{a-b}{a+b} \right)^{1/2} * a^2 * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} + 3*B*\cos(dx+c) * \left(\frac{a-b}{a+b} \right)^{1/2} * a*b * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - A * \left(\frac{a-b}{a+b} \right)^{1/2} * a*b * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 4*A * \left(\frac{a-b}{a+b} \right)^{1/2} * b^2 * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 3*B * \left(\frac{a-b}{a+b} \right)^{1/2} * a*b * \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} / \left(\frac{a-b}{a+b} \right)^{1/2}$$

$$/(b+a*\cos(d*x+c))/(1/(\cos(d*x+c)+1))^(1/2)/\sin(d*x+c)^3$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c)),x, algorith
ithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2
), x)
```

$$3.604 \quad \int \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=272

$$\frac{(2a^2B + 2aAb + b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2aA - bB) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

```
[Out] ((2*a*A*b + 2*a^2*B + b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (b*(2*A*b + 3*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*a*A - b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 1.02288, antiderivative size = 272, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {2955, 4026, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2a^2B + 2aAb + b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2aA - bB) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((2*a*A*b + 2*a^2*B + b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (b*(2*A*b + 3*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*a*A - b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

Rule 2955


```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Sim
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x]
]; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))/ (Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/ (Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
```

```

+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

```

$b^2, 0] \&\& !GtQ[a + b, 0]$

Rule 2661

`Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{(a + b \sec(c + dx))^{3/2}A}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{(a + b \sec(c + dx))^{3/2}A}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{1}{2}((2aA - bB)\sqrt{\cos(c + dx)}) \int \frac{(a + b \sec(c + dx))^{3/2}}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{((-2aAb - 2a^2B - b^2B)\sqrt{\cos(c + dx)})}{2\sqrt{\cos(c + dx)}} \int \frac{(a + b \sec(c + dx))^{3/2}}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{b(2Ab + 3aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) + bB\sqrt{a + b \sec(c + dx)}}{d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} \\
 &= \frac{(2aAb + 2a^2B + b^2B)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) + bB\sqrt{a + b \sec(c + dx)}}{d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \dots
 \end{aligned}$$

Mathematica [C] time = 32.9488, size = 66581, normalized size = 244.78

Result too large to show

Warning: Unable to verify antiderivative.

`[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]), x]`

[Out] Result too large to show

Maple [C] time = 0.439, size = 1410, normalized size = 5.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b*\sec(dx+c))^{3/2}*(A+B*\sec(dx+c))*\cos(dx+c)^{1/2}, x)$

[Out]
$$\begin{aligned} & -1/d*(-1+\cos(dx+c))*(\cos(dx+c)+1)*(-2*A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}) * \\ & a^2*(1/(\cos(dx+c)+1))^{1/2}+2*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c)) * \\ & ((a-b)/(a+b))^{1/2}/\sin(dx+c), (- (a+b)/(a-b))^{1/2})*1/(a+b)*(b+a*\cos(dx+c)) / \\ & (\cos(dx+c)+1))^{1/2}*a^2-4*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c)) * \\ & ((a-b)/(a+b))^{1/2}/\sin(dx+c), (- (a+b)/(a-b))^{1/2})*1/(a+b)*(b+a*\cos(dx+c)) / \\ & (\cos(dx+c)+1))^{1/2}*a*b+2*A*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c)) * \\ & ((a-b)/(a+b))^{1/2}/\sin(dx+c), (- (a+b)/(a-b))^{1/2})*1/(a+b)*(b+a*\cos(dx+c)) / \\ & (\cos(dx+c)+1))^{1/2}*b^2-2*A*\sin(dx+c)*\cos(dx+c)*1/(a+b)*(b+a*\cos(dx+c)) / \\ & (\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (- (a+b)/(a-b))^{1/2})*a^2+2*A*\sin(dx+c)*\cos(dx+c)*1/(a+b)*(b+a*\cos(dx+c)) / \\ & (\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (- (a+b)/(a-b))^{1/2})*a*b-4*A*\sin(dx+c)*\cos(dx+c)*1/(a+b)*(b+a*\cos(dx+c)) / \\ & (\cos(dx+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b^2+2*A*\cos(dx+c)^2*(1/(\cos(dx+c)+1))^{1/2} * \\ & ((a-b)/(a+b))^{1/2}*a^2-2*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(dx+c)+1))^{1/2} - \\ & 2*B*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (- (a+b)/(a-b))^{1/2})*1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2}*a^2+2 * \\ & B*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), \\ & (- (a+b)/(a-b))^{1/2})*1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\ & a*b+B*\sin(dx+c)*\cos(dx+c)*1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1) * \\ &)^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (- (a+b)/(a-b)) * \\ &)^{1/2})*a*b-B*\sin(dx+c)*\cos(dx+c)*1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1) * \\ &)^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (- (a+b)/(a-b)) * \\ &)^{1/2})*b^2-6*B*\sin(dx+c)*\cos(dx+c)*1/(a+b)*(b+a*\cos(dx+c)) / (\cos(dx+c)+1) * \\ &)^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), \\ & I/((a-b)/(a+b))^{1/2})*a*b-B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a*b * \\ & *(1/(\cos(dx+c)+1))^{1/2}+2*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(dx+c)+1)) * \\ &)^{1/2}+B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(dx+c)+1))^{1/2} - \\ & B*\cos(dx+c)*1/(\cos(dx+c)+1))^{1/2}*((a-b)/(a+b))^{1/2}*b^2+B*((a-b)/(a+b)) * \\ &)^{1/2}*b^2*(1/(\cos(dx+c)+1))^{1/2}*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2} / \\ & ((a-b)/(a+b))^{1/2}/(b+a*\cos(dx+c))/(1/(\cos(dx+c)+1))^{1/2}/\cos(dx+c)^{1/2} \end{aligned}$$

$(1/2)/\sin(dx+c)^3$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \sec(dx + c)^2 + Aa + (Ba + Ab) \sec(dx + c)\right) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b*sec(d*x + c)^2 + A*a + (B*a + A*b)*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))*cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c)), x)
```

$$3.605 \quad \int \frac{(a+b \sec(c+dx))^{3/2}(A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=339

$$\frac{(8a^2A + 7abB + 4Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(3a^2B + 12aAb + 4b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx)\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

```
[Out] ((8*a^2*A + 4*A*b^2 + 7*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF
[(c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*
x]]) + ((12*a*A*b + 3*a^2*B + 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*E
llipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a +
b*Sec[c + d*x]]) - ((4*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/
2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*d*Sqrt[(b + a*Cos[c + d*x])/(
a + b)]) + (b*B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(
3/2)) + ((4*A*b + 5*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[C
os[c + d*x]])
```

Rubi [A] time = 1.41758, antiderivative size = 339, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4026, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(8a^2A + 7abB + 4Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(3a^2B + 12aAb + 4b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} +$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]],x]
```

```
[Out] ((8*a^2*A + 4*A*b^2 + 7*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF
[(c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*
x]]) + ((12*a*A*b + 3*a^2*B + 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*E
llipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a +
b*Sec[c + d*x]]) - ((4*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/
2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*d*Sqrt[(b + a*Cos[c + d*x])/(
a + b)]) + (b*B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(
3/2)) + ((4*A*b + 5*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[C
os[c + d*x]])
```

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp
[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x, x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))^(m_.), x_Symbol] :> -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Cs
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
```


, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.) + (a_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.) + (a_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,

b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx \\
&= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{3/2}(c + dx)} + \frac{1}{2} (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)}(a + b \sec(c + dx))^{3/2}(A + B \sec(c + dx)) dx \\
&= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
&= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
&= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
&= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
&= \frac{bB\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2d \cos^{3/2}(c + dx)} + \frac{(4Ab + 5aB)\sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} \\
&= \frac{(12aAb + 3a^2B + 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) + bB\sqrt{a + b \sec(c + dx)}}{4d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} \\
&= \frac{(8a^2A + 4Ab^2 + 7abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) + (12aAb + 3a^2B + 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{4d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{bB\sqrt{a + b \sec(c + dx)}}{4d\sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 32.9551, size = 79375, normalized size = 234.14

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]], x]
```

[Out] Result too large to show

Maple [C] time = 0.414, size = 1659, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(dx+c))^{3/2}*(A+B*\sec(dx+c))/\cos(dx+c)^{1/2}, x)$

[Out] $\frac{1}{4}d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))*(\cos(dx+c)+1)*(8*A*\sin(dx+c)*\cos(dx+c)^2*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2-8*A*\sin(dx+c)*\cos(dx+c)^2*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a*b-4*A*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b+4*A*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*b^2+24*A*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a*b+4*A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(dx+c)+1))^{1/2}+2*B*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2+2*B*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b-4*B*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*b^2-5*B*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2+5*B*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b+6*B*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a^2+8*B*\sin(dx+c)*\cos(dx+c)^2*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b^2+5*B*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^2*(1/(\cos(dx+c)+1))^{1/2}+2*B*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(dx+c)+1))^{1/2}-4*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(dx+c)+1))^{1/2}+4*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2})*b^2*(1/(\cos(dx+c)+1))^{1/2}-5*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^2*(1/(\cos(dx+c)+1))^{1/2}+5*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(dx+c)+1))^{1/2}+2*B*\cos(dx+c)^2*(1/(\cos(dx+c)+1))^{1/2}*((a-b)/(a+b))^{1/2})*b^2-4*A*\cos(dx+c)*((a-b)/(a+b))^{1/2})*b^2*(1/(\cos(dx+c)+1))^{1/2}-7*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a*b*(1/(\cos(dx+c)+1))^{1/2}-2*B*((a-b)/(a+b))^{1/2}$

$$\frac{1}{2} * b^2 * (1 / (\cos(dx+c)+1))^{(1/2)} / ((a-b)/(a+b))^{(1/2)} / (b+a*\cos(dx+c)) / (1 / (\cos(dx+c)+1))^{(1/2)} / \cos(dx+c)^{(3/2)} / \sin(dx+c)^3$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c))/cos(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(3/2)/sqrt(cos(dx+c)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(3/2)*(A+B*sec(dx+c))/cos(dx+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))**(3/2)*(A+B*sec(dx+c))/cos(dx+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)), x)
```

$$3.606 \quad \int \frac{(a+b \sec(c+dx))^{3/2} (A+B \sec(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=421

$$\frac{(17a^2B + 42aAb + 16b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{24d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(3a^2B + 30aAb + 16b^2B) \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{24bd\sqrt{\cos(c+dx)}}$$

```
[Out] ((42*a*A*b + 17*a^2*B + 16*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((6*a^2*A*b + 8*A*b^3 - a^3*B + 12*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2)) + ((6*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d*Cos[c + d*x]^(3/2)) + ((30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d*Sqrt[Cos[c + d*x]])]
```

Rubi [A] time = 1.80199, antiderivative size = 421, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4026, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{24bd\sqrt{\cos(c+dx)}} + \frac{(17a^2B + 42aAb + 16b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{24d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2),x]

```
[Out] ((42*a*A*b + 17*a^2*B + 16*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((6*a^2*A*b + 8*A*b^3 - a^3*B + 12*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2)) + ((6*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d*Cos[c + d*x]^(3/2)) + ((30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d*Sqrt[Cos[c + d*x]])]
```

```
x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(5/2)) + ((6*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(12*d*Cos[c + d*x]^(3/2)) + ((30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*b*d*Sqrt[Cos[c + d*x]])
```

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[(a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```


Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx))}{\cos^3(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^3(c + dx) (a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx \\
&= \frac{bB \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{1}{3} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^2(c + dx) (a + b \sec(c + dx))^{3/2} (A + B \sec(c + dx)) dx \\
&= \frac{bB \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{(6Ab + 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12d \cos^2(c + dx)} \\
&= \frac{bB \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{(6Ab + 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12d \cos^2(c + dx)} \\
&= \frac{bB \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{(6Ab + 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12d \cos^2(c + dx)} \\
&= \frac{bB \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{(6Ab + 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12d \cos^2(c + dx)} \\
&= \frac{bB \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{(6Ab + 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12d \cos^2(c + dx)} \\
&= \frac{bB \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{(6Ab + 7aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{12d \cos^2(c + dx)} \\
&= \frac{(6a^2 Ab + 8Ab^3 - a^3 B + 12ab^2 B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{8bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(6a^2 Ab + 8Ab^3 - a^3 B + 12ab^2 B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{8bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(42aAb + 17a^2 B + 16b^2 B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{24d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(6a^2 Ab + 8Ab^3 - a^3 B + 12ab^2 B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{8bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 33.3855, size = 104716, normalized size = 248.73

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(3/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] Result too large to show

Maple [C] time = 0.508, size = 2351, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b*\sec(dx+c))^{3/2}*(A+B*\sec(dx+c))/\cos(dx+c)^{3/2}, x)$

[Out]
$$-1/24/d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))*(\cos(dx+c)+1)*(-3*B*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}-6*B*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(dx+c)+1))^{1/2}+3*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^3-16*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*b^3-72*B*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a*b^2+30*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b-30*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a*b^2-12*A*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2*b-12*A*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b^2-36*A*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*a^2*b-3*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b+16*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a*b^2-14*B*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2*b+20*B*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a*b^2+22*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(dx+c)+1))^{1/2}+30*A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}+42*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(dx+c)+1))^{1/2}+17*B*\cos(dx+c)^$$

$$2*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1))^{1/2}+3*B*\cos(d*x+c)^3*(1/(\cos(d*x+c)+1))^{1/2}*((a-b)/(a+b))^{1/2}*a^3+12*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*b^3*(1/(\cos(d*x+c)+1))^{1/2}-6*B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*a^3+6*B*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^{1/2})*a^3+24*A*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*b^3-48*A*\sin(d*x+c)*\cos(d*x+c)^3*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{1/2}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^{1/2})*b^3-30*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1))^{1/2}-12*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2}-14*B*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1))^{1/2}-16*B*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2}-30*A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2}+8*B*((a-b)/(a+b))^{1/2}*b^3*(1/(\cos(d*x+c)+1))^{1/2}+8*B*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*b^3*(1/(\cos(d*x+c)+1))^{1/2}-12*A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2})*(1/(\cos(d*x+c)+1))^{1/2}*b^3-3*B*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(d*x+c)+1))^{1/2}-16*B*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*b^3*(1/(\cos(d*x+c)+1))^{1/2}))/b/((a-b)/(a+b))^{1/2}/(b+a*\cos(d*x+c))/(1/(\cos(d*x+c)+1))^{1/2}/\cos(d*x+c)^{5/2}/\sin(d*x+c)^3$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/cos(d*x + c)^(3/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))**(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(3/2),x)
```

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(3/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(3/2)/cos(d*x + c)^(3/2), x)
```

$$3.607 \quad \int \cos^{\frac{11}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=519

$$\frac{2(a^2 - b^2)(285a^2Ab^2 + 675a^4A + 1254a^3bB - 110ab^3B + 40Ab^4)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + 2(81a^2A}{3465a^3d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \dots$$

[Out] (2*(a^2 - b^2)*(675*a^4*A + 285*a^2*A*b^2 + 40*A*b^4 + 1254*a^3*b*B - 110*a*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(3465*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3465*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b^3*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a^2*d) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B + 825*a*b^2*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a*d) + (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(693*d) + (2*a*(14*A*b + 11*a*B)*Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(99*d) + (2*a*A*Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)

Rubi [A] time = 2.17391, antiderivative size = 519, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {2955, 4025, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(81a^2A + 209abB + 113Ab^2) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}}{693d} + \frac{2(1145a^2Ab + 539a^3B + 825ab^2B + 15A}{3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*(a^2 - b^2)*(675*a^4*A + 285*a^2*A*b^2 + 40*A*b^4 + 1254*a^3*b*B - 110*a*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(3465*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3465*a^3*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b^3*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a^2*d) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B + 825*a*b^2*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3465*a*d) + (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(693*d) + (2*a*(14*A*b + 11*a*B)*Cos[c + d*x]^(7/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(99*d) + (2*a*A*Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)

$4*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]/(3465*a^3*d*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])/(a + b)]) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3465*a^2*d) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B + 825*a*b^2*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3465*a*d) + (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(693*d) + (2*a*(14*A*b + 11*a*B)*\text{Cos}[c + d*x]^{(7/2)}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(99*d) + (2*a*A*\text{Cos}[c + d*x]^{(9/2)}*(a + b*\text{Sec}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(11*d)$

Rule 2955

$\text{Int}[(a + \text{csc}[e + f*x])*(b + \text{csc}[e + f*x])^m*(\text{csc}[e + f*x])^n, x] \text{ :> Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \text{ \&\& NeQ}[b*c - a*d, 0] \text{ \&\& !IntegerQ}[p] \text{ \&\& !(IntegerQ}[m] \text{ \&\& IntegerQ}[n])$

Rule 4025

$\text{Int}[(\text{csc}[e + f*x])*(b + \text{csc}[e + f*x])^m*(\text{csc}[e + f*x])^n, x] \text{ :> Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-2}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m + n))*\text{Csc}[e + f*x]^2, x], x], x] \text{ ; FreeQ}\{a, b, d, e, f, A, B\}, x] \text{ \&\& NeQ}[A*b - a*B, 0] \text{ \&\& NeQ}[a^2 - b^2, 0] \text{ \&\& GtQ}[m, 1] \text{ \&\& LeQ}[n, -1]$

Rule 4094

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^m*(\text{csc}[e + f*x])^n, x] \text{ :> Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m + n + 1))*\text{Csc}[e + f*x]^2, x], x], x] \text{ ; FreeQ}\{a, b, d, e, f, A, B, C\}, x] \text{ \&\& NeQ}[a^2 - b^2, 0] \text{ \&\& GtQ}[m, 0] \text{ \&\& LeQ}[n, -1]$

Rule 4104

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^m*(\text{csc}[e + f*x])^n, x] \text{ :> Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-1}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m + n + 1))*\text{Csc}[e + f*x]^2, x], x], x] \text{ ; FreeQ}\{a, b, d, e, f, A, B, C\}, x] \text{ \&\& NeQ}[a^2 - b^2, 0] \text{ \&\& GtQ}[m, 0] \text{ \&\& LeQ}[n, -1]$


```

_)^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)

```

```
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{11}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sec^{\frac{11}{2}}(c+dx)} dx \\
&= \frac{2aA \cos^{\frac{9}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{11d} - \frac{1}{11} \int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \sin(c+dx) dx \\
&= \frac{2a(14Ab+11aB) \cos^{\frac{7}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{99d} \\
&= \frac{2(81a^2A+113Ab^2+209abB) \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{693d} \\
&= \frac{2(1145a^2Ab+15Ab^3+539a^3B+825ab^2B) \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3465ad} \\
&= \frac{2(675a^4A+1025a^2Ab^2-20Ab^4+1793a^3bB+55ab^3B) \cos^{\frac{1}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3465a^2d} \\
&= \frac{2(675a^4A+1025a^2Ab^2-20Ab^4+1793a^3bB+55ab^3B) \cos^{\frac{1}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3465a^2d} \\
&= \frac{2(675a^4A+1025a^2Ab^2-20Ab^4+1793a^3bB+55ab^3B) \cos^{\frac{1}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3465a^2d} \\
&= \frac{2(a^2-b^2)(675a^4A+285a^2Ab^2+40Ab^4+125a^3bB+55ab^3B) \cos^{\frac{1}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3465a^3d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 19.966, size = 626, normalized size = 1.21

$$\frac{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \left(\frac{(513a^2A+836abB+452Ab^2) \sin(3(c+dx))}{5544} + \frac{(3095a^2Ab+1463a^3B+1650ab^2B+30Ab^3) \sin(2(c+dx))}{6930a} + \frac{(9330a^2A+1025a^2Ab^2-20Ab^4+1793a^3bB+55ab^3B) \sin(c+dx)}{3465a^2d} \right)}{d(a \cos(c+dx) + b \sec(c+dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(11/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)*(((6525*a^4*A + 9330*a^2*A*b^2 - 160*A*b^4 + 16434*a^3*b*B + 440*a*b^3*B)*Sin[c + d*x])/(13860*a^2) + (3095*a^2*A*b + 30*A*b^3 + 1463*a^3*B + 1650*a*b^2*B)*Sin[2*(c + d*x)]/(6930*a) + ((513*a^2*A + 452*A*b^2 + 836*a*b*B)*Sin[3*(c + d*x)]/5544 + (a*(23*A*b + 11*a*B)*Sin[4*(c + d*x)]/396 + (a^2*A*Ssin[5*(c + d*x)]/88))/(d*(b + a*cos[c + d*x])^2) - (2*cos[c + d*x]^(3/2)*(cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(a + b*Sec[c + d*x])^(5/2)*((-I)*(a + b)*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*(505*A + 209*B) + 3*a^4*(225*A + 539*B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*(b + a*cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(3465*a^3*d*(b + a*cos[c + d*x])^3*Sec[c + d*x]^(5/2))
```

Maple [B] time = 1.01, size = 3816, normalized size = 7.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] 2/3465/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))*(cos(d*x+c)+1)*(-55*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^2*b^4*(1/(cos(d*x+c)+1))^(1/2)-40*A*((a-b)/(a+b))^(1/2)*b^6*(1/(cos(d*x+c)+1))^(1/2)-3705*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^5*b*(1/(cos(d*x+c)+1))^(1/2)+385*B*cos(d*x+c)^6*((a-b)/(a+b))^(1/2)*a^6*(1/(cos(d*x+c)+1))^(1/2)+154*B*cos(d*x+c)^4*((a-b)/(a+b))^(1/2)*a^6*(1/(cos(d*x+c)+1))^(1/2)+1078*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^6*(1/(cos(d*x+c)+1))^(1/2)+40*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*b^6*(1/(cos(d*x+c)+1))^(1/2)-1617*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^6*(1/(cos(d*x+c)+1))^(1/2)-675*A*((a-b)/(a+b))^(1/2)*a^5*b*(1/(cos(d*x+c)+1))^(1/2)-3705*A*((a-b)/(a+b))^(1/2)*a^4*b^2*(1/(cos(d*x+c)+1))^(1/2)-1025*A*((a-b)/(a+b))^(1/2)*a^3*b^3*(1/(cos(d*x+c)+1))^(1/2)-255*A*((a-b)/(a+b))^(1/2)*a^2*b^4*(1/(cos(d*x+c)+1))^(1/2)+20*A*((a-b)/(a+b))^(1/2)*a*b^5*(1/(cos(d*x+c)+1))^(1/2)-1617*B*((a-b)/(a+b))^(1/2)*a^5*b*(1/(cos(d*x+c)+1))^(1/2)-1793*B*((a-b)/(a+b))^(1/2)*a^4*b^2*(1/(cos(d*x+c)+1))^(1/2)-3069*B*((a-b)/
```

$$\begin{aligned}
& (a+b)^{(1/2)} * a^3 * b^3 * (1/(\cos(d*x+c)+1))^{(1/2)} - 55 * B * ((a-b)/(a+b))^{(1/2)} * a^2 * \\
& b^4 * (1/(\cos(d*x+c)+1))^{(1/2)} + 110 * B * ((a-b)/(a+b))^{(1/2)} * a * b^5 * (1/(\cos(d*x+c) \\
& +1))^{(1/2)} + 315 * A * \cos(d*x+c)^7 * ((a-b)/(a+b))^{(1/2)} * a^6 * (1/(\cos(d*x+c)+1))^{(1 \\
& /2)} + 90 * A * \cos(d*x+c)^5 * ((a-b)/(a+b))^{(1/2)} * a^6 * (1/(\cos(d*x+c)+1))^{(1/2)} + 270 * \\
& A * \cos(d*x+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^6 * (1/(\cos(d*x+c)+1))^{(1/2)} - 675 * A * \cos(d \\
& *x+c) * ((a-b)/(a+b))^{(1/2)} * a^6 * (1/(\cos(d*x+c)+1))^{(1/2)} - 1617 * B * \sin(d*x+c) * \text{El} \\
& \text{lipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)} \\
&) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^6 + 1617 * B * \sin(d*x+c) * (1/ \\
& (a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a- \\
& b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^6 + 675 * A * \sin(d*x+c) * \text{Ellip} \\
& \text{ticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (\\
& 1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^6 - 40 * A * \sin(d*x+c) * (1/(a+b) \\
& * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a \\
& +b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * b^6 - 3705 * A * \sin(d*x+c) * \text{EllipticF} \\
& ((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a \\
& +b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^5 * b + 3315 * A * \sin(d*x+c) * \text{Elliptic} \\
& \text{F}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(\\
& a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^4 * b^2 + 430 * A * \cos(d*x+c)^4 * ((a- \\
& b)/(a+b))^{(1/2)} * a^5 * b * (1/(\cos(d*x+c)+1))^{(1/2)} + 580 * A * \cos(d*x+c)^4 * ((a-b)/(a \\
& +b))^{(1/2)} * a^3 * b^3 * (1/(\cos(d*x+c)+1))^{(1/2)} + 1870 * B * \cos(d*x+c)^4 * ((a-b)/(a+b \\
&))^{(1/2)} * a^4 * b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} + 800 * A * \cos(d*x+c)^3 * ((a-b)/(a+b))^{(\\
& 1/2)} * a^4 * b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} - 5 * A * \cos(d*x+c)^3 * ((a-b)/(a+b))^{(1/2)} \\
& * a^2 * b^4 * (1/(\cos(d*x+c)+1))^{(1/2)} - 255 * A * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c) \\
&) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d* \\
& x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^3 * b^3 + 10 * A * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c) \\
&)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d \\
& *x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^2 * b^4 - 40 * A * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+ \\
& c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(\\
& d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a * b^5 + 3705 * A * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x \\
& +c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \si \\
& n(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^5 * b - 3705 * A * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d* \\
& x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \s \\
& in(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^4 * b^2 + 255 * A * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(\\
& d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} \\
& / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^3 * b^3 - 255 * A * \sin(d*x+c) * (1/(a+b) * (b+a*co \\
& s(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/ \\
& 2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a^2 * b^4 + 40 * A * \sin(d*x+c) * (1/(a+b) * (b+a*c \\
& os(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1 \\
& /2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * a * b^5 + 2871 * B * \sin(d*x+c) * \text{EllipticF}((-1+ \\
& \cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (\\
& b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^5 * b - 3069 * B * \sin(d*x+c) * \text{EllipticF}((-1 \\
& +\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+b) * \\
& (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^4 * b^2 + 1705 * B * \sin(d*x+c) * \text{EllipticF} \\
& (-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)}) * (1/(a+ \\
& b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^3 * b^3 + 110 * B * \sin(d*x+c) * \text{Elliptic}
\end{aligned}$$

$$\begin{aligned}
& F((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^2 * b^4 - 1617 * B * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^5 * b + 3069 * B * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^4 * b^2 - 3069 * B * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^3 * b^3 - 110 * B * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a^2 * b^4 + 110 * B * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a * b^5 + 1370 * A * \cos(dx+c)^5 * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(dx+c)+1))^{1/2} + 1430 * B * \cos(dx+c)^5 * ((a-b)/(a+b))^{1/2} * a^5 * b * (1/(\cos(dx+c)+1))^{1/2} + 1535 * A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(dx+c)+1))^{1/2} - 255 * A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^3 * b^3 * (1/(\cos(dx+c)+1))^{1/2} + 260 * A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 * b^4 * (1/(\cos(dx+c)+1))^{1/2} - 40 * A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a * b^5 * (1/(\cos(dx+c)+1))^{1/2} - 715 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^5 * b * (1/(\cos(dx+c)+1))^{1/2} - 3069 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(dx+c)+1))^{1/2} + 2189 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^3 * b^3 * (1/(\cos(dx+c)+1))^{1/2} + 110 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 * b^4 * (1/(\cos(dx+c)+1))^{1/2} - 110 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a * b^5 * (1/(\cos(dx+c)+1))^{1/2} + 1120 * A * \cos(dx+c)^6 * ((a-b)/(a+b))^{1/2} * a^5 * b * (1/(\cos(dx+c)+1))^{1/2} + 902 * B * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^5 * b * (1/(\cos(dx+c)+1))^{1/2} + 880 * B * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^3 * b^3 * (1/(\cos(dx+c)+1))^{1/2} + 2830 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^5 * b * (1/(\cos(dx+c)+1))^{1/2} + 700 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^3 * b^3 * (1/(\cos(dx+c)+1))^{1/2} + 20 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a * b^5 * (1/(\cos(dx+c)+1))^{1/2} + 2992 * B * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(dx+c)+1))^{1/2} / a^3 / ((a-b)/(a+b))^{1/2} / (b+a*\cos(dx+c)) / (1/(\cos(dx+c)+1))^{1/2} / \sin(dx+c)^3
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(11/2)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((B*b^2*cos(dx+c)^5*sec(dx+c)^3 + A*a^2*cos(dx+c)^5 + (2*Bab + A*b^2)*cos(dx+c)^5*sec(dx+c)^2 + (B*a^2 + 2*A*a*b + A*b^2)*cos(dx+c)^5*sec(dx+c))*sqrt(b*sec(dx+c) + a)*sqrt(cos(dx+c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")

[Out] integral((B*b^2*cos(d*x + c)^5*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^5 + (2*B*a*b + A*b^2)*cos(d*x + c)^5*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^5*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(11/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(11/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(11/2), x)

$$3.608 \quad \int \cos^{\frac{9}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=425

$$\frac{2(a^2 - b^2)(114a^2Ab + 75a^3B + 45ab^2B - 10Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right) + 2(49a^2A + 135abB + 75Ab^2)}{315a^2d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}$$

[Out] (2*(a^2 - b^2)*(114*a^2*A*b - 10*A*b^3 + 75*a^3*B + 45*a*b^2*B)*Sqrt[(b + a *Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(315*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^2*d*Sqrt[(b + a *Cos[c + d*x])/(a + b)]) + (2*(163*a^2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*(4*A*b + 3*a*B)*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(21*d) + (2*a*A *Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(9*d)

Rubi [A] time = 1.71555, antiderivative size = 425, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {2955, 4025, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(49a^2A + 135abB + 75Ab^2) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}}{315d} + \frac{2(163a^2Ab + 75a^3B + 135ab^2B + 5Ab^3) \sin(c + dx)}{315a}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (2*(a^2 - b^2)*(114*a^2*A*b - 10*A*b^3 + 75*a^3*B + 45*a*b^2*B)*Sqrt[(b + a *Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(315*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(315*a^2*d*Sqrt[(b + a *Cos[c + d*x])/(a + b)]) + (2*(163*a^2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(315*a*d) + (2*(49

$$\begin{aligned} & *a^2*A + 75*A*b^2 + 135*a*b*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Sec}[c + d*x]]* \\ & \text{Sin}[c + d*x]/(315*d) + (2*a*(4*A*b + 3*a*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[a + b* \\ & \text{Sec}[c + d*x]]*\text{Sin}[c + d*x]/(21*d) + (2*a*A*\text{Cos}[c + d*x]^{(7/2)}*(a + b*\text{Sec}[c \\ & + d*x])^{(3/2)}*\text{Sin}[c + d*x])/ (9*d) \end{aligned}$$

Rule 2955

$$\text{Int}[(a_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^{(n_.)}*((g_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$$

Rule 4025

$$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-2)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*(a*B*n - A*b*(m-n-1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1+n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m+n))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LeQ}[n, -1]$$

Rule 4094

$$\text{Int}[(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n+1)))*\text{Csc}[e + f*x] - b*(C*n + A*(m+n+1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4104

$$\text{Int}[(A_. + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$$

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
```

pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{9}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{(a + b \sec(c + dx))^{\frac{5}{2}}(A + B \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx \\
 &= \frac{2aA \cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{9d} - \frac{1}{9} \int \frac{2aB \cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^{3/2} \sec(c + dx)}{d} dx \\
 &= \frac{2a(4Ab + 3aB) \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{21d} \\
 &= \frac{2(49a^2A + 75Ab^2 + 135abB) \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{315d} \\
 &= \frac{2(163a^2Ab + 5Ab^3 + 75a^3B + 135ab^2B) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{315ad} \\
 &= \frac{2(163a^2Ab + 5Ab^3 + 75a^3B + 135ab^2B) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{315ad} \\
 &= \frac{2(163a^2Ab + 5Ab^3 + 75a^3B + 135ab^2B) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{315ad} \\
 &= \frac{2(163a^2Ab + 5Ab^3 + 75a^3B + 135ab^2B) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{315ad} \\
 &= \frac{2(a^2 - b^2) (114a^2Ab - 10Ab^3 + 75a^3B + 45ab^2B) \sqrt{\frac{b+ac}{a+b}} \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{315a^2d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 18.3075, size = 542, normalized size = 1.28

$$\frac{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2} \left(\frac{1}{630} (133a^2A + 270abB + 150Ab^2) \sin(2(c + dx)) + \frac{(747a^2Ab + 345a^3B + 540ab^2B + 20Ab^3) \sin(c + dx)}{630a} \right)}{d(a \cos(c + dx) + b)^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(9/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)*(((747*a^2*A*b + 20*A*b^3 + 345*a^3*B + 540*a*b^2*B)*Sin[c + d*x])/(630*a) + ((133*a^2*A + 150*A*b^2 + 270*a*b*B)*Sin[2*(c + d*x)]/630 + (a*(19*A*b + 9*a*B)*Sin[3*(c + d*x)]/126 + (a^2*A*Ssin[4*(c + d*x)]/36))/(d*(b + a*Cos[c + d*x])^2) - (2*Cos[c + d*x]^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(a + b*Sec[c + d*x])^(5/2))*((-I)*(a + b)*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(-10*A*b^3 + 15*a*b^2*(11*A + 3*B) + 3*a^3*(49*A + 25*B) + 6*a^2*b*(19*A + 60*B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(315*a^2*d*(b + a*Cos[c + d*x])^3*Sec[c + d*x]^(5/2))
```

Maple [B] time = 0.689, size = 3069, normalized size = 7.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] 2/315/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))*(cos(d*x+c)+1)*(-147*A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^5+147*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a^5+10*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*b^5+98*A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^5*(1/(cos(d*x+c)+1))^(1/2)-147*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^5*(1/(cos(d*x+c)+1))^(1/2)-10*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*b^5*(1/(cos(d*x+c)+1))^(1/2)-147*A*((a-b)/(a+b))^(1/2)*a^4*b*(1/(cos(d*x+c)+1))^(1/2)-163*A*((a-b)/(a+b))^(1/2)*a^3*b^2*(1/(cos(d*x+c)+1))^(1/2)-279*A*((a-b)/(a+b))^(1/2)*a^2*b^3*(1/(cos(d*x+c)+1))^(1/2)-5*A*((a-b)/(a+b))^(1/2)*a*b^4*(1/(cos(d*x+c)+1))^(1/2)-75*B*((a-b)/(a+b))^(1/2)*a^4*b*(1/(cos(d*x+c)+1))^(1/2)-435*B*((a-b)/(a+b))^(1/2)*a^3
```


$$\begin{aligned}
 & -1 + \cos(dx+c) \cdot \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b}\right)^{1/2} \cdot a \cdot b^4 + 2 \\
 & 61 \cdot A \cdot \sin(dx+c) \cdot \text{EllipticF}\left(\left(-1 + \cos(dx+c)\right) \cdot \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b}\right)^{1/2}\right) \cdot \left(\frac{1}{a+b}\right) \cdot (b+a \cdot \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \cdot a^4 \cdot b - 1 \\
 & 35 \cdot B \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot a^2 \cdot b^3 \cdot \left(\frac{1}{\cos(dx+c)+1}\right)^{1/2} - 45 \cdot B \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot a \cdot b^4 \cdot \left(\frac{1}{\cos(dx+c)+1}\right)^{1/2} + 45 \cdot B \cdot \cos(dx+c)^5 \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \\
 & \cdot a^5 \cdot \left(\frac{1}{\cos(dx+c)+1}\right)^{1/2} + 30 \cdot B \cdot \cos(dx+c)^3 \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot a^5 \cdot \left(\frac{1}{\cos(dx+c)+1}\right)^{1/2} + 75 \cdot B \cdot \sin(dx+c) \cdot \text{EllipticF}\left(\left(-1 + \cos(dx+c)\right) \cdot \left(\frac{a-b}{a+b}\right)^{1/2} / \sin(dx+c), \left(-\frac{a+b}{a-b}\right)^{1/2}\right) \cdot \left(\frac{1}{a+b}\right) \cdot (b+a \cdot \cos(dx+c)) / (\cos(dx+c)+1)^{1/2} \cdot a^5 - 75 \cdot B \cdot \cos(dx+c) \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot a^5 \cdot \left(\frac{1}{\cos(dx+c)+1}\right)^{1/2} + 35 \cdot A \cdot \cos(dx+c)^6 \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot a^5 \cdot \left(\frac{1}{\cos(dx+c)+1}\right)^{1/2} + 14 \cdot A \cdot \cos(dx+c)^4 \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot a^5 \cdot \left(\frac{1}{\cos(dx+c)+1}\right)^{1/2} / a^2 / \left(\frac{a-b}{a+b}\right)^{1/2} / (b+a \cdot \cos(dx+c)) / \left(\frac{1}{\cos(dx+c)+1}\right)^{1/2} / \sin(dx+c)^3
 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{5/2} \cos(dx+c)^{9/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(9/2)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(5/2)*cos(dx+c)^(9/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral((Bb^2 cos(dx+c)^4 sec(dx+c)^3 + Aa^2 cos(dx+c)^4 + (2Bab + Ab^2) cos(dx+c)^4 sec(dx+c)^2 + (Ba^2 + 2Aab

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(9/2)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] integral((B*b^2*cos(dx+c)^4*sec(dx+c)^3 + A*a^2*cos(dx+c)^4 + (2*B*a*b + A*b^2)*cos(dx+c)^4*sec(dx+c)^2 + (B*a^2 + 2*A*a*b)*cos(dx+c)^4*sec(dx+c))*sqrt(b*sec(dx+c) + a)*sqrt(cos(dx+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.609 \quad \int \cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=340

$$\frac{2(a^2 - b^2)(25a^2A + 56abB + 15Ab^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{105ad\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{2(25a^2A + 77abB + 45Ab^2) \sin(c + dx)}{105d}$$

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 15*A*b^2 + 56*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(25*a^2*A + 45*A*b^2 + 77*a*b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(10*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*a*A*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d)
```

Rubi [A] time = 1.32245, antiderivative size = 340, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {2955, 4025, 4094, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c + dx)\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{105d} + \frac{2(a^2 - b^2)(25a^2A + 56abB + 15Ab^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{105ad\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]), x]
```

```
[Out] (2*(a^2 - b^2)*(25*a^2*A + 15*A*b^2 + 56*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(105*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(105*a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*(25*a^2*A + 45*A*b^2 + 77*a*b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(10*A*b + 7*a*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(35*d) + (2*a*A*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(7*d)
```


$$^{(3/2)}\text{Sin}[c + d*x]/(7*d)$$

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4104

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d

```

_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] := Dist[A/a, Int[
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sec^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2aA \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{7d} - \frac{1}{7} \int \frac{2aA \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{7d} dx \\
&= \frac{2a(10Ab+7aB) \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{35d} \\
&= \frac{2(25a^2A+45Ab^2+77abB) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105d} \\
&= \frac{2(25a^2A+45Ab^2+77abB) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105d} \\
&= \frac{2(25a^2A+45Ab^2+77abB) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105d} \\
&= \frac{2(25a^2A+45Ab^2+77abB) \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{105d} \\
&= \frac{2(a^2-b^2)(25a^2A+15Ab^2+56abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}, \frac{1}{2}\right)}{105ad \sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 17.262, size = 470, normalized size = 1.38

$$\frac{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2} \left(\frac{1}{210} (115a^2A+308abB+180Ab^2) \sin(c+dx) + \frac{1}{14} a^2A \sin(3(c+dx)) + \frac{1}{35} a(7aB+108abB) \sin(2(c+dx)) \right)}{d(a \cos(c+dx)+b)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] (Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)*(((115*a^2*A + 180*A*b^2 + 308*a*b*B)*Sin[c + d*x])/210 + (a*(15*A*b + 7*a*B)*Sin[2*(c + d*x)])/35 + (a

$$\begin{aligned} &^2 * A * \sin[3 * (c + d * x)] / 14) / (d * (b + a * \cos[c + d * x])^2) - (2 * \cos[c + d * x]^{(3/2)} * (\cos[(c + d * x) / 2]^2 * \sec[c + d * x])^{(3/2)} * (a + b * \sec[c + d * x])^{(5/2)} * ((-I) * (a + b) * (145 * a^2 * A * b + 15 * A * b^3 + 63 * a^3 * B + 161 * a * b^2 * B) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] * \sec[(c + d * x) / 2]^2 * \text{Sqrt}[(b + a * \cos[c + d * x]) * \sec[(c + d * x) / 2]^2] / (a + b)) + I * a * (a + b) * (15 * b^2 * (A + 7 * B) + 8 * a * b * (15 * A + 7 * B) + a^2 * (25 * A + 63 * B)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] * \sec[(c + d * x) / 2]^2 * \text{Sqrt}[(b + a * \cos[c + d * x]) * \sec[(c + d * x) / 2]^2] / (a + b) - (145 * a^2 * A * b + 15 * A * b^3 + 63 * a^3 * B + 161 * a * b^2 * B) * (b + a * \cos[c + d * x]) * (\sec[(c + d * x) / 2]^2)^{(3/2)} * \text{Tan}[(c + d * x) / 2]) / (105 * a * d * (b + a * \cos[c + d * x])^3 * \sec[c + d * x]^{(5/2)}) \end{aligned}$$

Maple [B] time = 0.597, size = 2450, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x)`

[Out]
$$\begin{aligned} &2/105/d * ((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)} * \cos(d*x+c)^{(1/2)} * (-1+\cos(d*x+c)) * (\cos(d*x+c)+1) * (145*A*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^3 * b + 238 * B * \cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} - 145 * A * \cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b * (1/(\cos(d*x+c)+1))^{(1/2)} + 55 * A * \cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} - 15 * A * \cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a * b^3 * (1/(\cos(d*x+c)+1))^{(1/2)} - 35 * B * \cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^3 * b * (1/(\cos(d*x+c)+1))^{(1/2)} + 15 * A * \cos(d*x+c)^5 * ((a-b)/(a+b))^{(1/2)} * a^4 * (1/(\cos(d*x+c)+1))^{(1/2)} + 10 * A * \cos(d*x+c)^3 * ((a-b)/(a+b))^{(1/2)} * a^4 * (1/(\cos(d*x+c)+1))^{(1/2)} - 25 * A * \cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^4 * (1/(\cos(d*x+c)+1))^{(1/2)} + 21 * B * \cos(d*x+c)^4 * ((a-b)/(a+b))^{(1/2)} * a^4 * (1/(\cos(d*x+c)+1))^{(1/2)} + 42 * B * \cos(d*x+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^4 * (1/(\cos(d*x+c)+1))^{(1/2)} + 15 * A * \cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * b^4 * (1/(\cos(d*x+c)+1))^{(1/2)} - 15 * A * ((a-b)/(a+b))^{(1/2)} * b^4 * (1/(\cos(d*x+c)+1))^{(1/2)} - 161 * B * \cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^2 * b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} + 161 * B * \cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a * b^3 * (1/(\cos(d*x+c)+1))^{(1/2)} + 119 * B * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^3 * b - 161 * B * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * a^2 * b^2 - 63 * B * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}) * a^3 * b + 161 * B * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/ \end{aligned}$$

$$\begin{aligned}
& (a+b)^{1/2}/\sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2 * b^2 - 161 * B * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a * b^3 + 90 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 * b^2 * (1/(\cos(dx+c)+1))^{1/2} + 98 * B * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} + 110 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} + 60 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(dx+c)+1))^{1/2} - 145 * A * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^2 * b^2 + 15 * A * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a * b^3 - 145 * A * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^3 * b + 135 * A * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^2 * b^2 - 15 * A * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a * b^3 + 60 * A * \cos(dx+c)^4 * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} + 105 * B * \sin(dx+c) * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a * b^3 - 63 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^4 * (1/(\cos(dx+c)+1))^{1/2} - 25 * A * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} - 145 * A * ((a-b)/(a+b))^{1/2} * a^2 * b^2 * (1/(\cos(dx+c)+1))^{1/2} - 45 * A * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(dx+c)+1))^{1/2} - 63 * B * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} - 77 * B * ((a-b)/(a+b))^{1/2} * a^2 * b^2 * (1/(\cos(dx+c)+1))^{1/2} - 161 * B * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(dx+c)+1))^{1/2} - 63 * B * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^4 + 63 * B * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a^4 - 15 * A * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * b^4 + 25 * A * \sin(dx+c) * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b)^{1/2}) * a^4 / a / ((a-b)/(a+b))^{1/2} / (b+a * \cos(dx+c)) / (1/(\cos(dx+c)+1))^{1/2} / \sin(dx+c)^3
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{5/2} \cos(dx+c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(7/2)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algo

```
ithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(7/2), x)
```

Fricas [F] time = 0., size = 0, normalized size = 0.

```
integral(((B*b^2*cos(dx + c)^3*sec(dx + c)^3 + A*a^2*cos(dx + c)^3 + (2*Bab + Ab^2)*cos(dx + c)^3*sec(dx + c)^2 + (Ba^2 + 2*Aab
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3*sec(d*x + c)^3 + A*a^2*cos(d*x + c)^3 + (2*B*a*b + A*b^2)*cos(d*x + c)^3*sec(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^3*sec(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c)), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(7/2), x)
```

$$3.610 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=342

$$\frac{2(8a^2Ab + 5a^3B + 10ab^2B - 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{15d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(9a^2A + 35abB + 23Ab^2) \sqrt{\cos(c + dx)}}{15d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

```
[Out] (2*(8*a^2*A*b - 8*A*b^3 + 5*a^3*B + 10*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b^3*B*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)) + (2*a*(8*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)
```

Rubi [A] time = 1.39308, antiderivative size = 342, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4025, 4094, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(8a^2Ab + 5a^3B + 10ab^2B - 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{15d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(9a^2A + 35abB + 23Ab^2) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{15d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] (2*(8*a^2*A*b - 8*A*b^3 + 5*a^3*B + 10*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*b^3*B*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*d*Sqrt[(b + a*Cos[c + d*x])]/(a + b)) + (2*a*(8*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*d) + (2*a*A*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(5*d)
```


+ d*x])^(3/2)*Sin[c + d*x])/(5*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)]^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4094

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[A*b*m - a*B*n - (b*B*n + a*(C*n + A*(n + 1)))*Csc[e + f*x] - b*(C*n + A*(m + n + 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]

]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,

b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{\frac{5}{2}}(A+B \sec(c+dx)) dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+b \sec(c+dx))^{\frac{5}{2}}(A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{2aA \cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{\frac{3}{2}} \sin(c+dx)}{5d} - \frac{1}{5} \left(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+b \sec(c+dx))^{\frac{5}{2}}(A+B \sec(c+dx))}{\sec^{\frac{5}{2}}(c+dx)} dx \\
&= \frac{2a(8Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2a(8Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2a(8Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2a(8Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2a(8Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d} \\
&= \frac{2b^3B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) + 2a(8Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} \\
&= \frac{2(8a^2Ab-8Ab^3+5a^3B+10ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right) + 2a(8Ab+5aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 34.447, size = 49609, normalized size = 145.06

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] Result too large to show
```

Maple [C] time = 0.43, size = 2052, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\cos(dx+c)^{5/2}*(a+b*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c)),x)$

[Out] $\frac{2}{15}d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*\cos(dx+c)^{1/2}*(-1+\cos(dx+c))$
 $*(\cos(dx+c)+1)*(-23*A*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}$
 $*a^2*b^2-9*A*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*a^2*b^3+3*A*\cos(dx+c)^4*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(dx+c)+1))^{1/2}+6*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(dx+c)+1))^{1/2}-9*A$
 $*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}$
 $*a^3+9*A*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*a^3-23*A*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*a^2*b^2+35*B*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*a^2*b-35*B*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*a^2*b^2-35*B*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b+17*A*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b-5*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}-23*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}$
 $*a^2*b^2*(1/(\cos(dx+c)+1))^{1/2}-35*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}+35*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2*b^2*(1/(\cos(dx+c)+1))^{1/2}$
 $+14*A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}+34*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^2*b^2*(1/(\cos(dx+c)+1))^{1/2}+40*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}$
 $*a^2*b*(1/(\cos(dx+c)+1))^{1/2}+5*B*\cos(dx+c)^3*(1/(\cos(dx+c)+1))^{1/2}*((a-b)/(a+b))^{1/2}*a^3+5*B*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^3-5*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(dx+c)+1))^{1/2}-9*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}$
 $*a^3*(1/(\cos(dx+c)+1))^{1/2}+23*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*b^3*(1/(\cos(dx+c)+1))^{1/2}-9*A*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}-11*A*((a-b)/(a+b))^{1/2}$
 $*a^2*b^2*(1/(\cos(dx+c)+1))^{1/2}-5*B*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}-35*B*((a-b)/(a+b))^{1/2}*a^2*b^2*(1/(\cos(dx+c)+1))^{1/2}+15*A*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}$
 $*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*b^3-15*B*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-a+b)/(a-b))^{1/2}*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}$

$$\begin{aligned} & b/(a+b))^{1/2}/\sin(dx+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c)) / \\ & (\cos(dx+c)+1))^{1/2} * b^3 + 30*B*\sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \\ & \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2}) * \\ & b^3 - 23*A * ((a-b)/(a+b))^{1/2} * b^3 * (1/(\cos(dx+c)+1))^{1/2} + 45*B*\sin(dx+c) * \\ & \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * \\ & (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a*b^2) / ((a-b)/(a+b))^{1/2} / (b+a*\cos(dx+c)) / (1/(\cos(dx+c)+1))^{1/2} / \sin(dx+c)^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(5/2)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(5/2)*cos(dx+c)^(5/2), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(5/2)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algo-
rithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2), x)
```

$$3.611 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=349

$$\frac{(2a^3A + 12a^2bB + 4aAb^2 + 3b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(6a^2B + 14aAb - 3b^2B) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{3d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] $((2*a^3*A + 4*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(3*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (b^2*(2*A*b + 5*a*B))*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((14*a*A*b + 6*a^2*B - 3*b^2*B))*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/(3*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))] - (b*(2*a*A - 3*b*B))*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x]/(3*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]) + (2*a*A*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*(a + b*\operatorname{Sec}[c + d*x]))^(3/2)*\operatorname{Sin}[c + d*x]]/(3*d)$

Rubi [A] time = 1.42568, antiderivative size = 349, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4025, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2a^3A + 12a^2bB + 4aAb^2 + 3b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(6a^2B + 14aAb - 3b^2B) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}{3d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^{3/2}*(a + b*\operatorname{Sec}[c + d*x])^{5/2}*(A + B*\operatorname{Sec}[c + d*x]), x]$

[Out] $((2*a^3*A + 4*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(3*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (b^2*(2*A*b + 5*a*B))*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b)]*\operatorname{EllipticPi}[2, (c + d*x)/2, (2*a)/(a + b)]/(d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + ((14*a*A*b + 6*a^2*B - 3*b^2*B))*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]/(3*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))] - (b*(2*a*A - 3*b*B))*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x]/(3*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]) + (2*a*A*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*(a + b*\operatorname{Sec}[c + d*x]))^(3/2)*\operatorname{Sin}[c + d*x]]/(3*d)$

$[c + d*x]^{3/2} * \sin[c + d*x] / (3*d)$

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4025

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4108

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)

) + (a_)] , x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]) , x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2}(A+B\sec(c+dx))dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+b\sec(c+dx))^{5/2}(A+B\sec(c+dx))}{\sec^{\frac{3}{2}}(c+dx)}dx \\
&= \frac{2aA\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}\sin(c+dx)}{3d} - \frac{1}{3}\left(2\sqrt{\cos(c+dx)}\right) \\
&= -\frac{b(2aA-3bB)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}}{3d} \\
&= -\frac{b(2aA-3bB)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}}{3d} \\
&= -\frac{b(2aA-3bB)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}}{3d} \\
&= -\frac{b(2aA-3bB)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} + \frac{2aA\sqrt{\cos(c+dx)}}{3d} \\
&= \frac{b^2(2Ab+5aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} - \frac{b(2aA-3bB)}{3d} \\
&= \frac{(2a^3A+4aAb^2+12a^2bB+3b^3B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{3d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 33.5737, size = 73332, normalized size = 210.12

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] Result too large to show

Maple [C] time = 0.444, size = 2073, normalized size = 5.9

result too large to display

, $(-(a+b)/(a-b))^{(1/2)} * a^3 - 6 * A * \sin(dx+c) * \cos(dx+c) * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1)^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-(a+b)/(a-b))^{(1/2)}) * b^3 - 14 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2 * b * (1/(\cos(dx+c)+1))^{(1/2)} - 3 * B * ((a-b)/(a+b))^{(1/2)} * b^3 * (1/(\cos(dx+c)+1))^{(1/2)} - 6 * B * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^3 * (1/(\cos(dx+c)+1))^{(1/2)} + 3 * B * \cos(dx+c) * ((a-b)/(a+b))^{(1/2)} * b^3 * (1/(\cos(dx+c)+1))^{(1/2)} * ((b+a * \cos(dx+c)) / \cos(dx+c))^{(1/2)} / ((a-b)/(a+b))^{(1/2)} / (b+a * \cos(dx+c)) / (1/(\cos(dx+c)+1))^{(1/2)} / \sin(dx+c)^3 / \cos(dx+c)^{(1/2)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(5/2)*cos(dx+c)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Bb^2 cos(dx+c) sec(dx+c))^3 + Aa^2 cos(dx+c) + (2Bab + Ab^2) cos(dx+c) sec(dx+c)^2 + (Ba^2 + 2Aab) c

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c)),x, algorithm="fricas")

[Out] integral((B*b^2*cos(dx+c)*sec(dx+c)^3 + A*a^2*cos(dx+c) + (2*B*a*b + A*b^2)*cos(dx+c)*sec(dx+c)^2 + (B*a^2 + 2*A*a*b)*cos(dx+c)*sec(dx+c))*sqrt(b*sec(dx+c) + a)*sqrt(cos(dx+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c)),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2), x)

$$3.612 \quad \int \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{5/2}(A + B \sec(c + dx)) dx$$

Optimal. Leaf size=359

$$\frac{(16a^2Ab + 8a^3B + 11ab^2B + 4Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c + dx), \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{(8a^2A - 9abB - 4Ab^2) \sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{4d\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

```
[Out] ((16*a^2*A*b + 4*A*b^3 + 8*a^3*B + 11*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (b*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*(4*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (b*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 1.42883, antiderivative size = 359, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4026, 4096, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(16a^2Ab + 8a^3B + 11ab^2B + 4Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}} + \frac{(8a^2A - 9abB - 4Ab^2) \sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}{4d\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]
```

```
[Out] ((16*a^2*A*b + 4*A*b^3 + 8*a^3*B + 11*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (b*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*(4*A*b + 7*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) + (b*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(2*d*Sqrt[Cos[c + d*x]])
```


$d*x])^{(3/2)*\text{Sin}[c + d*x]}/(2*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2955

$\text{Int}[(a_. + \text{csc}[e_.] + (f_.)(x_.)]*(b_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(d_. + (c_.))^{(n_.)}*((g_.)*\text{sin}[e_.] + (f_.)(x_.))^{(p_.)}, x_Symbol] :> \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 4026

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.)]*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(B_.) + (A_.)), x_Symbol] :> -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(m + n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 2)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*\text{Csc}[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 1] \&\& !(\text{IGtQ}[n, 1] \&\& !\text{IntegerQ}[m])$

Rule 4096

$\text{Int}[(A_. + \text{csc}[e_.] + (f_.)(x_.)]*(B_.) + \text{csc}[e_.] + (f_.)(x_.))^{2*(C_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(b_.) + (a_.))^{(m_.)}, x_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(m + n + 1), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) + a*C*m)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LeQ}[n, -1]$

Rule 4108

$\text{Int}[(A_. + \text{csc}[e_.] + (f_.)(x_.)]*(B_.) + \text{csc}[e_.] + (f_.)(x_.))^{2*(C_.)}/(\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)]*(b_.) + (a_.)), x_Symbol] :> \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.)]*(d_.))^{(3/2)}/\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)]*(b_.)$

) + (a_)] , x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]) , x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx)) dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{bB(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} + \frac{1}{2} \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{(a+b \sec(c+dx))^{5/2}}{\sqrt{\sec(c+dx)}} dx \\
&= \frac{b(4Ab+7aB)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4d\sqrt{\cos(c+dx)}} + \frac{bB(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} \\
&= \frac{b(4Ab+7aB)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4d\sqrt{\cos(c+dx)}} + \frac{bB(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} \\
&= \frac{b(4Ab+7aB)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4d\sqrt{\cos(c+dx)}} + \frac{bB(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} \\
&= \frac{b(4Ab+7aB)\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{4d\sqrt{\cos(c+dx)}} + \frac{bB(a+b \sec(c+dx))^{3/2} \sin(c+dx)}{2d\sqrt{\cos(c+dx)}} \\
&= \frac{b(20aAb+15a^2B+4b^2B)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2}{a}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} \\
&= \frac{(16a^2Ab+4Ab^3+8a^3B+11ab^2B)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2}{a}\right)}{4d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 33.9063, size = 97208, normalized size = 270.77

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]),x]

[Out] Result too large to show

Maple [C] time = 0.605, size = 2216, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\sec(d*x+c))^{5/2}*(A+B*\sec(d*x+c))*\cos(d*x+c)^{1/2},x)$

[Out]
$$\begin{aligned} & -1/4/d*(-1+\cos(d*x+c))*(\cos(d*x+c)+1)*(-9*B*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2} \\ &)*a^2*b*(1/(\cos(d*x+c)+1))^{1/2}+8*A*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+ \\ & \cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a+b)*(\\ & b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3-2*B*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2} \\ &)*a*b^2*(1/(\cos(d*x+c)+1))^{1/2}-8*A*\cos(d*x+c)^4*((a-b)/(a+b))^{1/2}*a^3 \\ & *(1/(\cos(d*x+c)+1))^{1/2}-8*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x \\ & +c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin \\ & (d*x+c),(-a+b)/(a-b))^{1/2})*a^3-4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+ \\ & a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b)) \\ & ^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*b^3-8*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{Ell \\ & ipsisF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2} \\ &)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3+4*B*\sin(d*x+c)*\cos(d*x \\ & +c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b \\ &))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*b^3-8*B*\sin(d*x+c \\ &)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((\\ & -1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^{1/2} \\ &))*b^3+11*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2} \\ &)-8*A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1))^{1/2}+4*A*\cos \\ & (d*x+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2}+9*B*\cos(d*x+c) \\ &)^2*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(d*x+c)+1))^{1/2}+4*A*\cos(d*x+c)*((a-b) \\ &)/(a+b))^{1/2}*b^3*(1/(\cos(d*x+c)+1))^{1/2}-9*B*\cos(d*x+c)^2*((a-b)/(a+b)) \\ &)^{1/2}*a*b^2*(1/(\cos(d*x+c)+1))^{1/2}+6*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF} \\ & ((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a \\ & +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b-2*B*\sin(d*x+c)*\cos(d*x+c)^ \\ & 2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2} \\ &)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a*b^2-30*B*\sin(d*x+c) \\ &)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((- \\ & 1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^{1/2} \\ &))*a^2*b+9*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c) \\ &)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b) \\ &)/(a-b))^{1/2})*a^2*b-9*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c)) \\ &)/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x \\ & +c),(-a+b)/(a-b))^{1/2})*a*b^2-24*A*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1 \\ & +\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2})*(1/(a+b)* \\ & (b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b+16*A*\sin(d*x+c)*\cos(d*x+c)^2*\text{E \\ & llipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(-a+b)/(a-b))^{1/2} \\ &))*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a*b^2-40*A*\sin(d*x+c)*\cos \\ & (d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+c \\ & os(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^{1/2} \\ &))*a*b^2+8*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1 \end{aligned}$$

$$\left. \right)^{(1/2)} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c), (-a+b)/(a-b))^{(1/2)} * a^2 * b + 4 * A * \sin(dx+c) * \cos(dx+c)^2 * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{(1/2)} * \text{EllipticE}((-1 + \cos(dx+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(dx+c)), (-a+b)/(a-b))^{(1/2)} * a * b^2 + 8 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * a^2 * b * (1/(\cos(dx+c)+1))^{(1/2)} - 4 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * a * b^2 * (1/(\cos(dx+c)+1))^{(1/2)} + 2 * B * ((a-b)/(a+b))^{(1/2)} * b^3 * (1/(\cos(dx+c)+1))^{(1/2)} + 8 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * a^3 - 4 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * (1/(\cos(dx+c)+1))^{(1/2)} * b^3 - 2 * B * \cos(dx+c)^2 * ((a-b)/(a+b))^{(1/2)} * b^3 * (1/(\cos(dx+c)+1))^{(1/2)} * ((b+a * \cos(dx+c)) / \cos(dx+c))^{(1/2)} / ((a-b)/(a+b))^{(1/2)} / (b+a * \cos(dx+c)) / (1/(\cos(dx+c)+1))^{(1/2)} / \cos(dx+c)^{(3/2)} / \sin(dx+c)^3$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx+c) + A)(b \sec(dx+c) + a)^{5/2} \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c))*cos(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*(b*sec(dx+c) + a)^(5/2)*sqrt(cos(dx+c)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral(((Bb^2 sec(dx+c)^3 + Aa^2 + (2 Bab + Ab^2) sec(dx+c)^2 + (Ba^2 + 2 Aab) sec(dx+c))sqrt(b sec(dx+c) + a)sqrt(cos(dx+c)))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c))*cos(dx+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*b^2*sec(dx+c)^3 + A*a^2 + (2*B*a*b + A*b^2)*sec(dx+c)^2 + (B*a^2 + 2*A*a*b)*sec(dx+c))*sqrt(b*sec(dx+c) + a)*sqrt(cos(dx+c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))*cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c)), x)

$$3.613 \quad \int \frac{(a+b \sec(c+dx))^{5/2} (A+B \sec(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=422

$$\frac{(48a^3A + 59a^2bB + 66aAb^2 + 16b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{24d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(33a^2B + 54aAb + 16b^2B) \sin(c+dx)}{24d\sqrt{\cos(c+dx)}}$$

```
[Out] ((48*a^3*A + 66*a*A*b^2 + 59*a^2*b*B + 16*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((30*a^2*A*b + 8*A*b^3 + 5*a^3*B + 20*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*(2*A*b + 3*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + ((54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + (b*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))
```

Rubi [A] time = 1.79516, antiderivative size = 422, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 15, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {2955, 4026, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{24d\sqrt{\cos(c+dx)}} + \frac{(48a^3A + 59a^2bB + 66aAb^2 + 16b^3B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{24d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]],x]
```

```
[Out] ((48*a^3*A + 66*a*A*b^2 + 59*a^2*b*B + 16*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(24*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((30*a^2*A*b + 8*A*b^3 + 5*a^3*B + 20*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(8*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(24*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*(2*A*b + 3*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*d*Cos[c + d*x]^(3/2)) + ((54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + (b*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))
```


$$3a^3B \sqrt{a + b \sec[c + dx]} \sin[c + dx] / (4d \cos[c + dx]^{3/2}) + (54a^2A^2b + 33a^2AB + 16b^2B^2) \sqrt{a + b \sec[c + dx]} \sin[c + dx] / (24d \sqrt{\cos[c + dx]}) + (bB^2(a + b \sec[c + dx])^{3/2} \sin[c + dx]) / (3d \cos[c + dx]^{3/2})$$

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)(x_)]*(B_.) + csc[(e_.) + (f_.)(x_)]^2*(C_.))*(csc[(e_.) + (f_.)(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4102

```
Int[((A_.) + csc[(e_.) + (f_.)(x_)]*(B_.) + csc[(e_.) + (f_.)(x_)]^2*(C_.))*(csc[(e_.) + (f_.)(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
```

$b^2, 0] \ \&\& \text{GtQ}[n, 0]$

Rule 4108

$\text{Int}[(A + \csc[e + f x] + (f x) B) / (\sqrt{\csc[e + f x] + (f x) b} + a)], x, \text{Symbol}] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d \csc[e + f x])^{3/2} / \sqrt{a + b \csc[e + f x]}], x, x] + \text{Int}[(A + B \csc[e + f x]) / (\sqrt{d \csc[e + f x]} \sqrt{a + b \csc[e + f x]}), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \ \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\csc[e + f x] + (f x) d)^{3/2} / \sqrt{\csc[e + f x] + (f x) b} + a)], x, \text{Symbol}] \rightarrow \text{Dist}[(d \sqrt{d \csc[e + f x]} \sqrt{b + a \sin[e + f x]}) / \sqrt{a + b \csc[e + f x]}], \text{Int}[1/(\sin[e + f x] \sqrt{b + a \sin[e + f x]})], x, x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \ \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

$\text{Int}[1/((a + b \sin[e + f x]) \sqrt{c + d \sin[e + f x]}), x, \text{Symbol}] \rightarrow \text{Dist}[\sqrt{c + d \sin[e + f x]} / (c + d) / \sqrt{c + d \sin[e + f x]}, \text{Int}[1/((a + b \sin[e + f x]) \sqrt{c/(c + d) + d \sin[e + f x]}), x, x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \text{NeQ}[b c - a d, 0] \ \&\& \text{NeQ}[a^2 - b^2, 0] \ \&\& \text{NeQ}[c^2 - d^2, 0] \ \&\& !\text{GtQ}[c + d, 0]$

Rule 2805

$\text{Int}[1/((a + b \sin[e + f x]) \sqrt{c + d \sin[e + f x]}), x, \text{Symbol}] \rightarrow \text{Simp}[(2 \text{EllipticPi}[(2b)/(a + b), (1(e - \pi/2 + f x))/2, (2d)/(c + d)]) / (f(a + b) \sqrt{c + d})], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \text{NeQ}[b c - a d, 0] \ \&\& \text{NeQ}[a^2 - b^2, 0] \ \&\& \text{NeQ}[c^2 - d^2, 0] \ \&\& \text{GtQ}[c + d, 0]$

Rule 4035

$\text{Int}[(\csc[e + f x] + (f x) B) + A] / (\sqrt{\csc[e + f x] + (f x) b} + a)], x, \text{Symbol}] \rightarrow \text{Dist}[A/a, \text{Int}[\sqrt{a + b \csc[e + f x]} / \sqrt{d \csc[e + f x]}], x, x] - \text{Dist}[(A b - a B) / (a d), \text{Int}[\sqrt{d \csc[e + f x]} / \sqrt{a + b \csc[e + f x]}], x, x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \ \&\& \text{NeQ}[A b - a B, 0] \ \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{bB(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{3d \cos^{3/2}(c + dx)} + \frac{1}{3} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\sec(c + dx)} (a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{b(2Ab + 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} + \frac{bB(a + b \sec(c + dx))^{3/2}}{3d \cos^{3/2}(c + dx)} \\
&= \frac{b(2Ab + 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} + \frac{(54aAb + 33a^2B + 16b^3)}{24a} \\
&= \frac{b(2Ab + 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} + \frac{(54aAb + 33a^2B + 16b^3)}{24a} \\
&= \frac{b(2Ab + 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} + \frac{(54aAb + 33a^2B + 16b^3)}{24a} \\
&= \frac{b(2Ab + 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} + \frac{(54aAb + 33a^2B + 16b^3)}{24a} \\
&= \frac{b(2Ab + 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4d \cos^{3/2}(c + dx)} + \frac{(54aAb + 33a^2B + 16b^3)}{24a} \\
&= \frac{(30a^2Ab + 8Ab^3 + 5a^3B + 20ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{8d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(48a^3A + 66aAb^2 + 59a^2bB + 16b^3B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{24d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 33.6204, size = 106199, normalized size = 251.66

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[Cos[c + d*x]]],x]

[Out] Result too large to show

Maple [C] time = 0.528, size = 2441, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((a+b*\sec(dx+c))^{5/2}*(A+B*\sec(dx+c))/\cos(dx+c)^{1/2}, x)$

[Out]
$$\begin{aligned} & -1/24/d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*(-1+\cos(dx+c))*(\cos(dx+c)+1)* \\ & (-33*B*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}-18*B \\ & *\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(dx+c)+1))^{1/2}+33*B*\sin(d \\ & *x+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c) \\ & ,(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^3- \\ & 16*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/ \\ & \sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ &)^3*b^3-120*B*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c) \\ & +1))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b) \\ &)/(a-b), I/((a-b)/(a+b))^{1/2})*a*b^2+54*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE} \\ & ((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a \\ & +b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b-54*A*\sin(dx+c)*\cos(dx+c) \\ & ^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2} \\ &)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a*b^2+36*A*\sin(dx+c) \\ &)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((- \\ & 1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2*b-12 \\ & *A*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2} \\ &)^2)*a*b^2-180*A*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c) \\ & +1))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (a+b) \\ &)/(a-b), I/((a-b)/(a+b))^{1/2})*a^2*b-33*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE} \\ & ((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*(1/(a \\ & +b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b+16*B*\sin(dx+c)*\cos(dx+c) \\ & ^3*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2} \\ &)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a*b^2-26*B*\sin(dx+c) \\ &)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticF}((- \\ & 1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2})*a^2*b+44 \\ & *B*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & *\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b)/(a-b))^{1/2} \\ &)^2)*a*b^2-48*A*\sin(dx+c)*\cos(dx+c)^3*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c) \\ & +1))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c),(-(a+b) \\ &)/(a-b))^{1/2})*a^3+34*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(dx+c) \\ & +1))^{1/2}+54*A*\cos(dx+c)^3*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2} \\ &)+66*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(dx+c)+1))^{1/2}+ \\ & 59*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}+33*B*c \end{aligned}$$

$$\begin{aligned} & \cos(dx+c)^3 \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \left(\frac{a-b}{a+b} \right)^{1/2} a^3 + 12A \cos(dx+c) \\ & \left(\frac{a-b}{a+b} \right)^{1/2} b^3 \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 18B \sin(dx+c) \cos(dx+c) \\ & \cos(dx+c)^3 \left(\frac{1}{a+b} \right) (b+a \cos(dx+c)) \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 - 30B \sin(dx+c) \\ & \cos(dx+c)^3 \left(\frac{1}{a+b} \right) (b+a \cos(dx+c)) \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{a+b}{a-b}, I \left(\frac{a-b}{a+b} \right)^{1/2} \right) a^3 \\ & + 24A \sin(dx+c) \cos(dx+c)^3 \left(\frac{1}{a+b} \right) (b+a \cos(dx+c)) \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticF} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{a-b}{a+b} \right)^{1/2} \right) b^3 \\ & - 48A \sin(dx+c) \cos(dx+c)^3 \left(\frac{1}{a+b} \right) (b+a \cos(dx+c)) \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \text{EllipticPi} \left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{a+b}{a-b}, I \left(\frac{a-b}{a+b} \right)^{1/2} \right) b^3 \\ & - 54A \cos(dx+c)^4 \left(\frac{a-b}{a+b} \right)^{1/2} a^2 b \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 12A \cos(dx+c)^4 \left(\frac{a-b}{a+b} \right)^{1/2} a^2 b^2 \\ & \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 26B \cos(dx+c)^4 \left(\frac{a-b}{a+b} \right)^{1/2} a^2 b^2 \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 16B \cos(dx+c)^4 \left(\frac{a-b}{a+b} \right)^{1/2} a^2 b^2 \\ & \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 54A \cos(dx+c)^3 \left(\frac{a-b}{a+b} \right)^{1/2} a^2 b^2 \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} + 8B \left(\frac{a-b}{a+b} \right)^{1/2} b^3 \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \\ & + 8B \cos(dx+c)^2 \left(\frac{a-b}{a+b} \right)^{1/2} b^3 \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 12A \cos(dx+c)^3 \left(\frac{a-b}{a+b} \right)^{1/2} \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} b^3 \\ & - 33B \cos(dx+c)^4 \left(\frac{a-b}{a+b} \right)^{1/2} a^3 \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 16B \cos(dx+c)^3 \left(\frac{a-b}{a+b} \right)^{1/2} b^3 \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \\ & \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} \left(\frac{a-b}{a+b} \right)^{1/2} \left(\frac{1}{b+a \cos(dx+c)} \right) \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} / \cos(dx+c)^{5/2} / \sin(dx+c)^3 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c))/cos(dx+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(dx+c))^(5/2)*(A+B*sec(dx+c))/cos(dx+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/sqrt(cos(d*x + c)), x)

$$3.614 \quad \int \frac{(a+b \sec(c+dx))^{5/2}(A+B \sec(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=513

$$\frac{(472a^2Ab + 133a^3B + 356ab^2B + 128Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{192d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{(59a^2B + 104aAb + 36b^2B) \sin(c+dx)}{96d \cos^2(c+dx)}$$

[Out] ((472*a^2*A*b + 128*A*b^3 + 133*a^3*B + 356*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(192*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((40*a^3*A*b + 160*a*A*b^3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(64*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(192*b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (b*(8*A*b + 11*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*Cos[c + d*x]^(5/2)) + ((104*a*A*b + 59*a^2*B + 36*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*d*Cos[c + d*x]^(3/2)) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b*d*Sqrt[Cos[c + d*x]]) + (b*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Cos[c + d*x]^(5/2))

Rubi [A] time = 2.24829, antiderivative size = 513, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 15, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {2955, 4026, 4096, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(59a^2B + 104aAb + 36b^2B) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{96d \cos^2(c+dx)} + \frac{(264a^2Ab + 15a^3B + 284ab^2B + 128Ab^3) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{192bd \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2), x]

[Out] ((472*a^2*A*b + 128*A*b^3 + 133*a^3*B + 356*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(192*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((40*a^3*A*b + 160*a*A*b^3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(64*b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

) - ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(192*b*d*Sqrt[(b + a*cos[c + d*x])/(a + b)]) + (b*(8*A*b + 11*a*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(24*d*cos[c + d*x]^(5/2)) + ((104*a*A*b + 59*a^2*B + 36*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(96*d*cos[c + d*x]^(3/2)) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(192*b*d*Sqrt[Cos[c + d*x]]) + (b*B*(a + b*Sec[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*cos[c + d*x]^(5/2))

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4026

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1)]*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

Rule 4096

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]

Rule 4102

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)

```

*(d*Csc[e + f*x])^(n - 1)/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4108

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
+ (a_.))], x_Symbol] :> Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc
c[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a
+ b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 -
b^2, 0]

```

Rule 3859

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.
) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{

```

a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx))}{\cos^3(c + dx)} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^3(c + dx) (a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{bB(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^5(c + dx)} + \frac{1}{4} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sec^2(c + dx) (a + b \sec(c + dx))^{5/2} (A + B \sec(c + dx)) dx \\
&= \frac{b(8Ab + 11aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^5(c + dx)} + \frac{bB(a + b \sec(c + dx))^{3/2} \sin(c + dx)}{4d \cos^5(c + dx)} \\
&= \frac{b(8Ab + 11aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^5(c + dx)} + \frac{(104aAb + 59a^2B + 36a^3B) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{96d \cos^5(c + dx)} \\
&= \frac{b(8Ab + 11aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^5(c + dx)} + \frac{(104aAb + 59a^2B + 36a^3B) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{96d \cos^5(c + dx)} \\
&= \frac{b(8Ab + 11aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^5(c + dx)} + \frac{(104aAb + 59a^2B + 36a^3B) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{96d \cos^5(c + dx)} \\
&= \frac{b(8Ab + 11aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^5(c + dx)} + \frac{(104aAb + 59a^2B + 36a^3B) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{96d \cos^5(c + dx)} \\
&= \frac{b(8Ab + 11aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{24d \cos^5(c + dx)} + \frac{(104aAb + 59a^2B + 36a^3B) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{96d \cos^5(c + dx)} \\
&= \frac{(40a^3Ab + 160aAb^3 - 5a^4B + 120a^2b^2B + 48b^4B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}, \frac{1}{2}, \frac{b+a \cos(c+dx)}{a+b}\right)}{64bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(472a^2Ab + 128Ab^3 + 133a^3B + 356ab^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{1}{2}, \frac{1}{2}, \frac{b+a \cos(c+dx)}{a+b}\right)}{192d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 34.2534, size = 131553, normalized size = 256.44

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b*Sec[c + d*x])^(5/2)*(A + B*Sec[c + d*x]))/Cos[c + d*x]^(3/2),x]

[Out] Result too large to show

Maple [C] time = 0.724, size = 3175, normalized size = 6.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x)

[Out]
$$\begin{aligned} & -1/192/d*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(-1+\cos(d*x+c))*(\cos(d*x+c)+1) \\ & *(254*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+1 \\ & 5*B*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2)}*a^4*(1/(\cos(d*x+c)+1))^{(1/2)}+64*A*\cos(\\ & d*x+c)*((a-b)/(a+b))^{(1/2)}*b^4*(1/(\cos(d*x+c)+1))^{(1/2)}-264*A*\cos(d*x+c)^4* \\ & ((a-b)/(a+b))^{(1/2)}*a^2*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}-144*A*\cos(d*x+c)^4*((a \\ & -b)/(a+b))^{(1/2)}*a*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}-15*B*\cos(d*x+c)^4*((a-b)/(a \\ & +b))^{(1/2)}*a^3*b*(1/(\cos(d*x+c)+1))^{(1/2)}+30*B*\cos(d*x+c)^4*((a-b)/(a+b))^{(\\ & 1/2)}*a^2*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}-284*B*\cos(d*x+c)^4*((a-b)/(a+b))^{(1/2} \\ &)*a*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}+172*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a*b \\ & ^3*(1/(\cos(d*x+c)+1))^{(1/2)}-208*A*\cos(d*x+c)^5*((a-b)/(a+b))^{(1/2)}*a^2*b^2* \\ & (1/(\cos(d*x+c)+1))^{(1/2)}-128*A*\cos(d*x+c)^5*((a-b)/(a+b))^{(1/2)}*a*b^3*(1/(c \\ & os(d*x+c)+1))^{(1/2)}-118*B*\cos(d*x+c)^5*((a-b)/(a+b))^{(1/2)}*a^3*b*(1/(\cos(d* \\ & x+c)+1))^{(1/2)}-284*B*\cos(d*x+c)^5*((a-b)/(a+b))^{(1/2)}*a^2*b^2*(1/(\cos(d*x+c \\ &)+1))^{(1/2)}-72*B*\cos(d*x+c)^5*((a-b)/(a+b))^{(1/2)}*a*b^3*(1/(\cos(d*x+c)+1))^{(\\ & 1/2)}-128*A*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)^{(1/2)}*EllipticE((-1+c \\ & os(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*\sin(d*x+c)* \\ & \cos(d*x+c)^4*b^4-264*A*\cos(d*x+c)^5*((a-b)/(a+b))^{(1/2)}*a^3*b*(1/(\cos(d*x+c \\ &)+1))^{(1/2)}+15*B*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)^{(1/2)}*EllipticE(\\ & (-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/2)})*\sin(d* \\ & x+c)*\cos(d*x+c)^4*a^4-30*B*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)^{(1/2)}* \\ & EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b)/(a-b))^{(1/ \\ & 2)})*\sin(d*x+c)*\cos(d*x+c)^4*a^4+144*B*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c \\ & +1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-(a+b) \\ & /a-b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)^4*b^4+30*B*(1/(a+b))*(b+a*\cos(d*x+c))/ \\ & (\cos(d*x+c)+1)^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x \\ & +c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)*\cos(d*x+c)^4*a^4-288*B*(1 \\ & /a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)^{(1/2)}*EllipticPi((-1+\cos(d*x+c))*((\\ & a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*\sin(d*x+c)* \\ & \cos(d*x+c)^4*b^4+76*B*(1/(a+b))*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1)^{(1/2)}*Ellip \end{aligned}$$

$$\begin{aligned}
& \text{ticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^2 * b^2 - 72 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1) \\
&)^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a * b^3 - 720 * B * (1/(a+b) * (b+a * \cos(dx+c))) / \\
& (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^2 * b^2 - 240 \\
& * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^3 * b - 960 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I / ((a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a * b^3 - 144 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^3 * b - 208 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^2 * b^2 + 352 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a * b^3 + 264 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^3 * b - 264 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^2 * b^2 + 128 * A * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a * b^3 - 15 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^3 * b + 284 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^2 * b^2 - 284 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a * b^3 - 118 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * \sin(dx+c) * \cos(dx+c)^4 * a^3 * b + 48 * B * ((a-b)/(a+b))^{1/2} * b^4 * (1/(\cos(dx+c)+1))^{1/2} - 72 * B * \cos(dx+c)^4 * ((a-b)/(a+b))^{1/2} * b^4 * (1/(\cos(dx+c)+1))^{1/2} + 24 * B * \cos(dx+c)^2 * (1/(\cos(dx+c)+1))^{1/2} * ((a-b)/(a+b))^{1/2} * b^4 - 15 * B * \cos(dx+c)^5 * ((a-b)/(a+b))^{1/2} * a^4 * (1/(\cos(dx+c)+1))^{1/2} - 128 * A * \cos(dx+c)^4 * ((a-b)/(a+b))^{1/2} * b^4 * (1/(\cos(dx+c)+1))^{1/2} + 64 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * b^4 * (1/(\cos(dx+c)+1))^{1/2} + 184 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(dx+c)+1))^{1/2} + 472 * A * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 * b^2 * (1/(\cos(dx+c)+1))^{1/2} + 133 * B * \cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} + 272 * A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(dx+c)+1))^{1/2} + 264 * A * \cos(dx+c)^4 * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} / b / ((a-b)/(a+b))^{1/2} / (b+a * \cos(dx+c)) / (1/(\cos(dx+c)+1))^{1/2} / \cos(dx+c)^{7/2} / \sin(dx+c)^3
\end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sec(d*x+c))**(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)(b \sec(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sec(d*x+c))^(5/2)*(A+B*sec(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*(b*sec(d*x + c) + a)^(5/2)/cos(d*x + c)^(3/2), x)
```


$$3.615 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=280

$$\frac{2(7a^2Ab - 5a^3B - 10ab^2B + 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15a^3d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A - 10abB + 8Ab^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}{15a^3d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] $(-2*(7*a^2*A*b + 8*A*b^3 - 5*a^3*B - 10*a*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(15*a^3*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) - (2*(4*A*b - 5*a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a^2*d) + (2*A*\operatorname{Cos}[c + d*x]^(3/2)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*a*d)$

Rubi [A] time = 0.916042, antiderivative size = 280, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4034, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(7a^2Ab - 5a^3B - 10ab^2B + 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{15a^3d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2(9a^2A - 10abB + 8Ab^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}{15a^3d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Cos}[c + d*x]^(5/2)*(A + B*\operatorname{Sec}[c + d*x]))/\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]], x]$

[Out] $(-2*(7*a^2*A*b + 8*A*b^3 - 5*a^3*B - 10*a*b^2*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])]/(a + b))*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(15*a^3*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(15*a^3*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) - (2*(4*A*b - 5*a*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(15*a^2*d) + (2*A*\operatorname{Cos}[c + d*x]^(3/2)*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]*\operatorname{Sin}[c + d*x])/(5*a*d)$

Rule 2955

$\operatorname{Int}[(a_. + \operatorname{csc}[e_.] + (f_.)*(x_.))*(b_.)^(m_.)*(csc[e_.] + (f_.)*(x_.))*(d_. + (c_.)^(n_.))*((g_.)*\operatorname{sin}[e_.] + (f_.)*(x_.))^(p_.), x_Symbol] \rightarrow \operatorname{Dis}$

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4034

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + A*a*(n+1)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4104

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a*B*n - A*b*(m+n+1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m+n+2)*\text{Csc}[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] :> \text{Dist}[A/a, \text{Int}[Sqrt[a + b*\text{Csc}[e + f*x]]/Sqrt[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[Sqrt[d*\text{Csc}[e + f*x]]/Sqrt[a + b*\text{Csc}[e + f*x]], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

$\text{Int}[Sqrt[\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] :> \text{Dist}[Sqrt[a + b*\text{Csc}[e + f*x]]/(Sqrt[d*\text{Csc}[e + f*x]]*Sqrt[b + a*\text{Sin}[e + f*x]]), \text{Int}[Sqrt[b + a*\text{Sin}[e + f*x]], x], x] /;$ FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

$\text{Int}[Sqrt[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]], x_Symbol] :> \text{Dist}[Sqrt[a + b*\text{Sin}[c + d*x]]/Sqrt[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[Sqrt[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,

0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}} dx \\
&= \frac{2A\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{5ad} - \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} + \frac{2A\cos^{\frac{3}{2}}(c+dx)}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} + \frac{2A\cos^{\frac{3}{2}}(c+dx)}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} + \frac{2A\cos^{\frac{3}{2}}(c+dx)}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} + \frac{2A\cos^{\frac{3}{2}}(c+dx)}{15a^2d} \\
&= -\frac{2(4Ab-5aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}\sin(c+dx)}{15a^2d} + \frac{2A\cos^{\frac{3}{2}}(c+dx)}{15a^2d} \\
&= -\frac{2(7a^2Ab+8Ab^3-5a^3B-10ab^2B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{15a^3d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{2(9a^2A)}{15a^3d}
\end{aligned}$$

Mathematica [C] time = 14.7894, size = 363, normalized size = 1.3

$$2a\sin(c+dx)(a\cos(c+dx)+b)(3aA\cos(c+dx)+5aB-4Ab) + \frac{2\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\right)^{3/2}\left(-ia^2(9A+5B)+2ab(A-5B)+8Ab^2\right)\sec(c+dx)}{15a^3d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*a*(b + a*Cos[c + d*x])*(-4*A*b + 5*a*B + 3*a*A*Cos[c + d*x])*Sin[c + d*x] + (2*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(I*(a + b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(8*A*b^2 + 2*a*b*(A - 5*B) + a^2*(9*A + 5*B))*EllipticF[I*ArcSinh[Tan[(c

$$+ d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt[((b + a*cos[c + d*x]) * Sec[(c + d*x)/2]^2)/(a + b)] + (9*a^2*A + 8*A*b^2 - 10*a*b*B)*(b + a*cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2])/Sec[c + d*x]^(3/2))/(15*a^3*d*sqrt[Cos[c + d*x]]*sqrt[a + b*Sec[c + d*x]])$$

Maple [B] time = 0.445, size = 1701, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (\cos(dx+c))^{5/2} * (A+B*\sec(dx+c)) / (a+b*\sec(dx+c))^{1/2}, x$

[Out] $\frac{2}{15}d*((b+a*\cos(dx+c))/\cos(dx+c))^{1/2}*\cos(dx+c)^{1/2}*(-1+\cos(dx+c)) * (\cos(dx+c)+1)*(-8*A*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a*b^2-9*A*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2*b+3*A*\cos(dx+c)^4*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(dx+c)+1))^{1/2}+6*A*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^3*(1/(\cos(dx+c)+1))^{1/2}-9*A*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^3+9*A*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^3-8*A*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b^2-10*B*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a^2*b+10*B*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*a*b^2+10*B*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b+2*A*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2}*a^2*b+10*A*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}-8*A*\cos(dx+c)*((a-b)/(a+b))^{1/2})*a*b^2*(1/(\cos(dx+c)+1))^{1/2}+10*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}-10*B*\cos(dx+c)*((a-b)/(a+b))^{1/2}*a*b^2*(1/(\cos(dx+c)+1))^{1/2}-5*B*\cos(dx+c)^2*((a-b)/(a+b))^{1/2}*a^2*b*(1/(\cos(dx+c)+1))^{1/2}+5*B*$

$\cos(dx+c)^3 \cdot (1/(\cos(dx+c)+1))^{1/2} \cdot ((a-b)/(a+b))^{1/2} \cdot a^3 + 5B \sin(dx+c) \cdot \text{EllipticF}((-1+\cos(dx+c)) \cdot ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) \cdot (1/(a+b) \cdot (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \cdot a^3 - 5B \cos(dx+c) \cdot ((a-b)/(a+b))^{1/2} \cdot a^3 \cdot (1/(\cos(dx+c)+1))^{1/2} - 9A \cos(dx+c) \cdot ((a-b)/(a+b))^{1/2} \cdot a^3 \cdot (1/(\cos(dx+c)+1))^{1/2} + 8A \cos(dx+c) \cdot ((a-b)/(a+b))^{1/2} \cdot b^3 \cdot (1/(\cos(dx+c)+1))^{1/2} - 9A \cdot ((a-b)/(a+b))^{1/2} \cdot a^2 \cdot b \cdot (1/(\cos(dx+c)+1))^{1/2} + 4A \cdot ((a-b)/(a+b))^{1/2} \cdot a \cdot b^2 \cdot (1/(\cos(dx+c)+1))^{1/2} - 5B \cdot ((a-b)/(a+b))^{1/2} \cdot a^2 \cdot b \cdot (1/(\cos(dx+c)+1))^{1/2} + 10B \cdot ((a-b)/(a+b))^{1/2} \cdot a \cdot b^2 \cdot (1/(\cos(dx+c)+1))^{1/2} - 8A \cdot ((a-b)/(a+b))^{1/2} \cdot b^3 \cdot (1/(\cos(dx+c)+1))^{1/2}) / a^3 / ((a-b)/(a+b))^{1/2} / (b+a \cos(dx+c)) / (1/(\cos(dx+c)+1))^{1/2} / \sin(dx+c)^3$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \cos(dx+c)^{\frac{5}{2}}}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(5/2)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c)+A)*cos(dx+c)^(5/2)/sqrt(b*sec(dx+c)+a),x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c)^2 \sec(dx+c) + A \cos(dx+c)^2) \sqrt{\cos(dx+c)}}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(5/2)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((B*cos(dx+c)^2*sec(dx+c)+A*cos(dx+c)^2)*sqrt(cos(dx+c))/sqrt(b*sec(dx+c)+a),x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/sqrt(b*sec(d*x + c) + a), x)

$$3.616 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=212

$$\frac{2(a^2A - 3abB + 2Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab - 3aB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{3a^2d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

[Out] (2*(a^2*A + 2*A*b^2 - 3*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d)

Rubi [A] time = 0.63214, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2955, 4034, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2A - 3abB + 2Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3a^2d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab - 3aB) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{3a^2d \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (2*(a^2*A + 2*A*b^2 - 3*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(2*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*A*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a*d)

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d

*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4034

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + A*a*(n + 1)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B \sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} dx \\
&= \frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3ad} - \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{3} \\
&= \frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3ad} - \frac{((2Ab-3aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{3} \\
&= \frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3ad} + \frac{\left(2\left(\frac{a^2A}{2} + \frac{1}{2}b(2Ab-3aB)\right)\sqrt{\cos(c+dx)}\right)}{3a^2\sqrt{\cos(c+dx)}} \\
&= \frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)} \sin(c+dx)}{3ad} + \frac{\left(2\left(\frac{a^2A}{2} + \frac{1}{2}b(2Ab-3aB)\right)\sqrt{\cos(c+dx)}\right)}{3a^2\sqrt{\cos(c+dx)}} \\
&= \frac{2(a^2A+2Ab^2-3abB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\left|\frac{2a}{a+b}\right.\right)}{3a^2d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{2(2Ab-3aB)\sqrt{\cos(c+dx)}}{3a^2}
\end{aligned}$$

Mathematica [C] time = 8.96496, size = 311, normalized size = 1.47

$$2 \left(aA \sin(c + dx)(a \cos(c + dx) + b) - \frac{\left(\cos^2\left(\frac{1}{2}(c+dx)\right) \sec(c+dx) \right)^{3/2} \left(ia(a(A+3B)-2Ab) \sec^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\frac{\sec^2\left(\frac{1}{2}(c+dx)\right)(a \cos(c+dx)+b)}{a+b}} \operatorname{EllipticF}\left(is\right)}{3a^2 d \sqrt{c}} \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (2*(a*A*(b + a*Cos[c + d*x])*Sin[c + d*x] - ((Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*((-I)*(a + b)*(-2*A*b + 3*a*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(-2*A*b + a*(A + 3*B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (2*A*b - 3*a*B)*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2])/Sec[c + d*x]^(3/2))/(3*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.384, size = 1080, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x)

[Out] 2/3/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))*(cos(d*x+c)+1)*(A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^2*(1/(cos(d*x+c)+1))^(1/2)-A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b*(1/(cos(d*x+c)+1))^(1/2)+3*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^2*(1/(cos(d*x+c)+1))^(1/2)+A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a^2+2*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a*b-2*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*sin(d*x+c)*a*b+2*A*(1/(a+b)*(b+a*cos(d*x+c))

$$\begin{aligned} & /(\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\ & (- (a+b)/(a-b))^{1/2}) * \sin(dx+c) * b^2 - A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * \\ & a^2 * (1/(\cos(dx+c)+1))^{1/2} + 2 * A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a * b * (1/(\cos(dx+c)+1))^{1/2} \\ & - 2 * A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * b^2 * (1/(\cos(dx+c)+1))^{1/2} - 3 * B * \sin(dx+c) * \\ & \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(dx+c))) / \\ & (\cos(dx+c)+1))^{1/2} * a^2 + 3 * B * (1/(a+b) * (b+a * \cos(dx+c))) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * \\ & ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * \sin(dx+c) * a^2 - 3 * B * (1/(a+b) * (b+a * \cos(dx+c))) / \\ & (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * \sin(dx+c) * \\ & a * b - 3 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 * (1/(\cos(dx+c)+1))^{1/2} + 3 * B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * \\ & a * b * (1/(\cos(dx+c)+1))^{1/2} - A * ((a-b)/(a+b))^{1/2} * a * b * (1/(\cos(dx+c)+1))^{1/2} + 2 * A * ((a-b)/(a+b))^{1/2} * \\ & b^2 * (1/(\cos(dx+c)+1))^{1/2} - 3 * B * ((a-b)/(a+b))^{1/2} * a * b * (1/(\cos(dx+c)+1))^{1/2}) / a^2 / ((a-b)/(a+b))^{1/2} / \\ & (b+a * \cos(dx+c)) / (1/(\cos(dx+c)+1))^{1/2} / \sin(dx+c)^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{\sqrt{b \sec(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(dx+c) + A)*cos(dx+c)^(3/2)/sqrt(b*sec(dx+c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c) \sec(dx+c) + A \cos(dx+c)) \sqrt{\cos(dx+c)}}{\sqrt{b \sec(dx+c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(1/2),x, algorithm="fricas")

[Out] `integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(1/2),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(b*sec(d*x + c) + a), x)`

$$3.617 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=150

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2(Ab-aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}}\text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)])

Rubi [A] time = 0.43489, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2955, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} - \frac{2(Ab-aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]],x]

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[
```

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx))}{\sqrt{a+b\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{A+B\sec(c+dx)}{\sqrt{\sec(c+dx)}\sqrt{a+b\sec(c+dx)}} dx \\
 &= \frac{(A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{\sec(c+dx)}} dx}{a} - \frac{((Ab-aB)\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{a\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{(A\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{a\sqrt{b+a\cos(c+dx)}} \\
 &= -\frac{((Ab-aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}) \int \frac{1}{\sqrt{\frac{b}{a+b}+\frac{a\cos(c+dx)}{a+b}}} dx}{a\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{(A\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}) \int \frac{1}{\sqrt{b+a\cos(c+dx)}} dx}{a\sqrt{b+a\cos(c+dx)}} \\
 &= -\frac{2(Ab-aB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad\sqrt{\frac{b+a\cos(c+dx)}{a+b}}}
 \end{aligned}$$

Mathematica [C] time = 6.7387, size = 260, normalized size = 1.73

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)(A+B\sec(c+dx))\left(-ia(A+B)\sqrt{\frac{\sec^2\left(\frac{1}{2}(c+dx)\right)(a\cos(c+dx)+b)}{a+b}}\text{EllipticF}\left(i\sinh^{-1}\left(\frac{\sqrt{a+b\sec(c+dx)}}{\sqrt{a+b\cos(c+dx)}}\right)\right)\right)}{ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/Sqrt[a + b*Sec[c + d*x]], x]

[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(A + B*Sec[c + d*x]))*(I*A*(a + b)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(A + B)*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + A*(b + a*Cos[c + d*x])*Sqrt[Sec[(c + d*x)/2]^2]*Tan[(c + d*x)/2])/(a*d*(B + A*Cos[c + d*x])*Sqrt[Sec[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Maple [B] time = 0.382, size = 564, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x)`

[Out]
$$\begin{aligned} & 2/d*(-1+\cos(d*x+c))*(\cos(d*x+c)+1)*(A*\cos(d*x+c)^2*((a-b)/(a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2} \\ & *a-A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2} \\ & *a+A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2} \\ & *b+A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{1/2})*a-A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & *EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{1/2})*b-A*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & *a+B*\sin(d*x+c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), \\ & (-a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2} \\ & *a-A*((a-b)/(a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2} \\ & *b)*\cos(d*x+c)^{1/2}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}/a/((a-b)/(a+b))^{1/2} \\ & /((b+a*\cos(d*x+c))/(1/(\cos(d*x+c)+1))^{1/2}/\sin(d*x+c))^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)`

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{b \sec(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \sec(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))*sqrt(cos(c + d*x))/sqrt(a + b*sec(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{\sqrt{b \sec(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/sqrt(b*sec(d*x + c) + a), x)
```

$$3.618 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=138

$$\frac{2A\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2B\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.52561, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$, Rules used = {2955, 4036, 3858, 2663, 2661, 3859, 2807, 2805}

$$\frac{2A\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2B\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]),x]

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4036

```
Int[(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)))/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[A, Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[B/d, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
```

$/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] \&\& NeQ[b*c - a*d, 0] \&\& NeQ[a^2 - b^2, 0] \&\& NeQ[c^2 - d^2, 0] \&\& GtQ[c + d, 0]$

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} (A + B \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \left(A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx + \left(B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec(c + dx)}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{\left(A \sqrt{b + a \cos(c + dx)} \right) \int \frac{1}{\sqrt{b + a \cos(c + dx)}} dx}{\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{\left(B \sqrt{b + a \cos(c + dx)} \right) \int \frac{\sec(c + dx)}{\sqrt{b + a \cos(c + dx)}} dx}{\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{\left(A \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \right) \int \frac{1}{\sqrt{\frac{b}{a + b} + \frac{a \cos(c + dx)}{a + b}}} dx}{\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{\left(B \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \right) \int \frac{\sec(c + dx)}{\sqrt{\frac{b}{a + b} + \frac{a \cos(c + dx)}{a + b}}} dx}{\sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2A \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2B \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a + b}\right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 28.3339, size = 16611, normalized size = 120.37

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] Result too large to show

Maple [C] time = 0.361, size = 257, normalized size = 1.9

$$-2 \frac{\sqrt{\cos(dx + c)}}{d(b + a \cos(dx + c)) \sqrt{(\cos(dx + c) + 1)^{-1}}} \left(A \text{EllipticF}\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)} \sqrt{\frac{a - b}{a + b}}, \sqrt{\frac{a + b}{a - b}}\right) - B \text{EllipticF}\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}, \sqrt{\frac{a + b}{a - b}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x)`

[Out] $-2/d*(A*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a-b)^{1/2})-B*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (-a+b)/(a-b))^{1/2})+2*B*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}))*\cos(d*x+c)^{1/2}*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}/((a-b)/(a+b))^{1/2}/(b+a*\cos(d*x+c))/(1/(\cos(d*x+c)+1))^{1/2}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] Timed out

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \sec(c + dx)}{\sqrt{a + b \sec(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*sec(c + d*x))/(sqrt(a + b*sec(c + d*x))*sqrt(cos(c + d*x))), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))), x)
```

$$3.619 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)\sqrt{a+b \sec(c+dx)}} dx$$

Optimal. Leaf size=256

$$\frac{B\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{(2Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{B \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{bd\sqrt{\cos(c+dx)}}$$

[Out] (B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 0.888688, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 13, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.371$, Rules used = {2955, 4033, 4109, 3859, 2807, 2805, 3862, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{(2Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{B \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{bd\sqrt{\cos(c+dx)}} + \frac{B\sqrt{\frac{a \cos(c+dx)+b}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \dots$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]),x]

[Out] (B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (B*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]])

Rule 2955


```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4033

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(B*d^2
*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(
m + n)), x] + Dist[d^2/(b*(m + n)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f
*x])^(n - 2)*Simp[a*B*(n - 2) + B*b*(m + n - 1)*Csc[e + f*x] + (A*b*(m + n)
- a*B*(n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m
}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n,
0] && !IGtQ[m, 1]
```

Rule 4109

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^
2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Dist[A, In
t[1/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x], x] /; FreeQ[{a, b,
d, e, f, A, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.
) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x
]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])
, x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
```

$/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /;$ FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3862

Int[1/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]), x_Symbol] := Dist[1/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[b/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx) (A + B \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{aB}{2} + \frac{1}{2}(2Ab - a)}{\sqrt{\sec(c + dx)} \sqrt{a}} dx}{b} \\
 &= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} - \frac{(aB \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2b} \\
 &= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} + \frac{1}{2} \left(B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \sec(c + dx)}} dx \\
 &= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} + \frac{(B \sqrt{b + a \cos(c + dx)}) \int \frac{1}{\sqrt{b + a \cos(c + dx)}} dx}{2 \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \\
 &= \frac{(2Ab - aB) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \Pi \left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a + b} \right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{bd \sqrt{\cos(c + dx)}} \\
 &= \frac{B \sqrt{\frac{b + a \cos(c + dx)}{a + b}} F \left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a + b} \right)}{d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab - aB) \sqrt{\frac{b + a \cos(c + dx)}{a + b}} \Pi \left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a + b} \right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
 \end{aligned}$$

Mathematica [C] time = 32.2606, size = 51168, normalized size = 199.88

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/((Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]), x]

[Out] Result too large to show

Maple [C] time = 0.376, size = 776, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2),x)`

[Out]
$$\frac{1}{d} \left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)} \right)^{1/2} \left(\frac{2A \cos(dx+c) \sin(dx+c)}{(a+b) \left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \operatorname{EllipticF} \left(\frac{-1+\cos(dx+c)}{(a+b)} \right)^{1/2} \right. \\ \left. \frac{(a-b)}{\sin(dx+c)} \right) - \frac{(a+b)}{(a-b)} \left(\frac{(a-b)}{(a+b)} \right)^{1/2} \frac{b-4A \cos(dx+c) \sin(dx+c)}{\left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \operatorname{EllipticPi} \left(\frac{-1+\cos(dx+c)}{(a+b)} \right)^{1/2} \frac{(a-b)}{\sin(dx+c)} \\ + \frac{(a+b)}{(a-b)} \frac{I \left(\frac{(a-b)}{(a+b)} \right)^{1/2} b - B \cos(dx+c)^2 \left(\frac{(a-b)}{(a+b)} \right)^{1/2} a \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - 2B \cos(dx+c) \sin(dx+c)}{\left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \operatorname{EllipticF} \left(\frac{-1+\cos(dx+c)}{(a+b)} \right)^{1/2} \\ \left. \frac{(a-b)}{\sin(dx+c)} \right) - \frac{(a+b)}{(a-b)} \left(\frac{(a-b)}{(a+b)} \right)^{1/2} \frac{a+2B \cos(dx+c) \sin(dx+c)}{\left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \operatorname{EllipticPi} \left(\frac{-1+\cos(dx+c)}{(a+b)} \right)^{1/2} \frac{(a-b)}{\sin(dx+c)} \\ + \frac{(a+b)}{(a-b)} \frac{I \left(\frac{(a-b)}{(a+b)} \right)^{1/2} a + B \cos(dx+c) \sin(dx+c)}{\left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \operatorname{EllipticE} \left(\frac{-1+\cos(dx+c)}{(a+b)} \right)^{1/2} \frac{(a-b)}{\sin(dx+c)} \\ - \frac{(a+b)}{(a-b)} \left(\frac{(a-b)}{(a+b)} \right)^{1/2} \frac{a - B \cos(dx+c) \sin(dx+c)}{\left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \operatorname{EllipticE} \left(\frac{-1+\cos(dx+c)}{(a+b)} \right)^{1/2} \frac{(a-b)}{\sin(dx+c)} \\ - \frac{(a+b)}{(a-b)} \left(\frac{(a-b)}{(a+b)} \right)^{1/2} \frac{b + B \cos(dx+c)}{\left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \frac{1}{\cos(dx+c)} \\ + \frac{(a+b)}{(a-b)} \left(\frac{(a-b)}{(a+b)} \right)^{1/2} \frac{a \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} - B \cos(dx+c)}{\left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \frac{1}{\cos(dx+c)} \\ + \frac{(a+b)}{(a-b)} \left(\frac{(a-b)}{(a+b)} \right)^{1/2} \frac{b \left(\frac{1}{\cos(dx+c)+1} \right)^{1/2} + B \left(\frac{(a-b)}{(a+b)} \right)^{1/2}}{\left(\frac{(b+a \cos(dx+c))}{\cos(dx+c)+1} \right)^{1/2}} \frac{1}{\cos(dx+c)} \\ \left. \frac{(a-b)}{\sin(dx+c)} \right)$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx+c) + A}{\sqrt{b \sec(dx+c) + a} \cos(dx+c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")`

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(3/2)), x)
```


$c + d*x]])$

Rule 2955

$\text{Int}[(a + \csc[e + f*x])^m * (c + d * \csc[e + f*x])^n / (g * \csc[e + f*x])^p, x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4033

$\text{Int}[(\csc[e + f*x])^m * (d + (a + b * \csc[e + f*x]) * \csc[e + f*x])^{m+n}, x] + \text{Dist}[d^2 / (b * (m + n)), \text{Int}[(a + b * \csc[e + f*x])^m * (d * \csc[e + f*x])^{n-2} * \text{Simp}[a * B * (n - 2) + B * b * (m + n - 1) * \csc[e + f*x] + (A * b * (m + n) - a * B * (n - 1)) * \csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n, 0] && !IGtQ[m, 1]

Rule 4102

$\text{Int}[(A + \csc[e + f*x])^m * (d + (a + b * \csc[e + f*x]) * \csc[e + f*x])^{m+1} * (d * \csc[e + f*x])^{n-1} / (b * f * (m + n + 1)), x] + \text{Dist}[d / (b * (m + n + 1)), \text{Int}[(a + b * \csc[e + f*x])^m * (d * \csc[e + f*x])^{n-1} * \text{Simp}[a * C * (n - 1) + (A * b * (m + n + 1) + b * C * (m + n)) * \csc[e + f*x] + (b * B * (m + n + 1) - a * C * n) * \csc[e + f*x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4108

$\text{Int}[(A + \csc[e + f*x])^m / (\text{Sqrt}[\csc[e + f*x]) * (d + (a + b * \csc[e + f*x]) * \csc[e + f*x])], x] + \text{Dist}[C / d^2, \text{Int}[(d * \csc[e + f*x])^{3/2} / \text{Sqrt}[a + b * \csc[e + f*x]], x], x] + \text{Int}[(A + B * \csc[e + f*x]) / (\text{Sqrt}[d * \csc[e + f*x]) * \text{Sqrt}[a + b * \csc[e + f*x]]), x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

$\text{Int}[(\csc[e + f*x])^{3/2} / \text{Sqrt}[\csc[e + f*x] * (d + (a + b * \csc[e + f*x]) * \csc[e + f*x])], x]$

) + (a_)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653


```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx) (A + B \sec(c + dx))}{\sqrt{a + b \sec(c + dx)}} dx \\
&= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)} \left(\frac{aB}{2} + \dots \right)}{2b}}{2b} \\
&= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4Ab - 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4Ab - 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4Ab - 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{B \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)} + \frac{(4Ab - 3aB) \sqrt{a + b \sec(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{(4aAb - 3a^2B - 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) + B \sqrt{a + b \sec(c + dx)}}{4b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{B \sqrt{a + b \sec(c + dx)}}{2bd \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(4Ab - aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right) - (4aAb - 3a^2B - 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{4bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{(4aAb - 3a^2B - 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{4b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 32.6537, size = 77909, normalized size = 226.48

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]),x]
```

[Out] Result too large to show

Maple [C] time = 0.409, size = 1568, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\sec(d*x+c))/\cos(d*x+c)^{(5/2)}/(a+b*\sec(d*x+c))^{(1/2)}, x)$

[Out] $\frac{1}{4}d*(-1+\cos(d*x+c))*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(\cos(d*x+c)+1)*(4*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(d*x+c)+1))^{(1/2)}+8*A*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a*b-8*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a*b-4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a*b+4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*b^2-3*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^2*(1/(\cos(d*x+c)+1))^{(1/2)}+2*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(d*x+c)+1))^{(1/2)}-6*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^2+2*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a*b-4*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*b^2+6*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a^2+8*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b^2+3*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a^2-3*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)})*a*b-4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(d*x+c)+1))^{(1/2)}+4*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+3*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*(1/(\cos(d*x+c)+1))^{(1/2)}-3*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(d*x+c)+1))^{(1/2)}+2*B*\cos(d*x+c)^2*(1/(\cos(d*x+c)+1))^{(1/2)}*((a-b)/(a+b))^{(1/2)}*b^2-4*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(d*x+c)+1))^{(1/2)}-2*B*((a-b)/(a+b))^{(1/2)}*b^2*(1/(\cos(d*x+c)+1))^{(1/2)})/b^2/((a-b)/(a+b))^{(1/2)}/(b+a*\cos(d*x+c))/1/(\cos(d*x$

$+c)+1))^{(1/2)}/\sin(d*x+c)^3/\cos(d*x+c)^{(3/2)}$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c))**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{\sqrt{b \sec(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/(sqrt(b*sec(d*x + c) + a)*cos(d*x + c)^(5/2)), x)
```

$$3.621 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{\frac{3}{2}}} dx$$

Optimal. Leaf size=423

$$\frac{2(12a^2Ab - 5a^3B - 40ab^2B + 48Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15a^4d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2(a^2A + 5abB - 6Ab^2) \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5a^2d(a^2 - b^2)}$$

```
[Out] (-2*(12*a^2*A*b + 48*A*b^3 - 5*a^3*B - 40*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a^4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^4*A + 24*a^2*A*b^2 - 48*A*b^4 - 25*a^3*b*B + 40*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^4*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(9*a^2*A*b - 24*A*b^3 - 5*a^3*B + 20*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)*d) + (2*(a^2*A - 6*A*b^2 + 5*a*b*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*a^2*(a^2 - b^2)*d)
```

Rubi [A] time = 1.40441, antiderivative size = 423, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4030, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2A + 5abB - 6Ab^2) \sin(c+dx) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}}{5a^2d(a^2 - b^2)} + \frac{2b(Ab - aB) \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{ad(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} - \frac{2(9a^2Ab - 5a^3B - 40ab^2B + 48Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{15a^4d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]
```

```
[Out] (-2*(12*a^2*A*b + 48*A*b^3 - 5*a^3*B - 40*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(15*a^4*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^4*A + 24*a^2*A*b^2 - 48*A*b^4 - 25*a^3*b*B + 40*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^4*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(9*a^2*A*b - 24*A*b^3 - 5*a^3*B + 20*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)*d) + (2*(a^2*A - 6*A*b^2 + 5*a*b*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(5*a^2*(a^2 - b^2)*d)
```

$b \sec[c + dx] \sin[c + dx] / (5a^2(a^2 - b^2)d)$

Rule 2955

$\text{Int}[(a + \csc(e + f x)) (b + \csc(e + f x))^m (c + d \csc(e + f x))^n (g \sin(e + f x))^p, x] \text{Symbol} \rightarrow \text{Dist}[(g \csc(e + f x))^p (g \sin(e + f x))^p, \text{Int}[(a + b \csc(e + f x))^m (c + d \csc(e + f x))^n / (g \csc(e + f x))^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4030

$\text{Int}[(\csc(e + f x) (d + \csc(e + f x) (b + a)))^n (c + d \csc(e + f x))^m (a + b \csc(e + f x))^{m+1} (d \csc(e + f x))^n / (a f (m+1) (a^2 - b^2)), x] + \text{Dist}[1 / (a (m+1) (a^2 - b^2)), \text{Int}[(a + b \csc(e + f x))^{m+1} (d \csc(e + f x))^n \text{Simp}[A (a^{2(m+1)} - b^{2(m+n+1)}) + a b B n - a (A b - a B) (m+1) \csc(e + f x) + b (A b - a B) (m+n+2) \csc(e + f x)^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4104

$\text{Int}[(A + \csc(e + f x) (B + \csc(e + f x) (C))) (c + d \csc(e + f x))^m (a + b \csc(e + f x))^{m+1} (d \csc(e + f x))^n / (a f n), x] + \text{Dist}[1 / (a d n), \text{Int}[(a + b \csc(e + f x))^m (d \csc(e + f x))^{n+1} \text{Simp}[a B n - A b (m+n+1) + a (A + A n + C n) \csc(e + f x) + A b (m+n+2) \csc(e + f x)^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

Rule 4035

$\text{Int}[(\csc(e + f x) (B + A)) / (\sqrt{\csc(e + f x) (b + a)}) \sqrt{\csc(e + f x) (d + \csc(e + f x) (b + a))}, x] \text{Symbol} \rightarrow \text{Dist}[A/a, \text{Int}[\sqrt{a + b \csc(e + f x)} / \sqrt{d \csc(e + f x)}, x], x] - \text{Dist}[(A b - a B) / (a d), \text{Int}[\sqrt{d \csc(e + f x)} / \sqrt{a + b \csc(e + f x)}, x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

$\text{Int}[\sqrt{\csc(e + f x) (b + a)} / \sqrt{\csc(e + f x) (d + \csc(e + f x) (b + a))}, x] \text{Symbol} \rightarrow \text{Dist}[\sqrt{a + b \csc(e + f x)} / (\sqrt{d \csc(e + f x)} \sqrt{\csc(e + f x) (b + a)}), x]$

```
qrt[b + a*Sin[e + f*x]], Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b\sec(c+dx))^{\frac{3}{2}}} dx \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{1}{2}(-a^2)}{\dots} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(a^2A-6Ab^2+5abB)\cos^{\frac{3}{2}}(c+dx)}{5a^2(a^2-b^2)} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(9a^2Ab-24Ab^3-5a^3B+20ab^2B)}{15a^2} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(9a^2Ab-24Ab^3-5a^3B+20ab^2B)}{15a^2} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(9a^2Ab-24Ab^3-5a^3B+20ab^2B)}{15a^2} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(9a^2Ab-24Ab^3-5a^3B+20ab^2B)}{15a^2} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{2(9a^2Ab-24Ab^3-5a^3B+20ab^2B)}{15a^2} \\
&= \frac{2(12a^2Ab+48Ab^3-5a^3B-40ab^2B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{15a^4d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \dots
\end{aligned}$$

Mathematica [C] time = 18.95777, size = 533, normalized size = 1.26

$$\frac{(a\cos(c+dx)+b)^2\left(\frac{2(Ab^4\sin(c+dx)-ab^3B\sin(c+dx))}{a^3(a^2-b^2)(a\cos(c+dx)+b)} + \frac{2(5aB-9Ab)\sin(c+dx)}{15a^3} + \frac{A\sin(2(c+dx))}{5a^2}\right)}{d\cos^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{\frac{3}{2}}} - \frac{2\cos^{\frac{3}{2}}(c+dx)\sec^{\frac{3}{2}}(c+dx)\left(\cos\left(\frac{1}{2}(c+dx)\right)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}\right)^{\frac{2a}{a+b}}}{15a^4d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

```
[Out] ((b + a*cos[c + d*x])^2*((2*(-9*A*b + 5*A*B)*sin[c + d*x])/(15*a^3) + (2*(A
*b^4*sin[c + d*x] - a*b^3*B*sin[c + d*x]))/(a^3*(a^2 - b^2)*(b + a*cos[c +
d*x])) + (A*sin[2*(c + d*x)]/(5*a^2)))/(d*cos[c + d*x]^(3/2)*(a + b*sec[c
+ d*x])^(3/2)) - (2*cos[c + d*x]^(3/2)*(b + a*cos[c + d*x])*sec[c + d*x]^(3
/2)*(cos[(c + d*x)/2]^2*sec[c + d*x])^(3/2)*((-I)*(a + b)*(9*a^4*A + 24*a^2
*A*b^2 - 48*A*b^4 - 25*a^3*b*B + 40*a*b^3*B)*EllipticE[I*ArcSinh[Tan[(c + d
*x)/2]]], (-a + b)/(a + b))*sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Se
c[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(-48*A*b^3 - 6*a^2*b*(2*A + 5*B) +
a^3*(9*A + 5*B) + 4*a*b^2*(9*A + 10*B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/
2]]], (-a + b)/(a + b))*sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*sec[(c
+ d*x)/2]^2)/(a + b)] - (9*a^4*A + 24*a^2*A*b^2 - 48*A*b^4 - 25*a^3*b*B +
40*a*b^3*B)*(b + a*cos[c + d*x])*(sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2
]))/(15*a^4*(a^2 - b^2)*d*(a + b*sec[c + d*x])^(3/2))
```

Maple [B] time = 0.435, size = 2084, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x)
```

```
[Out] 2/15/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))
*(cos(d*x+c)+1)^2*(-20*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^2*b^2*(1/(cos(d
*x+c)+1))^(1/2)+6*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))
^(1/2)-18*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)
+20*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)-9*A*cos
(d*x+c)*((a-b)/(a+b))^(1/2)*a^4*(1/(cos(d*x+c)+1))^(1/2)+48*A*cos(d*x+c)*((
a-b)/(a+b))^(1/2)*b^4*(1/(cos(d*x+c)+1))^(1/2)+24*A*cos(d*x+c)^2*((a-b)/(a+
b))^(1/2)*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)-20*B*cos(d*x+c)^2*((a-b)/(a+b))^(
1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)-6*A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a
^3*b*(1/(cos(d*x+c)+1))^(1/2)-48*A*((a-b)/(a+b))^(1/2)*b^4*(1/(cos(d*x+c)+1
))^(1/2)+5*B*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*a^4+
9*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-
1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^4+3*A*
cos(d*x+c)^4*((a-b)/(a+b))^(1/2)*a^4*(1/(cos(d*x+c)+1))^(1/2)+6*A*cos(d*x+c
)^2*((a-b)/(a+b))^(1/2)*a^4*(1/(cos(d*x+c)+1))^(1/2)-40*B*cos(d*x+c)*((a-b)
/(a+b))^(1/2)*a*b^3*(1/(cos(d*x+c)+1))^(1/2)+30*B*sin(d*x+c)*EllipticF((-1+
cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(
b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3*b+40*B*sin(d*x+c)*EllipticF((-1+c
os(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b
+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b^2-25*B*sin(d*x+c)*(1/(a+b)*(b+a
```

$$\begin{aligned} & \cos(d*x+c)/(\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^3 * b + 40 * B * \sin(d*x+c) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a * b^3 - 6 * A * \cos(d*x+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 * b^2 * (1/(\cos(d*x+c)+1))^{1/2} + 5 * B * \cos(d*x+c)^3 * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(d*x+c)+1))^{1/2} + 6 * A * \cos(d*x+c)^2 * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(d*x+c)+1))^{1/2} + 24 * A * \cos(d*x+c)^2 * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(d*x+c)+1))^{1/2} + 24 * A * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^2 * b^2 - 12 * A * \sin(d*x+c) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^3 * b - 36 * A * \sin(d*x+c) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^2 * b^2 - 48 * A * \sin(d*x+c) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a * b^3 + 3 * A * \cos(d*x+c)^4 * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(d*x+c)+1))^{1/2} - 5 * B * \cos(d*x+c) * ((a-b)/(a+b))^{1/2} * a^4 * (1/(\cos(d*x+c)+1))^{1/2} - 9 * A * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(d*x+c)+1))^{1/2} - 24 * A * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(d*x+c)+1))^{1/2} - 5 * B * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(d*x+c)+1))^{1/2} + 20 * B * ((a-b)/(a+b))^{1/2} * a^2 * b^2 * (1/(\cos(d*x+c)+1))^{1/2} + 40 * B * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(d*x+c)+1))^{1/2} + 5 * B * \sin(d*x+c) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^4 - 48 * A * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * b^4 - 9 * A * \sin(d*x+c) * (1/(a+b) * (b+a * \cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}) * a^4 * ((a-b)/(a+b))^{1/2} * (1/(\cos(d*x+c)+1))^{1/2} / a^4 / (b+a * \cos(d*x+c)) / (a-b) / \sin(d*x+c)^3 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^(3/2), x)
```

$$3.622 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=326

$$\frac{2(a^2A - 6abB + 8Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2(a^2A + 3abB - 4Ab^2) \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}{3a^2d(a^2 - b^2)}$$

[Out] (2*(a^2*A + 8*A*b^2 - 6*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d)

Rubi [A] time = 1.03192, antiderivative size = 326, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4030, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(a^2A + 3abB - 4Ab^2) \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}{3a^2d(a^2 - b^2)} + \frac{2b(Ab - aB) \sin(c+dx) \sqrt{\cos(c+dx)}}{ad(a^2 - b^2) \sqrt{a+b \sec(c+dx)}} + \frac{2(a^2A - 6abB + 8Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2),x]

[Out] (2*(a^2*A + 8*A*b^2 - 6*a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d)

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n]/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n]/(a*f*
(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e
+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{\frac{3}{2}}} dx \\
&= \frac{2b(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} - \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\frac{1}{2}(-a^2A)}{\dots}}{\dots} \\
&= \frac{2b(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(a^2A-4Ab^2+3abB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3a^2(a^2-b^2)} \\
&= \frac{2b(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(a^2A-4Ab^2+3abB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3a^2(a^2-b^2)} \\
&= \frac{2b(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(a^2A-4Ab^2+3abB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3a^2(a^2-b^2)} \\
&= \frac{2b(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(a^2A-4Ab^2+3abB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3a^2(a^2-b^2)} \\
&= \frac{2b(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\sec(c+dx)}} + \frac{2(a^2A-4Ab^2+3abB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{3a^2(a^2-b^2)} \\
&= \frac{2(a^2A+8Ab^2-6abB)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{3a^3d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} - \frac{2(5a^2Ab-8Ab^3-3)}{\dots}
\end{aligned}$$

Mathematica [C] time = 17.014, size = 417, normalized size = 1.28

$$2(a\cos(c+dx)+b)\left(a\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)\left(b(a^2A+3abB-4Ab^2)+aA(a^2-b^2)\cos(c+dx)\right)+\left(\cos^2\left(\frac{1}{2}(c+dx)\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(b + a*Cos[c + d*x])*(a*(b*(a^2*A - 4*A*b^2 + 3*a*b*B) + a*A*(a^2 - b^2))*Cos[c + d*x])*Sec[c + d*x]^(3/2)*Sin[c + d*x] + (Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(I*(a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*Ellip


```

ticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt
[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(a^2 - a*b - 2*b^
2)*(-4*A*b + a*(A + 3*B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(
a + b)]*Sec[(c + d*x)/2]^2*sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(
a + b)] + (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*(b + a*cos[c + d*x])
*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(3*a^3*(a^2 - b^2)*d*cos[c
+ d*x]^(3/2)*Sec[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2))

```

Maple [B] time = 0.342, size = 1460, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2), x)
```

```

[Out] 2/3/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))*
(cos(d*x+c)+1)^2*(8*A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1
/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+
1))^(1/2)*a*b^2-5*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))
^(1/2))*a^2*b+A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/si
n(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1
/2)*a^3+8*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*
b^3-6*B*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elliptic
E((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*a*b^
2-6*B*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-
a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b+
6*A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-
a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b+4*
A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(1/2)+6*B*cos(d*x
+c)*((a-b)/(a+b))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(1/2)+A*cos(d*x+c)^3*((a-b
)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(1/2)-4*A*cos(d*x+c)^2*((a-b)/(a+b
))^(1/2)*a*b^2*(1/(cos(d*x+c)+1))^(1/2)+3*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2
)*a^2*b*(1/(cos(d*x+c)+1))^(1/2)-3*B*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((
a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c)
)/(cos(d*x+c)+1))^(1/2)*a^3-3*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^3*(1/(cos(
d*x+c)+1))^(1/2)-A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a^3*(1/(cos(d*x+c)+1))^(1
/2)-8*A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*b^3*(1/(cos(d*x+c)+1))^(1/2)-A*((a-b
)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(1/2)+4*A*((a-b)/(a+b))^(1/2)*a*b^2
*(1/(cos(d*x+c)+1))^(1/2)-3*B*((a-b)/(a+b))^(1/2)*a^2*b*(1/(cos(d*x+c)+1))^(

```

$$\begin{aligned} & (1/2)-6*B*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}-4*A*\cos(d*x+c) \\ & ^2*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}+8*A*((a-b)/(a+b))^{(1/2)} \\ & *b^3*(1/(\cos(d*x+c)+1))^{(1/2)}+A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*(1/(\cos(\\ & d*x+c)+1))^{(1/2)}*a^3+3*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*(1/(\cos(d*x+c) \\ & +1))^{(1/2)}+3*B*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}* \\ & \text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (-a+b)/(a-b))^{(1/2)} \\ &)*a^3*((a-b)/(a+b))^{(1/2)}*(1/(\cos(d*x+c)+1))^{(1/2)}/a^3/(b+a*\cos(d*x+c))/ \\ & (a-b)/\sin(d*x+c)^3 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) \sec(dx + c) + A \cos(dx + c)) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}}{b^2 \sec(dx + c)^2 + 2ab \sec(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*cos(d*x + c)*sec(d*x + c) + A*cos(d*x + c))*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(3/2), x)

$$3.623 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=235

$$-\frac{2(2Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{a^2 d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2(a^2 A + abB - a^2 B)}{ad(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

[Out] $(-2*(2*A*b - a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(a^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(a^2*A - 2*A*b^2 + a*b*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(a^2*(a^2 - b^2)*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])$

Rubi [A] time = 0.719584, antiderivative size = 235, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2955, 4030, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2(a^2 A + abB - 2Ab^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{a^2 d (a^2 - b^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*(A + B*\operatorname{Sec}[c + d*x]))/(a + b*\operatorname{Sec}[c + d*x])^{(3/2)}, x]$

[Out] $(-2*(2*A*b - a*B)*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]*\operatorname{EllipticF}[(c + d*x)/2, (2*a)/(a + b)]/(a^2*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]]) + (2*(a^2*A - 2*A*b^2 + a*b*B)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{EllipticE}[(c + d*x)/2, (2*a)/(a + b)]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])/(a^2*(a^2 - b^2)*d*\operatorname{Sqrt}[(b + a*\operatorname{Cos}[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a + b*\operatorname{Sec}[c + d*x]])$

Rule 2955

$\operatorname{Int}[(a_. + \operatorname{csc}[e_. + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\operatorname{csc}[e_. + (f_.)*(x_.)]*(d_. + (c_.))^{(n_.)}*((g_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(p_.)}, x_Symbol] :> \operatorname{Dist}[(g*\operatorname{Csc}[e + f*x])^p*(g*\operatorname{Sin}[e + f*x])^p, \operatorname{Int}[(a + b*\operatorname{Csc}[e + f*x])^m*(c + d*\operatorname{Csc}[e + f*x])^n]/(g*\operatorname{Csc}[e + f*x])^p, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, g,$

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[p] \&\& \text{!(IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 4030

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_)]*(d_.))^n*(\text{csc}[e_.] + (f_.)(x_)]*(b_.) + (a_.))^m*(\text{csc}[e_.] + (f_.)(x_)]*(B_.) + (A_.)), x_Symbol] \text{:>} \text{Simp}[(b*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n)/(a*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(a*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[A*(a^2*(m+1) - b^2*(m+n+1)) + a*b*B*n - a*(A*b - a*B)*(m+1)*\text{Csc}[e + f*x] + b*(A*b - a*B)*(m+n+2)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{!(ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$

Rule 4035

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_)]*(B_.) + (A_.))/(\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)]*(d_.))*\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)]*(b_.) + (a_.)), x_Symbol] \text{:>} \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B)/(a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]]/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)]*(b_.) + (a_.)]/\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)]*(d_.)), x_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]]/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]]), \text{Int}[\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)(x_)]], x_Symbol] \text{:>} \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{!GtQ}[a + b, 0]$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)(x_)]], x_Symbol] \text{:>} \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{3/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b \sec(c+dx))^{3/2}} dx \\
&= \frac{2b(Ab-aB) \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{a} \\
&= \frac{2b(Ab-aB) \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{((2Ab-aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{a^2} \\
&= \frac{2b(Ab-aB) \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{((2Ab-aB)\sqrt{b+a \cos(c+dx)})}{a^2\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} \\
&= \frac{2b(Ab-aB) \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{((2Ab-aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}}) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a^2\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} \\
&= \frac{2(2Ab-aB)\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2a}{a+b}\right)}{a^2d\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2(a^2A-2Ab^2+abB)\sqrt{\cos(c+dx)}}{a^2(a^2-b^2)}
\end{aligned}$$

Mathematica [C] time = 15.1463, size = 365, normalized size = 1.55

$$2(a \cos(c + dx) + b)(A + B \sec(c + dx)) \left(-ab(aB - Ab) \sin(c + dx) + \frac{\left(\cos^2\left(\frac{1}{2}(c+dx)\right) \sec(c+dx) \right)^{3/2} \left(-ia(a+b)(a(A+B)-2Ab) \sec^2\left(\frac{1}{2}(c+dx)\right) \right)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(3/2), x]

[Out] (2*(b + a*cos[c + d*x])*(A + B*Sec[c + d*x])*(-(a*b*(-(A*b) + a*B)*Sin[c + d*x]) + ((Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*(I*(a + b)*(a^2*A - 2*A*b^2 + a*b*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(a + b)*(-2*A*b + a*(A + B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (a^2*A - 2*A*b^2 + a*b*B)*(b + a*cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2])/Sec[c + d*x]^(3/2))/(a^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(B + A*cos[c + d*x])*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 0.407, size = 889, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2), x)

[Out] 2/d*(-1+cos(d*x+c))*(cos(d*x+c)+1)^2*(A*cos(d*x+c)^2*(1/(cos(d*x+c)+1))^(1/2)*((a-b)/(a+b))^(1/2)*a^2+A*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a*b*(1/(cos(d*x+c)+1))^(1/2)+A*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2-2*A*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*sin(d*x+c)*b^2-A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*sin(d*x+c)*a^2-2*A*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))

$$\begin{aligned} &^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \sin(d*x+c) * a*b - A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a^2 * (1/(\cos(d*x+c)+1))^{(1/2)} + 2*A*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} + B*(1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * \sin(d*x+c) * a*b + B*\sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{(1/2)} / \sin(d*x+c), (-a+b)/(a-b))^{(1/2)} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{(1/2)} * a^2 - B*\cos(d*x+c) * ((a-b)/(a+b))^{(1/2)} * a*b * (1/(\cos(d*x+c)+1))^{(1/2)} - A*((a-b)/(a+b))^{(1/2)} * a*b * (1/(\cos(d*x+c)+1))^{(1/2)} - 2*A*((a-b)/(a+b))^{(1/2)} * b^2 * (1/(\cos(d*x+c)+1))^{(1/2)} + B*((a-b)/(a+b))^{(1/2)} * a*b * (1/(\cos(d*x+c)+1))^{(1/2)} * \cos(d*x+c)^{(1/2)} * ((b+a*\cos(d*x+c)) / \cos(d*x+c))^{(1/2)} * ((a-b)/(a+b))^{(1/2)} * (1/(\cos(d*x+c)+1))^{(1/2)} / a^2 / (b+a*\cos(d*x+c)) / (a-b) / \sin(d*x+c)^3 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c) + A)\sqrt{b \sec(dx+c) + a}\sqrt{\cos(dx+c)}}{b^2 \sec(dx+c)^2 + 2ab \sec(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*sec(d*x + c)^2 + 2*a*b*sec(d*x + c) + a^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a)^(3/2), x)

$$3.624 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=215

$$\frac{2A\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{ad\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} - \frac{2(Ab-aB) \sin(c+dx)}{d(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sqrt{a}}{ad(a^2-b^2)}$$

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(A*b - a*B)*Sin[c + d*x])/((a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.665158, antiderivative size = 215, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$, Rules used = {2955, 4027, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{2(Ab-aB) \sin(c+dx)}{d(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{ad(a^2-b^2)\sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2A\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{ad\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)),x]

[Out] (2*A*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(a*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(A*b - a*B)*Sin[c + d*x])/((a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4027

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] :> -Simp[(d*(A*
b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)
)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[d*(n - 1)*(A*b - a*B) + d
*(a*A - b*B)*(m + 1)*Csc[e + f*x] - d*(A*b - a*B)*(m + n + 1)*Csc[e + f*x]^
2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && Ne
Q[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] :> Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.)
+ (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
```

a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)(a + b \sec(c + dx))}^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\sec(c + dx)}(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx \\
 &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a^2} \\
 &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(A\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a} \\
 &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(A\sqrt{b + a \cos(c + dx)}) \int \frac{1}{\sqrt{b + a \cos(c + dx)}} dx}{a \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
 &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(A\sqrt{\frac{b+a \cos(c+dx)}{a+b}}) \int \frac{1}{\sqrt{\frac{b}{a+b} + \frac{a \cos(c+dx)}{a+b}}} dx}{a \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
 &= \frac{2A\sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{ad \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}
 \end{aligned}$$

Mathematica [C] time = 10.3634, size = 328, normalized size = 1.53

$$2(a \cos(c + dx) + b) \left(\frac{(aB - Ab) \sin(c + dx)}{a^2 - b^2} + \frac{\left(\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \right)^{3/2} \left(-ia(a+b)(A-B) \sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\sec^2\left(\frac{1}{2}(c + dx)\right) (a \cos(c + dx) + b)}{a + b}} \operatorname{EllipticF}\left(i \sin\left(\frac{1}{2}(c + dx)\right), \frac{a + b \cos(c + dx)}{a + b}\right) \right)}{d \cos^2\left(\frac{1}{2}(c + dx)\right)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)), x]

[Out] (2*(b + a*Cos[c + d*x])*(((-(A*b) + a*B)*Sin[c + d*x])/(a^2 - b^2) + ((Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*((-I)*(a + b)*(-(A*b) + a*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - I*a*(a + b)*(A - B)*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*Sqrt[(b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + (A*b - a*B)*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(a^3 - a*b^2)*Sec[c + d*x]^(3/2)))/(d*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2))

Maple [B] time = 0.386, size = 564, normalized size = 2.6

$$2 \frac{(-1 + \cos(dx + c)) (\cos(dx + c) + 1)^2 \sqrt{\cos(dx + c)} \sqrt{(\cos(dx + c) + 1)^{-1}}}{ad(b + a \cos(dx + c))(a - b)(\sin(dx + c))^3} \left(A \sin(dx + c) \sqrt{\frac{b + a \cos(dx + c)}{(a + b)(\cos(dx + c) + 1)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2), x)

[Out] 2/d*(-1+cos(d*x+c))*(cos(d*x+c)+1)^2*(A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*b+A*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))^(1/2)*a-A*cos(d*x+c)*((a-b)/(a+b))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)*b-B*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b)/(a-b))^(1/2)*(1/(a+b)*(b+a*cos(d*x+c)))/(cos(d*x+c)+1))*a+B*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c), (-a+b

$$\frac{1}{(a-b)^{1/2}} \cdot \frac{1}{(a+b)} \cdot \frac{(b+a \cos(dx+c))}{(\cos(dx+c)+1)^{1/2}} \cdot a + B \cos(dx+c) \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot a \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} + A \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot b - B \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot a \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \cos(dx+c)^{1/2} \cdot \frac{(b+a \cos(dx+c))}{\cos(dx+c)} \cdot \left(\frac{a-b}{a+b}\right)^{1/2} \cdot \frac{1}{(\cos(dx+c)+1)^{1/2}} \cdot \frac{a}{(b+a \cos(dx+c))} \cdot \frac{1}{(a-b)} \cdot \frac{1}{\sin(dx+c)^3}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx+c) + A}{(b \sec(dx+c) + a)^{3/2} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)}}{b^2 \cos(dx+c) \sec(dx+c)^2 + 2ab \cos(dx+c) \sec(dx+c) + a^2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*cos(d*x + c)*sec(d*x + c)^2 + 2*a*b*cos(d*x + c)*sec(d*x + c) + a^2*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(3/2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)
```

$$3.625 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=220

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd(a^2 - b^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2B \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{bd \sqrt{\cos(c + dx)}}$$

[Out] (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 0.787558, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4029, 4108, 3859, 2807, 2805, 21, 3856, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd(a^2 - b^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}}} + \frac{2B \sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{bd \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)),x]

[Out] (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(b*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,

$m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[p] \&\& \text{!(IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 4029

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_)]*(d_.))^{\text{(n_.)}*(\text{csc}[e_.] + (f_.)(x_)]*(b_.) + (a_.))^{\text{(m_.)}*(\text{csc}[e_.] + (f_.)(x_)]*(B_.) + (A_.)}, x_Symbol] \text{:> Simp}[(a*d^2*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{\text{(m + 1)}}*(d*\text{Csc}[e + f*x])^{\text{(n - 2)}})/(b*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[d/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{\text{(m + 1)}}*(d*\text{Csc}[e + f*x])^{\text{(n - 2)}}*\text{Simp}[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*\text{Csc}[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$

Rule 4108

$\text{Int}[(\text{(A_.)} + \text{csc}[e_.] + (f_.)(x_)]*(B_.) + \text{csc}[e_.] + (f_.)(x_)]^2*(C_.)/(\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)]*(d_.)]*\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)]*(b_.) + (a_.)], x_Symbol] \text{:> Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^{\text{(3/2)}}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])]/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_)]*(d_.))^{\text{(3/2)}}/\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_)]*(b_.) + (a_.)], x_Symbol] \text{:> Dist}[(d*\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sin}[e + f*x]*\text{Sqrt}[b + a*\text{Sin}[e + f*x]])], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2807

$\text{Int}[1/(\text{(a_.)} + (b_.)*\text{sin}[e_.] + (f_.)(x_)]*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[e_.] + (f_.)(x_)]), x_Symbol] \text{:> Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])]/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{!GtQ}[c + d, 0]$

Rule 2805

$\text{Int}[1/(\text{(a_.)} + (b_.)*\text{sin}[e_.] + (f_.)(x_)]*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[e_.] + (f_.)(x_)]), x_Symbol] \text{:> Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2,$

0] && GtQ[c + d, 0]

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
  b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
  0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{((-Ab + aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{\left(B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \right) \int \frac{\sec(c+dx)}{\sqrt{\frac{b}{a+b} + \frac{a \cos(c+dx)}{a+b}}}}{b \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(Ab - aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b(a^2 - b^2) d \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}
\end{aligned}$$

Mathematica [C] time = 32.167, size = 50122, normalized size = 227.83

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/((Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)), x]

[Out] Result too large to show

Maple [C] time = 0.336, size = 840, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(3/2),x)`

[Out]
$$\begin{aligned} & 2/d*(-1+\cos(d*x+c))*((b+a*\cos(d*x+c))/\cos(d*x+c))^{1/2}*(\cos(d*x+c)+1)^2*(A \\ & * \sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b) \\ &)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*b-A*\sin(d*x \\ & +c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c) \\ &))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*b+A*\cos(d*x+c)*((a- \\ & b)/(a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*b-2*B*\sin(d*x+c)*\text{EllipticF}((-1+\cos \\ & (d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a \\ & * \cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a-B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c) \\ &)*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x \\ & +c))/(\cos(d*x+c)+1))^{1/2}*b+B*\sin(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/ \\ & (a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\ & (d*x+c)+1))^{1/2}*a+2*B*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1 \\ &))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (a+b)/(a \\ & -b), I/((a-b)/(a+b))^{1/2})*a+2*B*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos \\ & (d*x+c)+1))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), \\ & (a+b)/(a-b), I/((a-b)/(a+b))^{1/2})*b-B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*(1/ \\ & (\cos(d*x+c)+1))^{1/2}-A*((a-b)/(a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*b+B*((\\ & a-b)/(a+b))^{1/2}*a*(1/(\cos(d*x+c)+1))^{1/2})*\cos(d*x+c)^{1/2}*((a-b)/(a+b) \\ &)^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}/b/(b+a*\cos(d*x+c))/(a-b)/\sin(d*x+c)^3 \end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(3/2),x, algorith="maxima")`

[Out] `integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)`

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2)), x)
```

$$3.626 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} dx$$

Optimal. Leaf size=371

$$\frac{B\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{bd\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2a(Ab-aB) \sin(c+dx)}{bd(a^2-b^2) \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} - \frac{(-3a^2B+2aAb+b^2B) \sin(c+dx)}{b^2d(a^2-b^2)\sqrt{\cos(c+dx)}}$$

```
[Out] (B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]
)/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b - 3*a*B)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(
b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*a*A*b - 3*a^2*B +
b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*
Sec[c + d*x]])/(b^2*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*
a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*Sqrt[a + b*
Sec[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[
c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]])
```

Rubi [A] time = 1.44624, antiderivative size = 371, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4029, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2a(Ab-aB) \sin(c+dx)}{bd(a^2-b^2) \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \sec(c+dx)}} - \frac{(-3a^2B+2aAb+b^2B) \sin(c+dx)\sqrt{a+b \sec(c+dx)}}{b^2d(a^2-b^2)\sqrt{\cos(c+dx)}} + \frac{(-3a^2B+2aAb-b^2B) \sin(c+dx)}{b^2d(a^2-b^2)\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)),x]
```

```
[Out] (B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]
)/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*A*b - 3*a*B)*Sqrt
[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(
b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + ((2*a*A*b - 3*a^2*B +
b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*
Sec[c + d*x]])/(b^2*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*
a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*Sqrt[a + b*
Sec[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[
c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]])
```

$c + d*x)/(b^2*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2955

$\text{Int}[(a_. + \text{csc}[e_.] + (f_.)(x_.)]*(b_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(d_. + (c_.))^{(n_.)}*((g_.)\sin[e_.] + (f_.)(x_.))^{(p_.)}, x_Symbol] :> \text{Dist}[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(c + d*\text{Csc}[e + f*x])^n]/(g*\text{Csc}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

Rule 4029

$\text{Int}[(\text{csc}[e_.] + (f_.)(x_.)]*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(b_. + (a_.))^{(m_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(B_. + (A_.)), x_Symbol] :> \text{Simp}[(a*d^2*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)})/(b*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[d/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)}*\text{Simp}[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*\text{Csc}[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*(n - 1) + b^2*(m + 1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$

Rule 4102

$\text{Int}[(A_. + \text{csc}[e_.] + (f_.)(x_.)]*(B_. + \text{csc}[e_.] + (f_.)(x_.))^{2*(C_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(d_.))^{(n_.)}*(\text{csc}[e_.] + (f_.)(x_.)]*(b_. + (a_.))^{(m_.)}, x_Symbol] :> -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)})/(b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$

Rule 4108

$\text{Int}[(A_. + \text{csc}[e_.] + (f_.)(x_.)]*(B_. + \text{csc}[e_.] + (f_.)(x_.))^{2*(C_.)}/(\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)]*(d_.)]*\text{Sqrt}[\text{csc}[e_.] + (f_.)(x_.)]*(b_. + (a_.)), x_Symbol] :> \text{Dist}[C/d^2, \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)}/\text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] + \text{Int}[(A + B*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]*\text{Sqrt}[a + b*\text{Csc}[e + f*x]]), x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] :> Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]) * Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]) * Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)] * Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653


```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{b^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{(2Ab - 3aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{bd \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab - 3aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 33.4809, size = 95694, normalized size = 257.94

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(3/2)),x]

[Out] Result too large to show

Maple [C] time = 0.367, size = 1441, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\sec(dx+c))/\cos(dx+c)^{(5/2)}/(a+b*\sec(dx+c))^{(3/2)}, x)$

[Out]
$$-1/d*(-1+\cos(dx+c))*((b+a*\cos(dx+c))/\cos(dx+c))^{(1/2)}*(\cos(dx+c)+1)^{2*(2*A*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(dx+c)+1))^{(1/2)}+4*A*\cos(dx+c)*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a*b+2*A*\cos(dx+c)*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*b^2-4*A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a*b-4*A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b^2-2*A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)}*a*b-3*B*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*(1/(\cos(dx+c)+1))^{(1/2)}-B*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(dx+c)+1))^{(1/2)}-6*B*\cos(dx+c)*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^2-4*B*\cos(dx+c)*\sin(dx+c)*\text{EllipticF}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a*b+6*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a^2+6*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a*b+3*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)}*a^2-B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)}*b^2-2*A*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(dx+c)+1))^{(1/2)}+3*B*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*a^2*(1/(\cos(dx+c)+1))^{(1/2)}-B*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*b^2*(1/(\cos(dx+c)+1))^{(1/2)}+B*((a-b)/(a+b))^{(1/2)}*a*b*(1/(\cos(dx+c)+1))^{(1/2)}+B*((a-b)/(a+b))^{(1/2)}*b^2*(1/(\cos(dx+c)+1))^{(1/2)})*((a-b)/(a+b))^{(1/2)}*(1/(\cos(dx+c)+1))^{(1/2)}/b^2/(b+a*\cos(dx+c))/\cos(dx+c)^{(1/2)}/(a-b)/\sin(dx+c)^3$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2)), x)
```

$$3.627 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{\frac{3}{2}}} dx$$

Optimal. Leaf size=487

$$\frac{(4Ab - 5aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{4b^2 d \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{(-5a^2B + 4aAb + b^2B) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{2b^2 d (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)} + \frac{1}{bd(a^2 - b^2)}$$

[Out] ((4*A*b - 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((12*a*A*b - 15*a^2*B - 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*b^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((12*a^2*A*b - 4*A*b^3 - 15*a^3*B + 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*b^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]) - ((4*a*A*b - 5*a^2*B + b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*b^2*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)) + ((12*a^2*A*b - 4*A*b^3 - 15*a^3*B + 7*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*b^3*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]])

Rubi [A] time = 1.85873, antiderivative size = 487, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4029, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$-\frac{(-5a^2B + 4aAb + b^2B) \sin(c+dx) \sqrt{a+b \sec(c+dx)}}{2b^2 d (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)} + \frac{2a(Ab - aB) \sin(c+dx)}{bd (a^2 - b^2) \cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}} + \frac{(12a^2Ab - 15a^3B)}{bd (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2)), x]

[Out] ((4*A*b - 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(4*b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((12*a*A*b - 15*a^2*B - 4*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(4*b^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - ((12*a^2*A*b - 4*A*b^3 - 15*a^3*B + 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(4*b^3*(a^2 - b^2)*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Cos[c + d*x]^(5/2)*Sqrt[a + b*Sec[c + d*x]]) - ((4*a*A*b - 5*a^2*B + b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(2*b^2*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)) + ((12*a^2*A*b - 4*A*b^3 - 15*a^3*B + 7*a*b^2*B)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(4*b^3*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]])

$$(a^2 - b^2)d\sqrt{(b + a\cos[c + dx])/(a + b)} + (2a(Ab - aB)\sin[c + dx])/(b(a^2 - b^2)d\cos[c + dx]^{5/2}\sqrt{a + b\sec[c + dx]}) - ((4aAb - 5a^2B + b^2B)\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(2b^2(a^2 - b^2)d\cos[c + dx]^{3/2}) + ((12a^2Ab - 4Ab^3 - 15a^3B + 7aAb^2B)\sqrt{a + b\sec[c + dx]}\sin[c + dx])/(4b^3(a^2 - b^2)d\sqrt{\cos[c + dx]})$$

Rule 2955

$$\text{Int}[(a + \csc(e) + (f)(x))(b)^{(m)}(\csc(e) + (f)(x))(d) + (c)^{(n)}((g)\sin(e) + (f)(x))^{(p)}, x_{\text{Symbol}}] \rightarrow \text{Dist}[(g\csc[e + fx])^p(g\sin[e + fx])^p, \text{Int}[(a + b\csc[e + fx])^m(c + d\csc[e + fx])^n/(g\csc[e + fx])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{!IntegerQ}[p] \&\& \text{!(IntegerQ}[m] \&\& \text{IntegerQ}[n])$$

Rule 4029

$$\text{Int}[(\csc(e) + (f)(x))(d)^{(n)}(\csc(e) + (f)(x))(b) + (a)^{(m)}(\csc(e) + (f)(x))(B) + (A), x_{\text{Symbol}}] \rightarrow \text{Simp}[(a*d^2(Ab - aB)\cot[e + fx](a + b\csc[e + fx])^{(m+1)}(d\csc[e + fx])^{(n-2)})/(b*f*(m+1)*(a^2 - b^2)), x] - \text{Dist}[d/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b\csc[e + fx])^{(m+1)}(d\csc[e + fx])^{(n-2)}\text{Simp}[a*d*(Ab - aB)*(n-2) + b*d*(Ab - aB)*(m+1)*\csc[e + fx] - (a*Ab*d*(m+n) - d*B*(a^2*(n-1) + b^2*(m+1)))*\csc[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[Ab - aB, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$$

Rule 4102

$$\text{Int}[(A + \csc(e) + (f)(x))(B) + \csc(e) + (f)(x)]^2(C) * (\csc(e) + (f)(x))(d)^{(n)}(\csc(e) + (f)(x))(b) + (a)^{(m)}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[(C*d*\cot[e + fx]*(a + b\csc[e + fx])^{(m+1)}*(d\csc[e + fx])^{(n-1)})/(b*f*(m+n+1)), x] + \text{Dist}[d/(b*(m+n+1)), \text{Int}[(a + b\csc[e + fx])^m(d\csc[e + fx])^{(n-1)}\text{Simp}[a*C*(n-1) + (Ab*(m+n+1) + b*C*(m+n))*\csc[e + fx] + (b*B*(m+n+1) - a*C*n)*\csc[e + fx]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$$

Rule 4108

$$\text{Int}[(A + \csc(e) + (f)(x))(B) + \csc(e) + (f)(x)]^2(C) / (\sqrt{\csc(e) + (f)(x)}(d))\sqrt{\csc(e) + (f)(x)}(b) + (a)), x_{\text{Symbol}}] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d\csc[e + fx])^{3/2}/\sqrt{a + b\csc[e + fx]}, x], x] + \text{Int}[(A + B\csc[e + fx]) / (\sqrt{d\csc[e + fx]}\sqrt{a$$

+ b*Csc[e + f*x]], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b


```
*Sin[c + d*x]]/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] :> Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{7}{2}}(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{3/2}} dx \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(4aAb - 5a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{2b^2(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(4aAb - 5a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{2b^2(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(4aAb - 5a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{2b^2(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(4aAb - 5a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{2b^2(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(4aAb - 5a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{2b^2(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} - \frac{(4aAb - 5a^2B + b^2B) \sqrt{a + b \sec(c + dx)}}{2b^2(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= -\frac{(12aAb - 15a^2B - 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4b^3 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \sec(c + dx)}} \\
&= \frac{(4Ab - 5aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{4b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{(12aAb - 15a^2B - 4b^2B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{4b^3 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 34.8707, size = 140027, normalized size = 287.53

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(3/2))]

2)), x]

[Out] Result too large to show

Maple [C] time = 0.449, size = 2295, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((A+B*\sec(d*x+c))/\cos(d*x+c)^{(7/2)}/(a+b*\sec(d*x+c))^{(3/2)}, x)$

[Out] $\frac{1}{4}d*(-1+\cos(d*x+c))*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(\cos(d*x+c)+1)^{2*}(-5*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}+2*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+8*B*\cos(d*x+c)^2*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*a*b^2-24*A*\cos(d*x+c)^2*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\sin(d*x+c)*a^2*b+4*A*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*b^3-30*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^3-4*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*b^3+8*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b^3-4*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+5*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}+5*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+12*A*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}-15*B*\cos(d*x+c)^3*(1/(\cos(d*x+c)+1))^{(1/2)}*((a-b)/(a+b))^{(1/2)}*a^3-4*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}-2*B*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}-5*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}-20*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b-2*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a*b^2+30*B*\sin(d*x+c)*\cos(d*x+c)^2*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*a^2*b-7*B*\sin(d*x+c)*$

$$\begin{aligned} & \cos(dx+c)^2 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+ \\ & \cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2} * a*b^2 + 24*A \\ & * \sin(dx+c) * \cos(dx+c)^2 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\ & (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\ & * a^2*b + 16*A*\sin(dx+c) * \cos(dx+c)^2 * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\ & (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * a*b^2 - 24*A*\sin(dx+c) * \cos(dx+c)^2 * \\ & (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\ & (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * a*b^2 - 12*A*\sin(dx+c) * \cos(dx+c)^2 * \\ & (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), \\ & (-a+b)/(a-b))^{1/2}) * a^2*b - 12*A*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^2*b * (1/(\cos(dx+c)+1))^{1/2} + 4*A*\cos(dx+c)^3 * ((a-b)/(a+b))^{1/2} * a*b^2 * \\ & (1/(\cos(dx+c)+1))^{1/2} - 2*B*((a-b)/(a+b))^{1/2} * b^3 * (1/(\cos(dx+c)+1))^{1/2} + 15*B*\cos(dx+c)^2 * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * \sin(dx+c) * a^3 + 30*B*\cos(dx+c)^2 * \text{EllipticPi}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \sin(dx+c) * a^3 + 4*A*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * b^3 + 15*B*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^3 * (1/(\cos(dx+c)+1))^{1/2} + 2*B*\cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * b^3 * (1/(\cos(dx+c)+1))^{1/2}) * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} / b^3 / (b+a*\cos(dx+c)) / \cos(dx+c)^{3/2} / (a-b) / \sin(dx+c)^3 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(dx+c))/cos(dx+c)^(7/2)/(a+b*sec(dx+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+b*sec(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(3/2)*cos(d*x + c)^(7/2)), x)
```

$$3.628 \quad \int \frac{\cos^2(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=588

$$\frac{2(116a^2Ab^3 + 17a^4Ab - 80a^3b^2B - 5a^5B + 80ab^4B - 128Ab^5) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + 2(-71a^2Ab^2}{15a^5d(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2(-71a^2Ab^2$$

[Out] (-2*(17*a^4*A*b + 116*a^2*A*b^3 - 128*A*b^5 - 5*a^5*B - 80*a^3*b^2*B + 80*a*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(15*a^5*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^6*A + 55*a^4*A*b^2 - 212*a^2*A*b^4 + 128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^5*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(12*a^2*A*b - 8*A*b^3 - 9*a^3*B + 5*a*b^2*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(14*a^4*A*b - 98*a^2*A*b^3 + 64*A*b^5 - 5*a^5*B + 65*a^3*b^2*B - 40*a*b^4*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d) + (2*(3*a^4*A - 71*a^2*A*b^2 + 48*A*b^4 + 50*a^3*b*B - 30*a*b^3*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)^2*d)

Rubi [A] time = 2.06686, antiderivative size = 588, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {2955, 4030, 4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(-71a^2Ab^2 + 3a^4A + 50a^3bB - 30ab^3B + 48Ab^4) \sin(c+dx) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}}{15a^3d(a^2 - b^2)^2} + \frac{2b(12a^2Ab - 9a^3B + 5a^4A + 50a^3bB - 30ab^3B + 48Ab^4)}{3a^2d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (-2*(17*a^4*A*b + 116*a^2*A*b^3 - 128*A*b^5 - 5*a^5*B - 80*a^3*b^2*B + 80*a*b^4*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)])/(15*a^5*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(9*a^6*A + 55*a^4*A*b^2 - 212*a^2*A*b^4 + 128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(15*a^5*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(12*a^2*A*b - 8*A*b^3 - 9*a^3*B + 5*a*b^2*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]) - (2*(14*a^4*A*b - 98*a^2*A*b^3 + 64*A*b^5 - 5*a^5*B + 65*a^3*b^2*B - 40*a*b^4*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d) + (2*(3*a^4*A - 71*a^2*A*b^2 + 48*A*b^4 + 50*a^3*b*B - 30*a*b^3*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(15*a^3*(a^2 - b^2)^2*d)

```

+ b)]*Sqrt[a + b*Sec[c + d*x]]/(15*a^5*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c +
d*x])/(a + b)]) + (2*b*(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*(
a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(12*a^2*A*b - 8*A*b^3 - 9*a
^3*B + 5*a*b^2*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*S
qrt[a + b*Sec[c + d*x]]) - (2*(14*a^4*A*b - 98*a^2*A*b^3 + 64*A*b^5 - 5*a^5
*B + 65*a^3*b^2*B - 40*a*b^4*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]
*Ssin[c + d*x])/(15*a^4*(a^2 - b^2)^2*d) + (2*(3*a^4*A - 71*a^2*A*b^2 + 48*A
*b^4 + 50*a^3*b*B - 30*a*b^3*B)*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c + d*x]]
*Ssin[c + d*x])/(15*a^3*(a^2 - b^2)^2*d)

```

Rule 2955

```

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])

```

Rule 4030

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(b*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*
(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e
+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])

```

Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1)
- a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

Rule 4035

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

```

Rule 3856

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

Rule 3858

```

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

```

Rule 2663


```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{\frac{5}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)(a+b\sec(c+dx))^{\frac{5}{2}}} dx \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} - \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int^{\frac{1}{2}(-3a^2}}{3a^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} + \frac{2b(12a^2Ab-8Ab^3-9a^3B+5ab^2B)c}{3a^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} + \frac{2b(12a^2Ab-8Ab^3-9a^3B+5ab^2B)c}{3a^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} + \frac{2b(12a^2Ab-8Ab^3-9a^3B+5ab^2B)c}{3a^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} + \frac{2b(12a^2Ab-8Ab^3-9a^3B+5ab^2B)c}{3a^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} + \frac{2b(12a^2Ab-8Ab^3-9a^3B+5ab^2B)c}{3a^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= \frac{2b(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a(a^2-b^2)d(a+b\sec(c+dx))^{\frac{3}{2}}} + \frac{2b(12a^2Ab-8Ab^3-9a^3B+5ab^2B)c}{3a^2(a^2-b^2)^2 d\sqrt{a+b\sec(c+dx)}} \\
&= -\frac{2(17a^4Ab+116a^2Ab^3-128Ab^5-5a^5B-80a^3b^2B+80ab^4B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}}{15a^5(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 24.6379, size = 4179, normalized size = 7.11

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

```

[Out] ((b + a*Cos[c + d*x])^3*((2*(-14*A*b + 5*a*B)*Sin[c + d*x])/(15*a^4) - (2*(
A*b^5*Sin[c + d*x] - a*b^4*B*Sin[c + d*x]))/(3*a^4*(a^2 - b^2)*(b + a*Cos[c
+ d*x])^2) - (2*(-15*a^2*A*b^4*Sin[c + d*x] + 11*A*b^6*Sin[c + d*x] + 12*a
^3*b^3*B*Sin[c + d*x] - 8*a*b^5*B*Sin[c + d*x]))/(3*a^4*(a^2 - b^2)^2*(b +
a*Cos[c + d*x])) + (A*Sin[2*(c + d*x)]/(5*a^3)))/(d*Cos[c + d*x]^(5/2)*(a
+ b*Sec[c + d*x])^(5/2)) - (2*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])^2*((3
*a^2*A*sqrt[Cos[c + d*x]])/(5*(a^2 - b^2)^2*sqrt[b + a*Cos[c + d*x]]*sqrt[S
ec[c + d*x]]) + (11*A*b^2*sqrt[Cos[c + d*x]])/(3*(a^2 - b^2)^2*sqrt[b + a*C
os[c + d*x]]*sqrt[Sec[c + d*x]]) - (212*A*b^4*sqrt[Cos[c + d*x]])/(15*a^2*(
a^2 - b^2)^2*sqrt[b + a*Cos[c + d*x]]*sqrt[Sec[c + d*x]]) + (128*A*b^6*sqrt
[Cos[c + d*x]])/(15*a^4*(a^2 - b^2)^2*sqrt[b + a*Cos[c + d*x]]*sqrt[Sec[c +
d*x]]) - (8*a*b*B*sqrt[Cos[c + d*x]])/(3*(a^2 - b^2)^2*sqrt[b + a*Cos[c +
d*x]]*sqrt[Sec[c + d*x]]) + (28*b^3*B*sqrt[Cos[c + d*x]])/(3*a*(a^2 - b^2)^
2*sqrt[b + a*Cos[c + d*x]]*sqrt[Sec[c + d*x]]) - (16*b^5*B*sqrt[Cos[c + d*x
]])/(3*a^3*(a^2 - b^2)^2*sqrt[b + a*Cos[c + d*x]]*sqrt[Sec[c + d*x]]) - (8*
a*A*b*sqrt[Cos[c + d*x]]*sqrt[Sec[c + d*x]])/(15*(a^2 - b^2)^2*sqrt[b + a*C
os[c + d*x]]) - (44*A*b^3*sqrt[Cos[c + d*x]]*sqrt[Sec[c + d*x]])/(15*a*(a^2
- b^2)^2*sqrt[b + a*Cos[c + d*x]]) + (32*A*b^5*sqrt[Cos[c + d*x]]*sqrt[Sec
[c + d*x]])/(15*a^3*(a^2 - b^2)^2*sqrt[b + a*Cos[c + d*x]]) + (a^2*B*sqrt[C
os[c + d*x]]*sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*sqrt[b + a*Cos[c + d*x]])
+ (7*b^2*B*sqrt[Cos[c + d*x]]*sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*sqrt[b
+ a*Cos[c + d*x]]) - (4*b^4*B*sqrt[Cos[c + d*x]]*sqrt[Sec[c + d*x]])/(3*a^2
*(a^2 - b^2)^2*sqrt[b + a*Cos[c + d*x]])*Sec[c + d*x]^(5/2)*(Cos[(c + d*x)
/2]^2*Sec[c + d*x])^(3/2)*((-I)*(a + b)*(9*a^6*A + 55*a^4*A*b^2 - 212*a^2*A
*b^4 + 128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B)*EllipticE[I*Arc
Sinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt[((b + a*C
os[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(128*A*b^5 - 16*a*b
^4*(6*A + 5*B) + a^5*(9*A + 5*B) + 8*a^3*b^2*(9*A + 10*B) + 4*a^2*b^3*(-29*
A + 15*B) - a^4*b*(17*A + 45*B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a
+ b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/
2]^2)/(a + b)] - (9*a^6*A + 55*a^4*A*b^2 - 212*a^2*A*b^4 + 128*A*b^6 - 40*a
^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B)*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]
^2)^(3/2)*Tan[(c + d*x)/2))/(15*a^5*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^(
5/2)*(-(Cos[c + d*x])^(3/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sin[c +
d*x]*((-I)*(a + b)*(9*a^6*A + 55*a^4*A*b^2 - 212*a^2*A*b^4 + 128*A*b^6 - 40
*a^5*b*B + 140*a^3*b^3*B - 80*a*b^5*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]
], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt[((b + a*Cos[c + d*x])*Sec[(c +
d*x)/2]^2)/(a + b)] + I*a*(a + b)*(128*A*b^5 - 16*a*b^4*(6*A + 5*B) + a^5*
(9*A + 5*B) + 8*a^3*b^2*(9*A + 10*B) + 4*a^2*b^3*(-29*A + 15*B) - a^4*b*(17
*A + 45*B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c
+ d*x)/2]^2*sqrt[((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)] - (9*a
^6*A + 55*a^4*A*b^2 - 212*a^2*A*b^4 + 128*A*b^6 - 40*a^5*b*B + 140*a^3*b^3*
B - 80*a*b^5*B)*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*
x)/2]))/(15*a^4*(a^2 - b^2)^2*(b + a*Cos[c + d*x])^(3/2)) + (sqrt[Cos[c + d
*x]]*(Cos[(c + d*x)/2]^2*Sec[c + d*x])^(3/2)*Sin[c + d*x]*((-I)*(a + b)*(9*

```

$$\begin{aligned}
& a^6 A + 55 a^4 A b^2 - 212 a^2 A b^4 + 128 A b^6 - 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d x) / 2]^2 * \text{Sqrt}[\frac{(b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2}{(a + b)}] + \\
& I * a * (a + b) * (128 A b^5 - 16 a b^4 (6 A + 5 B) + a^5 (9 A + 5 B) + 8 a^3 b^2 (9 A + 10 B) + 4 a^2 b^3 (-29 A + 15 B) - a^4 b (17 A + 45 B)) * \text{EllipticF}[\\
& I * \text{ArcSinh}[\text{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d x) / 2]^2 * \text{Sqrt}[\frac{(b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2}{(a + b)}] - (9 a^6 A + 55 a^4 A b^2 - \\
& 212 a^2 A b^4 + 128 A b^6 - 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * (b + a \cos[c + d x]) * (\text{Sec}[(c + d x) / 2]^2)^{(3/2)} * \text{Tan}[(c + d x) / 2]) / (5 a^5 (a^2 - \\
& b^2)^2 * \text{Sqrt}[b + a \cos[c + d x]]) - (2 \cos[c + d x])^{(3/2)} * (\cos[(c + d x) / 2]^2 * \text{Sec}[c + d x])^{(3/2)} * (-((9 a^6 A + 55 a^4 A b^2 - 212 a^2 A b^4 + 128 A b^6 - \\
& 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * (b + a \cos[c + d x]) * (\text{Sec}[(c + d x) / 2]^2)^{(5/2)}) / 2 - I * (a + b) * (9 a^6 A + 55 a^4 A b^2 - 212 a^2 A b^4 + \\
& 128 A b^6 - 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d x) / 2]^2 * \text{Sqrt}[\frac{(b + a \cos[c + \\
& d x]) * \text{Sec}[(c + d x) / 2]^2}{(a + b)}] * \text{Tan}[(c + d x) / 2] + I * a * (a + b) * (128 A b^5 - 16 a b^4 (6 A + 5 B) + a^5 (9 A + 5 B) + 8 a^3 b^2 (9 A + 10 B) + 4 a^2 \\
& b^3 (-29 A + 15 B) - a^4 b (17 A + 45 B)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d x) / 2]^2 * \text{Sqrt}[\frac{(b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2}{(a + b)}] * \text{Tan}[(c + d x) / 2] + a * (9 a^6 A + 55 a^4 A b^2 - 212 \\
& a^2 A b^4 + 128 A b^6 - 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * (\text{Sec}[(c + d x) / 2]^2)^{(3/2)} * \sin[c + d x] * \text{Tan}[(c + d x) / 2] - (3 * (9 a^6 A + 55 a^4 A b^2 - 212 a^2 A b^4 + 128 A b^6 - 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * (b \\
& + a \cos[c + d x]) * (\text{Sec}[(c + d x) / 2]^2)^{(3/2)} * \text{Tan}[(c + d x) / 2]^2) / 2 - ((I / 2) * (a + b) * (9 a^6 A + 55 a^4 A b^2 - 212 a^2 A b^4 + 128 A b^6 - 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d x) / 2]], (-a + \\
& b) / (a + b)] * \text{Sec}[(c + d x) / 2]^2 * (-((a \text{Sec}[(c + d x) / 2]^2 * \sin[c + d x]) / (a + b)) + ((b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2 * \text{Tan}[(c + d x) / 2]) / (a + b))) / \\
& \text{Sqrt}[\frac{(b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2}{(a + b)}] + ((I / 2) * a * (a + b) * (128 A b^5 - 16 a b^4 (6 A + 5 B) + a^5 (9 A + 5 B) + 8 a^3 b^2 (9 A + 10 B) + 4 a^2 b^3 (-29 A + 15 B) - a^4 b (17 A + 45 B)) * \text{EllipticF}[I * \text{ArcSinh}[\text{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] * \text{Sec}[(c + d x) / 2]^2 * (-((a \text{Sec}[(c + d x) / 2]^2 * \sin[c + d x]) / (a + b)) + ((b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2 * \text{Tan}[(c + d x) / 2]) / (a + b))) / \text{Sqrt}[\frac{(b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2}{(a + b)}] - (a * (a + b) * (128 A b^5 - 16 a b^4 (6 A + 5 B) + a^5 (9 A + 5 B) + 8 a^3 b^2 (9 A + 10 B) + 4 a^2 b^3 (-29 A + 15 B) - a^4 b (17 A + 45 B)) * \text{Sec}[(c + d x) / 2]^4 * \text{Sqrt}[\frac{(b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2}{(a + b)}]) / (2 * \text{Sqrt}[1 + \text{Tan}[(c + d x) / 2]^2] * \text{Sqrt}[1 + ((-a + b) * \text{Tan}[(c + d x) / 2]^2) / (a + b)]) + ((a + b) * (9 a^6 A + 55 a^4 A b^2 - 212 a^2 A b^4 + 128 A b^6 - 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * \text{Sec}[(c + d x) / 2]^4 * \text{Sqrt}[\frac{(b + a \cos[c + d x]) * \text{Sec}[(c + d x) / 2]^2}{(a + b)}] * \text{Sqrt}[1 + ((-a + b) * \text{Tan}[(c + d x) / 2]^2) / (a + b)]) / (2 * \text{Sqrt}[1 + \text{Tan}[(c + d x) / 2]^2])) / (15 a^5 (a^2 - b^2)^2 * \text{Sqrt}[b + a \cos[c + d x]]) - (\cos[c + d x])^{(3/2)} * \text{Sqrt}[\cos[(c + d x) / 2]^2 * \text{Sec}[c + d x]] * ((-I) * (a + b) * (9 a^6 A + 55 a^4 A b^2 - 212 a^2 A b^4 + 128 A b^6 - 40 a^5 b B + 140 a^3 b^3 B - 80 a b^5 B) * \text{EllipticE}[I * \text{ArcSinh}[\text{Tan}[(c + d x) / 2]], (-a
\end{aligned}$$

$$+ b)/(a + b)] \cdot \text{Sec}[(c + d*x)/2]^2 \cdot \text{Sqrt}[\frac{((b + a \cdot \text{Cos}[c + d*x]) \cdot \text{Sec}[(c + d*x)/2])^2}{(a + b)}] + I \cdot a \cdot (a + b) \cdot (128 \cdot A \cdot b^5 - 16 \cdot a \cdot b^4 \cdot (6 \cdot A + 5 \cdot B) + a^5 \cdot (9 \cdot A + 5 \cdot B) + 8 \cdot a^3 \cdot b^2 \cdot (9 \cdot A + 10 \cdot B) + 4 \cdot a^2 \cdot b^3 \cdot (-29 \cdot A + 15 \cdot B) - a^4 \cdot b \cdot (17 \cdot A + 45 \cdot B)) \cdot \text{EllipticF}[I \cdot \text{ArcSinh}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] \cdot \text{Sec}[(c + d*x)/2]^2 \cdot \text{Sqrt}[\frac{((b + a \cdot \text{Cos}[c + d*x]) \cdot \text{Sec}[(c + d*x)/2])^2}{(a + b)}] - (9 \cdot a^6 \cdot A + 55 \cdot a^4 \cdot A \cdot b^2 - 212 \cdot a^2 \cdot A \cdot b^4 + 128 \cdot A \cdot b^6 - 40 \cdot a^5 \cdot b \cdot B + 140 \cdot a^3 \cdot b^3 \cdot B - 80 \cdot a \cdot b^5 \cdot B) \cdot (b + a \cdot \text{Cos}[c + d*x]) \cdot (\text{Sec}[(c + d*x)/2]^2)^{(3/2)} \cdot \text{Tan}[(c + d*x)/2] \cdot (-\text{Cos}[(c + d*x)/2] \cdot \text{Sec}[c + d*x] \cdot \text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2 \cdot \text{Sec}[c + d*x] \cdot \text{Tan}[c + d*x]) / (5 \cdot a^5 \cdot (a^2 - b^2)^2 \cdot \text{Sqrt}[b + a \cdot \text{Cos}[c + d*x]])$$

Maple [B] time = 0.734, size = 5675, normalized size = 9.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2), x)`

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2), x, algorith="maxima")`

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 \sec(dx + c) + A \cos(dx + c)^2) \sqrt{b \sec(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \sec(dx + c)^3 + 3ab^2 \sec(dx + c)^2 + 3a^2b \sec(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^2*sec(d*x + c) + A*cos(d*x + c)^2)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*sec(d*x + c)^3 + 3*a*b^2*sec(d*x + c)^2 + 3*a^2*b*sec(d*x + c) + a^3), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*sec(d*x + c) + a)^(5/2), x)
```

$$3.629 \quad \int \frac{\cos^3(c+dx)(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=472

$$\frac{2(16a^2Ab^2 + a^4A - 9a^3bB + 8ab^3B - 16Ab^4) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right) + 2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}{3a^4d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(a^4*A + 16*a^2*A*b^2 - 16*A*b^4 - 9*a^3*b*B + 8*a*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^4*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^4*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d)

Rubi [A] time = 1.54015, antiderivative size = 472, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {2955, 4030, 4100, 4104, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}{3a^3d(a^2-b^2)^2} + \frac{2b(10a^2Ab - 7a^3B + 3ab^2B - 2a^2A) \sqrt{a+b \sec(c+dx)}}{3a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] (2*(a^4*A + 16*a^2*A*b^2 - 16*A*b^4 - 9*a^3*b*B + 8*a*b^3*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^4*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^4*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Sec[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d)

$$\frac{d*x]}{(3*a^2*(a^2 - b^2)^2*d*sqrt[a + b*Sec[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*sqrt[Cos[c + d*x]]*sqrt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d}$$

Rule 2955

```
Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_.)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4104

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*Csc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
```


$e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LeQ}[n, -1]$

Rule 4035

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_)]*(B_.) + (A_)) / (\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)] * \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)]), x_Symbol] \rightarrow \text{Dist}[A/a, \text{Int}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]] / \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] - \text{Dist}[(A*b - a*B) / (a*d), \text{Int}[\text{Sqrt}[d*\text{Csc}[e + f*x]] / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f, A, B\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 3856

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Csc}[e + f*x]] / (\text{Sqrt}[d*\text{Csc}[e + f*x]] * \text{Sqrt}[b + a*\text{Sin}[e + f*x]]), \text{Int}[\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2655

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]] / \text{Sqrt}[(a + b*\text{Sin}[c + d*x]) / (a + b)], \text{Int}[\text{Sqrt}[a / (a + b) + (b*\text{Sin}[c + d*x]) / (a + b)], x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2653

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]) / d, x] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[a + b, 0]$

Rule 3858

$\text{Int}[\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(d_.)] / \text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_)]*(b_.) + (a_)], x_Symbol] \rightarrow \text{Dist}[(\text{Sqrt}[d*\text{Csc}[e + f*x]] * \text{Sqrt}[b + a*\text{Sin}[e + f*x]]) / \text{Sqrt}[a + b*\text{Csc}[e + f*x]], \text{Int}[1/\text{Sqrt}[b + a*\text{Sin}[e + f*x]], x], x] /;$ $\text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(a + b*\text{Sin}[c + d*x]) / (a + b)] / \text{Sqrt}[a + b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[a / (a + b) + (b*\text{Sin}[c + d*x]) / (a + b)], x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx \\
&= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} - \frac{(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int^{-\frac{3}{2}(a^2A}}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3ab^2B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3ab^2B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3ab^2B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3ab^2B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \sec(c + dx))^{3/2}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3ab^2B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \sec(c + dx)}} \\
&= \frac{2(a^4A + 16a^2Ab^2 - 16Ab^4 - 9a^3bB + 8ab^3B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3a^4(a^2 - b^2)d\sqrt{\cos(c + dx)}\sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 20.0776, size = 626, normalized size = 1.33

$$\frac{(a \cos(c + dx) + b)^3 \left(\frac{2(Ab^4 \sin(c+dx) - ab^3 B \sin(c+dx))}{3a^3(a^2 - b^2)(a \cos(c+dx) + b)^2} + \frac{2(-12a^2 Ab^3 \sin(c+dx) + 9a^3 b^2 B \sin(c+dx) - 5ab^4 B \sin(c+dx) + 8Ab^5 \sin(c+dx))}{3a^3(a^2 - b^2)^2(a \cos(c+dx) + b)} + \frac{2A \sin(c+dx)}{3a^3} \right)}{d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*((2*A*Sin[c + d*x])/(3*a^3) + (2*(A*b^4*Sin[c + d*x] - a*b^3*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) + (2*(-12*a^2*A*b^3*Sin[c + d*x] + 8*A*b^5*Sin[c + d*x] + 9*a^3*b^2*B*Sin[c + d*x] - 5*a*b^4*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)^2*(b + a*Cos[c + d*x])))/(d*Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)) - (2*Cos[c + d*x]^(3/2)*(b + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2)*(Cos[(c + d*x)/2]^2*Sec[c + d*x]^(3/2)*((-I)*(a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*EllipticE[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)])*Sec[(c + d*x)/2]^2*sqrt(((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) + I*a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*EllipticF[I*ArcSinh[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sec[(c + d*x)/2]^2*sqrt(((b + a*Cos[c + d*x])*Sec[(c + d*x)/2]^2)/(a + b)) - (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*(b + a*Cos[c + d*x])*(Sec[(c + d*x)/2]^2)^(3/2)*Tan[(c + d*x)/2]))/(3*a^4*(a^2 - b^2)^2*d*(a + b*Sec[c + d*x])^(5/2))

Maple [B] time = 0.548, size = 4480, normalized size = 9.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2), x)

[Out] 2/3/d*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))*((cos(d*x+c)+1)^2*(-A*cos(d*x+c)^4*((a-b)/(a+b))^(1/2)*a^4*b^2*(1/(cos(d*x+c)+1))^(1/2)-12*B*cos(d*x+c)^2*((a-b)/(a+b))^(1/2)*a^2*b^4*(1/(cos(d*x+c)+1))^(1/2)-16*A*((a-b)/(a+b))^(1/2)*b^6*(1/(cos(d*x+c)+1))^(1/2)-6*A*cos(d*x+c)^3*((a-b)/(a+b))^(1/2)*a^5*b*(1/(cos(d*x+c)+1))^(1/2)-2*A*cos(d*x+c)*((a-b)

$$\begin{aligned}
&)/(a+b))^{1/2} * a^5 * b * (1/(\cos(d*x+c)+1))^{1/2} + A * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * a^6 + 3*B * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * a^6 - 3*B * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * a^6 - 3*B * \cos(d*x+c)^2 * ((a-b)/(a+b))^{1/2} * a^6 * (1/(\cos(d*x+c)+1))^{1/2} + 16*A * \cos(d*x+c) * ((a-b)/(a+b))^{1/2} * b^6 * (1/(\cos(d*x+c)+1))^{1/2} - A * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(d*x+c)+1))^{1/2} + 7*A * ((a-b)/(a+b))^{1/2} * a^3 * b^3 * (1/(\cos(d*x+c)+1))^{1/2} + 20*A * ((a-b)/(a+b))^{1/2} * a^2 * b^4 * (1/(\cos(d*x+c)+1))^{1/2} - 8*A * ((a-b)/(a+b))^{1/2} * a * b^5 * (1/(\cos(d*x+c)+1))^{1/2} - 3*B * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(d*x+c)+1))^{1/2} - 11*B * ((a-b)/(a+b))^{1/2} * a^3 * b^3 * (1/(\cos(d*x+c)+1))^{1/2} + 4*B * ((a-b)/(a+b))^{1/2} * a^2 * b^4 * (1/(\cos(d*x+c)+1))^{1/2} + 8*B * ((a-b)/(a+b))^{1/2} * a * b^5 * (1/(\cos(d*x+c)+1))^{1/2} - 16*A * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * b^6 + A * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^5 * b + 6*A * \cos(d*x+c)^3 * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(d*x+c)+1))^{1/2} - 3*B * \cos(d*x+c)^3 * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(d*x+c)+1))^{1/2} - 6*A * \cos(d*x+c)^2 * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(d*x+c)+1))^{1/2} + 8*A * \cos(d*x+c)^2 * ((a-b)/(a+b))^{1/2} * a^2 * b^4 * (1/(\cos(d*x+c)+1))^{1/2} + 3*B * \cos(d*x+c)^2 * ((a-b)/(a+b))^{1/2} * a^5 * b * (1/(\cos(d*x+c)+1))^{1/2} - 4*B * \cos(d*x+c)^2 * ((a-b)/(a+b))^{1/2} * a^3 * b^3 * (1/(\cos(d*x+c)+1))^{1/2} + 9*A * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^4 * b^2 + A * \cos(d*x+c)^4 * ((a-b)/(a+b))^{1/2} * a^5 * b * (1/(\cos(d*x+c)+1))^{1/2} - A * \cos(d*x+c)^4 * ((a-b)/(a+b))^{1/2} * a^3 * b^3 * (1/(\cos(d*x+c)+1))^{1/2} - 6*A * \cos(d*x+c)^3 * ((a-b)/(a+b))^{1/2} * a^4 * b^2 * (1/(\cos(d*x+c)+1))^{1/2} + 6*A * \cos(d*x+c)^3 * ((a-b)/(a+b))^{1/2} * a^2 * b^4 * (1/(\cos(d*x+c)+1))^{1/2} + 16*A * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^3 * b^3 - 12*A * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^2 * b^4 - 16*A * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a * b^5 - 8*A * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * a^4 * b^2 + 28*A * \sin(d*x+c) * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * a^2 * b^4 - 3*B * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^5 * b - 9*B * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2} * (1/(a+b) * (b+a*\cos(d*x+c)) / (\cos(d*x+c)+1))^{1/2} * a^4 * b^2 + 6*B * \sin(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c)) * ((a-b)/(a+b))^{1/2} / \sin(d*x+c), (-a+b)/(a-b))^{1/2}
\end{aligned}$$

$$\begin{aligned}
&)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^3*b^3+8*B*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)} \\
&)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b^4+3*B*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*a^5*b-15*B*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*a^3*b^3+8*B*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*a*b^5+14*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+22*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}-34*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^4*(1/(\cos(d*x+c)+1))^{(1/2)}-16*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^5*(1/(\cos(d*x+c)+1))^{(1/2)}-6*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^5*b*(1/(\cos(d*x+c)+1))^{(1/2)}-12*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^4*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+18*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}+8*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^4*(1/(\cos(d*x+c)+1))^{(1/2)}-8*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^5*(1/(\cos(d*x+c)+1))^{(1/2)}+3*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^5*b*(1/(\cos(d*x+c)+1))^{(1/2)}-3*B*\cos(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*a^3*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}+7*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^5*b*(1/(\cos(d*x+c)+1))^{(1/2)}-34*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}+24*A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a*b^5*(1/(\cos(d*x+c)+1))^{(1/2)}+18*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^4*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}-12*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^3*b^3-16*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^2*b^4-15*B*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^4*b^2+8*B*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^2*b^4-9*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^5*b+6*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^4*b^2+8*B*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^3*b^3-8*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^5*b+28*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a^3*b^3-16*A*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*a*b^5+9*A*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c),(-a+b)/(a-b))^{(1/2)}*
\end{aligned}$$

$$\begin{aligned} & b/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) * \cos(dx+c) * \sin(dx+c) * a^5 * \\ & b + 16 * A * (1/(a+b) * (b+a * \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * \\ & ((a-b)/(a+b))^{1/2}/\sin(dx+c), (-a+b)/(a-b))^{1/2}) * \cos(dx+c) * \sin(dx+c) * a^4 * b^2 + 3 * B * \cos(dx+c)^3 * \\ & ((a-b)/(a+b))^{1/2} * a^6 * (1/(\cos(dx+c)+1))^{1/2} + A * \cos(dx+c)^4 * ((a-b)/(a+b))^{1/2} * a^6 * (1/(\cos(dx+c)+1))^{1/2} - \\ & A * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^6 * (1/(\cos(dx+c)+1))^{1/2}) * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} / \\ & a^4 / (a+b) / (a-b)^2 / (b+a * \cos(dx+c))^2 / \sin(dx+c)^3 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c) \sec(dx+c) + A \cos(dx+c)) \sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)*(A+B*sec(dx+c))/(a+b*sec(dx+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*cos(dx+c)*sec(dx+c) + A*cos(dx+c))*sqrt(b*sec(dx+c) + a)*sqrt(cos(dx+c))/(b^3*sec(dx+c)^3 + 3*a*b^2*sec(dx+c)^2 + 3*a^2*b*sec(dx+c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^(3/2)*(A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*sec(d*x + c) + a)^(5/2), x)

$$3.630 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \sec(c+dx))}{(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=368

$$\frac{2(9a^2Ab - 3a^3B + 2ab^2B - 8Ab^3) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^3d(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

```
[Out] (-2*(9*a^2*A*b - 8*A*b^3 - 3*a^3*B + 2*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^3*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])
```

Rubi [A] time = 1.10523, antiderivative size = 368, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4030, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx)}{3ad(a^2 - b^2) \sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2}} - \frac{2(9a^2Ab - 3a^3B + 2ab^2B - 8Ab^3) \sin(c+dx)}{3a^3d(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]
```

```
[Out] (-2*(9*a^2*A*b - 8*A*b^3 - 3*a^3*B + 2*a*b^2*B)*Sqrt[(b + a*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^3*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) + (2*b*(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])
```


Rule 2955

Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4030

Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4100

Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.), x_Symbol] :> Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] :> Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] :> Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S

qrt[b + a*Sin[e + f*x]], Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\sec(c+dx))}{(a+b\sec(c+dx))^{5/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{A+B\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+b\sec(c+dx))^{5/2}} dx \\
&= \frac{2b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} - \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{3a^2(a^2-b^2)^2d\sqrt{\cos(c+dx)}} \\
&= \frac{2b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} + \frac{2b(8a^2Ab-4Ab^3-5a^3B)}{3a^2(a^2-b^2)^2d\sqrt{\cos(c+dx)}} \\
&= \frac{2b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} + \frac{2b(8a^2Ab-4Ab^3-5a^3B)}{3a^2(a^2-b^2)^2d\sqrt{\cos(c+dx)}} \\
&= \frac{2b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} + \frac{2b(8a^2Ab-4Ab^3-5a^3B)}{3a^2(a^2-b^2)^2d\sqrt{\cos(c+dx)}} \\
&= \frac{2b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} + \frac{2b(8a^2Ab-4Ab^3-5a^3B)}{3a^2(a^2-b^2)^2d\sqrt{\cos(c+dx)}} \\
&= \frac{2b(Ab-aB)\sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\sec(c+dx))^{3/2}} + \frac{2b(8a^2Ab-4Ab^3-5a^3B)}{3a^2(a^2-b^2)^2d\sqrt{\cos(c+dx)}} \\
&= -\frac{2(9a^2Ab-8Ab^3-3a^3B+2ab^2B)\sqrt{\frac{b+a\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2a}{a+b}\right)}{3a^3(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b\sec(c+dx)}} + \frac{2(3a^4B-2a^3bB)}{3a^3(a^2-b^2)^2d\sqrt{\cos(c+dx)}}
\end{aligned}$$

Mathematica [C] time = 18.5396, size = 621, normalized size = 1.69

$$\frac{(a\cos(c+dx)+b)^3(A+B\sec(c+dx))\left(-\frac{2(Ab^3\sin(c+dx)-ab^2B\sin(c+dx))}{3a^2(a^2-b^2)(a\cos(c+dx)+b)^2} - \frac{2(-9a^2Ab^2\sin(c+dx)+6a^3bB\sin(c+dx)-2ab^3B\sin(c+dx)+5a^4B)}{3a^2(a^2-b^2)^2(a\cos(c+dx)+b)}\right)}{d\cos^{\frac{3}{2}}(c+dx)(a+b\sec(c+dx))^{5/2}(A\cos(c+dx)+B)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Sec[c + d*x]))/(a + b*Sec[c + d*x])^(5/2), x]

[Out] ((b + a*Cos[c + d*x])^3*(A + B*Sec[c + d*x])*((-2*(A*b^3*Sin[c + d*x] - a*b^2*B*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)*(b + a*Cos[c + d*x])^2) - (2*(-9*a^2*A*b^2*Sin[c + d*x] + 5*A*b^4*Sin[c + d*x] + 6*a^3*b*B*Sin[c + d*x] - 2*a*b^3*B*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)^2*(b + a*Cos[c + d*x])))/(d*Cos[c +

$$d*x]^{(3/2)}*(B + A*\text{Cos}[c + d*x])*(a + b*\text{Sec}[c + d*x])^{(5/2)} - (2*\text{Cos}[c + d*x]^{(3/2)}*(b + a*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]^{(3/2)}*(\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]^{(3/2)}*(A + B*\text{Sec}[c + d*x])*((-I)*(a + b)*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*\text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]]], (-a + b)/(a + b))*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b)] + I*a*(a + b)*(8*A*b^3 + 3*a^2*b*(-3*A + B) + 3*a^3*(A + B) - 2*a*b^2*(3*A + B))*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]]], (-a + b)/(a + b))*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[(b + a*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2)/(a + b)] - (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*(b + a*\text{Cos}[c + d*x])*(\text{Sec}[(c + d*x)/2]^2)^{(3/2)}*\text{Tan}[(c + d*x)/2])/((3*a*(a^3 - a*b^2)^2*d*(B + A*\text{Cos}[c + d*x])*(a + b*\text{Sec}[c + d*x])^{(5/2)})$$

Maple [B] time = 0.677, size = 3337, normalized size = 9.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x)`

[Out]
$$-2/3/d*(-1+\text{cos}(d*x+c))*(\text{cos}(d*x+c)+1)^2*(-8*A*\text{sin}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)}*b^5+3*A*\text{cos}(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^5*(1/(\text{cos}(d*x+c)+1))^{(1/2)}+8*A*\text{cos}(d*x+c)*((a-b)/(a+b))^{(1/2)}*b^5*(1/(\text{cos}(d*x+c)+1))^{(1/2)}+3*A*((a-b)/(a+b))^{(1/2)}*a^3*b^2*(1/(\text{cos}(d*x+c)+1))^{(1/2)}+11*A*((a-b)/(a+b))^{(1/2)}*a^2*b^3*(1/(\text{cos}(d*x+c)+1))^{(1/2)}-4*A*((a-b)/(a+b))^{(1/2)}*a*b^4*(1/(\text{cos}(d*x+c)+1))^{(1/2)}-5*B*((a-b)/(a+b))^{(1/2)}*a^3*b^2*(1/(\text{cos}(d*x+c)+1))^{(1/2)}+9*A*\text{sin}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*a^3*b^2-6*A*\text{sin}(d*x+c)*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)}*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*a^2*b^3-3*A*\text{cos}(d*x+c)^3*((a-b)/(a+b))^{(1/2)}*(1/(\text{cos}(d*x+c)+1))^{(1/2)}*a^5-8*A*((a-b)/(a+b))^{(1/2)}*b^5*(1/(\text{cos}(d*x+c)+1))^{(1/2)}+9*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^4*b-6*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^3*b^2-8*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^2*b^3+15*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\text{cos}(d*x+c))*((a-b)/(a+b))^{(1/2)}/\text{sin}(d*x+c), (-a+b)/(a-b))^{(1/2)}*a^3*b^2-8*A*\text{sin}(d*x+c)*\text{cos}(d*x+c)*(1/(a+b)*(b+a*\text{cos}(d*x+c))/(\text{cos}(d*x+c)+1))^{(1/2)}$$

$$\begin{aligned}
& (d*x+c)/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2} \\
&)/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b^4+3*B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b) \\
& *(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a \\
& +b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^4*b+2*B*\sin(d*x+c)*\cos(d*x+c) \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))* \\
& ((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^3*b^2-6*B*\sin(d*x+c) \\
& *\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+c \\
& os(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^4*b+2*B*s \\
& in(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{Elliptic} \\
& icE((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^ \\
& 2*b^3-8*A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+ \\
& c), (- (a+b)/(a-b))^{1/2})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a \\
& b^4-3*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{Elliptic} \\
& E((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^4* \\
& b+15*A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE} \\
& ((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^2*b \\
& ^3-3*A*\cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^4*b*(1/(\cos(d*x+c)+1))^{1/2}+3*A* \\
& \cos(d*x+c)^3*((a-b)/(a+b))^{1/2}*a^2*b^3*(1/(\cos(d*x+c)+1))^{1/2}-18*A*\cos(\\
& d*x+c)^2*((a-b)/(a+b))^{1/2}*a^3*b^2*(1/(\cos(d*x+c)+1))^{1/2}+12*A*\cos(d*x+ \\
& c)^2*((a-b)/(a+b))^{1/2}*a*b^4*(1/(\cos(d*x+c)+1))^{1/2}+6*B*\cos(d*x+c)^2*((\\
& a-b)/(a+b))^{1/2}*a^4*b*(1/(\cos(d*x+c)+1))^{1/2}-3*B*\cos(d*x+c)^2*((a-b)/(a \\
& +b))^{1/2}*a^2*b^3*(1/(\cos(d*x+c)+1))^{1/2}+6*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2} \\
&)*a^4*b*(1/(\cos(d*x+c)+1))^{1/2}+12*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^3* \\
& b^2*(1/(\cos(d*x+c)+1))^{1/2}-18*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^2*b^3*(1 \\
& /(\cos(d*x+c)+1))^{1/2}-8*A*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a*b^4*(1/(\cos(d*x \\
& +c)+1))^{1/2}-6*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^4*b*(1/(\cos(d*x+c)+1))^{1/2} \\
&)+6*B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^3*b^2*(1/(\cos(d*x+c)+1))^{1/2}+2* \\
& B*\cos(d*x+c)*((a-b)/(a+b))^{1/2}*a^2*b^3*(1/(\cos(d*x+c)+1))^{1/2}-2*B*\cos(d \\
& *x+c)*((a-b)/(a+b))^{1/2}*a*b^4*(1/(\cos(d*x+c)+1))^{1/2}-3*B*\sin(d*x+c)*\text{Ellip \\
& ticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2}) \\
& *(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^4*b+3*B*\sin(d*x+c)*\text{Ellip \\
& ticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(\\
& 1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^3*b^2+2*B*\sin(d*x+c)*\text{Ellip \\
& ticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(\\
& 1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^2*b^3-6*B*\sin(d*x+c)*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b) \\
& / (a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^3*b^2+2*B*\sin(d*x+c)*(1/(a \\
& +b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b) \\
& / (a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a*b^4+3*A*\sin(d*x+c)*\text{Elliptic} \\
& cF((-1+\cos(d*x+c))*((a-b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*(1/ \\
& (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*a^4*b+3*A*\cos(d*x+c)^3*((a-b)/ \\
& (a+b))^{1/2}*(1/(\cos(d*x+c)+1))^{1/2}*a^3*b^2+3*A*\sin(d*x+c)*\cos(d*x+c)*(1/ \\
& (a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))*((a- \\
& b)/(a+b))^{1/2}/\sin(d*x+c), (- (a+b)/(a-b))^{1/2})*a^5-3*A*\sin(d*x+c)*\cos(d*x \\
& +c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c)
\end{aligned}$$

$$\begin{aligned} &) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^{5-3A} \cos(dx+c)^{2-2} \\ & * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} * a^{4*b+4A} \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} \\ & * (1/(\cos(dx+c)+1))^{1/2} * a^{2*b^3-B} \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} \\ & * a^{3*b^2-3B} \sin(dx+c) * \cos(dx+c) * (1/(a+b) * (b+a \cos(dx+c)) / (\cos(dx+c)+1))^{1/2} \\ & * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (- (a+b)/(a-b))^{1/2}) * a^{5+B} * ((a-b)/(a+b))^{1/2} * a^{2*b^3} \\ & * (1/(\cos(dx+c)+1))^{1/2} + 2*B * ((a-b)/(a+b))^{1/2} * a * b^4 * (1/(\cos(dx+c)+1))^{1/2}) * \cos(dx+c)^{1/2} \\ & * ((b+a \cos(dx+c)) / \cos(dx+c))^{1/2} * ((a-b)/(a+b))^{1/2} * (1/(\cos(dx+c)+1))^{1/2} / a^{3/(a+b)/(a-b)^2/(b+a \cos(dx+c))^2} \\ & / \sin(dx+c)^3 \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*cos(dx+c)^(1/2)/(a+b*sec(dx+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx+c) + A) \sqrt{b \sec(dx+c) + a} \sqrt{\cos(dx+c)}}{b^3 \sec(dx+c)^3 + 3ab^2 \sec(dx+c)^2 + 3a^2b \sec(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(dx+c))*cos(dx+c)^(1/2)/(a+b*sec(dx+c))^(5/2),x, algorithm="fricas")

[Out] integral((B*sec(dx+c) + A)*sqrt(b*sec(dx+c) + a)*sqrt(cos(dx+c))/(b^3*sec(dx+c)^3 + 3*a*b^2*sec(dx+c)^2 + 3*a^2*b*sec(dx+c) + a^3), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)**(1/2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \sec(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \sec(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))*cos(d*x+c)^(1/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)*sqrt(cos(d*x + c))/(b*sec(d*x + c) + a)^(5/2), x)

$$3.631 \quad \int \frac{A+B \sec(c+dx)}{\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=346

$$\frac{2(3a^2A - abB - 2Ab^2) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3a^2d(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2(5a^2Ab - 2a^3B - 2ab^2B - Ab^3) \sin(c+dx)}{3ad(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2(Ab - aB) \sin(c+dx)}{3d(a^2 - b^2) \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{3/2}} + \frac{2(3a^2A - abB - 2Ab^2)}{3a^2d(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(3*a^2*A - 2*A*b^2 - a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(A*b - a*B)*Sin[c + d*x])/(3*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) - (2*(5*a^2*A*b - A*b^3 - 2*a^3*B - 2*a*b^2*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 1.00769, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4027, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(5a^2Ab - 2a^3B - 2ab^2B - Ab^3) \sin(c+dx)}{3ad(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} - \frac{2(Ab - aB) \sin(c+dx)}{3d(a^2 - b^2) \sqrt{\cos(c+dx)} (a+b \sec(c+dx))^{3/2}} + \frac{2(3a^2A - abB - 2Ab^2)}{3a^2d(a^2 - b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] (2*(3*a^2*A - 2*A*b^2 - a*b*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) - (2*(A*b - a*B)*Sin[c + d*x])/(3*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) - (2*(5*a^2*A*b - A*b^3 - 2*a^3*B - 2*a*b^2*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rule 2955


```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4027

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(d*(A*
b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)
)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[d*(n - 1)*(A*b - a*B) + d
*(a*A - b*B)*(m + 1)*Csc[e + f*x] - d*(A*b - a*B)*(m + n + 1)*Csc[e + f*x]^
2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && Ne
Q[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1)
- a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d
_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]
*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*SIN[e + f*x]]), Int[Sqrt[b + a*SIN[e + f*x]], x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{\sec(c + dx)}(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}} - \frac{(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}} - \frac{2(5a^2 Ab - Ab^3 - 2a^3 B)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}} - \frac{2(5a^2 Ab - Ab^3 - 2a^3 B)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}} - \frac{2(5a^2 Ab - Ab^3 - 2a^3 B)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}} - \frac{2(5a^2 Ab - Ab^3 - 2a^3 B)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \sec(c + dx))^{3/2}} - \frac{2(5a^2 Ab - Ab^3 - 2a^3 B)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2(3a^2 A - 2Ab^2 - abB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3a^2(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2(6a^2 Ab - 2Ab^3)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 16.3687, size = 463, normalized size = 1.34

$$(a \cos(c + dx) + b)^2 \left(\frac{2 \sin(c + dx) (a(-6a^2 Ab + 3a^3 B + ab^2 B + 2Ab^3) \cos(c + dx) + b(-5a^2 Ab + 2a^3 B + 2ab^2 B + Ab^3))}{a(a^2 - b^2)^2 (a \cos(c + dx) + b)} + \frac{2 \left(\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)\right)^{3/2} \left(-ia(a + b \sec(c + dx))\right)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(5/2)), x]

[Out] ((b + a*Cos[c + d*x])^2*((2*(b*(-5*a^2*A*b + A*b^3 + 2*a^3*B + 2*a*b^2*B) + a*(-6*a^2*A*b + 2*A*b^3 + 3*a^3*B + a*b^2*B))*Cos[c + d*x])*Sin[c + d*x])/((3*a^2*(a^2 - b^2)^2*d*sqrt(cos(c + d*x))*sqrt(a + b*sec(c + d*x))) + (2*(cos^2(1/2*(c + d*x))*sec(c + d*x))^(3/2)*(-i*a*(a + b*sec(c + d*x))))/(3*a*(a^2 - b^2)^2*d*sqrt(cos(c + d*x))))

$$\frac{a(a^2 - b^2)^2(b + a\cos[c + dx]) + (2(\cos[(c + dx)/2]^2 \sec[c + dx])^{3/2}((-I)(a + b)(-6a^2Ab + 2A^2b^3 + 3a^3B + a^2b^2B)\text{EllipticE}[I\text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sec[(c + dx)/2]^2 \sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} - I a(a + b)(-2A^2b^2 + 3a^2(A - B) + a^2b(3A - B))\text{EllipticF}[I\text{ArcSinh}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sec[(c + dx)/2]^2 \sqrt{((b + a\cos[c + dx])\sec[(c + dx)/2]^2)/(a + b)} - (-6a^2Ab + 2A^2b^3 + 3a^3B + a^2b^2B)(b + a\cos[c + dx]) \sec[(c + dx)/2]^2)^{3/2} \tan[(c + dx)/2]) / ((a^3 - a^2b)^2 \sec[c + dx]^{3/2})}{(3d\cos[c + dx]^{5/2}(a + b\sec[c + dx])^{5/2}}$$

Maple [B] time = 0.495, size = 2416, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x)`

[Out]
$$\begin{aligned} & -2/3/d * (-1 + \cos(dx+c)) * (\cos(dx+c)+1)^2 * (3A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) \\ & * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a \\ & +b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^3 * b + 2A * \cos(dx+c) * \sin(dx+c) \\ & * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * \\ & ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^2 * b^2 + B * \cos(dx+c) * \sin \\ & (dx+c) * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos \\ & (dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * a^3 * b + B * \cos(dx \\ & +c) * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c), (\\ & -a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} * a^2 * b^2 \\ & - 6A * \cos(dx+c) * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin \\ & (dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx+c)+1))^{1/2} \\ & * a^3 * b + 2A * \cos(dx+c) * \sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c)) * ((a-b)/(a+b) \\ &)^{1/2} / \sin(dx+c), (-a+b)/(a-b))^{1/2}) * (1/(a+b) * (b+a*\cos(dx+c))/(\cos(dx \\ & +c)+1))^{1/2} * a^2 * b^3 - 3A * \cos(dx+c) * \sin(dx+c) * (1/(a+b) * (b+a*\cos(dx+c))/(\cos \\ & (dx+c)+1))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) * ((a-b)/(a+b))^{1/2} / \sin(dx+c) \\ & , (-a+b)/(a-b))^{1/2}) * a^4 - 6A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos \\ & (dx+c)+1))^{1/2} + 6A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 * b^2 * (1/(\cos(dx+c) \\ & +1))^{1/2} + 2A * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a * b^3 * (1/(\cos(dx+c)+1))^{1/2} \\ & - 3B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} - 3B * \cos \\ & (dx+c)^2 * ((a-b)/(a+b))^{1/2} * a^4 * (1/(\cos(dx+c)+1))^{1/2} - 2A * \cos(dx+c) * (\\ & (a-b)/(a+b))^{1/2} * b^4 * (1/(\cos(dx+c)+1))^{1/2} - A * \cos(dx+c)^2 * ((a-b)/(a+b) \\ &)^{1/2} * a^2 * b^2 * (1/(\cos(dx+c)+1))^{1/2} + B * \cos(dx+c)^2 * ((a-b)/(a+b))^{1/2} \\ & * a^3 * b * (1/(\cos(dx+c)+1))^{1/2} + 2A * ((a-b)/(a+b))^{1/2} * b^4 * (1/(\cos(dx+c)+ \\ & 1))^{1/2} + B * \cos(dx+c) * ((a-b)/(a+b))^{1/2} * a^2 * b^2 * (1/(\cos(dx+c)+1))^{1/2} \end{aligned}$$

```

-B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a*b^3*(1/(cos(d*x+c)+1))^(1/2)-3*B*sin(d*
x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b)
)^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^3*b+B*sin(d*x+c)
*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1
/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b^2+3*B*sin(d*x+c)
*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*
((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^3*b+B*sin(d*x+c)*(1/
(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticE((-1+cos(d*x+c))*((a-
b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b^3+6*A*cos(d*x+c)^2*((a
-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)-3*A*cos(d*x+c)^2*((a-b)/(a+
b))^(1/2)*a*b^3*(1/(cos(d*x+c)+1))^(1/2)-6*A*sin(d*x+c)*EllipticE((-1+cos(d
*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^2*b^2-3*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d
*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/
sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^3*b+3*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x
+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/si
n(d*x+c),(-(a+b)/(a-b))^(1/2))*a^2*b^2+2*A*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x
+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/si
n(d*x+c),(-(a+b)/(a-b))^(1/2))*a*b^3-3*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+
a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*a^4+3*B*cos(d*x+c)*sin(d*x+c)*Ellip
ticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*
(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a^4+3*B*cos(d*x+c)*((a-b)/(a
+b))^(1/2)*a^4*(1/(cos(d*x+c)+1))^(1/2)-5*A*((a-b)/(a+b))^(1/2)*a^2*b^2*(1/
(cos(d*x+c)+1))^(1/2)+A*((a-b)/(a+b))^(1/2)*a*b^3*(1/(cos(d*x+c)+1))^(1/2)+
2*B*((a-b)/(a+b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)-B*((a-b)/(a+b))^(1/2)
)*a^2*b^2*(1/(cos(d*x+c)+1))^(1/2)+B*((a-b)/(a+b))^(1/2)*a*b^3*(1/(cos(d*x+
c)+1))^(1/2)+2*A*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/s
in(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*b^4)*cos(d*x+c)^(1/2)*((b+a*cos(d*x+c))/cos(d*x+c))^(1/2)*((a-b)/(a+b)
)^(1/2)*(1/(cos(d*x+c)+1))^(1/2)/a^2/(a+b)/(a-b)^2/(b+a*cos(d*x+c))^2/sin(d
*x+c)^3

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorith="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

integral $\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\cos(dx + c)}}{b^3 \cos(dx + c) \sec(dx + c)^3 + 3ab^2 \cos(dx + c) \sec(dx + c)^2 + 3a^2b \cos(dx + c) \sec(dx + c) + a^3 \cos(dx + c)}\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*cos(d*x + c)*sec(d*x + c)^3 + 3*a*b^2*cos(d*x + c)*sec(d*x + c)^2 + 3*a^2*b*cos(d*x + c)*sec(d*x + c) + a^3*cos(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/(a+b*sec(d*x+c))^(5/2)/cos(d*x+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)
```

$$3.632 \quad \int \frac{A+B \sec(c+dx)}{\cos^2(c+dx)(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=329

$$\frac{2(Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \operatorname{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3ad(a^2 - b^2)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2(2a^2Ab + a^3B - 5ab^2B + 2Ab^3)\sin(c+dx)}{3bd(a^2 - b^2)^2\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2a}{3bd(a^2 - b^2)\sqrt{\cos(c+dx)}}$$

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(3*a^2*A + A*b^2 - 4*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) + (2*(2*a^2*A*b + 2*A*b^3 + a^3*B - 5*a*b^2*B)*Sin[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 1.04262, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2955, 4029, 4100, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2(2a^2Ab + a^3B - 5ab^2B + 2Ab^3)\sin(c+dx)}{3bd(a^2 - b^2)^2\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2a(Ab - aB)\sin(c+dx)}{3bd(a^2 - b^2)\sqrt{\cos(c+dx)}(a+b \sec(c+dx))^{3/2}} - \frac{2(Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{3ad(a^2 - b^2)\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] (-2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) - (2*(3*a^2*A + A*b^2 - 4*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*a*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Sec[c + d*x])^(3/2)) + (2*(2*a^2*A*b + 2*A*b^3 + a^3*B - 5*a*b^2*B)*Sin[c + d*x])/(3*b*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rule 2955


```
Int[((a_.) + csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*
(d_.) + (c_.))^(n_.)*((g_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Csc[e + f*x])^m*(c + d
*Csc[e + f*x])^n)/(g*Csc[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f,
A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n
, 1]
```

Rule 4100

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.
)*(csc[(e_.) + (f_.)*(x_)])*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a
_.))^(m_.), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1)
- a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)])*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)])*(d
_.))*Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)], x_Symbol] := Dist[A/a, In
t[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]
```

Rule 3856

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)
]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*S
qrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a,
```

b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_) + (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{3}{2}}(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{(a + b \sec(c + dx))^{5/2}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(2a^2 Ab + 2Ab^3 + a^3 B)}{3b(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(2a^2 Ab + 2Ab^3 + a^3 B)}{3b(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(2a^2 Ab + 2Ab^3 + a^3 B)}{3b(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(2a^2 Ab + 2Ab^3 + a^3 B)}{3b(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} + \frac{2(2a^2 Ab + 2Ab^3 + a^3 B)}{3b(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab - aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3a(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} - \frac{2(3a^2 A + Ab^2 - 4abB) \sqrt{\cos(c + dx)}}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} (a + b \sec(c + dx))^{3/2}}
\end{aligned}$$

Mathematica [C] time = 16.0318, size = 487, normalized size = 1.48

$$\frac{(a \cos(c + dx) + b)^3 \left(\frac{2(Ab \sin(c+dx) - aB \sin(c+dx))}{3(b^2 - a^2)(a \cos(c+dx) + b)^2} + \frac{2(3a^2 A \sin(c+dx) - 4abB \sin(c+dx) + Ab^2 \sin(c+dx))}{3(b^2 - a^2)^2 (a \cos(c+dx) + b)} \right)}{d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} + \frac{2 \cos^{\frac{3}{2}}(c + dx) \sec^{\frac{5}{2}}(c + dx)}{(a + b \sec(c + dx))^{5/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/((Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(5/2)), x]

[Out] ((b + a*Cos[c + d*x])^3*((2*(A*b*Sin[c + d*x] - a*B*Sin[c + d*x]))/(3*(-a^2 + b^2)*(b + a*Cos[c + d*x])^2) + (2*(3*a^2*A*Sin[c + d*x] + A*b^2*Sin[c + d*x] - 4*a*b*B*Sin[c + d*x]))/(3*(-a^2 + b^2)^2*(b + a*Cos[c + d*x])))/(d*

$$\begin{aligned} & \cos[c + d*x]^{(5/2)}*(a + b*\sec[c + d*x])^{(5/2)} + (2*\cos[c + d*x]^{(3/2)}*(b + \\ & a*\cos[c + d*x])^2*\sec[c + d*x]^{(5/2)}*(\cos[(c + d*x)/2]^2*\sec[c + d*x]^{(3/2)}*((-1)*(a + b)*(3*a^2*A + A*b^2 - 4*a*b*B)*\text{EllipticE}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], \\ & (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2)/(a + b)} + I*a*(a + b)*(3*a*A + A*b - a*B - 3*b*B)*\text{EllipticF}[I*\text{ArcSinh}[\text{Tan}[(c + d*x)/2]], \\ & (-a + b)/(a + b)]*\sec[(c + d*x)/2]^2*\sqrt{((b + a*\cos[c + d*x])* \sec[(c + d*x)/2]^2)/(a + b)} - (3*a^2*A + A*b^2 - 4*a*b*B)*(b + a*\cos[c + d*x])* (\sec[(c + d*x)/2]^2)^{(3/2)}*\text{Tan}[(c + d*x)/2]))/(3*a*(a^2 - b^2)^2*d*(a + b*\sec[c + d*x])^{(5/2)} \end{aligned}$$

Maple [B] time = 0.454, size = 1921, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2), x)`

[Out]
$$\begin{aligned} & -2/3/d*(-1+\cos(d*x+c))*((b+a*\cos(d*x+c))/\cos(d*x+c))^{(1/2)}*(\cos(d*x+c)+1)^2 \\ & *(A*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- \\ & (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a*b^2+3* \\ & A*\sin(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+ \\ & \cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*a^2*b-3*A* \\ & \cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*(1/(\cos(d*x+c)+1))^{(1/2)}+A*\sin(d*x+c)* \\ & (1/(a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))* \\ & (a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*b^3-4*B*\sin(d*x+c)*(1/(\\ & a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))*((a-b) \\ &)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*a*b^2-B*\sin(d*x+c)*\text{Elliptic} \\ & \text{F}((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*(1/(\\ & a+b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b-3*A*\sin(d*x+c)*\text{EllipticF} \\ & (-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), -(a+b)/(a-b))^{(1/2)}*(1/(a+ \\ & b)*(b+a*\cos(d*x+c))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b-3*A*\cos(d*x+c)*((a-b)/(a+b) \\ &)^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}+A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b \\ & ^2*(1/(\cos(d*x+c)+1))^{(1/2)}-4*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(co \\ & s(d*x+c)+1))^{(1/2)}+4*B*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+ \\ & 1))^{(1/2)}+3*B*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)} \\ & +3*A*\cos(d*x+c)*((a-b)/(a+b))^{(1/2)}*a^3*(1/(\cos(d*x+c)+1))^{(1/2)}-A*\cos(d* \\ & x+c)*((a-b)/(a+b))^{(1/2)}*b^3*(1/(\cos(d*x+c)+1))^{(1/2)}+2*A*((a-b)/(a+b))^{(1/2)} \\ &)^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}-A*((a-b)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c) \\ & +1))^{(1/2)}+B*((a-b)/(a+b))^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}-4*B*((a-b) \\ &)/(a+b))^{(1/2)}*a*b^2*(1/(\cos(d*x+c)+1))^{(1/2)}+A*\cos(d*x+c)^2*((a-b)/(a+b))^{(1/2)} \\ &)^{(1/2)}*a^2*b*(1/(\cos(d*x+c)+1))^{(1/2)}+A*((a-b)/(a+b))^{(1/2)}*b^3*(1/(\cos(d*x+c) \end{aligned}$$

$$\begin{aligned}
&)+1))^{(1/2)}+3*A*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c) \\
& +1))^{(1/2)}*EllipticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b) \\
& / (a-b))^{(1/2)})*a^3-B*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d \\
& *x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- \\
& (a+b)/(a-b))^{(1/2)})*a^3-3*A*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a*\cos(d*x+c)) \\
& /(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d* \\
& x+c), (- (a+b)/(a-b))^{(1/2)})*a^3+A*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d* \\
& x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*co \\
& s(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a*b^2+A*\sin(d*x+c)*\cos(d*x+c)*(1/(a+b)*(b+a \\
& *cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/ \\
& \sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b-4*B*\sin(d*x+c)*\cos(d*x+c)*Elli \\
& pticE((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})* \\
& (1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a^2*b+3*B*\sin(d*x+c)*\cos(d* \\
& x+c)*(1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*EllipticF((-1+\cos(d*x+ \\
& c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})*a^2*b+3*B*\sin(d*x+ \\
& c)*EllipticF((-1+\cos(d*x+c))*((a-b)/(a+b))^{(1/2)}/\sin(d*x+c), (- (a+b)/(a-b))^{(1/2)})* \\
& (1/(a+b)*(b+a*\cos(d*x+c)))/(\cos(d*x+c)+1))^{(1/2)}*a*b^2-B*\cos(d*x+c)^2 \\
& *((a-b)/(a+b))^{(1/2)}*a^3*(1/(\cos(d*x+c)+1))^{(1/2)}+B*((a-b)/(a+b))^{(1/2)}*a^3 \\
& *(1/(\cos(d*x+c)+1))^{(1/2)})*\cos(d*x+c)^{(1/2)}*((a-b)/(a+b))^{(1/2)}*(1/(\cos(d*x \\
& +c)+1))^{(1/2)}/a/(a+b)/(a-b)^2/(b+a*\cos(d*x+c))^2/\sin(d*x+c)^3
\end{aligned}$$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2)), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \sec(dx + c) + A)\sqrt{b \sec(dx + c) + a}\sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^2 \sec(dx + c)^3 + 3ab^2 \cos(dx + c)^2 \sec(dx + c)^2 + 3a^2b \cos(dx + c)^2 \sec(dx + c) + a^3 \cos(dx + c)}, dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((B*sec(d*x + c) + A)*sqrt(b*sec(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*cos(d*x + c)^2*sec(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2*sec(d*x + c)^2 + 3*a^2*b*cos(d*x + c)^2*sec(d*x + c) + a^3*cos(d*x + c)^2), x)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(3/2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(3/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2)), x)
```

$$3.633 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=399

$$\frac{2(Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3bd(a^2 - b^2)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx)}{3bd(a^2 - b^2)\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} - \frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx)}{3b^2d(a^2 - b^2)\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}}$$

[Out] (2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)) - (2*a*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

Rubi [A] time = 1.50043, antiderivative size = 399, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 14, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {2955, 4029, 4098, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2a(Ab - aB) \sin(c+dx)}{3bd(a^2 - b^2)\cos^{\frac{3}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} - \frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx)}{3b^2d(a^2 - b^2)^2\sqrt{\cos(c+dx)}\sqrt{a+b \sec(c+dx)}} + \frac{2(Ab - aB)\sqrt{\frac{a \cos(c+dx)+b}{a+b}}}{3bd(a^2 - b^2)\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)),x]

[Out] (2*(A*b - a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*a)/(a + b)]/(3*b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*B*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]]) + (2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a + b*Sec[c + d*x]])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(a + b*Sec[c + d*x])^(3/2)) - (2*a*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Sec[c + d*x]])

$b^2 B \sin[c + dx] / (3b^2(a^2 - b^2)^2 d \sqrt{\cos[c + dx]} \sqrt{a + b \sec[c + dx]})$

Rule 2955

$\text{Int}[(a + \csc[e + f x] + (f x) b)^m (\csc[e + f x] + (f x) (d + c))^n ((g \sin[e + f x])^p, x_{\text{Symbol}}] \rightarrow \text{Dist}[(g \csc[e + f x])^p (g \sin[e + f x])^p, \text{Int}[(a + b \csc[e + f x])^m (c + d \csc[e + f x])^n / (g \csc[e + f x])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 4029

$\text{Int}[(\csc[e + f x] + (f x) d)^n (\csc[e + f x] + (f x) b + a)^m (\csc[e + f x] + (f x) B + A), x_{\text{Symbol}}] \rightarrow \text{Simp}[a d^2 (A b - a B) \text{Cot}[e + f x] (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-2} / (b f (m+1) (a^2 - b^2)), x] - \text{Dist}[d / (b (m+1) (a^2 - b^2)), \text{Int}[(a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-2} \text{Simp}[a d (A b - a B) (n-2) + b d (A b - a B) (m+1) \csc[e + f x] - (a A b d (m+n) - d B (a^2 (n-1) + b^2 (m+1))) \csc[e + f x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

Rule 4098

$\text{Int}[(A + \csc[e + f x] + (f x) B + \csc[e + f x]^2 (C)) (\csc[e + f x] + (f x) d)^n (\csc[e + f x] + (f x) b + a)^m, x_{\text{Symbol}}] \rightarrow -\text{Simp}[(d (A b^2 - a b B + a^2 C) \text{Cot}[e + f x] (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-1} / (b f (a^2 - b^2) (m+1)), x] + \text{Dist}[d / (b (a^2 - b^2) (m+1)), \text{Int}[(a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-1} \text{Simp}[A b^2 (n-1) - a (b B - a C) (n-1) + b (a A - b B + a C) (m+1) \csc[e + f x] - (b (A b - a B) (m+n+1) + C (a^2 n + b^2 (m+1))) \csc[e + f x]^2, x], x], x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 4108

$\text{Int}[(A + \csc[e + f x] + (f x) B + \csc[e + f x]^2 (C)) / (\sqrt{\csc[e + f x] + (f x) d} \sqrt{\csc[e + f x] + (f x) b + a}), x_{\text{Symbol}}] \rightarrow \text{Dist}[C/d^2, \text{Int}[(d \csc[e + f x])^{3/2} / \sqrt{a + b \csc[e + f x]}, x], x] + \text{Int}[(A + B \csc[e + f x]) / (\sqrt{d \csc[e + f x]} \sqrt{a + b \csc[e + f x]}), x] /;$ FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3859

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x])], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 4035

Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3858

```
Int[Sqrt[csc[(e_) + (f_)*(x_)]*(d_)]/Sqrt[csc[(e_) + (f_)*(x_)]*(b_)
+ (a_)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/
Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{
a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{5}{2}}(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3b^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2a(4Ab^3 + 3a^3B - 7a^2b^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2a(4Ab^3 + 3a^3B - 7a^2b^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2a(4Ab^3 + 3a^3B - 7a^2b^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2a(4Ab^3 + 3a^3B - 7a^2b^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} - \frac{2a(4Ab^3 + 3a^3B - 7a^2b^2)}{3b^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{2B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= \frac{2(Ab - aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3b(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2B \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 33.5951, size = 97528, normalized size = 244.43

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/((Cos[c + d*x]^(5/2)*(a + b*Sec[c + d*x])^(5/2)), x]

[Out] Result too large to show

Maple [C] time = 0.535, size = 3159, normalized size = 7.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (A+B*\sec(dx+c))/\cos(dx+c)^{(5/2)}/(a+b*\sec(dx+c))^{(5/2)}, x$

[Out] $\frac{2}{3}d*(-1+\cos(dx+c))*((b+a*\cos(dx+c))/\cos(dx+c))^{(1/2)}*(\cos(dx+c)+1)^2*(A*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*a^2*b^2-4*B*\cos(dx+c)*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*a^3*b-7*B*\cos(dx+c)*\sin(dx+c)*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^2*b^2+4*A*\cos(dx+c)*\sin(dx+c)*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a*b^3+6*B*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b^2*(1/(\cos(dx+c)+1))^{(1/2)}+4*A*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*a*b^3*(1/(\cos(dx+c)+1))^{(1/2)}-3*B*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*a^4*(1/(\cos(dx+c)+1))^{(1/2)}-4*A*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*b^4*(1/(\cos(dx+c)+1))^{(1/2)}-3*A*\sin(dx+c)*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*b^4+3*B*\sin(dx+c)*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*b^4-6*B*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*EllipticPi((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (a+b)/(a-b), I/((a-b)/(a+b))^{(1/2)})*b^4+A*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*a^2*b^2*(1/(\cos(dx+c)+1))^{(1/2)}-B*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*a^3*b*(1/(\cos(dx+c)+1))^{(1/2)}+4*A*((a-b)/(a+b))^{(1/2)}*b^4*(1/(\cos(dx+c)+1))^{(1/2)}-7*B*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*a^2*b^2*(1/(\cos(dx+c)+1))^{(1/2)}+7*B*\cos(dx+c)*((a-b)/(a+b))^{(1/2)}*a*b^3*(1/(\cos(dx+c)+1))^{(1/2)}-6*B*\sin(dx+c)*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^3*b-4*B*\sin(dx+c)*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*a^2*b^2+3*B*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*a^3*b-7*B*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*EllipticE((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*a*b^3-3*A*\cos(dx+c)^2*((a-b)/(a+b))^{(1/2)}*a*b^3*(1/(\cos(dx+c)+1))^{(1/2)}+A*\sin(dx+c)*(1/(a+b)*(b+a*\cos(dx+c))/(\cos(dx+c)+1))^{(1/2)}*EllipticF((-1+\cos(dx+c))*((a-b)/(a+b))^{(1/2)}/\sin(dx+c), (-a+b)/(a-b))^{(1/2)})*a*b^$

```

3-6*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)
*EllipticF((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1
/2))*a^4+3*B*cos(d*x+c)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(
1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c
)+1))^(1/2)*a^4+9*B*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))*((a-b)/
(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(co
s(d*x+c)+1))^(1/2)*a^2*b^2+3*B*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+
c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(
d*x+c))/(cos(d*x+c)+1))^(1/2)*a*b^3+6*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))
^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*a^3*b-6*B*cos(d*x+c)*s
in(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+co
s(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))
*a^2*b^2-6*B*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1)
)^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-
b),I/((a-b)/(a+b))^(1/2))*a*b^3-3*A*cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos
(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a
*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*a*b^3+9*B*sin(d*x+c)*EllipticF((-1+cos(d
*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*c
os(d*x+c))/(cos(d*x+c)+1))^(1/2)*a*b^3+3*B*cos(d*x+c)*((a-b)/(a+b))^(1/2)*a
^4*(1/(cos(d*x+c)+1))^(1/2)-A*((a-b)/(a+b))^(1/2)*a^2*b^2*(1/(cos(d*x+c)+1)
)^(1/2)-A*((a-b)/(a+b))^(1/2)*a*b^3*(1/(cos(d*x+c)+1))^(1/2)+4*B*((a-b)/(a+
b))^(1/2)*a^3*b*(1/(cos(d*x+c)+1))^(1/2)+B*((a-b)/(a+b))^(1/2)*a^2*b^2*(1/(
cos(d*x+c)+1))^(1/2)-7*B*((a-b)/(a+b))^(1/2)*a*b^3*(1/(cos(d*x+c)+1))^(1/2)
+4*A*sin(d*x+c)*EllipticE((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(-
(a+b)/(a-b))^(1/2))*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*b^4+6*B
*cos(d*x+c)*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(1/2)*Elli
pticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/
(a+b))^(1/2))*a^4+6*B*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos(d*x+c)+1))^(
1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c),(a+b)/(a-b)
,I/((a-b)/(a+b))^(1/2))*a^3*b+6*B*sin(d*x+c)*(1/(a+b)*(b+a*cos(d*x+c))/(cos
(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1/2)/sin(d*x+c)
,(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*a^2*b^2-6*B*sin(d*x+c)*(1/(a+b)*(b+a*co
s(d*x+c))/(cos(d*x+c)+1))^(1/2)*EllipticPi((-1+cos(d*x+c))*((a-b)/(a+b))^(1
/2)/sin(d*x+c),(a+b)/(a-b),I/((a-b)/(a+b))^(1/2))*a*b^3*cos(d*x+c)^(1/2)*((
a-b)/(a+b))^(1/2)*(1/(cos(d*x+c)+1))^(1/2)/b^2/(a+b)/(a-b)^2/(b+a*cos(d*x+
c))^2/sin(d*x+c)^3

```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)
```

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(5/2)/(a+b*sec(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(5/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)
```

$$3.634 \quad \int \frac{A+B \sec(c+dx)}{\cos^{\frac{7}{2}}(c+dx)(a+b \sec(c+dx))^{5/2}} dx$$

Optimal. Leaf size=526

$$\frac{(-5a^2B + 2aAb + 3b^2B) \sqrt{\frac{a \cos(c+dx)+b}{a+b}} \text{EllipticF}\left(\frac{1}{2}(c+dx), \frac{2a}{a+b}\right)}{3b^2d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \sec(c+dx)}} + \frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \sin(c+dx)}{3b^2d(a^2-b^2)^2 \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}} + \dots$$

```
[Out] -((2*a*A*b - 5*a^2*B + 3*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Elliptic
F[(c + d*x)/2, (2*a)/(a + b)]/(3*b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt
[a + b*Sec[c + d*x]]) + ((2*A*b - 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]
*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b^3*d*Sqrt[Cos[c + d*x]]*Sqrt[
a + b*Sec[c + d*x]]) + ((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B -
3*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*a)/(a + b)]*Sqrt[a +
b*Sec[c + d*x]])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[(b + a*Cos[c + d*x])/(a + b)]
) + (2*a*(A*b - a*B)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*Cos[c + d*x]^(5/2)*(a
+ b*Sec[c + d*x])^(3/2)) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B
)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + b*Sec[c
+ d*x]]) - ((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B - 3*b^4*B)*Sqr
rt[a + b*Sec[c + d*x]]*Sin[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*
x]])
```

Rubi [A] time = 1.99028, antiderivative size = 526, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 15, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {2955, 4029, 4098, 4102, 4108, 3859, 2807, 2805, 4035, 3856, 2655, 2653, 3858, 2663, 2661}

$$\frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \sin(c+dx)}{3b^2d(a^2-b^2)^2 \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \sec(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx)}{3bd(a^2-b^2) \cos^{\frac{5}{2}}(c+dx)(a+b \sec(c+dx))^{3/2}} - \frac{(6a^3Ab + 26a^2b^2B - \dots)}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2)),x]

```
[Out] -((2*a*A*b - 5*a^2*B + 3*b^2*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]*Elliptic
F[(c + d*x)/2, (2*a)/(a + b)]/(3*b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt
[a + b*Sec[c + d*x]]) + ((2*A*b - 5*a*B)*Sqrt[(b + a*Cos[c + d*x])/(a + b)]
*EllipticPi[2, (c + d*x)/2, (2*a)/(a + b)]/(b^3*d*Sqrt[Cos[c + d*x]]*Sqrt[
a + b*Sec[c + d*x]]) + ((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B -
```


$$3b^4B) \sqrt{\cos[c + dx]} \operatorname{EllipticE}\left[\frac{c + dx}{2}, \frac{2a}{a + b}\right] \sqrt{a + b \sec[c + dx]} / (3b^3(a^2 - b^2)^2 d \sqrt{(b + a \cos[c + dx]) / (a + b)}) + (2a(Ab - aB) \sin[c + dx]) / (3b^3(a^2 - b^2) d \cos[c + dx]^{5/2} (a + b \sec[c + dx])^{3/2}) + (2a(2a^2Ab - 6Ab^3 - 5a^3B + 9ab^2B) \sin[c + dx]) / (3b^2(a^2 - b^2)^2 d \cos[c + dx]^{3/2} \sqrt{a + b \sec[c + dx]}) - ((6a^3Ab - 14aAb^3 - 15a^4B + 26a^2b^2B - 3b^4B) \sqrt{a + b \sec[c + dx]} \sin[c + dx]) / (3b^3(a^2 - b^2)^2 d \sqrt{\cos[c + dx]})$$

Rule 2955

$$\operatorname{Int}[(a + \csc[e + f x] + (f_*)(x_*)(b_*))^{m_*} (\csc[e + f x] + (f_*)(x_*)) (d + c)^{n_*} ((g_*) \sin[e + f x] + (f_*)(x_*))^{p_*}, x_{\text{Symbol}}] := \operatorname{Dist}[(g \csc[e + f x])^p (g \sin[e + f x])^p, \operatorname{Int}[(a + b \csc[e + f x])^m (c + d \csc[e + f x])^n / (g \csc[e + f x])^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{IntegerQ}[p] \&\& \operatorname{IntegerQ}[m] \&\& \operatorname{IntegerQ}[n]$$

Rule 4029

$$\operatorname{Int}[(\csc[e + f x] + (f_*)(x_*)(d_*))^{n_*} (\csc[e + f x] + (f_*)(x_*)(b_*) + (a_*))^{m_*} (\csc[e + f x] + (f_*)(x_*)(B_*) + (A_*)), x_{\text{Symbol}}] := \operatorname{Simp}[(a d^2 (Ab - aB) \cot[e + f x] (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-2}) / (b f (m+1) (a^2 - b^2)), x] - \operatorname{Dist}[d / (b (m+1) (a^2 - b^2)), \operatorname{Int}[(a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-2} \operatorname{Simp}[a d (Ab - aB) (n-2) + b d (Ab - aB) (m+1) \csc[e + f x] - (a A b d (m+n) - d B (a^2 (n-1) + b^2 (m+1))) \csc[e + f x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \operatorname{NeQ}[Ab - aB, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{GtQ}[n, 1]$$

Rule 4098

$$\operatorname{Int}[(A + \csc[e + f x] + (f_*)(x_*)(B_*) + \csc[e + f x] + (f_*)(x_*)^2 (C_*)) (\csc[e + f x] + (f_*)(x_*)(d_*))^{n_*} (\csc[e + f x] + (f_*)(x_*)(b_*) + (a_*))^{m_*}, x_{\text{Symbol}}] := -\operatorname{Simp}[(d (A b^2 - a b B + a^2 C) \cot[e + f x] (a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-1}) / (b f (a^2 - b^2) (m+1)), x] + \operatorname{Dist}[d / (b (a^2 - b^2) (m+1)), \operatorname{Int}[(a + b \csc[e + f x])^{m+1} (d \csc[e + f x])^{n-1} \operatorname{Simp}[A b^2 (n-1) - a (b B - a C) (n-1) + b (a A - b B + a C) (m+1) \csc[e + f x] - (b (A b - a B) (m+n+1) + C (a^2 n + b^2 (m+1))) \csc[e + f x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{GtQ}[n, 0]$$

Rule 4102

$$\operatorname{Int}[(A + \csc[e + f x] + (f_*)(x_*)(B_*) + \csc[e + f x] + (f_*)(x_*)^2 (C_*$$

```
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)), Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]
```

Rule 4108

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[C/d^2, Int[(d*Csc[e + f*x])^(3/2)/Sqrt[a + b*Csc[e + f*x]], x], x] + Int[(A + B*Csc[e + f*x])/(Sqrt[d*Csc[e + f*x]]*Sqrt[a + b*Csc[e + f*x]]), x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3859

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)], x_Symbol] := Dist[(d*Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/(Sin[e + f*x]*Sqrt[b + a*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 4035

```
Int[(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.))/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*Sqrt[csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)]), x_Symbol] := Dist[A/a, Int[Sqrt[a + b*Csc[e + f*x]]/Sqrt[d*Csc[e + f*x]], x], x] - Dist[(A*b - a*B)/
```

(a*d), Int[Sqrt[d*Csc[e + f*x]]/Sqrt[a + b*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0]

Rule 3856

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)], x_Symbol] := Dist[Sqrt[a + b*Csc[e + f*x]]/(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]]), Int[Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2655

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3858

Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/Sqrt[csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)], x_Symbol] := Dist[(Sqrt[d*Csc[e + f*x]]*Sqrt[b + a*Sin[e + f*x]])/Sqrt[a + b*Csc[e + f*x]], Int[1/Sqrt[b + a*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \sec(c + dx)}{\cos^{\frac{7}{2}}(c + dx)(a + b \sec(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sec^{\frac{7}{2}}(c + dx)(A + B \sec(c + dx))}{(a + b \sec(c + dx))^{5/2}} dx \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})}{3b^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2 Ab - 6Ab^3 - 5a^3 B)}{3b^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2 Ab - 6Ab^3 - 5a^3 B)}{3b^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2 Ab - 6Ab^3 - 5a^3 B)}{3b^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2 Ab - 6Ab^3 - 5a^3 B)}{3b^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2 Ab - 6Ab^3 - 5a^3 B)}{3b^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} + \frac{2a(2a^2 Ab - 6Ab^3 - 5a^3 B)}{3b^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{(2Ab - 5aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{b^3 d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d \cos^{\frac{5}{2}}(c + dx)(a + b \sec(c + dx))^{3/2}} \\
&= -\frac{(2aAb - 5a^2 B + 3b^2 B) \sqrt{\frac{b+a \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2a}{a+b}\right)}{3b^2(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \sec(c + dx)}} + \frac{(2Ab - 5aB) \sqrt{\frac{b+a \cos(c+dx)}{a+b}}}{b^3 d \sqrt{\cos(c + dx)}}
\end{aligned}$$

Mathematica [C] time = 35.9732, size = 184379, normalized size = 350.53

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B*Sec[c + d*x])/(Cos[c + d*x]^(7/2)*(a + b*Sec[c + d*x])^(5/2))]

2)),x]

[Out] Result too large to show

Maple [C] time = 0.714, size = 5358, normalized size = 10.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(7/2)}/(a+b*\sec(d*x+c))^{(5/2)},x)$

[Out] result too large to display

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(7/2)}/(a+b*\sec(d*x+c))^{(5/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

Fricas [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((A+B*\sec(d*x+c))/\cos(d*x+c)^{(7/2)}/(a+b*\sec(d*x+c))^{(5/2)},x, \text{algorithm}="fricas")$

[Out] Timed out

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)**(7/2)/(a+b*sec(d*x+c))**(5/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{B \sec(dx + c) + A}{(b \sec(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B*sec(d*x+c))/cos(d*x+c)^(7/2)/(a+b*sec(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B*sec(d*x + c) + A)/((b*sec(d*x + c) + a)^(5/2)*cos(d*x + c)^(7/2)), x)

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*      is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*      antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
```

```

22     If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25     "C"],
26 If[FreeQ[result,Integrate] && FreeQ[result,Int],
27     "C",
28     "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46     If[AtomQ[expn],
47         1,
48     If[ListQ[expn],
49         Max[Map[ExpnType,expn]],
50     If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52             ExpnType[expn[[1]]],
53         If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55                 1,
56                 Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58     If[Head[expn]===Plus || Head[expn]===Times,
59         Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60     If[ElementaryFunctionQ[Head[expn]],
61         Max[3,ExpnType[expn[[1]]],
62     If[SpecialFunctionQ[Head[expn]],
63         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64     If[HypergeometricFunctionQ[Head[expn]],
65         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66     If[AppellFunctionQ[Head[expn]],
67         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68     If[Head[expn]===RootSum,

```



```

69   Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
70   If[Head[expn]===Integrate || Head[expn]===Int,
71     Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
72   9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp, Log,
78     Sin, Cos, Tan, Cot, Sec, Csc,
79     ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
80     Sinh, Cosh, Tanh, Coth, Sech, Csch,
81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
82   }, func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100
101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1}, func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 #
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 #
11 see problem 156, file Apostol_Problems

```

```

11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;
14
15     leaf_count_result:=leafcount(result);
16     #do NOT call ExpnType() if leaf size is too large. Recursion problem
17     if leaf_count_result > 500000 then
18         return "B";
19     fi;
20
21     leaf_count_optimal:=leafcount(optimal);
22
23     ExpnType_result:=ExpnType(result);
24     ExpnType_optimal:=ExpnType(optimal);
25
26     if debug then
27         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
    ExpnType_optimal);
28     fi;
29
30 # If result and optimal are mathematical expressions,
31 # GradeAntiderivative[result,optimal] returns
32 #   "F" if the result fails to integrate an expression that
33 #     is integrable
34 #   "C" if result involves higher level functions than necessary
35 #   "B" if result is more than twice the size of the optimal
36 #     antiderivative
37 #   "A" if result can be considered optimal
38
39 #This check below actually is not needed, since I only
40 #call this grading only for passed integrals. i.e. I check
41 #for "F" before calling this. But no harm of keeping it here.
42 #just in case.
43
44
45 if not type(result,freeof('int')) then
46     return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then

```

```

56     if debug then
57         print("both result and optimal complex");
58     fi;
59     #both result and optimal complex
60     if leaf_count_result<=2*leaf_count_optimal then
61         return "A";
62     else
63         return "B";
64     end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71     else # result do not contain complex
72         # this assumes optimal do not as well
73         if debug then
74             print("result do not contain complex, this assumes optimal do not
as well");
75         fi;
76         if leaf_count_result<=2*leaf_count_optimal then
77             if debug then
78                 print("leaf_count_result<=2*leaf_count_optimal");
79             fi;
80             return "A";
81         else
82             if debug then
83                 print("leaf_count_result>2*leaf_count_optimal");
84             fi;
85             return "B";
86         end if
87     end if
88     else #ExpnType(result) > ExpnType(optimal)
89         if debug then
90             print("ExpnType(result) > ExpnType(optimal)");
91         fi;
92         return "C";
93     end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417

```

```

102 is_contains_complex:= proc(expression)
103   return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)
119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'^+^') or type(expn,'^*^') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))

```

```

149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157 ElementaryFunctionQ := proc(func)
158     member(func,[
159         exp,log,ln,
160         sin,cos,tan,cot,sec,csc,
161         arcsin,arccos,arctan,arccot,arcsec,arccsc,
162         sinh,cosh,tanh,coth,sech,csch,
163         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
164 end proc:
165
166 SpecialFunctionQ := proc(func)
167     member(func,[
168         erf,erfc,erfi,
169         FresnelS,FresnelC,
170         Ei,Ei,Li,Si,Ci,Shi,Chi,
171         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
172         EllipticF,EllipticE,EllipticPi])
173 end proc:
174
175 HypergeometricFunctionQ := proc(func)
176     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
177 end proc:
178
179 AppellFunctionQ := proc(func)
180     member(func,[AppellF1])
181 end proc:
182
183
184 # u is a sum or product.  rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple

```

```

196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:

```

```

42     if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43         return True
44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,'^^')
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
72 ))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type
77 (expn,'*')
78         m1 = expnType(expn.args[0])
79         m2 = expnType(list(expn.args[1:]))
80         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84         m1 = max(map(expnType, list(expn.args)))
85         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88         m1 = max(map(expnType, list(expn.args)))

```

```

85     return max(5,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
86 elif is_appell_function(expn.func):
87     m1 = max(map(expnType, list(expn.args)))
88     return max(6,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
89 elif isinstance(expn,RootSum):
90     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
91     return max(7,m1)
92 elif str(expn).find("Integral") != -1:
93     m1 = max(map(expnType, list(expn.args)))
94     return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
95 else:
96     return 9
97
98 #main function
99 def grade_antiderivative(result,optimal):
100
101     leaf_count_result  = leaf_count(result)
102     leaf_count_optimal = leaf_count(optimal)
103
104     expnType_result  = expnType(result)
105     expnType_optimal = expnType(optimal)
106
107     if str(result).find("Integral") != -1:
108         return "F"
109
110     if expnType_result <= expnType_optimal:
111         if result.has(I):
112             if optimal.has(I): #both result and optimal complex
113                 if leaf_count_result <= 2*leaf_count_optimal:
114                     return "A"
115                 else:
116                     return "B"
117             else: #result contains complex but optimal is not
118                 return "C"
119         else: # result do not contain complex, this assumes optimal do not as
well
120             if leaf_count_result <= 2*leaf_count_optimal:
121                 return "A"
122             else:
123                 return "B"
124     else:
125         return "C"

```

4.0.4 SageMath grading function

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by


```

2 #           Albert Rich to use with Sagemath. This is used to
3 #           grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #           'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(
33         flatten(tree(anti))))
34         return round(1.35*len(flatten(tree(anti)))) #fudge factor
35         #since this estimate of leaf count is bit lower than
36         #what it should be compared to Mathematica's
37
38 def is_sqrt(expr):
39     debug=False;
40     if expr.operator() == operator.pow: #isinstance(expr,Pow):
41         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
42             if debug: print ("expr is sqrt")
43             return True
44         else:
45             return False
46     else:
47         return False

```

```

48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func ," is special_function")
83         else:
84             print ("func ", func ," is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
91     ']
92
93 def is_appell_function(func):

```

```

93     return func.name() in ['hypergeometric']    #[appellf1] can't find this in
          sagemath
94
95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
104             return expn in expn.parent().base_ring() or expn in expn.parent().
          gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:    #isinstance(expn,list):
121         return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
          Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0]))    #max(2,expnType(expn.
          args[0]))
127     elif expn.operator() == operator.pow:    #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer:    #isinstance(expn.args[1],Integer)
129             return expnType(expn.operands()[0])    #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational:    #isinstance(expn.args[1],
          Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
          Rational)
132                 return 1

```

```

133         else:
134             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137         elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138             m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139             m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140             return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
141         elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
142             return max(3,expnType(expn.operands()[0]))
143         elif is_special_function(expn.operator()): #is_special_function(expn.func)
144             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
145             return max(4,m1) #max(4,m1)
146         elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
148             return max(5,m1) #max(5,m1)
149         elif is_appell_function(expn.operator()):
150             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
151             return max(6,m1) #max(6,m1)
152         elif str(expn).find("Integral") != -1: #this will never happen, since it
153             #is checked before calling the grading function that is passed.
154             #but kept it here.
155             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
156             return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
157         else:
158             return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
176                     expnType_optimal)
177
178     if expnType_result <= expnType_optimal:
179         if result.has(I):
180             if optimal.has(I): #both result and optimal complex
181                 if leaf_count_result <= 2*leaf_count_optimal:
182                     return "A"
183             else:
184                 return "B"
185             else: #result contains complex but optimal is not
186                 return "C"
187         else: # result do not contain complex, this assumes optimal do not as
188             well
189                 if leaf_count_result <= 2*leaf_count_optimal:
190                     return "A"
191                 else:
192                     return "B"
193         else:
194             return "C"
```